

Tilburg University

The Shapley-entrance game

Hamers, H.J.M.

Publication date:
1991

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

Hamers, H. J. M. (1991). *The Shapley-entrance game*. (Research memorandum / Tilburg University, Department of Economics; Vol. FEW 489). Unknown Publisher.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

RM


c

CBM
R



7626
1991
489

POSTBOX 90153
5000 LE TILBURG
THE NETHERLANDS



DEPARTMENT OF ECONOMICS
RESEARCH MEMORANDUM



THE SHAPLEY-ENTRANCE GAME

Herbert Hamers

FEW 489

THE SHAPLEY-ENTRANCE GAME

HERBERT HAMERS*

Tilburg University

April 25, 1991

Abstract

In this paper we study a game of timing that is based on the interpretation of the Shapley value as the players enter one by one. It is shown that in this game there exists a unique Nash Equilibrium. This Nash Equilibrium is explicitly given.

KEYWORDS: Shapley value, Nash Equilibrium, Games of timing.

*Dept. of Econometrics, Tilburg University, P.O. Box 90153, 5000 LE Tilburg, The Netherlands. I thank Eric van Damme for supervising the research of this paper and Feico Drost, Harold Houba and Peter Borm for their comments.

1 Introduction.

This paper investigates a non-cooperative game that is based on the entrance-interpretation of the Shapley value.

One story that is told in textbooks to introduce the Shapley value is as follows. The players of the grand coalition enter one by one. When a player enters he will get his marginal contribution to the coalition that is already present. If each order of entrance has the same probability then the Shapley value is the expected payoff to the players.

In this paper we study whether the assumption that each order of entrance is equally likely is justified if players choose their entry time strategically. To that end we study the (non-cooperative) Shapley entrance-game that we introduce in Section 2. In this game each player independently selects an entrance time. The payoff of a player is his marginal contribution with regard to the cooperative game (N, v) , discounted over time. It is assumed that the discount parameter is the same for each player. In this paper only the two player model is analyzed. This model defines a game of timing which is called "silent" [see Karlin (1959)].¹

In Section 3 a Nash Equilibrium in mixed strategies is explicitly given. It is shown that this Nash Equilibrium is unique. The payoff of the Nash Equilibrium is independent of the discounting parameter and is not efficient with regard to the cooperative game (N, v) . In particular, the Nash equilibrium payoff does not coincide with the Shapley-value.

2 The Shapley-Entrance Game

In this section the non-cooperative Shapley-Entrance Game (SEG) is defined. Let (N, v) be a two person cooperative game such that $v(1) = \alpha$, $v(2) = \beta$ and $v(N) = 1$ and $\alpha > 0, \beta > 0$ and $\alpha + \beta < 1$. Taking (N, v) fixed, the SEG is defined as follows. The set of pure strategies of player i is $S_i = [0, \infty)$ where $t_i \in S_i$ represents the time player i will enter. If (t_1, t_2) is a strategy pair, then the payoff function of player 1 is

¹Another type of games of timing are the "noisy" games. In such game the payoff of the follower depends only on when the other player moves. An example of such a game is the War of Attrition [see Hendricks et al. (1988)]

$$\pi_1(t_1, t_2) = \begin{cases} \alpha\delta^{t_1} & t_1 < t_2 \\ \{p\alpha + (1-p)(1-\beta)\}\delta^{t_1} & t_1 = t_2 \\ (1-\beta)\delta^{t_1} & t_1 > t_2 \end{cases}$$

and of player 2

$$\pi_2(t_1, t_2) = \begin{cases} (1-\alpha)\delta^{t_2} & t_1 < t_2 \\ \{p(1-\alpha) + (1-p)\beta\}\delta^{t_2} & t_1 = t_2 \\ \beta\delta^{t_2} & t_1 > t_2 \end{cases}$$

Hence each player receives his discounted marginal contribution, where $p \in [0, 1]$ is the probability that player 1 has to enter the room first when the arrival times of both players are identical. Further we suppose that the discounting parameter satisfies $0 < \delta < 1$.

A mixed strategy of player i is a probability distribution. Let X_i be the (arrival-)time of player i with probability distribution function $F_i(x) = P[X_i \leq x]$. For convenience we define $q_i(x) = P[X_i = x]$. The payoff of player 1 playing x when player 2 plays the mixed strategy F_2 is given by

$$\begin{aligned} \pi_1(x, F_2) &= \int_{[0, \infty)} \pi_1(x, y) dF_2(y) \\ &= \int_{x < y} \alpha\delta^x dF_2(y) + \int_{x > y} (1-\beta)\delta^x dF_2(y) \\ &\quad + \delta^x \{p\alpha + (1-p)(1-\beta)\}q_2(x) \\ &= \delta^x \{\alpha + (1-\alpha-\beta)F_2(x)\} - \delta^x p(1-\alpha-\beta)q_2(x) \end{aligned} \tag{1}$$

This implies that the payoff of player 1 playing F_1 when player 2 plays F_2 is given by

$$\begin{aligned} \pi_1(F_1, F_2) &= \int_{[0, \infty)} \delta^x \{\alpha + (1-\alpha-\beta)F_2(x)\} - \delta^x p(1-\alpha-\beta)q_2(x) dF_1(x) \\ &= \int_{[0, \infty)} \delta^x \{\alpha + (1-\alpha-\beta)F_2(x)\} dF_1(x) \\ &\quad - \sum \delta^x p(1-\alpha-\beta)q_2(x)q_1(x) \end{aligned} \tag{2}$$

Analogously we find for player 2

$$\pi_2(F_1, y) = \delta^y \{\beta + (1 - \alpha - \beta) F_1(y)\} - \delta^y (1 - p)(1 - \alpha - \beta) q_1(y) \quad (3)$$

and

$$\begin{aligned} & \pi_2(F_1, F_2) \\ &= \int_{[0, \infty)} \delta^y \{\beta + (1 - \alpha - \beta) F_1(y)\} dF_2(y) \\ & - \sum \delta^y (1 - p)(1 - \alpha - \beta) q_1(y) q_2(y) \end{aligned} \quad (4)$$

In this paper we only present the results for player 1. The results for player 2 are obtained if the set of ordered symbols $(\alpha, \beta, 1, 2, x, y, p)$ is replaced by $(\beta, \alpha, 2, 1, y, x, 1 - p)$.

Assume there exists a NE (P_1, P_2) in mixed strategies with payoff (η_1, η_2) . The first lemma shows a general property of a NE. When player 1 has a masspoint in t and player 2 plays the equilibrium strategy P_2 then player 1 is indifferent between playing the pure strategy t or his equilibrium strategy P_1 .

Lemma 1 *If (P_1, P_2) is a NE with $q_1(t) > 0$ then $\pi_1(P_1, P_2) = \pi_1(t, P_2)$.*

PROOF: Suppose player 1 has a masspoint in t and $\pi_1(t, P_2) < \pi_1(P_1, P_2)$. From the definition of a NE follows that $\pi_1(t^*, P_2) \leq \pi_1(P_1, P_2) \quad \forall t^*$. This implies that $\eta_1 = \pi_1(P_1, P_2) \leq (1 - q_1(t))\eta_1 + q_1(t)\pi_1(t, P_2) < \eta_1$. Contradiction. \square

3 NE of Shapley-entrance game

In this section we first discuss the existence of a NE and secondly we prove uniqueness of the NE.

It is obvious that the SEG has no pure NE. Suppose there exists a pure NE (t_1, t_2) . When $t_i < t_j$ then player j is better off with playing $t^* \in (t_i, t_j)$. This means that $t_1 = t_2$. But then at least one player has the incentive to arrive later. This proves:

Proposition 1 *The Shapley-entrance game has no pure NE.*

From Proposition 1 it follows that a NE, if it exists, is one in mixed strategies. Before proving our theorems we derive some conditions upon NE (P_1, P_2) with payoff (η_1, η_2) .

The second lemma gives an inequality that follows immediately from the definition of a NE.

Lemma 2 *Let (P_1, P_2) be a NE with payoff (η_1, η_2) . Then*

$$P_1(x) - q_1(x)(1 - p) \leq \frac{\eta_2 - \beta\delta^x}{(1 - \alpha - \beta)\delta^x} \quad \forall x \in [0, \infty)$$

PROOF: Follows by substitution of $\eta_2 = \pi_2(P_1, P_2) \geq \pi_2(P_1, x)$ in (3) \square

In the next lemma we show that it is not possible that both players have a masspoint at time t . Intuitively this is clear. If player 1 enters the room at time t it is better for player 2 to wait a little longer.

Lemma 3 *In a NE holds $q_1(t) \cdot q_2(t) = 0 \quad \forall t \in [0, \infty)$.*

PROOF: Suppose that both $q_1(t) > 0$ and $q_2(t) > 0$.

If $p > 0$ then there exists an $\epsilon > 0$ [P_2 is a non-decreasing function] such that $q_2(t + \epsilon) = 0$ and $\delta^t\{\alpha + (1 - \alpha - \beta)P_2(t) - p(1 - \alpha - \beta)q_2(t)\} < \delta^{t+\epsilon}\{\alpha + (1 - \alpha - \beta)P_2(t + \epsilon)\} = \pi_1(t + \epsilon, P_2)$. But then lemma 1 implies $\pi_1(P_1, P_2) = \pi_1(t, P_2) < \pi_1(t + \epsilon, P_2)$. Contradiction. If $p = 0$ the proof is similar. \square

The following lemma shows us that the supports of the equilibrium strategies are defined on an interval with the same finite upperbound.

Lemma 4 *The upper endpoints of the supports of the strategies of a NE in the SEG coincide.*

PROOF: Let $c \in \mathbf{R}$ be such that $\delta^c(1 - \beta) = \eta_1$. Then $P_1(c) = 1$.

Let $d \in \mathbf{R}$ such that $\delta^d(1 - \alpha) = \eta_2$. Then $P_2(d) = 1$.

Suppose that $c > d$ then player 1 has an incentive to play a strategy with support (d, c) because on the interval (d, c) he gets $\delta^x(1 - \beta), x \in (d, c)$.

This yields a greater payoff than the equilibrium payoff. Contradiction. So $c \leq d$. On account of symmetry holds $d \leq c$. Analogously can be shown that $c = \inf\{x \mid P_i(x) = 1\}$. \square

Lemma 4 immediately implies

Corollary 1 *In the SEG the payoff (η_1, η_2) of a NE satisfies*

$$\frac{\eta_1}{\eta_2} = \frac{1 - \beta}{1 - \alpha}$$

The payoff of player 1 is bounded above by $1 - \beta$. This payoff is the supremum of player 1's payoff. This can be shown by choosing the pure strategy $t = 0$ for player 2 and the strategy $t = \epsilon$ for some small $\epsilon > 0$ for player 1. Analogously $1 - \alpha$ is the supremum of player 2's payoff. The corollary shows now that the payoff in any equilibrium is equal to the proportion of these upperbounds.

In the next theorem we show the existence of a NE in the SEG. We restrict attention to the case $\alpha \leq \beta$. The case $\beta \leq \alpha$ follows by a similar arguments.

Theorem 1 *If $\alpha \leq \beta$ then the Shapley-entrance game has a Nash Equilibrium given by the strategy- pair :*

$$P_1^*(x) = \begin{cases} \frac{\beta - \beta\delta^x}{(1 - \alpha - \beta)\delta^x} & 0 \leq x \leq c \\ 1 & x > c \end{cases}$$

and

$$P_2^*(x) = \begin{cases} \frac{\beta(1 - \beta) - \alpha(1 - \alpha)\delta^x}{(1 - \alpha)(1 - \alpha - \beta)\delta^x} & 0 \leq x \leq c \\ 1 & x > c \end{cases}$$

with c such that $\delta^c(1 - \alpha) = \beta$. Moreover, the payoff is given by $\pi(P_1^*, P_2^*) = \frac{\beta}{1 - \alpha}(1 - \beta, 1 - \alpha)$.

PROOF: Note that P_1^* and P_2^* are distribution functions.

It suffices to show that

$$\pi_1(x, P_2^*) = \pi_1(P_1^*, P_2^*) \quad \forall x \in (0, c],$$

$$\pi_1(x, P_2^*) < \pi_1(P_1^*, P_2^*) \quad \forall x \in \{0\} \cup (c, \infty) \quad \text{and}$$

$$\pi_2(P_1^*, x) = \pi_2(P_1^*, P_2^*) \quad \forall x \in [0, c]; \quad \pi_2(P_1^*, x) < \pi_2(P_1^*, P_2^*) \quad \forall x \in (c, \infty)$$

The proof of these inequalities follows by straightforward calculations (use (1) and (3) and the definition of c). \square

We conclude that when the discounting parameter δ become larger the supports of the equilibrium strategies of the last theorem becomes larger. Surprisingly the equilibrium payoff is independent of the discounting parameter. So, when the players play accordingly the above NE, the discounting parameter δ can only affect the duration of the game, but not the payoff of the players. In other words this means that both players become more patient when the discount factor becomes larger.

The question arises if there are other NE's for the SEG. The next theorem shows that all NE's must have the same payoff as the NE in Theorem 1. Thus we have uniqueness in payoffs.

Theorem 2 *In the Shapley-entrance game there does not exist a NE (G_1, G_2) with payoff $(\mu_1, \mu_2) \neq (\eta_1, \eta_2)$, where (η_1, η_2) is the payoff of the NE given in Theorem 1.*

PROOF: Assume there exists an equilibrium (G_1, G_2) with payoff (μ_1, μ_2) such that $(\mu_1, \mu_2) \neq (\eta_1, \eta_2)$.

Since (G_1, G_2) is an equilibrium $\frac{\mu_1}{\mu_2} = \frac{1-\beta}{1-\alpha}$ (Corollary 1). Hence $(\mu_1, \mu_2) < (\eta_1, \eta_2)$ or $(\mu_1, \mu_2) > (\eta_1, \eta_2)$ [componentwise ordering].

The first case, $(\mu_1, \mu_2) < (\eta_1, \eta_2)$, is not possible because of Theorem 1 and since player two can guarantee himself β by switching to the pure strategy $t = 0$. (Note if $\beta < \alpha$ then player one is better off by switching to the pure strategy $t = 0$).

The case $(\mu_1, \mu_2) > (\eta_1, \eta_2)$ needs more explanation.

Lemma 4 implies that there exists a $c^* > 0$ such that $\delta^{c^*}(1 - \beta) = \mu_1$ and $\delta^{c^*}(1 - \alpha) = \mu_2$ and $G_1(c^*) = G_2(c^*) = 1$. Now we can show by straightfor-

ward calculation ² that the following inequalities hold:

$$[-\mu_1 + \delta^t \{\alpha + (1 - \alpha - \beta)G_2(t)\}]q_1(t) \geq 0 \quad \forall t \in [0, c^*] \quad (5)$$

$$[-\mu_2 + \delta^t \{\beta + (1 - \alpha - \beta)G_1(t)\}]q_2(t) \geq 0 \quad \forall t \in [0, c^*] \quad (6)$$

Let $r^* = \inf\{x \in [0, c^*] \mid G_1(x) > 0\}$ and $s^* = \inf\{x \in [0, c^*] \mid G_2(x) > 0\}$.

(i) Suppose $r^* < s^*$.

From (5) and $(\mu_1, \mu_2) > (\eta_1, \eta_2) \geq (\alpha, \beta)$ follows that $q_1(r^*) = 0$. This implies that G_1 is continuous in r^* .

For any $\epsilon > 0$ we define $z_\epsilon^* = \inf\{x \in [0, c^*] \mid G_1(x) > \epsilon\}$. Let ϵ^* be such that $z_{\epsilon^*}^* < s^*$. Then analogous to the calculation of (5), (Note that $G_2(z_{\epsilon^*}^*) = 0$), follows:

$$\begin{aligned} \mu_1 &= \int_{[r^*, c^*]} \delta^x \{\alpha + (1 - \alpha - \beta)G_2(x)\} dG_1(x) \\ &\leq [\delta^{r^*} \alpha - \mu_1]G_1(z_{\epsilon^*}^*) + \mu_1 \end{aligned}$$

This last inequality shows that $G_1(z_{\epsilon^*}^*) = 0$. This contradicts the definition of r^* , since $z_{\epsilon^*}^* > r^*$.

(ii) Suppose $r^* > s^*$.

Analogous arguments as used in (i) give a contradiction to this assumption.

(iii) Suppose $r^* = s^*$.

From Lemma 3, (5), (6), and $(\mu_1, \mu_2) > (\eta_1, \eta_2) \geq (\alpha, \beta)$ follows $q_1(r^*) = 0$ and $q_2(r^*) = 0$. So G_1 and G_2 are continuous in $x = r^*$. So for any $\epsilon^* > 0$ there exists a $\delta^* > 0$ such that $G_2(x) < \epsilon^* \forall x \in [r^*, r^* + \delta^*]$. Then holds

$$\begin{aligned} \mu_1 &\leq \int_{[r^*, r^* + \delta^*]} \delta^x \{\alpha + (1 - \alpha - \beta)G_2(x)\} dG_1(x) + \{1 - G_1(r^* + \delta^*)\}\mu_1 \\ &\leq [\delta^{r^*} \{\alpha + (1 - \alpha - \beta)\epsilon^*\} - \mu_1]G_1(r^* + \delta^*) + \mu_1 \end{aligned}$$

So for sufficient small ϵ^* holds $G_1(r^* + \delta^*) = 0$. This contradict the definition of r^* .

Hence (i), (ii) and (iii) do not hold by the assumption that $(\mu_1, \mu_2) > (\eta_1, \eta_2)$.

²for equation (5) use (2), split the integration-interval in a point and the remaining interval, then use lemma 2

This completes the proof. \square

Theorem 2 enables us to prove the uniqueness of the NE of Theorem 1. Again we restrict our attention to the case $\alpha \leq \beta$.

Theorem 3 *If $\alpha \leq \beta$ then (P_1^*, P_2^*) is the unique NE of the Shapley-entrance game.*

PROOF: Suppose that (G_1, G_2) is a NE. The proof is given in four steps:

(i) We first prove: $G_i \leq P_i^*$.

From Theorem 2 it follows that $\pi(G_1, G_2) = (\frac{\beta(1-\beta)}{1-\alpha}, \beta)$. Then Lemma 4 implies that the right endpoint of the supports of P_i^* and G_i coincide. Hence $P_i^*(x) = G_i(x) \quad \forall x \in (c, \infty)$ with c defined as in Lemma 4.

From Lemma 2 it follows that

$$G_1(x) - q_1(x)(1-p) \leq P_1^*(x) \quad \forall x \in [0, c] \quad (7)$$

Let $A := \{x \mid q_1(x) > 0\}$. Then (7) implies that

$$G_1(x) \leq P_1^*(x) \quad \forall x \in [0, c] \setminus A \quad (8)$$

Suppose there exists a $x^* \in [0, c]$ such that $G_1(x^*) > P_1^*(x^*)$. Hence there exists an $\epsilon > 0$ such that

$$G_1(x^*) = P_1^*(x^*) + \epsilon \quad (9)$$

Since P_1^* is continuous, there exists a $\delta > 0$ such that $\forall x \in [x^*, x^* + \delta)$ holds

$$P_1^*(x) - P_1^*(x^*) < \frac{1}{2}\epsilon \quad (10)$$

Let $z \in (x^*, x^* + \delta) \setminus A$ then

$$G_1(z) \leq P_1^*(z) < P_1^*(x^*) + \frac{1}{2}\epsilon < G_1(x^*)$$

Note that the first inequality holds by (8), the second by (10), the third by (9). Since G_1 is non-decreasing we have a contradiction. Analogously we can prove that $G_2 \leq P_2^*$.

(ii) We show here: $G_i = P_i^*$ a.e. G_j , with $i \neq j$.

Easy calculations show that

$$\begin{aligned}
& \int_{[0,c]} \delta^x \{\beta + (1 - \alpha - \beta)G_1(x)\} dG_2(x) \\
&= \int_{[0,c]} \delta^x \{\beta + (1 - \alpha - \beta)P_1^*(x)\} dG_2(x)
\end{aligned}$$

This integral-equality and (i) yields (ii) for $i = 1$ and $j = 2$. When $i = 2$ and $j = 1$ the prove is analogously (Note that $G_1(0) = 0$).

(iii) Now we show: G_1 is continuous on $[0, c]$ and G_2 is continuous on $(0, c]$. Suppose G_1 is not continuous. Then there exists a $z \in (0, c]$ such that $q_1(z) = \epsilon > 0$. Since P_1^* is continuous on $[0, c]$, there exists a $\delta > 0$ such that $\forall x \in (z - \delta, z]$ holds

$$P_1^*(z) - P_1^*(x) < \frac{1}{2}\epsilon$$

Then for all $x \in (z - \delta, z)$ holds

$$\begin{aligned}
G_1(x) &\leq G_1(z^-) = G_1(z) - q_1(z) = G_1(z) - \epsilon \\
&\leq P_1^*(z) - \epsilon < P_1^*(z) - \frac{1}{2}\epsilon = P_1^*(x)
\end{aligned}$$

From (ii) and the last inequality follows that $G_2(\{(z - \delta, z)\}) = 0$. Hence G_2 is constant on $(z - \delta, z)$. Since $q_1(z) > 0$ Lemma 3 implies that $q_2(z) = 0$. Hence, G_2 is constant on $(z - \delta, z]$. This implies that $G_2(x) < P_2^*(x) \forall x \in (z - \delta, z]$. From (ii) follows that $G_1(\{(z - \delta, z]\}) = 0$. This implies that $G_1(\{z\}) = 0$. Since $G_1(\{z\}) = q_1(z)$ we have a contradiction.

Analogously we can show that G_2 is continuous on $(0, c]$.

(iv) Finally we prove: $G_i = P_i^*$.

Suppose there exists a $z \in (0, c]$ such that $G_1(z) < P_1^*(z)$. Since G_1 is continuous there exists an interval $[a, b]$ that contains z and satisfies $G_1(a) = P_1^*(a), G_1(b) = P_1^*(b)$ and $G_1(x) < P_1^*(x) \forall x \in (a, b)$. Then (ii) implies that $G_2(\{(a, b)\}) = 0$. Since G_2 is continuous on $(0, c]$ it follows that G_2 is constant on $(a, b]$ and $G_2(x) < P_2^*(x) \forall x \in (a, b]$. Hence $G_1(\{(a, b]\}) = 0$. This implies that G_1 is constant on $(a, b]$ and $G_1(x) < P_1^*(x) \forall x \in (a, b]$. Contradiction. Analogously is shown that $G_2 = P_2^*$. \square

The equilibrium payoff (η_1, η_2) is not efficient in view of the cooperative game. So the Shapley-entrance game does not yield the Shapley-value as the equilibrium outcome. This means that when players can choose their entrance time strategically, they cannot choose an equilibrium strategy that supports the Shapley value.

4 Conclusion.

In this paper we analyzed the Shapley-entrance game, a game based on the entrance-interpretation of the Shapley value. We explicitly gave a NE and proved that it is unique. Further we showed that the equilibrium payoff was independent of the discounting parameter and inefficient with regard to the cooperative game (N, v) . This result did not support the Shapley value.

Note that the Shapley value is implemented by the SEG if $\alpha + \beta = 1$.

Proposition 2 *If $\alpha + \beta = 1$ then $(0, 0)$ is the unique NE of the Shapley-entrance game. The payoff of the NE equals the Shapley value.*

PROOF: From (1) and (3) follows that $\pi_1(x, F_2) = \alpha\delta^x$ and $\pi_2(F_1, x) = \beta\delta^x$. Easy calculations show that $(0, 0)$ is the unique NE with payoff $(\alpha, \beta) = \phi(v)$.
□

Since the Shapley value is independent of a discounting parameter, the reader may be curious about the SEG with $\delta = 1$. This curiosity is provided in the next proposition.

Proposition 3 *If $\delta = 1$ then there does not exist a NE in the Shapley-entrance game.*

PROOF: Suppose player two plays F_2 . Then player one can guarantee himself a payoff of $1 - \beta - \epsilon$ by playing the pure strategy x such that $F_2(x) = 1 - \epsilon$. Analogously player two obtains $1 - \alpha - \epsilon$. This is a contradiction since $\epsilon > 0$ is arbitrary. □

Hence the SEG with no discounting does not implement the Shapley-value.

References:

KARLIN S. (1959), *Mathematical Methods and Theory in Games, Programming and Economics*, Volume 2.

HENDRICKS K. , WEISS A. and WILSON C. (1988) The War of Attrition in continuous time with complete information, *International Economic Review*, 29 663–680.

SHAPLEY L. (1953), A value for n -person games, *Annals of Math Studies* , 28, 307–317.

IN 1990 REEDS VERSCHENEN

- 419 Bertrand Melenberg, Rob Alessie
A method to construct moments in the multi-good life cycle consumption model
- 420 J. Kriens
On the differentiability of the set of efficient (μ, σ^2) combinations in the Markowitz portfolio selection method
- 421 Steffen Jørgensen, Peter M. Kort
Optimal dynamic investment policies under concave-convex adjustment costs
- 422 J.P.C. Blanc
Cyclic polling systems: limited service versus Bernoulli schedules
- 423 M.H.C. Paardekooper
Parallel normreducing transformations for the algebraic eigenvalue problem
- 424 Hans Gremmen
On the political (ir)relevance of classical customs union theory
- 425 Ed Nijssen
Marketingstrategie in Machtspectief
- 426 Jack P.C. Kleijnen
Regression Metamodels for Simulation with Common Random Numbers: Comparison of Techniques
- 427 Harry H. Tigelaar
The correlation structure of stationary bilinear processes
- 428 Drs. C.H. Veld en Drs. A.H.F. Verboven
De waardering van aandelenwarrants en langlopende call-opties
- 429 Theo van de Klundert en Anton B. van Schaik
Liquidity Constraints and the Keynesian Corridor
- 430 Gert Nieuwenhuis
Central limit theorems for sequences with $m(n)$ -dependent main part
- 431 Hans J. Gremmen
Macro-Economic Implications of Profit Optimizing Investment Behaviour
- 432 J.M. Schumacher
System-Theoretic Trends in Econometrics
- 433 Peter M. Kort, Paul M.J.J. van Loon, Mikuláš Luptacik
Optimal Dynamic Environmental Policies of a Profit Maximizing Firm
- 434 Raymond Gradus
Optimal Dynamic Profit Taxation: The Derivation of Feedback Stackelberg Equilibria

- 435 Jack P.C. Kleijnen
Statistics and Deterministic Simulation Models: Why Not?
- 436 M.J.G. van Eijs, R.J.M. Heuts, J.P.C. Kleijnen
Analysis and comparison of two strategies for multi-item inventory systems with joint replenishment costs
- 437 Jan A. Weststrate
Waiting times in a two-queue model with exhaustive and Bernoulli service
- 438 Alfons Daems
Typologie van non-profit organisaties
- 439 Drs. C.H. Veld en Drs. J. Grazell
Motieven voor de uitgifte van converteerbare obligatieleningen en warrantobligatieleningen
- 440 Jack P.C. Kleijnen
Sensitivity analysis of simulation experiments: regression analysis and statistical design
- 441 C.H. Veld en A.H.F. Verboven
De waardering van conversierechten van Nederlandse converteerbare obligaties
- 442 Drs. C.H. Veld en Drs. P.J.W. Duffhues
Verslaggevingsaspecten van aandelenwarrants
- 443 Jack P.C. Kleijnen and Ben Annink
Vector computers, Monte Carlo simulation, and regression analysis: an introduction
- 444 Alfons Daems
"Non-market failures": Imperfecties in de budgetsector
- 445 J.P.C. Blanc
The power-series algorithm applied to cyclic polling systems
- 446 L.W.G. Strijbosch and R.M.J. Heuts
Modelling (s,Q) inventory systems: parametric versus non-parametric approximations for the lead time demand distribution
- 447 Jack P.C. Kleijnen
Supercomputers for Monte Carlo simulation: cross-validation versus Rao's test in multivariate regression
- 448 Jack P.C. Kleijnen, Greet van Ham and Jan Rotmans
Techniques for sensitivity analysis of simulation models: a case study of the CO₂ greenhouse effect
- 449 Harrie A.A. Verbon and Marijn J.M. Verhoeven
Decision-making on pension schemes: expectation-formation under demographic change

- 450 Drs. W. Reijnders en Drs. P. Verstappen
Logistiek management marketinginstrument van de jaren negentig
- 451 Alfons J. Daems
Budgeting the non-profit organization
An agency theoretic approach
- 452 W.H. Haemers, D.G. Higman, S.A. Hobart
Strongly regular graphs induced by polarities of symmetric designs
- 453 M.J.G. van Eijs
Two notes on the joint replenishment problem under constant demand
- 454 B.B. van der Genugten
Iterated WLS using residuals for improved efficiency in the linear model with completely unknown heteroskedasticity
- 455 F.A. van der Duyn Schouten and S.G. Vanneste
Two Simple Control Policies for a Multicomponent Maintenance System
- 456 Geert J. Almekinders and Sylvester C.W. Eijffinger
Objectives and effectiveness of foreign exchange market intervention
A survey of the empirical literature
- 457 Saskia Oortwijn, Peter Borm, Hans Keiding and Stef Tijs
Extensions of the τ -value to NTU-games
- 458 Willem H. Haemers, Christopher Parker, Vera Pless and Vladimir D. Tonchev
A design and a code invariant under the simple group Co_3
- 459 J.P.C. Blanc
Performance evaluation of polling systems by means of the power-series algorithm
- 460 Leo W.G. Strijbosch, Arno G.M. van Doorne, Willem J. Selen
A simplified MOLP algorithm: The MOLP-S procedure
- 461 Arie Kapteyn and Aart de Zeeuw
Changing incentives for economic research in The Netherlands
- 462 W. Spanjers
Equilibrium with co-ordination and exchange institutions: A comment
- 463 Sylvester Eijffinger and Adrian van Rixtel
The Japanese financial system and monetary policy: A descriptive review
- 464 Hans Kremers and Dolf Talman
A new algorithm for the linear complementarity problem allowing for an arbitrary starting point
- 465 René van den Brink, Robert P. Gilles
A social power index for hierarchically structured populations of economic agents

IN 1991 REEDS VERSCHENEN

- 466 Prof.Dr. Th.C.M.J. van de Klundert - Prof.Dr. A.B.T.M. van Schaik
Economische groei in Nederland in een internationaal perspectief
- 467 Dr. Sylvester C.W. Eijffinger
The convergence of monetary policy - Germany and France as an example
- 468 E. Nijssen
Strategisch gedrag, planning en prestatie. Een inductieve studie binnen de computerbranche
- 469 Anne van den Nouweland, Peter Borm, Guillermo Owen and Stef Tijs
Cost allocation and communication
- 470 Drs. J. Grazell en Drs. C.H. Veld
Motieven voor de uitgifte van converteerbare obligatieleningen en warrant-obligatieleningen: een agency-theoretische benadering
- 471 P.C. van Batenburg, J. Kriens, W.M. Lammerts van Bueren and R.H. Veenstra
Audit Assurance Model and Bayesian Discovery Sampling
- 472 Marcel Kerkhofs
Identification and Estimation of Household Production Models
- 473 Robert P. Gilles, Guillermo Owen, René van den Brink
Games with Permission Structures: The Conjunctive Approach
- 474 Jack P.C. Kleijnen
Sensitivity Analysis of Simulation Experiments: Tutorial on Regression Analysis and Statistical Design
- 475 An $O(n \log n)$ algorithm for the two-machine flow shop problem with controllable machine speeds
C.P.M. van Hoesel
- 476 Stephan G. Vanneste
A Markov Model for Opportunity Maintenance
- 477 F.A. van der Duyn Schouten, M.J.G. van Eijs, R.M.J. Heuts
Coordinated replenishment systems with discount opportunities
- 478 A. van den Nouweland, J. Potters, S. Tijs and J. Zarzuelo
Cores and related solution concepts for multi-choice games
- 479 Drs. C.H. Veld
Warrant pricing: a review of theoretical and empirical research
- 480 E. Nijssen
De Miles and Snow-typologie: Een exploratieve studie in de meubelbranche
- 481 Harry G. Barkema
Are managers indeed motivated by their bonuses?

- 482 Jacob C. Engwerda, André C.M. Ran, Arie L. Rijkeboer
Necessary and sufficient conditions for the existence of a positive definite solution of the matrix equation $X + A^T X^{-1} A = I$
- 483 Peter M. Kort
A dynamic model of the firm with uncertain earnings and adjustment costs
- 484 Raymond H.J.M. Gradus, Peter M. Kort
Optimal taxation on profit and pollution within a macroeconomic framework
- 485 René van den Brink, Robert P. Gilles
Axiomatizations of the Conjunctive Permission Value for Games with Permission Structures
- 486 A.E. Brouwer & W.H. Haemers
The Gewirtz graph - an exercise in the theory of graph spectra
- 487 Pim Adang, Bertrand Melenberg
Intratemporal uncertainty in the multi-good life cycle consumption model: motivation and application
- 488 J.H.J. Roemen
The long term elasticity of the milk supply with respect to the milk price in the Netherlands in the period 1969-1984

Bibliotheek K. U. Brabant



17 000 01066377 2