

Tilburg University

Monotonic games are spanning network games

van den Nouweland, C.G.A.M.; Maschler, M.; Tijs, S.H.

Publication date:
1992

[Link to publication in Tilburg University Research Portal](#)

Citation for published version (APA):

van den Nouweland, C. G. A. M., Maschler, M., & Tijs, S. H. (1992). *Monotonic games are spanning network games*. (Center Discussion Paper; Vol. 1992-23). Unknown Publisher.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal


Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Center
for
Economic Research

Discussion paper

CBM
R
8414
1992
1992
NR 23
23



No. 9223

MONOTONIC GAMES ARE SPANNING NETWORK GAMES

by Anne van den Nouweland,
Michael Maschler and Stef Tijs

A40

August 1992

Game Theory

ISSN 0924-7815

Monotonic games are spanning network games

by

A. van den Nouweland¹, M. Maschler², and S. Tijs¹

Abstract

Spanning network games, which are a generalization of minimum cost spanning tree games, were introduced by *Granot and Maschler* (1991), who showed that these games are always monotonic. In this paper a subclass of spanning network games is introduced, namely simplex games, and it is shown that every monotonic game is a simplex game. Hence, the class of spanning network games coincides with the class of monotonic games.

¹Department of Econometrics, Tilburg University, P.O. Box 90153, 5000 LE Tilburg, The Netherlands.

²Department of Mathematics, The Hebrew University, 91904 Jerusalem, Israel. Financial support of the CentER for Economic Research of the Department of Economics, Tilburg University, The Netherlands, is gratefully acknowledged.

1 Introduction

Cooperative game theory often models classes of 'interactive situations', where this term may have different interpretations. In such cases, it is important to identify the class of the mathematical models, namely the class of games that corresponds to the class of interactive situations. For example, *von Neumann and Morgenstern* (1944) modeled the class of 'interactive situations' that fall under the category of strategic form games in an environment of transferable utility and full and unrestricted cooperation as a class of TU-cooperative games. They proved (in both directions) that the corresponding games constitute precisely the class of superadditive TU-games. *Borm and Tijs* (1992) showed that the class of strategic form games in a non-transferable utility setting where players are allowed to coordinate their actions corresponds to the class of superadditive NTU-cooperative games that satisfy the requirement of standardness. As another example, the class of weighted majority constant sum games was identified in *Peleg* (1968) as a class of simple TU-games satisfying certain Bondareva-Shapley conditions. The class of exchange economies in a transferable utility environment, for example, was modeled and identified in *Shapley and Shubik* (1969) as the class of totally balanced games. *Kalai and Zemel* (1982) showed that the class of flows with private ownership corresponds to the class of non-negative totally balanced games. *Curiel, Derks and Tijs* (1989) showed that the class of flows, where the arcs are controlled by coalitions with veto players corresponds to the class of non-negative balanced games. Such identification is not always complete. For example, *Curiel, Maschler and Tijs* (1987) showed that bankruptcy situations give rise to non-negative convex games, but they also showed that not every non-negative convex game can be derived from a bankruptcy situation.

One reason why such identification is important is, because it enables one to decide whether a certain solution concept is appropriate to the corresponding situation. For example, if the interactive situations correspond to the class of simple games, then it makes no sense to recommend the Shapley value on the basis of *Shapley's* (1953) original axioms, because the sum of simple games, which appears in one of the axioms, is not a simple game and therefore the system is not meaningful when restricted to that class. In fact, *Dubey* (1975) showed that another set of axioms, which does make sense in the restricted class of simple games, is sufficient to characterize the Shapley value. Now, if one wants to recommend and justify a solution for a class of interactive situations that corresponds to the class of simple games, one can refer to *Dubey's* axioms and check if

they are appealing in the actual case under consideration.

The present paper is concerned with the identification of the class of TU-games that correspond to a class of *spanning network enterprises*. This class (see section 2) was defined by *Granot and Maschler* (1991) and it generalizes *Megiddo's* (1978) spanning tree and the more general *Granot and Huberman* (1981) monotonic minimal spanning network enterprises. *Granot and Maschler* (1991) prove that the games that result from these enterprises are monotonic. Here we shall, in reply to a question that was raised by *Pradeep Dubey*, prove that the converse is also true: for every monotonic TU-game (N, v) , there is a spanning network enterprise whose game is (N, v) .

In section 2 we formally introduce the model of a spanning network enterprise and its corresponding spanning network game. Further, some properties of spanning network games are investigated in this section. In section 3 a subclass of spanning network games, the class of so-called simplex games, is introduced and our main result is proved, namely that every monotonic game is a simplex game.

2 Spanning network games

A *spanning network enterprise* is a structure $\mathcal{S} := (V, E, a, b, N)$, where (V, E) is a finite undirected graph containing a distinguished vertex, 0, called the *root* or the *central supplier*. We assume that the graph (V, E) is connected. Further, a is a function from E to \mathbf{R} that associates with each edge $e \in E$ a cost $a(e)$, and b is a function from V to \mathbf{R} associating with each vertex $v \in V$ a cost $b(v)$. Note that both a and b can also assign negative values, in which case they represent profits rather than costs. In addition, $N = \{1, \dots, n\}$ is a set of *players*. Each player is located in a vertex V . Vertices, other than the root, that are not inhabited by players will be called *switch boxes*. Note that we do not exclude the possibility that several players are located in the same vertex, neither did we exclude the possibility that the root is inhabited.

The players are users of some good that can be provided by the central supplier. Hence, the players in a *coalition* $S \subseteq N$ want to build a network that connects them to the root. Moreover, they want to do this in a cheapest possible way. Now, it is important to note that players are only located in vertices, they do not own them and

cannot prevent other players from using the vertices they inhabit. Further, the players in S may find it profitable to build edges and vertices that they do not need for the actual connection to the root. They are allowed to do this. However, we do require that the network that is built by a coalition is connected. Correspondingly, for every coalition $S \subseteq N$ the cost $c(S)$ is defined to be the cost of a least expensive connected subnetwork of (V, E) that connects all players in S to the root. Here, the cost of a subnetwork $G' = (V', E')$ is $w(G') = \sum_{v \in V'} b(v) + \sum_{e \in E'} a(e)$. Now, we defined a cost game $\Gamma_{\mathcal{S}} = (N, c)$ associated with a spanning network enterprise \mathcal{S} . The game $\Gamma_{\mathcal{S}}$ is called (the corresponding) *spanning network game*.

There is somewhat of a problem with the empty set of players. Should we require the empty coalition to pay the cost of the root? In this paper we will do so and we also allow the empty coalition to build profitable edges and vertices that are connected to the root. Note that this is consistent with the way we handle other coalitions. Further, it implies that for a spanning network game $\Gamma_{\mathcal{S}} = (N, c)$ it is not necessarily true that $c(\emptyset)$ equals zero. However, defining $c(\emptyset)$ to equal zero for every spanning network game would not change the results in this paper.

Example 1. Let $N = \{1, 2, 3\}$ and consider the network that is represented in figure 1, where the root is denoted by a triangle ∇ and switch boxes are denoted by a square \square , and where we omitted the costs that equal zero.




Figure 1

Then the cost for the empty coalition is $c(\emptyset) = 3 - 1 = 2$. Further, an optimal subnetwork for the coalition $\{2\}$ is




Figure 2

Hence, for the spanning network game (N, c) associated with this network $c(\{2\}) = 3 - 1 + 5 - 3 = 4$. The game (N, c) is given in table 1.

S	\emptyset	$\{1\}$	$\{2\}$	$\{3\}$	$\{1, 2\}$	$\{1, 3\}$	$\{2, 3\}$	$\{1, 2, 3\}$
$c(S)$	2	4	4	5	6	7	5	7

Table 1

Now suppose in example 1 we lower the cost of the root by 2. Hence, the cost of the root are now 1 and all other costs are unchanged. Some calculation shows that the spanning network game (N, c_0) corresponding to this new situation is related to the game (N, c) in the following way: for each $S \subseteq N$ it holds that $c_0(S) = c(S) - 2$. So, in particular, $c_0(\emptyset) = 0$. This is a property that holds in general:

Remark 1. For every spanning network enterprise \mathcal{S} and its associated game $\Gamma_{\mathcal{S}} = (N, c)$ we can define a slightly different enterprise \mathcal{S}_0 by lowering the cost of the root by $c(\emptyset)$ and the game $\Gamma_{\mathcal{S}_0} = (N, c_0)$ associated with this new enterprise satisfies $c_0(S) = c(S) - c(\emptyset)$ for all $S \subseteq N$, so especially, $c_0(\emptyset) = 0$ (this is a special instance of "Network Equivalence" as defined by *Granot and Maschler (1991)*).

Spanning network games are *monotonic*, i.e.

$$c(S) \leq c(T) \text{ for all } S \subseteq T \subseteq N,$$

as was shown by *Granot and Maschler (1991)*.

The following theorem shows that if all costs in a spanning network enterprise are non-negative, then the corresponding spanning network game is *subadditive*, i.e.

$$c(S \cup T) \leq c(S) + c(T) \text{ for all disjoint } S, T \subseteq N.$$

Theorem 1. Let $\mathcal{S} = (V, E, a, b, N)$ be a spanning network enterprise with $a \geq 0$ and $b \geq 0$. Then the spanning network game $\Gamma_{\mathcal{S}}$ is subadditive.

Proof. Let $\Gamma_{\mathcal{S}} = (N, c)$ and $S, T \subseteq N$ such that $S \cap T = \emptyset$. Suppose $G^S = (V^S, E^S)$ is a subnetwork that is optimal for coalition S , i.e. G^S connects all players in S to the root and $w(G^S) = c(S)$, and let $G^T = (V^T, E^T)$ be an optimal subnetwork for coalition T . Consider the network $G^{S \cup T} := (V^S \cup V^T, E^S \cup E^T)$. This network obviously connects all players in $S \cup T$ to the root. Further, since the root must be contained in both V^S and V^T , the network $G^{S \cup T}$ is also connected. What is cost of the network $G^{S \cup T}$?

The inclusion-exclusion principle implies

$$\begin{aligned} w(G^{S \cup T}) &= \sum_{v \in V^S \cup V^T} b(v) + \sum_{e \in E^S \cup E^T} a(e) \\ &= \sum_{v \in V^S} b(v) + \sum_{v \in V^T} b(v) - \sum_{v \in V^S \cap V^T} b(v) + \sum_{e \in E^S} a(e) + \sum_{e \in E^T} a(e) - \sum_{e \in E^S \cap E^T} a(e) \\ &= w(G^S) + w(G^T) - \sum_{v \in V^S \cap V^T} b(v) - \sum_{e \in E^S \cap E^T} a(e) \\ &\leq w(G^S) + w(G^T) = c(S) + c(T), \end{aligned}$$

where the inequality follows from the fact that both $a \geq 0$ and $b \geq 0$.

This shows that the coalition $S \cup T$ has to spend no more than $c(S) + c(T)$ to build a connected subnetwork that connects the players of this coalition to the root. Hence, $c(S \cup T) \leq c(S) + c(T)$. \square

The following example shows that spanning network games are not in general subadditive.

Example 2. Let $N = \{1, 2\}$ and consider the network that is represented in figure 3.




Figure 3

The spanning network game (N, c) associated with this network satisfies $c(\{1\}) = c(\{2\}) = 0$ and $c(N) = 1$. This game is not subadditive.

3 Simplex games

In this section we show that every monotonic transferable utility game is a spanning network game. In fact, we construct for each $n \in \mathbb{N}$ a so called simplex network, that is shown to generate all monotonic games with player set $\{1, \dots, n\}$ just by adapting the costs of the vertices. Note that it suffices to consider monotonic games (N, c) with $c(\emptyset) = 0$, because if we can find for each monotonic game (N, c) with $c(\emptyset) = 0$, a spanning network enterprise $S_{(N,c)}$ with corresponding spanning network game (N, c) , then by remark 1 we can find for a monotonic game (N, \tilde{c}) , with possibly $\tilde{c}(\emptyset) \neq 0$, a spanning network enterprise generating this game by adding $\tilde{c}(\emptyset)$ to the cost of the root in the spanning network enterprise $S_{(N,c^*)}$, where $c^*(S) = \tilde{c}(S) - \tilde{c}(\emptyset)$ for all $S \subseteq N$.

In the following, let $n \in \mathbb{N}$ be fixed and $N := \{1, \dots, n\}$. By e^S , $S \subseteq N$, we denote the vector in $\{0, 1\}^N$ that satisfies $e_i^S = 1 \Leftrightarrow i \in S$. The simplex network $\Delta_N = (V_N, E_N)$ is constructed as follows. The central supplier is identified with the origin, the vertex 0, and player i is identified with the vertex e^i , $i \in N$. Further, for each non-empty coalition $S \subseteq N$ there is a vertex d^S , the door for coalition S . For $\{i\} \subseteq N$ this door is the vertex $\frac{1}{2}e^i$, and for $S \subseteq N$ with $|S| \geq 2$ this door is the vertex $\frac{1}{|S|}e^S$, the center of gravity of the vertices e^i with $i \in S$. Finally, there is a reward vertex R , which is the vertex e^N . All edges in the simplex network are incident to a door d^S : for every non-empty $S \subseteq N$

door d^S is directly connected to the central supplier 0, to the reward vertex R , and to all e^i with $i \in S$.

The simplex network for $n = 3$ is sketched in figure 4. In this figure the edges connecting the doors d^S to the central supplier are of the form $-\cdot-$ and the edges connecting the doors d^S to the vertices e^i with $i \in S$ are of the form $---$. In order to get a clear picture the edges between the doors d^S and the reward vertex are all omitted and, moreover, the unit cube is drawn in uninterrupted lines, which do not belong to the simplex network.




Figure 4

We proceed by providing for every game (N, c) with $c(\emptyset) = 0$, a set of costs attached to the vertices of the simplex network Δ_N . Here we will use for a game (N, c) a *measure*

of non-subadditivity of (N, c) , $\alpha(c) \in \mathbf{R}^+$, which is defined by

$$\alpha(c) := \max \left\{ 0, \max_{S \subseteq N: |S| \geq 2} \max_{(T_1, \dots, T_k) \in P(S)} \left((c(S) - \sum_{j=1}^k c(T_j))(k-1)^{-1} \right) \right\},$$

where for $S \subseteq N$, $P(S)$ denotes the set of all partitions of S in at least two (non-empty) subcoalitions. Note that $\alpha(c) = 0$ for subadditive games (N, c) .

Now let (N, c) with $c(\emptyset) = 0$, be fixed. We define all edges in the simplex network Δ_N to be costless, as well as the vertices corresponding to the central supplier and the single players. Further, for every coalition S , $S \neq \emptyset$, the cost of the vertex d^S , the door for coalition S , is $c(S) + \alpha(c)$, and to the reward vertex R we assign the cost $-\alpha(c)$ (the reward $\alpha(c)$). Now we have the following

Theorem 2. Let (N, c) be a monotonic game with $c(\emptyset) = 0$. Then the simplex network Δ_N with costs as described above, generates the game (N, c) .

Proof. Let $S \subseteq N$, $S \neq \emptyset$. We have to prove two things, namely that there is a subnetwork of Δ_N that is feasible for S and has cost $c(S)$, and that every subnetwork of Δ_N which is feasible for S costs at least $c(S)$.

Obviously, the subnetwork of Δ_N that is spanned by the central supplier, the door d^S , the vertices e^i with $i \in S$, and the reward vertex, is a feasible network for coalition S . The cost of this network is $c(S) + \alpha(c) + (-\alpha(c)) = c(S)$.

Suppose $G = (V, E)$ is another subnetwork of Δ_N that is feasible for coalition S . Then this network has to contain the central supplier and the vertices e^i for each $i \in S$. Moreover, the network has to be connected. Since for each $i \in N$ the vertex e^i is only directly connected to the doors d^T with $i \in T \subseteq N$, the fact that G is connected implies that for every $i \in S$ there is a door d^{T_i} contained in G with $i \in T_i \subseteq N$. It is possible that we find the same door for different i . Hence, we can find $k \in \{1, \dots, |S|\}$ and different $T_1, \dots, T_k \subseteq N$ satisfying $S \subseteq \bigcup_{j=1}^k T_j$ such that G contains the doors d^{T_1}, \dots, d^{T_k} . Using monotonicity of (N, c) , it is clear that for all non-empty $T \subseteq N$ it holds that $c(T) + \alpha(c) \geq c(\emptyset) + \alpha(c) = \alpha(c) \geq 0$. Since the reward vertex is the only vertex having a non-positive cost $(-\alpha(c))$, we may without loss of generality assume that R belongs to G and hence, the cost $w(G)$ of the network G is at least

$$-\alpha(c) + \sum_{j=1}^k (c(T_j) + \alpha(c)) = (k-1) \alpha(c) + \sum_{j=1}^k c(T_j). \quad (1)$$

We distinguish two cases.

If $k = 1$, then $S \subseteq T_1$ must hold. Hence, by (1) and monotonicity of (N, c) it follows that

$$w(G) \geq c(T_1) \geq c(S).$$

If $k > 1$, then we can find sets T'_1, T'_2, \dots, T'_k such that $T'_j \subseteq T_j$ for all $j \in \{1, \dots, k\}$ and, moreover, $\{T'_j \mid j \in \{1, \dots, k\}, T'_j \neq \emptyset\}$ forms a partition of S . One way to do this is define for all $j \in \{1, \dots, k\}$

$$T'_j := (T_j \cap S) \setminus \bigcup_{i=1}^{j-1} T_i.$$

Now it follows from (1) and the monotonicity of (N, c) that

$$w(G) \geq \sum_{j=1}^k c(T_j) + (k-1) \alpha(c) \geq \sum_{j=1}^k c(T'_j) + (k-1) \alpha(c). \quad (2)$$

From the definition of $\alpha(c)$ we derive that

$$\alpha(c) \geq \left(c(S) - \sum_{j=1}^k c(T'_j) \right) (k-1)^{-1}. \quad (3)$$

Combining (2) and (3) shows that

$$w(G) \geq c(S).$$

This completes the proof of the theorem. □

A direct consequence of theorem 2 is

Corollary 3. The class of monotonic games coincides with the class of spanning network games.

Also, using the fact that $\alpha(c) = 0$ for subadditive games (N, c) with $c(\emptyset) = 0$, we derive from theorem 2.

Corollary 4. For every monotonic subadditive game (N, c) with $c(\emptyset) = 0$ there is a spanning network enterprise $\mathcal{S} = (V, E, a, b, N)$ with $a \geq 0$ and $b \geq 0$ such that the associated spanning network game $\Gamma_{\mathcal{S}}$ equals (N, c) .

References

- Borm, P., and Tijs, S. (1992). 'Strategic claim games corresponding to an NTU-game'. *Games and Economic Behavior* 4, 58-71.
- Curiel, I., Derks, J., and Tijs, S. (1989). 'On balanced games and games with committee control'. *OR Spektrum* 11, 83-88.
- Curiel, I., Maschler, M., and Tijs, S. (1987). 'Bankruptcy games'. *Zeitschrift für Oper. Res.* 31, A143-A159.
- Dubey, P. (1975). 'On the uniqueness of the Shapley value'. *Int. J. of Game Theory* 4, 113-129.
- Granot, D., and Huberman, G. (1981). 'Minimum cost spanning tree games'. *Math. Prog.* 21, 1-18.
- Granot, D., and Maschler, M. (1991). 'Network cost games and the reduced game property'. Working paper of the Faculty of Commerce and Business Administration, University of British Columbia, Vancouver, Canada, and the Department of Mathematics, The Hebrew University, Jerusalem, Israel.
- Kalai, E., and Zemel, E. (1982). 'Totally balanced games and games of flow'. *Math. Oper. Res.* 7, 476-478.
- Megiddo, N. (1978). 'Computational complexity and the game theory approach to cost allocation for a tree'. *Math. of Oper. Res.* 3, 189-196.
- Neumann, J. von, and Morgenstern, O. (1944). *Theory of Games and Economic Behavior*, Princeton University Press, Princeton.
- Peleg, B. (1968). 'On weights of constant-sum majority games'. *SIAM J. Appl. Math.* 16, 527-532.

Shapley, L.S. (1953). 'A value for n-person games'. In: *Contributions to the Theory of Games, II* (Eds. Tucker, A. and Kuhn, H.), 307-317.

Shapley, L., and Shubik, M. (1969). 'On market games'. *J. Econ. Theory* 1, 9-25.

Discussion Paper Series, CentER, Tilburg University, The Netherlands:

(For previous papers please consult previous discussion papers.)

No.	Author(s)	Title
9101	A. van Soest	Minimum Wages, Earnings and Employment
9102	A. Barten and M. McAleer	Comparing the Empirical Performance of Alternative Demand Systems
9103	A. Weber	EMS Credibility
9104	G. Alogoskoufis and F. van der Ploeg	Debts, Deficits and Growth in Interdependent Economies
9105	R.M.W.J. Beetsma	Bands and Statistical Properties of EMS Exchange Rates
9106	C.N. Teulings	The Diverging Effects of the Business Cycle on the Expected Duration of Job Search
9107	E. van Damme	Refinements of Nash Equilibrium
9108	E. van Damme	Equilibrium Selection in 2 x 2 Games
9109	G. Alogoskoufis and F. van der Ploeg	Money and Growth Revisited
9110	L. Samuelson	Dominated Strategies and Common Knowledge
9111	F. van der Ploeg and Th. van de Klundert	Political Trade-off between Growth and Government Consumption
9112	Th. Nijman, F. Palm and C. Wolff	Premia in Forward Foreign Exchange as Unobserved Components
9113	H. Bester	Bargaining vs. Price Competition in a Market with Quality Uncertainty
9114	R.P. Gilles, G. Owen and R. van den Brink	Games with Permission Structures: The Conjunctive Approach
9115	F. van der Ploeg	Unanticipated Inflation and Government Finance: The Case for an Independent Common Central Bank
9116	N. Rankin	Exchange Rate Risk and Imperfect Capital Mobility in an Optimising Model
9117	E. Bomhoff	Currency Convertibility: When and How? A Contribution to the Bulgarian Debate!
9118	E. Bomhoff	Stability of Velocity in the G-7 Countries: A Kalman Filter Approach
9119	J. Osiewalski and M. Steel	Bayesian Marginal Equivalence of Elliptical Regression Models

No.	Author(s)	Title
9120	S. Bhattacharya, J. Glazer and D. Sappington	Licensing and the Sharing of Knowledge in Joint Ventures
9121	J.W. Friedman and L. Samuelson	An Extension of the "Folk Theorem" with Continuous Reaction Functions
9122	S. Chib, J. Osiewalski and M. Steel	A Bayesian Note on Competing Correlation Structures in the Dynamic Linear Regression Model
9123	Th. van de Klundert and L. Meijdam	Endogenous Growth and Income Distribution
9124	S. Bhattacharya	Banking Theory: The Main Ideas
9125	J. Thomas	Non-Computable Rational Expectations Equilibria
9126	J. Thomas and T. Worrall	Foreign Direct Investment and the Risk of Expropriation
9127	T. Gao, A.J.J. Talman and Z. Wang	Modification of the Kojima-Nishino-Arima Algorithm and its Computational Complexity
9128	S. Altug and R.A. Miller	Human Capital, Aggregate Shocks and Panel Data Estimation
9129	H. Keuzenkamp and A.P. Barten	Rejection without Falsification - On the History of Testing the Homogeneity Condition in the Theory of Consumer Demand
9130	G. Mailath, L. Samuelson and J. Swinkels	Extensive Form Reasoning in Normal Form Games
9131	K. Binmore and L. Samuelson	Evolutionary Stability in Repeated Games Played by Finite Automata
9132	L. Samuelson and J. Zhang	Evolutionary Stability in Asymmetric Games
9133	J. Greenberg and S. Weber	Stable Coalition Structures with Uni-dimensional Set of Alternatives
9134	F. de Jong and F. van der Ploeg	Seigniorage, Taxes, Government Debt and the EMS
9135	E. Bomhoff	Between Price Reform and Privatization - Eastern Europe in Transition
9136	H. Bester and E. Petrakis	The Incentives for Cost Reduction in a Differentiated Industry
9137	L. Mirman, L. Samuelson and E. Schlee	Strategic Information Manipulation in Duopolies

No.	Author(s)	Title
9138	C. Dang	The D_2 -Triangulation for Continuous Deformation Algorithms to Compute Solutions of Nonlinear Equations
9139	A. de Zeeuw	Comment on "Nash and Stackelberg Solutions in a Differential Game Model of Capitalism"
9140	B. Lockwood	Border Controls and Tax Competition in a Customs Union
9141	C. Fershtman and A. de Zeeuw	Capital Accumulation and Entry Deterrence: A Clarifying Note
9142	J.D. Angrist and G.W. Imbens	Sources of Identifying Information in Evaluation Models
9143	A.K. Bera and A. Ullah	Rao's Score Test in Econometrics
9144	B. Melenberg and A. van Soest	Parametric and Semi-Parametric Modelling of Vacation Expenditures
9145	G. Imbens and T. Lancaster	Efficient Estimation and Stratified Sampling
9146	Th. van de Klundert and S. Smulders	Reconstructing Growth Theory: A Survey
9147	J. Greenberg	On the Sensitivity of Von Neuman and Morgenstern Abstract Stable Sets: The Stable and the Individual Stable Bargaining Set
9148	S. van Wijnbergen	Trade Reform, Policy Uncertainty and the Current Account: A Non-Expected Utility Approach
9149	S. van Wijnbergen	Intertemporal Speculation, Shortages and the Political Economy of Price Reform
9150	G. Koop and M.F.J. Steel	A Decision Theoretic Analysis of the Unit Root Hypothesis Using Mixtures of Elliptical Models
9151	A.P. Barten	Consumer Allocation Models: Choice of Functional Form
9152	R.T. Baillie, T. Bollerslev and M.R. Redfearn	Bear Squeezes, Volatility Spillovers and Speculative Attacks in the Hyperinflation 1920s Foreign Exchange
9153	M.F.J. Steel	Bayesian Inference in Time Series
9154	A.K. Bera and S. Lee	Information Matrix Test, Parameter Heterogeneity and ARCH: A Synthesis
9155	F. de Jong	A Univariate Analysis of EMS Exchange Rates Using a Target Zone Model

No.	Author(s)	Title
9156	B. le Blanc	Economies in Transition
9157	A.J.J. Talman	Intersection Theorems on the Unit Simplex and the Simplotope
9158	H. Bester	A Model of Price Advertising and Sales
9159	A. Özcam, G. Judge, A. Bera and T. Yancey	The Risk Properties of a Pre-Test Estimator for Zellner's Seemingly Unrelated Regression Model
9160	R.M.W.J. Beetsma	Bands and Statistical Properties of EMS Exchange Rates: A Monte Carlo Investigation of Three Target Zone Models
9161	A.M. Lejour and H.A.A. Verbon	Centralized and Decentralized Decision Making on Social Insurance in an Integrated Market Multilateral Institutions
9162	S. Bhattacharya	Sovereign Debt, Creditor-Country Governments, and
9163	H. Bester, A. de Palma, W. Leininger, E.-L. von Thadden and J. Thomas	The Missing Equilibria in Hotelling's Location Game
9164	J. Greenberg	The Stable Value
9165	Q.H. Vuong and W. Wang	Selecting Estimated Models Using Chi-Square Statistics
9166	D.O. Stahl II	Evolution of Smart, Players
9167	D.O. Stahl II	Strategic Advertising and Pricing with Sequential Buyer Search
9168	T.E. Nijman and F.C. Palm	Recent Developments in Modeling Volatility in Financial Data
9169	G. Asheim	Individual and Collective Time Consistency
9170	H. Carlsson and E. van Damme	Equilibrium Selection in Stag Hunt Games
9201	M. Verbeek and Th. Nijman	Minimum MSE Estimation of a Regression Model with Fixed Effects from a Series of Cross Sections
9202	E. Bomhoff	Monetary Policy and Inflation
9203	J. Quiggin and P. Wakker	The Axiomatic Basis of Anticipated Utility; A Clarification
9204	Th. van de Klundert and S. Smulders	Strategies for Growth in a Macroeconomic Setting
9205	E. Siandra	Money and Specialization in Production
9206	W. Härdle	Applied Nonparametric Models
9207	M. Verbeek and Th. Nijman	Incomplete Panels and Selection Bias: A Survey

No.	Author(s)	Title
9208	W. Härdle and A.B. Tsybakov	How Sensitive Are Average Derivatives?
9209	S. Albæk and P.B. Overgaard	Upstream Pricing and Advertising Signal Downstream Demand
9210	M. Cripps and J. Thomas	Reputation and Commitment in Two-Person Repeated Games
9211	S. Albæk	Endogenous Timing in a Game with Incomplete Information
9212	T.J.A. Storcken and P.H.M. Ruys	Extensions of Choice Behaviour
9213	R.M.W.J. Beetsma and F. van der Ploeg	Exchange Rate Bands and Optimal Monetary Accommodation under a Dirty Float
9214	A. van Soest	Discrete Choice Models of Family Labour Supply
9215	W. Güth and K. Ritzberger	On Durable Goods Monopolies and the (Anti-) Coase-Conjecture
9216	A. Simonovits	Indexation of Pensions in Hungary: A Simple Cohort Model
9217	J.-L. Ferreira, I. Gilboa and M. Maschler	Credible Equilibria in Games with Utilities Changing during the Play
9218	P. Borm, H. Keiding, R. Mclean, S. Oortwijn and S. Tijs	The Compromise Value for NTU-Games
9219	J.L. Horowitz and W. Härdle	Testing a Parametric Model against a Semiparametric Alternative
9220	A.L. Bovenberg	Investment-Promoting Policies in Open Economies: The Importance of Intergenerational and International Distributional Effects
9221	S. Smulders and Th. van de Klundert	Monopolistic Competition, Product Variety and Growth: Chamberlin vs. Schumpeter
9222	H. Bester and E. Petrakis	Price Competition and Advertising in Oligopoly
9223	A. van den Nouweland, M. Maschler and S. Tijs	Monotonic Games are Spanning Network Games

P.O. BOX 90153. 5000 LE TILBURG, THE NETHERLANDS

Bibliotheek K. U. Brabant



17 000 011 17463 9