

## Tilburg University

### Standard analyses fail to show that US studies overestimate effect sizes in softer research

Nuijten, M.B.; van Assen, M.A.L.M.; van Aert, R.C.M.; Wicherts, J.M.

*Published in:*

Proceedings of the National Academy of Sciences of the United States of America (PNAS)

*DOI:*

[10.1073/pnas.1322149111](https://doi.org/10.1073/pnas.1322149111)

*Publication date:*

2014

*Document Version*

Peer reviewed version

[Link to publication in Tilburg University Research Portal](#)

*Citation for published version (APA):*

Nuijten, M. B., van Assen, M. A. L. M., van Aert, R. C. M., & Wicherts, J. M. (2014). Standard analyses fail to show that US studies overestimate effect sizes in softer research. *Proceedings of the National Academy of Sciences of the United States of America (PNAS)*, 111(7), E712-E713. <https://doi.org/10.1073/pnas.1322149111>

#### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

#### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

This is a post-print. Official reference: Nuijten, M. B., van Assen, M. A. L. M., van Aert, R. C. M., & Wicherts, J. M. (2014). Standard analyses fail to show that US studies overestimate effect sizes in softer research. *PNAS*, *111*(7), E712-E713. 1

## **Standard analyses fail to show that US studies overestimate effect sizes in softer research**

**Michèle B. Nuijten<sup>1</sup>, Marcel A. L. M. van Assen<sup>1</sup>, Robbie C. M. van Aert<sup>1</sup>,  
& Jelte M. Wicherts<sup>1</sup>**

<sup>1</sup>Department of Methodology and Statistics, Tilburg School of Social and Behavioral Sciences, Tilburg University, P.O. Box 90153, 5000 LE, Tilburg, The Netherlands. M.B.Nuijten@uvt.nl

Fanelli and Ioannidis (1) have recently hypothesized that scientific biases are worsened by the relatively high publication pressures in the United States (US) and by the use of “softer” methodologies in much of the behavioral sciences. They analyzed nearly 1200 studies from 82 meta-analyses and found more extreme effect sizes in studies from the US, and when using soft behavioral (BE) versus less soft biobehavioral (BB) and nonbehavioral (NB) methods. Their results are based on non-standard analyses, with  $\sqrt{\left| \log_{10} \left( \frac{d_{ij}}{\bar{d}_j} \right) \right|}$  as the dependent variable, where  $d_{ij}$  is the effect size (log of the odds ratio) of study  $i$  in meta-analysis  $j$ , and  $\bar{d}_j$  is the summary effect size of meta-analysis  $j$ . After obtaining the data from Fanelli, we performed more standard meta-regression analyses on  $d_{ij}$  to verify their conclusion that effect sizes and publication bias differ between methods and US vs. other countries. For our analyses we used the R package *metafor* (2).

First, we ran 82 mixed-effects meta-analyses:

$$d_{ij} = \alpha^j + \beta_{US}^j US_{ij} + \beta_{SE}^j SE_{ij} + \beta_{US,SE}^j US_{ij} SE_{ij} + \varepsilon_{ij}.$$

We multiplied  $d_{ij}$  by -1 if the primary researchers expected a negative effect.  $US_{ij} = 1$  if the primary study was conducted in the US, and 0 otherwise.  $SE_{ij}$  is the study's standard error, where a positive  $\beta_{SE}^j$  signifies publication bias (tantamount to Egger's test (3)). Next, we ran two mixed-effects meta-meta-regressions on the 82  $\widehat{\beta}_{US,SE}^j$ , both with and without method (NB, BB, or BE) as a moderator. The goal was to examine whether the regression weights from the 82 meta-analyses differed between methods, and whether they deviated from zero when averaged over the three methods.

In the meta-meta-regression, method had no effect on  $\widehat{\beta}_{US,SE}^j$  ( $\chi^2_{(2)} = 2.271, p = .32$ ). The overall effect of  $\widehat{\beta}_{US,SE}^j$  in the intercept-only model was also not significant ( $-.251; z = -.765, p = .44$ ), meaning that publication bias was not different for the US and other countries.

Because there was no overall  $US_{ij} SE_{ij}$  interaction, we reran the 82 meta-analyses without this interaction, and then again analyzed both  $\widehat{\beta}_{US}^j$  and  $\widehat{\beta}_{SE}^j$  with meta-meta-regressions. Figure 1 shows the distributions of  $\widehat{\beta}_{US}^j$  and  $\widehat{\beta}_{SE}^j$ . There was no effect of method on  $\widehat{\beta}_{US}^j$  ( $\chi^2_{(2)} = 3.464, p = .18$ ), and no overall effect of US ( $-.006; z = -.176, p = .86$ ). Hence, contrary to Fanelli and Ioannidis, using standard analyses we found no evidence of higher effect sizes in the US for any of the three methods. There was also no effect of method on  $\widehat{\beta}_{SE}^j$  ( $\chi^2_{(2)} = 5.060, p = .08$ ), but the overall positive effect of SE (.537;  $z = 3.88, p < .001$ ) signifies publication bias across all methods.

To conclude, we failed to find that US studies overestimate effect sizes in softer research. It is rather surprising that Fanelli and Ioannidis did find an effect of US, because the distribution of  $\widehat{\beta}_{US}^j$  is almost centered on zero (see Figure 1, left panel). We found no effect of US and no effects of 'softness' of methods using standard analyses. However, we found overall publication bias for all methods. Hence, the conclusions of Fanelli and Ioannidis are not robust to method of analysis.

## References

1. Fanelli D & Ioannidis JPA (2013) US studies may overestimate effect sizes in softer research. *Proceedings of the National Academy of Sciences of the United States of America* 110(37):15031-15036.
2. Viechtbauer W (2010) The metafor package: A meta-analysis package for R (Version 1.3-0).

This is a post-print. Official reference: Nuijten, M. B., van Assen, M. A. L. M., van Aert, R. C. M., & Wicherts, J. M. (2014). Standard analyses fail to show that US studies overestimate effect sizes in softer research. *PNAS*, *111*(7), E712-E713. 3

3. Egger M, Davey Smith G, Schneider M, & Minder C (1997) Bias in meta-analysis detected by a simple, graphical test. *British Medical Journal* 315:629-634.

### **Figure Legend**

Figure 1. Histograms of the effect of US and SE on effect size.

### **Acknowledgments**

The preparation of this article was supported by grant numbers 016-125-385 and 406-13-050 from the Netherlands Organization for Scientific Research (NWO).