



UNIVERSITY
of
GREENWICH

Greenwich Academic Literature Archive (GALA)
– the University of Greenwich open access repository
<http://gala.gre.ac.uk>

Citation for published version:

Kaini, Bachchu Kailash, Veersma, Uilke and Burke, Linda M. (2016) Interprofessional working: perceptions of healthcare professionals in Nepalese hospitals. *Global Journal of Medical Research: K Interdisciplinary*, 16 (1). pp. 5-11. ISSN 0975-5888 (Print), 2249-4618 (Online) (doi:10.17406/GJMRA)

Publisher's version available at:

[https://globaljournals.org/GJMR_Volume16/E-Journal_GJMR_\(K\)_Vol_16_Issue_1.pdf](https://globaljournals.org/GJMR_Volume16/E-Journal_GJMR_(K)_Vol_16_Issue_1.pdf)

Please note that where the full text version provided on GALA is not the final published version, the version made available will be the most up-to-date full-text (post-print) version as provided by the author(s). Where possible, or if citing, it is recommended that the publisher's (definitive) version be consulted to ensure any subsequent changes to the text are noted.

Citation for this version held on GALA:

Kaini, Bachchu Kailash, Veersma, Uilke and Burke, Linda M. (2016) Interprofessional working: perceptions of healthcare professionals in Nepalese hospitals. London: Greenwich Academic Literature Archive.

Available at: <http://gala.gre.ac.uk/15371/>

Contact: gala@gre.ac.uk

GLOBAL JOURNAL

OF MEDICAL RESEARCH: K

Interdisciplinary

Primary Care Physicians

Health Care Plan Selection

Highlights

Perceptions of Healthcare

Effect of Gravitational Stress

Discovering Thoughts, Inventing Future

VOLUME 16 ISSUE 1 VERSION 1.0



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

VOLUME 16 ISSUE 1 (VER. 1.0)

OPEN ASSOCIATION OF RESEARCH SOCIETY

© Global Journal of Medical Research . 2016.

All rights reserved.

This is a special issue published in version 1.0 of "Global Journal of Medical Research." By Global Journals Inc.

All articles are open access articles distributed under "Global Journal of Medical Research"

Reading License, which permits restricted use. Entire contents are copyright by of "Global Journal of Medical Research" unless otherwise noted on specific articles.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without written permission.

The opinions and statements made in this book are those of the authors concerned. Ultraculture has not verified and neither confirms nor denies any of the foregoing and no warranty or fitness is implied.

Engage with the contents herein at your own risk.

The use of this journal, and the terms and conditions for our providing information, is governed by our Disclaimer, Terms and Conditions and Privacy Policy given on our website <http://globaljournals.us/terms-and-condition/menu-id-1463/>

By referring / using / reading / any type of association / referencing this journal, this signifies and you acknowledge that you have read them and that you accept and will be bound by the terms thereof.

All information, journals, this journal, activities undertaken, materials, services and our website, terms and conditions, privacy policy, and this journal is subject to change anytime without any prior notice.

Incorporation No.: 0423089
License No.: 42125/022010/1186
Registration No.: 430374
Import-Export Code: 1109007027
Employer Identification Number (EIN):
USA Tax ID: 98-0673427

Global Journals Inc.

(A Delaware USA Incorporation with "Good Standing"; **Reg. Number: 0423089**)
Sponsors: *Open Association of Research Society*
Open Scientific Standards

Publisher's Headquarters office

Global Journals Headquarters
301st Edgewater Place Suite, 100 Edgewater Dr.-Pl,
Wakefield MASSACHUSETTS, Pin: 01880,
United States of America
USA Toll Free: +001-888-839-7392
USA Toll Free Fax: +001-888-839-7392

Offset Typesetting

Global Journals Incorporated
2nd, Lansdowne, Lansdowne Rd., Croydon-Surrey,
Pin: CR9 2ER, United Kingdom

Packaging & Continental Dispatching

Global Journals
E-3130 Sudama Nagar, Near Gopur Square,
Indore, M.P., Pin: 452009, India

Find a correspondence nodal officer near you

To find nodal officer of your country, please
email us at local@globaljournals.org

eContacts

Press Inquiries: press@globaljournals.org
Investor Inquiries: investors@globaljournals.org
Technical Support: technology@globaljournals.org
Media & Releases: media@globaljournals.org

Pricing (Including by Air Parcel Charges):

For Authors:

22 USD (B/W) & 50 USD (Color)
Yearly Subscription (Personal & Institutional):
200 USD (B/W) & 250 USD (Color)

INTEGRATED EDITORIAL BOARD
(COMPUTER SCIENCE, ENGINEERING, MEDICAL, MANAGEMENT, NATURAL
SCIENCE, SOCIAL SCIENCE)

John A. Hamilton, "Drew" Jr.,
Ph.D., Professor, Management
Computer Science and Software
Engineering
Director, Information Assurance
Laboratory
Auburn University

Dr. Henry Hexmoor
IEEE senior member since 2004
Ph.D. Computer Science, University at
Buffalo
Department of Computer Science
Southern Illinois University at Carbondale

Dr. Osman Balci, Professor
Department of Computer Science
Virginia Tech, Virginia University
Ph.D. and M.S. Syracuse University,
Syracuse, New York
M.S. and B.S. Bogazici University,
Istanbul, Turkey

Yogita Bajpai
M.Sc. (Computer Science), FICCT
U.S.A. Email:
yogita@computerresearch.org

Dr. T. David A. Forbes
Associate Professor and Range
Nutritionist
Ph.D. Edinburgh University - Animal
Nutrition
M.S. Aberdeen University - Animal
Nutrition
B.A. University of Dublin- Zoology

Dr. Wenying Feng
Professor, Department of Computing &
Information Systems
Department of Mathematics
Trent University, Peterborough,
ON Canada K9J 7B8

Dr. Thomas Wischgoll
Computer Science and Engineering,
Wright State University, Dayton, Ohio
B.S., M.S., Ph.D.
(University of Kaiserslautern)

Dr. Abdurrahman Arslanyilmaz
Computer Science & Information Systems
Department
Youngstown State University
Ph.D., Texas A&M University
University of Missouri, Columbia
Gazi University, Turkey

Dr. Xiaohong He
Professor of International Business
University of Quinnipiac
BS, Jilin Institute of Technology; MA, MS,
PhD,. (University of Texas-Dallas)

Burcin Becerik-Gerber
University of Southern California
Ph.D. in Civil Engineering
DDes from Harvard University
M.S. from University of California, Berkeley
& Istanbul University

Dr. Bart Lambrecht

Director of Research in Accounting and Finance
Professor of Finance
Lancaster University Management School
BA (Antwerp); MPhil, MA, PhD
(Cambridge)

Dr. Carlos García Pont

Associate Professor of Marketing
IESE Business School, University of Navarra
Doctor of Philosophy (Management),
Massachusetts Institute of Technology (MIT)
Master in Business Administration, IESE,
University of Navarra
Degree in Industrial Engineering,
Universitat Politècnica de Catalunya

Dr. Fotini Labropulu

Mathematics - Luther College
University of Regina
Ph.D., M.Sc. in Mathematics
B.A. (Honors) in Mathematics
University of Windsor

Dr. Lynn Lim

Reader in Business and Marketing
Roehampton University, London
BCom, PGDip, MBA (Distinction), PhD,
FHEA

Dr. Mihaly Mezei

ASSOCIATE PROFESSOR
Department of Structural and Chemical
Biology, Mount Sinai School of Medical
Center
Ph.D., Eötvös Loránd University
Postdoctoral Training,
New York University

Dr. Söhnke M. Bartram

Department of Accounting and Finance
Lancaster University Management School
Ph.D. (WHU Koblenz)
MBA/BBA (University of Saarbrücken)

Dr. Miguel Angel Ariño

Professor of Decision Sciences
IESE Business School
Barcelona, Spain (Universidad de Navarra)
CEIBS (China Europe International Business School).
Beijing, Shanghai and Shenzhen
Ph.D. in Mathematics
University of Barcelona
BA in Mathematics (Licenciatura)
University of Barcelona

Philip G. Moscoso

Technology and Operations Management
IESE Business School, University of Navarra
Ph.D in Industrial Engineering and
Management, ETH Zurich
M.Sc. in Chemical Engineering, ETH Zurich

Dr. Sanjay Dixit, M.D.

Director, EP Laboratories, Philadelphia VA
Medical Center
Cardiovascular Medicine - Cardiac
Arrhythmia
Univ of Penn School of Medicine

Dr. Han-Xiang Deng

MD., Ph.D
Associate Professor and Research
Department Division of Neuromuscular
Medicine
Department of Neurology and Clinical
Neuroscience
Northwestern University
Feinberg School of Medicine

Dr. Pina C. Sanelli

Associate Professor of Public Health
Weill Cornell Medical College
Associate Attending Radiologist
NewYork-Presbyterian Hospital
MRI, MRA, CT, and CTA
Neuroradiology and Diagnostic
Radiology
M.D., State University of New York at
Buffalo, School of Medicine and
Biomedical Sciences

Dr. Roberto Sanchez

Associate Professor
Department of Structural and Chemical
Biology
Mount Sinai School of Medicine
Ph.D., The Rockefeller University

Dr. Wen-Yih Sun

Professor of Earth and Atmospheric
SciencesPurdue University Director
National Center for Typhoon and
Flooding Research, Taiwan
University Chair Professor
Department of Atmospheric Sciences,
National Central University, Chung-Li,
TaiwanUniversity Chair Professor
Institute of Environmental Engineering,
National Chiao Tung University, Hsin-
chu, Taiwan.Ph.D., MS The University of
Chicago, Geophysical Sciences
BS National Taiwan University,
Atmospheric Sciences
Associate Professor of Radiology

Dr. Michael R. Rudnick

M.D., FACP
Associate Professor of Medicine
Chief, Renal Electrolyte and
Hypertension Division (PMC)
Penn Medicine, University of
Pennsylvania
Presbyterian Medical Center,
Philadelphia
Nephrology and Internal Medicine
Certified by the American Board of
Internal Medicine

Dr. Bassey Benjamin Esu

B.Sc. Marketing; MBA Marketing; Ph.D
Marketing
Lecturer, Department of Marketing,
University of Calabar
Tourism Consultant, Cross River State
Tourism Development Department
Co-ordinator , Sustainable Tourism
Initiative, Calabar, Nigeria

Dr. Aziz M. Barbar, Ph.D.

IEEE Senior Member
Chairperson, Department of Computer
Science
AUST - American University of Science &
Technology
Alfred Naccash Avenue – Ashrafieh

PRESIDENT EDITOR (HON.)

Dr. George Perry, (Neuroscientist)

Dean and Professor, College of Sciences

Denham Harman Research Award (American Aging Association)

ISI Highly Cited Researcher, Iberoamerican Molecular Biology Organization

AAAS Fellow, Correspondent Member of Spanish Royal Academy of Sciences

University of Texas at San Antonio

Postdoctoral Fellow (Department of Cell Biology)

Baylor College of Medicine

Houston, Texas, United States

CHIEF AUTHOR (HON.)

Dr. R.K. Dixit

M.Sc., Ph.D., FICCT

Chief Author, India

Email: authorind@computerresearch.org

DEAN & EDITOR-IN-CHIEF (HON.)

Vivek Dubey(HON.)

MS (Industrial Engineering),

MS (Mechanical Engineering)

University of Wisconsin, FICCT

Editor-in-Chief, USA

editorusa@computerresearch.org

Sangita Dixit

M.Sc., FICCT

Dean & Chancellor (Asia Pacific)

deanind@computerresearch.org

Suyash Dixit

(B.E., Computer Science Engineering), FICCTT

President, Web Administration and

Development , CEO at IOSRD

COO at GAOR & OSS

Er. Suyog Dixit

(M. Tech), BE (HONS. in CSE), FICCT

SAP Certified Consultant

CEO at IOSRD, GAOR & OSS

Technical Dean, Global Journals Inc. (US)

Website: www.suyogdixit.com

Email: suyog@suyogdixit.com

Pritesh Rajvaidya

(MS) Computer Science Department

California State University

BE (Computer Science), FICCT

Technical Dean, USA

Email: pritesh@computerresearch.org

Luis Galárraga

J!Research Project Leader

Saarbrücken, Germany

CONTENTS OF THE ISSUE

- i. Copyright Notice
- ii. Editorial Board Members
- iii. Chief Author and Dean
- iv. Contents of the Issue

1. Health Care Plan Selection: Medicare Beneficiaries and the Different Factors Taken into Consideration. *1-3*
2. Interprofessional Working: Perceptions of Healthcare Professionals in Nepalese Hospitals. *5-11*
3. How Important are Primary Care Physicians and Specialists when Choosing a Medicare Plan. *13-14*
4. Experiences of Implementers and Decision-Makers with Maternal and Child Health Demand Side Targeting Mechanisms: A Case Study of National Health Insurance Fund Pro-Poor Scheme in Rungwe District-Tanzania. *15-23*
5. Effect of Gravitational Stress and Exercises on Bone Demineralization & Renal Complication in Paraplegics & Quadriplegics. *25-29*

- v. Fellows
- vi. Auxiliary Memberships
- vii. Process of Submission of Research Paper
- viii. Preferred Author Guidelines
- ix. Index



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

Volume 16 Issue 1 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4618 & Print ISSN: 0975-5888

Health Care Plan Selection: Medicare Beneficiaries and the Different Factors Taken into Consideration

By Michael Castro, D.B.A.

Abstract- The purpose of this paper was to obtain an enhanced understanding on the main factors that Medicare beneficiaries take into consideration before selecting a plan. This objective was fulfilled by interviewing a total of 16 Medicare beneficiaries from two south Florida counties. The participants were divided equally, 8 participants from Miami- Dade County and another 8 from Broward County. The researcher evaluated the differences between the populations from Miami-Dade County and Broward County participants to determine if there were any similarities. The researcher utilized one research question in order to fulfill the objective of the paper. By comparing the responses from the participants from both counties, health care plans that serve both counties can gain understanding of the differences between the populations.

GJMR-K Classification: NLMC Code: WT 31



Strictly as per the compliance and regulations of:



Health Care Plan Selection: Medicare Beneficiaries and the Different Factors Taken into Consideration

Michael Castro, D.B.A.

Abstract- The purpose of this paper was to obtain an enhanced understanding on the main factors that Medicare beneficiaries take into consideration before selecting a plan. This objective was fulfilled by interviewing a total of 16 Medicare beneficiaries from two south Florida counties. The participants were divided equally, 8 participants from Miami-Dade County and another 8 from Broward County. The researcher evaluated the differences between the populations from Miami-Dade County and Broward County participants to determine if there were any similarities. The researcher utilized one research question in order to fulfill the objective of the paper. By comparing the responses from the participants from both counties, health care plans that serve both counties can gain understanding of the differences between the populations.

I. WHAT ARE THE DIFFERENT FACTORS THAT MEDICARE BENEFICIARIES TAKE INTO ACCOUNT WHEN SELECTING A MEDICARE PLAN?

The Medicare beneficiaries in South Florida value and demand different benefits within the health care plan (in which they are enrolled) depending on their health status. The Medicare beneficiaries in Broward County and Miami-Dade County are in need of benefits that these health care plans offer. There are several benefits that the senior population may highly value, such as hospital coverage, prescription drug coverage, primary dental benefits, vision benefits, transportation benefits, and over-the-counter (OTC) benefits. Health care plans that lack certain benefits lead to members to dis-enroll from the health care plan when open enrollment begins (Mobley et al., 2007).

II. MEDICARE PLAN SELECTION FACTORS AMONG BROWARD COUNTY MEDICARE BENEFICIARIES

Broward participants valued dental, vision, prescription drug coverage, and their primary care physician. Five of the eight participants from Broward County (4 males and 1 female) had changed plans due to a lack of dental, vision, prescription drug coverage, and/or because their primary care physician was no longer contracted to practice as part of the plan. These

five Broward County participants believed that their dental, vision, prescription drug coverage, and primary care physician were most important. These results suggest that male Medicare beneficiaries in Broward County pursue these benefits at a higher rate compared to the female Medicare beneficiaries. The other three participants, who had not changed plans, did not consider these benefits as important.

III. MEDICARE PLAN SELECTION FACTORS AMONG MIAMI-DADE COUNTY MEDICARE BENEFICIARIES

Five of the eight participants from Miami-Dade County (3 females and 2 males) had also changed health care plans. These Medicare beneficiaries changed health care plans due to a lack in prescription drug coverage/copays and because their primary care physician was no longer contracted to practice under the Plan. These results suggested that females in Miami-Dade County expect their health care plans to provide such benefits, in contrast to their male counterparts. The Miami-Dade County beneficiaries also valued prescription drug coverage and the copays to those drugs, as well as their primary care physician the most. If a health care plan did not offer such benefits, the Medicare beneficiaries would change plans and pursue a plan that provides such benefits. The other three participants changed health care plans for other reasons.

IV. COMPARISON OF MEDICARE PLAN SELECTION FACTORS BETWEEN BROWARD COUNTY AND MIAMI-DADE COUNTY MEDICARE BENEFICIARIES

Both samples of Medicare beneficiaries revealed similarities and differences in the various factors they evaluate before enrolling into a health care plan. Differences were as follows. The Broward population valued dental, vision, prescription drug coverage, and their primary care physician the most. The Miami-Dade population valued prescription drug coverage/high copays and their primary care physician the most. Males in Broward County would change health care providers if the plan did not offer dental, vision,

Author: e-mail: michaelcastro333@gmail.com

prescription drug coverage, or their primary care physician. Females in Miami-Dade County changed health care providers if the plan excluded prescription drug coverage, included high copays and/or if their primary care physician was no longer contracted to practice under the Plan.

Both samples reported similarities as well. Miami-Dade County participants and Broward County participants both valued prescription drug coverage and their primary care physician contracted under their health care plan. The researcher also determined that the older the participants were, the more they valued prescription drug coverage and the copays certain medications had. The younger participants from both counties did not focus as much on prescription drug coverage and the copays they might have to pay for a certain medication. Rather, the younger beneficiaries were more concerned with the primary care physician they were visiting on a regular basis. The older beneficiaries consumed a larger amount of medications on a daily basis compared to the younger participants in both counties.

Both samples also believed that their primary care physician was an important factor when selecting a health care plan. Neither the participant's gender nor age seemed to have an impact on their decision.

V. SUMMARY OF FACTORS CONSIDERED WHEN SELECTING A MEDICARE PLAN AMONG BROWARD COUNTY AND MIAMI-DADE COUNTY SAMPLES

Overall, the researcher determined that the Miami-Dade and Broward County participants had similar responses. However, there were two main conclusions. One main conclusion was that the top factors that beneficiaries took into consideration when selecting a Medicare plan was prescription drug coverage and the primary care physician they were assigned to. The Broward beneficiaries valued dental, vision, prescription drug coverage and their primary care physician the most. On the other hand, Miami-Dade beneficiaries valued prescription drug coverage/high copays and their primary care physician the most.

The other main conclusion was that age played a role in the selection of the Medicare plan. The minimum age of the participants was 65 years of age. The oldest participant was 81 years old. The youngest was 66 years old. The older the participant, the more he or she valued prescription drug coverage. Older beneficiaries valued prescription drug coverage because they consumed a larger amount of medications on a daily basis, compared to the younger beneficiaries.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Abraham, J., Sick, B., Anderson, J., Berg, A., Dehmer, C., Tufano, A., & Marx, K. T. (2011). Selecting a provider: What factors influence patients' decision making? *Journal of Healthcare Management*, 56(2), 99-114; discussion 114-5. Retrieved from <http://search.proquest.com/docview/859437046?accountid=34899>
2. Ajzen, I. (1991). *Organizational behavior and human decision processes*. 50(2), 179-211.
3. Ajzen, I., & Fishbein, M. (1980). *Understanding attitudes and predicting social behavior*. Englewood Cliffs, NJ: Prentice Hall.
4. Bindman, A. B., & Majeed, A. (2003). Organization of primary care in the United States. *British Medical Journal*, 327, 631-4. Retrieved from <http://search.proquest.com/docview/204004305?accountid=34899>
5. Bornstein, B. H., Marcus, D., & Cassidy, W. (2000). Choosing a doctor: An exploratory study of factors influencing patients' choice of a primary care doctor. *Evaluation in Clinical Practice*, 6(3), 255-262. Retrieved from <http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1177&context=psychfacpub>
6. Cornelius, S. W., & Caspi, A. (1987). Everyday problem solving in adulthood and old age. *Psychology and Aging*, 2, 144-153.
7. Hibbard, J. H., Jewitt, J. J., Englemann, S., & Tusler, M. (1998). Can Medicare beneficiaries make informed choices? *Health Affairs*, 17, 181-193.
8. Hibbard, J. H., Slovic, P., & Jewett, J. J. (1997). Informing consumers decisions in health care: implications from decision-making research. *The Milbank Quarterly*, 75, 395-414.
9. Himes, C. L. (2002, June). Elderly Americans. *Population Bulletin*, 56(4). Retrieved from <http://www.prb.org/Source/ACFD30.pdf>
10. Johnson, M. M. S. (1993). Age difference in decision-making: A process methodology for examining strategic information processing. *Journal of Gerontology*, 48, 75-78.
11. Mobley, L. R., McCormack, L. A., Wang, J., Squire, C., Kenyon, A., Lynch, J.T., & Heller, A. (2007). Voluntary disenrollment from Medicare Advantage plans: Valuable signals of market performance. *The American Journal of Managed Care*, 13, 677-684.
12. Plous, S. (1993). *The psychology of judgment and decision-making*. New York, NY: McGraw- Hill, Inc.
13. Razzouk, N., Seitz, V., & Webb, J. M. (2004). What's important in choosing a primary care physician: An analysis of consumer response. *International Journal of Health Care Quality Assurance*, 17, 205-211. Retrieved from <http://search.proquest.com/docview/229699302?accountid=34899>
14. Schultz, D. V. (1995). The importance of primary care providers in integrated systems. *Healthcare Financial Management*, 11, 58-63. Retrieved from <http://search.proquest.com/docview/196367728?accountid=34899>

15. Starfield, B. (1993). Primary Care. *Journal of Ambulatory Care Management*, 4, 27-37.
16. Willis, S. L. (1996). Everyday problem solving. In *Handbook of the Psychology of Aging, Fourth Edition*, eds. J.E. Birren and K.W. Schaie. San Diego, CA: Academic Press, 287-307.



This page is intentionally left blank



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

Volume 16 Issue 1 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4618 & Print ISSN: 0975-5888

Interprofessional Working: Perceptions of Healthcare Professionals in Nepalese Hospitals

By Bachchu Kailash Kaini, Ulke Veersma & Linda Burke

University of Greenwich, United Kingdom

Abstract- Interprofessional working (IPW) is an essential part of the health service delivery system. Effective delivery of health services relies on the contribution of healthcare professionals (HCPs) from all groups. The aim of the study is to examine how HCPs collaborate and to assess their perceptions of IPW on healthcare delivery. This study follows a qualitative research approach. It was conducted in three hospitals in Nepal using semi-structured interview schedule. Purposive sampling method was used to select the hospitals and the participants. All together thirty-eight HCPs participated in the research. This study suggests that IPW is an integral part of HCPs' life and they viewed it as a booster to support them to deliver the optimal and desired health outcomes. HCPs perceived that organisational support and involvement of service users are important for the successful delivery IPW. Verbal means of communication are mostly used during IPW. Nursing and allied health professionals (AHPs) are more critical to the medical professionals because they feel domination and professional isolation from the medical professionals. This study recognises factors that support IPW and also identifies various barriers to IPW in Nepalese hospitals.

Keywords: *interprofessional working, healthcare professionals, perceptions, medical dominance.*

GJMR-K Classification: *NLMC Code: W 100*



Strictly as per the compliance and regulations of:



Interprofessional Working: Perceptions of Healthcare Professionals in Nepalese Hospitals

Bachchu Kailash Kaini ^α, Ulke Veersma ^σ & Linda Burke ^ρ

Abstract- Interprofessional working (IPW) is an essential part of the health service delivery system. Effective delivery of health services relies on the contribution of healthcare professionals (HCPs) from all groups. The aim of the study is to examine how HCPs collaborate and to assess their perceptions of IPW on healthcare delivery. This study follows a qualitative research approach. It was conducted in three hospitals in Nepal using semi-structured interview schedule. Purposive sampling method was used to select the hospitals and the participants. All together thirty-eight HCPs participated in the research. This study suggests that IPW is an integral part of HCPs' life and they viewed it as a booster to support them to deliver the optimal and desired health outcomes. HCPs perceived that organisational support and involvement of service users are important for the successful delivery IPW. Verbal means of communication are mostly used during IPW. Nursing and allied health professionals (AHPs) are more critical to the medical professionals because they feel domination and professional isolation from the medical professionals. This study recognises factors that support IPW and also identifies various barriers to IPW in Nepalese hospitals.

Keywords: *interprofessional working, healthcare professionals, perceptions, medical dominance.*

I. INTRODUCTION

Various HCPs and organisations contribute to health and social care. Every profession and healthcare organisation has its own purpose, interest and field of specialisation. Healthcare system across the world 'depends on health workers working together across professional groups and system boundaries' (Mickan et al., 2010, p.493). The structure and nature of healthcare team is varied and it depends on various factors such as types of service users, specialties, organisational strategies, and so on. The way interprofessional care (IPC) team is managed and structured may have great impact upon the success or failure of the team. The main objective of IPW is to bring a broader scope of knowledge, skill and expertise of HCPs in the efforts to improve the quality of care and clinical outcomes related to health problems and issues of service users (Bope and Jost, 1994).

Empirical researches have demonstrated that more positive healthcare outcomes are achieved by collaborating interprofessional teams (Pollard et al,

2005; Dow and Evans, 2005; Ritter, 1983; Biggs, 1997; Miller et al, 2001; Leathard, 2003; CHSRF, 2006; Byrnes et al, 2009; Holland et al, 2005; McAlister et al, 2004). These researches were carried out on IPW in developed health economies. However, it is observed that there were no comprehensive researches carried out and reported in underdeveloped countries to investigate the benefits of IPW and collaborative practice to service users and to assess the perceptions of IPW among HCPs. This study was designed to answer three research questions: (1) how do various HCPs interact and collaborate in Nepalese hospitals? (2) how do HCPs perceive the impact of IPW within teams on the delivery of healthcare? (3) which factors support and hinder IPW between various professionals in teams providing healthcare services?

Nepal is a small landlocked and underdeveloped country situated in South East Asia between India and China. There is a multi-tier health delivery system in Nepal based on the different levels of care - tertiary, secondary and primary care. Health services within the public sector are centrally financed in Nepal with differing degrees of local autonomy and the control of service delivery rests largely in the hands of the relevant professions. Apart from government healthcare facilities, number of private hospitals, nursing homes, medical colleges and voluntary hospitals (hospitals run by charitable or not-for-the profit organisations) are established in Nepal. Public and private educational institutions run various academic and vocational healthcare courses in Nepal at undergraduate and post graduate levels. Professional councils regulate healthcare professionals and all HCPs are required to register with their respective council to be a qualified member of their profession and to practice legally in Nepal.

The health service in Nepal is the biggest employer group and it has more than 50 careers, most of which are qualified, registered or regulated professionals (MOHP, 2012). With such a diversity of professions, it is obvious that co-ordinated patient care requires communication, interaction and joint decision making between HCPs (Reel and Hutchings, 2007, p.138). In this context, this study was carried out to assess how HCPs collaborate and to assess their perceptions of IPW on healthcare delivery in Nepal.

Author α: Business School, University of Greenwich, Old Naval College, Greenwich, London, United Kingdom. e-mail: kb29@gre.ac.uk

Author σ: Business School, University of Greenwich, London, UK.

Author ρ: Faculty of Education and Health, University of Greenwich, Avery Hill, London, UK.



II. METHODS

This research is carried out by using qualitative method and by employing a case study approach. This study mainly focuses on assessing the participants' own experiences and understanding of the subject they are involved in or have experienced. Therefore, qualitative approach is considered as a more appropriate approach.

The 'healthcare professional' is a broad term which covers all professionals working in the health services. Based on the nature of their work, identity, registration requirements with professional councils, established norms and practices; in this study the HCPs were divided into three groups – medical, nursing and AHPs. Data for this study is collected by using semi-structured interview schedule from these three groups of HCPs from three hospitals in Kathmandu, the capital city of Nepal. AHPs include all professionals (excluding medical and nursing) such as- physiotherapists, biomedical scientists, pharmacists, radiographers, pathology technicians, language and speech therapists, occupational therapists, etc.

a) Sampling and data collection

This study followed non-probability and purposive sampling and identified the cases of interest from people or organisations which were 'information rich' (Patton, 2002). Identifying and negotiating access to research sites, subjects and population are critical parts of the research process especially in qualitative research (Devers and Frankel, 2000). A list of hospitals in Kathmandu was searched and their capacity, nature of work and year of establishment was then compared. One hospital from each group of public, private and voluntary (not-for-the profit) hospital was selected for this study. There were three inclusion criteria for all participants for the study. Firstly, all participants should be professionally qualified. Secondly, the participants should be registered with their professional councils and should be eligible to practise in their healthcare or clinical field. Finally, all HCPs should be working with an IPC team.

A total of 38 HCPs participated from the three hospitals. Of the total participants, 13 were medical professionals, 15 were nursing professionals and 10 were AHPs. Similarly, 13 participants were from the public hospital, 14 were from the private hospital and 11 were from the voluntary hospital. All interviews were conducted in the hospital at the time and date of their choice. The duration of each interview was between approximately 45 minutes to an hour. All interviews were recorded in a digital format with the informed and written consent of the participants. The interviews were transcribed, saved in the digital format and were anonymised to protect confidentiality.

b) Data analysis

This study followed multiple case study approach for data analysis. Qualitative content analysis approach was followed for this study, which identified certain patterns and themes. Inductive approach; by grounding the assessment of categories, patterns and themes, and by drawing inferences; was followed. This study used interpretive thematic approach to analyse the interview data. A combination of paper, post-it divider, highlighters and coloured markers to mark hard copies of transcripts was used to interpret and analyse data. Apart from the data from the interviews, various other hospital documents and policies were also reviewed and analysed for this study.

c) Ethical considerations

Ethical approval was received from the University Research Ethics Committee, University of Greenwich and Nepal Health Research Council (a national regulatory body to oversee and regulate health researches in Nepal). Moreover, approval from three hospitals, where the study was carried out, was obtained.

III. RESULTS

The findings of the study are divided into various sections based on major themes and categories derived from the analysis of interview data and review of hospital procedural documents related to IPW. Interview quotes are presented by professions and hospitals, coded and anonymised (e.g. A1-N, B5-M, C8-A) to maintain confidentiality. First alphabets A, B and C represent the types of hospital (i.e. public, private and voluntary hospital respectively) participants belong to, whereas the last alphabets N, M and C represent nursing, medical and AHPs respectively.

a) Medical dominance

Nursing and AHPs from all hospitals perceived that medical professionals dominate overall service delivery aspects in healthcare and they perceived that it as detrimental for IPW relationships. They mentioned various reasons why the medical professionals dominate the healthcare sector. A nurse from the private hospital states:

Doctors are seen as the dominant profession in the hospital. There are many reasons for this; it is mainly because of their education and expertise. (B11-N)

Participants stated that medical professionals are seen as highly recognised, respected and competent compared to other professionals. They stated this was due to their education, expertise, high recognition of their professions from the public and other HCPs, and specialised roles. Few nursing and AHPs highlighted that medical professionals' degree and specialised knowledge put them on top of the

professional, organisational and team hierarchy in healthcare organisations and hospitals.

A nurse from the public hospital comments how medical professionals feel superior than other professionals:

Sometimes we try and suggest the doctors to carry out something for patient care, but they do not easily accept our suggestions and they feel we are doubting them or they feel they are superior than us. (A10-N)

One AHP from the private hospital highlights the need of equal recognition of all professionals:

Even though all professions have to be equally recognised and given equal importance, the doctors completely dominate our profession due to their attitude, social recognition and roles. (B6-A)

An AHP feels sidelined by medical professionals:

We have not been given the authority to produce report and our signature here is nearly invalid. We (AHPs) are seen as helpers by medical professions rather than a secular profession. Therefore, we always feel dominated. (C5-A)

Medical professionals agreed that dominance of medical professions exists in Nepalese hospitals. One medical professional stated that they get more respect than any other professionals and this may be one of the reasons why they seem more dominant amongst all professions in healthcare. He states:

I think the respect and recognition to a doctor is more than that is required and that's why doctors feel more proud and empowered than they should be at times. I think people are more esteemed than they should be. So, we are having more respect than we want. People think a doctor is the God which is not correct. (A2-M)

b) Organisational support and structures

Participants felt that the healthcare organisations defines roles of clinical leaders and delegates them authority to ensure safe and effective delivery of health services. Participants felt that organisational support was essential for the development of clinical leadership and for successful IPW. One nurse from the public hospital states:

I have seen my team leader, a medical professional, has resolved conflicts between two different professionals and driven the team for achieving common goals of our team. (A4-N)

Participants believed that the initiatives taken by a leader of IPC team helped to enhance skills and competency of HCPs. One AHP from the voluntary hospital states:

I feel my team in-charge (medical professional) takes necessary steps to facilitate IPW. He takes actions to

promote IPW across the hospital through team meetings, training, education and conferences. (C6-A)

All professionals from all hospitals stated that medical professionals lead the team and they felt that team leaders were competent and supportive. One nurse from the public hospital states:

For now the doctors lead the team. They support us and they are competent but there are still things to improve. (A1-N)

From the interviews, it is noted that there were no such ground rules, organisational policies or protocols for IPW. One medical professional pointed out that lack of organisational policies for IPW is not helpful for them to deliver IPC:

We have no practice to set up rules or policies for IPW to make sound and appropriate decisions for the delivery of IPC. This does not help to improve IPW relations. (A7-M)

One nurse from the private hospital stated that there were inconsistent approaches due to the lack of protocols for IPW. She states:

There are no written protocols for IPW in this hospital. The rules are used according to the situation. (B11-N)

One AHP from the voluntary hospital comments that there were no guidance or protocols for IPW at any levels. She adds:

I have never seen any guidance or protocols for IPW, not only in this hospital, but also in other hospitals, at national or regional levels. (C6-A)

From the analysis of hospital documents, strategies and policies of participating hospitals, it was noted that hospitals did not have protocols or guidance for IPW. During the research, job descriptions of ward managers, in-charges and department heads were reviewed. The job descriptions of healthcare did not have any components or roles specified for IPW or collaborative practice between HCPs.

c) Communication and interaction

Participants mentioned that they used different means of communication to communicate with service users and other professionals while they deliver health services. It is apparent from the interviews that most of the time HCPs used verbal means of communication. Participants mentioned face to face meetings or discussions, telephone conversations, continuous medical education (CME) and clinical conferences are widely used to communicate with other colleagues at work. One medical professional from the public hospital states that they conduct a medical conference every morning to communicate between all professional groups in the hospital:

There is a morning conference. That is one of the most important ways of communication. And, we

communicate about patient's health both formally and informally, I mean verbally and by phone. (A7-M)

One nursing professional from the private hospital experienced that the verbal means of communication is used mostly:

There are various means used for communication between the team members. For example, proper job description and tasks are studied and then jobs are assigned to the individuals. Mostly, verbal communication is carried out. (C11-N)

Participants from all hospitals stated that they used medical notes, documents or forms to note their clinical assessment, management, findings, observations and treatment plan apart from face to face meetings and verbal communication. One medical professional from the public hospital states:

We have a mechanism where the doctors write on the form or medical notes. That is a means of communication (A2-M)

d) *Involvement of service users*

All participants from all hospitals pointed out that service users' awareness of their problems and understanding from their perspectives are equally important to both sides – HCPs and service users for the successful delivery of IPC. One nurse from the private hospital states:

Whenever you are going to conduct a procedure relating the patient, the patient should have a good idea of what is happening around him/her and should give consent on whether it should be carried out or not. (B1-N)

The importance of understanding service user is highlighted by an AHP from the voluntary hospital:

The most important thing is the understanding of the patient. (C8-A)

Participants expressed that involvement of service users for their care planning and management is valued by service users. One doctor states:

When I speak to patients and explain the problems, issues, pros and cons of the treatment; they always feel great. They feel that they are valued. (A13-M)

One AHP from the voluntary hospital experienced that service users always feel great when they are fully informed of the issues, diagnosis and treatment. He comments:

It is our responsibility to give them (patients) full information of their diagnosis and treatment. I have seen how patients are thankful to us for giving them detail information. It is also a matter of satisfaction for us. (C5-A)

e) *Perceived benefits and challenges of IPW*

Participants believed that IPW is beneficial to them, service users and healthcare organisations; and

they believed that IPW helped to improve quality of care, improve staff satisfaction, better team performance, better communication and interaction.

Due to IPW, patients get an accurate service and HCPs get better exposure. The organisation gains goodwill. But, it has to be properly supported by leadership, supervision, guidance, training, education etc. (C1-N)

IPW is the most important factor while working in the hospital. You can do nothing at all just by yourself. Doctors, nurses and other supporting staffs make a team capable of working for the welfare of the patient. (B8-N)

IPW is very much important. Without teamwork, patients cannot receive authentic treatment. ... working in the interprofessional team can bring advantage to the institute. The reputation of the hospital can increase due to this. (C5-A)

All participants from all hospitals in this research pointed out obstacles, barriers and challenges of IPW. These barriers and challenges are related to personal, professional and organisational depending on the nature of IPW. HCPs professionals point out various barriers and challenges of IPW:

We do not understand each others' roles and responsibilities in terms of working together and it can be an obstacle. ... egoism is another obstacle for interprofessional team working and it should be stopped. (A11-M)

Lack of proper communication is also a barrier between the professionals in a team. (C3-M)

If there is no mutual respect between the professions, problems arise. Another barrier we can find is the communication barrier i.e. low level of communication. ... medical dominance also plays as a barrier for IPW. (B3-N)

Negative attitude, knowledge, education, lack of communication, lack of training, medical dominance can be mentioned as some of the barriers in the IPC team. (C5-A)

IV. DISCUSSION

This study concludes that medicine is the most established and dominant profession amongst all professions in the context of Nepalese healthcare due to their education, knowledge and expertise; and the respect and recognition they receive from the public and other professionals in Nepal. This may have been linked to the education and training system for HCPs in Nepal. There is tough competition to get entry into the medical courses compared to nursing and other healthcare professional courses. Medical graduates go through very extensive training during their university courses, in comparison to nursing and AHP. Medical dominance is widely discussed by various authors and research

scholars (Freidson, 1970 & 1986; Larson, 1977; Larkin; 1983; Kenny and Adamson, 1992). Nursing and AHPs lack specialist body of knowledge and have no monopoly in the healthcare field and dominated by medicine (Rawson, 1994; pp.47). Wall (2003) asserts that doctors have been dominant and the law accepted that 'what was done to patients was the doctor's responsibility even if they had not administered the particular treatment' (Wall, 2003, pp.73).

This research highlights the importance of organisational support for the development and implementation of IPW agenda in hospitals. Formal structures and processes are required in healthcare organisations to use the talents of different HCPs. This becomes important in Nepalese healthcare context as this research confirms that there were no organisational policies and guidance for IPW in any of the hospitals under study. HCPs in Nepalese hospitals believed that organisational policies give them a direction to deliver successful IPC and help them to improve the quality of care.

It is also important to highlight that healthcare organisations have to play active roles and need to allocate enough resources to support and encourage their employees to practice IPW, which ultimately helps to deliver effective health services and benefits service users, healthcare providers, HCPs and health system across the board. Literature also suggest that IPW is influenced by organisational factors, such as organisational culture, policies and regulations (Drinka and Clark, 2000, Payne, 2000 and Reel and Hutchings, 2007).

Most senior doctors in the interprofessional care team take the leadership roles and responsibilities for IPC in Nepalese hospitals. It is agreed as a common and accepted practice in Nepalese hospitals; and it is practised in a less formalised or less structured basis. The authority that medical professionals get through the licensing process gives them the power, privilege and exclusive rights. Most of clinical teams and professional groups in healthcare are led by senior clinicians (Fagin, 1992; Bope and Jost, 1994; Hammeman, 1995; McWilliam *et al*, 2003; Richardson and Storr, 2010), who are responsible for care given by the healthcare team.

This research suggests that many forms of communication and interaction; such as mainly co-operation, consultation, multiple entry and teamwork; occur during IPW in Nepalese hospitals. This study highlights that healthcare professionals also use informal means of communication; such as face-to-face discussion and phone consultation; in many situations in Nepalese hospitals. The CIHC (2010) states that communication in an IPC environment is demonstrated through listening and other non verbal and verbal means through negotiating, consulting, interacting, discussing or debating. This research confirms that team meetings in Nepalese hospitals were regularly held for various

reasons; such as clinical decision, information sharing and team management. Team meeting is considered as one of the main forms of IPW and a way of communication. However, the effectiveness of team meetings depends on how decisions of the team meetings were communicated to all members and stakeholders. Borril *et al* (2002) highlight the importance of group discussions and role play for IPW.

Involvement of service users in IPW and clinical decision making was another important finding of this study. IPC is delivered to service users and one of the objectives of IPW practice is to deliver effective and improved health services to service users. Empirical researches have demonstrated that more positive healthcare outcomes are achieved by engaging service users in clinical decision making (Colyer, 2012; CIHC; 2010; WHO, 2010; Pecukonis, *et al*, 2008). This study confirms that HCPs perceived consensual decision making was good for service users, even though all HCPs did not have equal involvement in clinical decision making. It is important that medical professionals are authorised legally for admitting patients, ordering tests and procedures, prescribing medications, making clinical decisions, carrying out interventions and procedures; which are restricted to nursing and AHPs. One of the attributes of IPW is consensual clinical decision making for the benefits of patients (Carnwell and Buchanan, 2005; Wells *et al*, 1998).

The findings of this study established that HCPs perceived interprofessional practices positively and they were aware of the importance of IPW for the effective delivery of health services even though they thought IPW was relatively a new concept in the Nepalese context. Literature (CIHC, 2010; Petri, 2010; Way *et al*, 2005) suggest that interprofessional practices influence the way healthcare organisations are run, managed and now the healthcare system are developed. This study highlights that many organisational factors such as training and education; organisational protocols and guidance for IPW; strong leadership; support from organisation, flexible rules, competent and confident workforce, clear job description and supervision are important for successful IPW in Nepalese hospitals.

IPW does not occur smoothly all the time without any obstacles. Several barriers to inter-professional practices perceived by HCPs within the structure of Nepalese hospitals, between and among HCPs. This study points out that funding and resource issues, organisational guidance and protocols for IPW and lack of education and training are the main challenges of IPW. Any move towards a greater integration and co-operation between agencies and practitioners may bring benefits, but also create tensions that need to be recognised and resolved for successful working relationships to be maintained (Fitzsimmons and White, 1997). IPW is recognised as the best practice in healthcare. However, the

implementation and operationalisation of the concept of interprofessional collaboration in health and social care has been a challenge (Petri, 2010).

V. CONCLUSION

This study assesses HCPs' perceptions of IPW in the delivery of health services in Nepalese hospitals. HCPs in Nepalese hospitals perceived that IPW is beneficial to HCPs, service users and healthcare delivery; and they thought it as a booster for effective delivery of health services and improving quality of care. This study confirms that the core concept of IPW is equally applicable in the context of Nepalese healthcare. This study confirms that dominance of medical professionals exists in Nepalese hospitals. HCPs perceived that IPW is not sufficiently motivated amongst HCPs and adequate support is lacking from all stakeholders in Nepalese hospitals. This study highlights the importance of organisations support and involvement of service users for the successful delivery of IPC. This study recognises factors that support IPW and identifies various organisational, professional and interpersonal barriers to IPW in Nepalese hospitals.

Declaration of interest

The authors report no conflicts of interest. The authors alone are responsible for the content and writing of the paper.

REFERENCES RÉFÉRENCES REFERENCIAS

- Biggs, S. (1997). Interprofessional collaboration: problems and prospects, In: J. Ovretveit, P. Mathias and T. Thompson, *Interprofessional working for health and social care*. Hampshire: Macmillan. 186 – 200.
- Bope, E.T. & Jost, T.S. (1994). Interprofessional collaboration: factors that affect form, function and structure, In: R. Michael Casto and Maria C. Julia, *IPC and collaborative practice*. California: Brooks/Cole Publishing. 61 – 69.
- Borril, C., West, M.A., Dawson, J., Shapiro, D., Rees, A., Richards, A. et al (2002) *Team working and effectiveness in healthcare. Findings from the healthcare team. Effectiveness Project*. Aston Centre for Health Services Organisation Research.
- Byrnes, V, Chapman, C, O'Riordan, A. & Schroder, C. (2009). *Collaborative Practice Assessment Tool (CPAT): Developing educational strategies to enhance interprofessional collaborative practice* (Paper presented at Health Sciences Education Rounds) Kingston: Office of Interprofessional Education and Practice, Queen's University.
- Carnwell, R. & Buchanan, J. (2005). *Effective Practice in Health and Social Care: A Partnership Approach*. Maidenhead: Open University Press.
- Canadian Health Services Research Foundation (2006). *Teamwork in Healthcare: Promoting effective teamwork in healthcare in Canada*. CHSRF. Retrieved from: http://www.chsrf.ca/Migrated/PDF/ResearchReports/CommissionedResearch/teamwork-synthesis-report_e.pdf. (Accessed: 4 September 2012).
- Canadian Interprofessional Health Collaborative (CIHC) (2010). *A National Interprofessional Competency Framework*. Vancouver: CIHC. Retrieved from: http://www.cihc.ca/files/CIHC_IP_Compencies_Feb1210.pdf, (Accessed: 12 September 2012).
- Colyer, H. (2012). Responsibilities and accountabilities in interprofessional working. In: G. Koubel and H. Bungay (eds.) *Rights, risks and responsibilities: Interprofessional working in health and social care*. Basingstoke: Palgrave Macmillan.
- Devers, K. J. & Frankel, R. M. (2000). Study Design in Qualitative Research—2: Sampling and Data Collection Strategies. *Education for Health*, 132, 263–271.
- Dow, L. & Evans, N (2005). Medicine, In: G. Barrett, D. Sellman and J., Thomas, *Interprofessional working in health and social care*, Hampshire: Palgrave 64–73.
- Drinka, T.J.K. & Clark, P.G. (2000). *Healthcare Teamwork: Interdisciplinary practice and teaching*. Westport, Connecticut: Auburn House.
- Fagin, C. (1992). Collaboration between nurses and medical doctors: no longer a choice. *Academic Medicine*, 67 (5), 295 – 303.
- Fitzsimmons, P. & White T. (1997). Crossing boundaries: communication between professional groups, *Journal of Management in Medicine*. 11(2), 96-101.
- Freidson, E. (1970). *Professional Dominance: The social structure of medical care*. New York: Dodd, Mead and Co.
- Freidson, E. (1986). *Professional Powers: A study of the institutionalisation of formal knowledge*. Chicago: The University of Chicago Press.
- Henneman, E.A. (1995). Nurse-physician collaboration: A poststructuralist view. *Journal of Nursing Administration*. 22, 359–363.
- Henneman, E.A., Lee, J.L., & Cohel, J.I. (1995). Collaboration: A concept analysis. *Journal of Advanced Nursing*. 21(1), 103-109.
- Holland, R., Battersby, J, Harvey, I., Lanaghan, E., Smith, J., & Hay, I. (2005). Systematic review of Multidisciplinary interventions in heart failure. *Heart*. 91, 899–906.
- Kenny, D. and Adamson, B. (1992). Medicine and the health professions: issues of dominance, autonomy and authority. *Australian Health Review*,15(3), 319-334
- Larkin, G. (1983). *Occupational Monopoly and Modern Medicine*, London: Tavistock.

21. Larson, M.S. (1977). *The Rise of Professionalism: A Sociological Analysis*. California: University of California Press.
22. Leathard, A. (2003). *Interprofessional Collaboration: From Policy to Practice in Health and Social Care*. East Sussex: Routledge.
23. McAlister, F.A., Stewart, S., Ferrua, S. & McMurray, J.J (2004). Multidisciplinary strategies for the management of heart failure patients at high risk for admission. *Journal of the American College of Cardiology*, 44(4), 810–819.
24. McWilliam, C.L., Coleman, S., Melito, C., Sweetland, D., Saidak, J. Smit, J. Thompson, T. & Milak, G. (2003). Building empowering partnerships for IPC. *Journal of IPC*, 17(4), 363-376.
25. Mickan, S., Hoffman, S.J. & Nasmith, L. (2010). Collaborative practice in a global health context: Common themes from developed and developing countries. *Journal of Interprofessional Care*. 24(5), 492-502.
26. Miller, C., Freeman, M. & Ross, N. (2001). *Interprofessional practice in health and social care: Challenging the shared learning agenda*. London: Arnold.
27. Ministry of Health and Population (MOHP) [Nepal], New ERA, and ICF International Inc. (2012). *Nepal Demographic and Health Survey 2011*. Kathmandu, Nepal: Ministry of Health and Population, New ERA, and ICF International, Calverton, Maryland.
28. Patton, M.Q. (2002). *Qualitative evaluation and research methods*. Newbury Park, CA: Sage Publications.
29. Payne, M. (2000) *Teamwork in Multiprofessional Care*. New York: Palgrave.
30. Pecukonis, E., Doyle, O. & Bliss, D.L. (2008). Reducing barriers to interprofessional training: Promoting interprofessional cultural competence. *Journal of IPC*. 22(4), 417-428.
31. Petri, L. (2010) Concept analysis of interdisciplinary collaboration. *Nursing Forum*, 45(2), 73–82.
32. Pollard, K., Sellman, D., & Senior, B. (2005). The need for interprofessional working. In: G. Barrett, D. Sellman and J., Thomas, *Interprofessional working in health and social care*, Hampshire: Palgrave 7-17.
33. Rawson, D. (1994). Models of interprofessional work, likely theories and possibilities in A. Leathard (Ed.) *Going Interprofessional – working together for health and welfare*, East Essex: Brunner-Routledge.
34. Reel, K. and Hutchings, S. (2007). Being part of a team: IPC. In G. Hawley (ed.), *Ethics in clinical practices: an interprofessional approach*. Essex: Pearson Education. 137-153.
35. Richardson, A. & Storr, J. (2010). Patient safety: A literature [corrected] review on the impact of nursing empowerment, leadership and collaboration. *International Nursing Review*, 57(1), 12–21.
36. Ritter, H.A. (1983). Collaborative practice: what's in it for medicine? *Nursing Administration quarterly*. 7, 31–36.
37. Wall, A. (2003). Some ethical issues arising from interprofessional working. In A. Leathard (ed.), *Interprofessional collaboration: from policy to practice in health and social care*. East Sussex: Routledge.
38. Way, D., Jones, L. & Busing, N. (2000) *Collaboration in primary care: family doctors and nurse practitioner delivering shared care*. Ontario: Ontario College of Family Physicians. Available at: <http://www.eicp.ca/en/toolkit/hhr/ocfp-paper-handout.pdf>, (Accessed: 20 September 2012).
39. Wells, N.D., Johnson, R. & Salyer, S. (1998). Interdisciplinary collaboration. *Clinical Nursing Special*. 12(4), 161-168.
40. World Health Organization (WHO) (2010), *Framework for action on interprofessional education and collaborative practice*. Geneva: World Health Organization. Retrieved from: http://whqlibdoc.who.int/hq/2010/WHO_HRH_HP_N_10.3_eng.pdf. (Accessed: 7 September 2012).

This page is intentionally left blank



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

Volume 16 Issue 1 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4618 & Print ISSN: 0975-5888

How Important are Primary Care Physicians and Specialists when Choosing a Medicare Plan

By Michael Castro, D.B.A.

Abstract- A primary care physician can be one of the most important components in the minds of Medicare beneficiaries. Primary care physicians are responsible for providing their patients with preventive care services as well as establishing care for individuals who are ill and require health care services. As a result, the primary care physician coordinates the patient's overall care, including referrals to specialists. The purpose of this paper was to obtain a concrete understating if primary care physicians and specialist play a key role for Medicare recipients when selecting a health care plan. The researcher evaluated the differences between the populations from Miami-Dade County and Broward County participants to determine if there were any similarities. The researcher utilized one research question in order to fulfill the objective of the paper. A total of 16 Medicare beneficiaries from two South Florida counties were interviewed.

GJMR-K Classification: NLMC Code: WT 31



Strictly as per the compliance and regulations of:



How Important are Primary Care Physicians and Specialists when Choosing a Medicare Plan

Michael Castro, D.B.A.

Abstract- A primary care physician can be one of the most important components in the minds of Medicare beneficiaries. Primary care physicians are responsible for providing their patients with preventive care services as well as establishing care for individuals who are ill and require health care services. As a result, the primary care physician coordinates the patient's overall care, including referrals to specialists. The purpose of this paper was to obtain a concrete understating if primary care physicians and specialist play a key role for Medicare recipients when selecting a health care plan. The researcher evaluated the differences between the populations from Miami-Dade County and Broward County participants to determine if there were any similarities. The researcher utilized one research question in order to fulfill the objective of the paper. A total of 16 Medicare beneficiaries from two South Florida counties were interviewed.

I. ROLE OF PHYSICIAN IN SELECTING A MEDICARE PLAN AMONG BROWARD COUNTY MEDICARE BENEFICIARIES

Six out of the eight beneficiaries from Broward County (2 females and 4 males) reported that either their primary care physician or specialist played an important role in their selection of a health care plan. Participant age varied but did not appear to play a significant role in this. Four of the six participants only valued their primary care physician. The other two valued both their primary care physician and specialists. As a result, the Broward participants highly valued their current primary care physician.

The male participants in Broward County valued their primary care physician or specialist more than did their female counterparts. The other two participants within Broward County did not value their current primary care physician.

II. ROLE OF PHYSICIAN IN SELECTING A MEDICARE PLAN AMONG MIAMI-DADE MEDICARE BENEFICIARIES

The eight participating Miami-Dade beneficiaries also value their primary care physician and specialists they visit on a regular basis. Of the eight, 6 participants (3 females and 3 males) responded that they highly valued their primary care physician and specialists. Two participants valued both their primary care physician and specialists. Four participants only valued their primary care physician. Their ages varied

and did not appear to have a significant impact on this decision. These findings suggested that the participants from Miami-Dade also value both their primary care physician and specialists; however, the males and females from the county equally valued these providers.

III. COMPARISON OF PHYSICIAN ROLE IN SELECTING A MEDICARE PLAN BETWEEN BROWARD COUNTY AND MIAMI-DADE COUNTY MEDICARE BENEFICIARIES

Both the Miami-Dade County and Broward County participants value their primary care physician and specialists that they visit on a regular basis. Six of the eight from Broward County valued either their primary care physician or specialists. In Miami-Dade County, six of the eight participants also valued their primary care physician or specialists. The only difference between the participants from both counties pertained to gender. In Broward County, more males valued either their primary care physician or specialist.

In contrast, the Miami-Dade participants equally valued either their primary care physician or specialist. This research question obtained similar results regarding the importance of the members' primary care physicians and specialists being contracted with their health care plan.

IV. SUMMARY OF THE ROLE OF PRIMARY CARE PHYSICIANS WHEN SELECTING A MEDICARE PLAN AMONG BROWARD COUNTY AND MIAMI-DADE COUNTY SAMPLES

The conclusion obtained from both populations resulted in the participants highly valuing their primary care physician and specialists. Six of the eight Broward County beneficiaries valued either their primary care physician or specialists. Six of the eight Miami-Dade County beneficiaries also valued their primary care physician or specialists. These 12 participants told the researcher that if their current primary care physician or specialist were not contracted to practice within a specific Medicare plan, they would not consider enrolling into that health care plan. The researcher concluded that the Miami-Dade and Broward County populations had identical responses.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Abraham, J., Sick, B., Anderson, J., Berg, A., Dehmer, C., Tufano, A., & Marx, K. T. (2011). Selecting a provider: What factors influence patients' decision making? *Journal of Healthcare Management*, 56(2), 99-114; discussion 114-5. Retrieved from <http://search.proquest.com/docview/859437046?accountid=34899>
2. Ajzen, I. (1991). *Organizational behavior and human decision processes*. 50(2), 179-211.
3. Ben-Haim, Y. (2010). Info-gap decision theory: Decisions under severe uncertainty. 2nd edition. San Diego CA: Academic Press. <http://info-gap.com/content.php?id=68>
4. Edwards, A., & Elwyn, G. (2009). *Shared decision-making in health care* (2nd ed., pp. 45-49). Oxford, NY: Oxford University Press. Retrieved from http://books.google.com/books?hl=en&lr=&id=AsY1_K8mkJsC&oi=fnd&pg=PR5&dq=%22decision+making-theory%22+&ots=scQxjeWuX6&sig=uM-2g5mbD6NmLz_EI7VE1Kcobr8#v=onepage&q=%22decision%20making-theory%22&f=false
5. Hibbard, J. H., Jewitt, J. J., Englemann, S., & Tusler, M. (1998). Can Medicare beneficiaries make informed choices? *Health Affairs*, 8, 181-193.
6. Johnson, M. M. S. (1993). Age difference in decision-making: A process methodology for examining strategic information processing. *Journal of Gerontology*, 2, 75-78.
7. Lake, T. K. (2001). *Assessments of health plan performance by recent Medicare HMO enrollees: The role of primary care physician choice*. (Order No. 3006291, The Johns Hopkins University. *ProQuest Dissertations and Theses*, 219-219. Retrieved from <http://search.proquest.com/docview/276010188?accountid=34899>. (276010188)
8. Levesque, D. A., Prochaska, J. O., Cummings, C. O., Terrell, S., & Miranda, M. (2001). Assessing Medicare beneficiaries' readiness to make informed health plan choices, *Health Care Financing Review*, 1, 87-104.
9. Razzouk, N., Seitz, V., & Webb, J. M. (2004). What's important in choosing a primary care physician: An analysis of consumer response. *International Journal of Health Care Quality Assurance*, 205-211. Retrieved from <http://search.proquest.com/docview/229699302?accountid=34899>
10. Schultz, D. V. (1995). The importance of primary care providers in integrated systems. *Healthcare Financial Management*, 1, 58-63. Retrieved from <http://search.proquest.com/docview/196367728?accountid=34899>
11. Selecting a primary care physician needs careful examination. (2009). *Business Wire*. Retrieved from <http://search.proquest.com/docview/444034766?accountid=34899>
12. Starfield, B. (1993). Primary Care. *Journal of Ambulatory Care Management*, 4, 27-37.
13. Weshsler, H., Levine, S., & Idelson, R. K. (1996). The physician's role in health promotion revisited. A survey of primary care practitioners. *The New England Journal of Medicine*, 996-998. Retrieved from <http://search.proquest.com/docview/223979870?accountid=34899>



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

Volume 16 Issue 1 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4618 & Print ISSN: 0975-5888

Experiences of Implementers and Decision- Makers with Maternal and Child Health Demand Side Targeting Mechanisms: A Case Study of National Health Insurance Fund Pro-Poor Scheme in Rungwe District-Tanzania

By August Kuwawenaruwa, Gemini Mtei, Jitihada Baraka & Tani Kassimu

Ifakara Health Institute, Tanzania United

Abstract- Background: Low and middle income countries have adopted targeting mechanisms as a means of increasing program efficiency in reaching marginalized people in the community given the available resources. Design of targeting mechanisms has been changing over time and it is important to understand implementers' experience with such targeting mechanisms since such mechanisms impact equity in access and use of maternal health care services.

Methods: The case study approach was considered as appropriate method for exploring implementers' and decisionmakers' experiences with the two targeting mechanisms. Indepth interviews in order to explore implementer experience with the two targeting mechanisms.

Keywords: insurance, demand-side-financing, equity, individual and geographical targeting mechanism, tanzania.

GJMR-K Classification: NLMC Code: WA 310



Strictly as per the compliance and regulations of:



© 2016. August Kuwawenaruwa, Gemini Mtei, Jitihada Baraka & Tani Kassimu. This is a research/review paper, distributed under the terms of the Creative Commons Attribution-Noncommercial 3.0 Unported License (<http://creativecommons.org/licenses/by-nc/3.0/>), permitting all non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

Experiences of Implementers and Decision-Makers with Maternal and Child Health Demand Side Targeting Mechanisms: A Case Study of National Health Insurance Fund Pro-Poor Scheme in Rungwe District-Tanzania

August Kuwawenaruwa ^α, Gemini Mtei ^σ, Jitihada Baraka ^ρ & Tani Kassimu ^ω

Abstract- Background: Low and middle income countries have adopted targeting mechanisms as a means of increasing program efficiency in reaching marginalized people in the community given the available resources. Design of targeting mechanisms has been changing over time and it is important to understand implementers' experience with such targeting mechanisms since such mechanisms impact equity in access and use of maternal health care services.

Methods: The case study approach was considered as appropriate method for exploring implementers' and decision-makers' experiences with the two targeting mechanisms. In-depth interviews in order to explore implementer experience with the two targeting mechanisms. A total of 10 in-depth interviews (IDI) and 4 group discussions (GDs) were conducted with implementers at national level, regional, district and health care facility level. A thematic analysis approach was adopted during data analysis.

Results: The whole process of screening and identifying poor pregnant women resulted in delay in implementation of the intervention. Individual targeting was perceived to have some form of stigmatization; hence beneficiaries did not like to be termed as poor. Geographical targeting had a few cons as health care providers experienced an increase in workload while staff remained the same and poor quality of information in the claim forms. However geographical targeting increase in the number of women going to higher level of care (district/regional referral hospital), increase in facility revenue and insurance coverage.

Conclusion: Interventions which are using targeting mechanisms to reach poor people are useful in increasing access and use of health care services for marginalized communities so long as they are well designed and beneficiaries as well as all implementers and decision makers are involved from the very beginning. Implementation of demand side financing strategies using targeting mechanisms should go together with supply side interventions in order to achieve project objectives.

Keywords: insurance, demand-side-financing, equity, individual and geographical targeting mechanism, tanzania.

Author ^α ^σ ^ρ ^ω : Ifakara Health Institute, Plot 463, Kiko Avenue Mikocheni P.O. Box 78 373 Dar es Salaam Tanzania.
e-mails: ajoachim@ihi.or.tz, gmtei@ihi.or.tz, jbaraka@ihi.or.tz, ktani@ihi.or.tz

I. INTRODUCTION

Low and middle income countries have adopted targeting mechanisms as a means of increasing program efficiency in reaching marginalized people in the community given the available resources (Coady, Grosh, & Hoddinott, 2008; Domelen, 2007; Handa, 2012). A targeting mechanism is a policy option of concentrating the benefits of an intervention on a pre-identified specific group and has been widely applied in health care interventions (Meessen & Criel, 2008). These targeting mechanisms include individual (Aryeetey, 2013; Collins, 2009), geographical (Elbersa, 2007) and self selection (Domelen, 2007; Meessen & Criel, 2008). Implementation of such mechanisms requires actors who will be responsible for the implementation of the targeting method and the subsequent implementation of the intervention (Coady, et al., 2008). The actors/ implementers could either be from the national level, regional, district, facility or community level based on the program design and overall purpose.

In 2010, Tanzania's National Health Insurance Fund (NHIF) and German Development Bank (KfW) used geographical and individual targeting mechanisms in Rungwe district to pilot a social health insurance program (MCH insurance card) for poor pregnant women. Women were identified using a score card which had eight components that related to housing characteristics, remoteness from health providers, income, food security, and number of dependents (Kuwawenaruwa, 2015). Women who qualified as "poor" were given the MCH insurance card and used it to access care from accredited health care facilities. For reasons that will be detailed in this paper, the individual targeting approach was abandoned and geographical targeting was implemented in the district. Figure 1 and 2 show steps which were required to obtain a card under the individual and geographical targeting respectively.

Evidence shows that many countries have been using such targeting mechanisms to accelerate access and use of maternal and child health care (Ahmed &

Khan, 2011) (Bhatia & Gorter, 2007). In some countries, interventions which were implemented using targeting mechanisms had a positive impact (B. Bellows, Kyobutungi, Mutua, Warren, & Ezeh, 2013; Ekirapa-Kiracho, 2011), while others had negative or no impact (N. Bellows, Bellows, & Warren, 2011). A recent study conducted by Ifakara Health Institute on a similar project showed that the program impacted few outcomes (mainly out of pocket payment), and no effect was observed on the quality of care and equity (Borghi, 2015). Proper implementation of such targeting mechanisms has great potential for achieving the policy objectives and enhancing program efficiency (B. Bellows, et al., 2013; Gopalan, Das, & Mutasa, 2014; Meessen & Criel, 2008).

Design of targeting mechanisms has been changing over time and it is important to understand implementers' experience with such targeting mechanisms. At this point in time, however, there is limited evidence on implementers' and decision-makers' experience with targeting mechanisms, the implementation process, and results of switching between the two mechanisms. The aim of this study was to examine the implementer's experience in the process of implementing targeting mechanisms since such mechanisms impact equity in access and use of maternal health care services.

II. METHODS

a) Study Setting

The study was conducted in Rungwe district in Mbeya Region. According to a 2012 census the district has a population of about 339,157 (male 161,249 and 177,908 female) (NBS, 2013). The population density is high in Rungwe district (153 compared to the national average 51 persons per square kilometer) and the main economic activity is agriculture (NBS, 2013). Out of 10 district councils in Mbeya, Rungwe is the only district that had implemented the intervention using the two targeting mechanisms, while the other districts had adopted a geographical targeting mechanism. It thus offered not only the opportunity to describe the implementer's experiences with the current geographic targeting strategy, but also to explore the implementer's attitudes toward both strategies and the reasons for abandoning individual targeting.

b) Study Design

The study adopted case study methodology, an empirical inquiry that investigates a phenomenon within its real life context (Yin, 2003). Implementation of maternal and child health care using targeting mechanisms is a complex, context dependent process. The case study approach was thus considered the appropriate method for exploring implementers' and decision-makers' experiences with the two targeting mechanisms.

c) Data Collection Techniques

The study used in-depth interviews in order to explore implementer experience with the two targeting mechanisms. Because the implementation of the MCH insurance card program involved stakeholders at the national level (NHIF and GFA consultant), regional level (NHIF zone office, Regional medical Office), and district level (NHIF/CHF coordinators, and Council Health Management team), as well as health care providers, it was necessary to collect data at all these levels. Study participants were purposively selected from public health care facilities, district and regional level health authorities, and NHIF headquarters (Table 1). The district had only one district hospital and two public health centers. All of them were included in the study and four dispensaries were selected based on physical accessibility, experience with the targeting mechanisms, and being served by a health centre. Thus, a total of 7 health care facilities were included in the study. In total, 10 in-depth interviews (IDI) and 4 group discussions (GDs) were carried out by 2 research scientists and 2 field assistants in September 2014.

Interview guides were developed and contained a range of topics related to the experience with individual targeting, decision to change, experience with geographical targeting, and recommendations about targeting mechanisms. Interview guides were prepared in English and subsequently translated into Kiswahili by the bi-lingual research scientists and research assistants, who also conducted the interviews. Interviews were conducted in pairs: one research scientist facilitated the interview while a field assistant was taking notes. All interviews were also digitally recorded, and the audio files were transcribed and translated by a research assistant. Subsequently, the researchers cross-checked the audio files and transcripts for data quality assurance.

d) Data Analysis

A thematic analysis approach was adopted. Two research scientists read each transcript independently and developed a final code book. A brief discussion was held by the researchers and to determine the final themes. The team worked together and coded a few transcripts together. The remainder was coded independently by each of the research scientists. At the end the team reconvened and discussed the coded scripts. Data were analyzed using Nvivo 10 software.

e) Ethical Clearance

The case study was approved by the Ifakara Health Institute Review Board. Written consent was sought from the study participants after the team leader had explained the objectives of the study. Participants were informed that their participation was voluntary and at any time they had the right to withdraw without any penalty. The field team assured participants about

confidentiality of all information throughout the study. Interviews were conducted in the local language (Kiswahili) and tape recorded with the permission of the study participants.

III. RESULTS

a) *Individual Targeting*

i. *Experience with program management*

According to those interviewed, MCH insurance card program activities were executed using the existing government structures. No new staff was employed to handle the activities and no additional payments were made to the existing staff. For example at the district level, district officials were expected to conduct sensitization about the MCH insurance card, conduct job training for the health care providers, handle client complaints, supervise the health workers at facilities, ensure that screening forms were available and were submitted to the respective levels as required, prepare and distribute cards, and act as a link between the zone, district office, and health facilities. At the village level, the village leaders were supposed to undertake screening of potentially eligible women.

".....as a focal person at the district level I was supposed to handle client's complains, conducting community sensitization, conducting supportive supervision in the facility to oversee overall implementation of the program, taking the screening/registration forms from village executives and healthcare providers to the district, also submitting the forms to the regional level..." (GD, with district level implementer)

"....because it's the same person fulfilling same tasks.....for example I was supposed to continue with my normal duties as awhile at the same time fulfilling MCH insurance card tasks which were not within my normal routine, so the time which I was supposed to keep records, review inventories, requisition of supplies and supervision of medical supplies, part of the time was being used on MCH insurance card project in one way or another I can say fifty percent of my tasks were affected...." (GD, with district level implementer)

ii. *Experience with program engagement*

Most of the respondents from the zone and district level implementers had a positive perception of the program and perceived that it was initiated to support women and improve health care services in the region; however, many challenges in the process of implementation were reported. For example, it was reported that in some cases, the individual targeting approach had created a sense of stigmatization. Village executives were supposed to justify that beneficiaries were poor based on the screening criteria, but the community perceived that the need to obtain such justification created stigmatization in the community,

causing women to not enroll in the program. The quote below testifies that.

"..with individual targeting it was viewed that providers were discriminating people and were not doing fairness to some women, those with insurance were being treated as those insured by the National Health Insurance Fund, but the one who had no MCH insurance card was supposed to pay from the pocket, this brought a big difference as women were complaining why should I pay and others are not paying?" (IDI with health care provider)

Furthermore, most of the respondents interviewed from the district level supported the program; however there was a lot of paper work, bureaucracy, and some of the women were not registered because of the whole process in which one was supposed to be confirmed to be poor by village executives,

".....It is a good program but has a long process for a woman to get a health insurance card and this lead to some of the women to not be registered ,because of missing photographs and sometimes termed to be not qualified as poor....."(GD, with district level implementer)

b) *Experience with the Screening Process*

According to zone and district level implementers, the process resulted in falsification of the real poverty condition of women, leading to the enrolment of non-poor women. Village executives used the opportunity of screening to enroll their relatives and friends, which also resulted in complaints. Targeted women were not enrolled because of favoritism of some of the village leaders who were given mandate/ autonomy to conduct screening.

"Women were complaining that some of the village executives were recruiting even those who have good houses, those have money to earn a living ,their relatives and leave out those who were real in need of the free health services"(GD with Health care provider)

Centrally the regional implementers, reported that on the administration issues, there were challenges with the screening forms, as they were filled incorrectly, as stated in the quote below.

"....one of the challenge was related to the screening process as most of the forms were not returned back from village executives, in case she had a lot of other tasks to handle, the forms were not returned on time and could not be sent to the regional level and headquarter, at times they were sent but too late so some of the services which were intended for the women before delivery were not rendered..." (GD, district level implementer)

A related challenge that implementers faced during individual targeting was informal payments. During the screening process, some village leaders

requested money from the women before signing the forms.

".....one of the challenges with individual targeting was on the role of village executives, as some of them were using the screening forms as business, a woman was supposed to pay some money to get the signature; in addition to that the forms did not portray the reality of someone's economic status...." (GD, with zone level implementer)

c) *Bureaucracy in accessing the Card*

Difficulties were also encountered in obtaining the photo necessary for the identity card under the individual targeting scheme. A photographer in the village was contracted to take photographs; however, this activity created challenges for both the photographer and the potential beneficiary. It was difficult to arrange to have multiple women photographed at a single site and time, and there were also problems with the photographer not being available as scheduled and with payment arrangements/ mechanisms. Payments for the photographer were through cheques and were delayed for a number of months. Most of the respondent highlighted that:

".....it had a long process as sometimes women were organized but the photographer was not available, sometimes the photographer was around but women were not present....." (GD with district level implementer)

Interviews also revealed that during individual targeting, women could not access health care services until they received the insurance card. At the same time, card processing took a long time, and women sometimes delivered before receiving their cards. Additionally, facilities could not claim the money for the services rendered to women who were waiting for the insurance card. This was perceived as wastage of the resources.

".....in case there have been delays of the identity card while delivery date is due, the card become useless while costs have been incurred in screening, photographing and preparing the cards...." (GD with district level implementer)

d) *Experience with switching targeting mechanism*

i. *Engagement in decision making*

According to regional implementers, the decision to change the program was based on complaints from women within the catchment population as they came to seek health care services. They complained to health providers that they had not been enrolled even though they were eligible:

".....there were complaints from women to the health care providers, as I said before some of women were being charged by the village executives and sometimes executives were not in the offices as a result forms were not signed on time....." (GD, regional level implementer)

"....they told us the program's owner observed that there were some of the women left out from the program therefore all should be given the health insurance card...." (GD, health facility provider)

In addition to the complaints, national level and regional managers visited the districts and discussed the progress of the project with council health management teams. They collected some suggestions which led to the shift from individual to geographical targeting.

".....I remember as they came to give us information they inquired about the challenges which we had been facing, they questioned us, as we explained the challenges they asked some questions, and we explained the challenges later on they decided to make it geographical..." (GD, with district level implementer)

e) *Lessons from other districts*

According to the district level implementers, the successes observed in areas which had implemented geographical targeting influenced the decision to switch from individual to geographical targeting. That is, more women in areas with geographical targeting had been enrolled in the program than women in areas with individual targeting. Geographical targeting had fewer complexities, such as screening and photographing, than individual targeting, which had cost and time implications.

"....it was perceived that program had success in the districts which had implemented geographical targeting as more women were enrolled....for example they were saying a facility which was in a certain village, women around the facility catchment area had same economic status so any women who was pregnant has to be given a form....." (GD, with district level implementer)

Furthermore, unspent funds influenced the decision to adopt geographical targeting and grant a one year extension of the program up to December 2015 as resources were still available as the program neared its planned end date.

"...we were thinking of the costs involved when switching from individual to geographical...but we were told by national level managers that the amount of funds which had been used was small compared with the amount which was budgeted....." (GD, with zone level implementer)

f) *Experience with the communication processes*

The majority of the implementers and health care providers reported that they received verbal notification from their superiors that they should no longer enroll women on an individual basis using the poverty screening. The decision-making appeared to have been done centrally. Information was sent from the NHIF head office to the zone office, and managers at the zone office conveyed information to the district medical officers at the respective districts in the region.

District officials were then responsible to send information about the program to the health facility in-charges.

"...health care providers were informed about the changes via district medical officers; we communicated with district managers for the districts which were not implementing geographical targeting..." (GD, with regional implementers)

At the facility level, staffs were responsible for sharing information with the health facility governing committee members and village leaders. Transfer of information from the district to the facility and community level was mainly through telephone and via verbal channels during submission of the claim forms to the district by facility representative. In a number of places, information was conveyed during facility visits by the district and regional implementers.

"...some people came, I cannot remember from where, as they came they told us there is a project in which pregnant women are supposed to be enrolled in the MCH insurance card, moreover they told us that donors had given out funds, and we are supposed to register pregnant women, and will be treated free of charge for the whole duration of pregnancy, delivery and three months after delivery...." (GD, with Health care provider)

"...what we did is that, we informed community health workers, so that they could assist us to sensitize women to come and register with the MCH insurance card and we were giving them screening forms..." (GD, with health care provider)

"...a person from the district came and told us that there are these and these changes...she said that they have perceived that there were some kind of stigmatization to the women so right now we should start registering all women in the MCH insurance card program without looking at income/economic status, no more going to the village executives...." (GD, with health care provider)

g) *Geographical targeting*

Under geographical targeting, the regional level respondents reported that more women were enrolled in the MCH insurance card program and received care.

"...with geographical targeting a lot of people have been registered also even if you want to make follow up on the progress of the project it becomes easier, as you go to the facility and review the records on the number of pregnant women who have been registered...." (GD, with district level implementer)

"...in general geographical targeting has more than 100% success compared to the individual targeting..." (GD, with district level implementer)

In terms of the availability of services, beneficiaries were allowed to access health care at any facility within the intervention region.

"..... because the government cannot provide everything at the health care facilities, with the use of MCH insurance card women can access health care services from private providers, this has reduced congestion in some of the government health facility, MCH insurance card gives a woman wider choice of the provider, another thing is that a woman can access medication which are very expensive outside the hospital even if it's a private hospital, there are certain drugs which are sold more than two hundred thousand, with the insurance program a woman can access the drug...." (GD, with district level implementer)

Regional level implementers reported that this resulted in an increase in the number of women going to the regional referral hospital. The reason given for this is that at the hospital level all services are available and beneficiaries learned that the services were available at no cost; they only had to pay for the transport cost to the hospital.

"If you go there at the ward almost 99% are MCH insurance members, many women are coming, wards are crowded and some women had to sleep on the floor) (GD, with zone level Implementer)

h) *Increase in facility resources*

Another positive impact was noted in terms of increased facility revenue. With the increased enrolment, providers were able to initiate a number of claims for services after registering women, which increased the amount of revenue to the facility and district. Facilities were able to use the revenue to purchase equipment and fund other health facility needs. In the past, most women delivering in facilities had been exempted from paying and the facilities had to absorb these costs. A majority highlighted that:

"...now we are sure of having enough drugs in the health care facilities because it will cover a large group of those who are exempted, all the women had exemption, whether you had the ability to render services to them or not, you were forced to treat them for free.." (GD with zone level implementer)

"...what I have learned with geographical targeting is that more women have enrolled and benefited from the program, facilities have also benefited as a lot of money comes back to the facility, facility financial resources have increased to the extent of being able to purchase missed equipments and medicines..." (GD, with district level implementer)

i) *Insurance coverage*

The switch to geographic targeting also resulted in an increase in enrolment in the national insurance scheme. Women who receive the MCH card are entitled to a CHF card for one year for their partner and up to four children. This card can be used to access health care services from public primary-level facilities. With the greater enrolment following the switch to geographic

targeting for the MCH card, coverage of CHF in the district has increased overall from about 3% to 11%.

One challenge that resulted from the switch in targeting was the increase in workload experienced by health care providers. Health care providers are responsible for registration, education, and submission of claim forms. With the increased number of beneficiaries, this resulted in an increased workload at the facility, district, and regional level. At the same time, however, the number of staff remained the same. When asked about the experience with the geographical targeting, a respondent pointed out that:

"...we have observed that members have increased about four times compared with individual targeting, this was attributed by the increase in enrolment, registration forms and claim forms leading to the increase of workload to the staffs at all levels.." (GD, with regional level implementer)

j) *Health Service provision*

The increase in work load has been mentioned by health providers and NHIF program implementers at the regional level as a factor that affected the quality of information in the claim forms. The providers mentioned that they have to render services to other clients and at the same time register beneficiaries and complete the claim forms. This resulted in a reduction of quality of services provided and poor attention to the details required for completing the patients' registration form and claims for service reimbursement.

".....we have a challenge on how the claim forms are being filled some of the forms are poorly filled, this is something new to the staffs and sensitization has to be done..... you may find a staff was supposed to record this way but she does the other way....." (GD, with regional level implementers)

The NHIF implementers mentioned that there were a number of cases where providers recorded only some of the visits that each patient had made, which resulted in challenges when auditing information at the facility level. There were also reported instances of contradictory information about the same patient being recorded. For example one respondent pointed out that:

"....a woman is reported to have normal delivery but at the same time she is reported to have caesarean section or same woman was reported delivering at a certain facility but has come to deliver here on referral basis..." (GD with the regional level implementer)

After the implementation of geographical targeting, card processing was no longer done at the headquarters in Dar es Salaam, but instead at the zone office. This has reduced the time for registration and card processing. Beneficiaries were allowed to access health services before receiving their card as long as they had a unique number written on top of the ANC card.

IV. DISCUSSION

The case study aimed to examine in-depth the experiences of implementers and decision-makers with maternal and child health demand side targeting mechanisms by studying the implementation of the MCH insurance card program in Rungwe District. More specifically, it describes implementers' experiences with the current geographic targeting strategy, implementers' attitudes toward both strategies, and the reasons for abandoning individual targeting. The findings show that implementation of each mechanism has some drawbacks; however, individual targeting was ineffectively implemented.

It is evident from the findings that although individual targeting mechanisms aimed to enhance financial protection to the marginalized households in the community, it proved challenging to implement. The screening process faced a lot of challenges especially at the community and health care facility level, where some of those who received the insurance card were not the real poor targeted by the intervention. Other studies have highlighted the importance of using community members to help to determine who is actually poor as they know each other's resources and needs (Hanson, Worrall, & Wiseman, 2006; Jaspars & Shoham, 1999). Additionally, individual targeting was perceived to have some form of stigmatization; hence beneficiaries did not like to be termed as poor. According to Hanson et al., benefits associated with taking the targeted benefits does create a sense of stigma to the beneficiaries (Hanson, et al., 2006). Hanson et al., highlighted the problem of not revealing required information and misusing information based on the relationship with the targeted people (Hanson, et al., 2006). Some implementers demanded payments or enrolled their relatives/friends who were not poor. In many cases, administrative discretion has led to exclusion of people from targeted interventions, and targeting mechanisms which vest a lot of power in the hands of bureaucrats have been subject to the manipulation of enrolment information (Mkandawire, 2005). Perhaps lack of incentives to the lower level implementers as the program was implemented within the existing platform contributed to this problem. A recent study undertaken by the World Bank and the World Health Organization (WHO) on the potential use of the community-directed intervention approach to carry out interventions showed that community level implementers expressed a desire for financial incentives; however the lack of financial incentives did not have a significant effect on their willingness to serve (WHO, 2009). Incentives must be structured in such a way that there will be transparency and local community accountability in order to ensure effective use of limited resources.

It is still questionable whether individual targeting managed to reach the marginalized women in the community, particularly those who were in need of care in the remote areas. For example, Cambodia used individual targeting mechanisms to distribute vouchers for safe delivery to poor pregnant women; findings showed that 24.9% were identified as eligible for vouchers, while 75.1% of potentially poor pregnant women were excluded from the program (Por, 2008).

Furthermore, existing bureaucracy impeded the implementation of individual targeting, making the whole process slower than expected. The whole process of screening and identifying poor pregnant women resulted in delay in implementation of the intervention. Opportunity cost to those involved in the implementation has been documented as one of the drawbacks with individual targeting (Collins, 2009; Hanson, et al., 2006). In Cambodia individual targeting was found to induce unnecessary cost to identify the non-poor pregnant women and delay the distribution of vouchers (Por, 2008).

Evidence from the findings shows that inefficiency in the implementation of individual targeting; complaints from women; lesson from other districts implementing geographical targeting; and unspent funds influenced the decision to adopt geographical targeting.

Implementation of geographical targeting faced some pros and cons. Some of the pros included increased enrolment of beneficiaries in the intervention, increase in the number of women going to higher level of care (district/regional referral hospital), increase in facility revenue and increase in insurance coverage. The increase in insurance coverage at the intervention (from 3% to 11%) sites has a substantial increase in overall national insurance coverage. Geographical targeting had a few cons as health care providers experienced an increase in workload while staff remained the same and poor quality of information in the claim forms. Geographical targeting has been widely used in health care interventions because it is simple to administer, has no labor disincentive, is unlikely to create stigma effects and is easy to combine with other targeting methods (Coady, Margaret, & John, 2004).

V. RECOMMENDATION

The intervention was implemented following a top-down approach where community/providers and district level implementers received information from the top officials. Communication channels should be strengthened to ensure clear flow of information to and from the community. Feedback is important to the implementers as they will be able to know implementation progress. Future interventions should involve all the implementers from the beginning of the intervention. The choice and decision to implement

targeting mechanisms should be based on the accessibility, availability of the resources (human labor and financial), correct identification of the targeted population, and sensitization as well as proper communication at all levels. Furthermore, since the implementation of the intervention was done in parallel with the existing policy of waiver/exemption, there is a need to ensure that such interventions are implemented in such a way they do not create misunderstanding in the system, from both the provider and the user perspectives. Providers should be sensitized on the use of program resources in improving service provision in the facilities. Health care providers should be trained on how to fill registration and claim forms as well as other facility records.

a) Study Limitation

The study suffered a number of limitations. We were not able to sample village leaders who were involved in the process of screening MCH insurance card beneficiaries. Information from such stakeholders would have added value in terms of their time involvement and informal payments which were experienced during individual targeting. Another limitation was in terms of recall bias, as the study was done one year after decision was made in favor of geographical targeting. We could not manage to sample private health care providers who are also rendering services to the program beneficiaries; their information could have added value to the overall experience with the intervention. However, our findings are useful in the sense that we were able to draw some evidence on the experience with the targeting mechanisms.

VI. CONCLUSION

Interventions which are using targeting mechanisms to reach poor people are useful in increasing access and use of health care services for marginalized communities so long as they are well designed and beneficiaries as well as all implementers and decision makers are involved from the very beginning. Implementation of demand side financing strategies using targeting mechanisms should go together with supply side interventions in order to achieve project objectives.

LIST OF ABBREVIATIONS

CHF	Community Health Fund
GD	Group Discussion
KfW	German Development Bank
NHIF	national health insurance fund

Competing interests

The authors declare that they have no competing interests.




Figure 1: Individual Targeting

The figure shows complexity involved in obtained the MCH insurance card during individual targeting in the study area

NB: She is not entitled to any care till she receives unique number




Figure 2 : Geographical Targeting

The figure shows how women obtained the MCH insurance card during geographical targeting in the study area. The process was less complex compared with individual targeting

NB: She still receives care using unique number

REFERENCES RÉFÉRENCES REFERENCIAS

1. Ahmed, S., & Khan, M. M. (2011). A maternal health voucher scheme: what have we learned from the

demand-side financing scheme in Bangladesh? *Health Policy Plan*, 26(1), 25-32.

2. Aryeetey, G., Jehu-Appiah, C., Kotoh, AM., Spaan, E., Arhinful, DK., Baltussen, R., et al. (2013). Community concepts of poverty: an application to premium exemptions in Ghana's National Health Insurance Scheme. *Global Health Action*, 9, 13.

3. Bellows, B., Kyobutungi, C., Mutua, M., Warren, C., & Ezeh, A. (2013). Increase in facility-based deliveries associated with a maternal health voucher programme in informal settlements in Nairobi, Kenya. *Health Policy and Planning*, 28(2), 134-142.

4. Bellows, N., Bellows, W., & Warren, C. (2011). Systematic Review: the use of vouchers for reproductive health services in developing countries: systematic review. *Trop Med Int Health*, 16(1), 84-96.

5. Bhatia, M., & Gorter, A. (2007). Improving access to reproductive and child health services in developing countries: are competitive voucher schemes an option? *Journal of International Development*, 19 (7), 975-981.

6. Borghi, J., Kuwawenaruwa, A., Binyaruka, P., Manzi, F. (2015). *Evaluation of the impact of the nhif mch insurance card on improving access to maternal and newborn care services in Tanzania- (BIMAWAZAZI): Results from the Impact Evaluation of the 'Helping Poor Pregnant Women Access Better Health Care Project' in Mbeya Region*: Ifakara Health Institute.

7. Coady, D., Grosh, M., & Hoddinott, J. (2008). *Targeting of transfers in developing countries: Review of Lessons and Experience*. World Bank, Washington.: World Bank.

8. Coady, D., Margaret, G., & John, H. (2004). *The Targeting of Transfers in Developing Countries: Review of Lessons and Experiences*. IFPRI and World Bank: Washington DC.

9. Collins, B. (2009). An understanding of poverty from those who are poor. *SAGE Publications*(3), 9 - 31.

10. Domelen, J. (2007). *Reaching the Poor and Vulnerable: Targeting Strategies for Social Funds and other Community-Driven Programs*: Human Development Network - World Bank

11. Ekirapa-Kiracho, E., Waiswa, P., Rahman, MH., Makumbi, F., Kiwanuka, N., Okui, O., Rutebemberwa, E., et al (2011). Increasing access to institutional deliveries using demand and supply side incentives: early results from a quasi-experimental study. *BMC Int Health Hum Rights*, 11 Suppl 1, S11.

12. Elbersa, C., Fujjic, T., Lanjouwd, P., Özlerd, B., Yine W. (2007). Poverty alleviation through geographic targeting: How much does disaggregation help? *Journal of Development Economics*, 83, 198-213.

13. Gopalan, S. S., Das, A., & Mutasa, R. (2014). What makes Health Demand-Side Financing Schemes

- Work in Low-and Middle-Income Countries? A Realist Review. *J Public Health Res*, 3(3), 304.
14. Handa, S., Carolyn, H., Nicola, Hypherb., Clarissa, T., Fabio, S., Benjamin, D.,. (2012). Targeting effectiveness of social cash transfer programmes in three African countries. *Journal of Development Effectiveness*, 4 (1), 78-108.
 15. Hanson, K., Worrall, E., & Wiseman, V. (2006). Targeting services towards the poor: A review of targeting mechanisms and their effectiveness. *Health System Resource Guide*.
 16. Jaspars, S., & Shoham, J. (1999). "Targeting the vulnerable: A review of the necessity and feasibility of targeting vulnerable households." *Disasters* 23, 23(4), 359-372.
 17. Kuwawenaruwa, A., Baraka, J., Ramsey, K., Manzi, F., Bellows, B., Borghi, J.,. (2015). Poverty identification for a pro-poor health insurance scheme in Tanzania: reliability and multi-level stakeholder perceptions. *Int J Equity Health*, 14 (143).
 18. Meessen, B., & Criel, B. (2008). Public interventions targeting the poor: an analytical framework. In *Health and Social Protection: experiences from Cambodia, China and Lao PDR. . ITM in Studies in health services organization and policy*.
 19. Mkandawire, T. (2005). *Targeting and Universalism in Poverty Reduction: Social Policy and Development*: United Nations Research Institute for Social Development.
 20. NBS. (2013). *POPULATION AND HOUSING CENSUS; Population Distribution by Administrative Areas*: National Bureau of Statistics, United Republic of Tanzania.
 21. Por, I., Dirk, H., Souk N., Wim-Van, D. (2008). Improving access to safe delivery for poor pregnant women: a case study of vouchers plus health equity funds in three health districts in Cambodia *Studies in HSO&P*, 24.
 22. WHO. (2009). *Community-directed interventions for priority health problems in Africa: results of a multicountry study; Bulletin of the World Health Organization* 2010;88:509-518. doi: 10.2471/BLT.09.069203: WHO, Geneva 27, Switzerland.
 23. Yin, R. (2003). *Case Study Research: Design and Methods*. Thousand Oaks, CA.: Sage Publications Inc.: .



This page is intentionally left blank



GLOBAL JOURNAL OF MEDICAL RESEARCH: K
INTERDISCIPLINARY

Volume 16 Issue 1 Version 1.0 Year 2016

Type: Double Blind Peer Reviewed International Research Journal

Publisher: Global Journals Inc. (USA)

Online ISSN: 2249-4618 & Print ISSN: 0975-5888

Effect of Gravitational Stress and Exercises on Bone Demineralization & Renal Complication in Paraplegics & Quadriplegics

By Verma CV, Khadkikar A, Bellare B & Krishnan V

Seth GS Medical College & KEM Municipal Hospital, India

Abstract- Background: Spinal cord injury (SCI) is a multisystem injury with life-threatening complications. Bone demineralization & renal complications have serious consequences for the affected person. It is hypothesized that verticalisation along with early mobilization reduces skeletal & renal complications.

Methodology: 48 subjects (36 patients+12 controls) participated in this study. The patients were divided into groups A, B & C and the controls were in Group D. Basal parameters (BP, PR, RR) were recorded and Urine samples were sent for analysis. Group A was treated with only limb exercises & Group B was given limb exercises & tilt table standing. Group C had chronic patients to visualize the longterm effect of physical rehabilitation & body's attempt at bone mineral homeostasis on urinary parameters.

Results: Significant changes were noted in the values of urine calcium, inorganic phosphate, hydroxyproline & serum enzyme alkaline phosphatase among groups A, B & C when compare with D.

Keywords: spinal cord injury, gravitational stress, renal complication, bone demineralization, active/passive exercises, verticalisation.

GJMR-K Classification: NLMC Code: WE 200, WJ 378



Strictly as per the compliance and regulations of:



Effect of Gravitational Stress and Exercises on Bone Demineralization & Renal Complication in Paraplegics & Quadriplegics

Gravitational Stress & Exercises for Spinal Cord Injury

Verma CV ^α, Khadkikar A ^σ, Bellare B ^ρ & Krishnan V ^ω

Abstract- Background: Spinal cord injury (SCI) is a multisystem injury with life-threatening complications. Bone demineralization & renal complications have serious consequences for the affected person. It is hypothesized that verticalisation along with early mobilization reduces skeletal & renal complications.

Methodology: 48 subjects (36 patients+12 controls) participated in this study. The patients were divided into groups A, B & C and the controls were in Group D. Basal parameters (BP, PR, RR) were recorded and Urine samples were sent for analysis. Group A was treated with only limb exercises & Group B was given limb exercises & tilt table standing. Group C had chronic patients to visualize the long-term effect of physical rehabilitation & body's attempt at bone mineral homeostasis on urinary parameters.

Results: Significant changes were noted in the values of urine calcium, inorganic phosphate, hydroxyproline & serum enzyme alkaline phosphatase among groups A, B & C when compare with D.

Conclusion: Tilt-table standing along with limb exercises were more effective in decreasing demineralization & renal complications. Also, active wheelchair bound life style can replace the need for verticalisation in chronic stages.

Keywords: spinal cord injury, gravitational stress, renal complication, bone demineralization, active/passive exercises, verticalisation.

I. INTRODUCTION

A spinal cord injury (SCI) is a multi-system damage with life-threatening complications. It can result in autonomic, neuromuscular and physiologic impairment of the legs, arms or trunk with the severity of the symptoms dependent upon the level and magnitude of the injury to the spinal column. A SCI to the cervical segments of the spinal column (C1-C8) down to the most proximal thoracic segment (T-1) often causes quadriplegia and results in impairment of the arms,

Author α: Professor, Department of physiotherapy, Seth GS medical college & KEM municipal hospital, parel, Mumbai. e-mail: cvkresearch@gmail.com

Author σ: B.P.Th, Lokmanya tilak municipal medical college & general hospital, sion, Mumbai.

Author ρ: Professor & HOD, department of physiotherapy, Lokmanya tilak municipal medical college & general hospital, sion, Mumbai.

Author ω: M.P.Th, Lokmanya tilak municipal medical college & general hospital, sion, Mumbai. e-mail: victory2@yahoo.co.in

trunk, legs, bladder, bowels and sexual organs. Any SCI occurring at the level of the 2nd thoracic vertebrae (T-2) or distally can result in paraplegia, with accompanying impairments of the trunk, legs and pelvic organs, with a decreasing severity of deficiencies the more distal incursion of the SCI¹. Persons with SCI have a reduced health status, decreased quality of life and increased rates of mortality compared to able-bodied population. The most common medical complications observed in SCI are muscular atrophy, bone metabolism disorders, cardiovascular disease & autonomic dysregulation due to removal of neural drive to the impaired muscles resulting in subsequent reduced metabolic demand accompanied by rapid & chronic deconditioning².

Osteoporosis: a well-known complication of SCI, is characterized by low bone mass & deterioration of the skeletal microarchitecture³. The mechanism of bone loss in SCI is not completely understood; however, a significant amount of bone loss occurs during the first 4–6 months after injury and stabilizes between months 12 and 16. Bone demineralization reaches almost 50% by the end of the first year following SCI. However, bone mineral loss continues to a lesser degree in the pelvis and lower extremities over the next 10 years^{4, 5}.

The pathophysiology of SCI-induced osteoporosis is complex and differs from that observed after prolonged bed rest in patients without SCI and in those with other neurologic deficits⁶. SCI can cause immediate and, in some regions, permanent gravitational unloading, leading to disuse structural change. It triggers significant increase in osteoclastic activity peaking at 10 weeks following SCI at values 10 times the upper limit of normal⁷. Hypercalciuria is 2–4 times that of persons without SCI who undergo bed rest and reaches a peak 1–6 months post injury; this marked increase in urinary calcium is the direct result of an imbalance between bone formation and resorption^{8, 9}. A reduction of bone mineral content during the first year after the injury of 4% per month in regions rich in cancellous bone, and 2% per month on sites containing mainly cortical bone is reported¹⁰.

SCI-mediated hormonal changes also lead to osteoporosis by⁵-

- Increased renal elimination
- Reduced intestinal calcium absorption resulting in negative calcium balance
- Vitamin D deficiency
- Inhibits osteoanabolic action of sex steroids
- Hyperleptinaemia
- Pituitary suppression of TSH
- Insulin resistance & IGF

Renal complications: Neurogenic bladder dysfunction due to SCI poses a significant threat to patient well-being. This can result from detrusor hypocompliance, detrusor-sphincter dyssynergia & neurogenic detrusor overactivity. Some of the complications observed are Incontinence, Renal impairment, Urinary tract infection, Stones etc^{11, 12}. In the absence of adequate treatment, calculi can lead to sepsis & renal failure. The major risk factors found are¹³.

- Hypercaliuria
- Increased susceptibility to Urinary tract infection.
- Immobilization
- Stasis of urine
- Altered urine pH

The chemical composition of SCI-related urinary stones is predominantly nonoxalate calcium (carbonate apatite) during the early years and consists of a higher proportion of magnesium (struvite) in the later years¹⁴.

It is hypothesized that verticalization, early mobilization & exercising of paralysed muscles may lower blood & urine concentration of catabolic products from collagen & bone and thus reduce the skeletal & renal complications¹⁵. Donaldson et al found that quiet standing for 2 hrs a day appears to reverse the changes in mineral metabolism induced by immobilization, whereas vigorous supine exercises for as long as 4 hrs daily is ineffective¹⁶.

Therefore, this study was undertaken to compare the effects of tilt-table standing & limb exercises against limb exercises alone in paraplegics & quadriplegics with a treatment regimen of 15 days. Also a comparison was made to assess the levels of urinary parameters between chronic patients & normal ambulatory control group.

II. METHODOLOGY

Post an institutional ethics committee approval, an informed consent was obtained from all the subjects prior to commencement of the study.

A total of 36 patients with a spinal cord injury, level of lesion ranging from C3-4 to T12 vertebrae were included in this study. Their age groups ranged between 18-55 yrs. The cause of lesion varied from trauma, myelopathy, transverse myelitis, and extra medullary tumor to Koch's spine. Participants were recruited from the outpatient & inpatient department of a tertiary care

public hospital & a renowned paraplegic foundation for the study conducted for a period of 15 days.

The inclusion criteria were as follows-

- Absence of cardiovascular, pulmonary or metabolic disorder
- Naturally free from spasticity or spasticity controlled pharmacologically
- Subjects willing to participate in the study

Exclusion criteria consisted of-

- Unstable or poor surgical fixation
- Presence of debilitating pressure sores

24 of these patients with acute injury were divided randomly by coin toss method into Groups A & B. 12 patients with chronic injury formed Group C & 12 normal subjects shaped the control Group D to assess the effect of this regimen in long-term management of these patients.

Basal parameters of PR, RR & BP were measured and recorded prior & post the study. 24hour urine sample & fasting blood sample was collected on day1, day7 & day15 for analyses in the biochemistry lab. The parameters analyzed were

- Urine calcium
- Urine inorganic phosphate
- Urine hydroxyproline
- Serum enzyme alkaline phosphatase

Exercise Protocol:

- Upper body active or active assisted exercises
- Passive lower limb movements with 10 repetitions for each joint
- Log rolling
- Deep breathing exercises with effective coughing techniques.

Tilt table standing:

- The patient was mounted on the tilt table with the help of 2 ward boys.
- Slings were tied across the patient's chest & knee to ensure maximum stability
- The table was then tilted with the degree of tilt maintained according to the patient's tolerance & pulse rate, volume to prevent postural hypotension
- Post tilt vitals were recorded
- Within 3-4 days the duration of tilt was increased to an 85-90 degree upright position for a period of 30 mins without much discomfort.

Procedure:

Group A: included 2 females & 10 males with 4 quadriplegics & 8 paraplegic patients. Their mean age was 35.08 yrs & mean injury duration was 4.25 weeks. This group followed the exercise protocol twice a day.

Group B: incorporated 5 females & 7 males, 6 quadriplegics & 6 paraplegics, mean age 29.49 & mean

injury duration of 7.98 weeks. They were subjected to tilt table standing along with limb exercises.

Group A & B both patients had an indwelling urine catheter.

Group C: consisted of 2 females & 10 males, 3 quadriplegics & 9 paraplegics with a mean age of 30.25 yrs & injury duration of 16.08 yrs. These patients were actively moving in wheel chairs, independent in ADL & some even participating in wheel chair sports. None of them were subjected to tilt table standing during their early paralysis phase.

This group was studied to see the long-term effect of physical rehabilitation & body's attempt at bone mineral homeostasis on urinary parameters.

Group D: comprised of normal ambulatory subjects with 5 females & 7 males and a mean age of 32.7 yrs. Their urine parameters were considered as normal values for comparison.

III. RESULTS

Comparison was made between the 3 study groups with the control group. All statistical analysis were done by using bivariate methods. Comparison of parameters between Groups A & B was done using unpaired student's t test & paired t test was used to analyze difference within a group.

Table 1 : Comparison of urine calcium between group A & B

URINE CALCIUM		
DAYS	GROUP A	GROUP B
1	12.38 + 5.23	13.75 + 6.19
7	10.53 + 3.12	10.45 + 2.48
15	10.60 + 3.48	8.38 + 1.56
t value	2.58	5.65
p value	< 0.05	< 0.001

Inference: A significant fall in the urine calcium levels were observed in both the groups with group B greater than group A from day 1 to 15

Table 2 : Comparison of urine phosphatase between group A & B

URINE INORGANIC PHOSPHATE		
DAYS	GROUP A	GROUP B
1	46.27 + 17.42	50.33 + 14.91
7	45.66 + 12.97	50.43 + 11.11
15	46.98 + 13.31	43.93 + 10.43
t value	1.36	4.51
p value	> 0.05	< 0.001

Inference: Levels of phosphate showed significant difference in group B while it was non-significant in group A.

Table 3 : Comparison of urine hydroxy proline between group A & B

URINE HYDROXY PROLINE		
DAYS	GROUP A	GROUP B
1	2.93 + 0.43	2.98 + 0.78
7	2.83 + 0.29	2.64 + 0.48
15	2.78 + 0.29	2.29 + 0.48
t value	2.45	4.54
p value	< 0.05	< 0.001

Inference: Levels of hydroxy proline showed significant difference in group B

Table 4 : Comparison of serum enzyme alkaline phosphatase between group A & B

SERUM ENZYME ALKALINE PHOSPHATASE		
DAYS	GROUP A	GROUP B
1	12.39 + 2.09	14.13 + 2.98
7	11.60 + 1.17	11.25 + 1.74
15	11.14 + 1.23	10.01 + 2.41
t value	2.91	7.1
p value	< 0.05	< 0.001

Inference: Serum enzyme alkaline phosphatase was significantly reduced in group B after 15 days of treatment

Table 5 : Comparison of urine parameters between group C & D

URINARY PARAMETERS		
PARAMETER	GROUP C	GROUP D
CALCIUM	6.79 + 1.39	6.91 + 0.95
PHOSPHATASE	65.65 + 6.61	64.02 + 5.84
HYDROXY PROLINE	2.55 + 0.48	2.19 + 0.49
SR. A. P	12.03 + 2.89	11.60 + 1.09

Inference: Urine parameters & serum enzyme alkaline phosphatase were near normal between groups C & D

IV. DISCUSSION

The recent progress in the management of SCI has prolonged the survival of patients. The incidence of secondary bone & joint disorders has also increased considerably¹⁷. Bearing in mind the evaluation and particularities of the osteoporosis occurring in SCI patients, one should pay special attention to the time of injury. Intervention must ideally be introduced early as a large portion of bone loss occurs within 6 months, stabilizing at 12 to 24 months after SCI at values 60% to 70% of normal in the femoral neck and 40% to 50% in the proximal tibia^{10, 18}.

The physiological changes in various systems occur as a result of¹⁹-

- Change from partially upright-partially horizontal body position to a completely horizontal one
- Reduction in energy expenditure due to relative confinement in bed
- Almost complete reduction of stress on muscles & bones

Muscular loading of bones has been thought to play a role in the maintenance of bone density. Exercise increases site-specific osteogenesis in able-bodied individuals²⁰. A study demonstrated that standing might reduce the loss of trabecular bone after SCI. In this prospective study of 19 acute SCI patients, the patients involved in early loading intervention exercise lost almost no bone mineral, whereas the immobilization patients lost 6.9 to 9.4% of trabecular bone²¹.

A study done by Schoutens et al. has shown that exercises without weight bearing cannot counteract the loss of bone mass provoked by bed rest. Also, Kaplan et al, observed reduction in hypercalcemia in quadriplegics after weight bearing & strengthening exercises. Our findings, depicted in tables 1, 2, 3 & 4 correlate well the above studies. Mild significant fall in urine calcium is observed in group A too due to the fact that muscle loading & contraction in the form of active & active assisted exercises, promote maturation of newly formed collagen & calcification of bone matrix^{8, 21}.

Hydroxy proline also, returned to baseline as found in our study, supported by conclusion by Bergmann et al & Chantraine A^{22, 23}.

The abnormality in bone mineral metabolism is directly proportional to the amount of bone tissue immobilized. Thus, SCI patients develop hypercalciuria & mild hypercalcemia. With time, the bones become severely osteoporotic, mobilization of calcium reduces & eventually normalizes¹⁵. This was confirmed by our study in table 5. Since the patients in group C had a mean duration of paralysis of 16 yrs, the urinary levels had come back to their normal limits. This could be because of the body's adaptive strategy to control bone mineral loss over a prolonged period. During this period changes in hormonal factors such as growth hormone or a decrease in IGF-1 may result in a reduced bone turn over²⁴. Also, the independent & active lifestyle that the patients were leading played a crucial role.

a) *Limitations*

- Male to female ratio could not be maintained equally
- The level of lesion varied amongst patients recruited
- Cause of the lesion was different in amid patients
- Duration of paralysis was also different between patients
- The study had to be restricted to 15 days because of early discharge of patients.

V. CONCLUSION

Thus in our study we conclude that-

- Tilt-table standing which includes a positive gravitational stress & weight bearing was definitely more effective than limb exercises alone in decreasing bone mineral loss & breakdown products of collagen metabolites. This could be crucial for preventing skeletal deconditioning & renal complications in SCI patients
- In chronic patients, an active wheelchair bound lifestyle replaced the need for verticalisation when compared to the normal control group.

VI. ACKNOWLEDGEMENTS

The authors would like to thank all the patients for participating in this study. We also like to express our gratitude to Dr. (Mrs.) Kavita Dipnaik, department of biochemistry & dean of LTMMC & LTMGH Dr. Shirhatti without whose invaluable support this study would not have been possible.

REFERENCES RÉFÉRENCES REFERENCIAS

1. Figoni SF. Spinal cord disabilities: paraplegia & tetraplegia. In J. L. Durstine, GE Moore, PL Painter & SD Roberts (Eds). ACSM's Exercise management for persons with chronic diseases & disabilities. Champaign, IL: Human Kinetics. 2009; 3:298-305.
2. Otom AH, AL-Ahmar MR. Bone loss following spinal cord injury. Journal of neurorestoratology, 2014; 2: 81-84.
3. Gerland DE, Stewart CA, Adkins RH et al. Osteoporosis after spinal cord injury. J Orthop Res. 1992; 10: 371-378.
4. Demirel G, Yilmaz H, Parker N, ONel S. Osteoporosis after spinal cord injury. Spinal cord. 1998; 36: 822-825.
5. Jiang S-D, Dai L-Y, Jiang L-S. Osteoporosis after spinal cord injury. Osteoporos Int. 2006; 17:180-192
6. Yilmaz B, Yasar E, Goktepe AS et al. The relationship between basal metabolic rate & femur bone mineral density in men with traumatic spinal cord injury. Arch phys med rehabil. 2007; 88:758-761.
7. Weiss D, Yada R, Talaver F, Foye P. Osteoporosis & spinal cord injury. Available from: <http://emedicine.medscape.com/article/322204-overview>. Accessed April 21, 2014.
8. Kaplan PE, Roden W, Gilbert E, Richards L, Goldschmidt J. Reduction of hypercalciuria in tetraplegia after weight-bearing & strengthening exercises. Paraplegia. 1981; 19: 289-293.
9. Frey-Rindova P, de Bruin ED, Stussi E, Dambacher MA, Dietz V. Bone mineral density in upper & lower extremities during 12 months after spinal cord injury

- measured by peripheral quantitative computed tomography. *Spinal cord*. 2000; 38: 26-32.
10. Wilmet E, Ismail AA, Heilporn A, Welraeds D, Bergmann P. Longitudinal of bone mineral content & of soft tissue composition after spinal cord injury. *Paraplegia*. 1995; 33: 674-677.
 11. Al-Taweel W, Seyam R. Neurogenic bladder in spinal cord injury patients. *Research & reports in urology*. 2015; 7: 85-99.
 12. Welk B, Fuller A, Razvi H, Denstedt J. Renal stone disease in spinal cord-injured patients. *Journal of endourology*. 2012; 26(8): 954-959.
 13. Chen Y, DeVivo MJ, Llyod KL. Urinary stone formation after spinal cord injury: risk & risk factors. *Top Spinal cord inj rehabil*. 2003; 8(3):8-19.
 14. Burr RG. Urinary calculi composition in patients with spinal cord lesions. *Arch phys med rehabil*. 1978; 59: 84-88.
 15. Walker C, Spence et al. Bone metabolism in quadriplegia. *Arch phy med rehabil*. 1975; 56: 327-332.
 16. Donaldson C. Effect of prolonged bed rest on bone minerals. *Metabolism: Clinical & experimental*. 1970; 19: 1071-1083.
 17. Pedrera JD, Manas P, Gomez MA et al. Ultrasound bone mass in paraplegic patients. *Spinal cord*. 2002; 40: 83-87
 18. Szollar SM, Martin EM, Sartoris DJ et al. Bone mineral density & indexes of bone metabolism in spinal cord injury. *Am J Phys Med Rehab*. 1998; 77: 28-35
 19. Greenleaf et al. Fluid & electrolyte shift during bed rest with isometric and isotonic exercises. *Journal of applied physiology*. 1977; 42: 59-66.
 20. Kunkel CF, Scremin AM, Eisenberg B, Garcia JF, Roberts S, Martinez S. Effect of standing on spasticity, contracture, and osteoporosis in paralysed males. *Arch phys med rehabil*. 1993; 74: 73-78.
 21. de Bruin ED, Vanwanseele B, Dambacher MA, Dietz V, Stussi E. Long term changes in the tibia & radius bone mineral density following spinal cord injury. *Spinal cord*. 2005; 43: 96-101.
 22. Bergmann P, Heilporn A, Schoutens A et al. longitudinal study of calcium & bone metabolism in paraplegic patients. *Paraplegia*. 1977; 15: 147:159.
 23. Chantraine A. Clinical investigation of bone metabolism in spinal cord lesions. *Paraplegia*. 1971; 8: 253-259.
 24. Jiang SD, Jiang LS, Dai LY. Mechanisms of osteoporosis in spinal cord injury. *Clinical endocrinology*. 2006; 65: 555-565.



GLOBAL JOURNALS INC. (US) GUIDELINES HANDBOOK 2016

WWW.GLOBALJOURNALS.ORG

FELLOWS

FELLOW OF ASSOCIATION OF RESEARCH SOCIETY IN MEDICAL (FARSM)

Global Journals Incorporate (USA) is accredited by Open Association of Research Society (OARS), U.S.A and in turn, awards "FARSM" title to individuals. The 'FARSM' title is accorded to a selected professional after the approval of the Editor-in-Chief/Editorial Board Members/Dean.



- The "FARSM" is a dignified title which is accorded to a person's name viz. Dr. John E. Hall, Ph.D., FARSS or William Walldroff, M.S., FARSM.

FARSM accrediting is an honor. It authenticates your research activities. After recognition as FARSM, you can add 'FARSM' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and reputation to your name. You may use it on your professional Counseling Materials such as CV, Resume, and Visiting Card etc.

The following benefits can be availed by you only for next three years from the date of certification:



FARSM designated members are entitled to avail a 40% discount while publishing their research papers (of a single author) with Global Journals Incorporation (USA), if the same is accepted by Editorial Board/Peer Reviewers. If you are a main author or co-author in case of multiple authors, you will be entitled to avail discount of 10%.

Once FARSM title is accorded, the Fellow is authorized to organize a symposium/seminar/conference on behalf of Global Journal Incorporation (USA). The Fellow can also participate in conference/seminar/symposium organized by another institution as representative of Global Journal. In both the cases, it is mandatory for him to discuss with us and obtain our consent.



You may join as member of the Editorial Board of Global Journals Incorporation (USA) after successful completion of three years as Fellow and as Peer Reviewer. In addition, it is also desirable that you should organize seminar/symposium/conference at least once.

We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.





The FARSM can go through standards of OARS. You can also play vital role if you have any suggestions so that proper amendment can take place to improve the same for the benefit of entire research community.

As FARSM, you will be given a renowned, secure and free professional email address with 100 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.



The FARSM will be eligible for a free application of standardization of their researches. Standardization of research will be subject to acceptability within stipulated norms as the next step after publishing in a journal. We shall depute a team of specialized research professionals who will render their services for elevating your researches to next higher level, which is worldwide open standardization.

The FARSM member can apply for grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A. Once you are designated as FARSM, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria. After certification of all your credentials by OARS, they will be published on your Fellow Profile link on website <https://associationofresearch.org> which will be helpful to upgrade the dignity.



The FARSM members can avail the benefits of free research podcasting in Global Research Radio with their research documents. After publishing the work, (including published elsewhere worldwide with proper authorization) you can upload your research paper with your recorded voice or you can utilize chargeable services of our professional RJs to record your paper in their voice on request.



The FARSM member also entitled to get the benefits of free research podcasting of their research documents through video clips. We can also streamline your conference videos and display your slides/ online slides and online research video clips at reasonable charges, on request.





The FARSM is eligible to earn from sales proceeds of his/her researches/reference/review Books or literature, while publishing with Global Journals. The FARSS can decide whether he/she would like to publish his/her research in a closed manner. In this case, whenever readers purchase that individual research paper for reading, maximum 60% of its profit earned as royalty by Global Journals, will be credited to his/her bank account. The entire entitled amount will be credited to his/her bank account exceeding limit of minimum fixed balance. There is no minimum time limit for collection. The FARSM member can decide its price and we can help in making the right decision.

The FARSM member is eligible to join as a paid peer reviewer at Global Journals Incorporation (USA) and can get remuneration of 15% of author fees, taken from the author of a respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account.



MEMBER OF ASSOCIATION OF RESEARCH SOCIETY IN MEDICAL (MARSM)

The ' MARSM ' title is accorded to a selected professional after the approval of the Editor-in-Chief / Editorial Board Members/Dean.

The “MARSM” is a dignified ornament which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., MARSM or William Walldroff, M.S., MARSM.



MARSM accrediting is an honor. It authenticates your research activities. After becoming MARSM, you can add 'MARSM' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, Visiting Card and Name Plate etc.

The following benefits can be availed by you only for next three years from the date of certification.



MARSM designated members are entitled to avail a 25% discount while publishing their research papers (of a single author) in Global Journals Inc., if the same is accepted by our Editorial Board and Peer Reviewers. If you are a main author or co-author of a group of authors, you will get discount of 10%.

As MARSM, you will be given a renowned, secure and free professional email address with 30 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.





We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.



The MARSM member can apply for approval, grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A.



Once you are designated as MARSM, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria.

It is mandatory to read all terms and conditions carefully.



AUXILIARY MEMBERSHIPS

Institutional Fellow of Open Association of Research Society (USA) - OARS (USA)

Global Journals Incorporation (USA) is accredited by Open Association of Research Society, U.S.A (OARS) and in turn, affiliates research institutions as “Institutional Fellow of Open Association of Research Society” (IFOARS).



The “FARSC” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSC or William Walldroff, M.S., FARSC.

The IFOARS institution is entitled to form a Board comprised of one Chairperson and three to five board members preferably from different streams. The Board will be recognized as “Institutional Board of Open Association of Research Society”-(IBOARS).

The Institute will be entitled to following benefits:



The IBOARS can initially review research papers of their institute and recommend them to publish with respective journal of Global Journals. It can also review the papers of other institutions after obtaining our consent. The second review will be done by peer reviewer of Global Journals Incorporation (USA) The Board is at liberty to appoint a peer reviewer with the approval of chairperson after consulting us.

The author fees of such paper may be waived off up to 40%.

The Global Journals Incorporation (USA) at its discretion can also refer double blind peer reviewed paper at their end to the board for the verification and to get recommendation for final stage of acceptance of publication.



The IBOARS can organize symposium/seminar/conference in their country on behalf of Global Journals Incorporation (USA)-OARS (USA). The terms and conditions can be discussed separately.

The Board can also play vital role by exploring and giving valuable suggestions regarding the Standards of “Open Association of Research Society, U.S.A (OARS)” so that proper amendment can take place for the benefit of entire research community. We shall provide details of particular standard only on receipt of request from the Board.



The board members can also join us as Individual Fellow with 40% discount on total fees applicable to Individual Fellow. They will be entitled to avail all the benefits as declared. Please visit Individual Fellow-sub menu of GlobalJournals.org to have more relevant details.



We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.



After nomination of your institution as “Institutional Fellow” and constantly functioning successfully for one year, we can consider giving recognition to your institute to function as Regional/Zonal office on our behalf. The board can also take up the additional allied activities for betterment after our consultation.

The following entitlements are applicable to individual Fellows:

Open Association of Research Society, U.S.A (OARS) By-laws states that an individual Fellow may use the designations as applicable, or the corresponding initials. The Credentials of individual Fellow and Associate designations signify that the individual has gained knowledge of the fundamental concepts. One is magnanimous and proficient in an expertise course covering the professional code of conduct, and follows recognized standards of practice.



Open Association of Research Society (US)/ Global Journals Incorporation (USA), as described in Corporate Statements, are educational, research publishing and professional membership organizations. Achieving our individual Fellow or Associate status is based mainly on meeting stated educational research requirements.

Disbursement of 40% Royalty earned through Global Journals : Researcher = 50%, Peer Reviewer = 37.50%, Institution = 12.50% E.g. Out of 40%, the 20% benefit should be passed on to researcher, 15 % benefit towards remuneration should be given to a reviewer and remaining 5% is to be retained by the institution.



We shall provide print version of 12 issues of any three journals [as per your requirement] out of our 38 journals worth \$ 2376 USD.

Other:

The individual Fellow and Associate designations accredited by Open Association of Research Society (US) credentials signify guarantees following achievements:

- The professional accredited with Fellow honor, is entitled to various benefits viz. name, fame, honor, regular flow of income, secured bright future, social status etc.



- In addition to above, if one is single author, then entitled to 40% discount on publishing research paper and can get 10% discount if one is co-author or main author among group of authors.
- The Fellow can organize symposium/seminar/conference on behalf of Global Journals Incorporation (USA) and he/she can also attend the same organized by other institutes on behalf of Global Journals.
- The Fellow can become member of Editorial Board Member after completing 3yrs.
- The Fellow can earn 60% of sales proceeds from the sale of reference/review books/literature/publishing of research paper.
- Fellow can also join as paid peer reviewer and earn 15% remuneration of author charges and can also get an opportunity to join as member of the Editorial Board of Global Journals Incorporation (USA)
- • This individual has learned the basic methods of applying those concepts and techniques to common challenging situations. This individual has further demonstrated an in-depth understanding of the application of suitable techniques to a particular area of research practice.

Note :

//

- In future, if the board feels the necessity to change any board member, the same can be done with the consent of the chairperson along with anyone board member without our approval.
- In case, the chairperson needs to be replaced then consent of 2/3rd board members are required and they are also required to jointly pass the resolution copy of which should be sent to us. In such case, it will be compulsory to obtain our approval before replacement.
- In case of “Difference of Opinion [if any]” among the Board members, our decision will be final and binding to everyone.

//



PROCESS OF SUBMISSION OF RESEARCH PAPER

The Area or field of specialization may or may not be of any category as mentioned in 'Scope of Journal' menu of the GlobalJournals.org website. There are 37 Research Journal categorized with Six parental Journals GJCST, GJMR, GJRE, GJMBR, GJSFR, GJHSS. For Authors should prefer the mentioned categories. There are three widely used systems UDC, DDC and LCC. The details are available as 'Knowledge Abstract' at Home page. The major advantage of this coding is that, the research work will be exposed to and shared with all over the world as we are being abstracted and indexed worldwide.

The paper should be in proper format. The format can be downloaded from first page of 'Author Guideline' Menu. The Author is expected to follow the general rules as mentioned in this menu. The paper should be written in MS-Word Format (*.DOC,*.DOCX).

The Author can submit the paper either online or offline. The authors should prefer online submission.Online Submission: There are three ways to submit your paper:

(A) (I) First, register yourself using top right corner of Home page then Login. If you are already registered, then login using your username and password.

(II) Choose corresponding Journal.

(III) Click 'Submit Manuscript'. Fill required information and Upload the paper.

(B) If you are using Internet Explorer, then Direct Submission through Homepage is also available.

(C) If these two are not convenient, and then email the paper directly to dean@globaljournals.org.

Offline Submission: Author can send the typed form of paper by Post. However, online submission should be preferred.



PREFERRED AUTHOR GUIDELINES

MANUSCRIPT STYLE INSTRUCTION (Must be strictly followed)

Page Size: 8.27" X 11"

- Left Margin: 0.65
- Right Margin: 0.65
- Top Margin: 0.75
- Bottom Margin: 0.75
- Font type of all text should be Swis 721 Lt BT.
- Paper Title should be of Font Size 24 with one Column section.
- Author Name in Font Size of 11 with one column as of Title.
- Abstract Font size of 9 Bold, "Abstract" word in Italic Bold.
- Main Text: Font size 10 with justified two columns section
- Two Column with Equal Column with of 3.38 and Gaping of .2
- First Character must be three lines Drop capped.
- Paragraph before Spacing of 1 pt and After of 0 pt.
- Line Spacing of 1 pt
- Large Images must be in One Column
- Numbering of First Main Headings (Heading 1) must be in Roman Letters, Capital Letter, and Font Size of 10.
- Numbering of Second Main Headings (Heading 2) must be in Alphabets, Italic, and Font Size of 10.

You can use your own standard format also.

Author Guidelines:

1. General,
2. Ethical Guidelines,
3. Submission of Manuscripts,
4. Manuscript's Category,
5. Structure and Format of Manuscript,
6. After Acceptance.

1. GENERAL

Before submitting your research paper, one is advised to go through the details as mentioned in following heads. It will be beneficial, while peer reviewer justify your paper for publication.

Scope

The Global Journals Inc. (US) welcome the submission of original paper, review paper, survey article relevant to the all the streams of Philosophy and knowledge. The Global Journals Inc. (US) is parental platform for Global Journal of Computer Science and Technology, Researches in Engineering, Medical Research, Science Frontier Research, Human Social Science, Management, and Business organization. The choice of specific field can be done otherwise as following in Abstracting and Indexing Page on this Website. As the all Global

Journals Inc. (US) are being abstracted and indexed (in process) by most of the reputed organizations. Topics of only narrow interest will not be accepted unless they have wider potential or consequences.

2. ETHICAL GUIDELINES

Authors should follow the ethical guidelines as mentioned below for publication of research paper and research activities.

Papers are accepted on strict understanding that the material in whole or in part has not been, nor is being, considered for publication elsewhere. If the paper once accepted by Global Journals Inc. (US) and Editorial Board, will become the copyright of the Global Journals Inc. (US).

Authorship: The authors and coauthors should have active contribution to conception design, analysis and interpretation of findings. They should critically review the contents and drafting of the paper. All should approve the final version of the paper before submission

The Global Journals Inc. (US) follows the definition of authorship set up by the Global Academy of Research and Development. According to the Global Academy of R&D authorship, criteria must be based on:

- 1) Substantial contributions to conception and acquisition of data, analysis and interpretation of the findings.
- 2) Drafting the paper and revising it critically regarding important academic content.
- 3) Final approval of the version of the paper to be published.

All authors should have been credited according to their appropriate contribution in research activity and preparing paper. Contributors who do not match the criteria as authors may be mentioned under Acknowledgement.

Acknowledgements: Contributors to the research other than authors credited should be mentioned under acknowledgement. The specifications of the source of funding for the research if appropriate can be included. Suppliers of resources may be mentioned along with address.

Appeal of Decision: The Editorial Board's decision on publication of the paper is final and cannot be appealed elsewhere.

Permissions: It is the author's responsibility to have prior permission if all or parts of earlier published illustrations are used in this paper.

Please mention proper reference and appropriate acknowledgements wherever expected.

If all or parts of previously published illustrations are used, permission must be taken from the copyright holder concerned. It is the author's responsibility to take these in writing.

Approval for reproduction/modification of any information (including figures and tables) published elsewhere must be obtained by the authors/copyright holders before submission of the manuscript. Contributors (Authors) are responsible for any copyright fee involved.

3. SUBMISSION OF MANUSCRIPTS

Manuscripts should be uploaded via this online submission page. The online submission is most efficient method for submission of papers, as it enables rapid distribution of manuscripts and consequently speeds up the review procedure. It also enables authors to know the status of their own manuscripts by emailing us. Complete instructions for submitting a paper is available below.

Manuscript submission is a systematic procedure and little preparation is required beyond having all parts of your manuscript in a given format and a computer with an Internet connection and a Web browser. Full help and instructions are provided on-screen. As an author, you will be prompted for login and manuscript details as Field of Paper and then to upload your manuscript file(s) according to the instructions.



To avoid postal delays, all transaction is preferred by e-mail. A finished manuscript submission is confirmed by e-mail immediately and your paper enters the editorial process with no postal delays. When a conclusion is made about the publication of your paper by our Editorial Board, revisions can be submitted online with the same procedure, with an occasion to view and respond to all comments.

Complete support for both authors and co-author is provided.

4. MANUSCRIPT'S CATEGORY

Based on potential and nature, the manuscript can be categorized under the following heads:

Original research paper: Such papers are reports of high-level significant original research work.

Review papers: These are concise, significant but helpful and decisive topics for young researchers.

Research articles: These are handled with small investigation and applications

Research letters: The letters are small and concise comments on previously published matters.

5. STRUCTURE AND FORMAT OF MANUSCRIPT

The recommended size of original research paper is less than seven thousand words, review papers fewer than seven thousands words also. Preparation of research paper or how to write research paper, are major hurdle, while writing manuscript. The research articles and research letters should be fewer than three thousand words, the structure original research paper; sometime review paper should be as follows:

Papers: These are reports of significant research (typically less than 7000 words equivalent, including tables, figures, references), and comprise:

(a) Title should be relevant and commensurate with the theme of the paper.

(b) A brief Summary, "Abstract" (less than 150 words) containing the major results and conclusions.

(c) Up to ten keywords, that precisely identifies the paper's subject, purpose, and focus.

(d) An Introduction, giving necessary background excluding subheadings; objectives must be clearly declared.

(e) Resources and techniques with sufficient complete experimental details (wherever possible by reference) to permit repetition; sources of information must be given and numerical methods must be specified by reference, unless non-standard.

(f) Results should be presented concisely, by well-designed tables and/or figures; the same data may not be used in both; suitable statistical data should be given. All data must be obtained with attention to numerical detail in the planning stage. As reproduced design has been recognized to be important to experiments for a considerable time, the Editor has decided that any paper that appears not to have adequate numerical treatments of the data will be returned un-refereed;

(g) Discussion should cover the implications and consequences, not just recapitulating the results; conclusions should be summarizing.

(h) Brief Acknowledgements.

(i) References in the proper form.

Authors should very cautiously consider the preparation of papers to ensure that they communicate efficiently. Papers are much more likely to be accepted, if they are cautiously designed and laid out, contain few or no errors, are summarizing, and be conventional to the approach and instructions. They will in addition, be published with much less delays than those that require much technical and editorial correction.



The Editorial Board reserves the right to make literary corrections and to make suggestions to improve brevity.

It is vital, that authors take care in submitting a manuscript that is written in simple language and adheres to published guidelines.

Format

Language: The language of publication is UK English. Authors, for whom English is a second language, must have their manuscript efficiently edited by an English-speaking person before submission to make sure that, the English is of high excellence. It is preferable, that manuscripts should be professionally edited.

Standard Usage, Abbreviations, and Units: Spelling and hyphenation should be conventional to The Concise Oxford English Dictionary. Statistics and measurements should at all times be given in figures, e.g. 16 min, except for when the number begins a sentence. When the number does not refer to a unit of measurement it should be spelt in full unless, it is 160 or greater.

Abbreviations supposed to be used carefully. The abbreviated name or expression is supposed to be cited in full at first usage, followed by the conventional abbreviation in parentheses.

Metric SI units are supposed to generally be used excluding where they conflict with current practice or are confusing. For illustration, 1.4 l rather than $1.4 \times 10^{-3} \text{ m}^3$, or 4 mm somewhat than $4 \times 10^{-3} \text{ m}$. Chemical formula and solutions must identify the form used, e.g. anhydrous or hydrated, and the concentration must be in clearly defined units. Common species names should be followed by underlines at the first mention. For following use the generic name should be constricted to a single letter, if it is clear.

Structure

All manuscripts submitted to Global Journals Inc. (US), ought to include:

Title: The title page must carry an instructive title that reflects the content, a running title (less than 45 characters together with spaces), names of the authors and co-authors, and the place(s) wherever the work was carried out. The full postal address in addition with the e-mail address of related author must be given. Up to eleven keywords or very brief phrases have to be given to help data retrieval, mining and indexing.

Abstract, used in Original Papers and Reviews:

Optimizing Abstract for Search Engines

Many researchers searching for information online will use search engines such as Google, Yahoo or similar. By optimizing your paper for search engines, you will amplify the chance of someone finding it. This in turn will make it more likely to be viewed and/or cited in a further work. Global Journals Inc. (US) have compiled these guidelines to facilitate you to maximize the web-friendliness of the most public part of your paper.

Key Words

A major linchpin in research work for the writing research paper is the keyword search, which one will employ to find both library and Internet resources.

One must be persistent and creative in using keywords. An effective keyword search requires a strategy and planning a list of possible keywords and phrases to try.

Search engines for most searches, use Boolean searching, which is somewhat different from Internet searches. The Boolean search uses "operators," words (and, or, not, and near) that enable you to expand or narrow your affords. Tips for research paper while preparing research paper are very helpful guideline of research paper.

Choice of key words is first tool of tips to write research paper. Research paper writing is an art. A few tips for deciding as strategically as possible about keyword search:



- One should start brainstorming lists of possible keywords before even begin searching. Think about the most important concepts related to research work. Ask, "What words would a source have to include to be truly valuable in research paper?" Then consider synonyms for the important words.
- It may take the discovery of only one relevant paper to let steer in the right keyword direction because in most databases, the keywords under which a research paper is abstracted are listed with the paper.
- One should avoid outdated words.

Keywords are the key that opens a door to research work sources. Keyword searching is an art in which researcher's skills are bound to improve with experience and time.

Numerical Methods: Numerical methods used should be clear and, where appropriate, supported by references.

Acknowledgements: Please make these as concise as possible.

References

References follow the Harvard scheme of referencing. References in the text should cite the authors' names followed by the time of their publication, unless there are three or more authors when simply the first author's name is quoted followed by et al. unpublished work has to only be cited where necessary, and only in the text. Copies of references in press in other journals have to be supplied with submitted typescripts. It is necessary that all citations and references be carefully checked before submission, as mistakes or omissions will cause delays.

References to information on the World Wide Web can be given, but only if the information is available without charge to readers on an official site. Wikipedia and Similar websites are not allowed where anyone can change the information. Authors will be asked to make available electronic copies of the cited information for inclusion on the Global Journals Inc. (US) homepage at the judgment of the Editorial Board.

The Editorial Board and Global Journals Inc. (US) recommend that, citation of online-published papers and other material should be done via a DOI (digital object identifier). If an author cites anything, which does not have a DOI, they run the risk of the cited material not being noticeable.

The Editorial Board and Global Journals Inc. (US) recommend the use of a tool such as Reference Manager for reference management and formatting.

Tables, Figures and Figure Legends

Tables: Tables should be few in number, cautiously designed, uncrowned, and include only essential data. Each must have an Arabic number, e.g. Table 4, a self-explanatory caption and be on a separate sheet. Vertical lines should not be used.

Figures: Figures are supposed to be submitted as separate files. Always take in a citation in the text for each figure using Arabic numbers, e.g. Fig. 4. Artwork must be submitted online in electronic form by e-mailing them.

Preparation of Electronic Figures for Publication

Even though low quality images are sufficient for review purposes, print publication requires high quality images to prevent the final product being blurred or fuzzy. Submit (or e-mail) EPS (line art) or TIFF (halftone/photographs) files only. MS PowerPoint and Word Graphics are unsuitable for printed pictures. Do not use pixel-oriented software. Scans (TIFF only) should have a resolution of at least 350 dpi (halftone) or 700 to 1100 dpi (line drawings) in relation to the imitation size. Please give the data for figures in black and white or submit a Color Work Agreement Form. EPS files must be saved with fonts embedded (and with a TIFF preview, if possible).

For scanned images, the scanning resolution (at final image size) ought to be as follows to ensure good reproduction: line art: >650 dpi; halftones (including gel photographs) : >350 dpi; figures containing both halftone and line images: >650 dpi.



Color Charges: It is the rule of the Global Journals Inc. (US) for authors to pay the full cost for the reproduction of their color artwork. Hence, please note that, if there is color artwork in your manuscript when it is accepted for publication, we would require you to complete and return a color work agreement form before your paper can be published.

Figure Legends: Self-explanatory legends of all figures should be incorporated separately under the heading 'Legends to Figures'. In the full-text online edition of the journal, figure legends may possibly be truncated in abbreviated links to the full screen version. Therefore, the first 100 characters of any legend should notify the reader, about the key aspects of the figure.

6. AFTER ACCEPTANCE

Upon approval of a paper for publication, the manuscript will be forwarded to the dean, who is responsible for the publication of the Global Journals Inc. (US).

6.1 Proof Corrections

The corresponding author will receive an e-mail alert containing a link to a website or will be attached. A working e-mail address must therefore be provided for the related author.

Acrobat Reader will be required in order to read this file. This software can be downloaded

(Free of charge) from the following website:

www.adobe.com/products/acrobat/readstep2.html. This will facilitate the file to be opened, read on screen, and printed out in order for any corrections to be added. Further instructions will be sent with the proof.

Proofs must be returned to the dean at dean@globaljournals.org within three days of receipt.

As changes to proofs are costly, we inquire that you only correct typesetting errors. All illustrations are retained by the publisher. Please note that the authors are responsible for all statements made in their work, including changes made by the copy editor.

6.2 Early View of Global Journals Inc. (US) (Publication Prior to Print)

The Global Journals Inc. (US) are enclosed by our publishing's Early View service. Early View articles are complete full-text articles sent in advance of their publication. Early View articles are absolute and final. They have been completely reviewed, revised and edited for publication, and the authors' final corrections have been incorporated. Because they are in final form, no changes can be made after sending them. The nature of Early View articles means that they do not yet have volume, issue or page numbers, so Early View articles cannot be cited in the conventional way.

6.3 Author Services

Online production tracking is available for your article through Author Services. Author Services enables authors to track their article - once it has been accepted - through the production process to publication online and in print. Authors can check the status of their articles online and choose to receive automated e-mails at key stages of production. The authors will receive an e-mail with a unique link that enables them to register and have their article automatically added to the system. Please ensure that a complete e-mail address is provided when submitting the manuscript.

6.4 Author Material Archive Policy

Please note that if not specifically requested, publisher will dispose off hardcopy & electronic information submitted, after the two months of publication. If you require the return of any information submitted, please inform the Editorial Board or dean as soon as possible.

6.5 Offprint and Extra Copies

A PDF offprint of the online-published article will be provided free of charge to the related author, and may be distributed according to the Publisher's terms and conditions. Additional paper offprint may be ordered by emailing us at: editor@globaljournals.org .



Before start writing a good quality Computer Science Research Paper, let us first understand what is Computer Science Research Paper? So, Computer Science Research Paper is the paper which is written by professionals or scientists who are associated to Computer Science and Information Technology, or doing research study in these areas. If you are novel to this field then you can consult about this field from your supervisor or guide.

TECHNIQUES FOR WRITING A GOOD QUALITY RESEARCH PAPER:

1. Choosing the topic: In most cases, the topic is searched by the interest of author but it can be also suggested by the guides. You can have several topics and then you can judge that in which topic or subject you are finding yourself most comfortable. This can be done by asking several questions to yourself, like Will I be able to carry our search in this area? Will I find all necessary recourses to accomplish the search? Will I be able to find all information in this field area? If the answer of these types of questions will be "Yes" then you can choose that topic. In most of the cases, you may have to conduct the surveys and have to visit several places because this field is related to Computer Science and Information Technology. Also, you may have to do a lot of work to find all rise and falls regarding the various data of that subject. Sometimes, detailed information plays a vital role, instead of short information.

2. Evaluators are human: First thing to remember that evaluators are also human being. They are not only meant for rejecting a paper. They are here to evaluate your paper. So, present your Best.

3. Think Like Evaluators: If you are in a confusion or getting demotivated that your paper will be accepted by evaluators or not, then think and try to evaluate your paper like an Evaluator. Try to understand that what an evaluator wants in your research paper and automatically you will have your answer.

4. Make blueprints of paper: The outline is the plan or framework that will help you to arrange your thoughts. It will make your paper logical. But remember that all points of your outline must be related to the topic you have chosen.

5. Ask your Guides: If you are having any difficulty in your research, then do not hesitate to share your difficulty to your guide (if you have any). They will surely help you out and resolve your doubts. If you can't clarify what exactly you require for your work then ask the supervisor to help you with the alternative. He might also provide you the list of essential readings.

6. Use of computer is recommended: As you are doing research in the field of Computer Science, then this point is quite obvious.

7. Use right software: Always use good quality software packages. If you are not capable to judge good software then you can lose quality of your paper unknowingly. There are various software programs available to help you, which you can get through Internet.

8. Use the Internet for help: An excellent start for your paper can be by using the Google. It is an excellent search engine, where you can have your doubts resolved. You may also read some answers for the frequent question how to write my research paper or find model research paper. From the internet library you can download books. If you have all required books make important reading selecting and analyzing the specified information. Then put together research paper sketch out.

9. Use and get big pictures: Always use encyclopedias, Wikipedia to get pictures so that you can go into the depth.

10. Bookmarks are useful: When you read any book or magazine, you generally use bookmarks, right! It is a good habit, which helps to not to lose your continuity. You should always use bookmarks while searching on Internet also, which will make your search easier.

11. Revise what you wrote: When you write anything, always read it, summarize it and then finalize it.



12. Make all efforts: Make all efforts to mention what you are going to write in your paper. That means always have a good start. Try to mention everything in introduction, that what is the need of a particular research paper. Polish your work by good skill of writing and always give an evaluator, what he wants.

13. Have backups: When you are going to do any important thing like making research paper, you should always have backup copies of it either in your computer or in paper. This will help you to not to lose any of your important.

14. Produce good diagrams of your own: Always try to include good charts or diagrams in your paper to improve quality. Using several and unnecessary diagrams will degrade the quality of your paper by creating "hotchpotch." So always, try to make and include those diagrams, which are made by your own to improve readability and understandability of your paper.

15. Use of direct quotes: When you do research relevant to literature, history or current affairs then use of quotes become essential but if study is relevant to science then use of quotes is not preferable.

16. Use proper verb tense: Use proper verb tenses in your paper. Use past tense, to present those events that happened. Use present tense to indicate events that are going on. Use future tense to indicate future happening events. Use of improper and wrong tenses will confuse the evaluator. Avoid the sentences that are incomplete.

17. Never use online paper: If you are getting any paper on Internet, then never use it as your research paper because it might be possible that evaluator has already seen it or maybe it is outdated version.

18. Pick a good study spot: To do your research studies always try to pick a spot, which is quiet. Every spot is not for studies. Spot that suits you choose it and proceed further.

19. Know what you know: Always try to know, what you know by making objectives. Else, you will be confused and cannot achieve your target.

20. Use good quality grammar: Always use a good quality grammar and use words that will throw positive impact on evaluator. Use of good quality grammar does not mean to use tough words, that for each word the evaluator has to go through dictionary. Do not start sentence with a conjunction. Do not fragment sentences. Eliminate one-word sentences. Ignore passive voice. Do not ever use a big word when a diminutive one would suffice. Verbs have to be in agreement with their subjects. Prepositions are not expressions to finish sentences with. It is incorrect to ever divide an infinitive. Avoid clichés like the disease. Also, always shun irritating alliteration. Use language that is simple and straight forward. put together a neat summary.

21. Arrangement of information: Each section of the main body should start with an opening sentence and there should be a changeover at the end of the section. Give only valid and powerful arguments to your topic. You may also maintain your arguments with records.

22. Never start in last minute: Always start at right time and give enough time to research work. Leaving everything to the last minute will degrade your paper and spoil your work.

23. Multitasking in research is not good: Doing several things at the same time proves bad habit in case of research activity. Research is an area, where everything has a particular time slot. Divide your research work in parts and do particular part in particular time slot.

24. Never copy others' work: Never copy others' work and give it your name because if evaluator has seen it anywhere you will be in trouble.

25. Take proper rest and food: No matter how many hours you spend for your research activity, if you are not taking care of your health then all your efforts will be in vain. For a quality research, study is must, and this can be done by taking proper rest and food.

26. Go for seminars: Attend seminars if the topic is relevant to your research area. Utilize all your resources.



27. Refresh your mind after intervals: Try to give rest to your mind by listening to soft music or by sleeping in intervals. This will also improve your memory.

28. Make colleagues: Always try to make colleagues. No matter how sharper or intelligent you are, if you make colleagues you can have several ideas, which will be helpful for your research.

29. Think technically: Always think technically. If anything happens, then search its reasons, its benefits, and demerits.

30. Think and then print: When you will go to print your paper, notice that tables are not be split, headings are not detached from their descriptions, and page sequence is maintained.

31. Adding unnecessary information: Do not add unnecessary information, like, I have used MS Excel to draw graph. Do not add irrelevant and inappropriate material. These all will create superfluous. Foreign terminology and phrases are not apropos. One should NEVER take a broad view. Analogy in script is like feathers on a snake. Not at all use a large word when a very small one would be sufficient. Use words properly, regardless of how others use them. Remove quotations. Puns are for kids, not grunt readers. Amplification is a billion times of inferior quality than sarcasm.

32. Never oversimplify everything: To add material in your research paper, never go for oversimplification. This will definitely irritate the evaluator. Be more or less specific. Also too, by no means, ever use rhythmic redundancies. Contractions aren't essential and shouldn't be there used. Comparisons are as terrible as clichés. Give up ampersands and abbreviations, and so on. Remove commas, that are, not necessary. Parenthetical words however should be together with this in commas. Understatement is all the time the complete best way to put onward earth-shaking thoughts. Give a detailed literary review.

33. Report concluded results: Use concluded results. From raw data, filter the results and then conclude your studies based on measurements and observations taken. Significant figures and appropriate number of decimal places should be used. Parenthetical remarks are prohibitive. Proofread carefully at final stage. In the end give outline to your arguments. Spot out perspectives of further study of this subject. Justify your conclusion by at the bottom of them with sufficient justifications and examples.

34. After conclusion: Once you have concluded your research, the next most important step is to present your findings. Presentation is extremely important as it is the definite medium through which your research is going to be in print to the rest of the crowd. Care should be taken to categorize your thoughts well and present them in a logical and neat manner. A good quality research paper format is essential because it serves to highlight your research paper and bring to light all necessary aspects in your research.

INFORMAL GUIDELINES OF RESEARCH PAPER WRITING

Key points to remember:

- Submit all work in its final form.
- Write your paper in the form, which is presented in the guidelines using the template.
- Please note the criterion for grading the final paper by peer-reviewers.

Final Points:

A purpose of organizing a research paper is to let people to interpret your effort selectively. The journal requires the following sections, submitted in the order listed, each section to start on a new page.

The introduction will be compiled from reference matter and will reflect the design processes or outline of basis that direct you to make study. As you will carry out the process of study, the method and process section will be constructed as like that. The result segment will show related statistics in nearly sequential order and will direct the reviewers next to the similar intellectual paths throughout the data that you took to carry out your study. The discussion section will provide understanding of the data and projections as to the implication of the results. The use of good quality references all through the paper will give the effort trustworthiness by representing an alertness of prior workings.



Writing a research paper is not an easy job no matter how trouble-free the actual research or concept. Practice, excellent preparation, and controlled record keeping are the only means to make straightforward the progression.

General style:

Specific editorial column necessities for compliance of a manuscript will always take over from directions in these general guidelines.

To make a paper clear

- Adhere to recommended page limits

Mistakes to evade

- Insertion a title at the foot of a page with the subsequent text on the next page
- Separating a table/chart or figure - impound each figure/table to a single page
- Submitting a manuscript with pages out of sequence

In every sections of your document

- Use standard writing style including articles ("a", "the," etc.)
- Keep on paying attention on the research topic of the paper
- Use paragraphs to split each significant point (excluding for the abstract)
- Align the primary line of each section
- Present your points in sound order
- Use present tense to report well accepted
- Use past tense to describe specific results
- Shun familiar wording, don't address the reviewer directly, and don't use slang, slang language, or superlatives
- Shun use of extra pictures - include only those figures essential to presenting results

Title Page:

Choose a revealing title. It should be short. It should not have non-standard acronyms or abbreviations. It should not exceed two printed lines. It should include the name(s) and address (es) of all authors.



Abstract:

The summary should be two hundred words or less. It should briefly and clearly explain the key findings reported in the manuscript-- must have precise statistics. It should not have abnormal acronyms or abbreviations. It should be logical in itself. Shun citing references at this point.

An abstract is a brief distinct paragraph summary of finished work or work in development. In a minute or less a reviewer can be taught the foundation behind the study, common approach to the problem, relevant results, and significant conclusions or new questions.

Write your summary when your paper is completed because how can you write the summary of anything which is not yet written? Wealth of terminology is very essential in abstract. Yet, use comprehensive sentences and do not let go readability for brevity. You can maintain it succinct by phrasing sentences so that they provide more than lone rationale. The author can at this moment go straight to shortening the outcome. Sum up the study, with the subsequent elements in any summary. Try to maintain the initial two items to no more than one ruling each.

- Reason of the study - theory, overall issue, purpose
- Fundamental goal
- To the point depiction of the research
- Consequences, including definite statistics - if the consequences are quantitative in nature, account quantitative data; results of any numerical analysis should be reported
- Significant conclusions or questions that track from the research(es)

Approach:

- Single section, and succinct
- As an outline of job done, it is always written in past tense
- A conceptual should situate on its own, and not submit to any other part of the paper such as a form or table
- Center on shortening results - bound background information to a verdict or two, if completely necessary
- What you account in an abstract must be regular with what you reported in the manuscript
- Exact spelling, clearness of sentences and phrases, and appropriate reporting of quantities (proper units, important statistics) are just as significant in an abstract as they are anywhere else

Introduction:

The **Introduction** should "introduce" the manuscript. The reviewer should be presented with sufficient background information to be capable to comprehend and calculate the purpose of your study without having to submit to other works. The basis for the study should be offered. Give most important references but shun difficult to make a comprehensive appraisal of the topic. In the introduction, describe the problem visibly. If the problem is not acknowledged in a logical, reasonable way, the reviewer will have no attention in your result. Speak in common terms about techniques used to explain the problem, if needed, but do not present any particulars about the protocols here. Following approach can create a valuable beginning:

- Explain the value (significance) of the study
- Shield the model - why did you employ this particular system or method? What is its compensation? You strength remark on its appropriateness from a abstract point of vision as well as point out sensible reasons for using it.
- Present a justification. Status your particular theory (es) or aim(s), and describe the logic that led you to choose them.
- Very for a short time explain the tentative propose and how it skilled the declared objectives.

Approach:

- Use past tense except for when referring to recognized facts. After all, the manuscript will be submitted after the entire job is done.
- Sort out your thoughts; manufacture one key point with every section. If you make the four points listed above, you will need a least of four paragraphs.



- Present surroundings information only as desirable in order hold up a situation. The reviewer does not desire to read the whole thing you know about a topic.
- Shape the theory/purpose specifically - do not take a broad view.
- As always, give awareness to spelling, simplicity and correctness of sentences and phrases.

Procedures (Methods and Materials):

This part is supposed to be the easiest to carve if you have good skills. A sound written Procedures segment allows a capable scientist to replacement your results. Present precise information about your supplies. The suppliers and clarity of reagents can be helpful bits of information. Present methods in sequential order but linked methodologies can be grouped as a segment. Be concise when relating the protocols. Attempt for the least amount of information that would permit another capable scientist to spare your outcome but be cautious that vital information is integrated. The use of subheadings is suggested and ought to be synchronized with the results section. When a technique is used that has been well described in another object, mention the specific item describing a way but draw the basic principle while stating the situation. The purpose is to text all particular resources and broad procedures, so that another person may use some or all of the methods in one more study or referee the scientific value of your work. It is not to be a step by step report of the whole thing you did, nor is a methods section a set of orders.

Materials:

- Explain materials individually only if the study is so complex that it saves liberty this way.
- Embrace particular materials, and any tools or provisions that are not frequently found in laboratories.
- Do not take in frequently found.
- If use of a definite type of tools.
- Materials may be reported in a part section or else they may be recognized along with your measures.

Methods:

- Report the method (not particulars of each process that engaged the same methodology)
- Describe the method entirely
- To be succinct, present methods under headings dedicated to specific dealings or groups of measures
- Simplify - details how procedures were completed not how they were exclusively performed on a particular day.
- If well known procedures were used, account the procedure by name, possibly with reference, and that's all.

Approach:

- It is embarrassed or not possible to use vigorous voice when documenting methods with no using first person, which would focus the reviewer's interest on the researcher rather than the job. As a result when script up the methods most authors use third person passive voice.
- Use standard style in this and in every other part of the paper - avoid familiar lists, and use full sentences.

What to keep away from

- Resources and methods are not a set of information.
- Skip all descriptive information and surroundings - save it for the argument.
- Leave out information that is immaterial to a third party.

Results:

The principle of a results segment is to present and demonstrate your conclusion. Create this part a entirely objective details of the outcome, and save all understanding for the discussion.

The page length of this segment is set by the sum and types of data to be reported. Carry on to be to the point, by means of statistics and tables, if suitable, to present consequences most efficiently. You must obviously differentiate material that would usually be incorporated in a study editorial from any unprocessed data or additional appendix matter that would not be available. In fact, such matter should not be submitted at all except requested by the instructor.



Content

- Sum up your conclusion in text and demonstrate them, if suitable, with figures and tables.
- In manuscript, explain each of your consequences, point the reader to remarks that are most appropriate.
- Present a background, such as by describing the question that was addressed by creation an exacting study.
- Explain results of control experiments and comprise remarks that are not accessible in a prescribed figure or table, if appropriate.
- Examine your data, then prepare the analyzed (transformed) data in the form of a figure (graph), table, or in manuscript form.

What to stay away from

- Do not discuss or infer your outcome, report surroundings information, or try to explain anything.
- Not at all, take in raw data or intermediate calculations in a research manuscript.
- Do not present the similar data more than once.
- Manuscript should complement any figures or tables, not duplicate the identical information.
- Never confuse figures with tables - there is a difference.

Approach

- As forever, use past tense when you submit to your results, and put the whole thing in a reasonable order.
- Put figures and tables, appropriately numbered, in order at the end of the report
- If you desire, you may place your figures and tables properly within the text of your results part.

Figures and tables

- If you put figures and tables at the end of the details, make certain that they are visibly distinguished from any attach appendix materials, such as raw facts
- Despite of position, each figure must be numbered one after the other and complete with subtitle
- In spite of position, each table must be titled, numbered one after the other and complete with heading
- All figure and table must be adequately complete that it could situate on its own, divide from text

Discussion:

The Discussion is expected the trickiest segment to write and describe. A lot of papers submitted for journal are discarded based on problems with the Discussion. There is no head of state for how long a argument should be. Position your understanding of the outcome visibly to lead the reviewer through your conclusions, and then finish the paper with a summing up of the implication of the study. The purpose here is to offer an understanding of your results and hold up for all of your conclusions, using facts from your research and generally accepted information, if suitable. The implication of result should be visibly described. Infer your data in the conversation in suitable depth. This means that when you clarify an observable fact you must explain mechanisms that may account for the observation. If your results vary from your prospect, make clear why that may have happened. If your results agree, then explain the theory that the proof supported. It is never suitable to just state that the data approved with prospect, and let it drop at that.

- Make a decision if each premise is supported, discarded, or if you cannot make a conclusion with assurance. Do not just dismiss a study or part of a study as "uncertain."
- Research papers are not acknowledged if the work is imperfect. Draw what conclusions you can based upon the results that you have, and take care of the study as a finished work
- You may propose future guidelines, such as how the experiment might be personalized to accomplish a new idea.
- Give details all of your remarks as much as possible, focus on mechanisms.
- Make a decision if the tentative design sufficiently addressed the theory, and whether or not it was correctly restricted.
- Try to present substitute explanations if sensible alternatives be present.
- One research will not counter an overall question, so maintain the large picture in mind, where do you go next? The best studies unlock new avenues of study. What questions remain?
- Recommendations for detailed papers will offer supplementary suggestions.

Approach:

- When you refer to information, differentiate data generated by your own studies from available information
- Submit to work done by specific persons (including you) in past tense.
- Submit to generally acknowledged facts and main beliefs in present tense.



THE ADMINISTRATION RULES

Please carefully note down following rules and regulation before submitting your Research Paper to Global Journals Inc. (US):

Segment Draft and Final Research Paper: You have to strictly follow the template of research paper. If it is not done your paper may get rejected.

- The **major constraint** is that you must independently make all content, tables, graphs, and facts that are offered in the paper. You must write each part of the paper wholly on your own. The Peer-reviewers need to identify your own perceptives of the concepts in your own terms. NEVER extract straight from any foundation, and never rephrase someone else's analysis.
- Do not give permission to anyone else to "PROOFREAD" your manuscript.
- **Methods to avoid Plagiarism is applied by us on every paper, if found guilty, you will be blacklisted by all of our collaborated research groups, your institution will be informed for this and strict legal actions will be taken immediately.)**
- To guard yourself and others from possible illegal use please do not permit anyone right to use to your paper and files.



CRITERION FOR GRADING A RESEARCH PAPER (COMPILATION)
BY GLOBAL JOURNALS INC. (US)

Please note that following table is only a Grading of "Paper Compilation" and not on "Performed/Stated Research" whose grading solely depends on Individual Assigned Peer Reviewer and Editorial Board Member. These can be available only on request and after decision of Paper. This report will be the property of Global Journals Inc. (US).

Topics	Grades		
	A-B	C-D	E-F
<i>Abstract</i>	Clear and concise with appropriate content, Correct format. 200 words or below	Unclear summary and no specific data, Incorrect form Above 200 words	No specific data with ambiguous information Above 250 words
<i>Introduction</i>	Containing all background details with clear goal and appropriate details, flow specification, no grammar and spelling mistake, well organized sentence and paragraph, reference cited	Unclear and confusing data, appropriate format, grammar and spelling errors with unorganized matter	Out of place depth and content, hazy format
<i>Methods and Procedures</i>	Clear and to the point with well arranged paragraph, precision and accuracy of facts and figures, well organized subheads	Difficult to comprehend with embarrassed text, too much explanation but completed	Incorrect and unorganized structure with hazy meaning
<i>Result</i>	Well organized, Clear and specific, Correct units with precision, correct data, well structuring of paragraph, no grammar and spelling mistake	Complete and embarrassed text, difficult to comprehend	Irregular format with wrong facts and figures
<i>Discussion</i>	Well organized, meaningful specification, sound conclusion, logical and concise explanation, highly structured paragraph reference cited	Wordy, unclear conclusion, spurious	Conclusion is not cited, unorganized, difficult to comprehend
<i>References</i>	Complete and correct format, well organized	Beside the point, Incomplete	Wrong format and structuring



INDEX

C

Copays · 1, 2

D

Detrusor · 25
Dyssynergia · 25

H

Hammeman · 8
Hyperleptinaemia · 25

M

Mbeya · 15, 22
Myelitis · 25
Myelopathy · 25

N

Nepalese · 4, 6, 8, 9
Neurogenic · 25, 28

O

Osteoclastic · 25

P

Paraplegics · 24
Pecukonis · 8, 10
Prochaska · 13

Q

Quadriplegics · 24

R

Rungwe · 14, 15, 19




save our planet



Global Journal of Medical Research

Visit us on the Web at www.GlobalJournals.org | www.MedicalResearchJournal.org
or email us at helpdesk@globaljournals.org

ISSN 9755896



© Global Journals