

Thinking outside the box: Developing dynamic data visualizations for psychology with Shiny

David A. Ellis^{1*}, Hannah L. Merdian²

¹Department of Psychology, Lancaster University, United Kingdom, ²School of Psychology, University of Lincoln, United Kingdom

Submitted to Journal:
Frontiers in Psychology

Specialty Section:
Quantitative Psychology and Measurement

ISSN:
1664-1078

Article type:
Methods Article

Received on:
30 Jul 2015

Accepted on:
05 Nov 2015

Provisional PDF published on:
05 Nov 2015

Frontiers website link:
www.frontiersin.org

Citation:
Ellis DA and Merdian HL(2015) Thinking outside the box: Developing dynamic data visualizations for psychology with Shiny. *Front. Psychol.* 6:1782. doi:10.3389/fpsyg.2015.01782

Copyright statement:
© 2015 Ellis and Merdian. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution and reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

This Provisional PDF corresponds to the article as it appeared upon acceptance, after peer-review. Fully formatted PDF and full text (HTML) versions will be made available soon.

1 **Thinking outside the box: Developing dynamic data visualizations for**
2 **psychology with Shiny**

3

4 **David A. Ellis¹ & Hannah L. Merdian²**

5 ¹ Department of Psychology, Lancaster University, Lancaster, UK

6 ² School of Psychology, University of Lincoln, Lincoln, UK

7

8 * **Correspondence:** David A. Ellis, Department of Psychology, Lancaster University, Lancaster,
9 LA1 4YF, UK.

10 d.a.ellis@lancaster.ac.uk

11 **Keywords:** visualization₁, knowledge-exchange₂, research methods₃, statistics₄, R₅, Shiny₆

Provisional

12 **Abstract**

13 The study of human perception has helped psychologists effectively communicate data rich
14 stories by converting numbers into graphical illustrations and data visualization remains a
15 powerful means for psychology to discover, understand and present results to others.

16 However, despite an exponential rise in computing power, the World Wide Web and ever more
17 complex data sets, psychologists often limit themselves to static visualizations. While these are
18 often adequate, their application across professional psychology remains limited. This is
19 surprising as it is now possible to build dynamic representations based around simple or
20 complex psychological data sets. Previously, knowledge of HTML, CSS or Java was essential, but
21 here we develop several interactive visualizations using a simple web application framework
22 that runs under the *R* statistical platform: *Shiny*. *Shiny* can help researchers quickly produce
23 interactive data visualizations that will supplement and support current and future
24 publications. This has clear benefits for researchers, the wider academic community, students,
25 practitioners, and interested members of the public.

26

27

28

29

30 1. Introduction

31 Psychological data analysis continues to develop with a recent shift in focus from
32 significance testing to the exploration of effect sizes and confidence intervals (Sainani, 2009;
33 Schmidt, 1996). At the same time, psychology and related fields have made meaningful
34 contributions when it comes to developing innovative methods for visualizing and interpreting
35 findings (for a brief history see Friendly 2008). Historically, the focus has often been to
36 maximize the expressive power of figures, both with regards to conveying the content and
37 structure of the data as well as informing the analysis process (Campitelli & Macbeth, 2014;
38 Marmolejo-Ramos, 2014). This has included a number of computational developments, such as
39 the expansion of boxplots to include information about both distribution and density of the
40 data (Marmolejo-Ramos & Matsunaga, 2009; Marmolejo-Ramos & Tian, 2010) or explorations
41 of different data visualizations for particularly skewed data sets (Ospina, Larangeiras, & Frery,
42 2014).

43 However, while static graphical illustrations remain perfectly adequate in many
44 instances, these have become problematic as we move towards larger and more complex data
45 sets that evolve over time (Heer & Kandel, 2012). In a critical review concerning the use of data
46 visualizations in scientific papers, Weissgerber, Milic, Winham, and Garovic (2015) identified a
47 number of limitations and misrepresentations linked to the current practice of using static
48 figures when presenting continuous data from small sample sizes. Static data visualizations are
49 also limited in the quantity and type of information that can be presented, which is typically
50 directed towards the analysis conducted. These visualizations in isolation often raise additional
51 questions about the data itself or suggest an alternative analysis. Dynamic representations on
52 the other hand can provide an almost limitless supply of additional information; at a basic level,
53 for example, this would enable a regression model to be re-calculated in real-time for male and

54 female participants separately (Figure 1).

55

56 [Insert Figure 1 about here]

57

58 Complex applications can also provide online portals for interactive data augmentation
59 and collaboration (Tsuji, Bergmann & Cristia, 2014). However, such transformations rely on the
60 data being available to both a user interface and server to process these requests. Previously
61 this was only possible by developing interactive web applications using a combination of
62 HTML, CSS or Java, but this is no longer a limiting factor. For those who have a basic knowledge
63 of *R*, the move from static to dynamic reporting is relatively straightforward (e.g., Xie 2013).

64 Dynamic data visualization is likely to have clear advantages when teaching statistical
65 concepts to undergraduate students; for example, Newman and Scholl (2012) pointed towards
66 issues in students' interpretation of bar graphs (a static representation), with Moreau (2015)
67 stating that visual and dynamic data representations may be more appropriate when teaching
68 complex statistical concepts. Learning via active exploration has been shown to be beneficial
69 for in a variety of contexts and any dynamic representation encourages this engagement
70 (Bodemer et al., 2004). It may also motivate students who were previously of the opinion that
71 becoming statistically literate involves understanding numbers in isolation (Papastergiou,
72 2009).

73 Going further, dynamic data visualization can also fulfill the particular research needs of
74 practitioners in the applied sciences including clinical and forensic psychology. One of the core
75 competencies of professional psychologists in practice is to develop an understanding and
76 application of scientific knowledge in evidence-based practice. These competencies should
77 remain closely aligned to the development of methodological skills when in evaluating

78 research. e.g., American Psychological Association, 2011; British Psychological Society, 2014).
79 Training is guided by the Scientist-Practitioner Model, postulating that effective psychological
80 services are underpinned by research that is informed by questions arising from clinical
81 practice (Jones & Mehr, 2007). However, there is no professional consensus in terms of the
82 exact nature of the relationship between psychological science and professional practice (Gelso,
83 2006; Peterson, 2000). In their review of current issues regarding the future development of
84 forensic psychology, Otto and Heilbrun (2002) emphasized practicing forensic psychology in
85 line with the “relevant empirical data” (p. 16) but failed to systematically incorporate the
86 scientific method as a development target for forensic psychologists. Gelso (2006) considers
87 that a low level of research engagement by clinical doctorate graduates (e.g., Barlow 1981;
88 Peterson, Eaton, Levine, & Snepp, 1982; Shinn, 1987) is due to neglect of the research training
89 within the academic environment for professional psychologists, and to a lack of specific
90 research skills required within their professions. Even for those undertaking pure research
91 degrees, Aiken, West, and Milsap (2008) identified significant gaps in the knowledge of doctoral
92 students with major misunderstandings evident in statistics, measurement, and methodology
93 training, specifically with regards to non-laboratory research, advanced research methods, and
94 innovative methodology and research design. These training gaps constitute a particular
95 disadvantage for clinical and forensic research productivity, where research is often based on
96 single-case studies (e.g., ABA-designs in clinical practice) or small sample sizes (e.g., specific
97 offender or clinical subtypes). Frequently, a large number of variables for each data point are
98 available for a small number of cases that will often not fulfill the assumptions required for
99 traditional linear tests (e.g., in offender profiling; Canter & Heritage, 1990s). Finally, with the
100 introduction of mobile technology, applied field-research has the capacity to produce very large
101 data sets through the use of mobile applications (e.g., in identifying friend networks; Eagle,

102 Pentland, & Lazer, 2009; in displaying individual gait patterns; Teknomo & Estuar, 2014).
103 However, both very small and very large data sets provide a challenge for standard linear
104 representations and testing (Rothman, 1990), which we argue can be in-part be compensated
105 for with the use of dynamic data visualizations. This would also allow non-experts to repeat
106 (complex) analyses in their own time, after the researcher has provided a summary (Valero-
107 Mora & Ledesma, 2014).

108 At present, several barriers remain when integrating these methods with
109 psychological research and practice. First, developing suitable applications that can process,
110 analyze and visualize psychological data requires a significant allocation of resources. Second,
111 the lack of concrete examples that directly relate to psychological data mean that current
112 applications are often overlooked. In this tutorial paper, we aim to address both aspects by
113 introducing *Shiny* (<http://shiny.rstudio.com/>), a data-sharing and visualization platform with
114 low threshold requirements for most psychologists. We then provide several examples
115 centered on a real-life forensic research dataset, which aimed to develop a predictive model for
116 crime-related fear.

117

118 **2. Introducing Shiny**

119 *Shiny* allows for the rapid development of visualizations and statistical applications that
120 can quickly be deployed online. By providing a web application framework for *R*
121 (<http://www.r-project.org/>), this platform allows researchers, practitioners and members of
122 the public to interact with data in real-time and generate custom tables and graphs as
123 required¹.

¹ An accompanying website is also available <https://sites.google.com/site/psychvisualizations/>

124 Shiny applications have two components: a user-interface definition and a server script.
125 These cleverly combine any additional data, scripts, or other resources required to support
126 the application; data can either be uploaded to or retrieved from an online repository. The
127 remainder of this paper will create and develop an interactive visualization using an example
128 data set concerning factors that predict an individual's crime-related fear.

129

130 Developing any Shiny app or dynamic data visualization can be split into four steps:

- 131 (i) Data preparation
- 132 (ii) Creating static content to guide development
- 133 (iii) Development and testing
- 134 (iv) Deploying an application online

135

136 **(i) *Data Preparation***

137 We recently collected data from around 300 participants which included a variety of
138 variables that might predict an individual's fear of crime (see `crime.csv`). While we were
139 particularly interested in personality factors that predict fear, we also collected anxiety and
140 well-being scores along with every participant's age and gender (see Table 1 for a list of
141 included variables). We felt that that these findings may be of interest to members of the public
142 and other interested parties (e.g., law enforcement agencies), and wanted to report the results
143 in a dynamic fashion that allow external parties access the data and subsequent results.

144

145

146

147 Table 1: Information about the included dataset – `crime.csv`. Copies of this data set can be
 148 found in all included code folders.

Variable	Name in dataset
Participant ID	Participant
Gender*	sex
Age	age
Victim of crime*	victim_crime
Honesty-Humility	H
Emotionality	E
Extraversion	X
Agreeableness	A
Conscientiousness	C
Openness to experience	O
State Anxiety	SA
Trait Anxiety	TA
Happiness	OHQ
Fear of Crime	FoC
Fear of Crime (2 item version)	Foc2

149 note*=categorical variable. Remaining variables are all numeric with higher scores indicating increased
 150 levels of each trait.

151

152 The `crime.csv` dataset can be loaded into *R* using the `read.csv` command:

```
153 data <- read.csv("crime.csv", header = T, sep = ",")
```

154 Care should be taken by the data provider to only include variables that will be used as part of
 155 the final online application; for example, while almost all of our example variables were
 156 calculated from an extensive set of standardized measures, including the HEXACO-PI-R

157 measure of personality (Ashton & Lee, 2009), we have not included the raw data for each
158 measure to ensure that the final application will load and update quickly once online. Raw data
159 can be viewed in `raw_data.csv`.

160

161 ***(ii) Creating Static Content to Guide Development***

162 Before creating any *Shiny* application, it is useful to experiment with some simple
163 statistical analysis and static visualization in order to get a feeling for how the data can best be
164 represented within an application. One may conclude that a static visualization (e.g. a single
165 table or series of bar-graphs) is perfectly adequate without any additional development.

166 Code to install all relevant packages and generate static visualizations in *R* can be found
167 in the `static_graphics` folder. From these examples, we concluded that for our data on
168 crime-related fear, box and scatter plots were ideal when it came to exploring relationships
169 between our variables of interest. Based on our original predictions, it became evident that
170 specific aspects of personality, such as Emotionality, were likely to be the best predictors of
171 crime-related fear. We also observed that there were a large number of variables and
172 relationships we would like to explore and share with others; however, multiple scatter plots
173 and regression lines would quickly become overwhelming, leading us to develop an application
174 to share our results and data with others.

175

176 ***(iii) Development and Testing***

177 We developed a series of examples that progress in complexity. Example 1 makes the
178 simple transition from static to dynamic visualization using a *Shiny* function. Examples 2 and 3
179 add advanced customization features using additional graphical and statistical functions.

180

181

182 Example 1

183 To run the first example, load the *Shiny* library and set your working directory to the
184 folder containing `example1`. This folder includes the data set and two scripts, `ui.R` and
185 `server.R` (see below): `library("shiny")` .

186 The move from static to dynamic visualization only requires a few additional lines of
187 code. The `ui.R` script loads and labels the variables from the dataset. Here, we aimed to
188 demonstrate how different personality factors might predict an individual's fear of crime, so
189 these are labeled as responses and predictors accordingly. The second part of this script
190 creates a simple *Shiny* page; various placeholders allow users to interact with the data. Finally,
191 a command to print graphical output is placed at the end of this loop.

192 Moving to the `server.R` script, variable names defined within `ui.R` are replicated here.
193 These variable names act as a link between both scripts. An *IF* function provides additional
194 user interaction by differentiating between participants' gender. For example, if male, female or
195 both genders are selected, then the chart will color each data point accordingly. If no
196 participant gender is selected, then a standard plot is created that includes data from both male
197 and female participants.

198 To run this example, simply type: `runApp('example1')` into the console. A scatter
199 plot should now appear in a new window with a variety of options on the left ("Select
200 Response", "Select Predictor"). By experimenting with different predictors, the scatter plot will
201 update accordingly; this process will assist the development of future predictions regarding
202 what individual differences are more predictive of crime-related fear than others.

203

226 this library: `library("rsconnect")`. Once a shinyapps.io account has been created
227 online and authorized, any of the included examples can quickly be deployed straight from the
228 R console: `deployApp("example1")`. However, it is also possible to host your own private
229 *Shiny* server⁴.

230 Deployment of the application will allow other users to access and engage with the data
231 set. However, the entire dataset could also be made available from the application itself with
232 some additional development.

233

234 3. Discussion

235 The last two decades have witnessed marked changes to the use and implementation of
236 data visualizations. While research has often focused on the enhancement of existing static
237 visualization tools, such as violin plots to express both density and distribution of data
238 (Marmolejo-Ramos & Matsunaga, 2009), these remain limited due to their static nature.
239 Specifically, static visualizations become exponentially more difficult to understand as the
240 complexity of the content they aim to display increases (e.g., Teknomo & Estuar, 2014).

241 Such data-rich representations are likely to be helpful when teaching statistical concepts
242 however, little research exists on its effectiveness within an educational context (Valero-Mora
243 & Ledesma, 2014). While an expert user may believe they have created something practical and
244 aesthetically pleasing, much of the literature surrounding human-computer interaction
245 repeatedly demonstrates how a seemingly straightforward system that an expert considers
246 'easy' to operate often poses significant challenges to new users (Norman, 2013). Future
247 research is required in order to fully understand the effect interactive visualizations could have
248 on a student's understanding of complex statistical concepts.

⁴ <http://www.rstudio.com/products/shiny/download-server/>

249 Dynamic visualizations remain a promising alternative to display and communicate
250 complex data sets in an accessible manner for expert and non-expert audiences (Valero-Mora &
251 Ledesma, 2014). The above worked examples demonstrate the straightforward and flexible
252 nature of dynamic visualization tools such as *Shiny*, using a real-life example from forensic
253 psychology. This move towards a more dynamic graphical endeavor speaks positively towards
254 cumulative approaches to data aggregation (Braver, Thoemmes & Rosenthal 2014), but it can
255 also provide non-experts with access to simple and complex statistical analysis using a point-
256 and-click interface. For example, through exploration of our fear of crime data set, it should
257 quickly become apparent that while some aspects of personality do correlate with fear of crime,
258 the results are not clear-cut when considering men and women in isolation and this may
259 generate new hypotheses concerning gender differences and how a fear of crime is likely to be
260 mediated by other variables.

261 While a basic knowledge of *R* is essential, dynamic visualizations can make a technically
262 proficient user more productive, while also empowering students and practitioners with
263 limited programming skills. For example, an additional *Shiny* application could automatically
264 plot an individual's progress throughout a forensic or clinical intervention. Relationships
265 between variables of improvement alongside pre and post scores across a several measures
266 could also be displayed in real-time with results accessible to clinicians and clients. Dynamic
267 data visualizations may therefore be the next step towards bridging the gap between scientists
268 and practitioners.

269 The benefits to psychology are not simply limited to improved understanding and
270 dissemination, but also feed into issues of replication. For example, the ability to compare
271 multiple or pairs of replications side by side is now possible by providing suitable user
272 interfaces. Tsui and colleagues (2014), for example, have recently developed the concept of

273 community-augmented meta-analysis (CAMA), which involves a combination of meta-analysis
274 and an open repository (e.g., PsychFileDrawer.org; Spellman 2012). These alone can improve
275 research practices by ensuring that past research is integrated into current work. Using the
276 intervention example from above, one can envision a further application that plots the progress
277 of individual clients over several years, providing information on treatment change, outliers,
278 and group trends over time.

279 In other areas of psychological research, much of this data already exists and the
280 deployment of data on open access data repositories (e.g. such as *Dryad* or *Figshare*) makes
281 data deposition in the first instance more straightforward. However, the advantages of open-
282 access databases brings with it problems of navigation, organization and understanding. If
283 these new developments are to reach their full potential and remain relevant to all
284 psychologists, they still require a user-friendly interface that allows for rapid re-analysis and
285 visualization. Of course, dynamic or interactive data visualizations are only going to become
286 standard practice if psychologists start use these methods on a regular basis. Researchers
287 themselves will govern the speed of this development; journals may start to support this
288 additional interactivity within publications. We hope that improve data transparency further,
289 psychology will lead the way by ensuring that old and new data sets 2escape the confines of
290 static representation.

291

292 **Acknowledgments**

293 *Funding:* A Research Investment Grant (RIF2014-31) from The University of Lincoln supported
294 the preparation of this manuscript.

295

296

297 **References**

298 Aiken, L. S., West, S. G. & Milsap, R. E. (2008). Doctoral Training in Statistics, Measurement,
299 and Methodology in Psychology Replication and Extension of Aiken, West, Sechrest, and Reno's
300 (1990) Survey of PhD Programs in North America. *American Psychologist*, 63(1), 32-50. Doi:
301 10.1037/0003-066X.63.1.32

302
303 American Psychological Association (2011). *Revised Competency Benchmarks for Professional*
304 *Psychology*. Retrieved from <http://www.apa.org/ed/graduate/competency.aspx>

305
306 Ashton, M. C. & Lee, K. (2009). The HEXACO-60: A short measure of the major dimensions of
307 personality. *Journal of Personality Assessment*. 91(4), 340-345.
308 Doi:10.1080/00223890902935878

309
310 Barlow, D. H. (1981). On the relation of clinical research to clinical practice: Current issues, new
311 directions. *Journal of Consulting and Clinical Psychology*, 49, 147-155.

312
313 Bodemer, D., Ploetzner, R., Feuerlein, I. & Spada, H. (2004). The active integration of
314 information during learning with dynamic and interactive visualisations. *Learning and*
315 *Instruction*. 14(3), 325-341. doi:10.1016/j.learninstruc.2004.06.006

316
317 British Psychological Society (2014). *Standards for Doctoral programmes in Clinical Psychology*.
318 Retrieved from
319 http://www.bps.org.uk/system/files/Public%20files/PaCT/dclinpsy_standards_approved_m
320 [y_2014.pdf](http://www.bps.org.uk/system/files/Public%20files/PaCT/dclinpsy_standards_approved_m)

321 Braver, S. L., Thoemmes, F. J. & Rosenthal, R. (2014). Continuously cumulating meta-analysis
322 and replicability. *Perspectives on Psychological Science*, 9(3), 333-342.

323 Doi:10.1177/1745691614529796

324

325 Campitelli, G., & Macbeth, G. (2014). Hierarchical graphical Bayesian models in psychology.
326 *Revista Colombiana de Estadística*, 37(2), 319-339. Doi: 10.15446/rce.v37n2spe.47940

327

328 Canter, D.V. & Heritage, R. (1990). A multivariate model of sexual offences behaviour:
329 Developments in 'offender profiling'. *International Journal of Forensic Psychiatry*, 1, 185-212.

330 Doi: 10.1080/09585189008408469

331

332 Eagle, N., Pentland, A. S. & Lazer, D. (2009). Inferring friendship network structure by using
333 mobile phone data. *Proceedings of the National Academy of Sciences*, 106(36), 15274-15278.

334 Doi:10.1073/pnas.0900282106

335

336 Friendly, M. (2008). The golden age of statistical graphics. *Statistical Science*, 23(4), 502-535.

337 Doi: 10.1214/08-STS268

338

339 Gelso, C. J. (2006). On the making of a Scientist-Practitioner: A theory of research training in
340 professional psychology. *Training and Education in Professional Psychology*, S(1), 3-16. Doi:

341 10.1037/1931-3918.S.1.3

342

343 Heer, J. & Kandel, S. (2012). Interactive analysis of big data. *XRDS: Crossroads. The ACM*

344 *Magazine for Students*, 19(1), 50-54. Doi: 10.1145/2331042.2331058

345 Jones, J. L & Mehr, S. L. (2007). Foundations and assumptions of the Scientist-Practitioner
346 Model. *American Behavioral Scientist*, 50(6), 766-771. Doi: 10.1177/0002764206296454

347

348 Marmolejo-Ramos, F. (2014). Editorial. *Current Topics in Statistical Graphics* [editorial]. *Revista*
349 *Colombiana de Estadística*, 37(2), 1-4. Doi: 10.15446/rce.v37n2spe.48058

350

351 Marmolejo-Ramos, F., & Matsunaga, M. (2009). Getting the most from your curves: Exploring
352 and reporting data using informative graphical techniques. *Tutorials in Quantitative Methods*
353 *for Psychology*, 5(2), 40-50. Retrieved from <http://www.tqmp.org/RegularArticles/vol05->

354 [2/p040/p040.pdf](http://www.tqmp.org/RegularArticles/vol05-2/p040/p040.pdf)

355

356 Marmolejo-Ramos, F., & Tian, T. S. (2010). The shifting boxplot. A boxplot based on essential
357 summary statistics around the mean. *International Journal of Psychological Research*, 3(1), 37-
358 45.

359

360 Moreau, D. (2015). When seeing is learning: dynamic and interactive visualizations to teach
361 statistical concepts. *Front. Psychol.* 6:342. Doi: 10.3389/fpsyg.2015.00342

362

363 Newman, G. E. & Scholl, B. J. (2012). Bar graphs depicting averages are perceptually
364 misinterpreted: The within-the-bar bias. *Psychon Bull Rev*, 19, 601-607. Doi: 10.3758/s13423-
365 012-0247-5

366

367 Norman, D. A. (2013). *The Design of Everyday Things*, Basic Books, United States. Revised and
368 Expanded Edition.

- 369 Ospina, R., Larangeiras, A. M., & Frery, A. C. (2014). Visualization of skewed data: A tool in R.
370 *Revista Colombiana de Estadística*, 37(2), 399-417. Doi: 10.15446/rce.v37n2spe.47945
371
- 372 Otto, R. K. & Heilbrun, K. (2002). The practice of forensic psychology: A Look Toward the
373 Future in Light of the Past. *American Psychologist*, 57(1), 5-18. Doi: 10.1037//0003-066X.57.1.5
374
- 375 Papastergiou, M. (2009). Digital game-based learning in high school computer science
376 education: Impact on educational effectiveness and student motivation. *Computers & Education*,
377 52(1), 1-12. Doi:10.1016/j.compedu.2008.06.004
378
- 379 Peterson, D. R. (2000). Scientist-Practitioner or Scientific Practitioner? *American Psychologist*,
380 55(2), 252-253 Doi: 10.1037//0003-066X.55.2.252
381
- 382 Rothman, K. J. (1990). No adjustments are needed for multiple comparisons. *Epidemiology*,
383 1(1), 43-46.
384
- 385 Sainani, K. L. (2009). The problem of multiple testing. *Physical Medicine and Rehabilitation*,
386 1(12), 1098-1103. Doi: 10.1016/j.pmrj.2009.10.04
387
- 388 Schmidt, F.L. (1996). Statistical significance testing and cumulative knowledge in psychology:
389 Implications for the training of researchers. *Psychological Methods*, 1, 115-129.
390 Doi:10.1037/1082-989X.1.2.115
391
392

- 393 Shinn, M. R. (1987). Research by practicing school psychologists: The need for fuel for the lamp.
394 *Professional School Psychology*, 2, 235–243. Doi: 10.1037/h0090549
395
- 396 Spellman, B. A. (2012). Introduction to the special section on research practices. *Perspectives on*
397 *Psychological Science*, 7, 655–656. Doi: 10.1177/1745691612465075
398
- 399 Teknomo, K. & Estuar, M. R. (2014). Visualizing gait patterns of able bodied individuals and
400 transtibial amputees with the use of accelerometry in smart phones. *Revista Colombiana de*
401 *Estadística*, 37(2), 471- 488. Doi: 10.15446/rce.v37n2spe.47951
402
- 403 Tsuji, S., Bergmann, C. & Cristia, A. (2014). Community-augmented meta analyses toward
404 cumulative data assessment. *Perspectives on Psychological Science*, 9(6), 661-665, Doi:
405 10.1177/1745691614552498
406
- 407 Valero-Mora, P., & Ledesma, R. (2014). Dynamic-interactive graphics for statistics (26 years
408 later). *Revista Colombiana de Estadística*, 37(2), 247-260. Doi: 10.15446/rce.v37n2spe.47932
409
- 410 Weissgerber, T. L., Milic, N. M., Winham, S. J., & Garovic, V. D. (2105). Beyond bar and line
411 graphs: Time for a new data presentation paradigm. *PLoS Biol*, 13(4): e1002128. Doi:
412 10.1371/journal.pbio.1002128
413
- 414 Xie, Y. (2013). animation: An R package for creating animations and demonstrating statistical
415 methods. *Journal of Statistical Software*, 53(1). Doi:10.18637/jss.v053.i01
416

417 **Figure legends**


418 Figure 1: Static vs dynamic data visualization. A static graph showing a positive relationship
419 between fear and emotionality (a) can quickly be turned into a dynamic visualization (b) which
420 in this example allows a website visitor to select a sub-group (male participants) of interest.
421 Other variables are also available from the drop-down menus on the left and an included
422 statistical analysis updates automatically based on user selections. However, this relies on the
423 data being available to both a user interface and server to process these requests. Previously
424 this was only possible by developing interactive web applications using a combination of
425 HTML, CSS or Java. However, this is no longer a limiting factor. For those who have a basic
426 knowledge of *R*, the move from static to dynamic reporting is relatively straightforward.

427 .

428 Figure 2: Showing a variety of visualization options within Example 3.

Figure 1.JPEG

(a) Static



(b) Dynamic



Figure 2.JPEG

Predicting Fear of Crime

N=301

Select Response (Y axis)
 Fear of Crime

Select Predictor (X axis)
 Emotionality

Scatter Plot Customisation

Color:


Male
 Female

Shape:

Not Previous Victim
 Previous Victim

Model:

Linear Regression
 Loess



Linear Regression Details

	male	female
Sex	male	female
Previous Victim	yes	yes
Correlation	0.32	0.3
Intercept	0.83	0.91
Slope	0.42	0.48
R-Square	0.1	0.09
P-Value	0.05	< 0.001