

UNIVERSITY OF BIRMINGHAM

University of Birmingham
Research at Birmingham

Experiences and perceived health benefits of individuals with a disability participating in sport: A systematic review protocol

Aitchison, Beth; Rushton, Alison; Martin, Paul; Soundy, Andrew; Heneghan, Nicola R

DOI:

[10.1136/bmjopen-2020-038214](https://doi.org/10.1136/bmjopen-2020-038214)

License:

Creative Commons: Attribution-NonCommercial (CC BY-NC)

Document Version

Publisher's PDF, also known as Version of record

Citation for published version (Harvard):

Aitchison, B, Rushton, A, Martin, P, Soundy, A & Heneghan, NR 2020, 'Experiences and perceived health benefits of individuals with a disability participating in sport: A systematic review protocol', *BMJ open*, vol. 10, no. 11, e038214. <https://doi.org/10.1136/bmjopen-2020-038214>

[Link to publication on Research at Birmingham portal](#)

General rights

Unless a licence is specified above, all rights (including copyright and moral rights) in this document are retained by the authors and/or the copyright holders. The express permission of the copyright holder must be obtained for any use of this material other than for purposes permitted by law.

- Users may freely distribute the URL that is used to identify this publication.
- Users may download and/or print one copy of the publication from the University of Birmingham research portal for the purpose of private study or non-commercial research.
- User may use extracts from the document in line with the concept of 'fair dealing' under the Copyright, Designs and Patents Act 1988 (?)
- Users may not further distribute the material nor use it for the purposes of commercial gain.

Where a licence is displayed above, please note the terms and conditions of the licence govern your use of this document.

When citing, please reference the published version.

Take down policy

While the University of Birmingham exercises care and attention in making items available there are rare occasions when an item has been uploaded in error or has been deemed to be commercially or otherwise sensitive.

If you believe that this is the case for this document, please contact UBIRA@lists.bham.ac.uk providing details and we will remove access to the work immediately and investigate.

BMJ Open Experiences and perceived health benefits of individuals with a disability participating in sport: A systematic review protocol

Beth Aitchison,¹ Alison Rushton ,^{1,2} Paul Martin,³ Andrew Soundy ,¹ Nicola R Heneghan ¹

To cite: Aitchison B, Rushton A, Martin P, *et al*. Experiences and perceived health benefits of individuals with a disability participating in sport: A systematic review protocol. *BMJ Open* 2020;**10**:e038214. doi:10.1136/bmjopen-2020-038214

► Prepublication history and additional material for this paper is available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-038214>).

Received 02 March 2020
Revised 13 August 2020
Accepted 21 October 2020



© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

¹Centre of Precision Rehabilitation for Spinal Pain (CPR Spine), School of Sport, Exercise and Rehabilitation Sciences, College of Life and Environmental Sciences, University of Birmingham, Birmingham, UK

²School of Physical Therapy, Western University, London, Ontario, Canada

³English Institute of Sport, The Manchester Institute of Health and Performance, Manchester, UK

Correspondence to

Dr Nicola R Heneghan;
n.heneghan@bham.ac.uk

ABSTRACT

Introduction Sports participation has many physical and mental health benefits for individuals with a disability, including improved functionality and reduced anxiety. Despite this, a large proportion of individuals with a disability are inactive. This review will be the first to synthesise the literature on the experiences and perceived health benefits of sport participation for children, adolescents, adults, elite athletes and veterans with a disability. Investigation of these phenomena will enable an understanding of the positive aspects and benefits of sport participation specific to each population, which may help to improve participation rates and ultimately improve health through promotion of these benefits.

Methods A protocol for systematic review is reported in line with Preferred Reporting Items for Systematic Reviews and Meta-Analysis-P. The phenomena of interest are the experiences and perceived health benefits of individuals with a disability participating in sport. There will be no age limit on participants and all study designs, besides reviews, will be included. Studies in languages other than English will be excluded. Two independent reviewers will conduct the searches, study selection, data collection and quality assessment independently. The online databases MEDLINE, EMBASE, PsychINFO, CINAHL Plus, Web of Science and SportDiscus will be electronically searched from database inception to February 2020. Grey literature will be searched and several sport-related journals will be hand-searched. The Quality Assessment Tool for Studies with Diverse Designs will be used for quality assessment of included studies. Thematic synthesis will be used to analyse the qualitative studies, narrative synthesis will be used to analyse the quantitative studies and the perceived health benefits will be analysed using content analysis. The strength of the overall body of evidence will be assessed and reported using GRADE-CERQual (Grading of Recommendations, Assessment, Development and Evaluation—Confidence in the Evidence from Reviews of Qualitative research) for qualitative studies and GRADE for quantitative studies. These approaches will be applied to mixed-methods studies, respectively, where necessary.

Ethics and dissemination This systematic review raises no ethical issues. Results will be published in a peer reviewed journal and disseminated to key stakeholders to inform practice.

PROSPERO registration number CRD42020169224.

Strengths and limitations of this study

- This is the first systematic review to synthesise evidence on the experiences and perceived health benefits of individuals with a disability participating in sport.
- The research team includes researchers and practitioners with methodological and subject-specific expertise.
- Only articles written in English will be included in the analysis.

INTRODUCTION

Sport provides individuals with a disability with the opportunity to experience the many physical and mental health benefits associated with being physically active.¹ These benefits include improved functionality, endurance and muscle tone, increased socialisation opportunities and a reduction in anxiety and depression across a range of disabilities and age groups.^{2–4} Despite the positive factors associated with sport participation, over 40% of adults with a disability are inactive in the UK, with similar figures reported in the USA (44.3%).^{5–7} Furthermore, individuals with a disability also have higher rates of chronic disease—>40% of Americans with a disability develop heart disease, cancer, diabetes or have experienced a stroke compared with <14% of those without a disability.⁶

The awareness of and participation in sport for individuals with a disability has grown in recent years as a result of the ‘Paralympic Movement’, which has been responsible for an increase in sporting opportunities, inclusion of individuals with a disability in sport and raising the profile of elite disability sport.^{7–9} This review will focus solely on sport participation, which will be defined as an activity involving physical exertion with or without a game or competition element,

where skills and physical endurance are either required or to be improved.¹⁰

Adults

Over the past 3 years, the activity levels of adults with a disability have increased.¹¹ Those completing ≥ 150 min/week have increased from 43.6% to 47.3%, and those completing < 30 min/week have decreased from 42.4% to 39.8%.¹¹ Similarly, in the USA, approximately 30% of adults with a disability have been found to regularly participate in sports or physical activity.¹² Despite these positive trends in activity levels, surprisingly, the proportion of adults with an active sports club membership has decreased from 29.4% in 2017–2018 to 21.4% in 2018–2019.¹¹

Children

Children with a disability are more likely to be less active than their non-disabled peers, with one-third taking part in less than 30 min of physical activity per day^{13 14} (Sport England⁵; Activity Alliance¹⁴). Additionally, several studies in a range of countries have reported low physical activity levels and high sedentary levels in children with a disability, suggesting that more needs to be done to promote their participation in sporting activities to improve overall health.^{15–19} However, statistics published in the UK in 2019 have shown that the inactivity levels of children with a disability aged 11–16 years have decreased compared with 12 months ago, from 38.1% to 34%, suggesting an increase in participation.¹³

Elite athletes

At the elite level of sport, there has been a steady growth in participation at the Paralympic Games, increasing from around 3000 athletes and 83 countries at Barcelona in 1992 to over 4300 athletes and 160 countries in Rio 2016.²⁰ The funding for Paralympic sport has also grown, with UK Sport investing almost £73 million in the 4-year cycle leading up to the Rio Paralympic Games compared with just £10 million for the Sydney Paralympic Games cycle (2000).²¹ This greater awareness of and investment into elite disability sport has prompted research in this area, with studies exploring the beliefs, identities and self-perceptions of elite disability athletes.^{22–24} Despite this, there is still a relatively small body of research in elite sport, with limited research exploring the experiences of elite athletes with a disability.

Veterans

Sport participation has been shown to improve quality of life, increase confidence and provide a source of motivation for veterans with a disability.²⁵ A systematic review has reported that sport and physical activity play a role in improving the well-being and rehabilitation of veterans after trauma and facilitating personal development.²⁶ The authors of the systematic review proposed a potentially essential difference between ‘sport’ and ‘physical activity’ and the impact this may have on well-being, and suggested that future research should take this into consideration.

Furthermore, this review focused on the experiences of disability sport camps and competitions, with no review to date exploring the experiences and benefits of longer term sport participation in this population.

A review is required to synthesise the literature in this area as there is a limited understanding of the range of experiences and perceived health benefits of participation in these four populations. Understanding of these phenomena will enable the promotion of the health benefits and positive aspects of sport tailored to the specific populations. This may help to improve participation rates, ultimately improving the health and well-being of children, adolescents, adults and veterans. This review will also provide an insight into athletes’ experiences at the elite level of sport, contributing to the small body of research, making recommendations for future research and enabling suggestions to improve performance.

Objectives

1. To explore the experiences and perceived health benefits of individuals with a disability participating in sport.
2. To explore the experiences of children and adolescents, adults, elite athletes and veterans with a disability participating in sport.
3. To examine the perceived health benefits of participating in sport for children and adolescents, adults, elite athletes and veterans with a disability.

METHODS

This systematic review protocol follows the Preferred Reporting Items of Systematic Review and Meta-Analysis Protocols (PRISMA-P) 2015 statement (see online supplemental file 1).²⁷ This protocol and search has been designed involving subject-specific expertise in the form of an expert in the field of elite disability sport (PM) and methodological expertise in the form of extensive systematic review publications (AR, NRH and AS).

Eligibility criteria

Eligibility criteria are informed using the Sample, Phenomenon of Interest, Design, Evaluation and Research concept, which is designed for qualitative evidence synthesis.²⁸ Studies will be eligible for inclusion in this review if they meet the following criteria:

Sample: studies which include individuals with a physical, visual or intellectual impairment who participate in sport, either competitively or recreationally. For studies with children and adolescents, the participants will be under 18 years of age; for studies with adults, the participants will be aged over 18 years; for studies with elite athletes, the participants will be of international standard or on the respective national team; and for studies with veterans, the participants will be ex-armed forces members. Studies which include individuals who are classed as disabled through old age or a medical condition in isolation (eg, diabetes) will be excluded. There is no age limit on participants.

Phenomenon of Interest: the experiences of individuals with a disability participating in sport where experience includes aspects such as the meaning of sport, the support for participation and the barriers and facilitators to sport. The second phenomenon of interest is the perceived health benefits of sport, which include a participant's self-reported benefits and comments suggesting the benefits of sport. Perceived health benefits include physical health benefits such as increased muscle tone and weight management, and mental health benefits such as improved confidence and reduced anxiety. Studies investigating experiences and/or health benefits of a competition or sport programme less than 6 months in duration were excluded.

Designs: all types of study designs will be considered. Reviews will be excluded. Studies written in languages other than English will be excluded.

Evaluation: any reported experience by individuals with a disability in sport will be explored such as overall experiences, meaning, barriers and facilitators experienced in sport. The perceived health benefits of sport participation will be explored via studies, which have reported participant's perceived health benefits in form of a questionnaire or verbally reported benefits.

Research type: mixed-methods research.

Information sources

The databases MEDLINE (Ovid interface), EMBASE (Ovid interface), PsycINFO (Ovid interface), Web of Science (Clarivate Analytics interface), CINAHL Plus (EBSCO interface) and SportDiscus (EBSCO interface) will be searched from database inception to February 2020. Grey literature sources, including OpenGrey, will be searched. Hand searching of the following journals will be conducted to complement the search strategy: *Qualitative Research in Sport, Exercise and Health*, *Psychology of Sport and Exercise*, *Disability and Rehabilitation*, *British Journal of Sports Medicine*, *European Journal of Sports Science* and *International Journal of Sports Science*. The screening of the references of included studies will also take place. Active researchers who have published literature in this field will be contacted.

Search strategy

The search will be conducted independently by the lead author (BA, also the first reviewer) and a second reviewer. Initial scoping searches have refined the search terms for the databases, which will be kept broad to ensure a sensitive search strategy. Free text searches and subject heading searches will be carried out to ensure completeness of the search. The main body of the search strategy will be consistent across databases; however, specific search terms will be adjusted for each database to reflect syntax differences (see online supplemental file 2 for MEDLINE search strategy).²⁹

Study records

Data management

The results of the literature search will be imported into EndNote V.X9, which will be used for data management

and reference storage.³⁰ The reference, abstract and full text for all potentially eligible studies will be stored to allow effective screening. Any duplicates will be removed prior to the selection process.

Selection process

The lead author and a second reviewer will independently screen the titles and abstracts of studies at the same time to determine inclusion using the predetermined eligibility criteria. The eligibility criterion of eligible/not eligible/might be eligible will be used to assess the studies. Studies will be excluded if it is clear from the title and abstract that the content is not relevant to the objectives. When a study cannot be excluded based on the information provided in the title and abstract, it will be graded as 'might be eligible'. After title and abstract screening, full-text copies of the potentially relevant studies will be obtained and eligibility will be determined. Studies will also be removed if the information available is insufficient for assessment and synthesis, such as full-text copies not being available. These studies will not be included in the synthesis but may be referenced in the Discussion section. Consensus between the reviewers regarding study selection will be reached through a discussion, and in the case where an agreement is not reached, a third reviewer will be consulted. The kappa statistic will be used to test inter-rater reliability as it assesses the chance-corrected agreement between the two reviewers in assessing the eligibility of articles at the title/abstract stage and the full-text screening stage.³¹ The study selection process will be carried out according to the PRISMA flow diagram and reported visually.³²

Data collection process

The data will be extracted independently by the lead author and second reviewer from included studies using the standardised qualitative data extraction tool from the Joanna Briggs Institute (see online supplemental file 3).³³ Piloting on five studies ahead of the main study will ensure completeness and suitability of the form. The form will be revised if necessary to include a section for study design, allowing the recording of whether the study is qualitative, quantitative or mixed methods in design. In the event of a disagreement between the two reviewers in data extracted, a third reviewer will be consulted.

Data items

The data extracted from the included studies will be presented in a table and the data items will include: participant information, data collection methods, data analysis methods and phenomenon of interest.

Outcomes and prioritisation

The experiences and perceived health benefits of children and adolescents, adults, elite athletes and veterans with a disability participating in sport constitute the phenomena of interest. All experiences reported by these individuals, including experiences of the benefits,

barriers and facilitators to sports participation, will be explored provided that there is sufficient evidence.

Quality assessment

Initial scoping searches have suggested that studies with a range of designs will be eligible for inclusion in this systematic review. Therefore, the Quality Assessment Tool for Studies with Diverse Designs (QATSDD) will be used to create a quality rating score for all included studies (see online supplemental file 4).³⁴ This tool is suitable for quality assessment because it allows the quality assessment of qualitative, quantitative and mixed-methods designs.³⁴ The QATSDD allows the appraisal of qualitative research, which is vital for the qualitative research to contribute appropriately to the systematic review findings.³⁵ Additionally, good validity, inter-rater reliability and test–retest reliability have been established with this tool and it allows an in-depth understanding of the included review papers.^{34 36} A summary of the quality score and converted percentage score for each study will be reported in a table. The lead author and second reviewer will independently carry out the quality assessment and if there is a lack of consensus between the two after a discussion, the third reviewer will be consulted. If additional information is required from authors, such as an interview topic guide, the authors will be contacted for this information to facilitate quality assessment.

Data synthesis

Studies will be categorised into one of the four population categories for analysis based on the participants. For mixed populations, if the ages of participants can be aligned with specific quotations or results, then the findings will be analysed in the respective population. The initial scoping searches demonstrated to the authors that both qualitative and quantitative studies would likely be included in the systematic review. Due to the potential heterogeneity in study designs, appropriate analysis methods will be required specific to the design. If mixed-methods studies are included, they will be analysed qualitatively and/or quantitatively according to the relevance of each phase to the review objectives.

Thematic synthesis is an appropriate method for the synthesis of qualitative evidence and is based on thematic analysis, which is used for the analysis of primary research.^{37 38} Therefore, included qualitative studies will be analysed following the stages suggested by Thomas and Harden³⁷ for qualitative evidence synthesis in systematic reviews. The lead author (BA) will undertake line-by-line coding of the text of included studies according to the content and meaning.³⁷ Translation will be employed, which is the process of identifying concepts and ideas in one study and recognising them in another.³⁹ A bank of codes will be created and maintained, which will then be grouped into descriptive themes based on connections between codes.³⁷ The final stage will involve generating analytical themes through discussing findings with the

research team and generating concepts which answer the review questions.^{37 39}

A narrative synthesis will be conducted to analyse the quantitative studies.⁴⁰ This will involve a preliminary synthesis of the results of included studies and an exploration of the relationships within and between studies by comparing the results and generating common themes.⁴⁰ An integration matrix will be used to juxtapose the qualitative and quantitative data to determine agreement or disagreement within identified themes.^{41–43}

The perceived health benefits of sport participation will be extracted either from questionnaires or verbally reported interview responses. The benefits will be analysed through content analysis, which involves coding and categorising data to determine the frequency and patterns of the health benefits across the different populations.⁴⁴ The lead author will immerse herself in the data and focus on the manifest content of the data.⁴⁴ This will involve analysing exactly what is said in the text and developing categories, which will be ‘physical health benefits’ and ‘mental health benefits’.^{44 45} The thematic synthesis, narrative synthesis and content analysis will be conducted by the lead author and checked by two other authors with experience in these fields.

Confidence in cumulative evidence

To assess the overall quality and strength of evidence two different approaches will be utilised. The GRADE-CERQual (Grading of Recommendations, Assessment, Development and Evaluation–Confidence in the Evidence from Reviews of Qualitative research) will be used to assess how much confidence to place in the findings from the qualitative studies.⁴⁶ This approach helps provide a transparent, systematic framework to guide the confidence in qualitative synthesis findings and has the potential to increase the usability of the findings from this systematic review.⁴⁶ To assess the confidence in the findings from quantitative studies, the GRADE will be used.⁴⁷ GRADE is used to rate the body of evidence at the outcome level, and is appropriate for use in this systematic review as it has been widely adopted to grade the quality of evidence, to make recommendations and to present summaries of evidence.^{48 49} The lead author will assess the overall body of evidence, which will be rated as ‘high’, ‘moderate’, ‘low’ or ‘very low’ based on the GRADE certainty ratings.⁴⁸ A high rating would conclude that further research is not likely to greatly impact on confidence of findings and a low rating would suggest an uncertainty of effect and the need for further research.^{46 48}

DISCUSSION

This systematic review will be the first to synthesise the literature on the experiences and perceived health benefits of individuals with a disability participating in sport. It will explore the sport experiences and health benefits in different populations, including children and adolescents, adults, elite athletes and veterans with a disability. At

the end of the review, we will have some insight into both the positive and negative aspects experienced by individuals with a disability when participating in sport. It will provide more information about the meaning of sport, and the barriers and facilitators faced by individuals with a disability. This systematic review will also provide insight into how the sporting experience can be improved for each population based on the experiences reported, with the potential to increase participation in sport through awareness of the barriers faced and the promotion of the positive aspects of sport participation. The findings from this review will provide a clear basis and direction to guide further research based on the areas which are determined to require more investigation following data synthesis. Due to the four populations which will be included in this review, the future research directions and recommendations for practice will be population specific. This will enable specific research groups to take the findings and move forward with future research. This protocol provides a detailed account of the rationale and methods to be used in the proposed systematic review to ensure full transparency of the process. This study raises no ethical issues and any potential biases in the review process will be reported in the discussion section of the final review paper. Any required amendments to this protocol will be reported in the final systematic review and on PROSPERO along with the date, description and rationale for amendment.

Patient and public involvement

This study and protocol have been informed through extensive contact with key stakeholders in the field in both a professional physiotherapy and clinical capacity, and in an athletic capacity through contact with athletes with a disability. Since no individual data is needed, individuals with a disability will not be involved in data collection or analysis. Key stakeholders may be contacted for their input to the synthesis and interpretation of findings to inform results.

Implications

It is anticipated that the findings from this systematic review will provide an insight into the experiences and health benefits of participating in sport for individuals with a disability. It will provide insight into the meaning of sport, the barriers faced, facilitators increasing participation, and the physical and mental health benefits. Due to the exploration of these phenomena in the different population groups, the findings will be population specific and relevant to specific research groups, personalising the research needed going forward. This review will identify gaps in the evidence and suggest future research, and the findings may underpin policy decision-making for the provision of sport for individuals with a disability.

Twitter Alison Rushton @abrushton, Andrew Soundy @Andy_Soundy and Nicola R Heneghan @HeneghanNicola

Contributors BA is a research student at the University of Birmingham. ABR, AS and NRH are supervisors. PM and NRH are experts in the field of disability sport.

BA, ABR, AS, PM and NRH contributed to the systematic review topic. BA drafted the protocol with guidance and feedback from ABR, AS and NRH. ABR, PM, AS and NRH reviewed the manuscript and commented on the protocol. All authors have approved and contributed to the final manuscript.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Alison Rushton <http://orcid.org/0000-0001-8114-7669>

Andrew Soundy <http://orcid.org/0000-0002-5118-5872>

Nicola R Heneghan <http://orcid.org/0000-0001-7599-3674>

REFERENCES

- Slater D, Meade MA. Participation in recreation and sports for persons with spinal cord injury: review and recommendations. *NeuroRehabilitation* 2004;19:121–9.
- Shephard RJ. Benefits of sport and physical activity for the disabled: implications for the individual and for Society. *Scand J Rehabil Med* 1991;23:51–9.
- Barfield JP, Malone LA. Perceived exercise benefits and barriers among power wheelchair soccer players. *J Rehabil Res Dev* 2013;50:231–8.
- Johnson CC. The benefits of physical activity for youth with developmental disabilities: a systematic review. *Am J Health Promot* 2009;23:157–67.
- Sport England. Active lives adult survey may 18/19 report, 2019. Available: <https://www.sportengland.org/media/14239/active-lives-adult-may-18-19-report.pdf>
- Carroll DD, Courtney-Long EA, Stevens AC, et al. Vital signs: disability and physical activity—United States, 2009–2012. *MMWR Morb Mortal Wkly Rep* 2014;63:407–13.
- International Paralympic Committee. History of the paralympic movement, 2019. Available: <https://www.paralympic.org/ipc/history>
- Blauwet C, Willick SE. The Paralympic movement: using sports to promote health, disability rights, and social integration for athletes with disabilities. *Pm R* 2012;4:851–6.
- Thomas N, Disability SA. *Sport and society: an introduction*. Oxon: Routledge, 2008.
- Kemper HG, Ooijendijk WT, Stiggelbout M. Consensus about the dutch standard for healthy exercise. *Tijdschrift voor Gezondheidswetenschappen* 2000;78:180–3.
- Sport England. Trends (UK active lives survey), 2020. Available: <https://activelives.sportengland.org/Result?queryId=34030#>
- Krane D, Orkis K. Sports and employment among Americans with disabilities;. 2020. Available: <https://www.moveunitedsport.org/wp-content/uploads/2015/11/Sports-and-Employment-Among-People-With-Disabilities-2.pdf>
- Sport England. Active lives children and young people survey academic year 2018/19, 2020. Available: <https://sportengland-production-files.s3.eu-west-2.amazonaws.com/s3fs-public/2020-01/active-lives-children-survey-academic-year-18-19.pdf?cVMsdnpB oqROViY61iUjpQY6WcRyhtGs>
- Activity alliance. Fears for the future generation as report shows disabled children miss out, 2020. Available: <http://www>

- activityalliance.org.uk/news/5668-fears-for-future-generation-as-report-shows-disabled-children-miss-out
- 15 Sit CHP, McManus A, McKenzie TL, et al. Physical activity levels of children in special schools. *Prev Med* 2007;45:424–31.
 - 16 Sit CHP, McKenzie TL, Cerin E, et al. Physical activity and sedentary time among children with disabilities at school. *Med Sci Sports Exerc* 2017;49:292–7.
 - 17 Sit C, Li R, McKenzie TL, et al. Physical activity of children with physical disabilities: associations with environmental and behavioral variables at home and school. *Int J Environ Res Public Health* 2019;16:1394.
 - 18 Pan C-Y, Liu C-W, Chung IC, et al. Physical activity levels of adolescents with and without intellectual disabilities during physical education and recess. *Res Dev Disabil* 2015;36C:579–86.
 - 19 Einarsson Ingi Ór, Ólafsson Ágúst, Hinriksdóttir G, et al. Differences in physical activity among youth with and without intellectual disability. *Med Sci Sports Exerc* 2015;47:411–8.
 - 20 International Paralympic Committee. Summer paralympic games overview, 2019. Available: <https://www.paralympic.org/paralympic-games/summer-overview>
 - 21 UK Sport. Historical funding figures, 2019. Available: <https://www.uksport.gov.uk/our-work/investing-in-sport/historical-funding-figures>
 - 22 Pack S, Kelly S, Arvinen-Barrow M. "I think I became a swimmer rather than just someone with a disability swimming up and down:" paralympic athletes perceptions of self and identity development. *Disabil Rehabil* 2017;39:2063–70.
 - 23 Kasum G, Mladenović M. The self-perception of athletes with disability. *Fizicka kultura* 2017;71:43–54.
 - 24 de Cruz NP, Spray CM, Smith B. Implicit beliefs of disability and elite sport: the para-athlete experience. *Qual Res Sport Exerc Health* 2019;11:69–91.
 - 25 Sporer ML, Fitzgerald SG, Dicianno BE, et al. Psychosocial impact of participation in the National veterans wheelchair games and winter sports clinic. *Disabil Rehabil* 2009;31:410–8.
 - 26 Caddick N, Smith B. The impact of sport and physical activity on the well-being of combat veterans: a systematic review. *Psychol Sport Exerc* 2014;15:9–18.
 - 27 Moher D, Shamseer L, Clarke M, et al. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. *Syst Rev* 2015;4:1.
 - 28 Cooke A, Smith D, Booth A. Beyond PICO: the spider tool for qualitative evidence synthesis. *Qual Health Res* 2012;22:1435–43.
 - 29 Bramer WM, de Jonge GB, Rethlefsen ML, et al. A systematic approach to searching: an efficient and complete method to develop literature searches. *J Med Libr Assoc* 2018;106:531–41.
 - 30 Clarivate. Endnote X9, 2019. Available: <https://endnote.com/>
 - 31 McHugh ML. Interrater reliability: the kappa statistic. *Biochem Med* 2012;22:276–82.
 - 32 Moher D, et al. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *Ann Intern Med* 2009;151:264–9.
 - 33 Lockwood C, Porritt K, Munn Z, et al. Joanna Briggs Institute qualitative data extraction tool, 2019. Available: <https://wiki.joannabriggs.org/display/MANUAL/Appendix+2.3%3A+JBI+Qualitative+data+extraction+tool>
 - 34 Sirriyeh R, Lawton R, Gardner P, et al. Reviewing studies with diverse designs: the development and evaluation of a new tool. *J Eval Clin Pract* 2012;18:746–52.
 - 35 Dixon-Woods M, Sutton A, Shaw R, et al. Appraising qualitative research for inclusion in systematic reviews: a quantitative and qualitative comparison of three methods. *J Health Serv Res Policy* 2007;12:42–7.
 - 36 Fenton L, Lauckner H, Gilbert R. The QATSDD critical appraisal tool: comments and critiques. *J Eval Clin Pract* 2015;21:1125–8.
 - 37 Thomas J, Harden A. Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Med Res Methodol* 2008;8:45.
 - 38 Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;3:77–101.
 - 39 Britten N, Campbell R, Pope C, et al. Using meta ethnography to synthesise qualitative research: a worked example. *J Health Serv Res Policy* 2002;7:209–15.
 - 40 Popay J, Roberts H, Sowden A, et al. Guidance on the conduct of narrative synthesis in systematic reviews, 2020. Available: https://www.researchgate.net/profile/Mark_Rodgers4/publication/233866356_Guidance_on_the_conduct_of_narrative_synthesis_in_systematic_reviews_A_product_from_the_ESRC_Methods_Programme/links/02e7e5231e8f3a6183000000/Guidance-on-the-conduct-of-narrative-synthesis-in-systematic-reviews-A-product-from-the-ESRC-Methods-Programme.pdf
 - 41 Thomas J, Harden A, Oakley A, et al. Integrating qualitative research with trials in systematic reviews. *BMJ* 2004;328:1010–2.
 - 42 Sandelowski M, Voils CI, Barroso J. Defining and designing mixed research synthesis studies. *Res Sch* 2006;13:29.
 - 43 Caracelli VJ, Greene JC. Data analysis strategies for mixed-method evaluation designs. *Educ Eval Policy Anal* 1993;15:195–207.
 - 44 Vaismoradi M, Turunen H, Bondas T. Content analysis and thematic analysis: implications for conducting a qualitative descriptive study. *Nurs Health Sci* 2013;15:398–405.
 - 45 Elo S, Kyngäs H. The qualitative content analysis process. *J Adv Nurs* 2008;62:107–15.
 - 46 Lewin S, Booth A, Glenton C, et al. Applying GRADE-CERQual to qualitative evidence synthesis findings: introduction to the series. *Implementation Sci* 2018;13:1–10.
 - 47 Guyatt G, Oxman AD, Akl EA, et al. Grade guidelines: 1. Introduction- GRADE evidence profiles and summary of findings tables. *J Clin Epidemiol* 2011;64:383–94.
 - 48 Siemieniuk R, Guyatt G. What is grade? 2020. Available: <https://bestpractice.bmj.com/info/toolkit/learn-ebm/what-is-grade/>
 - 49 Guyatt GH, Oxman AD, Vist GE, et al. Grade: an emerging consensus on rating quality of evidence and strength of recommendations. *BMJ* 2008;336:924–6.

Supplementary file 1.**PRISMA-P 2015 Checklist****PRISMA-P (Preferred Reporting Items for Systematic review and Meta-Analysis Protocols) 2015 checklist: recommended items to address in a systematic review protocol**

| Section and topic | Item No | Checklist item | Signpost |
|----------------------------|---------|---|--|
| ADMINISTRATIVE INFORMATION | | | |
| Title: | | | |
| Identification | 1a | Identify the report as a protocol of a systematic review | P1. The experiences and perceived health benefits of individuals with a disability participating in sport: a systematic review protocol |
| Update | 1b | If the protocol is for an update of a previous systematic review, identify as such | Not applicable |
| Registration | 2 | If registered, provide the name of the registry (such as PROSPERO) and registration number | P1. PROSPERO: CRD42020169224 |
| Authors: | | | |
| Contact | 3a | Provide name, institutional affiliation, e-mail address of all protocol authors; provide physical mailing address of corresponding author | <p>P1. Beth Aitchison University of Birmingham Email: bla923@student.bham.ac.uk</p> <p>Dr Nicola Heneghan Lecturer in Physiotherapy School of Sport, Exercise and Rehabilitation Sciences College of Life and Environmental Sciences University of Birmingham Edgbaston, Birmingham, B15 2TT, UK Tel: 0121 415 8367 Email: n.heneghan@bham.ac.uk</p> <p>Dr Alison Rushton University of Birmingham</p> |

a.b.rushton@bham.ac.uk

Paul Martin
Paralympic Sport Technical Lead
English Institute of Sport
Paul.Martin@eis2win.co.uk

Andrew Soundy
University of Birmingham
a.a.soundy@bham.ac.uk

| | | | |
|---------------------------|----|---|--|
| Contributions | 3b | Describe contributions of protocol authors and identify the guarantor of the review | P12. BA developed the protocol with guidance and feedback from NH, AR and AS. BA is first reviewer and second reviewer is TBC. NH and AS are third and fourth reviewers. All authors have contributed to the development of the protocol and will contribute to the data interpretation. All authors have approved the final manuscript. |
| Amendments | 4 | If the protocol represents an amendment of a previously completed or published protocol, identify as such and list changes; otherwise, state plan for documenting important protocol amendments | Not applicable |
| Support: | | | |
| Sources | 5a | Indicate sources of financial or other support for the review | P12-13. 'This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.' |
| Sponsor | 5b | Provide name for the review funder and/or sponsor | Not applicable |
| Role of sponsor or funder | 5c | Describe roles of funder(s), sponsor(s), and/or institution(s), if any, in developing the protocol | Not applicable |
| INTRODUCTION | | | |
| Rationale | 6 | Describe the rationale for the review in the context of what is already known | P4 and P5. Introduction |
| Objectives | 7 | Provide an explicit statement of the question(s) the review will address with reference to participants, interventions, comparators, and outcomes (PICO) | P6. Introduction |
| METHODS | | | |
| Eligibility criteria | 8 | Specify the study characteristics (such as PICO, study design, setting, | P6-7. Eligibility criteria. |

| | | | |
|------------------------------------|-----|--|----------------------------------|
| | | time frame) and report characteristics (such as years considered, language, publication status) to be used as criteria for eligibility for the review | |
| Information sources | 9 | Describe all intended information sources (such as electronic databases, contact with study authors, trial registers or other grey literature sources) with planned dates of coverage | P7. Information sources. |
| Search strategy | 10 | Present draft of search strategy to be used for at least one electronic database, including planned limits, such that it could be repeated | P7 and supplementary file 2. |
| Study records: | | | |
| Data management | 11a | Describe the mechanism(s) that will be used to manage records and data throughout the review | P7.-8. Data management. |
| Selection process | 11b | State the process that will be used for selecting studies (such as two independent reviewers) through each phase of the review (that is, screening, eligibility and inclusion in meta-analysis) | P8. Selection process |
| Data collection process | 11c | Describe planned method of extracting data from reports (such as piloting forms, done independently, in duplicate), any processes for obtaining and confirming data from investigators | P8. Data collection process. |
| Data items | 12 | List and define all variables for which data will be sought (such as PICO items, funding sources), any pre-planned data assumptions and simplifications | P8. Data items. |
| Outcomes and prioritization | 13 | List and define all outcomes for which data will be sought, including prioritization of main and additional outcomes, with rationale | P9. Outcomes and prioritisation. |
| Risk of bias in individual studies | 14 | Describe anticipated methods for assessing risk of bias of individual studies, including whether this will be done at the outcome or study level, or both; state how this information will be used in data synthesis | P9. Quality assessment. |
| Data synthesis | 15a | Describe criteria under which study data will be quantitatively synthesised | P9-10. Data synthesis. |
| | 15b | If data are appropriate for quantitative synthesis, describe planned summary measures, methods of handling data and methods of combining data from studies, including any planned exploration of consistency (such as I^2 , Kendall's τ) | P9-10. Data synthesis |
| | 15c | Describe any proposed additional analyses (such as sensitivity or subgroup analyses, meta-regression) | Not applicable. |
| | 15d | If quantitative synthesis is not appropriate, describe the type of | P9-10. Data synthesis. |

| | | | |
|-----------------------------------|----|---|--|
| | | summary planned | |
| Meta-bias(es) | 16 | Specify any planned assessment of meta-bias(es) (such as publication bias across studies, selective reporting within studies) | P11. Discussion. |
| Confidence in cumulative evidence | 17 | Describe how the strength of the body of evidence will be assessed (such as GRADE) | P10-11. Confidence in cumulative evidence. |

From: Shamseer L, Moher D, Clarke M, Ghersi D, Liberati A, Petticrew M, Shekelle P, Stewart L, PRISMA-P Group. Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015: elaboration and explanation. BMJ. 2015 Jan 2;349(jan02 1):g764

Supplementary file 2.

Search strategy for MEDLINE database.

| | |
|----|--|
| 1 | Experience*.ti,ab. |
| 2 | Benefit*.ti,ab. |
| 3 | Involve*.ti,ab. |
| 4 | Participa*.ti,ab. |
| 5 | 1 or 2 or 3 or 4 |
| 6 | Disab*.ti,ab. |
| 7 | Impair*.ti,ab. |
| 8 | Wheelchair*.ti,ab. |
| 9 | Exp Disabled Persons/ |
| 10 | (disab* ad5 veteran*).ti,ab. |
| 11 | (disab* adj3 athlete*).ti,ab. |
| 12 | (para* adj3 athlete*).ti,ab. |
| 13 | Paralympi*.ti,ab. |
| 14 | 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 |
| 15 | Sports for Persons with Disabilities/ |
| 16 | Sports/ |
| 17 | 15 or 16 |
| 18 | 5 and 14 and 17 |

Ti = title

Ab = abstract

Supplementary file 3.

Joanna Briggs Institute data extraction tool for qualitative research.

JBI QARI Data Extraction Tool for Qualitative Research

Reviewer _____ Date _____

Author _____ Year _____

Journal _____ Record Number _____

Study Description

Methodology|

Method

Phenomena of interest

Setting

Geographical

Cultural

Participants

Data analysis

Authors conclusions

Comments

Complete

Yes

No

| Findings | Illustration form Publication (page number) | Evidence | | |
|----------|---|-------------|----------|-------------|
| | | Unequivocal | Credible | Unsupported |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Extraction of findings complete Yes No

Copyright © The Joanna Briggs Institute 2014

Supplementary file 4.

Joanna Briggs Institute Critical Appraisal Checklist for Qualitative Research

JBI Critical Appraisal Checklist for Qualitative Research

Reviewer _____ Date _____

| Author _____ | Year _____ | Record Number _____ | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|----------------|
| | | Yes | No | Unclear | Not applicable |
| 1. Is there congruity between the stated philosophical perspective and the research methodology? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 2. Is there congruity between the research methodology and the research question or objectives? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 3. Is there congruity between the research methodology and the methods used to collect data? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 4. Is there congruity between the research methodology and the representation and analysis of data? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 5. Is there congruity between the research methodology and the interpretation of results? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 6. Is there a statement locating the researcher culturally or theoretically? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 7. Is the influence of the researcher on the research, and vice-versa, addressed? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 8. Are participants, and their voices, adequately represented? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 9. Is the research ethical according to current criteria or, for recent studies, and is there evidence of ethical approval by an appropriate body? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| 10. Do the conclusions drawn in the research report flow from the analysis, or interpretation, of the data? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |

Overall appraisal: Include Exclude Seek further info

Comments (Including reason for exclusion)

Quality Assessment Tool for Studies with Diverse Designs

| Criteria | 0 = Not at all | 1 = Very slightly | 2 = Moderately | 3 = Complete |
|--|-------------------------------|--|--|---|
| Explicit theoretical framework | No mention at all. | Reference to broad theoretical basis. | Reference to a specific theoretical basis. | Explicit statement of theoretical framework and/or constructs applied to the research. |
| Statement of aims/objectives in main body of report | No mention at all. | General reference to aim/objective at some point in the report including abstract. | Reference to broad aims/objectives in main body of report. | Explicit statement of aims/objectives in main body of report. |
| Clear description of research setting | No mention at all. | General description of research area and background, e.g. 'in primary care'. | General description of research problem in the target population, e.g. 'among GPs in primary care'. | Specific description of the research problem and target population in the context of the study, e.g. nurses and doctors from GP practices in the east midlands. |
| Evidence of sample size considered in terms of analysis | No mention at all. | Basic explanation for choice of sample size. Evidence that size of the sample has been considered in study design. | Evidence of consideration of sample size in terms of saturation/information redundancy or to fit generic analytical requirements. | Explicit statement of data being gathered until information redundancy/saturation was reached or to fit exact calculations for analytical requirements. |
| Representative sample of target group of a reasonable size | No statement of target group. | Sample is limited but represents some of the target group or representative but very small. | Sample is somewhat diverse but not entirely representative, e.g. inclusive of all age groups, experience but only one workplace. Requires discussion of target population to determine what sample is required to be representative. | Sample includes individuals to represent a cross section of the target population, considering factors such as experience, age and workplace. |
| Description of procedure for data collection | No mention at all. | Very basic and brief outline of data collection procedure, e.g. 'using a questionnaire distributed to staff'. | States each stage of data collection procedure but with limited detail, or states some stages in details but omits others. | Detailed description of each stage of the data collection procedure, including when, where and how data were gathered. |
| Rationale for choice of data collection tools | No mention at all. | Very limited explanation for choice of data collection tool(s). | Basic explanation of rationale for choice of data collection tool(s), e.g. based on use in a prior similar study. | Detailed explanation of rationale for choice of data collection tool(s), e.g. relevance to the study aims and assessments of tool quality either statistically, e.g. for reliability & validity, or relevant qualitative assessment. |
| Detailed recruitment data | No mention at all. | Minimal recruitment data, e.g. no. of questionnaire sent and no. returned. | Some recruitment information but not complete account of the recruitment process, e.g. recruitment figures but no information on strategy used. | Complete data regarding no. approached, no. recruited, attrition data where relevant, method of recruitment. |
| Statistical assessment of reliability and validity of measurement tool(s) | No mention at all. | Reliability and validity of measurement tool(s) discussed, but not statistically assessed. | Some attempt to assess reliability and validity of measurement tool(s) but insufficient, e.g. attempt to establish test-retest reliability is unsuccessful but no action is taken. | Suitable and thorough statistical assessment of reliability and validity of measurement tool(s) with reference to the quality of evidence as a result of the measures used. |
| Fit between stated research question and method of data collection | No research question stated. | Method of data collection can only address some aspects of the research question. | Method of data collection can address the research question but there is a more suitable alternative that could have been used or used in addition. | Method of data collection selected is the most suitable approach to attempt answer the research question |
| Fit between stated research question and format and content of data collection tool e.g. interview schedule (Quantitative) | No research question stated. | Structure and/or content only suitable to address the research question in some aspects or superficially. | Structure & content allows for data to be gathered broadly addressing the stated research question(s) but could benefit from greater detail. | Structure & content allows for detailed data to be gathered around all relevant issues required to address the stated research question(s). |
| Fit between research question and method of analysis | No mention at all. | Method of analysis can only address the research question basically or broadly. | Method of analysis can address the research question but there is a more suitable alternative that could have been used or used in addition to offer greater detail. | Method of analysis selected is the most suitable approach to attempt answer the research question in detail, e.g. for qualitative IPA preferable for experiences vs. content analysis to elicit frequency of occurrence of events, etc. |
| Good justification for analytical method selected | No mention at all. | Basic explanation for choice of analytical method | Fairly detailed explanation of choice of analytical method. | Detailed explanation for choice of analytical method based on nature of research question(s). |
| Assessment of reliability of analytical process (Qualitative only) | No mention at all. | More than one researcher involved in the analytical process but no further reliability assessment. | Limited attempt to assess reliability, e.g. reliance on one method. | Use of a range of methods to assess reliability, e.g. triangulation, multiple researchers, varying research backgrounds. |
| Evidence of user involvement in design | No mention at all. | Use of pilot study but no involvement in planning stages of study design. | Pilot study with feedback from users informing changes to the design. | Explicit consultation with steering group or statement or formal consultation with users in planning of study design. |
| Strengths and limitations critically discussed | No mention at all. | Very limited mention of strengths and limitations with omissions of many key issues. | Discussion of some of the key strengths and weaknesses of the study but not complete. | Discussion of strengths and limitations of all aspects of study including design, measures, procedure, sample & analysis. |