



Manchester Metropolitan University

Bhavsar, KA and Abugabah, A and Singla, J and AlZubi, AA and Bashir, Ali Kashif and Nikita (2021) A comprehensive review on medical diagnosis using machine learning. *Computers, Materials and Continua*, 67 (2). pp. 1997-2014. ISSN 1546-2218

Downloaded from: <http://e-space.mmu.ac.uk/627619/>

Version: Published Version

Publisher: Tech Science Press

DOI: <https://doi.org/10.32604/cmc.2021.014943>

Usage rights: Creative Commons: Attribution 4.0

Please cite the published version

<https://e-space.mmu.ac.uk>

A Comprehensive Review on Medical Diagnosis Using Machine Learning

Kaustubh Arun Bhavsar¹, Ahed Abugabah², Jimmy Singla^{1,*}, Ahmad Ali AlZubi³,
Ali Kashif Bashir⁴ and Nikita⁵

¹Lovely Professional University, Jalandhar, 144411, India

²College of Technical Innovation, Zayed University, Dubai, United Arab Emirates

³Department of Computer Science, King Saud University, Saudi Arabia

⁴Department of Computing and Mathematics, Manchester Metropolitan University, Manchester, M15 6BH, UK

⁵School of Computer Science and Engineering, Lovely Professional University, Jalandhar, 144411, India

*Corresponding Author: Jimmy Singla. Email: jimmy.21733@lpu.co.in

Received: 28 October 2020; Accepted: 14 December 2020

Abstract: The unavailability of sufficient information for proper diagnosis, incomplete or miscommunication between patient and the clinician, or among the healthcare professionals, delay or incorrect diagnosis, the fatigue of clinician, or even the high diagnostic complexity in limited time can lead to diagnostic errors. Diagnostic errors have adverse effects on the treatment of a patient. Unnecessary treatments increase the medical bills and deteriorate the health of a patient. Such diagnostic errors that harm the patient in various ways could be minimized using machine learning. Machine learning algorithms could be used to diagnose various diseases with high accuracy. The use of machine learning could assist the doctors in making decisions on time, and could also be used as a second opinion or supporting tool. This study aims to provide a comprehensive review of research articles published from the year 2015 to mid of the year 2020 that have used machine learning for diagnosis of various diseases. We present the various machine learning algorithms used over the years to diagnose various diseases. The results of this study show the distribution of machine learning methods by medical disciplines. Based on our review, we present future research directions that could be used to conduct further research.

Keywords: Diagnostic system; machine learning; medical diagnosis; healthcare applications

1 Introduction

The outcome of a treatment could be affected due to mistakes made by clinicians in the diagnosis of a patient [1]. In a scenario of a diagnostic error, inappropriate treatment could be given where the patient would be deprived of the necessary care. Often the doctors are distracted by the features that seem important at the time, and thus make diagnostic errors [2]. The surrounding environment, and the tools used for diagnosis, can also lead to diagnostic errors [3]. All these



This work is licensed under a Creative Commons Attribution 4.0 International License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

mentioned factors could contribute to a significant adverse effect on the patient's health, increase the overall medical expenditures, and cause psychological discomfort [4].

To enhance healthcare services, including minimization in diagnostic errors and providing patients with proper treatments, machine learning (ML) methods are being used to assist the clinicians in making decisions. Moreover, a vast increase in the availability of medical data and technological advancements to store and process the data is another reason that has led to the adoption of ML in healthcare. ML allows computer systems to learn from past experiences, and thus improves the overall efficiency of the programs [5]. The Mathematical model uses past experience for the optimization of the parameters that infers from the representative data [6]. This use of past data is different from conventional approaches in which a programmer explicitly programs the entire model using rules. Precisely, in ML, the model is fed with training data consisting of both the predictors (i.e., the input features) and target (i.e., the output). The model then learns the mapping from predictors to the target and generalizes it to perform even on unobserved data. This process of disease diagnosis using ML is represented in Fig. 1.




Figure 1: The process of applying machine learning in disease

ML is used in the treatment of patients [7], as well as prognosis and diagnosis [8]. It is used in various tasks in the medical disciplines such as drug discovery [9], assisting surgeons in complex surgeries [10], to interpret medical images with high efficiency [11], and even providing an alternate opinion using electronic health records (EHR) for predictions [12]. Although ML can provide results with high accuracy in performing various medical tasks, including medical diagnosis, and assisting clinicians in making informed decisions, however, it cannot replace a human clinician or a doctor.

The significant contribution of this paper includes a comprehensive review of the use of ML in medical diagnosis. Various ML algorithms used in medical diagnosis are described. The results of this study provide trends in diagnosis of various diseases using machine learning, and challenges, and future research directions.

This paper is organized as follows. Section 2 provides a review of ML used in diagnosis and an overview of various ML methods. In Section 3, discussion and future research directions are provided. The conclusion is presented in the final section.

2 Machine Learning in Medical Diagnosis

Various ML methods have been used for diagnosis of various diseases. The following section summarizes articles with respect to ML methods.

2.1 Artificial Neural Network (ANN)

ANN is inspired by the human brain structure that uses neurons for processing [13,14]. The simple structure of ANN is represented in Fig. 2. ANN can be used to solve the complex mathematical task, a large signal processing, or even parallel computations [15,16].




Figure 2: An overview of a simple artificial neural network. The green node is the output node that calculates the summation of products of weights (i.e., w_1 , w_2 , and w_3) and inputs (i.e., x_1 , x_2 , and x_3). The activation function is then applied to produce the output

Due to the complexity in identifying symptoms of urinary tract infection (UTI), Ozkan et al. [17] developed a model using ANN to improve the diagnostic performance of UTI. This system could classify between cystitis and urethritis using clinically available data. Moreover, they reported that invasive and costly methods can be avoided using ML methods.

Diagnosing pediatric traumatic brain (TBI) injury is challenging. Therefore, Chong et al. [18] attempted to study the feasibility of using ML for moderate to severe prediction of TBI. According to their study, head injury mechanism and clinical data can be used as input to develop a feasible ML model for diagnosis of TBI injury.

Diarrhea is one of the leading causes of death worldwide, Abubakar et al. [19] presented a model to predict the incidence of diarrhea. The proposed method is based on ANN and it can be helpful in prevention of diarrhea. This system has achieved an accuracy of 95.63%.

2.2 Deep Artificial Neural Network (Deep ANN)

Deep ANN model is represented in Fig. 3. This model learns through multiple levels of representation to find complex relationships among data [20,21]. ‘Deep,’ in deep ANN, stands for consecutive layers of representation [22]. Asaoka et al. [23] compared various ML methods to classify between healthy and unhealthy glaucoma patient. This study suggested that early detection of glaucoma is possible using deep feed forward neural network (FNN) with the area under curve (AUC) value of 92.6%.

It is essential to prioritize between critically ill and stable patients for emergency departments. Raita et al. [24] developed a deep learning (DL) based model to predict the critical care outcome. The model uses clinical and demographic data for better optimization of resource utilization. This model has achieved better performance as compared to the traditional emergency severity index used for prioritization of patients.

Wang et al. [25] provided a model to predict renal dysfunction. The proposed model can minimize the chances of adverse consequences with early prediction of renal dysfunction.




Figure 3: Deep artificial neural network (deep ANN). The difference between ANN and deep ANN is in the number of hidden layers. As deep ANN has a greater number of hidden layers, it is more generalizable comparative to simple ANN

2.3 Bayesian Classifier (BC)

BC uses probabilistic modeling techniques for representation of variables and conditional dependencies among them [26]. Tree Augmented Naïve Bayes [27] and Naïve Bayes (NB) [28,29] are two important types of BC.

The diagnosis of any disease affecting the cardiovascular system is a complex task. In this context, Elsayad et al. [30] designed a system to assist physicians in reducing errors in the diagnosis of the cardiovascular diseases. This system is based on BC and it is more effective as compared to SVM.

2.4 Classification and Regression Tree (CART)

CART algorithm can handle raw data that can process continuous and nominal attributes as targets [31]. It can be used to avoid overfitting [32] and handle multivariate datasets [33]. It can also improve classification accuracy [34].

Maghooli et al. [35] studied the use of the CART algorithm to classify between different classes of Erythmato-Squamous Diseases (ESD). The results of the study were compared with other state-of-the-art methods and showed significant accuracy using CART.

Aljaaf et al. [36] examined various ML models for the early prediction of chronic kidney diseases. The authors coupled ML with predictive analytics to determine useful predictors. From their study, out of the 24 predictors, they found that 30% of them useful. Hence, they concluded that predictive analytics could be beneficial in diagnosis along with ML.

2.5 Convolution Neural Network (CNN)

CNN is a DL model [22]. It is specially designed to work with images [37]. It can recognize handwriting [38], handle small datasets as well as overfitting [39], or can even deal with noisy images [40], etc. An overview of a CNN structure is represented in Fig. 4.

Pneumonia is one of the leading causes of death among children. Nahid et al. [41] proposed a model that uses image processing methods and CNN on X-rays to detect pneumonia. This model achieved 97.92% accuracy. In another study, Stephen et al. [42] proposed the diagnosis of

pneumonia by designing CNN model. They used data augmentation methods instead of transfer learning to obtain a large amount of training data. They claimed that the resulting method achieved noteworthy accuracy.




Figure 4: An overview of a typical convolution neural network (CNN). It consists of two parts: Feature learning and Classification. Feature learning consists of multiple layers of convolution and pooling (also called subsampling layer) layers. The Classification consists of flatten layer, and one or more layers of a fully connected neural network. The last layer is the output layer in multiclass classification, in which the green circle is the output predicted by the algorithm

Diagnosing esophageal cancer at an early stage is necessary as its prognosis is complex. Therefore, Horie et al. [43] exhibited the ability of CNN in diagnosing it. As an input to the model, they made use of endoscopic images and achieved 98% accuracy in diagnosing cancer at an early stage.

Islam et al. [44] designed a CNN based model to diagnose alzheimer's disease. The proposed model could perform the multi-class classification of alzheimer's disease. The authors stated that this model could help in the early diagnosis of alzheimer's disease and it could also prevent damage of brain tissue in patients.

Kong et al. [45] proposed a model for early detection of acromegaly disease. The proposed model uses CNN approach and it has achieved remarkable results with high sensitivity and high specificity. In the literature, it is reported that the identification of nail diseases is challenging. Therefore, Nijhawan et al. [46] proposed a CNN based model that could diagnose nail diseases with 84.58% accuracy rate. The proposed model could differentiate between thirteen different nail diseases using nail images.

COVID-19 has been declared as an epidemic disease of the year 2020. As of when this paper is being written, no vaccine has been found to cure it. Therefore, early identification of COVID-19 becomes necessary. In this regard, Elaziz et al. [47] proposed a CNN based method to detect COVID-19 using chest x-ray images. The proposed method could help in its early diagnosis with comparatively less cost.

2.6 Deep Convolution Neural Network (Deep CNN)

With a deeper network, at each layer, the network learns new patterns of the input images. Thus, it increases its applicability in medical imaging [48,49].

Periodontitis is a common dental disease arising due to poor dental hygiene. Krois et al. [50] applied deep CNN on dental radiographs to detect periodontal bone loss. Due to the high

complexity in detection of periodontitis, the authors conclude that ML-based models could minimize the efforts.

Murakami et al. [51] developed a novel method to identify bone erosion in rheumatoid arthritis patients. The method-using deep CNN was able to detect even fine lesion changes; thereby it may assist radiologists in finding changes in radiographs.

2.7 Decision Tree (DT)

The decision tree is represented in Fig. 5a. It is a predictive technique that derives conclusions (in leaves) from observations (in branches) [52,53]. Although DT cannot handle missing, inappropriate features, or even uncertainties in its conventional form but it could still overcome using certain extensions to it [54].




Figure 5: (a) An example of a decision tree (DT). To predict a class label in DT we start from the root of the tree. On the basis of the comparison with the root node, we follow the branch corresponding to the outcome from the comparison. Similarly, we navigate through the entire tree until we reach the leaf node that predicts the outcome. (b) An example of a random forest (RF). It consists of many decision trees constructed on the data sample. It gets the result from all the decision trees and then selects the one based on majority voting

It is a well-known fact that the treatment of the thyroid is a long term process. Ionita et al. [55] analyzed the efficiency of ML methods to diagnose and classify the thyroid. DT provided an accuracy of 97.35% on clinical data. The authors compared the results with other ML methods and found DT to be the most efficient method.

2.8 Gradient Boosting (GB)

GB is a predictive modeling method formed with an ensemble of weak predictors [56]. It uses the idea of converting weak learners into good ones [57].

Than et al. [58] improved the diagnosis of myocardial infarction using a proprietary algorithm that incorporates GB. They reported that variations in concentrations of cardiac troponin based on age, sex, and time could improve the risk assessment for patients.

2.9 *eXtreme Gradient Boosting (XGBoost)*

XGBoost is based on *gradient boosted DT* [56]. It is based on an ensemble learning technique. They are currently dominating most of the other ML algorithms due to their ability to scale efficiently using minimum resources [59–61].

Taylor et al. [62] developed a model to predict the urinary tract infection (UTI). Conventional methods take more than 24 hours to give a complete report. Thus, ML based models are required for automated diagnosis of UTI. This work uses XGBoost to accurately diagnose UTI.

Tian et al. [63] proposed a method using XGBoost for Hepatitis B surface antigen (HBsAg) seroclearance prediction. Clinical and demographic data are used in this model. This work has achieved better performance as compared to other ML methods.

With increasing mortality among patients with COVID-19 as of mid-2020, it becomes significant to diagnose patients at high risk. Yan et al. [64] proposed an XGBoost based method to predict a high-risk patient. The proposed method could predict mortality 10 days in advance with more than a 90% accuracy rate.

2.10 *Random Forest (RF)*

RF uses the ensemble method. It constructs multiple DT and then outputs the result using a majority voting technique in case of classification or takes the average of all DT in case of regression [65]. Fig. 5b presents a random RF. It can avoid overfitting and achieve a higher accuracy rate due to its randomness [66].

Ganggayah et al. [67] proposed a method using RF to identify various factors for breast cancer survival rate. The method could identify various factors such as the stage of cancer and the size of the tumor. This work has achieved 82.7% accuracy and it is better as compared to the conventional methods.

Zou et al. [68] studied and compared various ML methods for prediction of diabetes. Diabetes might cause several complications in patients. Thus, the study used principal component analysis (PCA), minimum redundancy, and maximum relevance (mRMR) for feature reduction and RF method for classification. The method achieved the best accuracy rate as compared with other ML methods. An attempt was made by Samant et al. [69] to diagnose diabetes using retinal images. Their proposed novel model achieved a significant accuracy rate.

Wu et al. [70] developed a model to predict and classify fatty liver disease (FLD). The developed model could assist physicians in classifying and managing high-risk patients of FLD. This model used RF for classification and prediction with minimum inputs.

Leha et al. [71] studied the effectiveness of using ML methods for prediction of pulmonary hypertension (PH). This is an effective method for prediction of PH. The authors stated that the use of ML could require minimum clinical and echocardiographic parameters as compared to conventional methods for prediction.

2.11 *Support Vector Machine (SVM)*

SVM is represented in Fig. 6. As many hyperplanes are available, the main aim of SVM is to find a hyperplane that has a maximum distance between the features of the present classes [72–74]. Although SVM is a supervised algorithm but in the case of unlabeled data, Support Vector Clustering could be used [75].




Figure 6: Support Vector Machine (SVM): (a) shows a random number of hyperplanes (b) SVM chooses optimal hyperplane with a maximum distance between features of both the classes

Thangaraj et al. [76] designed a classifier for predicting the presence or absence of glaucoma. The classifier uses PCA for feature extraction from retinal images and SVM for classification. The authors concluded that the proposed classifier could achieve better accuracy as compared to other state-of-the-art methods for glaucoma detection.

Due to the complexity of bone structures, Singh et al. [77] proposed a diagnostic system to automatically detect osteoporosis. Based on SVM, this system could be inexpensive and this kind of system is largely available than conventional methods. As the time complexity of this system is reported as low, it could be used in real-time applications as well.

Kidney disease in later stages could result in its failure gradually. In this regard, Ahmad et al. [78] developed a system that could help in the early diagnosis of kidney disease. The system is built using SVM and it could improve the decision making process of determining the chronic condition of kidney disease.

Sady et al. [79] introduced a technique that uses the SVM method with RBF kernel to predict mortality in patients having chagas disease. Their study finds that use of features extracted from time-frequency and symbolic series of heart rate variability along with clinical data are good predictors of death.

Hsu et al. [80] proposed a ML-based model to identify stenosis of the extracranial and intracranial arteries. The proposed SVM model achieved better accuracy and sensitivity, as compared to conventional methods.

Influenza incurs high spending because of the high rate of false positives of the tests. To minimize the high expenses, Marquez et al. [81] proposed the first model for prediction of influenza. The proposed model uses the SVM model and achieves an accuracy rate of more than 90%.

Hameed et al. [82] developed a system to automatically classify skin lesions. The developed system used quadratic SVM that could classify between six classes of skin lesions. Additionally, the proposed model achieved an accuracy rate of 83%.

As the chances of mortality can increase due to cardiovascular diseases, it becomes necessary to diagnose it in early stages. Louridi et al. [83] proposed a method for improving the accuracy of heart disease prediction. The authors conclude that using mean values in place of missing values improves the overall performance of the model. In another article, written by Ali et al. [84], a novel method was introduced to predict heart failure. This novel method uses stacked SVMs and achieved 3.3% of higher accuracy as compared to traditional SVM.

Metabolic syndrome poses a high chance of prevalence of diabetes mellitus and heart diseases. Therefore, Alavijeh et al. [85] proposed a method for prediction of the metabolic syndrome. The proposed method is the first one that uses SVM to achieve better results as compared to DT.

2.12 Other Hybrid

Augmenting two or more machine learning algorithms is called a hybrid algorithm. They can solve problems that the individual algorithm cannot do and these hybrid models can achieve remarkable results [86]. Other ML algorithms like *GB* [56,57], *latent dirichlet allocation (LDA)* [87], *long short-term memory (LSTM)* [88], *recurrent neural networks (RNN)* [89], *NB* [90], *genetic algorithm (GA)* [91], *particle swarm algorithm (PSA)* [92], and *logistic regression (LR)* [93] can also provide better results. We urge our readers to go through these algorithms in the case they have no idea about them.

Aphasia affects one's ability to read or write and, thus, is a resource-intensive condition. To improve the diagnostic process for aphasic speech evaluation, Kohlschein et al. [94] designed a system for automatic detection and evaluation of aphasic speech. This system uses LSTM-RNN and its performance is very good.

Bhattacharya et al. [95] described that the ML methods effectively identify hypertrophic cardiomyopathy patients with ventricular arrhythmias and thus this identification mechanism reduces the risk of cardiac death. They proposed an ensemble-based model using LR and NB, which addressed the imbalanced data effectively. They conclude their model has achieved considerable better performance as compared to conventional methods.

Dhahri et al. [96] optimized a learning algorithm to classify the stages of breast tumors. According to the authors, the GA could be applied successfully for optimization and identification of best classifier.

Senthikumar et al. [97] developed a novel method for prediction of cardiovascular diseases. Based on clinical data, the model uses a hybrid model comprising RF and a linear model. With an 88.7% accuracy rate, the performance of the model was observed to be improved as compared to other models based on ML and soft learning.

Due to the difficulty in recognition of blast cells, Boldu et al. [98] developed a LDA based system that could differentiate blast cells with high precision. The authors concluded that the proposed system could help in diagnosis of leukemia.

Dengue fever has similar symptoms as those of other types of fever, and thus it becomes necessary to diagnose it in early stages. Gambhir et al. [99] developed a PSO-ANN based model for early prediction of dengue fever. The efficiency of the proposed model was higher than the other state-of-the-art ML methods.

3 Discussion and Future Research Directions

This study is done to access the influence of ML in medical diagnosis. A comprehensive review of research papers in this study provides an overview of the way ML is being used to diagnose various diseases. The articles considered for review in this study are from the year 2015 to the year 2020.

Table 1: The distribution of diseases by year

2015	2016	2017	2018	2019	2020
Cardiovascular diseases	Glaucoma diagnosis	Glaucoma diagnosis	Urinary tract infection	Myocardial disease	Extracranial and intracranial artery stenosis
Pediatric traumatic brain injury	Chagas disease	Osteoporosis	Urinary tract infection	Pulmonary hypertension	Pneumonia
–	Erythmato-squamous diseases	Diagnosing chronic kidney	Skin lesion	Ventricular Arrhythmias	COVID-19
–	Thyroid disease	Diagnose aphasia type	Alzheimer's disease	Influenza	COVID-19
–	Metabolic syndrome	Dengue disease	Diabetes mellitus	Hepatitis	–
–	–	Arthritis	Diabetes	Peridental disease	–
–	–	Nail diseases	Acromegaly	Intensive care disease	–
–	–	–	Kidney	Diarrhea	–
–	–	–	–	Breast cancer	–
–	–	–	–	Breast cancer	–
–	–	–	–	Esophageal cancer	–
–	–	–	–	Liver disease	–
–	–	–	–	Cardiovascular diseases	–
–	–	–	–	CVD	–
–	–	–	–	Heart	–
–	–	–	–	Renal	–
–	–	–	–	Pneumonia	–
–	–	–	–	Leukemia	–
2	5	7	8	18	4

To understand the impact of ML in medical diagnosis over the years, Different diseases are distributed by year and this distribution is presented in [Tab. 1](#). From [Tab. 1](#), it can be seen that ML has been applied to various diseases from the year 2015 to 2020. Out of 44 articles, we observe that 4 articles, i.e., 0.09%, were published on cardiovascular diseases. Moreover, 2 out of

44 eligible articles, i.e., 4.55%, were published on breast cancer, COVID-19, diabetes, glaucoma, pneumonia, and urinary tract infection. From the rest of the articles, every article concentrated on one disease each. [Tab. 2](#) shows the distribution of ML methods based on medical disciplines. The distribution of diseases based on ML methods is shown in [Tab. 3](#).

Table 2: The distribution of machine learning methods by medical disciplines

	ANN	Deep ANN	BC	CART	CNN	Deep CNN	DT	GB	XGBoost	RF	SVM	Other
Cardiology			1								2	3
Critical Care		1										
Dermatology				1	1						1	
Endocrinology		1			1		1			2	1	
Gastroenterology	1											
Hepatology										1		
Infectious Disease					1			1			1	1
Nephrology		1		1							1	
Neurology					1							1
Oncology					1			1		1		1
Ophthalmology											1	
Pediatrics	1											
Periodontology						1						
Pulmonology					2					1	1	
Rheumatology						1					1	
Urology	1								1			
Vascular Surgery											1	
Virology									1			

Moreover, we observe certain limitations in building ML models for disease diagnosis. The problems are like finding the best ML model, the use of nonstandard datasets etc. The findings of this study show that the researchers tend to concentrate on combining related diseases in a single system. For example, separate studies were conducted for diagnosis of COVID-19 [47] and pneumonia [41,42]. However, there is a relation between these two diseases [100], So ML methods could be used to develop a single model that could diagnose both the diseases, i.e., COVID-19 and pneumonia. This could largely benefit patients suffering from both the diseases simultaneously.

One of the important parts of any ML method is the data. Currently, due to non-uniformity in data collection and storage across geography, the developed models could give varying accuracies on data collected from different sources. It is also observed that the most of the researchers point out that their developed model needs further validation on unbiased datasets. This issue could be addressed through data standardization and data normalization processes [101].

DL models such as CNN [22,37–40] have outperformed traditional ML models [102] and shallow neural networks on unstructured data (e.g., on image data in reference [41,44]). But, when it comes to structured tabular data, they have been outperformed by both, i.e., traditional ML models and shallow neural networks. However, recent studies have shown that the DL achieved comparable or better results to that of boosting methods [103,104] and they can also synthesize tabular data [105,106]. Arik et al. [107] have proposed a DL method for tabular learning called *TabNet*. With the number of benefits posed by DL, one of the crucial research areas is to use it on tabular data for disease diagnosis.

Table 3: The distribution of diseases by machine learning methods

ANN	Deep ANN	BC	CART	CNN	Deep CNN	DT	GB	XGBoost	RF	SVM	Other
Pediatric traumatic brain injury	Intensive care disease	Cardiovascular diseases	Erythematous diseases	Nail diseases	Arthritis	Thyroid disease	Breast cancer	Urinary tract infection	Diabetes mellitus	Chagas disease	CVD (Hybrid RF with Linear Model)
Urinary tract infection	Renal	–	Kidney	Alzheimer’s disease	Peridontal–disease	–	–	Hepatitis	Diabetes	Metabolic syndrome	Ventricular Arrhythmias (Ensemble classifier (LR and NB))
Diarrhea	Glaucoma – diagnosis (deep FNN)	–	–	Acromegaly	–	–	–	COVID-19	Breast cancer	Glaucoma diagnosis	Leukemia (LDA)
–	–	–	–	Esophageal cancer	–	–	–	–	Liver disease	Osteoporosis	Diagnose aphasia type (LSTM-RNN)
–	–	–	–	Pneumonia	–	–	–	–	Pulmonary hypertension	Diagnosing chronic kidney	Myocardial disease (Proprietary algorithm using GB)
–	–	–	–	Pneumonia	–	–	–	–	–	Skin lesion	Dengue disease (PSO-ANN)
–	–	–	–	COVID-19	–	–	–	–	–	Influenza	–
–	–	–	–	–	–	–	–	–	–	Cardiovascular diseases	–
–	–	–	–	–	–	–	–	–	–	Heart	–
–	–	–	–	–	–	–	–	–	–	Extracranial and intracranial artery stenosis	–

4 Conclusion

ML is used in medical diagnosis for reduction in the overall cost of medical expenditure, and as a ‘second’ opinion for doctors. The use of mathematical models could be used to make decisions. The primary aim of using ML in medical diagnosis is to improve the accuracy with which a disease is detected. This comprehensive study stresses the use of ML for effective medical diagnosis. It is observed that over the years the use of ML in medical diagnosis has increased substantially. The limitation of this study is that only articles applying machine learning in medical diagnosis are considered. Articles of artificial intelligence domain that are using techniques other than ML, such as fuzzy logic are not considered. Another limitation is that only articles from the year 2015 to mid of 2020 are considered.

Funding Statement: This work was supported in part by Zayed University, office of research under Grant No. R17089.

Conflicts of Interest: The authors declare that they have no conflicts of interest to report regarding the present study.

References

- [1] E. S. Berner and M. L. Graber, "Overconfidence as a cause of diagnostic error in medicine," *American Journal of Medicine*, vol. 121, no. 5, pp. S2–S23, 2008.
- [2] S. Mamede, T. A. W. Splinter, T. Van Gog, R. M. J. P. Rikers and H. G. Schmidt, "Exploring the role of salient distracting clinical features in the emergence of diagnostic errors and the mechanisms through which reflection counteracts mistakes," *BMJ Quality & Safety*, vol. 21, no. 4, pp. 295–300, 2012.
- [3] L. T. Kohn, J. M. Corrigan and M. S. Donaldson, "Why do errors happen?" in *To Err is Human: Building a Safer Health System*, Washington, DC, USA: The National Academies Press, pp. 49–68, 2000. [Online]. Available: <https://www.nap.edu/catalog/9728/to-err-is-human-building-a-safer-health-system>.
- [4] E. P. Balogh, B. T. Miller and J. R. Ball, "Introduction," in *Improving Diagnosis in Health Care*, Washington, DC, USA: The National Academies Press, pp. 19–20, 2016. [Online]. Available: <https://www.nap.edu/catalog/21794/improving-diagnosis-in-health-care>.
- [5] D. Michie, "Memo' functions and machine learning," *Nature*, vol. 218, no. 5136, pp. 19–22, 1968.
- [6] E. Alpaydin, "Introduction," in *Introduction to Machine Learning*, 2nd ed. Cambridge, Massachusetts, USA: MIT Press, pp. 1–20, 2004. [Online]. Available: <https://mitpress.mit.edu/books/introduction-machine-learning>.
- [7] K. J. McConnell and S. Lindner, "Estimating treatment effects with machine learning," *Health Services Research*, vol. 54, no. 6, pp. 1273–1282, 2019.
- [8] N. G. Maity and S. Das, "Machine learning for improved diagnosis and prognosis in healthcare," in *IEEE Aerospace Conf. Proc.*, Big Sky, MT, USA, pp. 1–9, 2017.
- [9] J. Vamathevan, D. Clark, P. Czodrowski, I. Dunham, E. Ferran *et al.*, "Applications of machine learning in drug discovery and development," *Nature Reviews Drug Discovery*, vol. 18, no. 6, pp. 463–477, 2019.
- [10] D. A. Hashimoto, G. Rosman, D. Rus and O. R. Meireles, "Artificial intelligence in surgery: Promises and perils," *Annals of Surgery*, vol. 268, no. 1, pp. 70–76, 2018.
- [11] G. Currie, K. E. Hawk, E. Rohren, A. Vial and R. Klein, "Machine learning and deep learning in medical imaging: Intelligent imaging," *Journal of Medical Imaging and Radiation Sciences*, vol. 50, no. 4, pp. 477–487, 2019.
- [12] D. E. Adkins, "Machine learning and electronic health records: A paradigm shift," *American Journal of Psychiatry*, vol. 174, no. 2, pp. 93–94, 2017.
- [13] S. E. Dreyfus, "Artificial neural networks, back propagation, and the kelley-bryson gradient procedure," *Journal of Guidance, Control and Dynamics*, vol. 13, no. 5, pp. 926–928, 1990.
- [14] F. Rosenblatt, "The perceptron: A probabilistic model for information storage and organization in the brain," *Psychological Review*, vol. 65, no. 6, pp. 386–408, 1958.
- [15] J. Zurada, *Artificial Neural Systems: Preliminaries*, in *Introduction to Artificial Neural Systems*. 1st ed. Minnesota, USA: Saint Paul, pp. 1–24, 1992.
- [16] S. Mangrulkar, "Artificial neural systems," *ISA Transaction*, vol. 29, no. 1, pp. 5–7, 1990.
- [17] I. A. Ozkan, M. Koklu and I. U. Sert, "Diagnosis of urinary tract infection based on artificial intelligence methods," *Computer Methods and Programs in Biomedicine*, vol. 166, pp. 51–59, 2018.
- [18] S. L. Chong, N. Liu, S. Barbier and M. E. H. Ong, "Predictive modeling in pediatric traumatic brain injury using machine learning data analysis, statistics and modeling," *BMC Medical Research Methodology*, vol. 15, no. 1, pp. 1–9, 2015.

- [19] I. R. Abubakar and S. O. Olatunji, "Computational intelligence-based model for diarrhea prediction using demographic and health survey data," *Soft Computing*, vol. 24, no. 7, pp. 5357–5366, 2020.
- [20] J. Schmidhuber, "Deep learning in neural networks: An overview," *Neural Networks*, vol. 61, pp. 85–117, 2015.
- [21] L. Deng and D. Yu, "Deep learning: Methods and applications," *Foundations and Trends in Signal Processing*, vol. 7, no. 3–4, pp. 197–387, 2014.
- [22] F. Chollet, "What is deep learning?," in *Deep Learning with Python*, 1st ed. Manning Publications, pp. 3–24, 2017. [Online]. Available: <https://manning.com/books/deep-learning-with-python>.
- [23] R. Asaoka, H. Murata, A. Iwase and M. Araie, "Detecting preperimetric glaucoma with standard automated perimetry using a deep learning classifier," *Ophthalmology*, vol. 123, no. 9, pp. 1974–1980, 2016.
- [24] Y. Raita, T. Goto, M. K. Faridi, D. F. M. Brown, C. A. Camargo *et al.*, "Emergency department triage prediction of clinical outcomes using machine learning models," *Critical Care*, vol. 23, no. 1, pp. 1–13, 2019.
- [25] B. Wang, Y. Bai, Z. Yao, J. Li, W. Dong *et al.*, "A multi-task neural network architecture for renal dysfunction prediction in heart failure patients with electronic health records," *IEEE Access*, vol. 7, pp. 178392–178400, 2019.
- [26] J. Cheng and R. Greiner, "Comparing bayesian network classifiers," in *Proc. of the Fifteenth Conf. on Uncertainty in Artificial Intelligence (UAI-99)*, San Francisco, CA, USA: Morgan Kaufmann Publishers Inc, pp. 101–108, 1999.
- [27] N. Freidman, D. Geiger and M. Goldsmidt, "Bayesian network classifiers," *Machine Learning*, vol. 29, pp. 139–163, 1997.
- [28] H. Zhang, "The optimality of naive bayes," in *Proc. of the Seventeenth Int. Florida Artificial Intelligence Research Society Conf.*, Menlo Park, California, USA, vol. 2, pp. 562–567, 2004.
- [29] I. Rish, "An empirical study of the naive bayes classifier," in *Workshop on Empirical Methods in Artificial Intelligence*, New York, USA, vol. 3, pp. 41–46, 2001.
- [30] A. Elsayad and M. Fakhr, "Diagnosis of cardiovascular diseases with bayesian classifiers," *Journal of Computer Science*, vol. 11, no. 2, pp. 274–282, 2015.
- [31] X. Wu, V. Kumar, J. R. Quinlan, J. Ghosh, Q. Yang *et al.*, "Top 10 algorithms in data mining," *Knowledge and Information Systems*, vol. 14, no. 1, pp. 27–33, 2007.
- [32] S. L. Crawford, "Extensions to the CART algorithm," *International Journal of Man-Machine Studies*, vol. 31, no. 2, pp. 197–217, 1989.
- [33] S. Soni, "Implementation of multivariate data set by CART algorithm," *International Journal of Information Technology and Knowledge Management*, vol. 2, no. 2, pp. 455–459, 2010.
- [34] F. Zhu, M. Tang, L. Xie and H. Zhu, "A classification algorithm of cart decision tree based on mapreduce attribute weights," *International Journal of Performability Engineering*, vol. 14, no. 1, pp. 17–25, 2018.
- [35] K. Maghooli, M. Langarizadeh, L. Shahmoradi, M. Habibikoolae, M. Jebraeily *et al.*, "Differential diagnosis of erythmato-squamous diseases using classification and regression tree," *Acta Informatica Medica*, vol. 24, no. 5, pp. 338–342, 2016.
- [36] A. J. Aljaaf, D. Al-Jumeily, H. M. Haglan, M. Alloghani, T. Baker *et al.*, "Early prediction of chronic kidney disease using machine learning supported by predictive analytics," in *2018 IEEE Congress on Evolutionary Computation*, Rio de Janeiro, Brazil, pp. 1–9, 2018.
- [37] J. Wu, *Introduction to Convolutional Neural Networks*. China: National Key Lab for Novel Software Technology, Nanjing University, 2017.
- [38] D. Suryani, P. Doetsch and H. Ney, "On the benefits of convolutional neural network combinations in offline handwriting recognition," in *Proc. of Int. Conf. on Frontiers in Handwriting Recognition*, pp. 193–198, 2016.
- [39] R. Yamashita, M. Nishio, R. K. G. Do and K. Togashi, "Convolutional neural networks: An overview and application in radiology," *Insights Imaging*, vol. 9, no. 4, pp. 611–629, 2018.

- [40] M. Koziarski and B. Cyganek, "Image recognition with deep neural networks in presence of noise-dealing with and taking advantage of distortions," *Integrated Computer Aided Engineering*, vol. 24, no. 4, pp. 337–349, 2017.
- [41] A. A. Nahid, N. Sikder, A. K. Bairagi, M. A. Razzaque, M. Masud *et al.*, "A novel method to identify pneumonia through analyzing chest radiographs employing a multichannel convolutional neural network," *Sensors*, vol. 20, no. 12, pp. 1–18, 2020.
- [42] O. Stephen, M. Sain, U. J. Maduh and D. U. Jeong, "An efficient deep learning approach to pneumonia classification in healthcare," *Journal of Healthcare Engineering*, vol. 2019, pp. 1–7, 2019.
- [43] Y. Horie, T. Yoshio, K. Aoyama, S. Yoshimizu, Y. Horiuchi *et al.*, "Diagnostic outcomes of esophageal cancer by artificial intelligence using convolutional neural networks," *Gastrointestinal Endoscopy*, vol. 89, no. 1, pp. 25–32, 2019.
- [44] J. Islam and Y. Zhang, "Brain MRI analysis for alzheimer's disease diagnosis using an ensemble system of deep convolutional neural networks," vol. 5, no. 2, pp. 1–15, 2018.
- [45] X. Kong, S. Gong, L. Su, N. Howard and Y. Kong, "Automatic detection of acromegaly from facial photographs using machine learning methods," *EBioMedicine*, vol. 27, pp. 94–102, 2018.
- [46] R. Nijhawan, R. Verma, S. Ayushi, S. Bhushan, R. Dua *et al.*, "An integrated deep learning framework approach for nail disease identification," in *13th Int. Conf. on Signal-Image Technology & Internet-Based Systems*, Jaipur, Rajasthan, pp. 197–202, 2018.
- [47] M. A. Elaziz, K. M. Hosny, A. Salah, M. M. Darwish, S. Lu *et al.*, "New machine learning method for image based diagnosis of COVID-19," *PLoS One*, vol. 15, no. 6, pp. 1–18, 2020.
- [48] S. K. Zhou, H. Greenspan and D. Shen, *Deep Learning for Medical Image Analysis*. 1st ed., Cambridge, Massachusetts, USA: Academic Press, 2017. [Online]. Available: <https://Scienencedirect.com/book/9780128104088/deep-learning-for-medical-image-analysis.html>.
- [49] A. Krizhevsky, I. Sutskever and G. Hinton, "ImageNet classification with deep convolutional neural networks," in *Proc. of the 25th Int. Conf. on Neural Information Processing Systems*, Lake Tahoe, Nevada, pp. 1097–1105, 2012.
- [50] J. Krois, T. Ekart, L. Meinhold, T. Golla, B. Kharbot *et al.*, "Deep learning for the radiographic detection of periodontal bone loss," *Scientific Reports*, vol. 9, no. 1, pp. 1–6, 2019.
- [51] S. Murakami, K. Hatano, J. Tan, H. Kim and T. Aoki, "Automatic identification of bone erosions in rheumatoid arthritis from hand radiographs based on deep convolutional neural network," *Multimedia Tools and Applications*, vol. 77, no. 9, pp. 10921–10937, 2018.
- [52] Y. Y. Song and Y. Lu, "Decision tree methods: Applications for classification and prediction," *Shanghai Archives of Psychiatry*, vol. 27, no. 2, pp. 130–135, 2015.
- [53] T. J. Hastie, R. J. Tibshirani and J. H. Friedman, "Boosting and additive trees," in *The Elements of Statistical Learning: Data Mining, Inference and Prediction*, 2nd ed. New York, USA: Springer-Verlag, pp. 337–388, 2009. [Online]. Available: <https://www.springer.com/gp/book/9780387848570>.
- [54] J. R. Quinlan, "Decision trees as probabilistic classifiers," in *Proc. of the Fourth Int. Workshop on Machine Learning*, Irvine, USA: University of California, pp. 31–37, 1987.
- [55] I. Ionita and L. Ionita, "Prediction of thyroid disease using data mining techniques," *Broad Research in Artificial Intelligence and Neuroscience*, vol. 7, pp. 115–124, 2016.
- [56] J. H. Friedman, "Greedy function approximation: A gradient boosting machine," *The Annals of Statistics*, vol. 29, no. 5, pp. 1189–1232, 2000.
- [57] M. Kearns, "Thoughts on hypothesis boosting," *Unpublished Manuscript*, vol. 45, pp. 105, 1988.
- [58] M. P. Than, J. W. Pickering, Y. Sandoval, A. S. V. Shah, A. Tsanas *et al.*, "Machine learning to predict the likelihood of acute myocardial infarction," *Circulation*, vol. 140, no. 11, pp. 899–909, 2019.
- [59] T. Chen and C. Guestrin, "XGBoost: A scalable tree boosting system," in *Proc. of the 22nd ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining*, San Francisco, CA, USA, 2016.
- [60] J. H. Friedman, R. Tibshirani and T. Hastie, "Additive logistic regression: A statistical view of boosting (with discussion and a rejoinder by the authors)," *Annals of Statistics*, vol. 28, no. 2, pp. 337–407, 2000.

- [61] T. Chen and T. He, "XGBoost: Extreme gradient boosting. Package Version: 1.2.0.1, 2020.
- [62] R. A. Taylor, C. L. Moore, K. H. Cheung and C. Brandt, "Predicting urinary tract infections in the emergency department with machine learning," *PLoS One*, vol. 13, no. 3, pp. 1–15, 2018.
- [63] X. Tian, Y. Chong, Y. Huang, P. Guo, M. Li *et al.*, "Using machine learning algorithms to predict hepatitis B surface antigen seroclearance," *Computational and Mathematical Methods in Medicine*, vol. 2019, pp. 1–7, 2019.
- [64] L. Yan, H. T. Zhang, J. Goncalves, Y. Xiao, M. Wang *et al.*, "An interpretable mortality prediction model for COVID-19 patients," *Nature Machine Intelligence*, vol. 2, no. 5, pp. 283–288, 2020.
- [65] T. K. Ho, "Random decision forests," in *Proc. of the Int. Conf. Document Analysis Recognition*, vol. 1, pp. 278–282, 1995.
- [66] L. Breiman, "Random forests," *Machine Learning*, vol. 45, pp. 5–32, 2001.
- [67] M. D. Ganggayah, N. A. Taib, Y. C. Har, P. Lio and S. K. Dhillon, "Predicting factors for survival of breast cancer patients using machine learning techniques," *BMC Medical Informatics and Decision Making*, vol. 19, no. 1, pp. 1–17, 2019.
- [68] Q. Zou, K. Qu, Y. Luo, D. Yin, Y. Ju *et al.*, "Predicting diabetes mellitus with machine learning techniques," *Frontiers in Genetics*, vol. 9, pp. 1–10, 2018.
- [69] P. Samant and R. Agarwal, "Machine learning techniques for medical diagnosis of diabetes using iris images," *Computer Methods and Programs in Biomedicine*, vol. 157, pp. 121–128, 2018.
- [70] C. C. Wu, M. M. Islam, T. Nasrin, P. A. Nguyen, H. C. Yang *et al.*, "Prediction of fatty liver disease using machine learning algorithms," *Computer Methods and Programs in Biomedicine*, vol. 170, pp. 23–29, 2019.
- [71] A. Leha, K. Hellenkamp, B. Unsold, S. M. Blake, A. M. Shah *et al.*, "A machine learning approach for the prediction of pulmonary hypertension," *PLoS One*, vol. 14, no. 10, pp. 1–16, 2019.
- [72] C. Cortes and V. Vapnik, "Support-vector networks," *Machine Learning*, vol. 20, pp. 273–297, 1995.
- [73] N. Cristianini and J. Shawe-Taylor, Support vector machines. *An Introduction to Support Vector Machines and Other Kernel-based Learning Methods*. Cambridge, UK: Cambridge University Press, 94–124, 2000.
- [74] K. P. Bennett and C. Campbell, "Support vector machines: Hype or hallelujah?," *ACM SIGKDD Explorations Newsletter*, vol. 2, no. 2, pp. 1–13, 2000.
- [75] A. B. Hur, D. Horn, H. T. Siegelmann and V. Vapnik, "Support vector clustering," *The Journal of Machine Learning Research*, vol. 2, pp. 125–137, 2002.
- [76] V. Thangaraj and V. Natarajan, "Glaucoma diagnosis using support vector machine," in *Proc. of 2017 Int. Conf. on Intelligent Computing and Control Systems*, Madurai, pp. 394–399, 2017.
- [77] A. Singh, M. K. Dutta, R. Jennane and E. Lespessailles, "Classification of the trabecular bone structure of osteoporotic patients using machine vision," *Computers in Biology and Medicine*, vol. 91, pp. 148–158, 2017.
- [78] M. Ahmad, V. Tundjungsari, D. Widiyanti, P. Amalia and U. A. Rachmawati, "Diagnostic decision support system of chronic kidney disease using support vector machine," in *Proc. of 2nd Int. Conf. on Informatics and Computing*, pp. 1–4, 2018.
- [79] C. Sady and A. L. P. Ribeiro, "Symbolic features and classification via support vector machine for predicting death in patients with chagas disease," *Computers in Biology and Medicine*, vol. 70, pp. 220–227, 2016.
- [80] K. C. Hsu, C. H. Lin, K. R. Johnson, C. H. Liu, T. Y. Chang *et al.*, "Autodetect extracranial and intracranial artery stenosis by machine learning using ultrasound," *Computers in Biology and Medicine*, vol. 116, 103569, 2020.
- [81] E. Marquez and V. Barron, "Artificial intelligence system to support the clinical decision for influenza," in *IEEE Int. Autumn Meeting on Power, Electronics and Computing (ROPEC)*, Ixtapa, Mexico, pp. 1–5, 2019.
- [82] N. Hameed, A. Shabut and M. A. Hossain, "A computer-aided diagnosis system for classifying prominent skin lesions using machine learning," in *10th Computer Science and Electronic Engineering Conf.*, Colchester, UK, pp. 186–191, 2019.

- [83] N. Louridi, M. Amar and B. El Ouahidi, "Identification of cardiovascular diseases using machine learning," in *7th Mediterranean Cong. Telecommunications*, Fes, Morocco, pp. 1–6, 2019.
- [84] L. Ali, A. Niamat, J. A. Khan, N. A. Golilarz, X. Xingzhong *et al.*, "An optimized stacked support vector machines based expert system for the effective prediction of heart failure," *IEEE Access*, vol. 7, pp. 54007–54014, 2019.
- [85] F. Karimi-Alavijeh, S. Jalili and M. Sadeghi, "Predicting metabolic syndrome using decision tree and support vector machine methods," *ARYA Atheroscler*, vol. 12, no. 3, pp. 146–152, 2016.
- [86] M. Abdelrahim, C. Merlos and T. Wang, "Hybrid machine learning approaches: A method to improve expected output of semi-structured sequential data," in *IEEE 10th Int. Conf. on Semantic Computing*, Laguna Hills, CA, USA, pp. 342–345, 2016.
- [87] D. M. Blei, A. Y. Ng and M. I. Jordan, "Latent dirichlet allocation," *Journal of Machine Learning Research*, vol. 3, pp. 993–1022, 2003.
- [88] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [89] D. P. Mandic and J. A. Chambers, "*Recurrent Neural Networks for Prediction: Learning Algorithms, Architectures and Stability*. 1st ed. NY, USA: Wiley, 2001. [Online]. Available: <https://www.wiley.com/en-us/Recurrent+Neural+Networks+for+Prediction%3A+Learning+Algorithms%2C+Architectures+and+Stability-p-9780471495178>.
- [90] H. Zhang, "The optimality of naive bayes," in *Proc. of Seventeenth Int. Florida Artificial Intelligence Research Society Conf.*, Miami Beach, Florida, pp. 562–567, 2004.
- [91] M. Mitchell, *An Introduction to Genetic Algorithms*. Cambridge, MA: MIT Press, 1996.
- [92] J. Kennedy and R. Eberhart, "Particle swarm optimization," in *Proc. Int. Conf. on Neural Networks*, Perth, WA, Australia, vol. 4, pp. 1942–1948, 1995.
- [93] J. Peng, K. Lee and G. Ingersoll, "An introduction to logistic regression analysis and reporting," *Journal of Educational Research*, vol. 96, no. 1, pp. 3–14, 2002.
- [94] C. Kohlschein, M. Schmitt, B. Schuller, S. Jeschke and C. J. Werner, "A machine learning based system for the automatic evaluation of aphasia speech," in *IEEE 19th Int. Conf. on e-Health Networking, Applications and Services (Healthcom)*, Dalian, pp. 1–6, 2017.
- [95] M. Bhattacharya, D. Y. Lu, S. M. Kudchadkar, G. V. Greenland, P. Lingamaneni *et al.*, "Identifying ventricular arrhythmias and their predictors by applying machine learning methods to electronic health records in patients with hypertrophic cardiomyopathy (HCM-VAR-risk model)," *American Journal of Cardiology*, vol. 123, no. 10, pp. 1681–1689, 2019.
- [96] H. Dhahri, E. Al Maghayreh, A. Mahmood, W. Elkilani, M. Faisal Nagi *et al.*, "Automated breast cancer diagnosis based on machine learning algorithms," *Journal of Healthcare Engineering*, vol. 2019, pp. 1–11, 2019.
- [97] S. Mohan, C. Thirumalai and G. Srivastava, "Effective heart disease prediction using hybrid machine learning techniques," *IEEE Access*, vol. 7, pp. 81542–81554, 2019.
- [98] L. Boldú, A. Merino, S. Alférez, A. Molina, A. Acevedo *et al.*, "Automatic recognition of different types of acute leukemia in peripheral blood by image analysis," *Journal of Clinical Pathology*, vol. 72, no. 11, pp. 755–761, 2019.
- [99] S. Gambhir, S. K. Malik and Y. Kumar, "PSO-ANN based diagnostic model for the early detection of dengue disease," *New Horizons in Translational Medicine*, vol. 4, pp. 1–8, 2017.
- [100] W. Zhao, Z. Zhong, X. Xie, Q. Yu and J. Liu, "Relation between chest CT findings and clinical conditions of coronavirus disease (COVID-19) pneumonia: A multicenter study," *American Journal of Roentgenology*, vol. 214, no. 5, pp. 1072–1077, 2020.
- [101] J. Kukačka, V. Golkov and D. Cremers, "Regularization for deep learning: A taxonomy," *ArXiv Preprint*, vol. abs/1710.10686, 2017.
- [102] S. Mullainathan and J. Spiess, "Machine learning: An applied econometric approach," *Journal of Economics Perspectives*, vol. 31, no. 2, pp. 87–106, 2017.

- [103]I. Shavitt and E. Segal, “Regularization learning networks: Deep learning for tabular datasets,” in *Proc. of the 32nd Conf. on Neural Information Processing Systems*, Montreal, Canada, pp. 1379–1389, 2018.
- [104]S. Popov, S. Morozov and A. Babenko, “Neural oblivious decision ensembles for deep learning on tabular data,” in *Eighth Int. Conf. on Learning Representations (Virtual Only)*, pp. 1–12, 2020.
- [105]L. Xu and K. Veeramachaneni, “Synthesizing tabular data using generative adversarial networks,” *Computing Research Repository*, pp. 1–12, 2018.
- [106]L. Xu, M. Skoularidou, A. Cuesta-Infante and K. Veeramachaneni, “Modeling tabular data using conditional GAN,” in *33rd Conf. on Neural Information Processing Systems*, Vancouver, Canada, pp. 1–15, 2019.
- [107]S. O. Arik and T. Pfister, “TabNet: Attentive interpretable tabular learning,” *Computing Research Repository*, pp. 1–27, 2019.