

UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX-CATALOGUE
OF
MEDICAL AND VETERINARY ZOOLOGY

SUPPLEMENT 18, PART 3
PARASITE-SUBJECT CATALOGUE:
PARASITES: TREMATODA AND CESTODA





UNITED STATES DEPARTMENT OF AGRICULTURE

INDEX-CATALOGUE
OF
MEDICAL AND VETERINARY ZOOLOGY

SUPPLEMENT 18, PART 3
PARASITE-SUBJECT CATALOGUE:
PARASITES: TREMATODA AND CESTODA

By

SHIRLEY J. EDWARDS, *Technical Information Specialist*
MARGIE D. KIRBY, *Technical Information Specialist*
DOROTHY B. SEGAL, *Zoologist*
JANE D. RAYBURN, *Technical Information Specialist*
MARTHA L. WALKER, *Zoologist*

NATIONAL ANIMAL PARASITE LABORATORY
VETERINARY SCIENCES RESEARCH DIVISION
AGRICULTURAL RESEARCH SERVICE

Issued February 1972

U.S. GOVERNMENT PRINTING OFFICE
WASHINGTON : 1972

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C. 20402 - Price \$2.75
Stock Number 0111-0085

PREFACE

A revision of the Author Catalogue of the Index-Catalogue of Medical and Veterinary Zoology, consisting of Parts 1 to 18, was published during the period 1932-52. Beginning in 1953, a series of supplements designed to publish the backlog was initiated. This was completed with Supplement 6, published in 1956; since then supplements covering authors A to Z have been issued on an annual basis.

Beginning with Supplement 15, the Parasite-Subject Catalogues, containing indices to the author references, are being issued. The Author Catalogue continues the format of previous supplements. The users should note that for each reference in the Author Catalogue, the author(s) plus the date and letter (e.g., Smith, J.; and Doe, X., 1963 b), are the key to all items in the Parasite-Subject Catalogues derived from that reference. In other words, when using the Parasite-Subject Catalogues, it will be necessary to consult the Author Catalogue for complete bibliographical information.

The following are the parts of each supplement:

- Part 1, Authors: A-Z
- Part 2, Parasite-Subject Catalogue—Parasites: Protozoa
- Part 3, Parasite-Subject Catalogue—Parasites: Trematoda and Cestoda
- Part 4, Parasite-Subject Catalogue—Parasites: Nematoda and Acanthocephala
- Part 5, Parasite-Subject Catalogue—Parasites: Arthropoda and Miscellaneous Phyla
- Part 6, Parasite-Subject Catalogue: Subject Headings and Treatment
- Part 7, Parasite-Subject Catalogue: Hosts

It is hoped that these Catalogues will serve as a useful tool to workers in the field of parasitology.

EXPLANATORY NOTE

Format: The entries are presented in two double columns. Names of parasites are given in the left half of each column, and the authors of publications with the dates and necessary code letters (e.g., Smith, J.; and Doe, X., 1963 b) are given in the right half of each column. In references to systematic articles and new taxa, lists of pages and illustrations follow the authors and dates.

Alphabetization: In the left half of each column, the entries are arranged alphabetically by genera, parasitic diseases, and higher taxa, and then alphabetically by species within genera. Entries under each heading are in turn arranged in the right half of each column alphabetically by authors and then chronologically for each author. Headings with numerous entries are separated into alphabetized subdivisions, e.g.:

Ascaris lumbricoides
Ascaris lumbricoides, Antitoxins
Ascaris lumbricoides, Control

Subheadings, left half of column: A variety of information is found indented beneath each entry: Classification, hosts, synonymy, keys, treatment, etc. In many cases, these subheadings are guides to the subject matter of the publication.

(1) **Classification:** In entries based on systematic articles, the subheadings may give the higher taxa in which genera have been placed or they may list the subfamilies or genera included in a family.

(2) **Hosts:** The only hosts recorded are those that pertain directly to the author's own work. Scientific host names are used unless the author gave only common names, in which cases the host names are given exactly as in the original publication. When a common name is used and there is no ambiguity about which species is meant, there is a cross-reference in the Host Catalogue to the scientific name; the host reference is found under the scientific name.

In the case of common host names in the Cyrillic alphabet languages, only the scientific host names are supplied; these are in square brackets [].

Locations of parasites in or on hosts are given in parentheses (). Where a host-parasite relationship is well known, a host may be given under a parasite name and not in the Host Catalogue; this applies particularly to parasites of medical and veterinary importance and of worldwide distribution. A + before the host name on the parasite entry means that no host entry was made for this particular reference.

- (3) **Synonymy:** Only those synonyms which the author indicates as new, or which are new to the files of the Index-Catalogue of Medical and Veterinary Zoology, are given.
- (4) **Keys:** The subheading "key" indicates that the name is included in a taxonomic key.
- (5) **Treatment:** When there are more than three antiparasitic agents mentioned in a publication, a general term is used as a parasite subheading, e.g., anthelmintics, insecticides, protozoacides. However, in the Treatment Catalogue, all agents considered effective by the investigator(s) are listed.

Subheadings, right half of column: Subheadings under the authors give geographic distribution. When there are multiple hosts and geographic localities, the appropriate locality is recorded opposite each host name; when the hosts of a parasite are all from one locality, they are recorded as "all from" this locality.

The compilers thank the staffs of the National Agricultural Library, the National Library of Medicine, and all other libraries who have aided us invaluabley by making publications available to us.

Trade names are used in this publication solely for the purpose of providing specific information. Mention of a trade name does not constitute a guarantee or warranty of the product by the U.S. Department of Agriculture or an endorsement by the Department over other products not mentioned.

STORY BY DAVID FORD

the most important thing he had seen, and in 1998 he founded the *Artwork Project*, a platform designed to showcase and share his artwork collected in tandem with his own unique and original art that he has been lucky to come across during his travels around the world. Since then, the project has grown to include over 100 artists from around the world, and continues to expand right now, with new artists being added to the organization's website every day. In addition, he will be exhibiting at a show in New York City in October, and will be performing at the festival.

With over 100 pieces of artwork in his collection, it's clear that he has a passion for art and a desire to share his appreciation of it with others. He hopes that through his work, he can inspire others to appreciate art and its impact on our lives. "I think that art is a way to express yourself and your emotions, and it's important to have a variety of different types of art to appreciate," he says. "It's not just about the visual aspect of art, but also the emotional and spiritual aspects that can be found within it."

He believes that art can bring people together and help them to connect on a deeper level. "Art is a way to express ourselves and our emotions, and it can help us to understand each other better," he says. "It's a way to communicate and share our experiences with others, and it can help us to appreciate the beauty of life."

He also believes that art can teach us important lessons about life and the world around us. "Art can help us to see things from a different perspective, and it can inspire us to think more deeply about the world we live in," he says. "It can help us to appreciate the beauty of life and the world around us, and it can help us to understand ourselves and the world we live in."

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in. "Art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in."

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

ARTWORK PROJECT David Ford's artwork project features over 100 artists from around the world, showcasing their unique and original art.

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

He also believes that art can help us to understand the world around us, and it can help us to appreciate the beauty of life and the world we live in.

INDEX - CATALOGUE OF
MEDICAL AND VETERINARY ZOOLOGY

Supplement 18, Part 3
PARASITE-SUBJECT CATALOGUE

PARASITES: TREMATODA AND CESTODA

By SHIRLEY J. EDWARDS,

MARGIE D. KIRBY, DOROTHY B. SEGAL,

JANE D. RAYBURN, and MARTHA L. WALKER

| | | | |
|--|---|---|---|
| Acanthatrium | Richard, J., 1966 a, 423, fig. 6A | Acanthocotyle oligoterus as syn. of Acanthocotyle lobianchi | Kearn, G. C., 1967 a, 158 Plymouth |
| Acanthatrium spp. <i>Myotis grisescens</i> (intestine) | Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Kansas | Alaria canis LaRue and Fallis, 1934 <i>Canis familiaris</i> | Burrows, R. B.; and Lillis, W. G., 1965 a, 571-572, figs. 5-8 New Jersey |
| Acanthatrium hitaense Semisulcospira bensonii | Hamajima, F.; and Ishii, Y., 1964 a | Alaria marcianae (LaRue, 1917) Walton, 1949 <i>Felis domesticus</i> | Burrows, R. B.; and Lillis, W. G., 1965 a, 573, figs. 1- 2 New Jersey |
| Acanthatrium (A.) houini n. sp. chauve-souris indéterminée (duodénum) | Richard, J., 1966 a, 413, 415, 416-418, 426, figs. 2- 3A-B Ranomafana | A[laria] marcianae hydrolytic enzymes | Johnson, A. D., 1968 a |
| Acanthatrium oregonense (Macy) | Belton, C. M.; and Harris, P. J., 1967 a, figs. 1-7 fine structure of cuticle, cercaria | Alaria marcianae (La Rue, 1917) Walton, 1949 life cycle | Johnson, A. D., 1968 b, figs. 1-5 |
| Acanthatrium (Acanthatrium) tatrense n. sp. | Zdzitowiecki, K., 1967 a, 273- 276, figs. 1-5 | Syns.: <i>Agamodistomum marcianae</i> (La Rue, 1917) Cort, 1918; <i>Mesocercaria marcianae</i> (La Rue, 1917) Oliver and Odlaug, 1938; <i>Alaria minnesotae</i> Chandler, 1954 cats (nat. and exper.) Minnesota | |
| <i>Myotis mystacinus</i> (jejunum) | Polish Tatra caves: Zbójnickie Okan Nizne, Groby Pod Zamkiem and Kalacka | <i>Mephitis mephitis</i> <i>Spilogale putorius</i> <i>Vulpes fulva</i> <i>Urocyon cinerecargenteus</i> <i>Helisoma trivolvis</i> (exper.) <i>H. campanulatum</i> <i>Rana pipiens</i> (exper.) rats mice chicks | " " " " " " " " " " |
| Acanthocolpiata n. suborder | Nahhas, F. M., 1964 a | <i>Alaria minnesotae</i> Chandler, 1954 | Johnson, A. D., 1968 b, 324, 331 |
| Opisthorchiida, Epitheliocystidia | | as syn. of <i>Alaria marcianae</i> (La Rue, 1917) Walton, 1949 | |
| Acanthocolpoidea n. super- fam. | Nahhas, F. M., 1964 a | | |
| Opisthorchiida, Epitheliocystidia | | | |
| Acanthocotyle sp. | Lyons, K. M., 1966 a | | |
| chemistry and evolution, sclerites | | | |
| Acanthocotyle elegans | Kearn, G. C., 1967 a, 164, fig. 6 | <i>Alaria mustelae</i> ultrastructure of sperm- tails | Hershkovitz, B. R.; Tulloch, G. S.; and Johnson, A. D., 1966 a |
| <i>Raia clavata</i> (dorsal surface) | Plymouth | <i>Mephitis mephitis</i> | |
| Acanthocotyle lobianchi | Kearn, G. C., 1967 a, 157- 167, figs. 1-5 | <i>A[laria] mustelae</i> hydrolytic enzymes | Johnson, A. D., 1968 a |
| life cycle | all from Plymouth | | |
| Syn.: <i>Acanthocotyle</i> <i>oligoterus</i> | | | |
| <i>Raia montegui</i> (ventral surface) | | <i>Alariinae</i> | |
| <i>Raia brachyura</i> | " | | |
| <i>Raia naevus</i> | " | | |
| <i>Raia clavata</i> | " | | |
| | | | |

- Albulatrema* n. g.
Hemuriidae; *Albulatrematinae* Yamaguti, S., 1965 c, 458, 466
tod: *A. ovale* n. sp.
- Albulatrema ovale* n. g., n. sp. (tod)
Albula vulpes
(swim bladder) Yamaguti, S., 1965 c, 458, 463, 465-466, fig. 4 Hawaii
- Albulatrematinae* n. subf.
Hemuriidae
includes: *Albulatrema* n. g. Yamaguti, S., 1965 c, 458, 466
- Allassogonoporus amphoraeformis* (Mödlinger, 1930) Mituch, J., 1965 a, 116, 117, 118, 119 Slovakia (CSSR)
- Dubois*, 1956
Miniopterus schreibersii
- Allassogonoporus marginalis* Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Kansas
- Myotis grisescens* (intestine) Acholonus, A. D., 1968 a Louisiana
- Pseudemys scripta elegans*
- Allassostoma magnum* Stunkard, 1917
- Chrysemys picta marginata* Esch, G. W.; and Gibbons, J. W., 1967 a, 819 Wintergreen Lake, Kalamazoo County, Michigan
- Allocreadiidae* not harmed by industrial pollution Chernogorenko-Bidulina, M.I., 1963 a Desna river
- Allocreadium boleosomi* Pearse, 1924 Pritchard, M. H., 1966 a, 161, 162, 163, fig. 1
- Allocreadium carparum* distribution Sprehn, C. E. W., 1967 a Europe
- Allocreadium dogieli* distribution Sprehn, C. E. W., 1967 a Europe
- Allocreadium ictaluri* Pearse, 1924 *Ictalurus melas* (intestine) Voth, D. R.; and Larson, O. R., 1968 a, 219 Goose River, North Dakota
- Allocreadium indicum* (Dayal, 1950) n. comb. Syn.: *Neopodocotyle indicum* Dayal, 1950. Pritchard, M. H., 1966 a, 168-169, 171
- Allocreadium isoporum* Looss, 1894 *Blicca bjoerkna* Belinišova, L. K., 1965 a Krasnoškol'skoe reservoir
- Allocreadium isoporum* Scardinus erythrophthalmus (crijevo) Čanković, M.; Kiškarolj, M.; and Ramadanić, R., 1968 a Sava river
- Allocreadium isoporum* Looss cercaria Chernogorenko-Bidulina, M.I., 1966 a, 37 upper Dnieper
- Allocreadium isoporum* (Loos, 1894) glycogen and fat storage Ginetsinskaja, T. A.; and Uspenskaja, Z. I., 1965 a, fig. 2
- Allocreadium isoporum* (Looss, 1894) *Rutilus rutilus* (intestine) Ha, K., 1964 a Alol group of lakes (Pskov oblast)
- Allocreadium isoporum* Looss *Rutilus rutilus* (alimentary canal) Huculak, F., 1965 a, 285 Kozłowa Gora reservoir
- Allocreadium isoporum* [Aburnus alburnus] [Rutilus rutilus] [Blicca bjoerkna] [Vimba vimba] [Leuciscus leuciscus] [Leuciscus cephalus] [Phoxinus phoxinus] Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina
- Allocreadium isoporum* (Looss, 1894) [Rutilus rutilus] (intestine) Komarova, T. I., 1964 a, 80 Dnieper delta
- Allocreadium isoporum* Barbus [sp.] (intestine) Kulakiv'ska, O. P., 1964 b, 11 western oblasts, Ukraine
- Allocreadium isoporum* Sphaerium rivicola Kuprianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Allocreadium isoporum* (Looss, 1894) *Rutilus rutilus* (intestine) Marić, N. M., 1963 a, 40 Moldavia
- Allocreadium isoporum* (Looss, 1894) *Leuciscus idus* Oshmarin, P. G., 1965 b Buriat ASSR
- Allocreadium isoporum* Looss, 1894 *Varicorhinus capoeta sevangi* (intestine) Platonova, T. A., 1963 a USSR, Lake Sevan
- Allocreadium isoporum* (Looss, 1894) *Sphaerium rivicola* Smirnova, V. A.; and Ibrashewa, S. I., 1967 a, 62, fig. 4 Western Kazakhstan
- Allocreadium isoporum* Leuciscus leuciscus baicalensis *Leuciscus idus* *Gobio gobio* Spasskiĭ, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR
- Allocreadium isoporum* distribution Sprehn, C. E. W., 1967 a Europe
- Allocreadium isoporum* (Looss, 1894) (intestine) [Blicca bjoerkna] [Carassius carassius] [Abramis brama] [Tinca tinca] [Rutilus rutilus] Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs
- Allocreadium isoporum* (Looss, 1894) *Rutilus rutilus* (intestine) Wyrzykowska, B., 1964 a, 154, 156 Zegrzyński Reservoir

TREMATODA

| | | | |
|--|--|---|---|
| <i>Allocreadium isoporum dubium</i> Kowal, 1957 (strevo) | Ergens, R., 1965 c, 154 all from Fluss Osoblaha (Oder Gebiet) | <i>Alloglossidium corti?</i> effect of 7 year drought <i>Musculium ferrissi</i> ? | Gentner, H. W.; and Hopkins, S. H., 1966 a, 459 Little Brazos River, Texas |
| <i>Allocreadium isoporum isoporoides</i> (Looss, 1894) (strevo) | Ergens, R., 1965 c, 154 all from Fluss Osoblaha (Oder Gebiet) | <i>Alloglossidium corti</i> <i>Noturus gyrinus</i> (intestine) | Larson, O. R., 1966 a Itasca Park, Minnesota |
| <i>Allocreadium isoporum macrorchis</i> Kowal et Kulakowskaja, 1957 (strevo) | Ergens, R., 1965 c, 154 all from Fluss Osoblaha (Oder Gebiet) | <i>Alloglossidium corti</i> (Lamont, 1921) <i>Ictalurus melas</i> (intestine) | Voth, D. R.; and Larson, O. R., 1968 a, 220 Goose River, North Dakota |
| <i>Allocreadium lobatum</i> Wallin, 1909 morphology | Peters, L. E.; and LaBonte, R. P., 1965 a, 583-586, figs. 1-4 Semotilus atromaculatus | <i>Alloglossidium kenti</i> Simer, 1929 as syn. of <i>Alloglossidium corti</i> (Lamont, 1921) Mueller, 1930 | Edwards, S. R.; and Nahhas, F. M., 1968 a, 250-251 |
| <i>Allocreadium markewitschi</i> Kowal, 1949 (strevo) | Ergens, R., 1965 c, 154 all from Fluss Osoblaha (Oder Gebiet) | <i>Allometanematothricoides</i> n. g. Didymozoidae; Nematobothriinae | Yamaguti, S., 1965 c, 459, 475, 476 tod: <i>A. lepidocybii</i> n. sp. |
| <i>Allocreadium markewitschi</i> Kowal, 1949 Chondrostoma nasus | Molnár, K., 1963 a, 106 Hungary | <i>Allometanematothricoides</i> lepidocybii n. sp. (tod) <i>Lepidocybium flavobrunneum</i> (periaortal connective tissue) | Yamaguti, S., 1965 c, 459, 471, 474-476, figs. 9A-D Hawaii |
| <i>Allocreadium markewitschi</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Allomicrocytula</i> n. g. Microcytoloidea, Allo-microcytidae | Yamaguti, S., 1965 b, 56, 93-94 tod: <i>A. onaga</i> |
| <i>Allocreadium neotenicum</i> Peters, 1957 morphology | Peters, L. E.; and LaBonte, R. P., 1965 a, 583-586, figs. 5-8 Acilius semisulcatus | <i>Allomicrocytula onaga</i> n. g., Yamaguti, S., 1965 b, 56, 91-n. sp. (tod) <i>Etelis carbunculus</i> Hawaii (gill) | Yamaguti, S., 1965 b, 56, 91-93, figs. 18A-E |
| <i>Allocreadium polymorphum</i> Layman, 1933 <i>Thymallus arcticus</i> | Oshmarin, P. G., 1965 b Buriat ASSR | <i>Allomicrocytidae</i> n. fam. | Yamaguti, S., 1965 b, 56, 94 |
| <i>Allocreadium transversale</i> [Gobio gobio] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | <i>Allomonaxine</i> n. g. | Yamaguti, S., 1965 b, 56, 87 Axinidae; Monaxininae tod: <i>A. carangoides</i> |
| <i>Allocreadium transversalis</i> | Spasskiii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR | <i>Allomonaxine carangoides</i> n. g., n. sp. (tod) <i>Carangoides</i> sp. (gills) | Yamaguti, S., 1965 b, 56, 85-87, figs. 16A-E Hawaii |
| <i>Allocreadium transversale</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Allonematothrium</i> n. g. Didymozidae; Nematobothriinae | Yamaguti, S., 1965 c, 459, 474, 475 tod: <i>A. epinepheli</i> n. sp. |
| <i>Alloglossidium corti</i> (Lamont, 1921) Mueller, 1930 Syns.: <i>Plagiorchis corti</i> Lamont, 1921; <i>P. ameiurensis</i> McCoy, 1928; <i>Alloglossidium kenti</i> Simer, 1929 <i>Ictalurus catus</i> (intestine) | Edwards, S. R.; and Nahhas, F. M., 1968 a, 250-251 Sacramento-San Joaquin Delta | <i>Allonematothrium epinepheli</i> n. g., n. sp. (tod) <i>Epinephelus quernus</i> "hapu'upuu" (fins and underside of operculum) | Yamaguti, S., 1965 c, 459, 472-474, figs. 10A-E Hawaii |
| | | <i>Allopodocotyle</i> gen. n. | Pritchard, M. H., 1966 a, 160-161, 168, 170 Opecoelidae, key tod: <i>A. plectropomi</i> (Manter, 1963) n. comb. |
| | | <i>Allopodocotyle atzi</i> (Nigrelli, 1939) n. comb. | Pritchard, M. H., 1966 a, 161, 170 Syn.: <i>Podocotyle atzi</i> Nigrelli, 1939 |
| | | <i>Allopodocotyle epinepheli</i> (Yamaguti, 1942) n. comb. | Pritchard, M. H., 1966 a, 161, 162, 170 Syns.: <i>Podocotyle epinepheli</i> Yamaguti, 1942; <i>Podocotyle serrani</i> Nagaty and Abdel Aal, 1962 |

- Allopodocotyle leponis** Pritchard, M. H., 1966 a, 161, (Dobrovolny, 1939) n. comb. 162-163, 170, fig. 2
Syns.: *Plagioporus leponis* Dobrovolny, 1939; *Podocotyle leponis* Yamaguti, 1954
- Allopodocotyle lethrinii** Pritchard, M. H., 1966 a, 163, (Yamaguti, 1942) n. comb. 170
Syn.: *Podocotyle lethrinii* Yamaguti, 1942
- Allopodocotyle mecopera** Pritchard, M. H., 1966 a, 163, (Manter, 1940) n. comb. 170
Syn.: *Podocotyle mecopera* Manter, 1940
- Allopodocotyle pedicellata** Pritchard, M. H., 1966 a, 163, (Stossich, 1887) n. comb. 170
Syns.: *Distomum pedicellata* Stossich, 1887; *Podocotyle pedicellata* (Stossich, 1887) Stossich, 1898
- Allopodocotyle plectropomi** Pritchard, M. H., 1966 a, 161, (Manter, 1963) gen. n., 170
n. comb. (tod)
Syn.: *Podocotyle plectropomi* Manter, 1963
- Allopodocotyle serrani** Pritchard, M. H., 1966 a, 163, (Yamaguti, 1952) n. comb. 170
Syn.: *Podocotyle serrani* Yamaguti, 1952
- Allopodocotyle tamame** Pritchard, M. H., 1966 a, 163, (Yamaguti, 1942) n. comb. 170
Syn.: *Podocotyle tamame* Yamaguti, 1942
- Allopodocotyle virens** Pritchard, M. H., 1966 a, 163- (Sinitzin, 1931) n. comb. 164, 170
Syn.: *Flagioporus virens* Sinitzin, 1931
- Allopseudaxine macrova** Mamaëv, Iu. L., 1967 a, fig. 2, 5-7
- Allopseudaxinoides n. g.** Yamaguti, S., 1965 a, 56, 85
Axinidae, Allopseudaxininae tod: A. euthynni n.g., n. sp.
- Allopseudaxinoides euthynni** Yamaguti, S., 1965 b, 56, 83- n. g., n. sp. (tod) 85, figs. 15A-E
Euthynnus yaito "kawakawa" Hawaii
(gills)
- Allopseudodiclidophora n.g.** Yamaguti, S., 1965 b, 55, 74
Pseudodiclidophoridae;
Allopseudodiclidophorinae tod: A. opelu n. sp.
- Allopseudodiclidophora** Yamaguti, S., 1965 b, 55, 71- opelu n. sp. (tod) 72, 73, figs. 9A-F
Decapterus pinnulatus Hawaii
"opelu" (gills)
- Allopseudodiclidophorinae** Yamaguti, S., 1965 b, 55, 72, n. subf.
Pseudodiclidophoridae n. fam.
includes: *Allopseudodiclidophora* n. g.
- Allopseudopisthogyne n. g.** Yamaguti, S., 1965 b, 55, 78
Discocotylidae, Opistho- tod: *A. constricta* n. g., gyninae n. sp.
- Allopseudopisthogyne con-** Yamaguti, S., 1965 b, 55, 75, stricta n. g., n. sp. (tod) 77-78, figs. 11A-F
Lepidocybium flavobrun- Hawaii
neum (gill)
- Allopystoge adolphi** distribution Sprehn, C. E. W., 1967 a Europe
- Allopystoge ominosus** distribution Sprehn, C. E. W., 1967 a Europe
- Allosprostonia new genus** Trochopodinae Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 372, 383, 384-385
tod: *A. taurinae* n. sp.
- Allosprostonia tauvinae** Lawler, A. R.; and Hargis, n. genus, new species (tod) W. J. (jr.), 1968 a, 382, 383- Epinephelus tauvina (gills) 384, 385, figs. 17-20 Gladstone, Queensland
- Amphemerus** [lapsus for: Amphimerus] Mohiuddin, S. G.; and Lone, M. M., 1967 a
- Amphibdelloides maccal-** lumi Lyons, K. M., 1966 a
chemistry and evolution, sclerites
- Amphimerus Barker**, 1911 Chertkova, A. N., 1963 a, 139 Opisthorchiae
- Amphimerus** [lapsus as: Amphemerus] Mohiuddin, S. G.; and Lone, M. M., 1967 a
- Amphimerus anatis** Belogurov, O. I.; and Smetanina, Z. B., 1963 a Kamchatka and Chukotka
- Amphimerus anatis** Yamaguti, 1933 Belokobilenko, V. T., 1965 a [Anas platyrhynchos] Ural oblast
- Amphimerus anatis** (Yama- Ku, C. T.; and Li, M. M., guti) 1933 1966 a
Anas poecilorhyncha zon- Bai Yang Dian, Hopei orhyncha Province, China
- Amphimerus anatis** Yamaguti, 1933 Ku, C.-T.; and Li, M.-M., 1968 b
domestic ducks (liver) China
Anas poecilorhyncha zonor- Tientsin, China hyncha
- Amphimerus anatis** (Yamaguti, 1933) Maksimova, A. P., 1967 a, 128
Anas acuta (liver)
A. querquedula "
A. strepera "
A. platyrhynchos "
A. penelope "
- Amphimerus arcticus** Belogurov, O. I.; and Smetanina, Z. B., 1963 a Kamchatka and Chukotka
- Amphimerus gallinulae**, n. sp. Ku, C. T.; and Li, M. M., 1966 a, 28, 31, fig. 1
Gallinula chloropus indica (gall bladder) Bai Yang Dian, Hopei Province, China
- Amphimerus [sic] anatis** Mohiuddin, S. G.; and Lone, M. M., 1967 a, 494
duck (liver) Nylore, Hyderabad (A.P.), India
- Amphimerus minimus** sp. nov. Chertkova, A. N., 1963 a, 139- Porzana parva 141, fig. 1
Dal'nem Vostoke

| | | | |
|--|---|--|--|
| <i>Amphimerus pseudofelineus</i> (Ward) Barker, 1911 <i>Ondatra zibethicus oso-</i> <i>yoosensis</i> | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah | <i>Anchitrema sanguineum</i> (Sonsino, 1894) Looss, 1899 fig. 9 Syns.: <i>Anchitrema philippinorum</i> (Tubangui, 1928) Skarbilovich, 1947; <i>A. congolense</i> (Sandground, 1937) Yamaguti, 1958 (intestine) <i>Glisichropus tylopus</i> <i>Rhinolophus sedulus</i> <i>R. luctus</i> <i>Taphozous melanopogon</i> <i>T. saccocaimus</i> <i>Hipposideros pomona</i> | Rohde, K., 1966 b, 192-196, fig. 9 all from Malaya |
| <i>Amphimerus speciosus</i> | Belogurov, O. I.; and Smetanova, Z. B., 1963 a Kamchatka and Chukotka | | |
| <i>Amphimerus speciosus</i> <i>Corvus brachyrhynchos</i> (bile duct) | Jones, J. (jr.), 1968 a, 26 Ohio | | |
| <i>Amphimerus speciosus</i> (Stiles et Hassall, 1896) <i>Gavia stellata</i> (liver) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, fig. 8 USSR, Kamchatka | <i>Anchoradiscoides</i> gen. n. Dactylogyridae; Ancyrocephalinae tod: <i>A. serpentinus</i> sp. n. | Rogers, W. A., 1967 a, 15, 19 |
| <i>Amphistoma</i> sp. Johnston, 1913 as syn. of <i>Bancroftrema neoceratodi</i> gen. et sp. n. (tod) | Angel, L. M., 1966 a, 1058 | <i>Anchoradiscoides serpentini-</i> nus gen. et sp. n. (tod) <i>Lepomis microlophus</i> | Rogers, W. A., 1967 a, 15, 17, 19, figs. 23-30 Lake Demopolis, Marengo County, Alabama |
| <i>Amphistomum explanatum</i> Creplin, 1847 as syn. of <i>Gigantocotyle explanatum</i> (Creplin, 1847) | Gupta, N. K., 1966 a, 77 | <i>Ancylocoelium typicum</i> Nicoll, 1912 <i>Trachurus mediterraneus</i> ponticus (intestine) | Kovaleva, A. A., 1965 a Black Sea; Azov Sea |
| <i>Amphistomum spinulosum</i> Looss, 1901 as syn. of <i>Schizamphistomooides spinulosum</i> (Looss, 1901) Stunkard, 1925 | Fischthal, J. H.; and Thomas, J. D., 1968 a, 6 | <i>Ancylocoelium typicum</i> Nicoll, 1912 <i>Trachurus mediterraneus</i> ponticus (intestine, pyloric appendage, stomach) | Nikolaeva, V. M., 1963 a, 413 Black Sea |
| <i>Amphistoma tenuicolle</i> Westrumb, 1823 as syn. of <i>Parastrigea tenuicollis</i> (Westrumb, 1823) comb. nov. | Dubois, G., 1966 a, 26 | <i>Ancylodiscoides Yamaguti</i> , 1937 Dactylogyridae; Ancyrocephalinae | Prost, M., 1966 a, 13, 19 |
| <i>Amphistomiasis</i> , Bovine buffalo | Shanmugasundaram, S., 1963 a Madras | <i>Ancylodiscoides magnus</i> [<i>Silurus glanis</i>] (gills) | Mikailov, T. K., 1963 b Mingeaur reservoir |
| <i>Amphistomum</i> . See <i>Amphistoma</i> . | | <i>Ancylodiscoides siluri</i> [<i>Silurus glanis</i>] fish | Akhmerov, A. Kh., 1960 d lakes of Kelifskii Uzboi |
| <i>Anacanthorinae</i> n. subfam. Dactylogyridae, key includes: <i>Anacanthorus</i> Mizelle and Price, 1965 | Price, C. E., [1967 c] | <i>Ancylodiscoides siluri</i> Zandt, 1924 <i>Silurus glanis</i> | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| <i>Anacanthorus</i> Mizelle and Price, 1965 Dactylogyridae; <i>Anacanthorinae</i> n. subfam. | Price, C. E., [1967 c] | <i>Ancylodiscoides siluri</i> Zandt, 1924 <i>Silurus glanis</i> (gills) | Belinisova, L. K., 1965 a Krasnooskol'skoe reservoir |
| <i>Anacetabulitrema samarae</i> Deblock et coll., 1964 key | Deblock, S.; and Tran Van Ky, P., 1966 a, 53 | <i>Ancylodiscoides siluri</i> (Zandt, 1924) [<i>Silurus glanis</i>] (gills) | Komarova, T. I., 1961 a, 253 Central Dnieper |
| <i>Anchitrema congolense</i> (Sandground, 1937) Yamaguti, 1958 as syn. of <i>Anchitrema sanguineum</i> (Sonsino, 1894) Looss, 1899 | Rohde, K., 1966 b, 194 | <i>Ancylodiscoides siluri</i> (Zandt, 1924) [<i>Silurus glanis</i>] (gill filaments) | Komarova, T. I., 1966 a, 63 Dnieper estuary |
| <i>Anchitrema philippinorum</i> (Tubangui, 1928) Skarbilovich, 1947 as syn. of <i>Anchitrema sanguineum</i> (Sonsino, 1894) Looss, 1899 | Rohde, K., 1966 b, 194 | <i>Ancylodiscoides siluri</i> [<i>Silurus glanis</i>] lower region, Kakhovsk reservoir | Koval, V. P., 1963 b |
| <i>Anchitrema sanguineum</i> (Sonsino, 1894) <i>Chameleon calcaratus</i> | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands | <i>Ancylodiscoides siluri</i> (Zandt, 1924) <i>Silurus glanis</i> | Margaritov, N. M., 1964 a Bulgaria |
| | | <i>Ancylodiscoides siluri</i> [<i>Silurus glanis</i>] (gills) | Mikailov, T. K., 1963 b Mingeaur reservoir |

- Ancylodiscoides siluri* Prost, M., 1966 a, 13, 19,
(Zandt, 1924) Yamaguti, 1937 22, 23
Syn: *Ancyrocephalus siluri* Zandt, 1924; *Haplocleidus siluri* Price, 1937; *Urocleidus siluri* Mizelle et Hughes, 1938
Silurus glanis
- Ancylodiscoides vistulensis* Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Ancylodiscoides vistulensis* Mikailov, T. K., 1963 b
[*Silurus glanis*] (gills) Mingechaur reservoir
- Ancylodiscoides vistulensis* Molnár, K., 1963 a, 105
(Siwak, 1932) Yamaguti, 1937 Hungary
Silurus glanis "harcsa"
- Ancylodiscoides vistulensis* Prost, M., 1966 a, 13, 19,
(Siwak, 1932), Yamaguti, 1937 22, 23
Syn: *Ancyrocephalus vistulensis* Siwak, 1932
Silurus glanis Polsce
- Ancylodiscoides vistulensis* Žitňan, R., 1965 a
(Siwak, 1932) Yamaguti, 1937 River Hron
Silurus glanis (Kiemenblättchen)
- Ancyrocephalinae* Bychowsky, Price, C. E., [1967 c]
1937
Dactylogyridae, key
- Ancyrocephalinae* n.g. [n. sp.] McGraw, J. L., (jr.); and Allison, T. C., 1967 a
Lepomis megalotis Little River system, Texas
- Ancyrocephalus* (s. l.) Creplin, 1839 Ergens, R., 1966 a, 28-29
- Ancyrocephalus* Creplin, 1839 Prost, M., 1966 a, 14, 19,
1839 22, 23
Dactylogyridae; *Ancyrocephalinae*
- Ancyrocephalus* sp. Pogorel'tseva, T. P., 1964 b,
Atherina mochon pontica 33, fig. 2
(gills) Black Sea
- Ancyrocephalus* (s. l.) cruciatus (Wedel, 1857) Ergens, R., 1966 a, 29, 30,
Misgurnus fossilis (gills) 31, 32, 33, 34, figs. 1B, 2C,
3C, 4C, 5C, 6C, 7A
Czechoslovakia
- Ancyrocephalus* cruciatus (Wedel, 1857) Molnár, K., 1963 a, 105
Misgurnus fossilis "réti csík"
- Ancyrocephalus* cruciatus (Wedel, 1857), Lühe, 1909 Prost, M., 1966 a, 14, 19,
22, 23
Syn: *Gyrodactylus cruciatus* Wedel, 1857
Misgurnus fossilis Polsce
- Ancyrocephalus* cruciatus distribution Sprehn, C. E. W., 1967 a
Europe
- Ancyrocephalus* cruciatus Wedel, 1857 Žitňan, R., 1965 a
Misgurnus fossilis (Kiemenblättchen)
- Ancyrocephalus* forceps distribution Sprehn, C. E. W., 1967 a
Europe
- Ancyrocephalus paradoxus* Creplin, 1839
Lucioperca lucioperca
- Ancyrocephalus* (s. l.) paradoxus Creplin, 1839
Lucioperca lucioperca (gills)
Ergens, R., 1966 a, 30, 31,
32, 33, 34, figs. 1A, 2A, 3A,
4A, 5A, 6A, 7B, 8A
Czechoslovakia
- Ancyrocephalus paradoxus* [*Lucioperca lucioperca*] Gavrilitsa, L. A., 1964 a
Dnestrov estuary
- Ancyrocephalus paradoxus* Creplin, 1839 Komarova, T. I., 1961 a, 253
Lucioperca lucioperca (gills) Central Dnieper
- Ancyrocephalus paradoxus* Komarova, T. I., 1963 a
Creplin, 1839 Dnieper delta
- Ancyrocephalus paradoxus* Komarova, T. I., 1964 a, 84
Creplin, 1830 Dnieper delta
[*Lucioperca lucioperca*] (gills)
- Ancyrocephalus paradoxus* Komarova, T. I., 1964 b
seasonal distribution Dnieper delta
- Ancyrocephalus paradoxus* Komarova, T. I., 1966 a, 65
Creplin, 1839 Dnieper estuary
[*Lucioperca lucioperca*]
- Ancyrocephalus paradoxus* Koval, V. P., 1963 b
[*Lucioperca lucioperca*] all from lower region,
[*Perca fluviatilis*] Kakhovsk reservoir
- Ancyrocephalus paradoxus* Mikailov, T. K., 1963 b
[*Lucioperca lucioperca*] (gills) Mingechaur reservoir
- Ancyrocephalus paradoxus* Molnár, K., 1963 a, 105
Creplin, 1839 Hungary
Lucioperca lucioperca "fogassilló"
- Ancyrocephalus paradoxus* Prost, M., 1966 a, 14, 19,
Creplin, 1839 22, 23
Perca fluviatilis all from Polsce
Lucioperca lucioperca
- Ancyrocephalus paradoxus* Puidak, U., 1965 a, 554
Lucioperca lucioperca Estonian coastal waters
- Ancyrocephalus paradoxus* Sprehn, C. E. W., 1967 a
distribution Europe
- Ancyrocephalus paradoxus* Žitňan, R., 1965 a
Creplin, 1839 all from River Hron
(Kiemenblättchen)
Perca fluviatilis
Lucioperca lucioperca
L. volvensis
- Ancyrocephalus percae* n. sp. Ergens, R., 1966 a, 28, 29,
Perca fluviatilis (gills) 30, 31, 32, 33, 34, 35,
figs. 1A, 2B, 3B, 4B, 5B,
6B, 7C, 8B
River Teplá, Czechoslovakia
- Ancyrocephalus pricei* Molnár, K., 1963 a, 105
Amiurus nebulosus Hungary
"törpeharscsa"

| | | | |
|--|---|---|--|
| Ancyrocephalus siluri Zandt | Prost, M., 1966 a, 13 1924 | | |
| | as syn. of <i>Ancylodiscoides siluri</i> (Zandt, 1924), Yamaguti, 1937 | | |
| Ancyrocephalus triacanthi | Bykhovskii, B. E.; and Nagi- Tripathi 1957 [1959] | 1968 a, 158 to <i>Triacanthinella</i> gen. nov. [comb. not made] | |
| Ancyrocephalus vanbenedeni | Pogorel'tseva, I. P., 1964 b, (Par. et Per., 1890) John- ston et Tiegs, 1922) | 31-32, fig. 1 all from Black Sea | |
| | Mugil auratus (gills) | | |
| | Mugil cephalus (gills) | | |
| | Mugil saliens (gills) | | |
| Ancyrocephalus vistulensis | Prost, M., 1966 a, 13 Siwak, 1932 | | |
| | as syn. of <i>Ancylodiscoides vistulensis</i> (Siwak, 1932), Yamaguti, 1937 | | |
| Anisocladium fallax (Rud., 1819) | Sey, O., 1968 a, fig. 4 (intestine) | waters around Split, Uranoscopus scaber | |
| Anisocoelium capitellatum (Rad., 1819) | Sey, O., 1968 a (gall bladder) | waters around Split, Uranoscopus scaber | |
| Anisorchis opisthorchis Poljansky, 1955 (intestine) | Mamaev, Iu. L., 1965 a, 178 Sebastodes aleutianus | Bering Sea | |
| Anisorchis opisthorchis Zhukov, 1955 | Zhukov, E. V., 1963 a, 101 Blepsias bilobus (pyloric caeca, intestine) | all from Chukotsk Peninsula | |
| | Podothecus acipenserinus (intestine) | | |
| Ankyrocotyle baikalense Wlasenko, 1928 | Oshmarin, P. G., 1965 b Thymallus arcticus | all from Buriat ASSR | |
| | Rutilus rutilus | | |
| Anomalotrema putjatini Zhukov, 1957 | Zhukov, E. V., 1963 a, 101, 102-103, fig. 3 | | |
| | Elegimus gracilis (pyloric caeca, intestine) | all from Chukotsk Peninsula | |
| | Mellettes papilio (pyloric caeca, intestine) | | |
| | Blepsias bilobus (pyloric caeca, intestine) | | |
| | Podothecus acipenserinus (intestine) | | |
| | Theragra chalcogramma (pyloric caeca) | | |
| Anomolecithus Odening | Odening, K., 1960 h, 19, 41 subgen. of <i>Haematoloechus</i> , key key to sp. and ssp. | | |
| Anthocotyle merluccii | Lyons, K. M., 1966 a chemistry and evolution, sclerites | | |
| Apatemon | Alekseev, V. M., 1963 c [lapsus as: Apotemon] | | |
| Apatemon [sp.] | Chibichenko, N. T., 1966 b, Radix auricularia | 68 lake Issyk-kul | |
| Apatemon (Australapatemon) | Dubois, G., 1967 a, 431-434, anseris n. sp. | fig. | |
| | Anser anser (duodenum) | Europe (Pays-Bas) | |
| | A. fabalis (intestin grêle) | Asie (Kamtchatka) | |
| Apatemon (Australapatemon) | Dubois, G., 1967 b, 697-698 canadensis Dubois et Rausch, | | |
| | 1950 | | |
| | Syns.: A. gracilis e. p. Dubois et Rausch, 1948; A. gracilis canadensis Dubois et Rausch, 1950 | | |
| | Clangula hyemalis | Fort Yukon | |
| | Melanitta fusca deglandi | Arctic Village, Fort Yukon | |
| | Anas acuta | Kenai (Kenai Peninsula) | |
| | A. americana | | |
| | A. crecca carolinensis | Napaskiak | |
| Apatemon cobitidis cobi- tidis (Linstow, 1890) | Butenko, Iu. V., 1967 a, 33- 34, fig. 7 | | |
| | Radix ovata | South Kazakhstan | |
| Apatemon fuhrmanni | Bouvier, G.; and Horning, B., 1965 a, 16 | | |
| | Cygnus olor (intestin grêle) | Switzerland | |
| Apatemon fuhrmanni | Dubois, G., 1966 a, 32-34, fig. 4 | | |
| | Cygnus olor (duodenum et l'iléon) | Sloterplas près d'Amsterdam | |
| Apatemon fuhrmanni | Sprehn, C. E. W., 1967 a | | |
| | distribution | Europe | |
| Apotemon [sic] gracilis | Alekseev, V. M., 1963 c | | |
| | Radix lagotis | all from Primorskii krai | |
| | Viviparus ussuriensis | | |
| | Culter albimarginatus | | |
| | Hemiculter leucisculus | | |
| | Acheilognathus chankaensis | | |
| | Gobio gobio | | |
| Apatemon gracilis | Alekseev, V. M., 1963 d | | |
| | molluscs and domestic aquatic birds | Lake Khanka | |
| Apatemon gracilis | Belokobylenko, V. T., 1965 a | | |
| (Rud., 1819) | Ural oblast | | |
| | [Anas platyrhynchos] | | |
| Apatemon gracilis | Butenko, Iu. V., 1967 a, 32 | | |
| (Rud., 1819) | all from South Kazakhstan | | |
| | Szidat | | |
| | Radix ovata | | |
| | Planorbis planorbis | | |
| | Lymnaea stagnalis | | |
| Apatemon gracilis | Chibichenko, N. T., 1966 b, 73 | | |
| | [Anas platyrhynchos] | | |
| | [Mergus serrator] | | |
| | [Ardea cinerea] | | |
| | [Vanellus vanellus] | | |
| | [Sturnus hirundo] | | |
| Apatemon gracilis | Churina, N. V., 1963 a | | |
| | Anas platyrhynchos (small intestine) | Srednii Ural | |
| Apatemon (Apatemon) | Dubois, G., 1967 b, 697 | | |
| gracilis (Rudolphi, 1819) | Alaska (Chandler Lake, Brooks Range) | | |
| | Szidat, 1928 | | |
| | Mergus serrator | | |
| | (intestine) | | |
| Apatemon gracilis e.p. | Dubois, G., 1967 b, 697 | | |
| Dubois et Rausch, 1948 | | | |
| | as syn. of <i>Apatemon (Australapatemon) canadensis</i> Dubois et Rausch, 1950 | | |
| Apatemon gracilis (Rudol- phi, 1819) | Kiselienė, V. K., 1966 a | | |
| | Szidat, 1928 | | |
| | Planorbis planorbis | | |
| | Coretus corneus | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Apatemon gracilis*
Lymnaea stagnalis
Galba palustris Kupriianova-Shakhmatova, R.
 A., 1965 a
 all from USSR, central
 Povolzh'e
- Apatemon gracilis*
Netta rufina Maksimova, A. P., 1966 a
 South Kazakhstan
- Apatemon gracilis* (Rud.,
 1819)
 (small intestine)
Anas querquedula
Anas strepera
Netta rufina Maksimova, A. P., [1966 b]
 all from Karaganda oblast,
 Kazakhstan
- Apatemon gracilis* (Rud.,
 1819)
Anas strepera
Anser anser
Anas platyrhynchos
A. acuta
Nyroca ferina Maksimova, A. P., 1967 a, 132
 all from Western Kazakhstan
- Apatemon gracilis* Rudolphi, 1819
 rată Olteanu, G.; and Stoican, E.,
 1963 b, 229-230
 Romania
- Apatemon gracilis*
 (enteritis)
 pigeons Settnes, O. P.; and Guiddal,
 J. A., 1967 a, figs. 1-2
 Denmark
- Apatemon gracilis*
 [Anas platyrhynchos] Shevtsov, A. A., 1963 c
 Ukraine
- Apatemon gracilis*
 distribution Sprehn, C. E. W., 1967 a
 Europe
- Apatemon gracilis*
Lymnaea peregra
Herpobdella octoculata
 (exper.) Williams, M. O., 1966 a, 248
 Milngavie near Glasgow,
 Scotland
- Apatemon gracilis canadensis* Dubois et Rausch, 1950
 as syn. of *Apatemon (Australapatemon) canadensis* Dubois et Rausch, 1950 Dubois, G., 1967 b, 697
- Apatemon gracilis minor?* Butenko, Iu. V., 1967 a, 33
 (Jam., 1913)
Lymnaea stagnalis
- Apatemon gracilis minor* Nasir, P., 1966 b
 (Yamaguti, 1933)
Cercaria pygocytophora not synonymous
- Apatemon gracilis minor* Ohman, C., 1966 a, figs. 1-2, pl. 1, figs. 1-7, pl. 2, figs. 8-14
 adhesive organ,
 structure and function
- Apatemon gracilis minor* Probert, A. J., 1966 b, 107-108, figs. 16-17
Lymnaea pereger (digestive gland)
Lymnaea palustris (digestive gland) all from Llangorse Lake,
 Breconshire
- Apatemon gracilis minor* (Yamaguti, 1933)
 (all exper.) Raishite, D. I., 1967 a
Herpobdella octoculata
Hemiclepsis marginata
Herpobdella lineata
Helobdella stagnalis
Protoclepsis tesselata
Glossiphonia heteroclitia
G. complanata
Piscicola geometra
Protoclepsis maculosa
- Apatemon gracilis minor* Raishite, D. I., 1968 a
Lymnaea stagnalis Volga delta
- Apatemon gracilis minor* Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 55
Galba palustris Western Kazakhstan
- Apatemon (Pseudostrigaea?) parapandubi* Odening, 1962 Dubois, G., 1966 a, 21
 as syn. of *Apharyngostrigaea ramai* (Verma, 1936) Vidyarthi, 1937
- Apatemon (Pseudostrigaea ?) parapandubi* Odening, 1962 Dubois, G., 1966 b, 121,figs. 1-2
- Apatemon sarcogyponis* (Vidyarthi) Bhalerao, 1942 Dubois, G., 1966 a, 32
 as syn. of *Strigea sarcogyponis* (Vidyarthi, 1937) comb. nov.
- Apatemon (Pseudostrigaea) sarcogyponis* (Vidyarthi) Dubois, G., 1966 a, 32
 Dubois, 1953 as syn. of *Strigea sarcogyponis* (Vidyarthi, 1937) comb. nov.
- Apatemon truonis* Dubois et Fain, 1956 Dubois, G., 1966 b, 120
 as syn. of *Schwartzitrema pandubi* (Pande, 1939) [n. comb.]
- Aphanurus balticus* Sprehn, C. E. W., 1967 a
 distribution Europe
- Aphanurus stossichi* Looss, 1907 Kowaleva, A. A., 1965 a
 Black Sea; Azov Sea
Trachurus mediterraneus ponticus (intestine)
- Aphanurus stossichi* (Monticelli, 1891) Looss, 1907 Marits, N. M., 1963 a, 37
 1907 Moldavia
Caspialosa kessleri pontica (intestine)
- Aphanurus stossichi* (Monti- Nikolaeva, V. M., 1963 a, 409
 celli, 1891) Looss, 1907 Black Sea
Engraulis encrasicholus ponticus (intestine)
- Apharyngostrigaea* sp. Jilek, J.; and Lucký, Z.,
Rutilus rutilus 1967 a, photo fig. 8
 (Innenorgane) Stausee von Kninišky, CSSR
- Apharyngostrigaea* sp. Osimarin, P. G., 1965 b
Tetrastes bonasia Buriat ASSR

| | | | | |
|--|--|--|---|---------------------------------|
| Apharyngostrigaea ardeolina Vidyarthi, 1937 | Ohbayashi, M., 1967 a, 2-3, pl. 2, figs. 12-15 | Dubois, G., 1966 a, 20 | Apharyngostrigaea multiovata (Viguera, 1944) Dubois and Viguera, 1949 | Dubois, G., 1967 b, 693 Ohio |
| Ardea cinerea jouyi (small intestine) | Hiroshima, Hokkaido | | Florida caerulea | |
| Apharyngostrigaea cornu nec Zeder, 1800 | Dubois, G., 1966 a, 20 | Dubois, G., 1967 (intestine) | | |
| as syn. of Apharyngostrigaea multiovata (Viguera, 1944) | Dubois et Viguera, 1944 | | | |
| Apharyngostrigaea cornu (Zeder, 1800) Ciurea, 1927 | Dubois, G., 1967 b, 693 Ontario, most likely in Algonquin Park | Dubois, G., 1966 a, 25 | Apharyngostrigaea parastrigiformis Bychovskaja-Pavlovskaja et Zhukov, 1953 | Dubois, G., 1966 a, 25 |
| Ardea herodias | | | as syn. of Parastrigea robusta Szidat, 1928 | |
| Apharyngostrigaea cornu host diet | Feizullaev, N. A., 1963 c Azerbaijan | Apharyngostrigaea pipientis (Faust, 1918) Olivier, 1940 | Dubois, G., 1966 a, 21, 22, 51 | |
| Apharyngostrigaea cornu (Zeder, 1800) | Oshmarin, P. G., 1965 b Buriat ASSR | Syns.: Apharyngostrigaea duboisi Viguera, 1944; A. gundlachi Viguera, 1944; A. tenuis Dubois et Rausch, 1950; A. ibis Caballero et Hidalgo, 1955 nec Azim, 1935 | | |
| Ardea cinerea | | | | |
| Apharyngostrigaea cornu (Zeder, 1800) | Roman-Chiriac, E., 1965 a, 147, 149 | Apharyngostrigaea ramai (Verma, 1936) Vidyarthi, 1937 | Dubois, G., 1966 a, 21, 23, 24, 25, fig. 1 | |
| Ardea cinerea | all from Danube delta, Romania | Syns.: Strigea egretta Yang Fu-Hsi, 1962; Apatemon (Pseudostrigaea?) parapandibi Odening, 1962 | | |
| Egretta garzetta | | | | |
| Apharyngostrigaea cornu distribution | Sprehn, C. E. W., 1967 a Europe | Apharyngostrigaea tenuis Dubois et Rausch, 1950 | Dubois, G., 1966 a, 21 | |
| Apharyngostrigaea duboisi Viguera, 1944 | Dubois, G., 1966 a, 21 | as syn. of Apharyngostrigaea pipientis (Faust, 1918) Olivier, 1940 | | |
| as syn. of Apharyngostrigaea pipientis (Faust, 1918) Olivier, 1940 | | | | |
| Apharyngostrigaea garsiae [sic] host diet | Feizullaev, N. A., 1963 c Azerbaijan | Aplodiscus gen. n. Dactylogyridae; Dactylogyrinae | Rogers, W. A., 1967 a, 501, 502, 503 tod: A. nasalis sp. n. | |
| Apharyngostrigaea gundlachi Viguera, 1944 | Dubois, G., 1966 a, 21 | Aplodiscus nasalis sp.n.(tod) Hypentelium etowanum (nasal cavity) | Rogers, W. A., 1967 a, 501, 502, 503-504, figs. 1-20 Moore's Mill Creek, Lee County, Alabama; Chickasawhoochee Creek, Chambers Co., Alabama; Coosawatee River, Gilmer Co., Georgia | |
| as syn. of Apharyngostrigaea pipientis (Faust, 1918) Olivier, 1940 | | | | |
| Apharyngostrigaea ibis (Abel Azum, 1935) | Dubinin, V. B., 1938 a, 149-150 | Apolemma mollissimum Looss, 1896 in part | Srivastava, L. P., 1966 a | |
| Plegadis falcinellus | Astrakhan game reserve | as syn. of Lecithaster confusus Odhner, 1905 | | |
| Apharyngostrigaea ibis Caballero et Hidalgo, 1955 | Dubois, G., 1966 a, 21 | Aponurus rhinoplagusiae Yamaguti, 1934 | Ichihara, A.; et al., 1966 a 1 fig. Tokyo Bay | |
| nec Azim, 1935 | | Kareius bicoloratus (stomach) | | |
| as syn. of Apharyngostrigaea pipientis (Faust, 1918) Olivier, 1940 | | Apophallus brevis Ransom, 1920 | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1918, 1919, figs. 6, 7 all from Newfoundland | |
| Apharyngostrigaea ibis Bulinus truncatus | El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 5 | (under skin of body surface, gills, fins) Salvelinus fontinalis Salmo salar S. trutta | | |
| Ardeola ibis ibis (exper.) | Egypt | Apophallus itascensis Perca flavescens (musculature) | Larson, O. R., 1966 a Itasca Park, Minnesota | |
| Apharyngostrigaea insulae Viguera, 1944 | Dubois, G., 1966 a, 20 | Apophallus microtestis nov. sp. | Leonov, V. A., (1957 a), 47-48, fig. 2 | |
| as syn. of Apharyngostrigaea multiovata (Viguera, 1944) | Dubois et Viguera, 1944 | Nyctycorax [sic] nycticorax | Dneprovskoe estuary (intestine) | |
| Apharyngostrigaea multiovata (Viguera, 1944) Dubois et Viguera, 1944 | Dubois, G., 1966 a, 20-21, 51 | Apophallus mühlingi [Abramis brama] [Eliotica bjoerkna] [Alburnus alburnus] [Rutilus rutilus] [Leuciscus idus] [Leuciscus cephalus] [Leuciscus leuciscus] [Vimba vimba] [Phoxinus phoxinus] [Cobitis taenia] | Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina | |
| Syns.: Apharyngostrigaea insulae Viguera, 1944, A. cornu Cable, Connor et Balling, 1960 nec Zeder, 1800 Florida caerulea | Porto-Rico | | | |

- A[pophallus] mühlingi
 (musculature)
 [Leuciscus idus]
 [Blicca bjoerkna]
 [Cyprinus carpio]
- Apophallus mühlingi (Jager- skjold, 1899)
 (fins)
 [Lucioperca lucioperca]
 [Blicca bjoerkna]
 [Carassius carassius]
 [Perca fluviatilis]
- Apophalus [sic] mühlingi seasonal distribution
- Apophalus [sic] mühlingi (Jägerskiöld, 1899)
 [Lucioperca lucioperca] (operculum, fins)
- Apophallus mühlingi [Perca fluviatilis]
- Apophallus mühlingi (Jägerskiöld, 1893) (intestine, caecum)
 Larus canus
 Gavia stellata
- Apophalus mühlingi distribution
- Apophalus. See Apophallus.
- Apopharynx bolodes distribution
- Apopodocotyle n. gen. Opecoelidae, key
- Apopodocotyle atherinae (Nicoll, 1914) n. comb.
 Syn.: Podocotyle atherinae Nicoll, 1914
- Apopodocotyle bongosi (Nagaty and Abdel Aal, 1962) n. comb.
 Syn.: Podocotyle bongosi Nagaty and Abdel Aal, 1962
- Apopodocotyle mehsena (Nagaty, 1941) n. comb.
 Syn.: Hamacreadium mehsena Nagaty, 1941
- Apopodocotyle musculometra (Bravo-Hollis and Manter, 1957) n. comb.
 Syn.: Podocotyle musculometra Bravo-Hollis and Manter, 1957
- Apopodocotyle oscitans (Linton, 1910) n. gen., n. comb. (tod)
 Syns.: Hamacreadium oscitans Linton, 1910; Podocotyle breviformis Manter, 1940; Pseudoplagioporus brevivittulus Siddiqi and Cable, 1960
- Aporchis Stossich, 1905
 key, Himasthlinae
- Komarova, T. I., 1963 b
 all from Dneprovsk estuary
- Komarova, T. I., 1964 a, 83
 all from Dnieper delta
- Komarova, T. I., 1964 b
 Dnieper delta
- Komarova, T. I., 1966 a, 62
 Dnieper estuary
- Koval, 1963 b
 lower region, Kakhovsk reservoir
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 143-144, figs. 11-13
 all from USSR, Kamchatka
- Sprehn, C. E. W., 1967 a
 Europe
- Pritchard, M. H., 1966 a, 166, 170
 tod: A. oscitans (Linton, 1910) n. comb.
- Pritchard, M. H., 1966 a, 167, 171
 Syn.: Podocotyle atherinae Nicoll, 1914
- Pritchard, M. H., 1966 a, 167, 171
 (Nagaty and Abdel Aal, 1962) 171
 Syn.: Podocotyle bongosi Nagaty and Abdel Aal, 1962
- Pritchard, M. H., 1966 a, 167, 171
 (skin)
- Pritchard, M. H., 1966 a, 167, 171
 (Hyperprosopon ellipticum H. argentum)
- Pritchard, M. H., 1966 a, 167, 171
 (skin)
- Pritchard, M. H., 1966 a, 167, 171
 (tod)
- Pritchard, M. H., 1966 a, 167, 171
 (Parathunnus sibi (gill))
 Neothunnus macropterus (gill)
 Thunnus alalonga "
- Alekseev, V. M., 1965 b
- Alekseev, V. M., 1965 b
- Aporchis rugosus Linton, 1928 (intestine)
 Sterna hirundo
- Aporchis rugosus Linton, 1928
 Larus ridibundus (large intestine)
- Aporocotyle simplex Odhner, 1900
 Reinhardtius hippoglossoides matsuurae (blood vessels of gills, heart)
 Hippoglossoides elassodon
- Aporocotyle spinosicanalis Merluccius merluccius
- Apotemon [lapsus for: Apatemon]
- Archaeodiplostomum Dubois, 1944
 Proterodiplostominae
- Archigyrodactylus gen. n. Gyrodactylidae, Gyro-dactylinae
- Archigyrodactylus archigyrodactylus gen. n., sp. n. (tod)
 Cymatogaster aggregata (gills)
- Archigyrodactylus atherinops sp. n. Atherinops affinis (skin)
- Archigyrodactylus leibyi sp. n. (skin)
- Hypocriticichthys analis Hyperprosopon ellipticum H. argentum
- Areotestiinae n. subf. Gastrocotylidae includes: Areotestis n. g.
- Areotestis n. g. Gastrocotylidae, Areo-testiinae
- Areotestis sibi n.g., n.sp. (tod)
 Parathunnus sibi (gill)
 Neothunnus macropterus (gill)
 Thunnus alalonga "
- Artyfechinostomum Lane, 1915
 key, Himasthlinae
- Artyfechinostomum Echinostomatidae, key
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, fig. 4
 USSR, Kamchatka
- Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a Tuva
- Mamaev, Yu. L., 1965 a, 180
 all from Bering Sea
- Smith, J. W.; and Williams, H. H., 1967 a, figs. 1-7 British Isles
- Alekseev, V. M., 1963 c
- Dwivedi, M. P., 1966 d
- Mizelle, J. D.; and Kristsky, D. C., 1967 d, 130-131, 136
 tod: A. archigyrodactylus sp. n.
- Mizelle, J. D.; and Kristsky, D. C., 1967 d, 130, 131, 132, 133, 134, 136, figs. 1-6, 38
 Pacific Ocean, Bodega Bay, California
- Mizelle, J. D.; and Kristsky, D. C., 1967 d, 131, 132, 133, 134, 136, figs. 7-11, 40
 Pacific Ocean, Bodega Bay, California
- Mizelle, J. D.; and Kristsky, D. C., 1967 d, 132, 133, 134, 136, figs. 12-17, 41
 all from Pacific Ocean, Bodega Bay, California
- Yamaguti, S., 1965 b, 56, 91
- Yamaguti, S., 1965 b, 56, 91
 tod: A. sibi
- Yamaguti, S., 1965 b, 56, 79, 89, 91, figs. 13A-D
- Hawaii
- Alekseev, V. M., 1965 b
- Cosgrove, G. E., 1966 a, fig. 11

| | | | |
|---|--|--|---|
| Artyfechinostomum sufrartyfex (Lane, 1915) | Deodhar, N. S.; and Kulkarni, V. G. P., 1966 a | Aspidogaster conchicola effect of 7 year drought | Gentner, H. W.; and Hopkins, S. H., 1966 a, 459 |
| Bhalerao, 1931 dogs (small intestine) | Bombay, India | Quadrula forshayi | all from Little Brazos River, Texas |
| Artyfechinostomum sufratyfex | Matta, S. C.; and Pande, B.P., 1966 b, 128-130, figs. 1-2 | Q. houstonensis | |
| Syn.: Paryphostomum mehrai of Jain, 1957 | all from Mathura, India | Amblema perplicata | |
| Digoniostoma pulchella | | Anodontula corpulenta | |
| Indoplanorbis exustus | | | |
| Lymnaea luteola f. australis | | | |
| pigs (exper.) | | | |
| Artyfechinostomum sufrartyfex (Lane 1915) | Niphadkar, S. M.; and Rao, S. R., 1966 a | Aspidogaster conchicola | Hendrix, S. S., 1968 a |
| rats | India | Amblema peruviana | all from Tennessee River, Tennessee |
| Artyfechinostomum sufrartyfex (Lane, 1915) | Niphadkar, S. M.; and Rao, S. R., 1966 b | Cyclonaias tuberculata | |
| rats | Bombay, India | Elliptio crassidens | |
| Ascocotyle [sp.] cani | Iadevaiia, R.; and Medda, A., 1962 a | Fusconaria ebenus | |
| | Cagliari municipality, Sardinia | Obliquaria reflexa | |
| Ascocotyle ampullacea Miller and Harkema | Stein, P. C., 1968 a | Obovaria olivaria | |
| Gambusia affinis (intestinal mesentery, body musculature) chicks (exper.) | southern Florida | O. retusa | |
| Ascocotyle coleostoma (Looss, 1896) | Roman-Chiriac, E., 1965 a, 144 | Plagiola lineolata | |
| Pelecanus onocrotalus | Danube delta, Romania | Pleurobema cordatum | |
| Ascocotyle (Phagicola) diminuta (Stunkard and Haviland, 1924) Stunkard and Uzmann, 1955 | Scott, L., 1965 a | Proptera alata | |
| Hydrobia salsa chicks (exper.) | all from southeastern New Hampshire | Quadrula metanevera | |
| Fundulus heteroclitus tropical fish (exper.) | | Q. pustulosa | |
| Ascocotyle mcintoshii Price, 1936 | Stein, P. C., 1968 a | Q. quadrula | |
| Gambusia affinis (liver) | southern Florida | Tritogonia verrucosa | |
| Ascocotyle megalcephala Price, 1932 | Stein, P. C., 1968 a | Aspidogaster conchicola | Hendrix, S. S.; and Short, R. B., 1965 a, 565 |
| Mollienesia latipinna chicks (exper.) | southern Florida | von Baer, 1827 | all from North Florida |
| Ascocotyle pachycystis n.sp. | Schroeder, R. E.; and Leigh, W. H., 1965 a, 594-599, figs. 1-9 | Anodontula gibbosa | |
| life history | South Florida | Anodontula hallenbecki | |
| Procyon lotor (small intestine) | | Anodontula imbecilis | |
| Littoradinops tenuipes (exper.) | | Carunculina neiseri | |
| Cyprinodon variegatus (bulbus arteriosus) | | Elliptio crassidens | |
| Ascocotyle pachycystis Schroeder and Leigh, 1965 | Stein, P. C., 1968 a | Elliptio sloatianus | |
| Jordanella floridana (nat. and exper.) | southern Florida | Elliptio strigosus | |
| Ascocotyle tenuicollis Price, 1935 | Scott, L., 1965 a | Elliptio toumeyi | |
| Fundulus heteroclitus (conus arteriosus and walls of heart ventricle) chicks (exper.) | Southeastern New Hampshire | Fusconaria escambia | |
| | | Fusconaria succissa | |
| | | Lampsilis anodontoides floridensis | |
| | | Lampsilis subangulata | |
| | | Villosa lienosa | |
| | | Pleurobema strodeanum | |
| | | Quincuncina infucata | |
| | | Aspidogaster conchicola | Kuprianova-Shakhmatova, R. A., 1965 a |
| | | Anodontula cygnea | all from USSR, central Povolzh'e |
| | | Unio tumidus (peritoneal cavity) | |
| | | Aspidogaster limacoides | Komarova, T. I., 1963 a |
| | | A[spidogaster] limacoides | Dnieper delta |
| | | Aspidogaster limacoides | Komarova, T. I., 1963 b |
| | | Diesing, 1835 (intestine) | Dneprovsk estuary |
| | | [Rutilus rutilus] | |
| | | [Rutilus r. heckeli] | |
| | | [R. frisii] | |
| | | [Leuciscus idus] | |
| | | [Aspius aspius] | |
| | | [Vimba vimba] | |
| | | [Abramis brama] | |
| | | [Blicca bjoerkna] | |
| | | [Scardinius erythrophthalmus] | |
| | | [Carassius carassius] | |
| | | Aspidogaster limacoides seasonal distribution | Komarova, T. I., 1964 b |
| | | Diesing, 1835 (intestine) | Dnieper delta |
| | | [Rutilus r. heckeli] | |
| | | [R. frisii] | |
| | | [Leuciscus idus] | |
| | | [Blicca bjoerkna] | |
| | | [Vimba vimba] | |

- A[spidogaster] limacoides +fish Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Aspidogaster limacoides [Abramis brama] [Blicca bjoerkna] [Rutilus rutilus] [R. rutilus heckeli] [Scardinius erythrophthalmus] [Vimba vimba] [Cyprinus carpio] [Leuciscus idus] [L. cephalus] [Silurus glanis] Koval, V. P., 1963 b all from lower region, Kakhovsk reservoir
- Aspidogaster limacoides Diesing, 1835 (intestine) Rutilus rutilus Abramis sapa A. brama Vimba vimba Leuciscus cephalus Aspius aspius Marits, N. M., 1963 a, 36 all from Moldavia
- Aspidogaster limacoides Diesing, 1835 Rutilus rutilus "veresszárnyú koncér"
- Aspidogaster limacoides distribution Sprehn, C. E. W., 1967 a Europe
- Aspidogaster limacoides (Dies, 1835) (intestine) [Blicca bjoerkna] [Abramis brama] [Leuciscus idus] [Rutilus rutilus] Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs
- Aspidogaster parabramaiae life cycle, evolution T'ang, C.-C.; and T'ang, C.-T., 1968 a
- Astacatrema gen. n. Psilostomidae; Sphaeridiotrematinae Macy, R. W.; and Bell, W. D., 1968 a, 319 tod: A. macrocotyla sp. n.
- Astacatrema macrocotyla gen. et sp. n. (tod) 1968 a, 319, 320-323, Astacus trowbridgi (gills, sternites) Flumenicola virens Gallus gallus domesticus (exper.) Macy, R. W.; and Bell, W. D., 1968 a, 319, 320-323, rivers in northwest Oregon "
- Astacotrema cirrigerum distribution Sprehn, C. E. W., 1967 a Europe
- Astiotrema Looss, 1900 key to species Agrawal, V., 1966 h, 137
- Astiotrema Looss, 1900 review of genus Dwivedi, M. P., 1966 b
- Astiotrema cyclomydis Siddiqi, 1965 name emendation for A. cyclemysi Siddiqi, 1965, key Agrawal, V., 1966 h, 135, 137
- Astiotrema cyclemysi Siddiqi, 1965 name emended to A. cyclomydis Agrawal, V., 1966 h, 135
- Astiotrema emydis Ejsmont, 1930 key
- Astiotrema emydis Eremias arguta
- Astiotrema emydis distribution
- Astiotrema foochowensi [sic] Tang, 1936 Chelonia
- Astiotrema impletum (Looss, 1899) key
- Astiotrema lissemys n. sp. key Lissemys punctata punctata (intestine)
- Astiotrema lobiorchis Tiwari, 1958 as syn. of A. loossii Mehra, 1931
- Astiotrema longicirra sp.nov. Kachuga intermedia
- Astiotrema loossii Mehra, 1931 Syn.: A. lobiorchis Tiwari, 1958 Kachuga intermedia (intestine)
- Astiotrema monticellii Stossich, 1904 key
- Astiotrema monticelli Natrix natrix Vipera berus
- Astiotrema monticelli
- Astiotrema odhneri Bhalerao, 1936 as syn. of Astiotrema reniferum (Looss, 1898)
- Astiotrema reniferum (Looss 1898) Stossich, 1904 Heteropneustes fossilis (intestine)
- Astiotrema reniferum (Looss, 1898) Loos, 1900 key Kachuga dhongoka (intestine)
- Astiotrema (Biguetrema) tananarivense Deblock and Capron, 1962 as syn. of Laiogonimus tananarivense (Deblock and Capron, 1962) n. comb.
- Agrawal, V., 1966 h, 137
- Shevchenko, N. N., 1963 b Severskii Donets valley
- Sprehn, C. E. W., 1967 a Europe
- T'ung, Y.-J.; and Sun, C.-P., 1968 a Nanking, China
- Agrawal, V., 1966 a, 137
- Dwivedi, M. P., 1966 b, 37
- Dwivedi, M. P., 1966 b, 32, 39-41, figs. 5-6 Pariat Tank, Jabalpur, M. P. India
- Dwivedi, M. P., 1966 b, 32-39, figs. 1-4 Pariat Tank, Jabalpur, M. P. India
- Agrawal, V., 1966 h, 137
- Shevchenko, N. N., 1963 b all from Severskii Donets valley
- Shevchenko, N. N., 1963 c Northern Donets, Khar'kovsk oblast
- Agrawal, V., 1966 h, 135
- Agrawal, V., 1966 g, 226-227, pl. 3, fig. 1 Lucknow
- Agrawal, V., 1966 h, 133-136, 137, 145, 147, figs. 1-10 Lucknow, India
- Fischthal, J. H.; and Thomas, J. D., 1968 a, 9

| | | | |
|---|--|---|---|
| Astiotrema tanaanarivense | Richard, J., 1968 a, figs., 2F-G | | |
| cercaria chaetotaxy | | | |
| Asymphlodora | Sprehn, C. E. W., 1967 a [lapsus for: Asymphlodora] | | Jilek, J.; and Lucký, Z., 1967 a, fig. 7 Stausee von Kníničky, CSSR |
| Asymphlodora | Marits, N. M., 1963 c Moldavia | Asymphlodora imitans Abramis brama (Darm) | Komarova, T. I., 1963 a Dnieper delta |
| Asymphlodora | Sprehn, C. E. W., 1967 a [lapsus as: Asymphlodora] | Asymphlodora imitans A[symphlodora] imitans | Komarova, T. I., 1963 b Dneprovsk estuary |
| Asymphlodora sp. Lithoglyphus naticoides | Chernogorenko-Bidulina, M.I., 1966 a, 38-39, fig. 8 upper Dnieper | Asymphlodora imitans (Mühling, 1898) [Rutilus rutilus] [Rutilus r. heckeli] [Abramis ballerus] [Aspius aspius] [Leuciscus idus] [Abramis brama] [Blicca bjoerkna] [Vimba vimba] [Pelecus cultratus] | Komarova, T. I., 1964 a, 79 all from Dnieper delta |
| Asymphlodora sp. I (Cercariaeum I Zdárská, 1963) | Kiseliene, V. K., 1966 a Lithuanian SSR | Asymphlodora imitans seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Bithynia tentaculata | | | |
| Asymphlodora sp. [Lucioperca lucioperca] (intestine) | Komarova, T. I., 1966 a, 61 Dnieper estuary | Asymphlodora imitans (Muh- ling, 1898) (intestine) [Aspius aspius] [Blicca bjoerkna] [Vimba vimba] | Komarova, T. I., 1966 a, 61 all from Dnieper estuary |
| Asymphlodora sp. Alburnus alburnus | Margaritov, N. M., 1966 a, 159 Bulgarian sector of Donau river | Asymphlodora imitans +fish | Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin |
| Asymphlodora sp. (imitans?) Planorbis planorbis | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 74-75, fig. 13a-b Western Kazakhstan | Asymphlodora imitans (Mühling, 1898) (intestine) Vimba vimba Abramis sapo Abramis brama | Marits, N. M., 1963 a, 41 all from Moldavia |
| Asymphlodora sp. cercaria- eum (=Cercaria crassa?) Valvata piscinalis | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 76, fig. 13 v Western Kazakhstan | Asymphlodora imitans (Mühling, 1898) (intestine) Vimba vimba Abramis sapo Abramis brama | Molnár, K., 1963 a, 107 all from Hungary |
| Asymphlodora [sp.] Bithynia tentaculata Pisidium amnicum | Vergun, G. I., 1963 a Northern Donets " | Asymphlodora imitans [Blicca bjoerkna] [Abramis brama] [Aspius aspius] | Asymphlodora imitans [Blicca bjoerkna] [Abramis brama] [Aspius aspius] |
| Asymphlodora demeli Mar- kowski, 1935 | Komarova, T. I., 1964 a, 79 all from Dnieper delta | [Abramis brama "dévérkeszeg"] [Abramis ballerus "laposkeszeg"] [Pelecus cultratus "garda"] [Blicca björkna "ezüstös balin"] [Chondrostoma nasus "paduc"] | Vasil'kov, G. V.; Kamenskii, I. V.; Biriúkova, L. P., and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |
| Asymphlodora demeli Mar- kowski, 1935 | Komarova, T. I., 1964 b Dnieper delta | Asymphlodora imitans (Mühling, 1898) (intestine) [Blicca bjoerkna] [Abramis brama] [Aspius aspius] | Wierzbicka, J., 1965 a, figs. 1a-b, 2a-d, 3-4, 5a-c Vistula river, near Toruń |
| Asymphlodora demeli Markowski, 1935 | Marits, N. M., 1963 a, 41 Moldavia | Asymphlodora imitans (Mühling, 1898) Looss, 1899 Abramis brama | Wyrzykowska, B., 1964 a, 154, 155 Zegrzyński Reservoir |
| Asymphlodora demeli Scardinus erythroph- thalmus (intestine) | | | |
| Asymphlodora [sic] dollfusi | Sprehn, C. E. W., 1967 a distribution | Asymphlodora imitans (Mühling, 1898) (intestine) [Blicca bjoerkna] [Abramis brama] [Aspius aspius] | |
| Asymphlodora [sic] exspinosa | Sprehn, C. E. W., 1967 a distribution | Asymphlodora imitans (Mühling, 1898) Looss, 1899 Abramis brama | |
| Asymphlodora ferruginosa | Krotas, R. A., 1963 b Neman river | Asymphlodora imitans (Mühling, 1898) Abramis brama (intestine) | |
| Asymphlodora [sic] ferrugi- nosa | Sprehn, C. E. W., 1967 a distribution | Asymphlodora kubanicum | Komarova, T. I., 1963 a Dnieper delta |
| | | A[symphlodora] kubanicum | Komarova, T. I., 1963 b Dneprovsk estuary |

- Asymphylodora kubanicum* (Issaitschikow, 1923) Komarova, T. I., 1964 a, 79
 (intestine)
 [Rutilus rutilus]
 [Rutilus r. heckeli]
 [Abramis brama]
 [Rutilus frisii]
 [Blicca bjoerkna]
 [Vimba vimba]
 [Abramis ballerus]
 [Leuciscus idus]
 [Cyprinus carpio]
- Asymphylodora kubanicum* seasonal distribution Komarova, T. I., 1964 b
 Dnieper delta
- Asymphylodora kubanicum* (Issaitschikov, 1923) Komarova, T. I., 1966 a, 61
 all from Dnieper estuary
- Asymphylodora kulanicum* (sic) +fish Kosareva, N. A., [1966 a]
 reservoirs of Volgo-Don
 Navigable Canal Honoring V. I. Lenin
- Asymphylodora kubanicum* (Issaitschikoff, 1923) (intestine) Marits, N. M., 1963 a, 42
 Cyprinus carpio
 Rutilus rutilus
 all from Moldavia
- Asymphylodora markewitschi* (crijevo) Canković, M.; Kiskarolj, M.; and Ramadanić, R., 1968 a
 Barbus barbus all from Sava river
 Scardinius erythrophthalmus
- [*Asymphylodora*] markewitschi Komarova, T. I., 1963 b
 [Cyprinus carpio] Dneprovsk estuary, all from
 [Esox lucius]
- Asymphylodora markewitschi* Kulakowskaja, 1947 Komarova, T. I., 1966 a, 61
 Dnieper estuary
 [Cyprinus carpio] (intestine)
- Asymphylodora markewitschi* Kulakowskaja, 1947 Marits, N. M., 1963 a, 42
 (intestine)
 Rutilus rutilus heckeli
 Carassius carassius
 Scardinius erythrophthalmus
 all from Moldavia
- Asymphylodora markewitschi* Kulakowskaja, 1947 Molnár, K., 1963 a, 107
 Barbus barbus "márná"
 Chondrostoma nasus "paduc"
 Leuciscus idus "ónos jász"
- Asymphylodora markewitschi* Kulakowskaja, 1947 Wyrzykowska, B., 1964 a, 154,
 155-156
 Leuciscus idus (intestine) Zegrzynski Reservoir
- Asymphylodora pontica* Tscherneyschenko, 1949 Chaplina, O. M.; and Antsishkina, L. M., 1961 a
 [Melletes papilio] small rivers of Northern Azov
- Asymphylodora progenetica* Bithynia tentaculata Kuprianova-Shakhmatova, R. A., 1965 a
 USSR, central Povolzh'e
- Asymphylodora* [sic] progenetica distribution Sprehn, C. E. W., 1967 a
 Europe
- Asymphylodora tincae* (Modeer, 1790) Ha, K., 1964 a
 Tinca tinca (intestine) Alol group of lakes (Pskov oblast)
- Asymphylodora tincae* Tinca tinca (Darm) Jilek, J.; and Lucky, Z., 1967 a
 Staausee von Kninický, CSSR
- Asymphylodora tincae* (Modeer, 1790) Kiseliene, V. K., 1966 a
 Bithynia tentaculata Lithuanian SSR
- Asymphylodora tincae* (Modeer, 1790) [Tinca tinca] (intestine) Komarova, T. I., 1964 a, 79
 Dnieper delta
- Asymphylodora tinca* +fish Kosareva, N. A., [1966 a]
 reservoirs of Volgo-Don
 Navigable Canal Honoring V. I. Lenin
- Asymphylodora tincae* B. leachi Kuprianova-Shakhmatova, R. A., 1965 a
 all from USSR, central Povolzh'e
- Asymphylodora tincae* Tinca tinca (intestine) Marits, N. M., 1963 a, 41
 Moldavia
- Asymphylodora tincae* (Modeer, 1790) Molnár, K., 1963 a, 107
 Tinca tinca "compō"
 Hungary
- Asymphylodora tincae* (Modeer, 1790) Smirnova, V. A.; and Ibrashëva, S. I., 1967 a, 75-76
 Lymnaea stagnalis Western Kazakhstan
- Asymphylodora* [sic] tincae distribution Sprehn, C. E. W., 1967 a
 Europe
- Asymphylodora tincae* (Modeer, 1790) (intestine) Vasil'kov, G. V.; Kamenskii, I. V.; Birilukova, L. P.; and Ponomareva, E. V., 1965 a
 [Tinca tinca]
 Rutilus rutilus all from Moskov area reservoirs
- Asymphylodora tincae* (Modeer, 1790) Wyrzykowska, B., 1964 a, 154, 155
 Tinca tinca (intestine) Zegrzynski Reservoir
- Athesmia Dicrocoeliidae, key Cosgrove, G. E., 1966 a, fig. 2
- Athesmia sp. (probably A. foxi) Ewing, S. A.; Helland, D. R.; Anthony, H. D.; and Leipold, H. W., 1968 a, figs. 1-4
 Cebus albifrons (biliary ducts) Kansas State Univ. obtained from primate import company
- Athesmia foxi Saimiri sciureus (lumens of interlobular bile ducts) Bostrom, R. E.; and Slaughter, L. J., 1968 a, figs. 1-2
- Athesmia foxi Goldberger & Crane, 1911 (liver) Faust, E. C., 1967 a, 113-118, fig. 1
 question of identity with Athesmia heterolecithodes held in abeyance
 Saimiri sciurea Colombia
 Cebus capucinus "
 C. albifrons "
 C. apella "
 Oedipomidas oedipus "
 Rattus argentiventer Malaysia

| | | | |
|--|--|--|--|
| <i>Athesmia heterolecithodes</i> (Braun, 1899) Looss, 1899 (bile duct, gall bladder) | Byrd, E. E.; Prestwood, A.K.; Kellogg, F. E.; and Heard, R. W. III, 1967 a | <i>Azygia angusticauda</i> <i>Esox lucius</i> <i>Etheostoma nigrum</i> (stomach, all from) | Larson, O. R., 1966 a all from Itasca Park, Minnesota |
| <i>Meleagris gallopavo silvestris</i> | Clarke Co., Alabama; Hampshire Co., West Virginia | | |
| <i>Bonasa u. umbellus</i> | Pocahontas Co., West Virginia | | |
| <i>Rallus longirostris</i> subsp. | Louisiana; Alabama; Florida; North Carolina | | |
| <i>Nothura maculosa</i> subsp. | Republic of Argentina | <i>Azygia [sic] hwangtisyui</i> <i>Ophicephalus argus</i> (stomach, intestines) | Chiang, T.-C., 1968 a China |
| <i>N. darwinii</i> subsp. | " " | | |
| <i>Athesmia heterolecithodes</i> (Braun, 1899) Looss, 1899 | Faust, E. C., 1966 b, 335-336 Foochow, coastal South China | <i>Azygia longa</i> (Leidy, 1815) <i>Salvelinus fontinalis</i> (stomach) | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1916 Newfoundland |
| <i>Callicrex cinerea</i> (bile ducts) | | | |
| <i>Athesmia heterolecithodes</i> question of identity with <i>A. foxi</i> held in abeyance | Faust, E. C., 1967 a | <i>Azygia lucii</i> <i>Silurus glanis</i> (želudac) | Canković, M.; Kiškarolj, M.; and Ramadanović, R., 1968 a Sava river |
| <i>Athesmia heterolecithodes</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Azygia lucii</i> (O. F. Mueller) | Dollfus, R. P. F., 1966 d, figs. 13-14 |
| <i>Athesmia heterolecithodes</i> (Braun, 1899) (bile ducts) | Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 186-187 all from Panama | <i>Azygia lucii</i> (Miller, 1776) <i>Esox luceus</i> [sic] (stomach, Alol group of lakes (Pskov intestine) | Ha, K., 1964 a oblast) |
| <i>Saguinus geoffroyi</i> | | | |
| <i>Actus trivirgatus</i> | | <i>Azygia lucii</i> | Kaletskaia, S. L., 1965 a Zapadnaia Dvina |
| <i>Cebus capucinus</i> | | [<i>Esox lucius</i>] | |
| <i>Atriophallophorus minutus</i> (Price, 1934) Deblock et coll., 1964 key | Deblock, S.; and Tran Van Ky, P., 1966 a, 52 | <i>Azygia lucii</i> O. F. Müller, 1776 (stomach) <i>Esox lucius</i> <i>Lucioperca lucioperca</i> | Komarova, T. I., 1961 a, 252 all from Central Dnieper |
| <i>Atriotrema lecitholaterale</i> Belop., 1958 key | Belopol'skaia, M. M., 1965 a foci of infection | <i>Azygia lucii</i> (O. F. Müller, 1776) [<i>Esox lucius</i>] (stomach) [<i>Lucioperca lucioperca</i>] (stomach) [<i>Perca fluviatilis</i>] " | Komarova, T. I., 1964 a, 79 all from Dnieper delta |
| <i>Atriotrema lecitholaterale</i> Belop., 1958 key | Deblock, S.; and Tran Van Ky, P., 1966 a, 53 | <i>Azygia lucii</i> seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| <i>Australapatemon skrabini</i> Ryjikov, Leonov et Zimbaluk, 1964 (intestine) | Maksimova, A. P., 1967 a, 132-133, fig. 6 all from Western Kazakhstan | <i>Azygia lucii</i> (Miller, 1776) [<i>Aspius aspius</i>] [<i>Esox lucius</i>] [<i>Silurus glanis</i>] | Komarova, T. I., 1966 a, 60 all from Dnieper estuary |
| <i>Anas penelope</i> | | | |
| <i>Nyroca marila</i> | | <i>Azygia lucii</i> | Liubarskaia, O. D., 1963 a Kuibyshev reservoir |
| <i>Anas querquedula</i> | | [<i>Esox lucius</i>] | |
| <i>Nyroca fuligula</i> | | | |
| <i>Austrobilharzia variglandis</i> (Miller and Northup, 1926) (mesenteric veins) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina | <i>Azygia lucii</i> (Miller, 1776) <i>Esox lucius</i> (esophagus) | Marits, N. M., 1963 a, 39 Moldavia |
| <i>Larus argentatus</i> | | | |
| <i>L. atricilla</i> | | <i>Azugia [sic] lucii</i> | Puidak, U., 1965 a, 554 Estonian coastal waters |
| <i>Axine belones</i> chemistry and evolution, sclerites | Lyons, K. M., 1966 a | <i>Azygia lucii</i> [<i>Esox lucius</i>] | Semenova, N. N., 1967 a Moskov oblast |
| <i>Azugia</i> [lapsus for: <i>Azygia</i>] | Puidak, U., 1965 a, 554 | <i>Azygia lucii</i> Brachymystax lenok <i>Esox lucius</i> <i>Perca fluviatilis</i> | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR |
| <i>Azygia</i> [lapsus as: <i>Azyzia</i>] | Chiang, T.-C., 1968 a | <i>Azygia lucii</i> distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Azygia</i> [lapsus as: <i>Azugia</i>] | Puidak, U., 1965 a, 554 | <i>Azygia lucii</i> (Miller, 1776) <i>Esox lucius</i> (intestine) <i>Lota lota</i> | Sulimov, A. D.; Galkin, M. F.; and Tumentseva, G. I., 1965 a all from Russia, Tuva ASSR |
| <i>Azygia</i> sp. (stomach) <i>Esox lucius</i> <i>Perca flavescens</i> | Larson, O. R., 1966 a all from Itasca Park, Minnesota | <i>Azygia lucii</i> (Miller, 1776) [<i>Esox lucius</i>] (stomach) | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs |

- Azygia lucii (Müller, 1776) Lühe 1909
Esox lucius (stomach, esophagus, oral cavity)
- Azygia robusta
Hucho taimen
- Wyrzykowska, B., 1964 a, 154; 157
Zegrzynski Reservoir
- Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a
Tuva ASSR
- Azygia volgensis distribution
- Azyzia [lapsus for: Azygia]
- Azygiidae not harmed by industrial pollution
- Sprehn, C. E. W., 1967 a Europe
- Chiang, T.-C., 1968 a
- Chernogorenko-Bidulina, M.I., 1963 a Desna river

| | | | |
|---|---|---|--|
| Bacciger bacciger (Rudolphi, 1819) Nicoll, 1914 [<i>Atherina mochon pontica</i>] | Chaplina, O. M.; and Antish- kina, L. M., 1961 a small rivers of Northern Azov | Batrachotrema petropedetis n. g., n. sp. (mt) Petropedetes natator (intestin grêle) | Dollfus, R. P. F.; and Will- iams, M. O., 1966 a, 201-207, figs. 1-3 à Freetown (Sierra Leone) |
| Bacciger bacciger, cercaria <i>Venus gallina</i> | Dolgikh, A. V., 1963 a Crimean coast, Black Sea | Benedenia sp. Fugu vermicularis Fugu niphobles Fugu pardalis Fugu vermicularis radiatus Epinephelus moara Semicossyphus reticulatus | Tsutsumi, T.; and Ito, T., 1965 a, figs. 1-5, pls. 52-53, figs. 1-12 |
| Bacciger bacciger <i>Atherina mochon pontica</i> <i>A. hepsetus</i> <i>A. bonapartei</i> | Kovaleva, A. A., 1963 a all from Black Sea, Karadag region | Benedenia derzhavini (Layman, 1930) (gills) Sebastodes alutus S. introniger | Mamaev, Iu. L., 1965 a, 169 all from Bering Sea |
| Bacciger bacciger (Rud., 1819) Trachurus mediterraneus ponticus (intestine) | Kovaleva, A. A., 1965 a Black Sea | Bicyclophora Price, 1936 emend. Microcotylidae; Bicyclo- phorinae | Caballero y Caballero, E.; and Bravo-Hollis, M., 1965 b, 102 |
| Bacciger bacciger electron microscopic morphology of rediae and sporocyst absorptive structures | Matricon-Gondran, M., 1967 a | Bicyclophora trachinoti (MacCallum, 1921) Price, 1936 Syn.: Dactylocotyle trachinoti MacCallum, 1921 Trachinotis carolinus (branquias) | Caballero y Caballero, E.; and Bravo-Hollis, M., 1965 b, 103-106, 119, figs. 1-4 Veracruz, Golfo de Mexico, Mexico |
| Bacciger bacciger (Rudol- phi, 1819) Nicoll, 1914 <i>Engraulis encrasicholus</i> <i>ponticus</i> (intestine) | Nikolaeva, V. M., 1963 a, 410- 411 Black Sea | Bilateracycloides madra- sensis sp.nov. Caranx rottleri (gills) | Rahda, E., 1966 a, 311-315, figs. 1-4 Madras coast of India |
| Bacciger petrowi (Layman, 1930) <i>Clupea harengus pallasi</i> (pyloric caeca, intestine) <i>Salvelinus malma</i> | Zhukov, E. V., 1963 a, 103 all from Chukotsk Peninsula | Bilharciella [lapsus for: Bilharziella] | Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a |
| Bancroftrema gen. n. | Angel, L. M., 1966 a, 1058, 1059 tod: <i>B. neoceratodi</i> sp. n. | Bilharzia Meckel von Hem- back, 1856; Cobbold, 1859 nomenclature history | Mansour, K., 1962 a |
| Bancroftrema neoceratodi gen. et sp. n. (tod) Syn.: <i>Amphistoma</i> sp. Johnston, 1913 <i>Neoceratodus forsteri</i> (digestive tract) | Angel, L. M., 1966 a, 1058- 1061, figs. 1-4 Burnett River, Queensland, Australia | Bilharziasis. See Schistosomiasis. | |
| Barbulostomum gen. n. Lepocreadiidae; Homalo- metroninae | Ramsey, J. S., 1965 a, 777, 778 tod: <i>B. cupuloris</i> sp. n. | Bilharziella [lapsus as: Bilharciella] | Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a |
| Barbulostomum cupuloris gen. et sp. n. (tod) <i>Lepomis microlophus</i> (intes- tine) <i>L. punctatus miniatus</i> " | Ramsey, J. S., 1965 a, 777- 779, figs. 1-2 Lake Pontchartrain, Bonnet Carré Spillway, Norco, St. Charles Parish, Louisi- ana, all from | Bilharziella polonica (Kowalewski, 1895) [Anas platyrhynchos] | Belokobylenko, V. T., 1965 a Ural oblast |
| Baschkirovitrema. See Bashkirovitrema. | | Bilharziella polonica human | Berezantsev, Iu. A.; and Kur- ochkin, Iu. V., 1966 a USSR |
| Baschkirovitrema [sic] Sergeeva, T. P.; and Krasno- skrijabini Krasnolobova et Sergeeva, in lit. [nomen nudum] <i>Larus ridibundus</i> (small intestine) | Sergeeva, T. P.; and Krasno- skrijabini Krasnolobova et Sergeeva, in lit. [nomen nudum] <i>Tuva</i> | Bilharziella polonica dermatitis, human | Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 b Volga delta |
| Batrachotrema n. g. Batrachotrematinae; Ba- trachotrematidae | Dollfus, R. P. F.; and Will- iams, M. O., 1966 a mt: Batrachotrema petroped- etis n. g., n. sp. | Bilharziella polonica (Kow., 1895) Planorbis planorbis | Butenko, Iu. V., 1967 a, 31 South Kazakhstan |
| | | Bilharziella polonica Anas acuta | Churina, N. V., 1963 a Srednii Ural |
| | | Bilharciella [sic] pol- onica Looss, 1899 <i>Limosa limosa</i> | Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a Sofia |

- Bilharziella polonica (Kowalewski, 1895) Kazlauskas, J., 1968 a
Cygnus olor Zuvintas Lake
- Bilharziella polonica [Anas crecca] Kibakin, V. V., 1965 a
Gasan-Kuliisk game reserve
- Bilharziella polonica Kowalewsky, 1895 Litvishko, N. T., 1963 a
Coretus corneus Ukraine
- Bilharziella polonica Anas acuta Maksimova, A. P., 1966 a
A. platyrhynchos all from South Kazakhstan
- Bilharziella polonica (Kowalewsky, 1895) (blood) Maksimova, A. P., [1966 b]
Cygnus cygnus all from Karaganda oblast,
Anas crecca Kazakhstan
- Nyroca ferina
Nyroca fuligula
Anas clypeata
Anas querquedula
- Bilharziella polonica (Kowal., 1895) Maksimova, A. P., 1967 a, 126
Anas platyrhynchos all from Western Kazakhstan
- A. crecca
A. querquedula
A. acuta
Nyroca ferina
- Bilharziella polonica (Kowalewski, 1895) Loos, 1899 Olteanu, G.; and Stoican, E.,
Loos, 1899 1963 b, 230
rată Romania
- Bilharziella polonica (Kowalewski, 1895) Oshmarin, P. G., 1965 b
Anas platyrhynchos Buriat ASSR
- Bilharziella polonica Sailov, D.. I., 1963 a
[Anser anser] Azerbaijan
- Bilharziella polonica Shevtsov, A. A., 1963 c
[Anas platyrhynchos] all from Ukraine
- Bilharziella polonica Shevtsov, A. A., 1966 b
[Anser anser] Ukrainian SSR
- Bilharziella polonica Smogorzhevskaiia, L. A.; and Iskova, N. I., 1963 a
[Anas platyrhynchos] [Anser anser] all from Ukrainian SSR
- Bilharziella polonica distribution Sprehn, C. E. W., 1967 a
Europe
- Bilorchis Mehra, 1937 Dwivedi, M. P., 1965 a, 35
emend.
- Bilorchis mehrai sp.nov. Dwivedi, M. P., 1965 a, 31-36
Kachuga intermedis
(gall bladder)
Footatal tank of Jabalpur,
M. P., India
- Bolbocephalodes intestini-forax distribution Sprehn, C. E. W., 1967 a
Europe
- Bolboforus. See *Bolbophorus*.
- Bolbophorus sp. Deodhar, N. S.; and Narasapur, V. S., 1968 a
Pelecanus onocrotalus Victoria Gardens (zoo),
Bombay
- Bolbophorus confusus Olson, R. E., 1966 a
(exper.)
Salmo gairdneri
S. trutta
Salvelinus fontinalis
Prosopium williamsoni
Pimephales promelas
Rhinichthys cataractae
Hybopsis gracilis
Pantosteus platyrhynchus
Catostomus commersoni
Gambusia affinis
Lepomis macrochirus
Ictalurus punctatus
Cottus bairdi
- Bolboforus [sic] confusus Osmanov, S. O., 1965 c
Pseudoscaphirhynchus Kaufmanni
- Bolbophorus confusus Roman-Chiriac, E., 1965 a,
(Krause, 1914) 144
Pelecanus onocrotalus Danube delta, Romania
- Bothitrema Price, 1936 Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 161, fig. 10A, V
- Bothitrema bothi (MacCallum, 1913) Price, 1936 Pogorel'tseva, T. P., 1964 b, 35-36, fig. 4
Bothus maeoticus (gills) Black Sea
- Brachycoelium ambystomae Couch, J. A., 1966 a, 46-48,
sp. n. figs. 1-4
Ambyxstoma opacum (small intestine)
Ochlockonee River, Leon County, Florida
- Brachycoelium lynchii Martin, G.W., 1966 b, 1066
Inglis, 1936 as syn. of Prosthopycoidea lynchii (Inglis, 1936) comb.n.
- Brachycoelium mesorchium Jordan, H. E., 1963 a
Byrd, 1937 life history, development
Triodopsis carolinensis
Mesodon inflectus
Zonotriodes arboreus
Anguispira alternata
Gastrocpta contracta
Stenotrema barbigerum
Philomyces carolianus
Deroceras laeve
Desmognathus fuscus (exper.)
Eurycea bislineata (exper.)
- Brachycoelium mesorchium Jordan, H. E.; and Byrd, E.
Byrd, 1937 E., 1967 a
(exper.)
Triodopsis carolinensis
Mesodon inflectus
Desmognathus fusca fusca (intestine)
Eurycea bislineata cirrigera "

| | | | |
|---|--|---|---|
| Brachycoelium salamandrae distribution | Sprehn, C. E. W., 1967 a Europe | Brachylaemus eophonae Yamaguti, 1941 | Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka |
| Brachydistomum salebrosum (Braun, 1901) luscinius Oschmarin, 1952 Luscinia calliope (gall bladder) | Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka | Turdus obscurus (small intestine) | |
| Brachylaema. See Brachylaime. | | Brachylaemus fulvus Dujardin, 1843 (Darmkanal) Sorex araneus Neomys fodiens Crocidura leucodon Crocidura russula | Edelenyi, B., 1965 a, fig. 1 Hungary, all from |
| Brachylaemidae not harmed by industrial pollution | Chernogorenko-Bidulina, M. I., 1963 a Desna river | Brachylaime fulvum Dujardin 1843 Sorex araneus Neomys fodiens Crocidura leucodon C. suaveolens Neomys anomalus | Genov, T.; and Dimitrova, E. A. 1966 a, 127, 128, 146, 147, 148, 149, 150, 151, 152, 156, all from Bulgaria |
| Brachylaemidae Stiles et Hassall, 1898 biology, list of species reported from Kirgiz | Kogentupova, Sh. K., 1966 a, 91 | Brachylaemus fuscatus (Rudolphi, 1819) Turdus ericetorum philomelos Sturnus vulgaris vulgaris (posterior ileum and rectum) Turdus viscivorus viscivorus Turdus musicus musicus | James, B. L.; and Llewellyn, L. C., 1967 a all from the island of Skomer off Wales |
| Brachylaime. See Brachylaime. | | Brachylaemus fuscatus (Rud., 1819) Macrachlamys kasachstani (exper.) Bradybaena plectotropis var. phaeozona (exper.) B. duplocincta (exper.) Jaminia potaniniana var. albiplicata (exper.) [Mus musculus] (exper.) | Kogentupova, Sh. K., 1966 a, 95 |
| For discussion of orthography and claimed priority of Brachylaime see Kruidenier, F. J.; and Gallicchio V., 1959 a, 429-430, 432. | | Brachylaemus fuscata (Rudolphi, 1819) pigeon (small intestine) | Macchioni, G., 1968 a, fig. 1 Italy |
| Brachylaime Dujardin, 1943, emend. Syns.: Ectosiphonus Sinitzin, 1931; Entosiphonus Sinitzin, 1931 key to species, North American rodents | Ubelaker, J. E.; and Dailey, M. D., 1966 b, 1062, 1064, 1065 | Brachylaemus fuscatus (Rud., 1819) Streptopelia orientalis | Oshmarin, P. G., 1965 b Buriat ASSR |
| Brachylaemus sp. Turdus musicus (small intestine) | Makarenko, V. K., 1965 a, 162-163, fig. 1 USSR, central Urals | Brachylaemus fuscatus (Rudolphi, 1819) Sturnus vulgaris | Stoimenov, K. A.; and Trifonov, T., 1965 a Bulgaria, Bourgas district |
| Brachylaemus sp. juv. Tetrastes bonasia | Oshmarin, P. G., 1965 b Buriat ASSR | Brachylaemus fuscatus (Rudolphi, 1819) Larus argentatus | Threlfall, W., 1966 c, 4 Wales |
| Brachylaemus sp. I Succinea altaica S. granulosa Cochlicopa lubrica Vallonia costata Euconulus fulvus Perpolita petronella Zenobiella nordenskioldi | Panin, V. Ia., 1967 b, 7-9, fig. 1 all from Southern Altai, Kazakhstan | Brachylaemus fuscatus (Rudolphi, 1819) Meleagris gallopavo silvestris | Vasilev, I. D.; and Kamburov, P., 1965 a Bulgaria |
| Brachylaemus sp. Larus argentatus michaelis | Timon-David, J.; and Timon-David, P., 1967 a, figs. 1, 3-9 ile de Riou (archipel au sud de Marseille) flot du Grand Congloué (Est de Riou) | Brachylaemus mesostomus (Rud., 1803) (small intestine) | Khotenovskii, I. A., 1963 a all from Leningrad oblast |
| Eobania vermiculata | | Turdus musicus | Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a all from USSR, Kamchatka |
| Brachylaemus arcuatus (Dujard, 1845) Dryobates major (intestine) | Khotenovskii, I. A., 1963 a, fig. 1 Leningrad oblast | Sturnus vulgaris | |
| Brachylaima chiapensis sp. n. key Peromyscus guatemalensis guatemalensis (small intestine) | Ubelaker, J. E.; and Dailey, M. D., 1966 b, 1062, 1063, 1064, 1065, figs. 1-2, 5 Volcan Tacaná, Chiapas, Mexico | Cuculus optatus Pica pica Emberiza aureola E. rustica E. schoeniclus Anthus hodgsoni Turdus obscurus Luscinia calliope | |
| Brachylaima degiustii n. sp. Nasir, P.; and Rodriguez M., Columba livia (small intestine) | L., 1966 a, 170-172, figs. 1-3 La Llanada de San Juan, south of Gumana, Venezuela | | |

- Brachylaime microti* Frandsen, J. C.; and Grund-Kruidenier and Gallicchio, 1959
Peromyscus maniculatus sonoriensis
- Brachylaime microti* Ubelaker, J. E.; and Dailey, M. D., 1966 b, 1065
 key
- Brachylaemus musculi* (Rudolphi, 1819)
 (small intestine)
Eutamias sibiricus
Clethrionomys rutilus
- Brachylaemus musculi* Apodemus agrarius
- Brachylaemus musculi* rodents
- Brachylaime peromysci* *Peromyscus leucopus* (intestine)
- Brachylaemus peromysci* *Bradybaena duplocincta* (exper.)
 [*Mus musculus*] (exper.)
- Brachylaime peromysci* Reynolds, 1938
 key
- Brachylaime rauschi* McIntosh, 1950
 key
- Brachylaemus recurvus* Dujardin, 1845
Apodemus agrarius
Clethrionomys glareolus
- Brachylaemus recurvus* (Dujardin, 1845)
 [Apodemus agrarius]
 [*Clethrionomys glareolus*]
- Brachylaime rhomboideus* (Sinitzin, 1931) Villella, 1954
 key
- Brachylaime suis* Marotel, 1936
 [1966 a]
 Azerbaidzhan
 [Sus scrofa] (stomach, small intestine)
- Brachylaime thompsoni* (Sinitzin, 1931) comb. n.
 key
- Brachylaime virginianus* Dickerson, 1930
 key
- Brachylaimus.* See *Brachylaime.*
- Brachylecithum* [lapsus for: *Brachylecithum*] Akhumian, K. S., 1966 a
- Brachylecithum* Frandsen, J. C.; and Grunmann, A. W., 1961 b, 393
 Lake Bonneville Basin, Utah
- Gubanov*, N. M., 1964 a, 9,
 fig. 2
 all from Yakutia
- Tenora*, F., 1965 c, 70, 72
 Czechoslovakia
- Tokobaev*, M. M., 1965 a
 Kirgiz
- Childs*, H. E. (jr.); and *Cosgrove*, G. E., 1966 a
 Tennessee
- Kogentupova*, Sh. K., 1966 a,
 95
- Ubelaker*, J. E.; and *Dailey*, M. D., 1966 b, 1065
- Ubelaker*, J. E.; and *Dailey*, M. D., 1966 b, 1065
- Sharpilo*, L. D., 1961 a, 204
 Ukraine, all from
- Sharpilo*, L. D., 1964 a, 210-211, fig. 4
 all from Ukraine
- Ubelaker*, J. E.; and *Dailey*, M. D., 1966 b, 1065
- Mamedov*, R. G., [1966 a]
 Azerbaidzhan
- Ubelaker*, J. E.; and *Dailey*, M. D., 1966 b, 1062, 1063,
 1064, 1065, figs. 3-4
- Ubelaker*, J. E.; and *Dailey*, M. D., 1966 b, 1065
- Akhumian, K. S., 1966 a
- Brachylecithum* [lapsus as: *Brachylecithum*] Makarenko, V. K., 1965 a,
 163-164, fig. 2
 USSR, central Urals
- Brachylecithum americanum* *Corvus brachyrhynchos* (bile duct) Jones, J. (jr.), 1968 a, 26
 Ohio
- Brachylecithum attenuatum* (Dujardin, 1845) (gall bladder, liver)
Acanthis flammea
Anthus hodsoni
Turdus obscurus Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
 all from USSR, Kamchatka
- Brachylecithum attenuatum* Duj., 1845
Passer domesticus
P. montanus
Dryobates minor
Hirundo rustica
Coloeus monedula
Motacilla alba
Turdus merula
Fringilla coelebs Paspalev, G. V.; and Zhelfazkova-Paspaleva, A., 1963 a,
 199
 all from Southwest Bulgaria
- Brachylecithum attenuatum* parimum Duj., 1845
Passer montanus
Garrulus glandarius Paspalev, G. V.; and Zheližkova-Paspaleva, A., 1963 a,
 199
 all from Southwest Bulgaria
- Brachylecithum burjatmon-golicum* Oschmarin, 1952
Tetrastes bonasia (liver) Oshmarin, P. G., 1965 b
 Buriat ASSR
- Brachylecithum* [sic] *coturnix* Oschmarin, 1952
Alectoris graeca caucasica Akhumian, K. S., 1966 a
 Armenian SSR
- Brachylecithum cuculi* Oschmarin, 1952 (liver)
Lanius cristatus Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
 USSR, Kamchatka
- Brachylecithum donicum* (Issatschikoff, 1919)
Motacilla cinerea (liver) Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
 USSR, Kamchatka
- Brachylecithum emberizae* (Yamaguti, 1941)
Carpodacus erythrinus grebnitzkii (bile ducts) Faust, E. C., 1966 b, 342
 Peking, China
- Brachylecithum eophonae* (Yamaguti, 1941)
 (bile ducts)
Eophona personata magnirostris
Motacilla alba baicalensis
Numenius arquatus lineatus Faust, E. C., 1966 b, 342
 all from Peking, China
- Brachylecithum eugenium* Oschmarin, 1952 (liver)
Nucifraga caryocatactes Oshmarin, P. G., 1965 b
 Buriat ASSR
- Brachylecithum filiforme* (Skrjabin, 1913) *biologica* (Semenov, 1927) (kidneys)
Cuculus optatus Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
 USSR, Kamchatka

| | | | |
|---|---|---|---|
| Brachylecithum filiforme longiglandularis Makarenko, 1960 (liver) | Makarenko, V. K., 1965 a, 163 all from USSR, central Urals | Brachyphallus crenatus Rudolphi, 1802 [<i>Pungitius pungitius</i>] | Chaplina, O. M.; and Antsish- kina, L. M., 1961 a small rivers of Northern Azov |
| Turdus musicus <i>T. ruficollis</i> | | | |
| Brachylecithum filum Duj., 1845 | Paspalev, G.V.; and Zhelfaz- kova-Paspaleva, A., 1963 a, 198 Passer montanus <i>P. domesticus</i> Pica pica Turdus merula Motacilla alba | all from Southwest Bulgaria | Mamaev, Iu. L., 1965 a, 179 all from Bering Sea |
| Brachylecithum fringillae (Layman, 1923) (liver) | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka | | |
| Anthus hodgsoni | | | |
| Brachylecithum halcyonis (Yamaguti, 1941) | Faust, E. C., 1966 b, 342-343 Peking, China | Brachyphallus crenatus (Rudolphi, 1802) (stomach) | Zhukov, E. V., 1963 a, 104 all from Chukotsk Peninsula |
| Turdus naumannni naumanni | (bile ducts) | Sebastodes introniger Atherestes evermanni Reinhardtius hippoglossoides matsuurae Hippoglossus hippoglossus stenolepis | |
| Brachylecithum lobatum glandarium Zol., 1936 | Faspalev, G.V.; and Zhelfaz- kova-Paspaleva, A., 1963 a, 199 <i>Garrulus glandarius</i> | Brachyphallus crenatus (Rudolphi, 1802) Odhner, 1905 Salmo salar (oesophagus) | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1916 Newfoundland |
| | Southwest Bulgaria | | |
| Brachylecithum mosquensis (Skrjabin and Isaitschikoff, 1927) | Carney, W. P., 1967 a | Brachyphallus crenatus (Rudolphi, 1802) | Zhukov, E. V., 1963 a, 104 all from Chukotsk Peninsula |
| Camponotus herculeanus | Missoula, Montana | Clupea harengus pallasi (stomach, intestine) | |
| Turdus migratorius (exper.) (bile duct) | | Salvelinus malma (stomach, pyloric caeca) | |
| Allogona ptychophora (exper.) | | Mellesites papilio (intestine) | |
| Camponotus pennsylvanicus (exper.) | | Podothecus acipenserinus (stomach, intestine) | |
| Brachylecithum mosquensis (Skrjabin and Isaitschikoff, 1927) Yamaguti, 1941 | Faust, E. C., 1966 b, 341-342 Foochow, China | Brachypellus musculus [sic] (Looss, 1907) | Kovaleva, A.A., 1965 a Black Sea |
| Gracupica nigrociliis (bile ducts) | | Trachurus mediterraneus ponticus (stomach) | |
| Brachylecithum orfi | Carney, W.P., 1966 b, 768-769 | Brandesia turgida distribution | Sprehn, C. E. W., 1967 a Europe |
| Bonasa umbellus (bile ducts) | Black Diamond, Alberta | | |
| Zonitoides arboreus (digestive gland) (exper.) | | Brandesia turgida | Tschernier, W., 1966 a, 260 all from Germany |
| Discus cronekhitei (mantle pore) (exper.) | | Rana esculenta <i>R. ridibunda</i> | |
| Brachylecithum [sic] papa- bejani (Skrjabin et Udinzev, 1930) | Akhumian, K. S., 1966 a | Brauniina cordiformis Tursiops truncatus (fundic and pyloric stomachs) | Schryver, H. F.; Medway, W.; and Williams, J. F., 1967 a, figs. 1-4 aquaria, Philadelphia, Pennsylvania and Berlin, New Jersey |
| Alectoris graeca caucasica | | | |
| Brachylecithum parvum (Johnston, 1915) | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and | Brauniina cordiformis Wolf, 1903 | Skrjabin, A. S.; Deliamure, S. L.; and Alekseev, E. V., 1963 a, figs. 1-4 Krym, Black Sea |
| <i>Fringilla montifringilla</i> (small intestine) | Sinichkin, Z. N., 1965 a USSR, Kamchatka | Tursiops truncatus (stomach, intestine) | |
| Brachylecithum stunkardi (Pande, 1939) | Fotedar, D. N.; and Raina, M. K., 1965 a, 60 | Brodenia Dicrocoeliidae, key | Cosgrove, G. E., 1966 a, fig. 3 |
| Syn: <i>Lyperosomum stunkardi</i> of Agrawal, 1964 | | Brumptia bicauda | Zumpt, F. K. E., 1965 b |
| Brachylecithum uigurica [sic] Evranova, 1952 | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and | Bucephalidae not harmed by industrial pollution | Chernogorenko-Bidulina, M. I., 1963 a Desna river |
| <i>Acanthis flammea</i> (liver) | Sinichkin, Z. N., 1965 a USSR, Kamchatka | | |
| Brachylecithum [sic] vanel- licola (Layman, 1922) | Akhumian, K. S., 1966 a Armenian SSR | Bucephalidae abstract of dissertation | Corkum, K. C., 1964 a Gulf of Mexico |
| Streptopelia turtrur turtur | | | |
| Brachypallus | Kovaleva, A. A., 1965 a | Bucephalidae [sp.] cercar- iae | Sanders, M. J., 1966 a Port Phillip Bay, Victoria |
| [lapsus for: Brachyphallus] | | Pecten alba (gonad cas- tration) | |
| Brachypallus | Kovaleva, A. A., 1965 a | Bucephaloïdes arcuatus (Lin- ton, 1900) Hopkins, 1954 | Corkum, K. C., 1968 a, 342 Corkum, K. C., 1968 a, 342 |
| [lapsus as: Brachypallus] | | | |
| | | Bucephaloïdes bennetti Hopkins and Sparks, 1958 | |
| | | Paralichthys lethostigma (small intestine) | Barataria Bay, Louisiana |

- Bucephaloides bennetti Hopkins & Sparks, 1958 Corkum, K. C., 1968 a, 342
Paralichthys lethostigma (small intestine) northern Gulf of Mexico
- Bucephaloides caecorum Corkum, K. C., 1968 a, 342
Cynoscion nebulosus (gastrotic ceca and upper intestine) northern Gulf of Mexico
- Bucephaloides callicotyle (Kohn, 1962) Hopkins, 1954 Corkum, K. C., 1968 a, 343
[sic] [n. comb.] northern Gulf of Mexico
Pomatomus saltatrix (upper small intestine)
- Bucephaloides longicirrus (Nagaty, 1937) Hopkins, 1954 Corkum, K. C., 1968 a, 343
Sphyraena barracuda (gastric ceca and upper intestine) northern Gulf of Mexico
- Bucephaloides longoviferus (Manter, 1940) Hopkins, 1954 Corkum, K. C., 1968 a, 344
Sphyraena barracuda (gastric ceca and upper small intestine) northern Gulf of Mexico
- Bucephaloides megacirrus Riggan and Sparks, 1962 Corkum, K. C., 1968 a, 344
Sciaenops ocellata (gastric ceca and upper small intestine) northern Gulf of Mexico
- Bucephaloides paralichthidis Corkum, K. C., 1966 b, 46
Paralichthys lethostigma (small intestine) Barataria Bay, Louisiana
- Bucephaloides scomberomorus n. sp. Corkum, K. C., 1968 a, 344-345, fig. 1
(gastric ceca) Gulf of Mexico, 25 miles
Scomberomorus maculatus S. cavalla south Grand Isle, Louisiana
- Bucephaloides trichiuri So- gandares, 1955 Corkum, K. C., 1968 a, 345-346
Trichiurus lepturus (small intestine) northern Gulf of Mexico
- Bucephalopsis fusiformis/ Bucephalopsis garuai Pande, B. P.; and Arora, G. S., 1968 a
Bufo andersonii "toad" River Jamuna near Mathura, all from
Aspidoparia morar "carp" Barilius ovazardi
- Bucephalopsis fusiformis/B. garuai Pande, B. P.; Chauhan, P. P. S.; and Arora, G. S., 1968 a, figs. 1-3
Bufo andersonii
Aspidoparia morar
Barilius ovazardi
- Bucephalopsis garuai (Verma 1936) Agrawal, V., 1966 g, 217-221, pl. 1, figs. 1-6
Pseudeutropius garua (intestine) Lucknow
- Bucephalopsis graciliscesns (Rud., 1819) Mamaev, Iu. L., 1965 a
Reinhardtius hippoglossoides matsuurae
- Bucephalopsis graciliscesns (Rudolphi, 1819) Zhukov, E. V., 1963 a, 98
Salvelinus malma (pyloric caeca)
Platessa quadrifurcata (intestine)
Pleuronectes stellatus (intestine)
Dallia pectoralis (gills) all from Chukotsk Peninsula
- Bucephalopsis haemaena [sic] cercaria, effect on host Cardium edule (digestive tubules)
- Bucephalopsis haemaena [sic] daughter sporocysts, carbohydrates, lipids, enzymes
- Bucephalopsis haemaena [sic] Lacaze-Duthiers, 1854, cercaria ultrastructure, daughter sporocyst Cardium edule
- Bucephalopsis iskaensis sp. nov. Salvelinus leucomaenis (intestine)
- Bucephalopsis pusilla Stizostedion v. vitreum
- Bucephalus sp. Crassostrea virginica
- Bucephalus sp. carbohydrates in parasite and oyster host
- Bucephalus [sp.] (musculature and gills) [Rutilus rutilus heckeli]
[R. frisii]
[Blicca bjoerkna]
[Abramis brama]
[A. sapo]
[A. ballerus]
[Vimba vimba]
[Pelecus cultratus]
- Bucephalus sp., larva seasonal distribution
- Bucephalus sp. [Blicca bjoerkna]
[Vimba vimba]
- Bucephalus brevitentaculatus n. sp. Corkum, K.C., 1967 a, 44-46, figs. 1-3
Trichiurus lepturus (gastric ceca) Barataria Bay, Louisiana
- Bucephalus cynoscion Hopkins, 1956 Cynoscion nebulosus C. arenarius (gastric ceca) Corkum, K.C., 1967 a, 46 Barataria Bay, Louisiana; Mississippi Sound, Mississippi, all from
- Bucephalus gorgon (Linton, 1905) Eckmann, 1932 (small intestine) Seriola dumerili S. zonata Corkum, K.C., 1967 a, 46-48, figs. 4-6 off Grand Isle, Louisiana, all from
- Bucephalus gorgon (Linton, 1905) (stomach) Seriola nigromaculata Oshmarin, P. G., 1965 c, 218-219, fig. 5 North Vietnam
- Bucephalus haemeanus [sic] Lacaze-Duthiers Cardium edule (fibrous tissue) Matthews, R. A., 1966 a

| | | | |
|---|--|---|--|
| Bucephalus longicornutus life history | Howell, M. J., 1966 b, figs. 1-9, pl. I | Bucephalus polymorphus [Abramis brama] [Alburnus alburnus] [Blicca bjoerkna] [Leuciscus cephalus] [Leuciscus idus] [Leuciscus leuciscus] [Vimba vimba] [Rutilus rutilus] [Chondrostoma nasus] [Phoxinus phoxinus] | Kaletskaia, S. L., 1965 a all from Zapadnaiia Dvina |
| Ostrea lutaria (viscer- al mass, gills and pericardium) (nat. and exper.) | Foveaux Strait | | |
| Tripterygion sp. (exper.) (fin web, muscles, orbit, and branchial chamber) | | | |
| Acanthoclinus quadridactylus (exper.) (fin web, muscles, orbit and branchial chamber) | | | |
| Scorpaena cardinalis (exper.) (intestine) | | | |
| Kathetostoma giganteum (exper.) (intestine and pyloric caeca) | | | |
| Bucephalus longicornutus (Manter, 1954) | Howell, M. J., 1967 a, pl. 4, fig. A | Bucephalus polymorphus (Baer, 1827) | de Kinkelin, P.; Besse, P.; Joliver, G.; and Tuffery, G., 1967 a all from Seine River, Paris |
| biological control through protozoan parasite Urospori- dium constantae n. sp. | | Micropterus salmoides | |
| Ostrea lutaria | New Zealand | Esox lucius | |
| Bucephalus margaritae Ozaki et Ishibashi 1934 | Sakaguchi, S., 1966 a | Perca fluviatilis | |
| as syn. of Bucephalus varicus Manter, 1940 | | Sander lucioperca | |
| Bucephalus margaritae Pinctada martensi | Sakaguchi, S., 1966 b, figs. 1-2 | Cyprinus carpio | |
| Epinephelus septemfasciatus (exper.) | | Barbus barbus | |
| Rudarius ercodes | " | Gobio gobio | |
| Acanthogobius flavimanus | " | Tinca tinca | |
| Bucephalus markewitschi Kowal, 1949 | Komarova, T. I., 1961 a, 251 all from Central Dnieper | Chondrostoma nasus | |
| Lucioperca lucioperca (intestine) | | Abramis brama | |
| Perca fluviatilis | " | Rutilus rutilus | |
| B[ucephalus] markewitschi | Komarova, T. I., 1963 a Dnieper delta | Alburnus alburnus | |
| Bucephalus markewitschi Kowal, 1947 | Komarova, T. I., 1964 a, 78 all from Dnieper delta | Leuciscus cephalus | |
| (intestine) [Pelecus cultratus] [Esox lucius] [Lucioperca lucioperca] [Perca fluviatilis] | | Micropterus salmoides | |
| Bucephalus markewitschi seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Anguilla anguilla | |
| Bucephalus markewitschi Kowal, 1949 | Komarova, T. I., 1966 a, 60 all from Dnieper estuary | Ictalurus melas | |
| [Silurus glanis] [Lucioperca lucioperca] | | Perca fluviatilis | |
| Bucephalus markewitschi [Lucioperca lucioperca] [Lucioperca volgensis] | Koval, V. P., 1963 b all from lower region, Kakhovsk reservoir | Esox lucius | |
| Bucephalus mytili Cole, 1935 | Matthews, R. A., 1966 a | Sander lucioperca | |
| Mytilus edulis (fibrous tissue) | | Bucephalus polymorphus Baer, 1927 | Komarova, T. I., 1961 a, 251 all from Central Dnieper |
| Bucephalus polymorphus Baer, 1827 | Butenko, Iu. V., 1967 a, 38 South Kazakhstan | Esox lucius (intestine) | |
| Anodonta cyrea | | [Lucioperca lucioperca] (intestine) | |
| Bucephalus polymorphus [Lucioperca lucioperca] | Gavrilitsa, L. A., 1964 a Dnestrov estuary | Bucephalus polymorphus Baer, 1927 | Komarova, T. I., 1964 a, 77-78 1927 all from Dnieper delta |
| Bucephalus polymorphus (Baer, 1857) | Ginetsinskaiia, T. A.; and Uspenskaiia, Z. I., 1965 a, fig. 3a | [Esox lucius] [Silurus glanis] [Lucioperca lucioperca] | |
| glycogen and fat storage | | Bucephalus polymorphus +fish | |
| Bucephalus polymorphus Baer, 1827 | Ha, K., 1964 a Akol group of lakes (Pskov oblast) | Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin | |
| Esox luceus (intestine) | | Bucephalus polymorphus [Rutilus rutilus] (gills) | Krasil'nikova, N. I., 1963 a upper Don |
| | | Bucephalus polymorphus Anodonta cygnea | Kupriianova-Shakmatova, R. A., 1965 a USSR, central Povolzh'e |
| | | Bucephalus polymorphus effect upon quality of fish flesh | Linnik, V. Ia., 1966 a |
| | | Bucephalus polymorphus diagnosis, larvae | Linnik, V. Ia.; and Zen'ko- vich, E. M., 1968 a, 56, 57, figs. 1c, 2d |

- Bucephalus polymorphus* Baer
Lucioperca lucioperca
Aspro zingel
- Bucephalus polymorphus* Baer, 1827 (intestine)
Lucioperca lucioperca
Esox lucius
Alburnus alburnus
Chondrostoma nasus
Abramis brama
Rutilus rutilus
Barbus barbus
Silurus glanis
Vimba vimba
Leuciscus cephalus
- Bucephalus polymorphus* Baer, 1827
Lucioperca lucioperca "fogassillo"
Lucioperca volgensis "kosullo"
- Bucephalus polymorphus* [Esox lucius]
- Bucephalus polymorphus* Baer, Anodonta piscinalis Dreissena polymorpha Unio pictorum U. tumidus
- Bucephalus polymorphus* distribution
- Bucephalus polymorphus* (Baer, 1827) (intestine) [Acerina cernua] [Perca fluviatilis] [Lucioperca lucioperca] [Esox lucius] [Lota lota]
- Bucephalus scorpaenae* Manter, 1940 Scorpaena plumieri (intestine)
- Bucephalus skrjabini* sp. nov.
Siniperca chua-tsi (intestine)
- Bucephalus syndosmyae* Lebour, 1911
Abra alba (fibrous tissue)
- Bucephalus varicus* Manter, 1940
Caranx hippos
C. latus
C. ruber
C. crysos (gastric ceca and intestine)
- Bucephalus varicus* Manter, 1940
 Syn.: *Bucephalus margaritae* Ozaki et Ishibashi 1934
Caranx sexfasciatus
C. ignobilis
- Margaritov, N. M.*, 1966 a, 159 all from Bulgarian sector of Donau river
- Marits, N. M.*, 1963 a, 36-37 all from Moldavia
- Molnár, K.*, 1963 a, 106 all from Hungary
- Semenova, N. N.*, 1967 a Moskov oblast
- Smirnova, V. A.*; and Ibrashova, S. I., 1967 a, 55 all from Western Kazakhstan
- Sprehn, C. E. W.*, 1967 a Europe
- Vasil'kov, G. V.*; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs
- Corkum, K.C.*, 1967 a, 48 off Grand Isle, Louisiana
- Akhmerov, A. Kh.*, 1963 c, 126-127, fig. 1a, b, v Amur river, Elabuga village
- Matthews, R. A.*, 1966 a
- Corkum, K.C.*, 1967 a, 48-49 all from Chandeleur Islands, off Grand Isle, Louisiana
- Sakaguchi, S.*, 1966 a
- Syn.: Bucephalus margaritae* Ozaki et Ishibashi 1934
- Caranx sexfasciatus*
C. ignobilis
- Molnár, K.*, 1963 a, 106
- Bulbocirrinae* n. subf.
Lepocreaididae
 includes: *Bulbocirrus* n. g.
- Bulbocirrus* n. g.
Lepocreaididae; *Bulbo-*
cirrinae
- Bulbocirrus aulostomi* n. g. n. sp. (tod)
Aulostomus chinensis "nunu" Hawaii (small intestine)
- Bunocotyle cingulata* +fish
- Bunodera* [lapsus as: Budonera]
- Bunodera luciopercae* O. F. Müller, 1776
Lucioperca lucioperca
Esox lucius
- Bunodera luciopercae* [Lucioperca lucioperca]
 [Perca fluviatilis]
 [Esox lucius]
 [Acerina cernua]
- Bunodera luciopercae* (crijevo)
Lucioperca lucioperca
Chondrostoma nasus
- Bunodera luciopercae* Mill. cercaria
Pisidium sp.
- Bunodera luciopercae* Müller
Perca fluviatilis (alimentary canal)
- Bunodera luciopercae* [Perca fluviatilis]
- Bunodera luciopercae* (Müller 1776)
Salmo gairdnerii (intestine)
- Bunodera luciopercae* (Müller, 1776)
Pisidium sp.
- Bunodera luciopercae* (O. E. Müller, 1776)
Perca fluviatilis (intestine)
- Bunodera luciopercae* Komarova, T. I., 1961 a, 251 Central Dnieper
- Bunodera luciopercae* (O. F. Müller, 1776)
 all from Dnieper delta
- [Esox lucius]* (intestine)
[Lucioperca lucioperca] (intestine)
[Perca fluviatilis]"
- Bunodera luciopercae* seasonal distribution
- Yamaguti, S.*, 1965 c, 458, 461
- Yamaguti, S.*, 1965 c, 458, 461 (tod: *B. aulostomi* n. sp.)
- Yamaguti, S.*, 1965 c, 458, 459-461, figs. 1A-C
- Kosareva, N. A.*, [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Molnár, K.*, 1963 a, 106
- Belinisova, L. K.*, 1965 a Krasnooskol'skoe reservoir, all from
- Biriukova, L. P.*, 1965 a all from Moscow reservoirs
- Čanković, M.*; *Kiskarolj, M.*; and *Ramadanović, R.*, 1968 a all from Sava river
- Chernogorenko-Bidulina, M.I.*, 1966 a, 33 upper Dnieper .
- Huculak, F.*, 1965 a, 285 Kozłowa Gora reservoir
- Kaletskaia, S. L.*, 1965 a Zapadnaia Dvina
- Kane, M. B.*, 1966 a, 214 Ireland
- Komarova, T. I.*, 1961 a, 251 Central Dnieper
- Komarova, T. I.*, 1963 a Dnieper delta
- Komarova, T. I.*, 1964 a, 80 all from Dnieper delta
- Komarova, T. I.*, 1964 b Dnieper delta

| | | | |
|--|--|---|---|
| Bunodera luciopercae (Miller, 1776) (intestine) [<i>Esox lucius</i>] [<i>Lucioperca lucioperca</i>] | Komarova, T. I., 1966 a, 60 all from Dnieper estuary | Bunodera luciopercae (Miller, 1776) <i>Sphaerium rivicola</i> | Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 62-63 Western Kazakhstan |
| Bunodera luciopercae [<i>Perca fluviatilis</i>] | Liubarskaiia, O. D., 1963 a Kuibyshev reservoir | Bunodera luciopercae <i>Leuciscus leuciscus baicalensis</i> <i>Leuciscus idus</i> <i>Thymallus arcticus</i> <i>Perca fluviatilis</i> | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR |
| Bunodera luciopercae (Miller) Lucioperca lucioperca | Margaritov, N. M., 1966 a, 159 Bulgarian sector of Donau river | Bunodera luciopercae distribution | Sprehn, C. E. W., 1967 a Europe |
| Bunodera luciopercae (Mueller, 1776) (intestine) <i>Perca fluviatilis</i> <i>Silurus glanis</i> Lucioperca lucioperca <i>Acerina cernua</i> <i>Esox lucius</i> | Marits, N. M., 1963 a, 41 all from Moldavia | Bunodera luciopercae (Miller, 1776) (intestine) [<i>Acerina cernua</i>] [<i>Perca fluviatilis</i>] [<i>Lucioperca lucioperca</i>] | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |
| Budonera [sic] luciopercae (Miller, 1776) Acerina cernua "vágódurbincs" | Molnár, K., 1963 a, 106 Hungary | Bunodera luciopercae (Miller, 1776) Lühe, 1909 <i>Perca fluviatilis</i> (intestine) | Wyrzykowska, B., 1964 a, 154, 156-157 Zegrzyński Reservoir |
| Bunodera luciopercae (O. F. Mueller, 1776) morphology <i>Perca flavescens</i> | Peters, L. E.; and LaBonte, R. P., 1965 a, 583-586, figs. 9-13 Goose Lake, Marquette County, Michigan | Bunoderella metteri Schell, 1964 <i>Asaphus truei</i> (intestine) <i>Pisidium idahoense</i> <i>Rhyacophila grandis</i> <i>Heptagenia</i> spp. (exper.) <i>Chironomid[ae]</i> (exper.) <i>Rana aurora</i> (exper.) (intestine) | Anderson, G. A.; Schell, S. C.; and Pratt, I., 1965 a, 589-591, figs. 1-5 Idaho, Washington, Oregon Idaho, Washington, Oregon Oregon |
| Bunodera luciopercae Lucioperca lucioperca | Puidak, U., 1965 a, 554 Estonian coastal waters | Bunoderina sacculata (Van Cleave and Mueller, 1932) morphology <i>Perca flavescens</i> | Peters, L. E.; and LaBonte, R. P., 1965 a, 583-586, figs. 14-18 Goose Lake, Marquette County, Michigan |
| Bunodera luciopercae (Miller, 1776) Lühe, 1909 <i>Salvelinus fontinalis</i> (intestine) | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1916 Newfoundland | Buxifrons buxfrons (Leiper, 1910) boeuf' (panse) | Gretillat, S., 1966 a, 167-174, figs. 1-4 Mayumbe, Temvo, Central Africa |

- Caballerocotyla* Price, 1960
key to species Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla albsmithi* Dollfus, 1962
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla biparasitica* (Goto, 1894)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla caballeroi* (Winter, 1955)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla foliacea* (Goto, 1894)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla gouri* (Chauhan, 1952)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla gregalis* sp. n.
key Wagner, E. D.; and Carter, C. E., 1967 a, 277-279,
figs. 1-4
Sarda lineolata (gills) Newport Beach, California
- Caballerocotyla katsuwomi* (Ishii, 1936)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla klawai* Stunkard, 1962
Thunnus albacares (nostril) Bussieras. J.; and Aldrin, J.-F., 1967 a, figs. 1-2
Atlantic Ocean
- Caballerocotyla klawai* Stunkard, 1962
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla magronum* (Ishii, 1936)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla manteri* (Price, 1951)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caballerocotyla pelamydis* (Taschenberg, 1878)
key Wagner, E. D.; and Carter, C. E., 1967 a, 279
- Caecincola parvulus* Marshall and Gilbert, 1905
Lepomis cyanellus McGraw, J. L., (jr.); and Allison, T. C., 1967 a
Little River system, Texas
- Caecincola wakullata* sp. n.
Micropterus salmoides Premvati, 1967 a, 743, 744,
745, figs. 4-5
Wakulla River, Leon County,
Florida
- Calicophoron* sp.
thio-bis-dichlorphenol Popov, A. T.; et al., 1966 a,
813-818
- Calicophoron* sp.
CCl₄, ruminants Popov, A. T.; et al., 1967 a
Bulgaria
- Calicophoron calicophorum* mouton (rumen) Levrat, E., 1966 a, 28
Tchad
- Calicophoron calicophorum* of Varma, 1937, nec Fisch-oderer, 1910
as syn. of *C. cauliorchis* (Stiles and Goldberger, 1910)
Näsmark, 1937 Mukherjee, R. P., 1966 a
- Calicophoron calicophorum* (Fischoeder, 1901) Näsmark, 1937
Bos bubalus (rumen) Mukherjee, R. P., 1966 d,
96-97, fig. 2
Bareilly abattoir
- Calicophoron calicophorum* (Fischoeder, 1901) Näsmark, 1937
miracidial epidermal structures Swart, P. J., 1967 a, figs.
1-2
- Calicophoron cauliorchis* (Stiles and Goldberger, 1910) Näsmark, 1937
Bos indicus (stomach) Gupta, N. K., 1966 d, figs.
7-11
Madras
- Calicophoron cauliorchis* (Stiles and Goldberger, 1910) Näsmark, 1937
Syns.: *Paramphistomum cauliorchis* Stiles and Goldberger,
1910; *Calicophoron calicophorum* of Varma, 1957, nec
Fischoeder, 1901
Indian buffalo (rumen) Mukherjee, R. P., 1966 a,
figs. 1-4
abattoir of Bareilly
- Calicophoron erschowi* Davydova, 1959
[*Ovis aries*] (rumen) Davydova-Velichko, I. V.; and
Azimov, D. A., 1963 a, figs.
1-4
Shurhinsk raion, Surkhan-
dar'inskaia oblast
- Calicophoron ijimai* (Fukui, 1922)
boeuf Gretillat, S., 1966 a, 174
Kindu, Central Africa
- Calicophoron orientalis* n. sp.
Capra hircus (rumen) Mukherjee, R. P., 1966 d,
97-99, fig. 3
Bareilly
- Calicophoron papillosum* (Stiles and Goldberger, 1910)
Näsmark, 1937
Bos bubalis (stomach) Gupta, N. K., 1966 d, figs.
1-6
Lucknow, Uttar Pradesh;
and Madras, South India
- Calicotyle kröyeri* phosphatase activity Halton, D. W., 1967 a
- Calicotyle kröyeri* chemistry and evolution,
sclerites Lyons, K. M., 1966 a
- Calicotyle kröyeri* Diesing
Raja clavata (skin surface
near anal opening) Pogoreltseva, T. P., 1964 b,
34, fig. 3
Black Sea
- Callogonotrema* n. g. (type genus)
Notoporidae; *Callogonotrematinae* n. subfam. Oshmarin, P. G., 1965 a, 102-
105, 106, 107
mt: *C. fistulariae*, n. g.,
n. sp.
- Callogonotrema fistulariae* n. gen., n. sp. (mt)
Fistularia petimba (stomach) Oshmarin, P. G., 1965 a, 102-
105, 106, 107, figs. 3-4
North Viet Nam Gulf, South
China Sea
- Callogonotrematinae* subfam. n.
Notoporidae Oshmarin, P. G., 1965 a, 106
type genus: *Callogonotrema*,
n. g.
- Capronia* n. sg.
subgenus of *Papillatrium* Richard, J., 1966 a, 421,
423, 426
- Capsala martinieri* Bosc, 1811
Mola mola (body surface) Threlfall, W., 1967 a, 171
Newfoundland
- Capsalidae* Baird, 1853 Yamaguti, S., 1965 b
includes: *Benedeniinae* Johnston, 1931; *Pseudonitzschiae* n. subf.

| | | |
|--|--|--|
| <i>Capsulodiplostomum</i> , n. g. | Dwivedi, M. P., 1966 d, 93-94 | <i>Cardiocephalus megaloconus</i> Dubois, G., 1966 a, 36, 51 |
| Proterodiplostomidae; | tod: <i>Capsulodiplostomum</i> | Cable, Connor et Balling, 1960 |
| Proterodiplostominae, key | <i>crococilinum</i> n. g., n. sp. | Syns.: <i>Cardiocephalus medioconiger</i> MacInnis, 1959 nec Dubois et Vigueras, 1949; <i>C. brandesi</i> Lumsden et Zischke, 1963 nec Szidat, 1928 all from Florida |
| <i>Capsulodiplostomum croco-</i> | Dwivedi, M. P., 1966 d, 93-97, | <i>Sterna forsteri</i> |
| <i>dilinum</i> n. g., n. sp. (tod) | figs. 1-2 | <i>S. maxima</i> |
| <i>Crocodilus palustris</i> (in- | Robertson lake, Jabalpur | <i>Larus atricilla</i> |
| <i>Cardicola alsea</i> sp.n. | Meade, T. G.; and Pratt, I., | <i>Cardiocephalus megaloconus</i> MacInnis, A. J., 1966 a, 66 |
| <i>Salmo clarkii</i> (exper.) | 1965 a, 575-578, figs. 1-5 | Cable |
| <i>Salmo gairdnerii</i> (exper.) | Alsea River, Benton County, | Syns.: <i>C. medioconiger</i> MacInnis, 1960; <i>C. brandesi</i> Lumsden and zischke, 1962 |
| <i>Oxytremma silicula</i> | Oregon | |
| <i>Cardicola davisi</i> (Wales, 1958) n. comb. | Meade, T. G.; and Pratt, I., 1965 a, 578 | <i>Cardiocephalus szidati</i> Hartwich, G., 1954 c, 259-263, figs. 1-2 |
| <i>Cardicola klamathensis</i> (Wales, 1958) comb. n. | Meade, T. G.; and Pratt, I.; 1965 a, 578 | <i>Puffinus griseus</i> (Darm) Peru; Strand bei Mancora |
| <i>Cardicola klamathensis</i> (Wales, 1958) life history | Meade, T. G., 1967 a, figs. 1-2 | <i>Carmyrius graberi</i> Levrat, E., 1966 a, 28 |
| <i>Salmo clarkii</i> (exper.) | Klamath County, Oregon | <i>mouton</i> (rumen) Tchad |
| <i>Flumenicola seminalis</i> | | <i>Carmyrius mancupatus</i> Gretillat, S., 1966 a, 182 |
| <i>Cardiocephalus brandesi</i> Dubois, G., 1966 a, 34 | Dubois, G., 1966 a, 34 | <i>Fiscoeder</i> , 1901 Ile de Mateba, Central Africa |
| Vigueras, 1944 nec Szidat, 1928 | | <i>boeuf</i> (estomac) |
| as syn. of <i>Cardiocephalus medioconiger</i> Dubois et Vigueras, 1949 | | <i>Carmyrius minutus</i> Gretillat, S., 1966 a, 182 |
| <i>Cardiocephalus brandesi</i> Dubois, G., 1966 a, 36 | Dubois, G., 1966 a, 36 | <i>Fiscoeder</i> , 1901 |
| Lumsden et Zischke, 1963 nec Szidat, 1928 | | <i>Carmyrius papillatus</i> Levrat, E., 1966 a, 28 |
| as syn. of <i>Cardiocephalus megaloconus</i> Cable, Connor et Balling, 1960 | | Gretillat, 1962 <i>mouton</i> (rumen) Tchad |
| <i>Cardiocephalus brandesi</i> Szidat, 1928 | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a | <i>Carmyrius parvipapillatus</i> Levrat, E., 1966 a, 28 |
| (small intestine) | all from North Carolina | <i>mouton</i> (rumen) Tchad |
| <i>Larus argentatus</i> | | <i>Carmyrius schoutedeni</i> Gretillat, S., 1966 a, 182, 183 |
| <i>L. atricilla</i> | | <i>Bos caffer</i> (estomac) Manzadi, Central Africa |
| <i>Cephalophus nigrifrons</i> | | <i>ubifie</i> Ubangi, La Molene and Kasai, Lula, Central Africa |
| <i>Cardiocephalus brandesi</i> Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a | MacInnis, A. J., 1966 a, 66 | W. de Bafuka, Central Africa |
| Lumsden and Zischke, 1962 | USSR, Kamchatka | <i>Carmyrius spatirosus</i> Gretillat, S., 1966 a, 182 |
| as syn. of <i>Cardiocephalus megaloconus</i> Gable | | <i>Brandes</i> , 1898 <i>Mateba</i> , Central Africa |
| <i>Cardiocephalus longicollis</i> (Rudolphi, 1819) | Dubois, G., 1967 b, 698, 699 | <i>Carmyrius spatirosus</i> Levrat, E., 1966 a, 28 |
| Szidat, 1928 | Griend (Pays-Bas: Wadden-zee) | <i>Brandes</i> , 1898 <i>mouton</i> (rumen) Tchad |
| <i>Sterna sandvicensis</i> (duodenum) | | <i>Carmyrius spatirosus</i> Pike, A. W.; and Condy, J. B., 1966 a, Chobe swamps, Rhodesia |
| <i>Cardiocephalus longicollis</i> (Rudolphi, 1819)(intestine) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a | <i>n. sp.</i> Artigas, P. de T.; and Perez, M. D., 1964 a, 5-8, 1 fig. Sao Paulo and Eldorado Paulista, Brasil |
| <i>Larus canus</i> | USSR, Kamchatka | <i>Leptodactylus ocellatus</i> (intestino delgado) Catatropis [sp.] |
| <i>Cardiocephalus medicoconiger</i> Dubois, G., 1966 a, 34, 35, 36, 51 | Strigea bursigera Linton, 1928 nec Brandes, 1888; <i>Cardiocephalus brandesi</i> Vigueras, 1944 nec Szidat, 1928 | [<i>Anas platyrhynchos</i>] Palim[p]estov, M. A., 1963 a |
| Dubois et Vigueras, 1949 | | Iagotinsk poultry farms |
| Syns.: <i>Strigea bursigera</i> Linton, 1928 nec Brandes, 1888; <i>Cardiocephalus brandesi</i> Vigueras, 1944 nec Szidat, 1928 | | Catatropis verrucosa Adysheva, M. M., 1963 a |
| <i>Cardiocephalus medicoconiger</i> Dubois, G., 1966 a, 36 | | domestic waterfowl Andizhan oblast |
| MacInnis, 1959 nec Dubois et Vigueras, 1949 | | Catatropis verrucosa Alekseev, V. M., 1963 c |
| as syn. of <i>Cardiocephalus megaloconus</i> Cable, Connor et Balling, 1960 | | <i>Planorbis</i> sp. Primorskii krai |
| <i>Cardiocephalus medicoconiger</i> MacInnis, A. J., 1966 a, 66 | | Catatropis verrucosa Alekseev, V. M., 1963 d |
| MacInnis, 1960 | | molluscs and domestic aquatic birds Lake Khanka |
| as syn. of <i>C. megaloconus</i> Cable | | Catatropis verrucosa Chernogorenko-Bidulina, M.I., 1966 a, 26-27 |
| | | <i>Fröhl.</i> , 1889, Odhner, 1905 <i>Bithynia tentaculata</i> upper Dnieper |

- Catatropis verrucosa* (Froelich, 1789) Odhner, 1905
Arvicola terrestris (small intestine)
- Catatropis verrucosa* domestic fowl (gastro-intestinal tract)
- Catatropus [sic] verrucosa* [Anas crecca] [Anas strepera]
- Catatropis verrucosa* (Frölich, 1789) Anser anser (caecum)
- Catatropis verrucosa* Frölich, 1789 life cycle Enten Chaetogaster limnaei
- Catatropis verrucosa* (Frölich, 1789) Odhner, 1905 găina rata giscă
- Catatropis verrucosa* [Anas platyrhynchos]
- Catatropis verrucosa* distribution
- Catatropis verrucosa* (Froelich, 1789) Newfoundland, Canada Clangula hyemalis (small intestine)
- Catatropus*. See *Catatropis*.
- Cathaemasia hians* host diet
- Cathaemasia hians* Rudolphi, 1809 (Cercaria choanophila U. Szidat, 1936)
Limnaea stagnalis
Galba palustris corvus
Planorbis planorbis
- Cathaemasia hians* (Rud., 1819) (stomach) [Giconia nigra]
- Cathaemasia hians* distribution
- Cathaemasia longivitellata* host diet
- Cathaemasia loossi* n. sp. Phalacrocorax sp.
- Cathaemasia senegalensis* n. sp. Ehippiorhynchus senegalensis (throat and esophagus)
- Gubanov, N. M., 1964 a, 10 Yakutia
- Islam, A. W. M. S.; and Shaikh, H., 1967 a Mymensingh District, East Pakistan
- Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve
- Maksimova, A. P., [1966 b] Karaganda oblast, Kazakhstan
- Odening, K., 1966 a
- Olteanu, G.; and Stoican, E., 1963 b, 224, 228, 234 all from Romania
- Shevtsov, A. A., 1963 c Ukraine
- Sprehn, C. E. W., 1967 a Europe
- Threlfall, W., 1968 c Newfoundland, Canada
- Ryzhova, A. A.; and Nevostroeva, L. S., 1965 a USSR, Belovezhskaya pushcha
- Sprehn, C. E. W., 1967 a Europe
- Feizullaev, N. A., 1963 c Azerbaidzhan
- Kiselienė, V. K., 1966 a all from Lithuanian SSR
- Leignathus nuchalis
- Leiognathus argentea
- Hyporhamphus sajori
- Gupta, P. D.; and Srivastava, C. B., 1965 a, 63-67, figs. 1, 2 all from India
- Stunkard, H. W.; and Gandal, C. P., 1965 a, 67-73, fig. 1 Nigeria (Holland, 3 weeks, before arriving N. York Zool. Park)
- Cathaemasia variabilis van den Broek, 1960 Sphenorhynchus abdimii
- Cathaemasiidae not harmed by industrial pollution
- Caudouterina gen. n.
- Caudouterina rhyacotritoni gen. et sp. n. (tod) Rhyacotriton olympicus (intestine)
- Centrocestus sp. by Hasegawa
- Acheilognathus moriokae
- Acheilognathus lanceolata
- Pseudoperilampus typus
- Pseudorasbora parva
- Centrocestus armatus fresh water fish
- Centrocestus armatus Semisulcospira bensonii
- Centrocestus armatus (Tanabe, 1922) Yamaguti, 1933 Semisulcospira spp.
- Centrocestus armatus Acheilognathus rhombea
- Acheilognathus lanceolata
- Acheilognathus tabira
- Pseudoperilampus typus
- Rhodeus ocellatus
- Gnathopogon elongatus
- Abbottina rivularis
- Pseudorasbora parva
- Tribolodon hakonensis
- Zacco platypus
- Zacco temminckii
- Opsariichthys uncirostris
- Hemigrammocyparis rasborella
- Aphyocyparis chinensis
- Cyprinus carpio
- Carassius carassius
- Misgurnus anguillicaudatus
- Channa argus
- Centrocestus armatus
- Yamaguchi, T.; and Hirao, Y., 1964 a Shikiku
- Centrocestus asadai n. sp. Acanthogobius flavimanus
- Leiognathus argentea
- Hyporhamphus sajori
- Centrocestus asadai
- Hemiramphus sajori
- Mugil cephalus
- Lisa menada
- Leiognathus nuchalis
- Lateolobrax japonicus
- Acanthogobius flavimanus
- Centrocestus asadai
- Mishima, T., 1959 a, 291-299 (pp. 9-17), pl. 1, 1 fig., pl. 2, figs. 1-9 Japan, all from
- Weng, T. W., 1959 a Inland Sea of Japan
- Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Chernogorenko-Bidulina, M.I., 1963 a Desna river
- Martin, G. W., 1966 a, 935, 937 tod: *C. rhyacotritoni* sp. n.
- Martin, G. W., 1966 a, 935-937, figs. 1-5 Marys Peak, Benton County, Oregon
- Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
- Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214

| | | | |
|--|---|--|---|
| <i>Centrocestus formosanus</i> | Komiya, Y.; and Suzuki, N. | <i>Cephalogonimus indicus</i> | Lamothe Argumedo, R., [1965 b], 120 |
| <i>Rhodeus ocellatus</i> | 1966 a | <i>Gupta, 1954</i> key | |
| <i>Pseudorasbora parva</i> | | <i>Cephalogonimus japonicus</i> | Lamothe Argumedo, R., [1965 b], 118 |
| <i>Zacco platypus</i> | | <i>Ogata, 1934</i> key | |
| <i>Ctenopharyngodon idellus</i> | | <i>Cephalogonimus kumarus</i> | Lamothe Argumedo, R., [1965 b], 120 |
| <i>Cyprinus carpio</i> | | <i>Gupta, 1954</i> key | |
| <i>Carassius carassius</i> | | <i>Cephalogonimus lenoiri</i> | Lamothe Argumedo, R., [1965 b], 118 |
| <i>Clarias fucatus</i> | | <i>Poirier, 1886</i> key | |
| <i>Misgurnus anguillicaudatus</i> | | <i>Cephalogonimus manchuricus</i> | Lamothe Argumedo, R., [1965 b], 118 |
| <i>Parasilurus asotus</i> | | <i>Oguro, 1941</i> key | |
| <i>Gamusia affinis</i> | | <i>Cephalogonimus mehri</i> | Lamothe Argumedo, R., [1965 b], 120 |
| <i>Channa tadiana</i> | | <i>Pande, 1932</i> key | |
| <i>Channa formosana</i> | | <i>Cephalogonimus mukerjiius</i> | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Macropodus opercularis</i> | | <i>Rai 1961</i> key | |
| <i>Centrocestus nycticoracis</i> | Hamajima, F.; and Ishii, Y., 1964 a | <i>Cephalogonimus ovatus</i> | Dubois, G., 1965 a, 417 |
| <i>Semisulcospira bensoni</i> | | <i>Stossich, 1896</i> (nec Rudolphi, 1803) as syn. of <i>C. (C.) mutabile</i> (Zeder, 1800) | |
| <i>Centrocestus nycticoracis</i> | Komiya, Y.; and Suzuki, N. | <i>Cephalogonimus parvus</i> | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Acheilognathus lanceolata</i> | 1966 a | <i>Oguro, 1941</i> key | |
| <i>Gnathopogon elongatus</i> | | <i>Cephalogonimus retusus</i> | Buchvarov, G. K., 1965 a Kirdjali District, Bulgaria |
| <i>Abbottina pseuma</i> | | <i>Dujardin, 1845</i> <i>Rana ridibunda</i> (small intestine) | |
| <i>Pseudorasbora parva</i> | | <i>Cephalogonimus retusus</i> | Kozák, A., 1966 a, 606, 608, 609 all from Košic, CSSR |
| <i>Zacco platypus</i> | | <i>Rana esculenta</i> | |
| <i>Zacco temminckii</i> | | <i>R. temporaria</i> | |
| <i>Opsariichthys uncirostris</i> | | <i>R. ridibunda</i> | |
| <i>Carassius carassius</i> | | <i>Cephalogonimus retusus</i> | Lamothe Argumedo, R., [1965 b], 120 |
| <i>Misgurnus anguillicaudatus</i> | | <i>Dujardin, 1845</i> key | |
| <i>Channa tadiana</i> | | <i>Cephalogonimus retusus</i> | Sprehn, C. E. W., 1967 a Europe |
| <i>Centrovarium lobotes</i> (MacCallum, 1895) | Voth, D. R.; and Larson, O. R., 1968 a, 219 Goose River, North Dakota | <i>Caballero y Sokoloff 1936</i> key | Lamothe Argumedo, R., [1965 b], 118 |
| <i>Pimephales promelas</i> (flesh and eye socket) | | <i>Cephalogonimus robustus</i> | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Cephalogonimus Poirier,</i> 1886 key to species | Lamothe Argumedo, R., [1965 b], 118-120 | <i>Dollfus, 1950</i> key | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Cephalogonimus sp.</i> | Acholonu, A. D., 1968 a Louisiana | <i>Cephalogonimus thomasi</i> | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Trionyx muticus</i> | | <i>Nickerson, 1912</i> key | Cephalogonimus vesicaudus |
| <i>Cephalogonimus americanus</i> | Lamothe Argumedo, R., [1965 b], 115-118, 119, figs. 1-4 Salazar Edo. de México | <i>Nickerson, 1912</i> key | Lamothe Argumedo, R., [1965 b], 119 |
| <i>Stafford, 1902</i> | | | |
| key | | | |
| <i>Rhyacosiredon altamireni</i> (intestino) | | | |
| <i>Cephalogonimus amphiumae</i> | Lamothe Argumedo, R., [1965 b], 119 | | |
| <i>Chandler, 1923</i> | | | |
| key | | | |
| <i>Cephalogonimus apolaimus</i> | Lamothe Argumedo, R., [1965 b], 119 | | |
| <i>Heymann, 1905</i> | | | |
| key | | | |
| <i>Cephalogonimus asiaticus</i> | Lamothe Argumedo, R., [1965 b], 120 | | |
| <i>Gupta, 1953</i> | | | |
| key | | | |
| <i>Cephalogonimus brevicirrus</i> | Lamothe Argumedo, R., [1965 b], 119 | | |
| <i>Ingles, 1932</i> | | | |
| key | | | |
| <i>Cephalogonimus burmanica</i> | Lamothe Argumedo, R., [1965 b], 120 | | |
| <i>Chatterji, 1936</i> | | | |
| key | | | |
| <i>Cephalogonimus compactus</i> | Lamothe Argumedo, R., [1965 b], 118 | | |
| <i>Stunkard, 1924</i> | | | |
| key | | | |
| <i>Cephalogonimus emydalis</i> | Lamothe Argumedo, R., [1965 b], 120 | | |
| <i>Moghe, 1930</i> | | | |
| key | | | |
| <i>Cephalogonimus europaeus</i> | Lamothe Argumedo, R., [1965 b], 119 | | |
| <i>Blaziot, 1910</i> | | | |
| key | | | |
| <i>Cephalouterina Senger et</i> | | | |
| <i>Macy, 1953</i> | | | |
| as syn. of <i>Cryptotropa Strand, 1926</i> | | | |
| <i>Cephalouterina dicamptodon</i> | | | |
| (small intestine) | | | |
| <i>Ascaphus truei</i> | | | |
| <i>Dicamptodon ensatus</i> | | | |
| <i>Acroneuria californica</i> | | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Cephalouterina dicamptodoni Senger and Macy, 1953 life cycle *Ascaris truei* (small intestine) *Dicamptodon ensatus* " *Rhyacotriton olympicus* *Bythinella hemphilli* *Acroneuria californica* *Rana aurora* (exper.) Anderson, G. A.; Martin, G. W.; and Pratt, I., 1966 a, figs. 1-5 Cascade range, Oregon Oregon coast range " " Cascade range, Oregon Cascade and coast range, Oregon Khotenovskii, I. A., 1965 a, 196 as syn. of *Cryptotropa dicamptodoni* (Senger et Macy, 1953) [n. comb.] Weng, T. W., 1959 a Inland Sea of Japan
- Cercaria hosts are marine molluscs *Bithynia tentaculata* Bradley, D. J., 1967 a, 275-276, pl. A, figs. 2-5 Flatford, Suffolk, Great Britain
- Cercaria B *Bithynia tentaculata* Bradley, D. J., 1967 a, 276, 285, pl. A, figs. 5-7 Flatford Suffolk, Great Britain
- Cercaria C *Bithynia tentaculata* Bradley, D. J., 1967 a, 276, 284, pl. B, fig. 10 Flatford Suffolk, Great Britain
- Cercaria D *Bithynia tentaculata* Bradley, D. J., 1967 a, 277, 284, pl. B, fig. 9 Flatford Suffolk, Great Britain
- Cercaria E *Bithynia tentaculata* Bradley, D. J., 1967 a, 277, 284, pl. C, figs. 11-12 Flatford Suffolk, Great Britain
- Cercaria S *Potamopyrgus jenkinsi* Bradley, D. J., 1967 a, 280, 284, pl. C, figs. 13-14 Flatford Suffolk, Great Britain
- Cercaria [sp.] *Lymnaea peregrina* Bradley, D. J., 1967 a, 282 Flatford, Suffolk, Great Britain
- Cercaria [sp.] (furcercous, of the monostome lophocercous type) *Bulinus truncatus* El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 6 Egypt
- Cercaria [sp.] (furcercous, of the ocellate group) *Bulinus truncatus* El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 7 Egypt
- Cercaria [sp.] (furcercous, of the strigea or holostome group) *Bulinus truncatus* El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 8 Egypt
- Cercaria [sp.] temperature, infection rate and maturation time in *Menetus dilatatus* Goodchild, C. G.; and Martin, V. L., 1966 a
- Kiseliene, V. K., 1966 a Lithuanian SSR
- Cercaria [sp.] *Physa fontinalis*
- Cercaria N 1 Petersen *Viviparus viviparus*
- Cercaria [sp.] chemistry, stylets
- Cercaria A key
- Cercariae [sp.] (amphistome) *Menetus cooperi*
- Cercaria [sp.] (amphistome) *Helisoma trivolvis*
- Cercaria [sp.] (echinostome) *Lymnaea palustris* *Helisoma trivolvis*
- Cercaria [sp.] (pleurolophocercariae) *Lymnaea palustris*
- Cercaria [sp.] (schistosome) *Lymnaea stagnalis* *L. palustris* *Helisoma trivolvis*
- Cercaria [sp.] (strigeid) *Lymnaea stagnalis* *L. palustris* *Physa sp.*
- Cercaria [sp.] (xiphidiocercariae) *Lymnaea stagnalis* *L. palustris* *Physa sp.*
- Cercaria acanthocoela Miller, 1935 *Physa gyrina*
- Cercaria affinis Wesenberg-Lund *Lymnaea stagnalis*
- Cercaria agilis distribution
- Cercaria alganeshi n. sp. [nomen nudum]
- Cercaria allomacarapanensis n. sp. *Marisa cornuarietis* *Pomacea glauca*
- Cercaria allotropicalis n. sp. key to related species *Australorbis glabratius*
- Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Lyons, K. M., 1966 a
- Nasir, P.; and Scorza B., J. V., 1966 a, 89
- Panitz, E.; and Briggs, J. L., 1968 a Bear Spring, Oregon
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 all from eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 all from eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 all from eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 all from eastern South Dakota
- Shaw, R. F.; Duerr, F. G.; and Vaughn, C. M., 1966 a, 128 all from eastern South Dakota
- Rabalais, F. G., 1966 a, 55, fig. 4 Baton Rouge, Louisiana
- Butenko, Iu. V., 1967 a, 27 South Kazakhstan
- Sprehn, C. E. W., 1967 a Europe
- Acholomu, A. D., 1964 c northern Colorado
- Nasir, P.; and Diaz, M. T., 1968 a, 67, 68, 69, 72, figs. 3, 3a all from San Juan de Macarapana, Venezuela
- Nasir, P.; and Scorza B., J. V., 1966 a, 87-89, figs. 1-3 Laguna de Carrizales, Los Teques, Edo. Miranda, Venezuela

| | | | |
|--|---|---|---|
| Cercaria armata? Sieb. Limnaea stagnalis | Chernogorenko-Bidulina, M.I., 1966 a, 30 upper Dnieper | Cercaria columbellae distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria armata distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria condiformis [sic] (Wesenberg-Lund, 1934) <i>Bithynia tentaculata</i> | Kiseliéné, V. K., 1966 a Lithuanian SSR |
| Cercaria astrachanica IV Ginetzinskaja Limnaea stagnalis | Butenko, Iu. V., 1967 a, 44, fig. 15a South Kazakhstan | Cercaria cordiformis distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria berghei Fain, 1953 key | Nasir, P.; and Scorza B., J. V., 1966 a | Cercaria coronata Limnaea stagnalis | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| Cercaria bolschewensis seasonal distribution in molluscs in relation to industrial pollution | Chernogorenko-Bidulina, M. I., 1964 a, 71 Desna river | Cercaria coronata distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria bolschewensis Cot. Viviparus viviparus | Chernogorenko-Bidulina, M.I., 1966 a, 29 upper Dnieper | Cercaria corylicerca Doll fus, 1960 <i>Gibbula divaricata</i> | Dolgikh, A. V., 1966 b, 295, 296, fig. 2 region of Sevastopol, Black Sea |
| Cercaria borysthemicia [sic] sp. Bithynia tentaculata | Kiseliéné, V. K., 1966 a Lithuanian SSR | Cercaria crassa Wes.-Lund <i>Pisidium sp.</i> | Chernogorenko-Bidulina, M.I., 1966 a, 40 upper Dnieper |
| Cercaria breconensis n.sp. Limnaea pereger (digestive gland) | Probert, A. J., 1966 b, 109- 112, figs. 22-25 Llangorse Lake, Brecon- shire | Cercaria cristata distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria brunnae [sic] distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria cristata sp. <i>Bithynia leachi</i> | Zdun, V. I., 1961 c, 285, 287, fig. III(9) Ukraine |
| Cercaria cambreensis as syn. of <i>Meiogymno-</i> <i>phallus minutus</i> (Cobbold, 1859) comb. nov. | Bowers, E. A.; and James, B. L., 1967 a, 286 all from Western Kazakhstan | Cercaria cystophora distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria capsularia distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria denverensis n. sp. [nomen nudum] <i>Physa integra</i> | Acholomu, A. D., 1964 c northern Colorado |
| Cercaria caradagi sp. n. Opecoelidae Ozaki, 1925 <i>Gibbula divaricata</i> | Dolgikh, A. V., 1966 b, 295- 296, 297, figs. 1, 1a region of Karadag, Black Sea | Cercaria dioculata n.sp. Limnaea pereger (digestive gland) | Probert, A. J., 1966 b, 92-95, figs. 1-3 Llangorse Lake, Brecon- shire |
| Cercaria cellularia Zdun, 1961 Limnaea stagnalis Galba palustris | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 83-84 all from Western Kazakhstan | Cercaria diplocotylea distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria cellulosa distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria douglasi key | Nasir, P.; and Scorza B., J. V., 1966 a, 89 |
| Cercaria chacaracualensis n. sp. <i>Marisa cornuarietis</i> | Nasir, P.; and Acuña Gedeño, A., 1966 b, 291, 294-295, pl. II, figs. 6-7 Quebrada de Chacaracual, Venezuela | Cercaria duplicita distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria chascomusi n. sp. <i>Littoridina australis</i> human | Szidat, L., 1958 b, 1-16, figs. 9-14 Argentina: Laguna Chascomus, all from | Cercaria echinata Siebold, (1894) temperature and survival, geo-, photo-, and thermotaxis, concentrations of sodium, magnesium and calcium ions | Chernogorenko-Bidulina, M. I., 1961 a |
| Cercaria chlorotica distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria echinata distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria choanipila [sic] distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria echinatoides distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria chromatophora Brown, 1931 Limnaea stagnalis | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 59 Western Kazakhstan | Cercaria elbensis distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria coloradensis n. sp. [nomen nudum] <i>Physa gyrina</i> | Acholomu, A. D., 1964 c northern Colorado | Cercaria ephemera Nitzsch, 1807 <i>Planorbis planorbis</i> | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 72 Western Kazakhstan |
| Cercaria exigua distribution | | Cercaria exigua distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria fennica I Wik- gren, 1956 <i>Bithynia tentaculata</i> | | Cercaria fennica I Wik- gren, 1956 <i>Bithynia tentaculata</i> | Kiseliéné, V. K., 1966 a Lithuanian SSR |

- Cercaria flagellifera Chern. Pisidium sp. Chernogorenko-Bidulina, M.I., 1966 a, 37 upper Dnieper
- Cercaria florensis n.sp. Lymnaea pereger (digestive gland) Probert, A. J., 1966 b, 104-107, figs. 13-15 Llangorse Lake, Breconshire
- Cercaria gibba distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria gibbulae Gibbula albida Dolgikh, A. V., 1963 a Crimean coast, Black Sea
- Cercaria gigantea Faust, 1924 Yi, T.-S.; Chiang, C.-H.; and Wu, K., 1968 a use in studying drug effects
- Cercaria gorgoderae pagenstecheri distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria gracilis distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria guaraunensis n.sp. Marisa cornuarietis Nasir, P.; and Diaz, M. T., 1968 a, 67, 68, 69, 72, figs. 2, 2a Los Guaraunos, Cumana, Venezuela
- Cercaria helvetica distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria helvetica IX Dub. Bithynia leachi Zdun, V. I., 1961 c, 285, 286, fig. II(5a, 5b)
- Cercaria helvetica XI Dubois, 1929 Bithynia leachi Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 69, fig. 9 Western Kazakhstan
- Cercaria helvetica XV Dubois, 1929 Lymnaea stagnalis Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 59 Western Kazakhstan
- Cercaria helvetica XXIII Dubois, 1929 Lymnaea stagnalis Butenko, Iu. V., 1967 a, 29, fig. 4 South Kazakhstan
- Cercaria heteroglandula n. sp. Pomacea glauca Nasir, P.; and Diaz, M. T., 1968 a, 67, 70, 71, 73, fig. 5 Los Guaraunos, Venezuela
- Cercaria hirsuticauda n.sp. Bithynia tentaculata (digestive gland) Probert, A. J., 1966 b, 95-97, figs. 4-5 Llangorse Lake, Breconshire
- Cercaria homocotylea n. sp. Pomacea urceus Nasir, P.; and Acuna Cedeño, A., 1966 a, 96, 97, 98, 99, figs. 3-4 Territorio Delta Amacuro, Venezuela
- Cercaria incerta Semisulcospira bensonii Hamajima, F.; and Ishii, Y., 1964 a
- Cercaria incerta Faust, 1924 Semisulcospira spp. Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Cercaria incerta Semisulcospira sp. Kagei, N.; et al., 1966 a Amami Islands
- Cercaria inconstans Sinitzkin as syn. of Diphterostomum brusinae (Stoss., 1899) Dolgikh, A. V.; and Naidenova, N. N., 1967 a
- Cercaria innominatum Semisulcospira bensonii Hamajima, F.; and Ishii, Y., 1964 a
- Cercaria innominatum (Kobayashi, 1918) Faust, 1924 Semisulcospira spp. Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Cercaria introverta (Ando, 1918) Faust, 1924 Semisulcospira spp. Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Cercaria introverta Semisulcospira sp. Kagei, N.; et al., 1966 a Amami Islands
- Cercaria katangii n.sp. Corbicula striatella (gonads) Singh, R. N.; and Rai, S. L. 1965 a, 104-117, 1 fig. Hiran River near Katangi, Jabolpur, India
- Cercaria kazachstanica I Smirnova Lymnaea stagnalis L. iliensis Radix ovata Butenko, Iu. V., 1967 a, 44, fig. 14 all from South Kazakhstan
- Cercaria kazachstanica II sp. n. Planorbis planorbis Butenko, Iu. V., 1967 a, 28-29, fig. 3 South Kazakhstan
- Cercaria kazachstanica III sp. n. Radix ovata Butenko, Iu. V., 1967 a, 31-32, fig. 6a, b, v South Kazakhstan
- Cercaria kazachstanica IV sp. n. Succinea elegans Butenko, Iu. V., 1967 a, 36-37, fig. 9a-b South Kazakhstan
- Cercaria laevissimus n.sp. Pachychilus laevissimus Nasir, P.; Acuna Cedeño, A.; and Guevarra, C. S., 1966 a, 133-137, fig. 1 Los Riitos, Parque Nacional Henry Pittier, Ed. Ara-gua
- Cercaria laticauda (?) Wes.-Lund Limnaea stagnalis Chernogorenko-Bidulina, M.I., 1966 a, 30, 31, fig. 2 upper Dnieper
- Cercaria laticaudata distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria letifera (Fuhrm., 1916) Dubois (1929) Radix auricularia Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 60 all from Western Kazakhstan
- R. pereger Galba palustris
- Cercaria libertina Semisulcospira bensonii Hamajima, F.; and Ishii, Y., 1964 a
- Cercaria limacis distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria limbifera (?) Seifert, 1926 Galba palustris Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 80-82, fig. 17 Western Kazakhstan
- Cercaria limbifera distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria limmaeae Linst. distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria limmaea auricularia Radix auricularia Kupriianova-Shakhmatova, R.A., 1965 a USSR, central Povolzh'e

| | | | |
|--|--|---|---|
| Cercaria lymnaea ovatae Radix ovata | Butenko, Iu. V., 1967 a, 42-43, fig. 12a South Kazakhstan | Cercaria marisa n. sp. Marisa cornuarietis | Nasir, P.; and Diaz, M. T., 1968 a, 67, 68, 69, 72, figs. 1, 1a Poza Azul, Cumaná, Venezuela |
| Cercaria limnaeae stagnalis Zdun, 1961 Limnaea stagnalis | Kiselienė, V. K., 1966 a Lithuanian SSR | Cercaria melaniarum (Ando, 1918) Faust, 1924 Semisulcospira spp. | Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan |
| Cercaria limnaeae-stagnalis Limnaea stagnalis | Kupriianova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e | Cercaria melanocrucifera n. sp. Turritella attenuata (hepatopancreas) | Reimer, L. W.; and Anantaraman, S., 1968 a, 316-318, figs. 1-4 Bay of Bengal, Madras |
| Cercaria limnaeae-truncatulae Linstow, 1884 Galba truncatula | Kiselienė, V. K., 1966 a Lithuanian SSR | Cercaria membranosa Zdun Viviparus viviparus | Chernogorenko-Bidulina, M.I., 1966 a, 29 upper Dnieper |
| Cercaria limnaeae-truncatae Linst. Galba truncatula | Kuz'movich, L. G., 1963 a Ukraine Karpat | Cercaria microcotyla distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria longicaudata n. sp. Venus fasciata | Bartoli, P., 1966 b, 301-305, figs. 1-4 Golfe de Marseille | Cercaria microcristata distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria longicerca Ito, 1953 Semisulcospira spp. | Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan | Cercaria micrura distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria lophocerca Fil. | Chernogorenko-Bidulina, M.I., 1966 a, 29 upper Dnieper | Cercaria micrura Bithynia leachii | Zdun, V. I., 1961 c, 287, fig. III(11) Ukraine |
| Cercaria lophocerca Fil. Bithynia leachii | Zdun, V. I., 1961 c, 285, 286, fig. II(8); III (10) Ukraine | Cercaria militaris Ben. distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria lorata Zdun Bithynia tentaculata | Chernogorenko-Bidulina, M.I., 1966 a, 33 upper Dnieper | Cercaria mirabilis distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria macarapanensis n. sp. Pomacea glauca | Nasir, P.; and Acuna Cedeno, A., 1966 c, 296-302, figs. 1-2 San Juan de Macarapana, Cumaná, Venezuela | Cercaria mizura Pag. distribution | Sprehn, C. E. W., 1967 a Europe |
| Cercaria macrocerca distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria monostomi Radix ovata Bithynia tentaculata | Chernogorenko-Bidulina, M.I., 1966 a, 31 upper Dnieper |
| Cercaria macrogranulosa Australorbis glabratus | Milward de Andrade, R., 1965 a Belo Horizonte, Minas Gerais | Cercaria monostomi distribution | Kupriianova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e |
| Cercaria magnivesica n. sp. Anculosa subglobosa | Cheng, T. C.; Blumenthal, A.; Snyder, A. W. (jr.); and Rourke, A. W., 1965 a, 60, 61-62, figs. 3-4 John's Creek, Craig County, Virginia | Cercaria monostomi viviparae Linstow, 1873 Viviparus viviparus Bithynia tentaculata | Sprehn, C. E. W., 1967 a Europe |
| Cercaria mainpurensis Endoplanorbis [sic] exustus | Pandey, K. C., 1966 b, 390-392, figs. 1-3 Mainpuri, U. P. India | Cercaria monostyloides Semisulcospira bensonii | Kiselienė, V. K., 1966 a all from Lithuanian SSR |
| Cercaria major distribution | Sprehn, C. E. W., 1967 a Europe | Cercaria monostyloides Ito, 1960 Semisulcospira spp. | Hamajima, F.; and Ishii, Y., 1964 a Kagoshima, Japan |
| Cercaria manei Semisulcospira bensonii | Hamajima, F.; and Ishii, Y., 1964 a | Cercaria multi-glandulosa n. sp. Anculosa subglobosa | Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan |
| Cercaria margaritae Lebour, 1907 as syn. of Meiogymnophallus minutus (Cobbold, 1859) comb. nov. | Bowers, E. A.; and James, B. L., 1967 a, 287 | Cheng, T. C.; Blumenthal, A.; Snyder, R. W. (jr.); and Rourke, A. W., 1965 a, 58-59, 60, 61, figs. 1-2 John's Creek, Craig County Virginia | |

- Cercaria nipponensis
Semisulcospira bensonii Hamajima, F.; and Ishii, Y., 1964 a
- Cercaria nipponensis Faust 1924 Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Cercaria nodulosa distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria olseni n. sp. [nomen nudum] Lymnaea palustris Acholonu, A. D., 1964 c Northern Colorado
- Cercaria onusta Zdun, 1961 Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 66-67, fig. 7 all from Western Kazakhstan
- Cercaria ornata distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria osmaniae n. sp. Lymnaea (Pseudosuccinea) accuminata Simha, S. S., 1964 d, 434-435 Hyderabad, India
- Cercaria owreae (R. F. Hutton, 1954) Sagitta pulchra S. serratodentata atlantica S. inflata S. hexaptera S. bipunctata S. ferox S. bedoti Furnestin, M.-L.; and Rebecq, J. M., 1966 a, fig. 1 Nosy-Bé Maroc; Mauritanie Gabon; Angola; Mauritanie; Libéria Angola; Mauritanie Mauritanie Nhatrang (Annam) "
- Cercaria papiliogona Hall, 1963 Bithynia leachi Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 68-69, fig. 8 Western Kazakhstan
- Cercaria papillosa (Filippi, 1955) Bithynia tentaculata Kiseliene, V. K., 1966 a Lithuanian SSR
- Cercaria papillosa Bithynia tentaculata Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Cercaria paracauda Iles, 1959 Lymnaea pereger (digestive gland) Probert, A. J., 1966 b, 108-109, figs. 18-21 Llangorse Lake, Breconshire
- Cercaria paramphistomi (=C. pigmentata Sons.) Planorbis planorbis Chernogorenko-Bidulina, M.I., 1966 a, 28 upper Dnieper
- Cercaria pectinata Meretrix meretrix lusoria Ichihara, A., 1963 a Bay of Tokyo
- Cercaria pectinata morphology, tail Donax vittatus Matricon-Gondran, M., 1965 a figs. 1-4 Saint Efflam (Côtes du Nord)
- Cercaria peculiaristylnata n. sp. Pomacea glauca Nasir, P.; and Acuña Cedeno, A., 1966 b, 291-294, pl. 1, figs. 1-5 San Juan de Macarapana, Cumana, Venezuela
- Cercaria pifanoi n. sp. Pomacea glauca Nasir, P.; and Diaz, M. T., 1967 a, 129-130, fig. 1 San Juan de Macarapana, Cumana, Venezuela
- Cercaria pigmentata distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria planorbis-cornei Coretus corneus Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Cercaria pomacea n. sp. Pomacea glauca Nasir, P.; and Diaz, M. T., 1968 a, 67, 69, 70, 71, 72, 73, figs. 4, 4a Los Bordones, Venezuela
- Cercaria prima Anisus vortex Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Cercaria prima distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria pseudoarmata [sic] distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria pseudoornata [sic] Lühe, 1909 Coretus corneus Kiseliene, V. K., 1966 a Lithuanian SSR
- Cercaria pteractinota Miller, 1935 Physa gyrina Rabalais, F. G., 1966 a, 57, fig. 6 Baton Rouge, Louisiana
- Cercaria pugio Linstow, 1884 Coretus corneus Kiseliene, V. K., 1966 a Lithuanian SSR
- Cercaria pugnax La Val. Viviparus viviparus Chernogorenko-Bidulina, M.I., 1966 a, 30 upper Dnieper
- Cercaria pugnax Viviparus viviparus Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Cercaria pugnax distribution Sprehn, C. E. W., 1967 a Europe
- Cercaria pussilla [sic] Looss, 1900 Bithynia tentaculata Kiseliene, V. K., 1966 a Lithuanian SSR
- Cercaria pusilla distribution Sprehn, C. E. W., 1967 a Europe

| | | | |
|--|--|---|--|
| <i>Cercaria pygocytophora</i> Brown (1931) redescription <i>Planorbis carinatus</i> | Nasir, P., 1966 b, fig. 1 Edgbaston Pool, Univ. Birmingham, England | <i>Cercaria tenuispina</i> distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Cercaria sanjuanensis</i> Miller (1927) key | Nasir, P.; and Scorza B., J. V., 1966 a, 89 | <i>Cercaria tetraglandis</i> key | Nasir, P.; and Scorza B., J. V., 1966 a, 89 |
| <i>Cercaria scorzai</i> n.sp. <i>Pachychilus laevissimus</i> | Nasir, P.; Acuña Cedeno, A.; and Guevarra, C. S., 1966 a, 133, 135-137, figs. 2-4 Los Riitos, Parque Nacional Henry Pittier, Edo. Aragua | <i>Cercaria trivolvis</i> Cort, 1914 <i>Helisoma trivolvis</i> | Rabalais, F. G., 1966 a, 52, 53, 54, fig. 1 Baton Rouge, Louisiana |
| <i>Cercaria secunda</i> <i>Limnaea stagnalis</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e | <i>Cercaria unii</i> <i>Unio pictorum</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| <i>Cercaria setifera</i> F. S. Monticelli, 1914, nec J. Miller as syn. of <i>Lepocreadium pegorchis</i> (Stossich, 1900) Stossich, 1903 | Bartoli, P., 1966 a . | <i>Cercaria urceus</i> n. sp. <i>Pomacea urceus</i> | Nasir, P.; and Acuña Cedeno, A., 1966 a, 96, 97, 98, 99, figs. 1-2 Territorio Delta Amacuro, Venezuela |
| <i>Cercaria spatulata</i> n.sp. <i>Bithynia tentaculata</i> (digestive gland) | Probert, A. J., 1966 b, 98- 101, figs. 6-8 Llangorse Lake, Brecon- shire | <i>Cercaria vesiculososa</i> Dies. <i>Bithynia tentaculata</i> | Chernogorenko-Bidulina, M.I., 1966 a, 31 upper Dnieper |
| <i>Cercaria spinifera</i> <i>Coretus corneus</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e | <i>Cercaria vesiculososa</i> Wesen- berg-Lund, 1934 <i>Limnaea stagnalis</i> <i>Radix ovata</i> | Kiseliene, V. K., 1966 a all from Lithuanian SSR |
| <i>Cercaria spinifera</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Cercaria vesiculososa</i> <i>Bithynia tentaculata</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| <i>Cercaria spinosa</i> Chern. <i>Coretus corneus</i> | Chernogorenko-Bidulina, M.I., 1966 a, 33 upper Dnieper | <i>Cercaria virgula</i> <i>Bithynia tentaculata</i> | Sprehn, C. E. W., 1967 a Europe |
| <i>Cercaria spinosa</i> Bidulina, 1954 <i>Planorbis planorbis</i> | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 66 Western Kazakhstan | <i>Cercaria virgula</i> distribution | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| <i>Cercaria spinulosa</i> Ginet- zinskaja, 1959 <i>Limnaea stagnalis</i> | Butenko, Iu. V., 1967 a, 32 South Kazakhstan | <i>Cercaria vitrina</i> Linstow, 1887 <i>Discus ruderatus</i> <i>Vallonia costata</i> <i>V. tenuilabris</i> | Sprehn, C. E. W., 1967 a Europe |
| <i>Cercaria spiralis</i> n.sp. <i>Limnaea pereger</i> (digestive gland) | Probert, A. J., 1966 b, 101- 104, figs. 9-12 Llangorse Lake, Brecon- shire | <i>Cercaria vivax</i> Sons. <i>Viviparus viviparus</i> | Panin, V. I., 1967 b, 7 all from Southern Altai, Kazakhstan |
| <i>Cercaria splendens</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Cercaria vivax</i> sp. <i>Bithynia leachi</i> | Chernogorenko-Bidulina, M.I., 1966 a, 36-37 upper Dnieper |
| <i>Cercaria steganocoela</i> Miller, 1935 <i>Physa gyrina</i> | Rabalais, F. G., 1966 a, 55, fig. 3 Baton Rouge, Louisiana | <i>Cercaria viviparae</i> <i>Viviparus viviparus</i> | Zdun, V. I., 1961 c, 285, 286, fig. II(6) |
| <i>Cercaria subulo</i> Pag. <i>Bithynia leachi</i> | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 69-70 Western Kazakhstan | <i>Cercaria yoshidae</i> <i>Semisulcospira bensonii</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| <i>Cercaria subulo</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Cercaria yoshidae</i> (Osagune, 1895) Cort et Nichols, 1920 <i>Semisulcospira</i> spp. | Hamajima, F.; and Ishii, Y., 1964 a |
| <i>Cercaria sucrensis</i> n. sp. [nomen nudum] | Nasir, P.; and Acuña Cedeno, A., 1966 c San Juan de Macarapana, Cumaná, Venezuela | <i>Cercarioides baylisi</i> Nasmi, 1930 <i>Larus chthyaetus</i> (large intestine) | Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan |
| | | | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a Tuva |

- Ceylonocotyle Nasmark, 1937 Gupta, N. K., 1966 c
- Ceylonocotyle dicranocoelium (Fischroeder, 1901) Gupta, N. K., 1966 c, 277, 280, 281, figs. 8-11
Bos bubalis (rumen) Lucknow, India
- Ceylonocotyle scoliocoelium (Fischleder, 1904) Gupta, N. K., 1966 c, 277-281, figs. 1-7
Bos indicus (rumen) Lucknow, India
- Ceylonocotyle scoliocoelium n. var. benoiti (Bos caffer (intestin)) Gretillat, S., 1966 a, 177-179, 182, 184, figs. 6-7
Kasaï, Lula, Central Africa
- Chaunocephalus sp. indet. Ephippiorhynchus senegalensis Chaunocephalus ferox host diet Feizullaev, N. A., 1963 c
Azerbaijan
- Chaunocephalus ferax [sic] (Rud., 1795) (small intestine) [Ciconia ciconia] [Ciconia nigra] Chaunocephalus ferox distribution Chimaericola leptogaster chemistry and evolution, sclerites Chiorchis Paramphistomidae, key Chiostorchis waltheri Myocastor coprus (intestine) Choledocystus as syn. of Glypthelmins Choledocystus eucharis Pereira and Cuocolo, 1941 as syn. of Glypthelmins elegans Travassos, 1926 Choricotyle pacifica n. sp. Umbrina sinaloae Scofield (branquias) Cichlidogyrus Paperna, 1960 as syn. of Cleidodiscus Mueller, 1934 Cichlidogyrus Paperna, 1960 as syn. of Cleidodiscus Mueller, 1934 Cichlidogyrus arthracanthus Paperna, 1960 Paperna, I., 1965 a, 107 Southern Ghana Tilapia zillii (gills) Cichlidogyrus bifurcatus Paperna, 1960 1967 a, 143 as syn. of Cleidodiscus bifurcatus (Paperna, 1960) [n. comb.] Cichlidogyrus bychowskii (Markevitch, 1934) Paperna, 1960 Paperna, I., 1965 a, 107-108, 110, fig. 1 Southern Ghana Hemichromis bimaculata (gills)
- Gupta, N. K., 1966 c
- Tilapia zillii (gills)
- Lucknow, India
- Kasaï, Lula, Central Africa
- Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Ryzhova, A. A.; and Nevostreva, L. S., 1965 a all from USSR, Belovezhskaya pushcha
- Sailov, D. I., 1963 a Azerbaijan
- Sprehn, C. E. W., 1967 a Europe
- Lyons, K. M., 1966 a
- Cosgrove, G. E., 1966 a, fig. 22
- Boero, J. J.; and de Boehringer, I. K., 1967 b, 164, 171, fig. 31 Argentina
- Nasir, P., 1966 a, 169
- Nasir, P., 1966 a, 169
- Bravo-Hollis, M., [1967 a], 107-112, 114, 122, figs. 1-10 La Paz, Baja California, México
- Price, C. E., 1967 e, 380 as syn. of Cleidodiscus Mueller, 1934
- Price, C. E.; and Kirk, R.G., 1967 a, 137
- Paperna, I., 1965 a, 107 Southern Ghana
- Price, E. E.; and Kirk, R.G., 1967 a, 143
- Price, C. E., 1967 e, 380 as syn. of Cleidodiscus bifurcatus (Paperna, 1960) [n. comb.]
- Paperna, I., 1965 a, 107-108, 110, fig. 1 Southern Ghana
- Cichlidogyrus longicirrus n. sp. cichlid (gills)
- Cichlidogyrus tiberianus Tilapia zillii (gills)
- Cichlidogyrus tilapiiae Paperna, 1960 Tilapia galilaea (gills) T. nilotica "
- Cleidodiscus Mueller, 1934 Dactylogyridae, Ancyrocephalinae, key Syn.: Cichlidogyrus Paperna, 1960
- Cleidodiscus Mueller, 1934 Syn.: Cichlidogyrus Paperna, 1960
- Cleidodiscus n. sp. Lepomis cyanellus
- Cleidodiscus athracanthus [sic] (Paperna, 1960) n. comb. Paperna, 1960 Tilapia zilli
- Cleidodiscus bedardi Mizelle, 1936 Lepomis megalotis
- Cleidodiscus bifurcatus (Paperna, 1960) [n. comb.] 1967 a, 143 Syn.: Cichlidogyrus bifurcatus Paperna, 1960
- Cleidodiscus globus sp. n. Lepomis cyanellus (gills)
- Cleidodiscus halli n. sp. Tilapia shiranai shiranai (gills)
- Cleidodiscus halli Price and Kirk, 1967 Tilapia shiranai shiranai
- Cleidodiscus longicirrus (Paperna, 1965) Price, n. comb. Ghana Cichlid[ae]
- Cleidodiscus longus Mizelle, 1936 Pomoxis annularis
- Cleidodiscus microcirrus n. sp. Hemiodus semitaeniatus Kner (gills)
- Cleidodiscus microcirrus n. sp. Hemiodus semitaeniatus (gills)
- Cleidodiscus nematocirrus Mueller, 1937 Lepomis megalotis
- Cleidodiscus pricei channel catfish, treatment
- Paperna, I., 1965 a, 107, 109, 111, fig. 2 Southern Ghana
- Paperna, I., 1965 a, 108 Southern Ghana
- Paperna, I., 1965 a, 108 all from Southern Ghana
- Price, C. E., 1967 e, 379, 380-381
- Price, C. E.; and Kirk, R.G., 1967 a, 137, 141, 142
- McGraw, J. L., (jr.); and Allison, T. C., 1967 a Little River system, Texas
- Price, C. E., 1967 e, 381
- McGraw, J. L., (jr.); and Allison, T. C., 1967 a Little River system, Texas
- Price, C. E.; and Kirk, R.G., 1967 a, 143
- Allison, T. C., 1967 a, 1005, 1006, fig. 1 Bell and Milam counties, Texas
- Price, C. E.; and Kirk, R. G., 1967 a, 137, 139-141, 142, 143, figs. 1-12 Upper Shire River, three miles below Fort Johnston, Malawi
- Price, C. E., 1967 e, 381 Shire River, Malawi
- Price, C. E., 1967 e, 381
- Price, C. E., 1967 b, 23, 24, figs. 1-8 Amazon River
- Price, C. E.; and Schlueter, E. A., 1967 b, 23, 24, figs. 1-8 Amazon River
- McGraw, J. L., (jr.); and Allison, T. C., 1967 a Little River system, Texas
- Price, C. E.; and Schlueter, E. A., 1967 b, 23, 24, figs. 1-8 Amazon River
- McGraw, J. L., (jr.); and Allison, T. C., 1967 a Little River system, Texas
- Allison, R., 1965 a

- Cleidodiscus pricei Nowlin, W. J.; Price, C. E.;
Mueller, 1936 and Schlueter, E. A., 1967 a
Ameiurus natalis Texas
- Cleidodiscus pricei Zithan, R., 1965 a, fig. 4
Mueller, 1936 (?) River Hron
Ameiurus nebulosus (Kiemenblättchen)
- Cleidodiscus robustus McGraw, J. L., (jr.); and
Mueller, 1934 Allison, T. C., 1967 a
Lepomis macrochirus Little River system, Texas
- Cleidodiscus robustus Nowlin, W. J.; Price, C. E.;
Mueller, 1934 and Schlueter, E. A., 1967 a
Lepomis cyanellus Texas
- Cleidodiscus similis sp. n. Allison, T. C., 1967 a,
Lepomis cyanellus (gills) 1005, 1006, 1007, fig. 2
Grimes County, Texas
- Cleidodiscus tiberianus Price, C. E., 1967 e, 381
(Paperna, 1960) Price n. comb. Ghana
Tilapia zilli
- Cleidodiscus tilapia Price, C. E., 1967 e, 381
(Paperna, 1960) Price, n. comb. all from Ghana
Tilapia galilea
T. nilotica
- Cleidodiscus uniformis McGraw, J. L., (jr.); and
Mizelle, 1936 Allison, T. C., 1967 a
Pomoxis annularis Little River system, Texas
- Cleidodiscus vancleavei McGraw, J. L., (jr.); and
Mizelle, 1936 Allison, T. C., 1967 a
Pomoxis annularis Little River system, Texas
- Cleidodiscus vancleavei Nowlin, W. J.; Price, C. E.;
Mizelle, 1936 and Schlueter, E. A., 1967 a
Pomoxis annularis Texas
- Clinostomum biology, metacercaria Komiya, Y., 1965 e
- Clinostomum key to species Ukoli, F. M. A., 1966 a, 205-206
- Clinostomum sp. Casto, S.; and McDaniel, B.,
Lepisosteus osseus 1967 a, 190
(mesenteries, ovaries)
L. spatula (stomach) all from Nueces River, south Texas
- Clinostomum sp., metacercaria Williams, M. O.; and Chaytor,
Epiplatys [sp.] D. E. B., 1966 a, 566-567,
(lower jaw, operculum, fig. 2
peritoneum) Bush water, Hastings, Free-
town Peninsula, Sierra Leone
- Clinostomum amusi Wesley, Ukoli, F. M. A., 1966 a, 203
1944 as syn. of C. complanatum (Rudolphi, 1819)
- Clinostomum attenuatum Ukoli, F. M. A., 1966 a, 205
Cort, 1913 valid species
key
- Clinostomum australiense Ukoli, F. M. A., 1966 a, 203
Johnston, 1916 as syn. of C. complanatum (Rudolphi, 1819)
- Clinostomum campanulatum Thomas, R. E.; and Gallicchio,
metabolism of C-glucose V., 1967 a
- Clinostomum campanulatum Thomas, R. E.; and Gallicchio,
biochemistry, carbon V., 1967 b
dioxide fixation by metacercariae
- Clinostomum chrysichthys Ukoli, F. M. A., 1966 a, 203
Dubois, 1930 as syn of C. complanatum (Rudolphi, 1819)
- Clinostomum complanatum Dowsett, J.A.; and Lubinsky,
mice (exper.) 1966 a, 496, pl. 1, fig. 1
Perca flavescens Whiteshell region, Manitoba,
Micropterus dolomieu all from
Stizostedion vitreum vitreum kittens (exper.)
- Clinostomum complanatum Feizullaev, N. A., 1963 c
host diet Azerbaijan
- Clinostomum complanatum Ru- Komarova, T. I., 1961 a, 252
dolphi, 1819 Central Dnieper
Perca fluviatilis (branch-
ial cavity)
- Clinostomum complanatum Komarova, T. I., 1964 a, 82
(Rud., 1819) all from Dnieper delta
(musculature and gills)
[Scardinius erythrophthalmus]
[Carassius carassius]
[Rutilus rutilus]
[Perca fluviatilis]
[Clupeonella]
- Clinostomum complanatum Komarova, T. I., 1966 a, 62
Rud., 1819 Dnieper estuary
[Perca fluviatilis] (gills)
- Clinostomum complanatum Koval, V. P., 1963 b
[Perca fluviatilis] lower region, Kakhovsk
reservoir
- Clinostomum complanatum Rud. Liao, H.-H., 1968 a
life history Kwangtung Province
Lymnaea spp., fish, birds
- Clinostomum complanatum Oshmarin, P. G., 1965 b
(Rud., 1814) Buriat ASSR
Ardea cinerea
- Clinostomum complanatum Roman-Chiriac, E., 1965 a,
(Rudolphi, 1809) 147
Ardea cinerea Danube delta, Romania
- Clinostomum complanatum Sprehn, C. E. W., 1967 a
distribution Europe
- Clinostomum complanatum Ukoli, F. M. A., 1966 a, 203,
valid species, key 205
Syns.: C. amusi Wesley, 1944; C. australiense Johnston,
1916; C. chrysichthys Dubois, 1930; C. dalagi
Tubangui, 1933; C. dasi Bhalerao, 1942; C. decanum
Jaiswal, 1957; C. demiegrettae Jaiswal, 1957; C. gideoni
Bhalerao, 1942; C. gigantum Agarwal, 1959;
C. hyderabadensis Jaiswal, 1957; C. indicum Bhalerao,
1940; C. lophophallum Baer, 1933; C. piscidium South-
well and Prashad, 1918; C. prashadi Bhalerao, 1942;
C. progonium Jaiswal, 1957; C. singhi Jaiswal, 1957;
C. vanderhorsti Ortlepp, 1935
- Clinostomum dalagi Tubang- Ukoli, F. M. A., 1966 a, 203
ui, 1933 as syn. of C. complanatum (Rudolphi, 1819)
- Clinostomum dasi Bhalerao, Pandey, K. C., 1966 a, 138-
1942 150, figs. 1-6
morphology Tank near Lucknow, India
Heteropneustis fossilis
(muscles of the ventrolateral body walls)
Ardeola grayii (exper.)
Bulbulcus ibis (exper.)

- Clinostomum dasi* Bhalerao, Ukoli, F. M. A., 1966 a, 203
1942
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum decanum* [sic] Ukoli, F. M. A., 1966 a, 203
Jaiswal, 1957
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum demiegrettae* Ukoli, F. M. A., 1966 a, 203
Jaiswal, 1957
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum detruncatum* Ukoli, F. M. A., 1966 a, 205
Braun, 1899
valid species
key
- Clinostomum gideoni* Ukoli, F. M. A., 1966 a, 203
Bhalerao, 1942
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum giganticum* Ukoli, F. M. A., 1966 a, 203
Agarwal, 1959
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum heluans* Braun, Ukoli, F. M. A., 1966 a, 205
1899
valid species
key
- Clinostomum hyderabadensis* Ukoli, F. M. A., 1966 a, 203
Jaiswal, 1957
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum hylaranae* n. sp. Fischthal. J. H.; and Thomas, J. D., 1968 a, 1-2, 3,
Hylarana albolabris (intestine) fig. 1 Kade, Ghana
- Clinostomum indicum* Bhalerao, 1940 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum intermedialis* Ukoli, F. M. A., 1966 a, 205
Lamont, 1920
valid species
key
- Clinostomum kassimovi* Vaidova and Feizullaev, 1958 Ukoli, F. M. A., 1966 a, 205
valid species
key
- Clinostomum lambitans* Braun, 1899 Ukoli, F. M. A., 1966 a, 205
valid species
key
- Clinostomum lophophallum* Baer, 1933 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum macrosomum* Jaiswal, 1957 Ukoli, F. M. A., 1966 a, 205
valid species
key
Syn.: *C. mastacembeli* Jaiswal, 1957
- Clinostomum marginatum* Perca flavescens Etheostoma nigrum Ambloplites rupestris Pimephales notatus (musculature, all from) Larson, U. R., 1966 a all from Itasca Park, Minnesota
- Clinostomum mastacembeli* Jaiswal, 1957
as syn. of *C. macrosomum* Jaiswal, 1957
- Clinostomum ophicephali* Tubangui and Masilungan, 1944 valid species key
- Clinostomum phalacrocoracis* Anhinga rufa rufa (oesophagus) Ukoli, F. M. A., 1966 a, 187, 204, 205, 209-212, fig. 6 Nungua Dam near Accra, Ghana
- Clinostomum piscidium* Southwell and Prashad, 1918 as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum prashadi* Bhalerao, 1942 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum progonium* [sic] Jaiswal, 1957 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum pseudoheterostomum* Tubangui, 1933 Ukoli, M. F. A., 1966 a, 205
valid species
key
- Clinostomum singhi* Jaiswal, 1957 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Clinostomum sorbens* Braun, 1899 Ukoli, F. M. A., 1966 a, 205
valid species
key
- Clinostomum tilapiae* n. sp. Ukoli, F. M. A., 1966 a, 187, 188-194, 197, 202, 205, 207-209, figs. 1-5
Nycticorax nycticorax nycticorax (oesophagus) Legon, Accra, Ghana
Anhinga rufa rufa ("") Dawhenya Dam, Ghana
Bubulcus ibis (exper.)
Tilapia zilli (branchial region and eye sockets) Ghana
T. heudelotii ("") "
T. galilaea ("") "
- Clinostomum tilapiae* 1966 Ukoli, F. M. A., 1966 b, 215-226, figs. 1-2
metacercaria, life history, growth and development
- Clinostomum vanderhorsti* Ortlepp, 1935 Ukoli, F. M. A., 1966 a, 203
as syn. of *C. complanatum* (Rudolphi, 1819)
- Cloacitrema narrabeenensis* n. sp. Howell, M. J.; and Bearup, A. J., 1967 a, 182, 188-193, figs. 9-18
Larus novaehollandiae Lake Burril, N. S. W.; and Narrabeen Lagoon, N. S. W.
- Cloeophora Dietz, 1909* Alekseev, V. M., 1965 b
"liquidation," "all distinguishing characters now are various modifications of the genus *Acanthoparyphium*"
- Clonorchiasis* Nagahana, M.; et al., 1964 a
epidemiology, fecal examination techniques Kinki district

| | | | |
|---|---|--|--|
| Clonorchiasis epidemiology | Nagahana, M.; et al., 1965 c Kinki district | Clonorchis sinensis dog (bile duct) human (stool) | Nagahana, M.; et al., 1967 a Akashi District of Hyogo Prefecture, Japan, all from |
| Clonorchiasis endemic foci | Okabe, K.; Ono, N.; and Matsumoto, K., 1964 a Yanagawa City and Yamato-Gun, Fukuoka Prefecture | Clonorchis sinensis intradermal test, antigen KSCD4 | Nagata, Y., 1964 a |
| Clonorchiasis epidemiology | Oshima, T., 1965 a | Clonorchis sinensis immunological studies | Okabe, K.; and Matsumoto, K., 1965 a |
| Clonorchiasis duodenal juice | Yamagata, S.; et al., 1965 a | Clonorchis sinensis intermediate hosts | Saito, S.; and Otsuru, M., 1965 a Hokuriku District; Yamagata Prefecture |
| Clonorchiasis hematological findings | Yamagata, S.; et al., 1965 c | Clonorchis sinensis survey, intermediate hosts | Saito, S.; and Otsuru, M., 1965 c Niigata, Hokuriku districts |
| Clonorchiasis Bitin; Bitin-S | Yasuracka, K.; Hosaka, Y.; Koriyama, K.; and Komiya, Y., 1965 a | Clonorchis sinensis diagnosis, antigen | Sawada, T., 1965 a |
| Clonorchis biology, metacercaria | Komiya, Y., 1965 e | Clonorchis sinensis antigen isolation and purification, complement fixation and precipitin tests | Sawada, T.; Takei, K.; Williams, J. E.; and Moose, J. W., 1965 a |
| Clonorchis established as a sub-family | Shen, Y.-P., 1968 a | Clonorchis sinensis | Sekiguchi, G.; Ohzu, S.; Aida, C.; and Wakeshima, T., 1963 a Saitama Prefecture |
| Clonorchis ova in feces | Yamagata, S.; et al., 1965 b | Clonorchis sinensis (Cobbold, 1875) Rattus norvegicus R. flavipectus | Shen, Y.-P., 1968 a all from Kiangsu Province, China |
| Clonorchis sinensis men, Chinese | Calero M., C., 1967 a Panama | Clonorchis sinensis Hemiculter leucisculus (exper.) +rats (exper.) | Sun, T., 1966 a |
| Clonorchis sinensis chronic intussusception, Koreans (stool) | Crane, P. S.; Lee, K. C.; and Seel, D. J., 1964 a | Clonorchis sinensis morphology Zacco platypus (exper.) | Suzuki, N.; and Komiya, Y., 1965 a |
| Clonorchis sinensis pancreas | Galliard, H., 1966 a | Clonorchis sinensis epidemiology, distribution | Takano, Y.; et al., 1962 a Minami-Akita County, Akita Prefecture |
| Clonorchis sinensis development Parafossarulus striatulus | Hsu, P.-K., 1968 a Honan Province, China | Clonorchis sinensis +albino-rats | Tsai, C. S., 1966 a |
| Clonorchis sinensis cercaria, ultrastructure | Inatomi, S.; et al., 1964 a | Clonorchis sinensis | Wakeshima, T.; et al., 1962 a Nakagawa basin, Saitama Prefecture, Japan |
| Clonorchis sinensis fine structure, nervous system | Inatomi, S.; Ito, Y.; Sakamoto, D.; and Itano, K., 1965 a | Clonorchis sinensis pigs (bile duct) | Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China |
| Clonorchis sinensis humans, only 2 cases | Ito, J.; Mochizuki, H.; and Noguchi, M., 1967 b Shizuoka Prefecture, Japan | Clonorchis sinensis Bithynia striatulus | Yamagata, S.; et al., 1963 a |
| Clonorchis sinensis distribution | Ito, Y.; et al., 1964 a Okayama Prefecture | Clonorchis sinensis clinical observations | Yamagata, S.; et al., 1963 b |
| Clonorchis sinensis cats, ecology | Kaji, F., 1962 b | [Clonorchis sinensis] cholecystography | Yamagata, S.; Watanabe, S.; and Abe, T., 1964 a |
| Clonorchis sinensis biology, metacercaria | Komiya, Y., 1965 e | Clonorchis sinensis survey | Yamagata, S.; Yaegashi, A.; and Kanno, T., 1962 a Miyagi Prefecture, Japan |
| Clonorchis sinensis morphology, host list, diagnosis, treatment, review | Komiya, Y., 1966 e | Clonorchis sinensis clinical observations | Yamagata, S.; Yaegashi, A.; and Watanabe, S., 1963 a |
| Clonorchis sinensis human (intestine) | Kuntz, R. E., 1966 a Hua-fan-she Village, Sun Moon Lake, Nan-tou, Hsien, Taiwan | Clonorchis sinensis behavior, cercariae | Yasuracka, K., 1965 a |
| Clonorchis sinensis acute pancreatitis, 110 patients | McFadzean, A. J. S.; and Yeung, R. T. T., 1966 a, figs. 1, 3 Hong Kong | Clonorchis sinensis development, rats | Yoshimura, H.; Araki, K.; and Yokogawa, M., 1965 a |
| Clonorchis sinensis Europeans, exposed in Shanghai | Markell, E. K., 1966 a | | |

- Clonorchis sinensis single metacercaria given orally to rats Yoshimura, H.; and Tsai, C.S., 1966 a
- Clonorchis sinensis human, incidence Yuda, K., 1967 a Miyagi Prefecture
- Clonorchis sinensis *Parafossarulus manchouricus* Yuda, K., 1967 b, 149 Miyagi Prefecture
- Clonorchis sinensis, Eggs diagnosis Gould, S. E.; Hinerman, D. L.; Batsakis, J. G.; and Beamer, P. R., 1963 d, fig. 1
- Clonorchis sinensis, Eggs ova change Miyazato, T.; Inoue, A.; and Hosokawa, S., 1962 a
- Clonorchis sinensis, Eggs egg concentration techniques, feces Okabe, K.; Ono, N.; and Takao, Y., 1964 a
- Clonorchis sinensis, Eggs concentration techniques for eggs in human feces Ono, N.; Shiraishi, S.; Inokuchi, T.; and Takao, Y., 1965 a
- Clonorchis sinensis, Eggs deformed eggs, epidemiological significance Saito, S., 1967 a, figs. 1-18 Niigata, Saitama, Tokushima, Miyagi and Akita Prefectures
- Clonorchis sinensis, Eggs egg counts Saito, S.; and Hori, M., 1962 a
- Clonorchis sinensis, Eggs egg counts Saito, S.; and Hori, M., 1963 a
- Clonorchis sinensis, Eggs egg-laying capacity Saito, S.; and Hori, M., 1964 a
- Clonorchis sinensis. Pisces fresh water fish (exper.) Chun, S. K., 1965 a
- Clonorchis sinensis, Pisces infection mode, fresh water fishes Chun, S. K., 1965 b
- Clonorchis sinensis, Pisces wormicidal effect of external mucous, fresh water fishes Chun, S. K., 1965 c
- Clonorchis sinensis, Pisces *Pseudorasbora parva* Kamegai, S.; et al., 1964 c Kanto district
- Clonorchis sinensis, Pisces *Pseudorasbora parva* Kamegai, S.; et al., 1965 b Lake Inbanuma
- Clonorchis sinensis, Pisces recovery and identification of metacercaria, preserved fish Komiya, Y.; and Shimizu, S., 1965 b
- Clonorchis sinensis, Pisces *Pseudorasbora parva* Nihei, E.; Ichihara, A.; and Kamegai, S., 1964 a all from River Tone and its tributaries, Japan
- Clonorchis sinensis, Pisces *Zacco platypus* (exper.) Suzuki, N.; and Komiya, Y. 1966 a, figs 1-26
- Clonorchis sinensis, Pisces *Pseudorasbora parva* (exper.) Yoshimura, H., 1965 b, 962 life cycle, host list
- Acanthobrama simoni China
- Acanthorhodeus atranalis "
- A. gracilis Korea
- A. taeniinalis China
- Acheilognathus yamatsutae Korea
- Aphyocyparis chinensis China
- Culter revicorpus Korea
- C. mongolicus China
- Erythroculter oxycephalus "
- Gnathopogon strigatus ", Korea
- Clonorchis sinensis, Pisces—Continued.
- Gobio gobio China
- G. minulus "
- Hemibarbus barbus Japan
- H. labeo Korea
- H. longirostris Korea
- Hemiculter aekoensis China
- H. macrolepis "
- Hemigrammocypris rasborella Japan
- Labeo kontius China
- Microphysogobio koreensis Korea
- Mylopharyngodon aethiops China
- Opsariichthys unicirrostris Japan
- Pseudoperilampus notatus Korea
- Puntungia herzi Korea
- Rhodeus sericeus China
- Sarcocheilichthys lacustris China
- S. wakiiae Korea
- Saurogobio dabri China
- Sinogobio biwae Japan
- Toxabramis hoffmanni China
- Coreobagrus brevicorpus Korea
- Oryzias latipes China
- Ilisha elongata Korea
- Tilapia mossambica China
- Mogurnda obscura Japan
- Rhinogobius giurinus China
- Clonorchis sinensis, Treatment An, K. C.; et al, 1968 a F30066
- Clonorchis sinensis, Treatment Chung, H. L.; K'o, H. Y.; Ts'ao, W. C.; and Hsü, C. P., 1965 a hexachloroparaxylo, cats
- Clonorchis sinensis, Treatment Hosaka, Y.; et al, 1967 a Bitin-S, in vitro, in vivo
- Clonorchis sinensis, Treatment Koyama, H., 1967 a 1, 4-bis-trichloromethylbenzol, rats
- Clonorchis sinensis, Treatment Liu, J.; et al, 1965 a hexachloroparaxylo, cats, humans
- Clonorchis sinensis, Treatment Shinoto, M., 1963 a dithiazanine iodide
- Clonorchis sinensis, Treatment Takagi, K.; and Shinoto, M., 1962 a dithiazine, histologic and histochemical changes, in vitro
- Clonorchis sinensis, Treatment Wang, C. N.; et al, 1965 a furapromidium
- Clonorchis sinensis, Treatment Wang, S. M.; et al, 1965 a hexachloroparaxylo
- Clonorchis sinensis, Treatment Yamagata, S.; Watanabe, S.; and Abe, T., 1964 b chloroquine
- bithionol
- dithiazanine iodide
- Clonorchis sinensis, Treatment Yamagata, S.; Yaegashi, A.; and Watanabe, S., 1963 b Minth Antimon Resochin

| | | | |
|---|--|--|---|
| Clonorchis sinensis, Treatment dithiazanine iodide | Yamaguchi, T.; Kunishige, A.; and Fukunaga, M., 1964 a | Coitocaecum hawaiensis Martin, 1960 (intestine) Thalassoma duperreyi T. ballieui T. umbrostigma Synodus variegatus | Pritchard, M. H., 1966 b, 174-175, figs. 2-3 all from Hawaii |
| Clonorchis sinensis, Treatment dithiazanine iodide | Yamaguchi, T.; Shinoto, M.; and Kunishige, A., 1963 a | Coitocaecum norae Martin, 1960 Anampses cuvieri (intestine) Hawaii | Pritchard, M. H., 1966 b, 175-176 |
| Clonorchis sinensis, Treatment dithiazanine | Yamaguchi, T.; Shinoto, M.; and Shimomura, S., 1962 a | Coitocaecum skrjabini Iwanitzky, 1928 (intestine) | Komarova, T. I., 1961 a, 251 all from Central Dnieper |
| Clonorchis sinensis, Treatment dithiazanine iodide | Yamaguchi, T.; Uehara, K.; and Shinoto, M., 1962 b | Aspius aspius Acerina cernua A. acerina Siluris glanis Esox lucius | |
| Clonorchis sinensis, Treatment dithiazanine iodide, rabbits | Yanagawa, H., 1963 a | Collyriclum faba (Bremser, 1831) Emberiza cia prageri | Akhumian, K. S., 1966 a Armenian SSR |
| Clonorchis sinensis, Treatment Hetol | Yokogawa, M.; et al., 1965 d | Collyriclum faba (Bremser, 1831) morphology Phoenicurus phoenicurus Phylloscopus trochilus | Bykhol'skaya, I. E. (Pavlovskaya); and Khotenovskii, I. A., 1964 a, figs. 2-9 all from SSSR (Kalininograd oblast) |
| Clonorchis sinensis, Treatment Hetol, experimentally infected animals | Yokogawa, M.; Koyama, H.; Yoshimura, H.; and Tsai, C. S., 1965 c | Concinnum Dicrocoeliidae, key | Cosgrove, G. E., 1966 a, fig. 4 |
| Codonocephalus [lapsus as: Godonocephalus] | Smogorzhevskaya, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a | Concinnum peromysci n. sp. Peromyscus maniculatus (Wagner) "deer mouse" (pancreatic ducts and small intestine) | Neidert, C. M.; and Macy, R. W., 1968 a, 525-528, figs. 1-3 Sandy River, Multnomah, Co., Oregon |
| Codonocephalus urnigerus host diet | Feizullaev, N. A., 1963 c | Concinnum ten Nyctereutes procyonoides viverrimus (pancreatic ducts) | Nakamatsu, M.; Goto, M.; and Morita, M., 1966 a, fig. 1, pls. 1-3 |
| Codonocephalus urnigerus Rudolphi, 1819 Nycticorax nycticorax | Roman-Chiriac, E., 1965 a, 150 Danube delta, Romania | Conspicuum acuminatum (Nicoll, 1915) (liver) Locustella ochotensis | Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka |
| Godonocephalus [sic] urnigerus Rud., 1819 [Botaurus stellaris] | Smogorzhevskaya, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a | Conspicuum macrorchis Corvus brachyrhynchos (gall bladder) | Jones, J. (jr.), 1968 a, 26 Ohio |
| Codonocephalus urnigerus distribution | Sprehn, G. E. W., 1967 a | Conspicuum orientale sp. n. Faust, E. G., 1966 b, 335, Numenius arquatus lineatus 336, 337, fig. 1 (bile ducts, small intestine) | Peking, China |
| Codonocephalus urnigerus Rana esculenta R. ridibundus | Tschernier, W., 1966 a, 260 all from Germany | Contracoelium skrjabineanum [sic] (Witenberg, 1926) as syn. of Ophthalmodiphagus skrjabineanum [sic] (Witenberg, 1926; Dubinin, 1938) | Dubinin, V. B., 1938 a, 134 |
| Coitocaecum. See Coitocoecum. | | Controrchis Dicrocoeliidae, key | Cosgrove, G. E., 1966 a, fig. 5 |
| Coitocoecum sp. Theodoxus fluviatilis | Chernogorenko-Bidulina, M. I., 1966 a, 38 upper Dnieper | Controrchis biliophilus Price, 1928 Ateles geoffroyi (bile ducts) | Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 187-189 fig. 6 Panama |
| Coitocaecum anaspidis Hickman, 1934, MacFarlane, 1939 | Pritchard, M. H., 1966 b, 176 "belongs in the genus Dactylostomum Woolcock, 1935" | Corporypyrum kossacki Witenberg, 1923 as syn. of Cyclocoelum (Haematotrephus) kossacki (Witenberg, 1923) | Dubois, G., 1965 a, 421 |
| Coitocaecum banneri Martin, 1960 Thalassoma duperreyi (gall bladder, intestine) | Pritchard, M. H., 1966 b, 173, 174, fig. 1 Hawaii | | |

- Corrigia muris* rodents Tokobaev, M. M., 1965 a Kirgiz
- Corrigia skrjabini* Kassimov, 1948 Akhumian, K. S., 1966 a Armenian SSR
- Alectoris graeca caucasica*
- Corrigia sobolevi nov. sp.* Sorex caecutiens (liver) Nadtochil, E. V., 1965 a, 201-202, fig. 1 Primorskii krai
- Cortrema magnicaudata* (Bychov.-Pavlov., 1950) Schoeniclus schoeniclus (caeca) Parus major (caeca) Fringilla coelebs (caeca) Khotenovskii, I. A., 1963 a, fig. 5 all from Leningrad oblast
- Cotylaspis Leidy, 1857* Hendrix, S. S.; and Short, R. B., 1965 a, 561-562
- Cotylaspis insignis* alkaline phosphatase in excretory system Brickler, D. A., 1968 a
- Cotylaspis insignis* effect of 7 year drought Lampsilis tampicoensis berlandieri L. anodontoides Quadrula forsythii Q. houstonensis Anodonta corculenta Gentner, H. W.; and Hopkins, S. H., 1966 a, 459 all from Little Brazos River, Texas
- Cotylaspis insignis* Plethobasus cypheus Hendrix, S. S., 1968 a Tennessee River, Tennessee
- Cotylaspis insignis* Leidy, 1857 Syn.: C. reelfootensis Najarian, 1961 Anodonta grandis A. suborbiculata Ligumia recta Elliptio folliculatus E. strigosus Lampsilis anodontoides floridensis Uniomerus obesus Villosa lienosa Anodonta cooperiana Anodonta gibbosa Anodonta hallenbecki Anodonta imbecilis Carunculina minor Carunculina villosa Elliptio crassidens Elliptio toumeyi Fusconaia escambia Lampsilis clairbornensis Lampsilis subangulata Pleurobema strodeanum Quincuncina infucata Villosa vibex Deorani, V. P. S.; and Katiyar, R. D., 1967 a, figs. 1-8 U. P., India
- Cotylophoron cotoylophoron* (Fischhoeder, 1901) (estomac) boeuf Bos caffer
- Cotylophoron cotoylophorum* (Fischhoeder, 1901) Bubalus bubalis
- Cotylophoron cotoylophorum* mouton (rumen)
- Cotylophoron cotoylophorum* CCl₄, ruminants
- Cotylophoron skrjabini* [Rangifer tarandus]
- Cotylophoron skrjabini* Rangifer tarandi
- Cotylophoron skrjabini* Mizkewitsch, 1958 [Rangifer tarandus]
- Cotylophorum cotoylophorum* ultrastructure, sperm tail S.; and Johnson, A. D., 1966 a domestic sheep
- Cotylurostrigea brandivittata* Belogurov, Maksimova, et Tolkatcheva sp. n. Anas crecca A. penelope Nyroca marila N. fuligula
- Cotylurostrigea raabei* Bezubik, 1958 [Anas platyrhynchos]
- Cotylurostrigea raabei* Bezubik, 1958 (cloaca) Anas strepera A. querquedula
- Cotylurus* sp. Lymnaea kazakensis L. iliensis
- Cotylurus* sp. cercaria Coretus corneus
- Cotylurus* [sp.] Radix auricularia
- Cotylurus* sp. Limnaea stagnalis Planorbis planorbis Coretus corneus
- Iretillat, S., 1966 a, 174-176, fig. 5 Zambi, Buta and Maniema, Kasongo, Central Africa Manzadi, Central Africa
- de Leon, D. D.; and Juplo, R. J., 1966 a Caloocan City, Philippines
- Levrat, E., 1966 a, 28 Tchad
- Popov, A. T.; et al, 1967 a Bulgaria
- Mitskevich, V. Iu., 1963 a Chukot and Yamalo-Nenets national okrugs
- Mitskevich, V. Iu., 1963 d Kol'sk Peninsula; Chukot and Yamalo-Nenets National okrugs
- Mitskevich, V. Iu., 1965 a, 170 Russia
- Hershenov, B. R.; Tulloch, G. S.; and Johnson, A. D., 1966 a
- Maksimova, A. P., 1967 a, 134-135, fig. 8 all from Western Kazakhstan
- Belokobyleko, V. T., 1965 a Ural oblast
- Maksimova, A. P., 1967 a, 133-134, fig. 7 all from Western Kazakhstan
- Butenko, V. V., 1967 a, 35, fig. 8b all from South Kazakhstan
- Chernogorenko-Bidulina, M.I., 1966 a, 34, fig. 5 upper Dnieper
- Chibichenko, N. T., 1966 b, 68 lake Issyk-kul
- Kiselienė, V. K., 1966 a all from Lithuanian SSR

| | | | |
|--|--|---|--|
| Cotylurus sp. Zdárská, 1963 | Kiseliéné, V. K., 1966 a Lithuanian SSR | Cotylurus cornutus Anas platyrhynchos A. acuta A. penelope A. clypeata A. crecca Nyroca ferina N. fuligula Oxyura leucocephala | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Cotylurus II Ginetzinskaja, 1959 | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 55 Planorbis planorbis | | |
| Cotylurus sp. Coretus corneus | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 55-56, fig. 1 Western Kazakhstan | Cotylurus cornutus (Rud., 1808) (small intestine) Anas clypeata Anas querquedula Anas strepera | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan |
| Cotylurus aquavis (Guberlet, 1922) | Dubois, G.; and Rausch, R. L., 1967 a, 400 as syn. of Cotylurus erraticus | | |
| Cotylurus brevis? Dubois et Rausch [sic], 1950 | Butenko, Šu. V., 1967 a, 34- 35, fig. 8a Limnaea stagnalis | Cotylurus cornutus (Rud., 1808) Anas penelope A. querquedula A. crecca A. platyrhynchos Nyroca ferina A. strepera A. acuta A. clypeata | Maksimova, A. P., 1967 a, 133 all from Western Kazakhstan |
| Cotylurus brevis, cercaria key | Nasir, P.; and Scorza B., J. V., 1966 a, 89 | | |
| Cotylurus communis (Hughes 1928) La Rue, 1932 (bursa of Fabricius) | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a all from Tuva | Cotylurus cornutus (Rudolphi, 1808) rată giscă | Olteanu, G.; and Stoican, E., 1963 b, 230, 235 all from Romania |
| Larus chthyaetus | | | |
| L. ridibundus | | | |
| Cotylurus cornutus Radix lagotis | Alekseev, V. M., 1963 c all from Primorskii krai | Cotylurus cornutus (Rudolphi, 1809) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR |
| Viviparus ussuriensis | | | |
| Cotylurus cornutus molluscs and domestic aquatic birds | Alekseev, V. M., 1963 d Lake Khanka | Cotylurus cornutus [Chlidonias nigra] (in- testine) | Sergienko, M. I.; and Kharam- bura, Ia. I., 1963 a L'vovshchina |
| Cotylurus cornutus (Rud., 1808) [Anas platyrhynchos] | Belokobyleko, V. T., 1965 a Ural oblast | Cotylurus cornutus (enteritis) pigeons | Settnes, O. P.; and Guildal, J. A., 1967 a Denmark |
| Cotylurus cornutus (Rud., 1808) | Butenko, Šu. V., 1967 a, 35 all from South Kazakhstan | Cotylurus cornutus [Anas platyrhynchos] [Anser anser] | Shevtsov, A. A., 1963 c all from Ukraine |
| Lymnaea stagnalis | | | |
| Radix ovata | | | |
| Cotylurus cornutus (Ru- dolphi, 1808) | Kazlauskas, J., 1968 a Zuvintas Lake | Cotylurus cornutus [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR |
| Cygnus olor | | | |
| Cotylurus cornutus (Rud., 1808) | Khotenovskii, I. A., 1963 a, fig. 7 | Cotylurus cornutus distribution | Sprehn, C. E. W., 1967 a Europe |
| Sturnus vulgaris (posterior portion of small intestine) | Leningrad oblast | | |
| Cotylurus cornutus [Ardea cinerea] [Anas platyrhynchos] [Anas penelope] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve | Cotylurus cornutus Rudolphi, 1808 | Vol'skis, G. I.: [1967 a] Latvian SSR |
| Cotylurus cornutus (Rudol- phi, 1809) | Kiseliéné, V. K., 1966 a all from Lithuanian SSR | Sturmus vulgaris (small intestine) | |
| Limnaea stagnalis | | | |
| Radix ovata | | | |
| Galba palustris | | | |
| G. palustris corvus | | | |
| Cotylurus cornutus Limnaea stagnalis | Kupriianova-Shakhmatova, R. A., 1965 a all from USSR, central | Cotylurus cornutus Lymnaea peregra (nat. and exper.) Erpobdella octoculata (exper.) | Williams, M. O., 1966 a, 246- 247 Milngavie near Glasgow, Scotland |
| Radix ovata | Povolzh'e | | |
| Galba palustris | | | |
| Aplexa hypnorum | | | |
| Coretus corneus | | | |
| Viviparus viviparus | | | |
| Cotylurus cornutus cygni new form | | Cotylurus cornutus cygni Cygnus cygnus | Ryzhikov, K. M.; Kazlauskas, J.; and Dalia, G. G., 1968 a, 99-100, 105, fig. 2 Latvia |

- Cotylurus cumilitestis [sic] Dubois, 1962
Spheniscus humboldti
Spheniscus sp. Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands, all from
- Cotylurus erraticus (Rudolphi, 1809) Szidat, 1928 Dubois, G., 1967 b, 698 Minchumina (Alaska)
- Larus argentatus (intestine) Larus argentatus (intestine)
- Cotylurus erraticus (Rudolphi, 1809) Dubois, G.; and Rausch, R.L., 1967 a, 400-401
 Syn.: *C. aquavis* (Guberlet, 1922)
 (intestine of all) all from Alaska
- Gavia adamsi
G. immer
G. stellata Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Cotylurus erraticus (Rudolphi, 1809) Spheniscus sp. Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a all from USSR, Kamchatka
- Gavia stellata
Larus canus
L. shistisagus Oshmarin, P. G., 1965 b Buriat ASSR
Nyroca ferina
- Cotylurus erraticus (Rudolphi, 1809) Razmashkin, D. A., 1963 a Pskovsk-Chudsk reservoir
 Syn.: *Tetracotyle intermedia* Hughes, 1928
 [*Coregonus lavaretus maraenoides*]
 [*Larus ridibundus*] (exper.)
- Cotylurus erraticus [Chlidonias nigra] (intestine) Sergienko, M. I.; and Kharambura, Ia. I., 1963 a L'vovshchina
- Cotylurus erraticus distribution Sprehn, C. E. W., 1967 a Europe
- Cotylurus flabelliformis (Faust, 1917) Acholomu, A. D., 1964 c Northern Colorado
Lymnaea auricularia
- Cotylurus flabelliformis, cercaria key Nasir, P.; and Scorza B., J. V., 1966 a, 89
- Cotylurus gallinulae hebraicus Dubois, 1934 Macko, J. K., 1967 a, 853-854
Gallinula chloropus (crevo) Czechoslovakia (CSSR)
- Cotylurus hebraicus [Fulica atra] Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve
- Cotylurus hebraicus Dubois, 1934 Maksimova, A. P., 1967 a, 133 all from Western Kazakhstan
Anas acuta
A. platyrhynchos
Nyroca marila
N. fuligula
- Cotylurus pileatus Rud., 1802 Belini sova, L. K., 1965 a all from Krasnooskol'skoe reservoir
Abramis brama
Lucioperca lucioperca
Blicca bjoerkna
Rutilus rutilus
Scardinius erythrophthalmus
Esox lucius
- Cotylurus pileatus (Rudolphi, 1802) Dubois, 1937 Dubois, G., 1967 b, 699 Friesland (Pays-Bas)
Sterna hirundo (intestine)
- Cotylurus pileatus [Vimba vimba] Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Cotylurus pileatus (Rud., 1802) Komarova, T. I., 1964 a, 81 all from Dnieper delta
 [Rutilus r. heckeli]
 [Vimba vimba]
 [Pelecus cultratus]
 [Abramis brama]
 [Blicca bjoerkna]
 [Tinca tinca]
 [Scardinius erythrophthalmus]
 [Carassius carassius]
 [Rutilus rutilus]
 [Lucioperca lucioperca]
 [Aspius aspius]
 [Esox lucius]
- Cotylurus pileatus seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Cotylurus pileatus (Rud., 1802) Komarova, T. I., 1966 a, 61 all from Dnieper estuary
 [Aspius aspius]
 [Blicca bjoerkna]
 [Vimba vimba]
- Cotylurus pileatus +fish Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Cotylurus pileatus (Rudolphi, 1802) Marits, N. M., 1963 a, 43-44 all from Moldavia
 (spleen, wall of heart)
Cyprinus carpio
Abramis brama
Abramis sapo
Pelecus cultratus
Acerina cernue
Carassius carassius
- Cotylurus pileatus (Rud., 1802) Oshmarin, P. G., 1965 b Buriat ASSR
Larus canus
- Cotylurus pileatus (Rudolphi, 1802) Rauckis, E., 1968 a
Larus ridibundus (exper.)
- Cotylurus pileatus Semenova, N. N., 1967 a Moskov oblast
 [Esox lucius]
- Cotylurus pileatus [Chlidonias nigra] (intestine) Sergienko, M. I.; and Kharambura, Ia. I., 1963 a L'vovshchina
- Cotylurus pileatus distribution Sprehn, C. E. W., 1967 a Europe

| | | | |
|---|---|---|---|
| Cotylurus pileatus (Rudolfi, 1808) (blood serum) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a | Grassiphiala bulboglossa Van Haitsma, 1925 | Voth, D. R.; and Larson, O. R., 1968 a, 217 |
| [<i>Acerina cernua</i>] | all from Moskov area | Notropis cornutus | all from Goose River, |
| [<i>Perca fluviatilis</i>] | reservoirs | Perca flavescens | North Dakota |
| [<i>Lucioperca lucioperca</i>] | | Pimephales promelas | |
| [<i>Abramis brama</i>] | | Semotilus atromaculatus | |
| | | (fins and integument of all) | |
| Cotylurus pileatus (Rudolfi, 1802) | Vol'skis, G. I., [1967 a] | Crepidostomum | Bailey, H. H.; and McDanield, J. S., 1965 a, fig. 3 |
| Sterna hirundo (small intestine) | Latvian SSR | life cycle charts, instructions for keeping living material as teaching aid | |
| Cotylurus platycephalus (Creplin, 1825) Szidat, 1928 | Dubois, G., 1966 a, 37, 51 | Crepidostomum sp. | Acholonus, A. D., 1968 a |
| Syn.: <i>Cotylurus strictus</i> Endrigkeit, 1940 | | Trionyx muticus | Louisiana |
| Cotylurus platycephalus (Creplin, 1825) Szidat, 1928 | Dubois, G., 1967 b, 699 | Crepidostomum sp. probably | Pond, G. G.; and Cable, R. M., 1966 a, 483, 484, 488, 489-491, figs. 4, 12-14 |
| Larus argentatus (ileon) | Helder (Pays-Bas) | Crepidostomum ictaluri | |
| Cotylurus platycephalus Larus argentatus | Guildal, J. A., 1968 a, 61, 62 | fine structure of photoreceptors of cercariae | |
| | South Harbour of Copenhagen | Crepidostomum auriculatum | Tanković, M.; Kiskarolj, M.; and Ramadanović, R., 1968 a |
| Cotylurus platycephalus (Creplin, 1825) (intestine) Sterna hirundo | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a | Acipenser ruthenus (crijevo) | Sava river |
| | USSR, Kamchatka | Crepidostomum auriculatum (Wedl, 1857) Lühe, 1909 | Molnár, K., 1963 a, 106 |
| Cotylurus platycephalus (Creplin, 1825) Szidat, 1928 | Rauckis, E., 1968 a, 85 | Acipenser ruthenus "kecsege" | Hungary |
| Syn.: <i>Tetracotyle percae-fluviatilis</i> [<i>Perca fluviatilis</i>] (swim bladder) | all from Lithuania | Crepidostomum auriculatum distribution | Sprehn, C. E. W., 1967 a |
| Larus ridibundus (large intestine) (nat. and exper.) | | | Europe |
| Sterna albifrons (cloaca) | | Crepidostomum baicalense Layman, 1933 | Oshmarin, P. G., 1965 b |
| Cotylurus platycephalus distribution | Sprehn, C. E. W., 1967 a | Perca fluviatilis | Buriat ASSR |
| | Europe | Crepidostomum baicalensis Thymallus arcticus | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a |
| Cotylurus platycephalus (Creplin, 1825) Larus ridibundus (cloaca) | Vol'skis, G. I., [1967 a] | Perca fluviatilis | all from Tuva ASSR |
| | Latvian SSR | Brachymystax lenok | |
| Cotylurus strictus Endrigkeit, 1940 | Dubois, G., 1966 a, 37 | Coregonus lavaretus pidschian | |
| as syn. of <i>Cotylurus platycephalus</i> (Creplin, 1825) Szidat, 1928 | | Crepidostomum cooperi Hopkins, 1931 | Craw, J. L., (jr.); and Allison, T. C., 1967 a |
| | | Lepomis cyanellus | all from Little River system, Texas |
| Cotylurus strictus distribution | Sprehn, C. E. W., 1967 a | Lepomis megalotis | |
| | Europe | Crepidostomum farionis (?) Sphaerium rivicola | Chernogorenko-Bidulina, M.I., 1966 a, 33 |
| Cotylurus strigeoides Dubois, 1958 | Dubois, G., 1967 b, 699 | | upper Dnieper |
| <i>Clangula hyemalis</i> | Fort Yukon | Crepidostomum farionis (Miller, 1874) Trutta trutta m. fario (střevo, pylorické přivěsky) | Ergens, R., 1965 c, 155 |
| Anas acuta | Kenai (Kenai Peninsula) | | Fluss Osoblaha (Oder Gebiet) |
| Anas americana | | Crepidostomum farionis Salmo trutta (intestine) | Kane, M. B., 1966 a |
| Lagopus mutus (intestine) | Tulugak Lake, Brooks Range, Alaska | | Ireland |
| Cotylurus syriacus [sic] Dubois, 1934 | Jansen, J. (jr.); and van den Broek, E., 1966 a | Crepidostomum farionis (Miller, 1784) Salmo trutta m. fario | Margaritov, N. M., 1964 a |
| Cygnus olor | zoological garden, Netherlands | | Bulgaria |
| Cotylurus syriacus Dubois, 1934 | Rauckis, E., 1968 a | Crepidostomum farionis [Salmo trutta m. fario] | Palii, M. A., 1963 a |
| Larus ridibundus (exper.) | | Crepidostomum farionis cercaria chaetotaxy | Richard, J., 1968 a, fig. 2H |
| Crassiphiala bulboglossa | Larson, O. R., 1966 a | Crepidostomum farionis (Miller, 1784) Lihe, 1904 | Sandeman, I. M., and Pippy, J. H. C., 1967 a, 1915-1916 |
| Perca flavescens | all from Itasca Park, Minnesota | (intestine, gall bladder) | all from Newfoundland |
| Etheostoma exile | | Salvelinus fontinalis | |
| Fundulus diaphanus | | Salmo gairdneri | |
| Etheostoma nigrum | | S. salar | |
| (integument, fins, all from) | | S. trutta | |

- Crepidostomum farionis distribution Sprehn, C. E. W., 1967 a Europe
- Crepidostomum farionis grayling Stranack, F. R., 1966 a Hampshire rivers
- Crepidostomum farionis (Muller, 1784) Gasterosteus aculeatus (gall bladder) Threlfall, W., 1968 a, 105 Ocean Pond, St. John's, Newfoundland
- Crepidostomum farionis (Miller, 1784) Salvelinus malma (intestine) Coregonus sardinella (intestine, gall bladder) Thymallus arcticus (intestine) Cottus kaganowskii (gall bladder, intestine)
- Zhnikov, E. V., 1963 a, 101 all from Chukotsk Peninsula
- Crepidostomum latum distribution Sprehn, C. E. W., 1967 a Europe
- Crepidostomum metoecus Salmo trutta Aderounmu, E. A., 1966 a Llyn Tegid (Bala Lake)
- Crepidostomum metoecus (Braun, 1900) Trutta trutta m. fario (strevo, pylorické přívěsky)
- Ergens, R., 1965 c, 155 Fluss Osobla (Oder Gebiet)
- Crepidostomum metoecus Salmo trutta (intestine) Kane, M. B., 1966 a Iréland
- Crepidostomum metoecus distribution Sprehn, C. E. W., 1967 a Europe
- Crepidostomum simile distribution Sprehn, C. E. W., 1967 a Europe
- Kaletskaia, S. L., 1965 a [lapsus as: Crowcrocoecum]
- Crowcrocaecum Marits, N. M., 1963 c Moldavia
- Crowcrocaecum Molnár, K., 1963 a, 106 [lapsus as: Crowcroecum]
- Crowcrocaecum proavitum [Salmo trutta m. fario] Palii, M. A., 1963 a
- Crowcrocoecum [sic] proav- tum [Salmo irideus] Palii, M. A., 1963 b western Ukrainian SSR
- Crowcrocoecum [sic] skrja- bini Iwanitsky, 1928 Lucioperca lucioperca
- Belinišova, L. K., 1965 a Krasnooskol'skoe reservoir
- Crowcrocaecum skrjabini (crijevo) Silurus glanis Lucioperca lucioperca Chondrostoma nasus
- Canković, M.; Kiskarolj, M.; and Ramadanić, R., 1968 a all from Sava river
- Ergens, R., 1965 c, 155 all from Fluss Osobla (strevo, pylorické přívěsky) (Oder Gebiet)
- Cottus poecilopus Trutta trutta m. fario
- Growcrocoecum [i.e. Crowcrocaecum] skrjabini [Abramis brama] [Rutilus rutilus] [Vimba vimba] [Gobio gobio] [Phoxinus phoxinus] [Perca fluviatilis] [Lota lota]
- Crowcrocaecum skrjabini Komarova, T. I., 1963 a Dnieper delta
- Cr[owcrocaecum] skrjabini Komarova, T. I., 1963 b Dneprovsk estuary
- Crowcrocaecum skrjabini (Iwanitzky, 1928) Komarova, T. I., 1964 a, 76 all from Dnieper delta (intestine) [Scardinius erythrophthalmus] [Abramis brama] [Blicca bjoerkna] [Aspius aspius] [Abramis ballerus] [Silurus glanis] [Esox lucius] [Lucioperca lucioperca] [Perca fluviatilis] [Leuciscus idus]
- Crowcrocaecum skrjabini seasonal distribution Komarova, T. I., 1964 b, 99 [Pelecus cultratus] Dnieper delta
- Crowcrocoecum [sic] skrjabini (Iwanitzky, 1928) Komarova, T. I., 1966 a, 61 all from Dnieper estuary [Aspius aspius] [Silurus glanis] [Lucioperca lucioperca]
- Crowcrocoecum [sic] skrjabini (Iwanitzky) Margaritov, N. M., 1966 a, 159 all from Bulgarian sector of Donau river
- Gobio gobio
- Pelecus cultratus
- Cyprinus carpio
- Cobitis bulcarica
- Silurus glanis
- Lucioperca lucioperca
- Perca fluviatilis
- Aspro zingel
- Acerina cernua
- A. schraetser
- Gobius cephalarges constructor
- G. fluviatilis
- Crowcrocoecum [sic] skrjabini (Iwanitzky, 1928) Marits, N. M., 1963 a, 42-43 all from Moldavia (intestine)
- Perca fluviatilis
- Lucioperca lucioperca
- Acerina cernua
- Silurus glanis
- Pelecus cultratus
- Alburnus alburnus
- Aspius aspius
- Abramis sapo
- Barbus barbus
- Gobio gobio
- Neogobius fluviatilis
- Chondrostoma nasus
- Leuciscus cephalus
- Crowcrocoecum [sic] skrjabini (Iwanitzky, 1928) Molnár, K., 1963 a, 106 all from Hungary
- Alburnus alburnus
- Pelecus cultratus
- Acerina cernua
- Lucioperca volgensis

- Crowcrocaecum skrjabini Wyrzykowska, B., 1964 a, 154,
(Iwanitzky, 1928) 157
Leuciscus idus (intestine) Zegrzyński Reservoir
- Crowcrocoecum. See Crowcrocaecum.
- Crowcrocoecum Molnár, K., 1963 a, 106
[lapsus for: Crowcrocaecum]
- Cryptocotyle sp. Naidenova, N. N., 1965 a, 173
Gobius melanostomus (fins, all from Black Sea
blood, skin)
G. niger (blood)
- Cryptocotyle concava Burrows, R. B.; and Lillis,
(Creplin, 1825) Lühe, W. G., 1965 a, 570-571
1899
Canis familiaris
- Cryptocotyle concava Guildal, J. A., 1968 a, 61,
Larus argentatus 63
South Harbour of Copenhagen
- Cryptocotyle concavum (Creplin, 1825) Iskova, N. I., 1966 a, fig. 1
[Anas platyrhynchos] (in- Berdiansk region, Zapozhzh-
testine) skaya oblast
- Cryptocotyle concavum Sailov, D. I., 1963 a
Smogorzhevskaja, L. A., 1961 c,
209, 210, fig. 2
Phalacrocorax aristotelis Krymskaja oblast
desmarestii Payr. (intestine)
- Cryptocotyle concava Sprehn, C. E. W., 1967 a
distribution Europe
- Cryptocotyle jejuna Sprehn, C. E. W., 1967 a
distribution Europe
- Cryptocotyle lingua Burrows, R. B.; and Lillis,
(Creplin, 1825) Fischhoeder, W. G., 1965 a, 570-571
1903
Felis domesticus
Canis familiaris
New Jersey, all from
- Cryptocotyle lingua Christensen, N. O., 1966 a,
figs. 35-36
- Cryptocotyle lingua (Creplin, 1825) Ehrhardt, W. R.; Harkema, R.;
Larus argentatus (small intestine) and Miller, G. C., 1966 a
North Carolina
- Cryptocotyle lingua Guildal, J. A., 1968 a, 61,
Larus argentatus 62
South Harbour of Copenhagen
- Cryptocotyle lingua ultrastructure of redia Krupa, P. L.; Bal, A. K.;
and Cousineau, G. H., 1967 a,
figs. 1-8
- Cryptocotyle lingua excretory vesicle, cer- Krupa, P. L.; Cousineau, G. H.;
carria and Bal, A. K., 1968 a
- Cryptocotyle lingua Leonov, V. A., 1963 a
Larus melanocephalus
L. genei
- Cryptocotyle lingua (Creplin, 1825) (duodenum, small intestine and rectum) Larus shistisagus
L. canus
L. ridibundus
L. argentatus
Sterna hirundo
Gavia stellata
Cepphus carbo
- Cryptocotyle lingua Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 143
all from USSR, Kamchatka
- Cryptocotyle lingua McDaniel, J. S., 1966 a
excystment mediated by action of digestive enzymes
- Cryptocotyle lingua McDaniel, J. S.; and Dixon, exogenous glucose utilization by rediae of Parorchis acanthus and Cryptocotyle lingua K. E., 1967 a
- Cryptocotyle lingua (Creplin, 1825) Smogorzhevskaja, L. A., 1961 c, 210
Phalacrocorax aristotelis Krymskaja oblast
desmarestii Payr. (intestine)
- Cryptocotyle lingua Sprehn, C. E. W., 1966 a, 174
+Phoca vitulina (Darm)
- Cryptocotyle lingua Threlfall, W., 1966 c, 7
(Creplin, 1825) Fischhoeder, 1903
Larus argentatus Wales
- Cryptocotyle lingua Threlfall, W., 1968 b
(Creplin, 1825) Newfoundland, Canada
Larus marinus
- Cryptocotyle lingua Zueva, L. S.; and Belogurov, O. I., 1965 b
Vulpes vulpes all from Uda river basin
(duodenum, small intestine)
Canis familiaris dom. (small intestine; duodenum)
- Cryptogonimus chyli [sic] Larson, O. R., 1966 a
Ambloplites rupestris (in- all from Itasca Park, Min-
testine, musculature, fins) nesota
Perca flavescens (musculature, fins)
Etheostoma nigrum " "
Notropis cornutus " "
Notropis volucellus " "
Pimephales notatus " "
- Cryptotrema kuretanii Khotenovskii, I. A., 1965 a,
Ozaki, 1926 194
as syn. of Cryptotropa kuretanii (Ozaki, 1926)
- Cryptotropa Strand, 1926 Khotenovskii, I. A., 1965 a,
(type of subfam.) 192, 194
Cryptotropidae; Cryptotropinae key
Syn.: Cephalouterina Senger et Macy, 1953 [syn. nov.]
- Cryptotropa dicamptodonii Khotenovskii, I. A., 1965 a,
(Senger et Macy, 1953) 196-199, figs. 2-3
[n. comb.]
Syn.: Cephalouterina dicamptodonii Senger et Macy, 1953
- Cryptotropa kuretanii Khotenovskii, I. A., 1965 a,
(Ozaki, 1926) 194-196, fig. 1
Syn.: Cryptotrema kuretanii Ozaki, 1926

- Cryptotropidae fam. nov. Khotenovskii, I. A., 1965 a,
key to subfamilies 192, 193, 194, 206
includes: Cryptotropinae subfam. nov. (type); Odeningo-
trematinae Rohde, 1962
- Cryptotropinae subfam. nov. Khotenovskii, I. A., 1965 a,
(type) 193, 194
- Cryptotropidae fam. nov. type genus: Cryptotropa
key; key to genera Strand, 1926
includes: Cryptotropa Strand, 1926; Pseudocryptotropa
Yamaguti, 1958
- Cyathocotyle bushiensis Erasmus, D.A., 1967 a, pl. 1,
histochemistry of cyst
wall figs. 1-2
- Cyathocotyle bushiensis Erasmus, D. A., 1967 b,
Khan, 1962 figs. 1-12
ultrastructure, reserve bladder system, lipids
- Cyathocotyle bushiensis Erasmus, D. A., 1967 c,
Khan, 1962 figs. 1-10
host-parasite interface, electron microscope studies
of cuticle
- Cyathocotyle bushiensis Erasmus, D. A.; and Oehman,
Khan, 1962 C., 1965 a, figs. 1-11
electron microscopy, gland cells and host-parasite
interface
- Cyathocotyle bushiensis Lee, D. L., 1966 b, fig. 6-7
cuticle
- Cyathocotyle orientalis Chun, S. K., 1965 a
fresh water fish
- Cyathocotyle orientalis Kamegai, S.; et al., 1964 c
Pseudorasbora parva Kanto district
- Cyathocotyle orientalis Kamegai, S.; et al., 1965 b
Pseudorasbora parva Lake Inbanuma
- Cyathocotyle orientalis Saito, S.; and Otsuru, M.,
1965 a
- Cyathocotyle oviformis Sprehn, C. E. W., 1967 a
distribution Europe
- Cyathocotyle prusica [sic] Macko, J. K., 1967 a, 854
Mühling (1896) Czechoslovakia (CSSR)
Gallinula chloropus
(crevo)
- Cyathocotyle prussica Maksimova, A. P., 1966 a
Anas platyrhynchos all from South Kazakhstan
Oxyura leucocephala
- Cyathocotyle prussica Maksimova, A. P., [1966 b]
Mühling, 1895 Karaganda oblast, Kazakhstan
Nyroca fuligula (small intestine)
- Cyathocotyle prussica Maksimova, A. P., 1967 a, 132,
Mühling, 1896 fig. 5
Anas platyrhynchos all from Western Kazakhstan
Nyroca ferina
- Cyathocotyle skrjabini Petrov, A. M.; and Sudarikov,
sp. nov. V. E., 1963 a, 133-135, fig. 1
[Anas platyrhynchos] Voronezh and Kiev oblasts
(small intestine)
- Cyathocotylidae larvae Stadnichenko, A. P., 1968 a
causes decrease in cardiolipins in digestive gland of
mollusks
- Cyathocotylidae [sp.] Laevapex fuscus Smith, R. J., 1967 a, 288, 289
Belokobylevka, V. T., 1965 a
Ural oblast
- Cyathocotyloides curo- nensis (Szidat, 1933) [Anas platyrhynchos] Belokobylevka, V. T., 1965 a
Oshmarin, P. G., 1965 b
- Cyclocaelum [lapsus for: Cyclocoelum] Chernogorenko-Bidulina, M.I.,
not harmed by industrial 1963 a
pollution Desna river
- Cyclocoelum Brandes, 1892 Macko, J. K., 1965 e
revised diagnostic characters
- Cyclocoelum [lapsus as: Cyclocaelum] Oshmarin, P. G., 1965 b
- Cyclocoelum sp. Odening, Dubois, G., 1965 a, 414
1964 as syn. of C. (C.) odeningi sp. n.
- Cyclocoelum sp. Looss, Macko, J. K., 1965 e
1899 as syn. of C. obscurum (Leidy, 1887)
- Cyclocaelum [sic] sp. Oshmarin, P. G., 1965 b
Tetrastes bonasia (trachea) Buriat ASSR
- Cyclocoelum sp. Smirnova, V. A.; and Ibrash-
eva, S. I., 1967 a, 76-77,
Planorbis planorbis fig. 14
Western Kazakhstan
- Cyclocoelum allahabadi Macko, J. K., 1965 e
Khan, 1935 as syn. of C. obscurum (Leidy, 1887)
- Cyclocoelum (Pseudhyptias- Macko, J. K., 1965 e
mus) bivesiculatum Prudhoe,
1944 as syn. of C. obscurum (Leidy, 1887)
- Cyclocoelum capellum Dubois, G., 1965 a, 414
Jaiswal, 1957 nec Khan, 1935;
Odening, 1962 (sous réserve)
as syn. of C. (C.) odeningi sp. n.
- Cyclocoelum capellum Macko, J. K., 1965 e
Khan, 1935 as syn. of C. obscurum (Leidy, 1887)
- Cyclocoelum cuneatum Macko, J. K., 1965 e
Harrah, 1922 as syn. of C. obscurum (Leidy, 1887)
- Cyclocoelum (Uvitellina) Dubois, G., 1965 a, 417
dollfusi Tseng, 1930 as syn. of Cyclocoelum (Haematotrophus) vanelli (Rud.,
1819)
- Cyclocoelum erythropis Macko, J. K., 1965 e
Khan, 1935 as syn. of Cyclocoelum obscurum (Leidy, 1887)
- Cyclocoelum exile Stossich, Macko, J. K., 1965 e
1902 as syn. of C. obscurum (Leidy, 1887)
- Cyclocoelum goliath Dubois, G., 1965 a, 417
Witenberg, 1923 as syn. of C. (C.) mutabile (Zeder, 1800)

TREMATODA

- Cyclocoelum indicum* Khan, Macko, J. K., 1965 e
1935
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum japonicum* Dubois, G., 1965 a, 417
Kurisu, 1932
as syn. of *C. (C.) mutabile* (Zeder, 1800)
- Cyclocoelum (Haematotrephus)* Dubois, G., 1965 a, 421-422
kossacki (Witenberg, 1923)
Syns.: *Corpopyrus kossacki* Witenberg, 1923; *Haematotrephus lanceolatus* Stossich, 1902 (*nec* Wedl, 1858, et Bychov-Pavlov., 1953, 1962); *H. lanceolatum* Macko, 1960, puis Macko et Feige, 1960 (*nec* Wedl, 1858); *Cyclocoelum nebularium* Khan, 1935
Numenius phaeopus all from Slovaquie
Philomachus pugnax
- Cyclocoelum lahillei* Dubois, G., 1965 a, 417
Dollfus, 1948
as syn. of *C. (C.) mutabile* (Zeder, 1800)
- Cyclocoelum (Haematotrephus)* Stunkard, H. W., 1966 a,
lanceolatum (Wedl, 1858) figs. 1-3
Recurvirostra americana southwestern United States
(abdominal air sacs)
- Cyclocoelum lobatum* Macko, J. K., 1965 e
Khan, 1935
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum macrorchis* Macko, J. K., 1965 e
Harrah, 1922
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum makii* Yamaguti, 1933 Macko, J. K., 1965 e
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum mehrii* Khan, Macko, J. K., 1965 e
1935
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum microcotyleum* Dubois, G., 1965 a, 417
Noble, 1933
as syn. of *C. (C.) mutabile* (Zeder, 1800)
- Cyclocoelum microstomum* (Creplin, 1829) Akhumian, K. S., 1966 a
Capella gallinago gallinago all from Armenian SSR
Fulica atra atra
- Cyclocoelum microstomum* (Creplin, 1829) Butenko, Iu. V., 1967 a, 30-31
Planorbis planorbis all from South Kazakhstan
Radix ovata
Lymnaea stagnalis
- Cyclocoelum [sic] microstomum* (Creplin, 1829) Oshmarin, P. G., 1965 b
Fulica atra
- Cyclocoelum microstomum* Creplin, 1829 Vol'skis, G. I., [1967 a]
Latvian SSR
Fulica atra (upper respiratory tract)
- Cyclocoelum mutabile* (Zeder, 1800) Akhumian, K. S., 1966 a
Armenian SSR
Turdus merula aterrimus
- Cyclocoelum (Cyclocoelum)* Dubois, G., 1965 a, 417
mutabile (Zeder, 1800)
Syns.: *Monostoma mutabile* Zeder, 1800; *M. microstomum* Creplin, 1829; *Cephalogonimus ovatus* Stossich, 1896 (*nec* Rudolphi, 1803); *Cyclocoelum pseudomicrostomum* Harrah, 1922; *C. goliath* Witenberg, 1923; *C. paradoxum* del Pont, 1926; *C. japonicum* Kurisu, 1932; *C. microcotyleum* Noble, 1933; *C. lahillei* Dollfus, 1948
- Cyclocoelum mutabile* Kibakin, V. V., 1965 a
[*Fulica atra*] Gasan-Kuliisk game reserve
- Cyclocoelum mutabile* Bychow-Macko, J. K., 1965 e
skaja-Pawlowskaja, 1949 non
Zeder, 1800
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum mutabile* (Zeder, 1800) Macko, J. K., 1965 e, figs. 1-24, 25-35, 36-38
Syns.: *Monostoma mutabile* Zeder, 1800; *Mono-*
stomum microstomum Stossich, 1896; *Cyclocoelum pseudomicrostomum* Harrah, 1922; *C. goliath* Witenberg, 1923; *C. paradoxum* Pont, 1926; *C. japonicum* Kurisu, 1932; *C. mi-*
crocotyleum Noble, 1933; *C. lahillei* Dollfus, 1948
Fulica atra (Körperhöhle)
Gallinula chloropus (Körperhöhle)
- Cyclocoelum mutabile* (Zeder, Macko, J. K., 1967 a, 852
1880) Czechoslovakia (ČSSR)
Gallinula chloropus (dutina telová)
- Cyclocoelum mutabile* Makarenko, V. K., 1965 a, 163
Zeder, 1800 (body cavity) USSR, central Urals.
Tringa ochropus
- Cyclocoelum mutabile* Sprehn, C. E. W., 1967 a
distribution Europe
- Cyclocoelum mutabile* Vol'skis, G. I., [1967 a]
1880) Latvian SSR
Limosa limosa
- Cyclocoelum nebularium* Dubois, G., 1965 a, 421
Khan, 1935
as syn. of *C. (Haematotrephus) kossacki* (Witenberg, 1923)
- Cyclocoelum obscurum* Dubois, G., 1965 a, 417
Houdemer, 1938 (*nec* Leidy, 1887)
as syn. of *C. (Haematotrephus) vanelli* (Rud., 1819)
- Cyclocoelum (Cyclocoelum)* MacInnis, A. J., 1966 a, 63-66, figs. 3
obscurum Leidy 1887
Catoptrophus semipalmatus Alligator Harbor, Franklin County, Florida
- Cyclocoelum obscurum* Macko, J. K., 1965 e, figs. 39-66, 67-69
Leidy, 1887
Syns.: *Monostomum obs-*
curum Leidy, 1887; *Cyclo-*
coelum sp. Looss, 1899; *C. ovopunctatum* Stossich, 1902;
C. problematicum Stossich, 1902; *C. exile* Stossich, 1902;
Monostomum vicarium Arnsdorff, 1908; *C. orientale* Skrjabin, 1913; *C. obliquum* Harrah, 1921; *C. leidyi* Harrah, 1922; *C. toratsugumi* Morishita, 1924; *C. orientale* Witenberg, 1923; *C. makii* Yamaguti, 1933; *C. allahabadi* Khan, 1935; *C. capellum* Khan, 1935; *C. erythropus* Khan, 1935; *C. indicum* Khan, 1935; *C. lobatum* Khan, 1935; *C. mehrii* Khan, 1935; *C. straightum* Khan, 1935; *C. turusigi* Yamaguti, 1939; *C. (Pseudhyptiasmus) bivesiculatum* Prudhoe, 1944; *C. mutabile* Bychowskaja-Pawlowskaja, 1949 non Zeder, 1800; *C. cuneatum* Harrah, 1922; *C. macrorchis* Harrah, 1922

- Cyclocoelum obscurum* Macko, J. K., 1965 e, figs.
(Leidy, 1887).-- Continued. 39-66, 67-69.-- Continued.
- Tringa erythropus* (Körpherhöle)
T. totanus "
T. nebularia "
T. ochropus "
T. glareola "
Limosa limosa
Numenius arquata
- Cyclocoelum* (*Cyclocoelum*) Dubois, G., 1965 a, 414-416,
odeningi sp. n. figs. 1-3
Syns.: *C. capellum* Jaiswal, 1957 nec Khan, 1935; Odening,
1962 (sous réserve); *C. sp.* Odening, 1964
Nettapus coromandelianus
(cavité du corps)
- Cyclocoelum ovopunctatum* Macko, J. K., 1965 e
Stossich, 1902
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum paradoxum* Dubois, G., 1965 a, 417
del Pont, 1926
as syn. of *C. (C.) mutabile* (Zeder, 1800)
- Cyclocoelum pseudomicros-* Dubois, G., 1965 a, 417
tomum Harrah, 1922
as syn. of *C. (C.) mutabile* (Zeder, 1800)
- Cyclocoelum pseudomicros-* Macko, J. K., 1965 e
tomum Harrah, 1922
as syn. of *Cyclocoelum mutabile* (Zeder, 1800)
- Cyclocoelum straightum* Macko, J. K., 1965 e
Khan, 1935
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum titiri* P.N. Dubois, G., 1965 a, 417
Chatterji, 1958
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud.,
1819)
- Cyclocoelum toratsugumi* Macko, J. K., 1965 e
Morishita, 1924
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum tringae* Stossich Vol'skis, G. I., [1967 a]
1902 Latvian SSR
Phylomachus pugnax (respiratory tract)
- Cyclocoelum turusigi* Macko, J. K., 1965 e
Yamaguti, 1939
as syn. of *C. obscurum* (Leidy, 1887)
- Cyclocoelum* (*Haematotrephus*) Dubois, G., 1965 a, 417-421,
vanelli (Rudolphi, 1819) figs. 4-5
Syns.: *Monostoma vanelli* Rudolphi, 1819; *M. lanceolatum* Wedl, 1858; *Haematotrephus similis* Stossich, 1902;
?*Haematotrephus consimilis* Nicoll, 1914; *H. adelphus* S. J. Johnston, 1916; *Uvitellina pseudocotyle* Witenberg, 1923; *U. magniembrina* Witenberg, 1923; *Cyclocoelum (Uvitellina) dollfusi* Tseng, 1930; *Uvitellina keri* Yamaguti, 1933; *U. tageri* Yamaguti, 1933; *U. macroisophaga* Hannun et Wilson, 1934; *Cyclocoelum obscurum* Houdemer, 1938 (nec Leidy, 1887); *Haematotrephus (Uvitellina) vanelli* (Rud.) Dollfus, 1948; *Uvitellina adelpha* (Johnston) Bychov.-Pavlov., 1953; *Cyclocoelum titiri* P.N. Chatterji, 1958; *Haematotrephus (H.) lobivanelli* N. K. Gupta, 1958; *H. (Uvitellina) kaniharensis* P.D. Gupta, 1958; *Uvitellina vanelli* (Rud.) Macko, 1959; *U. indica* Siddiqi et Jairajpuri, 1962
Vanellus vanellus Senné, Slovensko (CSR)

- Dactylocotyle trachinoti MacCallum, 1921 Caballero y Caballero, E.; and Bravo-Hollis, M., 1965 b, 103
as syn. of Bicotylophora trachinoti (MacCallum, 1921) Price, 1936
- Dactylogyrus borealis distribution Sprehn, C. E. W., 1967 a Europe
- Dactylogyridae key to subfamilies includes: Ancyrocephalinae Bychowsky, 1937; Dactylogyrinae Bychowsky, 1933; Heteronchocleidinae n. subfam.; Anacanthoriniae n. subfam. Price, C. E., [1967 c]
- Dactylogyrinae Bychowsky, 1933 key Price, C. E., [1967 c]
- Dactylogyrosis ammonia Kanaev, A. I., 1964 a
- Dactylogyrosis sodium chloride, fish Shcherbina, A. K., 1960 a
- Dactylogyrosis fish, thiosulfonic acid esters Sutlagin, V. S.; et al., 1963 a
- Dactylogyrus revision Price, C. E., 1967 b, 117-119
- Dactylogyrus Diesing, 1850 Dactylogyridae; Dactylogyrinae, key Price, C. E., 1967 e, 379, 382-383
- Dactylogyrus Diesing, 1850 Dactylogyridae; Dactylogyrinae, key Prost, M., 1966 a, 3, 4, 5-13, 18, 19, 22, 23
- Dactylogyrus Diesing, 1850 emend. Dactylogyridae; Dactylogyrinae Rogers, W. A., 1967 c, 504
- Dactylogyrus sp. Chondrostoma nasus (žabra) fig. 2 Ergens, R., 1965 c, 148-149, Fluss Osoblaha (Oder Gebiet)
- Dactylogyrus sp. Rutilus rutilus (gills) Ha, K., 1964 a, figs. 1-2 Alol group of lakes (Pskov oblast)
- Dactylogyrus [sp.] [Cyprinus carpio] Turpalova, N. M.; and Maslenikova, E. I., 1964 a Moldavia
- Dactylogyrus sp. [Salvelinus alpinus] Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Dactylogyrus [sp.] Silurus glanis Lucky, Z., 1966 a
- Dactylogyrus sp. Abramis brama Barbus barbus Blitca bjoercla Rutulus rutilus Scardinus erythrophthalmus Prost, M., 1966 a, 13, 18, 19 all from Polsce
- Dactylogyrus sp. Prost, 1957
as syn. of Dactylogyrus caballeroi Prost, 1960
- Dactylogyrus sp. Wegener, 1909
as syn. of Dactylogyrus auriculatus (Nordmann, 1832), Nybelin, 1937
- Dactylogyrus sp. [Ctenopharyngodon idella] (nasal cavity) Smirnova, T. S.; Strelkov, Tu. A.; Timofeev, V. A.; and Shul'man, S. S., 1964 a, fig. 3 river Amur
- Dactylogyrus sp. Alburnoides bipunctatus (Kiemensblättchen) Zitnan, R., 1965 a, fig. 3 River Hron
- Dactylogyrus absidatus sp. n. Hybopsis bellica Rogers, W. A.; and Mizelle, J. D., 1966 a, 707-708, 709, figs. 1-7 Lee County, Alabama
- Dactylogyrus absidatus Rogers and Mizelle, 1966 +Hybopsis bellica (gills) Rogers, W. A., 1967 c, 522 Swift Creek, Autauga Co., Silver Creek, Perry Co., Alabama
- Dactylogyrus acicularis sp. n. Moxostoma poecilurum (gills) Rogers, W. A., 1967 c, 501, 505, 506, figs. 21-28 Chocafaula Creek, Lee Co., Oxbow Lake, Montgomery Co., Alabama; Sandy Creek, East Feliciana Parish, Louisiana
- Dactylogyrus afer Prost and Gery, in press [nomen nudum] Barbus sp. (batesi aff.) Price, C. E., 1967 e, 383 Liboumba River, near Makokou
- Dactylogyrus affinis [Barbus barbus] Akhmerov, A. Kh., 1960 d lakes of Kelifskii Uzboi
- Dactylogyrus affinis fish Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Dactylogyrus agapovae fish Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Dactylogyrus alabamensis sp. n. Hybopsis amblops Rogers, W. A.; and Mizelle, J. D., 1966 a, 707, 708, 709, figs. 8-18 Lee County, Alabama
- Dactylogyrus alabamensis Rogers and Mizelle, 1966 +Hybopsis amplops (gills) Rogers, W. A., 1967 c, 522 Cahaba River, Perry Co., Flint River, Madison Co., Alabama; Sandy Creek, East Feliciana Parish, Louisiana Greenbriar Branch, Lime-stone Co., Alabama
- Hybopsis storriiana " Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina
- Dactylogyrus alatus [Alburnus alburnus] [Rutilus rutilus] Margaritov, N. M., 1964 a Bulgaria
- Dactylogyrus alatus Linstow, 1878 Alburnus alburnus

| | | | |
|---|---|--|--|
| Dactylogyrus alatus Linstow, 1878 | Molnár, K., 1963 a, 104 Hungary | Dactylogyrus anchoratus [Cyprinus carpio] | Iskov, M. P., 1963 a Kakhovsk reservoir |
| Alburnus alburnus "szélhajtó küsz" | | Dactylogyrus anchoratus [Cyprinus carpio] (gills) | Ivasik, V. M., 1961 c, 266, 268, 269 Ukraine |
| Dactylogyrus alatus Linstow, 1878 | Prost, M., 1966 a, 5, 18, 19, 22, 23 all from Polsce | Dactylogyrus anchoratus [Cyprinus carpio] (gills) | Ivasik, V. M.; and Sutiagin, V. S., 1966 a Tissa river |
| Blicca bjoernea | | Dactylogyrus anchoratus Cyprinus carpio | Jaczó, I. ² , 1966 a |
| Rutilus rutilus | | Dactylogyrus anchoratus (Du Jardin, 1845) [Cyprinus carpio] (gills) | Kolesnikova, M. N., 1963 b Syr-Darya river, lower channel |
| Dactylogyrus alatus (Linstow, 1878) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriúkova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs | Dactylogyrus anchoratus (Du Jardin, 1845) [Cyprinus carpio] (gills) | Komarova, T. I., 1964 a, 83 Dnieper delta |
| [Blicca bjoerkna] (gills) | | Dactylogyrus anchoratus Cyprinus carpio "ponty" | Molnár, K., 1963 a, 104 all from Hungary |
| [Rutilus rutilus] (gills) | | Caraassius carassius "kárász" | |
| [Aspius aspius] (gills) | | Dactylogyrus anchoratus (Du Jardin, 1845) Wagener, 1857 | Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a Texas |
| Dactylogyrus alatus f. major [Leuciscus idus] | Kaletskaia, S. L., 1965 a Zapadnaiá Dvina | Caraassius auratus | |
| Dactylogyrus albertensis sp. nov. | Price, C. E.; and Arai, H. P., 1967 a, 1235, 1237-1239, figs. 1-11 Milk River, Alberta, Canada | Dactylogyrus anchoratus [Cyprinus carpio] | Poliakov, M. G.; and Ivasik, V. M., 1963 a L'vovsk oblast |
| Hydropsis gracilis (gill filaments) | | Dactylogyrus anchoratus (Du Jardin, 1845), Wegener, 1857 | Frost, M., 1966 a, 5-6, 18, 19, 22, 23 all from Polsce |
| Dactylogyrus amphibothrium Wagener, 1857 | Molnár, K., 1963 a, 104 Hungary | Carassius carassius | |
| Acerina cernua "vágódurbincs" | | Cyprinus carpio | |
| Dactylogyrus amphibothrium Wagener, 1857 | Prost, M., 1966 a, 5, 18, 19, 22, 23 all from Polsce | Tinca tinca | |
| Acerina cernua | | Dactylogyrus anchoratus chlorophos; neguvon; and trichlorphon, farm fish | Frost, M.; and Studnicka, M., 1966 b |
| Tinca tinca | | Dactylogyrus anchoratus Wagener, 1857 | Rogers, W. A., 1967 c, 522 Agric. Exper. Sta., Auburn Univ., Lee Co., Alabama |
| Dactylogyrus amphibothrium distribution | Sprehn, C. E. W., 1967 a Europe | Caraassius auratus (gills) | |
| Dactylogyrus amphibothrium (Kiemenblättchen) | Zitnan, R., 1965 a all from River Hron | Dactylogyrus anchoratus distribution | Sprehn, C. E. W., 1967 a Europe |
| Perca fluviatilis | | Dactylogyrus anchoratus +[Cyprinus carpio] | Sutiagin, V. S.; Ivasik, V. M.; and Vorona, N. I., 1963 a L'vovsk oblast |
| Acerina cernua | | Dactylogyrus anchoratus (Du Jardin, 1845) [Abramis brama] (gills) | |
| A. schraetser | | Dactylogyrus anchoratus Du Jardin, 1845 (Kiemenblättchen) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriúkova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs |
| Dactylogyrus amurensis Achmerow, 1952 | Ergens, R.; and Dulmaa, A., 1967 a, 322, 323, fig. 1a Mongolia | Cyprinus carpio | Zitnan, R., 1965 a all from River Hron |
| Phoxinus lagowskii (gills) | | Carassius carassius | |
| Dactylogyrus anchoratus sodium chloride, fish | Akhmerov, A. Kh., 1960 a | | |
| Dactylogyrus anchoratus [Cyprinus carpio] | Akhmerov, A. Kh., 1960 d lakes of Kelifskii Uzboi | | |
| Dactylogyrus anchoratus fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | | |
| Dactylogyrus anchoratus Dujardin, 1845 | Belinisova, L. K., 1965 a Krasnooskol'skoe reservoir | | |
| Cyprinus carpio | | | |
| Dactylogyrus anchoratus | Christensen, N. O., 1966 a, fig. 31 | | |
| Dactylogyrus anchoratus [Cyprinus carpio] | Diarova, G. S., 1967 a all from Alma-Ata pond fisheries | | |
| [Salvelinus alpinus] | | | |

| | | | |
|---|---|--|--|
| Dactylogyrus anguillae (Yin, Wen-Ying and Sproston 1948) | Gusev, A. V., 1965 a, 119,123, 124 as syn. of <i>Pseudodactylogyrus anguillae</i> (Yin, Wen-Ying and Sproston, 1948) [n. comb.] | Dactylogyrus banghami Mizelle and Donahue, 1944 (gills of all) <i>Notropis venustus</i> | Rogers, W. A., 1967 c, 522 Chewacla Creek, Lee Co., Halawakee Creek, Chambers Co., Alabama; Coweta Co., Georgia |
| Dactylogyrus apos Mueller, 1938 | Rogers, W. A., 1967 c, 522 Hillabee Creek, Clay Co., Hypentelium etowanum (gills) Alabama | N. longirostris | Uchee Creek, Russell Co., Alabama |
| Dactylogyrus arcus sp. n. <i>Notropis chryscephalus</i> isolepis (gills) N. coccogenis " | Rogers, W. A., 1967 c, 501, 505, 506, figs. 29-35 Auburn, Lee County, Alabama Shoal Creek, Lauderdale County, Alabama | N. chryscephalus isolepis | Auburn, Lee Co., Chickason-oxee Creek, Chambers Co., Alabama |
| Dactylogyrus argenteus sp. n. <i>Notropis shumardi</i> (gills) | Rogers, W. A., 1967 c, 501, 505, 506, figs. 36-42 Cahaba River, Perry Co., Tombigbee River, Pickens Co., and Lake Demopolis, Marengo Co., Alabama | N. hypsilepis | Halawakee Creek, Chambers Co., Alabama |
| Dactylogyrus aristichthys Long et Yu, 1958 biology <i>Aristichthys nobilis</i> (inner lateral side of gill leaflets) | Musselius, V. A., 1968 a USSR | N. baileyi | Moore's Mill Creek, Lee Co., Alabama |
| Dactylogyrus attenuatus Mizelle and Klucka, 1953 <i>Semotilus atromaculatus</i> (gills) | Rogers, W. A., 1967 c, 522 Limestone Co., Alabama | N. bellus | Auburn, Lee Co., Alabama |
| Dactylogyrus auratus [i.e. aureus?] Seamster, 1948 <i>Notemigonous chrysoleucas</i> auratus | Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a Texas | N. trichroistius | Choccolocco Creek, Talladega Co., Alabama |
| Dactylogyrus aureus Seamster, 1948 <i>Notemigonous chrysoleucas</i> (gills) | Rogers, W. A., 1967 c, 522 State Lake, Dale Co., Alabama; Edisto River, Orangeburg, South Carolina | Dactylogyrus barbus Price and Gery, in press [nomen nudum] | Price, C. E., 1967 e, 382 Ogooue River drainage, Gabon |
| Dactylogyrus auriculatus (Nord., 1832) [Abramis brama] | Komarova, T. I., 1964 a, 83 Dnieper delta | Barbus sp. (brichardi aff.) | Rogers, W. A., 1967 c, 522 Auburn Univ., Lee Co., Alabama |
| Dactylogyrus auriculatus seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Dactylogyrus bellicae sp. n. | Rogers, W. A.; and Mizelle, J. D., 1966 a, 707, 708, 709, 710, figs. 19-30 Lee County, Alabama |
| Dactylogyrus auriculatus (Nordmann, 1832) Nybelin, 1936 Abramis brama "déverkeszeg" Abramis ballerus "laposkeszeg" | Molnár, K., 1963 a, 104 all from Hungary | + <i>Hybopsis bellica</i> (gills) | Rogers, W. A., 1967 c, 522 Hillabee Creek, Clay Co., Moore's Mill Creek, Lee Co., Saugahatchee Creek, Tallapoosa Co., Alabama |
| Dactylogyrus auriculatus (Nordmann, 1832), Nybelin, 1937 Syn: <i>Gyrodactylus auriculatus</i> Nordmann, 1832; <i>Dactylogyrus</i> sp. Wegener, 1909; <i>Dactylogyrus wunderi</i> Bykhovsky, 1931 (partim) Abramis brama Blicca bjoerckae | Prost, M., 1966 a, 6, 18, 22, 23 all from Poland | Dactylogyrus bicornis distribution | Sprehn, C. E. W., 1967 a Europe |
| Dactylogyrus auriculatus distribution | Sprehn, C. E. W., 1967 a Europe | Dactylogyrus bifurcatus Mizelle, 1937 <i>Pimephales notatus</i> (gills) <i>P. vigilax</i> " | Rogers, W. A., 1967 c, 522 Walter Creek, Madison Co., Alabama Sandy Creek, E. Feliciana Parish, Louisiana |
| Dactylogyrus banghami Mizelle and Donahue, 1944 <i>Rhinichthys cataractae</i> (gills) | Price, C. E.; and Arai, H.P., 1967 a, 1239 Milk River, Alberta, Canada | Dactylogyrus borealis Nybelin, 1936 <i>Phoxinus phoxinus</i> (žábra) | Ergens, R., 1965 c, 147 Fluss Osoblaha (Oder Gebiet) |
| | | Dactylogyrus borealis Nybelin, 1937 <i>Phoxinus phoxinus</i> (gills) | Ergens, R.; and Dulmaa, A., 1967 a, 322, 323, fig. 1b Mongolia |
| | | Dactylogyrus borealis [<i>Phoxinus phoxinus</i>] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina |
| | | Dactylogyrus borealis Nydelin, 1936 <i>Phoxinus phoxinus</i> | Margaritov, N. M., 1964 a Bulgaria |
| | | 'Dactylogyrus borealis Nybelin, 1936 <i>Phoxinus phoxinus</i> (Kiemenblättchen) | Zitňan, R., 1965 a River Hron |

- Dactylogyrus bulbus
Mueller, 1938
Notropis c. chrysocephalus
(gills) Rogers, W. A., 1967 c, 523
Flint River, Madison Co.,
Alabama
- Dactylogyrus bychowskyi
Mizelle, 1937
Pimephales notatus (gills)
P. promelas " Rogers, W. A., 1967 c, 523
Walker Creek, Madison Co.,
Alabama
Auburn Univ., Lee Co.,
Marion Nat. Fish Hatchery,
Perry Co., Alabama
- Dactylogyrus caballeroi
Prost, 1960
Syn: *Dactylogyrus* sp. Prost, 1957
Rutilus rutilus Prost, 1957
Polsce Frost, M., 1966 a, 6, 19,
22, 23
- Dactylogyrus capoeto-
bramae
fish Allamuratov, B. K., 1965 b
South-Surkhanskoe reservoirs
- Dactylogyrus capoetobrama
Kuzmenko, 1945
Capoetobrama kuschakewit-
schi (gills) Gavrilova, N. G.; Gusev, A.
V.; and Dzhalilov, U. D.,
1965 a, fig. 1
Kairak-Kumsk reservoir
- Dactylogyrus carpathicus
Zachvatkin, 1951
Barbus barbus Margaritov, N. M., 1964 a
Bulgaria
- Dactylogyrus carpathicus
Zachvatkin, 1951
Barbus barbus "márna" Molnár, K., 1963 a, 104
Hungary
- Dactylogyrus carpathicus
(Kiemenblättchen)
Barbus barbus
B. meridionalis petényi Zitňan, R., 1965 a
all from River Hron
- Dactylogyrus caudoluminis
sp. n.
Notropis maculatus (gills) Rogers, W. A., 1967 c, 501,
505, 506-507, figs. 43-49
Lake Walter F. George,
Barbour Co., Alabama; Baze-
more Mill Spring, Houston
Co., Alabama; Lake Seminole,
Seminole Co., Georgia
- Dactylogyrus centrarchidi
n. sp.
Lepomis auritus (gills) Price, C. E., 1967 b, 119,
120, 121, 123, figs. 1-5
Hollanville, Georgia
- Dactylogyrus cheloideus
sp. n.
Rhinichthys atratulus
(gills) Rogers, W. A., 1967 c, 501,
505, 507, figs. 50-56
Flint river, Madison Co.,
Alabama
- Dactylogyrus chondrostomi
Malewitzkaja, 1941
Chondrostoma nasus Margaritov, N. M., 1964 a
Bulgaria
- Dactylogyrus chondrostomi
Malewitzkaja, 1941
Chondrostoma nasus "paduc" Molnár, K., 1963 a, 104
Hungary
- Dactylogyrus chondostomi
[sic]
distribution Sprehn, C. E. W., 1967 a
Europe
- Dactylogyrus chranilowi By-
chowsky, 1936
[*Abramis ballerus*] (gills) Komarova, T. I., 1964 a, 83
Dnieper delta
- Dactylogyrus chranilowi
[*Abramis ballerus*] Koval, V. P., 1963 b
lower region, Kakhovsk
reservoir
- Dactylogyrus chranilowi
Bychowsky, 1933
Abramis ballerus "laposkeszeg"
Molnár, K., 1963 a, 104
Hungary
- Dactylogyrus chranilowi
Bychowsky, 1933
Abramis ballerus (ziabrové listky)
Zitňan, R., 1967 b, 845-846,
850, 851, fig. 1
Tisa River
- Dactylogyrus confusus
Mueller, 1938
Clinostomus funduloides
(gills) Rogers, W. A., 1967 c, 523
Bluff Creek, Lauderdale Co.,
Alabama
- Dactylogyrus cordus
Nybelin, 1936
Leuciscus leuciscus (zábra) Ergens, R., 1965 c, 147
Fluss Osoblahe (Oder Gebiet)
- Dactylogyrus cordus
[*Leuciscus leuciscus*] Kaletskaia, S. L., 1965 a
Zapadnaiá Dvina
- Dactylogyrus cordus
distribution Sprehn, C. E. W., 1967 a
Europe
- Dactylogyrus cornu Linstow
1878
Rutilus rutilus (gills) Ha, K., 1964 a
Alol group of lakes (Pskov
oblast)
- Dactylogyrus cornu
[*Vimba vimba*]
[*Blicca bjoerkna*]
[*Leuciscus cephalus*]
[*Leuciscus leuciscus*] Kaletskaia, S. L., 1965 a
all from Zapadnaiá Dvina
- Dactylogyrus cornu
[*Blicca bjoerkna*]
[*Abramis brama*]
[*Rutilus rutilus*]
[*Rutilus r. heckeli*] Komarova, T. I., 1963 a
Dnieper delta, all from
- Dactylogyrus cornu Lin-
stow, 1878
[*Rutilus r. heckeli*]
[*Rutilus rutilus*]
[*Blicca bjoerkna*]
[*Abramis brama*]
[*Vimba vimba*] Komarova, T. I., 1964 a, 83
all from Dnieper delta
- Dactylogyrus cornu
seasonal distribution Komarova, T. I., 1964 b
Dnieper delta
- Dactylogyrus cornu Linstow
1878
(gills)
[*Rutilus r. heckeli*]
[*Blicca bjoerkna*]
[*Abramis brama*]
[*Vimba vimba*] Komarova, T. I., 1966 a, 62
all from Dnieper estuary
- Dactylogyrus cornu
[*Vimba vimba*] Koval, V. P., 1963 b
lower region, Kakhovsk
reservoir
- Dactylogyrus cornu
Linstow, 1878
Blicca bjoerkna Margaritov, N. M., 1964 a
Bulgaria

| | | | |
|--|---|---|---|
| Dactylogyurus cornu Linstow, 1878 Blicca björkna "ezüstös balin" Vimba vimba "évakeszeg" | Molnár, K., 1963 a, 104 all from Hungary | Dactylogyurus crucifer Wagener, 1857 [<i>Rutilus r. heckeli</i>] | Komarova, T. I., 1964 b Dnieper delta |
| Dactylogyurus cornu Linstow, 1878 Blicca bjoerckna <i>Rutilus rutilus</i> Vimba vimba | Prost, M., 1966 a, 7, 18, 19, 22, 23, all from Polsce | Dactylogyurus crucifer [<i>Rutilus rutilus</i>] | Komarova, T. I., 1966 a, 62 Dnieper estuary |
| Dactylogyurus cornu Linstow, 1878 (Kiemensblättchen) <i>Rutilus rutilus</i> Blicca bjoerckna Abramis brama Vimba vimba | Zitňan, R., 1965 a all from River Hron | Dactylogyurus crucifer Wagener, 1857 <i>Rutilus rutilus</i> Abramis brama (gills of all) | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| Dactylogyurus cornutus Mueller, 1938 <i>Notropis c. chryscephalus</i> (gills) | Rogers, W. A., 1967 c, 523 Flint River, Madison Co., Alabama | Dactylogyurus crucifer Wagener, 1857 <i>Rutilus rutilus</i> "veresszár- nyú koncén" | Mishra, T., 1966 a all from Shropshire Union Canal, Cheshire |
| Dactylogyurus crassus Kul- wiec, 1927 <i>Cyprinus carpio</i> (gills) | Kollmann, A., 1968 a, figs. 1-6 Erlangen, Northern Bavaria | Dactylogyurus crucifer Wagener, 1857 Syn: <i>Dactylogyurus dujardinianus</i> Linstow, 1875 <i>Rutilus rutilus</i> all from Polsce | Prost, M., 1966 a, 7-8, 18, 19, 22, 23 Scardinius erythrophthalmus |
| Dactylogyurus crassus Kul- wiec, 1927 [<i>Carassius carassius</i>] | Komarova, T. I., 1964 a, 83 Dnieper delta | Dactylogyurus crucifer Wagener, 1857 (Kiemensblättchen) <i>Rutilus rutilus</i> <i>R. pigus virgo</i> Scardinius erythrophthalmus | Zitňan, R., 1965 a all from River Hron |
| Dactylogyurus crassus Kulwiec, 1927 <i>Carassius carassius</i> <i>Cyprinus carpio</i> | Prost, M., 1966 a, 7, 18, 22, 23 all from Polsce | Dactylogyurus crucis sp. n. <i>Notropis bellus</i> (gills) <i>N. roseipinnis</i> " | Rogers, W. A., 1967 c, 501, 505, 507, 509, figs. 57-64 Auburn, Lee Co., Alabama Flat Creek, Geneva Co., Alabama |
| Dactylogyurus crassus distribution | Sprehn, C. E. W., 1967 a Europe | <i>N. ardens</i> " | <i>N. ardens</i> Colbert Creek, Lauderdale Co., Alabama |
| Dactylogyurus crassus (Kulwiec, 1927) [<i>Carassius carassius</i>] (gills) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs | Dactylogyurus cryptomeres fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| Dactylogyurus crucifer Wagener, 1857 <i>Rutilus rutilus</i> (zábra) | Ergens, R., 1965 c, 147 Fluss Osoblahe (Oder Gebiet) | Dactylogyurus cryptomeres Bychowsky, 1934 <i>Gobio gobio</i> (zábra) | Ergens, R., 1965 c, 147 Fluss Osoblahe (Oder Gebiet) |
| Dactylogyurus crucifer [<i>Rutilus rutilus</i>] | Gavrilitsa, L. A., 1964 a Dnestrov estuary | Dactylogyurus cryptomeres Bychowsky, 1934 <i>Gobio gobio</i> | Margaritov, N. M., 1964 a Bulgaria |
| Dactylogyurus crucifer Wagener, 1857 <i>Rutilus rutilus</i> (gills) | Ha, K., 1964 a Alol group of lakes (Pskov oblast) | Dactylogyurus cryptomeres Bychowsky, 1934 <i>Gobio gobio</i> "fenékjáró killo" | Molnár, K., 1963 a, 104 Hungary |
| Dactylogyurus crucifer Wagener Blicca björkna (gills) Abramis brama " Scardinius erythrophthalmus (gills) | Huculak, F., 1965 a, 285 all from Kozłowa Góra reservoir | Dactylogyurus cryptomeres Bychowsky, 1934 (Kiemensblättchen) <i>Gobio gobio</i> <i>G. albipinnatus</i> | Zitňan, R., 1965 a all from River Hron |
| Dactylogyurus crucifer [<i>Rutilus rutilus</i>] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Dactylogyurus ctenopharyngodon [<i>Ctenopharyngodon idella</i>] | Bauer, O. N.; Babaev, B.; and Strelkov, Iu. A., 1963 a all from Karakum canal |
| Dactylogyurus crucifer Wag- ener, 1857 [<i>Rutilus rutilus</i>] [<i>Rutilus r. heckeli</i>] [<i>Scardinius erythrophthalmus</i>] | Komarova, T. I., 1964 a, 83 all from Dnieper delta | Dactylogyurus cursitans sp. n. <i>Notropis chryscephalus</i> <i>isolepis</i> (gills) | Rogers, W. A., 1967 c, 501, 508, 509, figs. 65-71 Auburn, Lee County, Alabama |

- Dactylogyrus difformis Belinosova, L. K., 1965 a
Wagener, 1857 Krasnooskol'skoe reservoir
Scardinus erythrophthalmus
- Dactylogyrus difformis Ha, K., 1964 a
Wagener, 1857 Alol group of lakes (Pskov
Rutilus rutilus (gills) oblast)
- Dactylogyrus difformis Komarova, T. I., 1963 a
Wagener, 1857 [Scardinus erythrocephalus] Dnieper delta
- Dactylogyrus difformis Komarova, T. I., 1964 a, 83-84
Wagener, 1857 [Scardinus erythrophthalmus] (gill filaments) Dnieper delta
- Dactylogyrus difformis Koval, V. P., 1963 b
[Scardinus erythrocephala] lower region, Kakhovsk
reservoir
- Dactylogyrus difformis Molnár, K., 1963 a, 104
Wagener, 1857 Hungary
Scardinus erythrophthalmus "pirosszemu kele"
- Dactylogyrus difformis Prost, M., 1966 a, 8, 18, 19,
Wagener, 1857 22, 23
Scardinus erythrophthalmus all from Polsce
Leuciscus cephalus
Blicca bjoernta
Rutilus rutilus
- Dactylogyrus difformis Zitňan, R., 1965 a
Wagener, 1857 River Hron
Scardinus erythrophthalmus (Kiemenblättchen)
- Dactylogyrus distinguendus Molnár, K., 1963 a, 104
Nybelin, 1937 Hungary
Blicca björkna "ezüstös
balin"
- Dactylogyrus dujardinianus Prost, M., 1966 a, 7
Linstow, 1875
as syn. of Dactylogyrus crucifer Wagener, 1857
- Dactylogyrus dujardinianus Sprehn, C. E. W., 1967 a
distribution Europe
- Dactylogyrus duquesnei Rogers, W. A., 1967 c, 523
Mueller, 1938 Flint River, Madison Co.,
Moxostoma erythrurum (gills) Alabama
- Dactylogyrus dyki Ergens Zitňan, R., 1965 a, fig. 1
et Lucky, 1959 all from River Hron
(Kiemenblättchen)
Barbus barbus
B. meridionalis petényi
- Dactylogyrus elongatus Sprehn, C. E. W., 1967 a
distribution Europe
- Dactylogyrus ericymbae Rogers, W. A., 1967 c, 501,
sp. n. 508, 509-510, figs. 72-78
Ericympha buccata (gills) Hatcheebue Creek, Pitts-
view, Russell Co., Alabama
- Dactylogyrus ersinensis Ergens, R.; and Dulmaa, A.,
Spassky et Roitman, 1960 1967 a, 323, fig. 1d
Phoxinus sp. (gills) Mongolia
- Dactylogyrus ersinensis Spasskii, A. A.; Roitman, V.
Oreoleuciscus humilis A.; and Trofimenko, V. Ia.,
1965 a
Tuva ASSR
- Dactylogyrus extensus Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Dactylogyrus extensus Bykovskii, B. E.; and Iziumova,
prophylaxis in transpor- N. A., 1964 a
tation and acclimatization, fish
- Dactylogyrus extensus Diarova, G. S., 1967 a
[Cyprinus carpio] Alma-Ata pond fisheries
- Dactylogyrus extensus Iskov, M. P., 1963 a
[Cyprinus carpio] Kakhovsk reservoir
- Dactylogyrus extensus Turpalova, N. M.; and Maslen-
[Cyprinus carpio] nikova, E. I., 1964 a
Moldavia
- Dactylogyrus extensus Ivasik, V. M.; and Sutiagin,
[Cyprinus carpio] (gills) V. S., 1966 a
Tissa river
- Dactylogyrus extensus Jaczó, I. ², 1966 a
- Dactylogyrus extensus Kolesnikova, M. N., 1963 b
[Cyprinus carpio] Syr-Darya river, lower
channel
- Dactylogyrus extensus Kollmann, A., 1966 a, figs.
Müller et v. Cleave, 1932 1-2; 1967 a
- Dactylogyrus extensus Komarova, T. I., 1963 a
[Cyprinus carpio] Dnieper delta
- Dactylogyrus extensus Komarova, T. I., 1964 a, 84
Muel- Dnieper delta
ler et Van Cleave, 1932 [Cyprinus carpio]
- Dactylogyrus extensus Komarova, T. I., 1966 a, 63
Mül- Dnieper estuary
ler et Van Cleave, 1932 [Cyprinus carpio]
- Dactylogyrus extensus Marits, N. M., 1963 c
[Cyprinus carpio] Moldavia
- Dactylogyrus extensus Molnár, K., 1963 a, 104
Mueller et van Cleave, 1932 all from Hungary
Cyprinus carpio "ponty"
Carassius carassius "kárász"
- Dactylogyrus extensus Nowlin, W. J.; Price, C. E.;
Mueller and Van Cleave, 1932 and Schlueter, E. A., 1967 a
Texas
Cyprinus carpio
- Dactylogyrus extensus Poliakov, M. G.; and Ivasik,
[Cyprinus carpio] V. M., 1963 a
L'vovsk oblast
- Dactylogyrus extensus Prost, M., 1966 a, 8, 18, 22,
Mueller et v. Cleave, 1932 23
Cyprinus carpio all from Polsce
Carassius carassius

| | | | |
|--|--|--|---|
| Dactylogyrus extensus chlorophos; neguvon; and trichlorphon, farm fish | Prost, M.; and Studnicka, M., 1966 b | Dactylogyrus fallax Wagener, 1857 Rutilus rutilus "veresszár- nyú koncér" | Molnár, K., 1963 a, 104 Hungary |
| Dactylogyrus extensus Mueller and Van Cleave, 1932 Cyprinus carpio (gills) | Rogers, W. A., 1967 c, 523 Auburn Univ., Lee Co., Alabama | Dactylogyrus fallax Wagener, 1857 Rutilus rutilus Blicca bjoerckna Leuciscus cephalus Scardinius erythrophthalmus | Prost, M., 1966 a, 8, 18, 19, 22, 23 all from Poland |
| Dactylogyrus extensus +[Cyprinus carpio] | Sutiagin, V. S.; Ivasik, V. M.; and Vorona, N. I., 1963 a L'vovsk oblast | | |
| Dactylogyrus extensus Miller et Van Cleave, 1932 Cyprinus carpio (Kiemenblättchen) | Zitňan, R., 1965 a River Hron | Dactylogyrus fallax distribution | Sprehn, C. E. W., 1967 a Europe |
| Dactylogyrus falcatus (Wedl, 1857) glycogen and fat storage | Ginetsinskaja, T. A.; and Uspenskaia, Z. I., 1965 a, fig. 1 | Dactylogyrus folkmanovae Ergens, 1956 Leuciscus cephalus (žábra) | Ergens, R., 1965 c, 148 Fluss Osoblaha (Oder Gebiet) |
| Dactylogyrus falcatus (Wedl, 1857) [Abramis brama] | Komarova, T. I., 1964 a, 84 Dnieper delta | Dactylogyrus folkmanovae Ergens, 1956 Leuciscus cephalus (Kiemenblättchen) | Zitňan, R., 1965 a, fig. 2 River Hron |
| Dactylogyrus falcatus seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Dactylogyrus formosus Kulwiec, 1927 Carassius auratus | Margaritov, N. M., 1964 a Bulgaria |
| Dactylogyrus falcatus (Wedl, 1857) [Abramis brama] (gill filaments) | Komarova, T. I., 1966 a, 62 Dnieper estuary | Dactylogyrus formosus Kulwiec, 1927 Carassius carassius | Prost, M., 1966 a, 9, 18, 22, 23 Polsce |
| Dactylogyrus falcatus [Abramis brama] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | Dactylogyrus formosus Kulwiec, 1927 Carassius auratus (gills) | Rogers, W. A., 1967 c, 523 Lee County, Alabama |
| Dactylogyrus falcatus (Wedl, 1857) Abramis brama "dévérkeszeg" | Molnár, K., 1963 a, 104 Hungary | Dactylogyrus formosus distribution | Sprehn, C. E. W., 1967 a Europe |
| Dactylogyrus falcatus (Wedl, 1857), Diesing, 1858 Syn: Gyrodactylus falcatus Wedl, 1857 Abramis brama | Prost, M., 1966 a, 8, 18, 22, 23 all from Polsce | Dactylogyrus formosus Kulwiec, 1927 Carassius carassius (žabrové lístky) | Zitňan, R., 1967 b, 845, 846, 850, 851, fig. 2 Tisa River |
| Dactylogyrus falcatus distribution | Sprehn, C. E. W., 1967 a Europe | Dactylogyrus fraternus Wegener, 1909 [Leucaspis delineatus] [Scardinius erythroph- thalinus] | Chaplina, O. M.; and Antsish- kina, L. M., 1961 a all from small rivers of Northern Azov |
| Dactylogyrus falcatus (Weló, 1857) [Abramis brama] (gills) | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs | Dactylogyrus fraternus Wegener, 1909 Alburnus alburnus (žábra) | Ergens, R., 1965 c, 148 Fluss Osoblaha (Oder Gebiet) |
| Dactylogyrus fallax Wagner, 1857 [Scardinius erythroph- thalinus] | Chaplina, O. M.; and Antsish- kina, L. M., 1961 a small rivers of Northern Azov | Dactylogyrus fraternus [Alburnus alburnus] | Kaletskaia, S. L., 1965 a Zapadnaja Dvina |
| Dactylogyrus fallax Wagener Rutilus rutilus (gills) | Huculak, F., 1965 a, 285 Kozłowa Gora reservoir | Dactylogyrus fraternus [Alburnus alburnus] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| Dactylogyrus fallax [Leuciscus cephalus] | Kaletskaia, S. L., 1965 a Zapadnaja Dvina | Dactylogyrus fraternus Wegener, 1909 Alburnus alburnus "szélha- jtó küsz" | Molnár, K., 1963 a, 104 Hungary |
| Dactylogyrus fallax Wag- ner, 1857 [Rutilus rutilus] | Komarova, T. I., 1964 a, 84 Dnieper delta | Dactylogyrus fraternus Wagener, 1909 Alburnus alburnus (Kiemenblättchen) | Zitňan, R., 1965 a River Hron |

- Dactylogyrus frisii Bykhov- Prost, M., 1966 a, 9, 19,
sky, 1933 22, 23
Rutilus rutilus all from Polse
- Dactylogyrus fungulus Rogers, W. A., 1967 c, 501,
sp. n. 508, 510, figs. 79-85
Notropis callistius (gills) Choccolocco Creek, Calhoun
County, Alabama
- Dactylogyrus gabonensis Price, C. E., 1967 e, 382
Price and Gery [nomen nudum] Ogooue River drainage and
Barbus sp. (*occidentalis* Lagos and Upper Niger Rivers
aff.) Gabon
- Dactylogyrus georgiensis Price, C. E., 1967 b, 120,
n. sp. 121-122, figs. 6-11
Campostoma anomalum Milledgeville, Georgia
- Dactylogyrus hamatus Rogers, W. A.; and Mizelle,
sp. n. J. D., 1966 a, 707, 709, 710,
Hypentelium etowanum figs. 31-38
Lee County, Alabama
- Dactylogyrus hamatus Rogers, W. A., 1967 c, 523
Rogers and Mizelle, 1966 Agric. Exper. Sta. ponds and
+*Hypentelium etowanum* (gills) Moore's Mill Creek, Lee Co.,
Chewacla Creek, Lee Co.,
Shoal Creek, Cleburne Co.,
Hillabee Creek, Clay Co.,
Little Uchee Creek, Russell
Co., Alabama; Coosawattee
River, Gilmer Co., Georgia
- Dactylogyrus haplogenous By- Komarova, T. I., 1964 a, 84
chowsky, 1933 Dnieper delta
[*Vimba vimba*] (gill filaments)
- Dactylogyrus haplogenous Komarova, T. I., 1964 b
seasonal distribution Dnieper delta
- Dactylogyrus haplogenous Komarova, T. I., 1966 a, 62
Bychowsky, 1933 Dnieper estuary
[*Vimba vimba*] (gill filaments)
- Dactylogyrus haplogenous Koval, V. P., 1963 b
[*Vimba vimba*] lower region, Kakhovsk
reservoir
- Dactylogyrus haplogenous Margaritov, N. M., 1964 a
Bychowsky, 1933 Bulgaria
Vimba vimba melanops
- Dactylogyrus hemiamphiboth- Molnár, K., 1963 a, 104
rium Ergens, 1956 Hungary
Acerina cernua "vágódur-
bincs"
- Dactylogyrus hemitremiae Rogers, W. A., 1967 c, 501,
sp. n. 508, 510, figs. 86-92
Hemitremia flammea (gills) Guess Creek, Jackson Co.,
Alabama
- Dactylogyrus hovorkai Sprehn, C. E. W., 1967 a
distribution Europe
- Dactylogyrus hypophthal- Bauer, O. N.; Babaev, B.; and
michtidis [sic] Strelkov, Iu. A., 1963 a
[*Hypophthalmus molitrix*] Karakum canal
- Dactylogyrus intermedius Komarova, T. I., 1964 a, 84
Wegener, 1909 Dnieper delta
[*Carassius carassius*] (gill
filaments)
- Dactylogyrus intermedius Molnár, K., 1963 a, 104
Wegener, 1909 Hungary
Carassius carassius "kárász"
- Dactylogyrus intermedius Prost, M., 1966 a, 9, 18, 22,
Wegener, 1909 23
Polse
- Dactylogyrus intermedius Sprehn, C. E. W., 1967 a
distribution Europe
- Dactylogyrus intermedius Zithan, R., 1965 a
Wegener, 1909 River Hron
Carassius carassius (Kiemenblättchen)
- Dactylogyrus jaini sp. n. Price, C. E., 1967 d, 111-
Ericympha buccata (gill
filaments) 114, fig. 1(1-12)
Milner's Branch, 3 miles SE
Hollanville, Georgia
- Dactylogyrus jamansajensis Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Dactylogyrus julieae sp. n. Rogers, W. A., 1967 c, 501,
Ericympha buccata (gills) 508, 510, 512, figs. 93-100
Chewacla Creek, Lee Co.,
Flat Creek, Geneva Co.,
and Pea River, Dale Co.,
Alabama
- Dactylogyrus katherineae Price, C. E., 1967 b, 120,
n. sp. 122, 123, figs. 12-18
Campostoma anomalum Milledgeville, Georgia
- Dactylogyrus kulwieci Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Dactylogyrus lamellatus Bauer, O. N.; Babaev, B.; and
[*Ctenopharyngodon idella*] Strelkov, Iu. A., 1963 a
all from Karakum canal
- Dactylogyrus lepidus sp. n. Rogers, W. A., 1967 c, 501,
Notropis chryscephalus 508, 512, figs. 101-107
isolepis (gills) Auburn, Lee Co., Alabama
- Dactylogyrus limulus sp. n. Rogers, W. A., 1967 a, 501,
Hybopsis bellica (gills) 511, 512-513, figs. 108-116
Auburn, Lee Co., Alabama
- Dactylogyrus lineatus Rogers, W. A., 1967 c, 523
Mizelle and Klucka, 1953 Tennessee River, Limestone
Semotilus atromaculatus Co., Alabama
(gills)
- Dactylogyrus linstowi Akhmerov, A. Kh., 1960 d
[*Barbus barbus*] lakes of Kelifskii Uzboi
- Dactylogyrus linstowi Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Dactylogyrus longicopula Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs

| | | | |
|---|---|--|--|
| Dactylogyrus luxili sp. n. | Rogers, W. A., 1967 c, 501, 511, 513, figs. 117-124 | Dactylogyrus merus Zaika, 1961 Phoxinus phoxinus (ziabrové lístky) | Zíthán, R., 1967 b, 845, 846-848, 850, 851, fig. 3 Tisa River |
| Notropis chryscephalus isolepis (gills) | Auburn, Lee Co., Alabama | | |
| Notropis c. chryscephalus (gills) | Flint River, Madison Co., Alabama | | |
| N. pilsbryi (gills) | Spring River, Fulton Co., Arkansas | Dactylogyrus microphallus Mueller, 1938 Semotilus atromaculatus (gills) | Rogers, W. A., 1967 c, 523 Auburn, Lee Co., Tennessee River, Limestone Co., Alabama |
| Dactylogyrus macracanthus Wegener, 1909 | Gusev, A. V., 1965 b, 127, figs. 1-2 | Dactylogyrus minor fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| Tinca tinca | Tissa and Diia rivers (Czechoslovakia) | | |
| Dactylogyrus macracanthus Wegener, 1909 | Gusev, A. V., 1965 b, 129 | Dactylogyrus minor Wagener, 1857 Alburnus alburnus | Margaritov, N. M., 1964 a Bulgaria |
| as syn. of Dactylogyrus tincae n. sp. | | | |
| Dactylogyrus macracanthus Wegener, 1909 | Ha, K., 1964 a Álal group of lakes (Pskov oblast) | Dactylogyrus minor Wagener, 1857 Alburnus alburnus "szél- hajtó küsz" | Molnár, K., 1963 a, 104 Hungary |
| Tinca tinca (gills) | | | |
| Dactylogyrus macracanthus Wegener, 1909 | Komarova, T. I., 1964 a, 84 | Dactylogyrus minutus fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| [Tinca tinca] | Dnieper delta | | |
| Dactylogyrus macracanthus Wegener, 1909 | Prost, M., 1966 a, 9-10, 19, 22, 23 | Dactylogyrus minutus Kulwiec, 1927 [Cyprinus carpio] | Komarova, T. I., 1964 a, 84 Dnieper delta |
| Tinca tinca | Polscie | | |
| Dactylogyrus macracanthus (Wegener, 1909) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a | Dactylogyrus minutus Kulwiec, 1927 Cyprinus carpio "ponty" | Molnár, K., 1963 a, 104 Hungary |
| [Tinca tinca] (gills) | Moskov area reservoirs | | |
| Dactylogyrus macrocleithrum Price and Gery, in press | Price, C. E., 1967 e, 383 Ogooué River drainage, Gabon | Dactylogyrus minutus Kulwiec, 1927 Cyprinus carpio (gills) | Prost, M., 1966 a, 10, 18, 22, 23 |
| [nomen nudum] | | | Polscie |
| Barbus sp. (holotaenia aff.) | | | |
| Dactylogyrus magnus sp. n. | Rogers, W. A., 1967 c, 501, 511, 513, figs. 125-131 | Dactylogyrus minutus Kulwiec, 1927 Cyprinus carpio (gills) | Rogers, W. A., 1967 c, 523 Lake Seminole, Seminole Co., Georgia; Logan-Martin Reservoir, Talladega Co., Chickasawnee Creek, Chambers Co., Alabama |
| Hybopsis storeriana (gills) | Chewacla Creek, Macon Co., Tombigbee River, Sumter Co., Alabama | | |
| Dactylogyrus major distribution | Sprehn, C. E. W., 1967 a Europe | Dactylogyrus minutus distribution | Sprehn, C. E. W., 1967 a Europe |
| Dactylogyrus malleus Linstow, 1877 | Molnár, K., 1963 a, 104 Hungary | Dactylogyrus minutus Kulwiec, 1927 Cyprinus carpio (Kiemenblättchen) | Zíthán, R., 1965 a River Hron |
| Barbus barbus "márná" | | | |
| Dactylogyrus malleus Linstow, 1877 | Zíthán, R., 1965 a River Hron | Dactylogyrus modestus fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| Barbus barbus (Kiemenblättchen) | | | |
| Dactylogyrus manicatus sp. n. | Rogers, W. A., 1967 c, 501, 511, 513-514, figs. 132-138 | Dactylogyrus monocornis Ergens, 1956 Tinca tinca | Gusev, A. V., 1965 b, 127 |
| Notropis chryscephalus isolepis (gills) | Auburn, Lee Co., Alabama; Chickasawnee Creek and Tallapoosa River, Chambers Co., Alabama | | |
| Dactylogyrus meridionalis [Salvelinus alpinus] | Diarova, G. S., 1967 a Alma-Ata pond fisheries | Dactylogyrus moorei Monaco and Mizelle, 1955 Notropis venustus (gills) | Rogers, W. A., 1967 c, 523 Chewacla Creek, Lee Co., Line Creek, Montgomery Co., Uchee Creek, Russell Co., Cahaba River, Perry Co., Silver Creek, Dallas Co., Lake Martin, Tallapoosa Co., Alabama; Sandy Creek, E. Feliciana Parish, Louisiana Choccolocco Creek, Calhoun Co., Chickasawnee Creek, Chambers Co., Alabama |
| Dactylogyrus merus Zaika, 1961 | Ergens, R.; and Dulmaa, A., 1967 a, 323, 324, 325, fig. 2a-f | N. trichroistius " | Tennessee River, Lauderdale Co., Alabama |
| Phoxinus phoxinus (nose cavities, gill cav- ity, skin, gills) | Mongolia | N. whipplei " | |

- Dactylogyrus moorei.—Continued.
N. spilopterus " Bluff Creek, Lauderdale Co., Alabama
N. callistius " Coosawattee River, Gilmer Co., Georgia
- Dactylogyrus nanus Bychowsky, 1934
Rutilus rutilus (gills) Ha, K., 1964 a
 Åløl group of lakes (Pskov oblast)
- Dactylogyrus nanus [Abramis brama]
 [Rutilus rutilus] Kaletskaia, S. L., 1965 a
 all from Zapadnaia Dvina
- Dactylogyrus nanus Dogiel et Bychowsky, 1934
 [Rutilus rutilus heckeli]
 [Abramis brama] Komarova, T. I., 1964 a, 84
 all from Dnieper delta
- Dactylogyrus nanus Dogiel et Bychowsky, 1934
 [Abramis brama] Komarova, T. I., 1966 a, 62
 Dnieper estuary
- Dactylogyrus nanus Dogiel et Bychowsky, 1934
 Abramis brama "dévékereszeg"
Rutilus rutilus "veresszárnyú koncér" Molnár, K., 1963 a, 104
 all from Hungary
- Dactylogyrus nanus Dogiel et Bychowsky, 1934
Rutilus rutilus
Blicca bjoerckna
Leuciscus cephalus Prost, M., 1966 a, 10, 18,
 19, 22, 23
 all from Polsce
- Dactylogyrus nasalis Strelkow et Ha Ky, 1963
 (nasal cavity)
 [Scardinus erythrophthalmus]
 [Blicca bjoerkna] Smirnova, T. S.; Strelkov, Iu. A.; Timofeev, V. A.; and Shul'man, S. S., 1964 a, fig. 2 oz. Ostrovito
 oz. Ostrovito & oz. Åløl (basin of river Velikaia, Pskovskaiia oblast)
- Dactylogyrus niger sp. n.
Moxostoma duquesnei Rogers, W. A.; and Mizelle, J. D., 1966 a, 707, 709, 710-711, figs. 39-48
 Lee County, Alabama
- Dactylogyrus niger Rogers and Mizelle, 1966
 +*Moxostoma duquesnei* (gills) Rogers, W. A., 1967 c, 523
 Hillabee Creek, Clay Co., Alabama
- Dactylogyrus nuchalis Wood and Mizelle, 1957
Hybognathus nuchalis (gills) Rogers, W. A., 1967 c, 523
 Chewacla Creek, Lee Co., Alabama
- Dactylogyrus oplopoeodi sp. n.
Opsopoeodus emiliae (gills) Rogers, W. A., 1967 c, 501, 511, 514, 516, figs. 139-145
 Chewacla Creek, Macon Co., Alabama
- Dactylogyrus ornatus sp. n.
Notropis baileyi
N. hypsilepis
N. shumardi Rogers, W. A., 1967 c, 501, 511, 514, 516, figs. 146-152
 Auburn, Lee Co., Alabama
 Halawakee Creek, Chambers Co., Alabama
 Cahaba River, Perry Co., Alabama
- Dactylogyrus ornatus sp. n.—Continued.
N. texanus
N. uranoscopus
N. xenocephalus
- Dactylogyrus parvaccessorius sp. n.
Hybopsis harperi (gills)
- Dactylogyrus parvicirrus Seamster, 1948
Notemigonus crysoleucas auratus
- Dactylogyrus parvicirrus Seamster, 1948
Notemigonus crysoleucas (gills)
- Dactylogyrus parvus fish
- Dactylogyrus parvus [Alburnus alburnus]
- Dactylogyrus parvus Wegener, 1909
Alburnus alburnus "szélhajtó küsz"
- Dactylogyrus pedatum Wagener 1857
 as syn. of *Diplectanum pedatum* (Wagener) Diesing
- Dactylogyrus petenyi distribution
- Dactylogyrus phoxini Malmberg, 1956
Phoxinus phoxinus (fins, gills)
- Dactylogyrus plegadus sp. n.
Hybopsis amblops (gills)
- Dactylogyrus plumbeus sp. n.
Moxostoma duquesnei
- Dactylogyrus plumbeus Rogers and Mizelle, 1966
 +*Moxostoma duquesnei* (gills)
- Rogers, W. A., 1967 c—Continued.
 Uchee Creek, Russell Co., and Chewacla Creek, Macon Co., Alabama
 Cahaba River, Perry Co., Alabama
 Shoal Creek, Cleburne Co., Alabama
- Rogers, W. A., 1967 c, 501, 515, 516, figs. 153-159
 Bazemore Mill Spring, Houston Co., and Chattohoochee State Park Lake, Houston Co., Alabama;
 Lake Seminole, Seminole Co., Georgia
- Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a
 Texas
- Rogers, W. A., 1967 c, 523
 Agric. Exper. Sta. ponds, Lee Co., Alabama
- Allamuratov, B. K., 1965 b
 South-Surkhanskoe reservoir
- Kaletskaia, S. L., 1965 a
 Zapadnaia Dvina
- Molnár, K., 1963 a, 105
 Hungary
- Paling, J. E., 1966 a, 377
- Sprehn, C. E. W., 1967 a
 Europe
- Ergens, R.; and Dulmaa, A., 1967 a, 325, 326, fig. 3a
 Mongolia
- Rogers, W. A., 1967 c, 501, 515, 516-517, figs. 160-166
 Flint River, Madison Co., Alabama; Sandy Creek, East Feliciana Parish, Louisiana
- Rogers, W. A.; and Mizelle, J. D., 1966 a, 707, 709, 711, figs. 49-54
 Lee County, Alabama
- Rogers, W. A., 1967 c, 523
 Chewacla Creek, Lee Co., Alabama

| | | | |
|---|--|--|---|
| <i>Dactylogyrus pronatus</i> sp. n. | Rogers, W. A., 1967 c, 501, 515, 517, figs. 167-173 | <i>Dactylogyrus similis</i> Wegener, 1909 [<i>Rutilus rutilus</i> (gills)] | Ha, K., 1964 a Altai group of lakes (Pskov oblast) |
| <i>Notropis hypselopterus</i> (gills) | Cowarts Creek, Houston Co., Flatt Creek, Geneva Co., Fish River, Baldwin Co., Holmes Creek, Houston Co., Alabama | <i>Dactylogyrus similis</i> (Weg- ener, 1909) [<i>Rutilus rutilus heckeli</i>] [<i>Blicca bjoerkna</i>] | Komarova, T. I., 1964 a, 84 all from Dnieper delta |
| <i>N. euryzonus</i> (gills) | Cowpen Creek, Russell Co., Alabama | <i>Dactylogyrus similis</i> seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| <i>Dactylogyrus propinquus</i> By- chowsky, 1931 [<i>Abramis sapa</i>] (gills) | Komarova, T. I., 1964 a, 84 Dnieper delta | <i>Dactylogyrus similis</i> [<i>Blicca bjoerkna</i>] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| <i>Dactylogyrus propinquus</i> Bychowsky, 1931 [<i>Abramis sapa</i>] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | <i>Dactylogyrus similis</i> (Wegener, 1909) <i>Alburnus alburnus</i> | Margaritov, N. M., 1964 a Bulgaria |
| <i>Dactylogyrus propinquus</i> Bychowsky, 1931 <i>Abramis sapa "bagolykeszeg"</i> | Molnár, K., 1963 a, 105 Hungary | <i>Dactylogyrus similis</i> Wegener, 1909 <i>Rutilus rutilus</i> | Mishra, T., 1966 a Shropshire Union Canal, Cheshire |
| <i>Dactylogyrus propinquus</i> Bychowsky, 1931 <i>Abramis sapa schreibersii</i> (žlabrové lístky) | Zitnan, R., 1967 b, 845, 848, 850, 851, fig. 4 Tisa River | <i>Dactylogyrus similis</i> Wegener, 1909 <i>Rutilus rutilus</i> | Frost, M., 1966 a, 10, 18, 19, 22, 23 Polisce |
| <i>Dactylogyrus prostae</i> Molnár, 1964 <i>Leuciscus cephalus</i> (žábra) | Ergens, R., 1965 c, 147-148, fig. 1 Fluss Osoblaha (Oder Gebiet) | <i>Dactylogyrus similis</i> distribution | Sprehn, G. E. W., 1967 a Europe |
| <i>Dactylogyrus prostae</i> Molnár, 1964 (Kiemenblätter) <i>Leuciscus cephalus</i> <i>L. c. orientalis</i> | Ergens, R.; and Gusev, A. V., 1965 a, 323-325, fig. 1 UdSSR; CSSR; Iran | <i>Dactylogyrus simplicimalleata</i> Bychowsky, 1931 [<i>Pelecus cultratus</i>] | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| <i>Dactylogyrus pseudoanchora-</i> tus Price and Gery, in press [nomen nudum] <i>Barbus</i> sp. (probably <i>B.</i> <i>occidentalis</i>) | Price, G. E., 1967 e, 383 Ogooue River drainage; Lagos and Upper Niger Rivers, Gabon | <i>Dactylogyrus simplicimalleata</i> Bychowsky, 1931 [<i>Pelecus cultratus</i>] | Komarova, T. I., 1963 a Dnieper delta |
| <i>Dactylogyrus pulcher</i> fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | <i>Dactylogyrus simplicimall-</i> eata seasonal distribution | Komarova, T. I., 1964 a, 84 Dnieper delta |
| <i>Dactylogyrus ramilosus</i> distribution | Sprehn, G. E. W., 1967 a Europe | <i>Dactylogyrus simplicimall-</i> eata Bychowsky, 1931 [<i>Pelecus cultratus</i>] | Komarova, T. I., 1964 b Dnieper delta |
| <i>Dactylogyrus reciprocus</i> sp. n. <i>Hybopsis bellica</i> (gills) | Rogers, W. A., 1967 c, 501, 515, 517, figs. 174-181 Auburn, Lee Co., Silver Creek, Perry Co., Moore's Mill Creek, Lee Co., Sauga- hatchee Creek, Tallapoosa Co., Alabama | <i>Dactylogyrus simplicimall-</i> eata Bychowsky, 1931 [<i>Pelecus cultratus</i>] | Komarova, T. I., 1966 a, 62 Dnieper estuary |
| <i>Dactylogyrus robustus</i> distribution | Sprehn, G. E. W., 1967 a Europe | <i>Dactylogyrus simplicimall-</i> eata Bychowsky <i>Pelecus cultratus</i> | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| <i>Dactylogyrus seamsteri</i> n. sp. <i>Phenacobius mirabilis</i> | Price, C. E., 1967 b, 120, 122-123, figs. 20-28 Hollanville, Georgia | <i>Dactylogyrus simplicimall-</i> eata Bychowsky, 1931 <i>Pelecus cultratus</i> (žlabrové lístky) | Margaritov, N. M., 1964 a Bulgaria |
| <i>Dactylogyrus semotilus</i> Wood and Mizelle, 1957 <i>Campostoma anomalum</i> (gills) | Rogers, W. A., 1967 c, 523 Tennessee River, Limestone Co., Alabama | <i>Dactylogyrus skrjabinensis</i> fish | Zitnan, R., 1967 b, 845, 849, 850, 851, fig. 5 Tisa River |
| <i>Dactylogyrus siluri</i> distribution | Sprehn, G. E. W., 1967 a Europe | <i>Dactylogyrus solidus</i> sodium chloride, fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| | | | Akhmerov, A. Kh., 1960 a |

- Dactylogyrus solidus [Cyprinus carpio] (gills) Ivasik, V. M., 1961 c, 266, 268, 269 Ukraine
- Dactylogyrus solidus [Cyprinus carpio] (gills) Sedinkin, A. N., 1965 a Chelyabinsk oblast
- Dactylogyrus sphyrna Linstow, 1878 Belini sova, L. K., 1965 a all from Krasnooskol'skoe reservoir
- Blicca bjoerkna Rutilus rutilus Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Dactylogyrus sphyrna [Blicca bjoerkna] Komarova, T. I., 1963 a Dnieper delta, all from
- [Vimba vimba]
[Rutilus rutilus heckeli]
[Leuciscus idus]
[Rutilus rutilus]
- Dactylogyrus sphyrna Lin stow, 1878 Komarova, T. I., 1964 a, 84 all from Dnieper delta
- [Rutilus r. heckeli]
[Rutilus rutilus]
[Blicca bjoerkna]
[Vimba vimba]
- Dactylogyrus sphyrna seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Dactylogyrus sphyrna Lin stow, 1878 (gill filaments) Komarova, T. I., 1966 a, 63 all from Dnieper estuary
- [Blicca bjoerkna]
[Vimba vimba]
- Dactylogyrus sphyrna [Rutilus rutilus heckeli] Koval, V. P., 1963 b lower region, Kakhovsk reservoir
- Dactylogyrus sphyrna Linstow, 1878 Margaritov, N. M., 1964 a all from Bulgaria
- Vimba vimba melanops Blicca bjoerkna
- Dactylogyrus sphyrna Linstow, 1878 Molnar, K., 1963 a, 105 all from Hungary
- Vimba vimba "évakeszeg"
Blicca björkna "ezüstös balin"
Chondrostoma nasus "paduc"
- Dactylogyrus sphyrna Lin stow, 1878 Prost, M., 1966 a, 11, 18, 19, 22, 23 all from Polsce
- Abramis brama
Rutilus rutilus
Vimba vimba
Blicca bjoerkna
- Dactylogyrus sphyrna distribution Sprehn, C. E. W., 1967 a Europe
- Dactylogyrus sphyrna Linstow, 1878 (Kiemensplättchen) Zitnan, R., 1965 a all from River Hron
- Rutilus rutilus
- Dactylogyrus sphyrna.--Continued.
- Leuciscus leuciscus
L. cephalus
Scardinius erythrophthalmus
Blicca bjoerkna
Abramis brama
Vimba vimba
- Dactylogyrus suecicus (Nybelin, 1937) Rutilus rutilus Mishra, T., 1966 a Shropshire Union Canal, Cheshire
- Dactylogyrus tincae n. sp. Syn.: D. macracanthus Wegener, 1909 of Ergens, 1962 Tinca tinca Gusev, A. V., 1965 b, 127, 129, 130, fig. 3A, B, V, G Dniester, Luznice rivers, Elbe basin (Czechoslovakia)
- Dactylogyrus tissensis Zachvatkin, 1951 Alburnoides bipunctatus Margaritov, N. M., 1964 a Bulgaria
- Zachvatkin, 1951 Alburnoides bipunctatus Alburnus alburnus (ziabrawoé lístky)
- Dactylogyrus tissensis Dactylogyrus trigonostoma distribution Sprehn, C. E. W., 1967 a Europe
- Zachvatkin, 1951 Dactylogyrus tuba fish Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Dactylogyrus tuba [Leuciscus idus] [Leuciscus leuciscus] Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina
- Dactylogyrus tuba Linstow, 1878 Aspius aspius Komarova, T. I., 1961 a, 253 Central Dnieper
- Dactylogyrus tuba Linstow, 1878 [Aspius aspius] Komarova, T. I., 1964 a, 84 Dnieper delta
- Dactylogyrus tuba Linstow, 1878 [Aspius aspius] Komarova, T. I., 1966 a, 63 Dnieper estuary
- Dactylogyrus tuba Linstow, 1878 Molnar, K., 1963 a, 105 all from Hungary
- Aspius aspius "ragadozó ön"
Leuciscus idus "ónos jász"
- Dactylogyrus tuba Linstow, 1878 Leuciscus idus Aspius aspius Prost, M., 1966 a, 11, 18, 19, 22, 23 all from Polsce
- Dactylogyrus tuba distribution Sprehn, C. E. W., 1967 a Europe
- Dactylogyrus tuba Linstow, 1878 (Kiemenblättchen) Leuciscus idus Aspius aspius Zitnan, R., 1965 a all from River Hron

| | | | |
|---|---|---|--|
| Dactylogyrus turkestanicus sp. n. | Gavrilova, N. G.; Gusev, A. V.; and Dzhailov, U. D., 1965 a, 134, 135, 136, figs. 2-3 Vakhsh river | Dactylogyrus vastator Nybelin, 1924 Cyprinus carpio Carassius carassius Tinca tinca | Prost, M., 1966 a, 11, 18, 19, 22, 23 all from Polsce |
| Dactylogyrus uncinatus distribution | Sprehn, C. E. W., 1967 a Europe | Dactylogyrus vastator Nybelin, 1924 Carassius auratus (gills) | Rogers, W. A., 1967 c, 523 Agric. Exper. Sta. ponds, Lee County, Alabama |
| Dactylogyrus varicorhini fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Dactylogyrus vastator [Cyprinus carpio] (gills) | Sedinkin, A. N., 1965 a Chelyabinsk oblast |
| Dactylogyrus vastator fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Dactylogyrus vastator distribution | Sprehn, C. E. W., 1967 a Europe |
| Dactylogyrus vastator prophylaxis in transportation and acclimatization, fish | Bykhovskii, B. E.; and Iziūmova, N. A., 1964 a | Dactylogyrus vastator +[Cyprinus carpio] | Sutiagin, V. S.; Ivasik, V. M.; and Vorona, N. I., 1963 a L'vovsk oblast |
| Dactylogyrus vastator Nybelin, 1924 [Rutilus rutilus heckeli] [Scardinius erythrophthalmus] | Chaplina, O. M.; and Antsishkina, L. M., 1961 a all from small rivers of Northern Azov | Dactylogyrus vastator (Nybelin, 1924) [Carassius carassius] (gills) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs |
| Dactylogyrus vastator [Cyprinus carpio] | Diarova, G. S., 1967 a Alma-Ata pond fisheries | Dactylogyrus vastator Nybelin, 1924 (Kiemenblättchen) Cyprinus carpio Carassius carassius | Zitňan, R., 1965 a all from River Hron |
| Dactylogyrus vastator [Cyprinus carpio] | Iskov, M. P., 1963 a Kakhovsk reservoir | | |
| Dactylogyrus vastator [Cyprinus carpio] | Turpalova, N. M.; and Maslennikova, E. I., 1964 a Moldavia | Dactylogyrus venusti sp. n. Notropis venustus (gills) | Rogers, W. A., 1967 a, 501, 515, 517-518, figs. 182-188 Chewacla Creek, Lee Co., Cahaba River, Perry Co., Uchee Creek, Russell Co., Alabama; Sandy Creek, East Feliciana Parish, Louisiana |
| Dactylogyrus vastator [Cyprinus carpio] (gills) | Ivasik, V. M., 1961 c, 266, 268, 269 Ukraine | Dactylogyrus vistulae Prost, 1957 (zábra) Chondrostoma nasus Leuciscus cephalus L. leuciscus | Ergens, R., 1965 c, 148 all from Fluss Osoblahe (Oder Gebiet) |
| Dactylogyrus vastator [Cyprinus carpio] (gills) | Ivasik, V. M.; and Sutiagin, V. S., 1966 a Tissa river | Dactylogyrus vistulae [Leuciscus cephalus] | Kaletskaia, S. L., 1965 a Západná Dvina |
| Dactylogyrus vastator | Jaczó, I., 1966 a | Dactylogyrus vistulae Prost, 1957 Chondrostoma nasus "paduc" | Molnár, K., 1963 a, 105 Hungary |
| Dactylogyrus vastator Cyprinus carpio (gill branchiae) | Kane, M. B., 1966 a Ireland | Dactylogyrus vistulae Prost, 1957 Leuciscus cephalus Rutilus rutilus | Prost, M., 1966 a, 12, 19, 22, 23 all from Polsce |
| Dactylogyrus vastator Cyprinus carpio | Kolesnikova, M. N., 1963 b Syr-Darya river, lower channel | Dactylogyrus vistulae Prost, 1957 Leuciscus cephalus Rutilus rutilus | Zitňan, R., 1965 a all from River Hron |
| Dactylogyrus vastator | Marits, N. M., 1963 c Moldavia | Dactylogyrus vistulae Prost, 1957 (Kiemenblättchen) Rutilus pigus virgo Leuciscus leuciscus L. cephalus | |
| Dactylogyrus vastator Nybelin, 1924 Cyprinus carpio "pony" Carassius carassius "kárász" | Molnár, K., 1963 a, 105 all from Hungary | Dactylogyrus vistulae Prost, 1957 Chondrostoma nasus Alburnus alburnus Alburnoides bipunctatus | |
| Dactylogyrus vastator Nybelin, 1924 Carassius auratus | Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a Texas | | |
| Dactylogyrus vastator [Cyprinus carpio] | Poliakov, M. G.; and Ivasik, V. M., 1963 a L'vovsk oblast | | |

| | | | |
|--|---|--|--|
| Dactylogyrus vranoviensis Ergens, 1956 | Ergens, R., 1965 c, 148 Fluss Osoblaha (Oder Gebiet) Leuciscus cephalus (zásbra) | Dactylogyrus zandti [Abramis brama] | Gavrilitsa, L. A., 1964 a Dnestrov estuary |
| Dactylogyrus vranoviensis [Leuciscus cephalus] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Dactylogyrus zandti Bychowsky, 1933 [Abramis brama] [Blicca bjoerkna] | Komarova, T. I., 1964 a, 84 all from Dnieper delta |
| Dactylogyrus vranoviensis Ergens, 1956 | Zitňan, R., 1965 a River Hron Leuciscus cephalus (Kiemenblättchen) | Dactylogyrus zandti seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Dactylogyrus wegneri Kulwiec, 1927 | Molnár, K., 1963 a, 105 Hungary Carassius carassius "kárász" | Dactylogyrus zandti [Abramis brama] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| Dactylogyrus wegneri Kulwiec, 1927 | Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a Texas | Dactylogyrus zandti Bychowsky, 1933 Abramis brama "dévrkeszeg" | Molnár, K., 1963 a, 105 Hungary |
| Dactylogyrus wegneri Kulwiec, 1927 | Prost, M., 1966 a, 12, 18, 22, 23 Polsce | Dactylogyrus zandti Bykhovsky, 1933 Abramis brama Blicca bjoerckna | Prost, M., 1966 a, 12, 18, 22, 23 all from Polsce |
| Dactylogyrus wegneri distribution | Sprehn, C. E. W., 1967 a Europe | Dactylostomum caballeroi Martin, 1960 | Pritchard, M. H., 1966 b, 185, fig. 10a |
| Dactylogyrus welakae sp. n. Notropis welaka (gills) | Rogers, W. A., 1967 c, 501, 515, 518, figs. 189-195 Cowart's Creek, Houston Co., Alabama | Dasymetra villicaeca Byrd, 1935 Physa gyrina | Rabalais, F. G., 1966 a, 57, fig. 5 Baton Rouge, Louisiana |
| Dactylogyrus wunderi Bychowsky, 1931 | Belinskova, L.K., 1965 a Krasnooskol'skoe reservoir | Dawesia n. g. Gastrocotylidae | Unnithan, R. V., 1964 c, 463, 471-472 tod: D. indica n. gen., n. sp. |
| Dactylogyrus wunderi [Abramis brama] | Gavrilitsa, L. A., 1964 a Dnestrov estuary | Dawesia indica n. gen., n. sp. (tod) Scomberomorus guttatus (gills) | Unnithan, R. V. 1965 a, 463-472, figs. 1-8 Indian seas at Trivandrum (south-west coast of India) |
| Dactylogyrus wunderi Bychowsky, 1931 [Abramis brama] | Komarova, T. I., 1964 a, 84 Dnieper delta | Dawestrema n. gen. Dactylogyridae; Ancyrocephalinae | Price, C. E.; and Nowlin, W. J., 1967 a tod: D. cycloancistrium n. sp. |
| Dactylogyrus wunderi seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Dawestrema cycloancistrium n. gen., n. sp. (tod) Arapaima gigas (gill filaments, rakers, bar) | Price, C. E.; and Nowlin, W. J., 1967 a, 1-9, fig. 1 (1-9) Amazon River |
| Dactylogyrus wunderi Bychowsky, 1931 Abramis brama | Mishra, T., 1966 a Shropshire Union Canal, Cheshire | Dendritobilharzia [lapsus for: Dendritobilharzia] | Paspalev, G.V.; and Zheliazkova-Paspaleva, A., 1963 a, 199 |
| Dactylogyrus wunderi Bychowsky, 1931 Abramis brama Blicca bjoerckna | Molnár, K., 1963 a, 105 Hungary Abramis brama "dévrkeszeg" | Dendritobilharzia [lapsus as: Dendritobilharzia] | Paspalev, G.V.; and Zheliazkova-Paspaleva, A., 1963 a, 199 |
| Dactylogyrus wunderi Bychowsky, 1931 (partim) as syn. of Dactylogyrus auriculatus (Nordmann, 1832), Nybelin, 1937 | Prost, M., 1966 a, 12, 18, 22, 23 all from Polsce | Dendritobilharzia [sic] sp. Anas platyrhynchos | Paspalev, G.V.; and Zheliazkova-Paspaleva, A., 1963 a, 199 Southwest Bulgaria |
| Dactylogyrus wunderi Bychowsky, 1931 (Kiemenblättchen) Abramis brama A. sapa | Zitňan, R., 1965 a all from River Hron | Dendritobilharzia pulverulenta human | Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 a USSR |

| | | | |
|---|--|---|--|
| Dendritobilharzia pulverulenta dermatitis, human | Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 b Volga delta | Derogenes varicus (Miller) Looss, 1901 Onos mustelus (oesophagus) | Srivastava, L. P., 1966 b, 111 Mumbles Head, Swansea |
| Dendritobilharzia pulverulenta Anas clypeata | Maksimova, A. P., 1966 a South Kazakhstan | Derogenes varicus (Miller, 1784) Onos mustelus (oesophagus) | Srivastava, L. P., 1966 d, 471, 473, fig. 6 Mumbles Head, Swansea |
| Dendritobilharzia pulverulenta (Braun, 1901) Anas acuta (blood) Anas clypeata " Nyroca ferina " Anas querquedula (blood) | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan | Derogenes varicus Lühe, 1900 "possibly" Sagitta elegans arctica | Zaika, V. E.; and Kolesnikov, A. N., 1967 a south of Spitzbergen, Barents Sea |
| Dendritobilharzia pulverulenta (Braun, 1901) Nyroca ferina | Maksimova, A. P., 1967 a, 126 Western Kazakhstan | Derogenes varicus (Miller, 1784) Salvelinus malma (stomach) Pholis dolichogaster (stomach) Hexagrammos stelleri (gills) Melletes papilio (stomach) Myoxocephalus polycanthocephalus (stomach) M. axillaris (stomach) M. verrucosus (stomach) M. platicephalus (stomach) Liparis gibbus (gills) Podothecus acipenserinus (stomach) Pleuronectes stellatus (stomach) | Zhukov, E. V., 1963 a, 105 all from Chukotsk Peninsula |
| Dendritobilharzia pulverulenta (Braun, 1901) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR | Deropegus McCauley and Pratt, 1961 Syn.: Parahalipegus Wootton and Powell, 1964 | Wootton, D. M.; and Powell, E. C., 1967 a |
| Dendritobilharzia pulverulenta distribution | Sprehn, C. E. W., 1967 a Europe | Deropristis hispida (Abildgaard in Rudolphi, 1819) [Acipenser stellatus] (intestine) | Komarova, T. I., 1964 a, 80 Dnieper delta |
| Derogenes ruber, Lühe, 1900 (gall-bladder) Trigla lyra | Sey, O., 1968 a, fig. 2 waters around Split, Yugoslavia | Deropristis inflata (Molin, 1859) (intestine) | Sey, O., 1968 a waters around Split, Yugoslavia |
| Derogenes varicus (Miller, 1784) Pleurogrammus azonus (stomach) | Baeva, O. M., 1965 a Sea of Japan | Diaccessorius n. g. Dactylogyridae, Ancyrocephalinae | Price, C. E., 1968 a, 84-88 mt: D. anoculus n. sp. |
| Derogenes varicus (Miller) Gadus merlangus (stomach) | El Maghraby, A. M.; and Perkins, E. J., 1966 a, 486 Whitstable, England | Diaccessorius anoculus n. gen., n. sp. (mt) Plecostomus boliviensis | Price, C. E., 1968 a, 1968 a, 84-88, figs. 1-20 Amazon river tributaries |
| Derogenes varicus gut structure, digestion | Halton, D. W., 1966 a | Diclidophora coelorrhynchi Robinson, 1961 Coelorrhynchus australis (gills) | Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 355, 357 Cape Campbell, Marlborough Province, South Island, New Zealand |
| Derogenes varicus (Miller) Salmo salar (oesophagus and stomach) | Kane, M. B., 1966 a 214 Ireland | Diclidophora denticulata | Willemse, J. J., 1966 a, fig. 2 |
| Derogenes varicus (Miller, 1784) (stomach) Sebastodes alutus S. introniger S. aleutianus Anoplopoma fimbria Coryphaenoides sp. Atherestes evermanni Reinhardtius hippoglossoides matsuurae Hippoglossus hippoglossus stenolepis Hippoglossoides elassodon Theragra chalcogramma | Mamaev, Iu. L., 1965 a, 179 all from Bering Sea | Diclidophora luscae chemistry and evolution, sclerites | Lyons, K. M., 1966 a |
| Derogenes varicus (Miller, 1784) Looss, 1901 Salmo salar (oesophagus, intestine) | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1916 Newfoundland | Diclidophora merlangi phosphatase activity | Halton, D. W., 1967 a |
| Derogenes varicus (Miller, 1784) Looss, 1901 (small intestine) Merluccius merluccius | Sey, O., 1968 a waters around Split, Yugoslavia | Diclidophora merlangi chemistry and evolution, sclerites | Lyons, K. M., 1966 a |

- Diclidophoropsis tissieri Mamaev, Ил. Л., 1965 a, 169
Coryphaenoides sp. (gills) Bering Sea
- Dicybothrium armatum Ivanov, В. П.², 1965 a
 Leuckart Volga river
 [Acipenseridae]
- Dicybothrium armatum Markov, Г. С.; Trusov, В. З.;
 Acipenserstellatus and Reshetnikova, А. В.,
 1963 a
 Volga river, Volgograd re-
 gion
- Dicybothrium armatum Markov, Г. С.; Trusov, В. З.;
 Acipenser güldenstädti and Reshetnikova, А. В.,
 1963 b
 Volgograd region
- Dicybothrium armatum Markov, Г. С.; Trusov, В. З.;
 Leuckart and Reshetnikova, А. В.,
 1964 a
 Acipenser güldenstädti (gills) Volgograd region
- Dicybothrium hamulatum Pickel, В. М.; and Jones,
 (Simer, 1929) Price, 1942 A. W., 1967 a, figs 1-6
 chromosomes TVA Lakes of the Tennessee
 Polyodon spathula (gills) River
- Dicrocoelium Bénex, J., [1966 a]
 [lapsus for: Dicrocoelium]
- Dicrocoeliata nov. comb. Merdivenci, A., 1966 b, 79
 subord. of Dicrocoeliida n. comb.
- Dicrocoeliida nov. comb. Merdivenci, A., 1966 b, 179
 includes: subord. Dicrocoeliata nov. comb.
- Dicrocoeliidae Cosgrove, G. E., 1966 a
 key to genera
 key
- Dicrocoeliid[ae sp.] baboons Kalter, S. S.; Kuntz, R. E.;
 Al-Doory, Y.; and Katzberg,
 A. A., 1966 a
 East Africa
- Dicrocoeliid[ae sp.] Kingston, N., 1966 a
 laboratory rearing of molluscs
- Dicrocoelioidae nov. comb. Merdivenci, A., 1966 b, 79
 superfam.
- Dicrocoeliida; Dicrocoeliata
- Dicrocoelioides petiolatum James, B. L.; and Llewellyn,
 (Railliet, 1900) L. C., 1967 a
Turdus musicus musicus all from the island of
 (gall bladder) Skomer off Wales
- Dicrocoeliosis meat inspection Aiupov, Kh. V.; and Valiullin,
 S. M., 1966 a
 Bashkir ASSR
- Dicrocoeliosis pathogenicity, ovine Aliev, S. И.; Khalilova,
 R. B.; and Mamedov, S. M.,
 1965 a
- Dicrocoeliosis bovine Mamedov, A. K., 1965 a
 Azerbaidzhhan SSR
- Dicrocoeliosis geographical distribution, Mukanov, К. М., 1965 a
 economic loss USSR, Kazakhstan
- Dicrocoeliosis geographical distribution, Nazarov, А. Н., 1965 a
 bovine USSR, Samarkand and Kashka-
 Dar'ya oblasts
- Dicrocoeliosis ovine, distribution Olteanu, G., 1963 b
 Romania
- Dicrocoeliosis ovine, control Salimov, B. S., 1965 c
- Dicrocoeliosis, Treatment Aiupov, Kh. V., 1963 a
 ovine, chlorophos
- Dicrocoeliosis, Treatment Aiupov, Kh. V., 1963 b
 hexachlorcyclohexane; hexachlorkrotttiltioconat
- Dicrocoeliosis, Treatment Aiupov, Kh. V.; and Nurkha-
 metov, Kh. G., 1965 a
 hetol + chlorophos, ovine
- Dicrocoeliosis, Treatment Aiupov, Kh. V.; and Nurkhametov, Kh. G., 1966 a
 anthelmintics
- Dicrocoeliosis, Treatment Aiupov, Kh. V.; and Reznik,
 chlorophos G. K., 1966 a
- Dicrocoeliosis, Treatment Akopian, V. D., 1967 a
 hexachlorparaxylol, ovine
- Dicrocoeliosis, Treatment Arru, E.; Deiana, S.; and
 thibenzole Casu, S., 1967 a
- Dicrocoeliosis, Treatment Fetisov, V. I., 1964 b
 hexachlorparaxylol, hetolin
- Dicrocoeliosis, Treatment Fetisov, V. I., 1965 a
 hexachlorparaxylol, hetolin
- Dicrocoeliosis, Treatment Hollé, F., 1963 a
 CCl₄; Fuadin
- Dicrocoeliosis, Treatment Shirinov, N. M., [1966 a]
 petroleum-based preparations, sheep
- Dicrocoeliosis, Treatment Vershinin, I. I.; Nesterenko,
 chlorophos N. I.; and Maslova, A. A.,
 1963 a
- Dicrocoelium Bénex, J., [1966 a]
 [lapsus as: Dicrocoelium]
- Dicrocoelium Cosgrove, G. E., 1966 a,
 Dicrocoeliidae, key fig. 6
- Dicrocoelium dendriticum Angelovski, T.; Madžirov, Z.
 sheep and Iliev, A., 1967 a
 Macedonian territory

- Dicrocoelium dendriticum Leporidae as reservoir hosts
Bailenger, J.; Tribouley, J.; Anyot, B.; and Duret, J.M.L.G. 1965 a
Pyrénées-Atlantiques
- Dicrocoelium dendriticum hetolin, effective evaluation
Breza, M.; and Jurásek, V., 1967 a
- Dicrocoelium dendriticum diagnosis technique
Breza, M.; and Takacs, W., 1968 a
- Dicrocoelium dendriticum human
Cavier, R.; and Léger, N., 1968 a
- Dicrocoelium dendriticum cholesterol esters, triglycerides, phospholipides
Fisher, J. S., 1964 a
- Dicrocoelium dendriticum nitroxynil
Guilhon, J. C., 1968 a
- Dicrocoelium dendriticum hepatitis
Güralp, N., 1967 a
- Dicrocoelium dendriticum hetolin
Güralp, N., 1967 c
- Dicrocoelium dendriticum Formica rufibarbis (exper.)
F. cunicularia
Zebrina detrita
Hohorst, W.; and Graefe, G., 1961 a
- Dicrocoelium dendriticum hetolin
Jurásek, V.; and Breza, M., 1967 a
- Dicrocoelium dendriticum
Marchand, A., 1966 a, 77 pp., life cycle, host, control pls. 1-3 and treatment
- Dicrocoelium dendriticum buffaloes, review, geographic distribution
Mohan, R. N., 1968 a, 743
- Dicrocoelium dendriticum eggs in human stools, spurious infection? result of fish diet?
Scomberomorus regalis (sacs under skin)
Hirundichthys affinis
Cypsilurus cyanopterus
Schouten, H.; Suriel-Smeets, R. M.; and Kibbelaar, M. A., 1968 a, figs. 7-8 all from Curacao
- Dicrocoelium hospes Looss, 1907 mouton (canaux biliaires et vésicule)
Levrat, E., 1966 a, 28 Tchad
- Dicrocoelium hospes cattle (liver)
goat (liver)
man (stools)
Odel, M. A., 1966 a northern Ghana
- Dicrocoelium lanceatum pathogenesis
Aliev, S. Iu., 1966 a
- Dicrocoelium lanceatum diurnal activity cycle and behaviour of infected ants
Formica pratensis
F. cunicularia
Anokhin, I. A., 1966 a, fig. 1
- Dicrocoelium lanceatum diurnal rhythm of ant hosts
Anokhin, I. A., 1966 b, 756-759, fig. 1
- [Dicrocoelium lanceatum] biology
Euomphalia strigella (exper.)
Formica nigricans "
F. cunicularia "
Chondrula tridens "
- Dicrocoelium lanceatum Stiles et Hassall, 1896 Sciurus vulgaris
Arzamasov, I. T.; Dylko, N. I.; Merkusheva, I. V.; and Petrovskii, Iu. T., 1966 a, 832-833 Belorussia
- Dicrocoelium lanceatum Helicella candidans Hinstabilis
Danil'chak, V. D., 1963 a all from Pricarpathia, Ukraine
- Dicrocoelium lanceatum Mangalitsa swine
Dimitrova, E. A., 1964 a Bulgaria
- Dicrocoelium lanceatum Stiles et Hassall, 1896 [Bos taurus]
[Bison bonasus]
[Capreolus capreolus]
[Ovis aries]
[Capra hircus]
Egorov, Iu. G., 1965 a all from Byelorussia
- Dicrocoelium lanceatum antigen chart
Ershov, V. S., 1959 d
- Dicrocoelium lanceatum simplified method of determining viability of eggs
Geller, E. R.; and Anokhin, I. A., 1963 a
- Dicrocoelium lanceatum orientalis (Sudaricov et Ryjikov, 1951) (liver bile duct)
Moschus moschiferus
Cervus elaphus xanthopygus
Rangifer tarandus
Alces alces
Lepus timidus
Gubanov, N. M., 1964 a, 9-10, 11-13, fig. 3 all from Yakutia
- Dicrocoelium lanceatum Stiles et Hassall, 1876 Lepus europaeus (intestine)
Ianchev, Ia., 1963 b, 206
- Dicrocoelium lanceatum Stiles et Hassall, 1896 Capreolus capreolus L. (liver)
Ianchev, Ia., 1965 a Bulgaria
- Dicrocoelium lanceatum Rangifer tarandus caragassi Kadenatsii, A. N., 1963 d Khabarovsk krai
- Dicrocoelium lanceatum Formica pratensis Karabaev, D. K.; and Dement'ev, I. S., 1966 a, 46 southeast Kazakhstan
- Dicrocoelium lanceatum cattle Kim, Jyong Hi, (1958 a); 1958 b Korea
- Dicrocoelium lanceatum ovine, control Korzh, K. P., 1963 a

- Dicrocoelium lanceatum
Bradybaena plectotropis
var. phaeozena Logacheva, L. S., 1966 a,
89-90
all from Kirgiz
- B. semenovi
B. pectotropis var. pectotropis
Jaminia potaniniana var. schnitnycovi
J. potaniniana var. torrida
J. potaniniana var. albibiplicata
Formica mesasiatica
F. truncorum
F. nigricans
F. fusca
F. picea
F. cunicularia
Messor clivorum
Campanctus fedchencovi
Cataglyphis aenescens
Formica sanguinea
Bradybaena pavlovsky
Jaminia potaniniana var. annencovi
J. potaniniana var. dissimilis
J. p. var. culdshana
J. p. var. secalina
Helicella candacharica
- Dicrocoelium lanceatum [Sus scrofa] Mamedov, R. G., [1966 a]
Azerbaijan
- Dicrocoelium lanceatum [Alces alces] Mirolubov, M. G., 1963 b
all from Tartar ASSR
- [Ovis aries]
[Bos taurus]
- Dicrocoelium lanceatum Stiles et Hassall, 1896
[Rangifer tarandus] Mitskevich, V. Yu., 1965 a,
169
Russia
- Dicrocoelium lanceatum [Bos taurus] Mukhamadiev, S. A., 1967 a
Tadzhikistan SSR
- Dicrocoelium lanceatum Stiles et Hassall, 1896
epizootiology Nazarov, A. N., [1966 a]
Samarkand and Kashka-Dar'ya oblasts
- [Bos taurus] (liver)
- Dicrocoelium lanceatum [Sus scrofa] Nazarova, N. S., 1965 a
Belovezhsk forest
- Dicrocoelium lanceatum [Sus scrofa] Novikova, R. A., 1965 a
Moldavia
- Dicrocoelium lanceatum Stiles et Hassall, 1896
Capreolus capreolus (small intestine) Osikovski, E., 1965 a
Razgrad district, Bulgaria
- Dicrocoelium lanceatum structure of external Reznik, G. K., 1966 b; 1966 c;
 tegument 1966 d, figs. 1-3
- Dicrocoelium lanceatum tryptophan in tissue Reznik, G. K., [1966 e]
- Dicrocoelium lanceatum Trichia retteri Salimov, B. S., 1963 b
Helicella candacharica all from Uzbekistan
- Jaminia potaniniana
- Dicrocoelium lanceatum +Helicella candacharica Salimov, B. S., 1963 c
+Trichia retteri all from Uzbekistan
- +Jaminia potaniniana
- Dicrocoelium lanceatum Formica clara (exper.) Salimov, B. S., 1965 a
- Dicrocoelium lanceatum period of development, sheep Salimov, B. S., 1965 b
- Dicrocoelium lanceatum [Vulpes vulpes] (liver) Shimalov, V. T., 1965 b, 266
Byelorussia
- Dicrocoelium lanceatum Formica pratensis F. rufilarbis Sopel'chenko, M. I., [1964 c]
all from Moldavia
- Dicrocoelium lanceatum [Sus scrofa] Spasskii, A. A.; and Andreiko, A. F., 1963 a
Moldavia
- Dicrocoelium lanceatum Stiles et Hassall, 1896 Spasskii, A. A.; Andreiko, A. F.; and Poletaeva, V. A.,
[Sus scrofa] 1963 a, 4 Moldavia
- Dicrocoelium lanceatum Stiles et Hassall, 1896 Svadzhian, P. K.; and Frolovskaya, L. V., 1966 a
ant intermediate hosts, review
- Dicrocoelium lanceatum ants as intermediate and definitive hosts, review Svadzhian, P. K.; and Frolovskaya, L. V., [1966 b]
- Dicrocoelium lanceatum rodents Tokobaev, M. M., 1965 a
Kirgiz
- Dicrocoelium lanceatum Stiles et Hassall, 1896 Tokobaev, M. M.; and Erkulov, K. E., 1966 b, 17
Ochotona rutilla, (liver)
O. roylei macrotis (liver)
Lepus (Proelagus) tolai (liver) all from Kirgiz
- Dicrocoelium lanceatum [Ovis aries] Trach, V. N., 1964 a, 192
steppe regions, Ukraine
- Dicrocoelium lanceatum [Lepus timidus] Troitskaiia, A. A., 1963 a
[L. europaeus] all from Tartar ASSR
- Dicrocoelium lanceatum sheep (bile duct, gall bladder) Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374
southwestern China
- Dicrocoelium lanceatum ecology, grazing, pasture conditions Zdun, V. I., 1963 c
- Dicrocoelium lanceatum [Bos taurus] Zgardan, E. S.; et al, 1966 a
[Ovis aries] all from Moldavia
- Dicrocoelium lanceatum (Stiles et Hassall, 1896) Zgardan, E. S.; and Frukhtman, E. A., 1965 a
[Ovis aries]
[Bos taurus] all from Moldavia
- Dicrocoelium lanceatum Treatment Reznik, G. K., 1966 a
carbon tetrachloride
- Dicrocoelium lanceatum Treatment Sopel'chenko, M. I., [1964 c]
chlorophosph; choline chlorophosph, ovine

| | | | |
|---|---|--|--|
| Dicrocoelium lanceolatum Oryctolagus cuniculus | Arru, E.; Deiana, S.; and Nuvole, A., 1968 a Sardegna, Italy | Dictysarca virens Linton, 1910 Hippocampus punctulatus (swim bladder) | Daigger, D. P.; and Lewis, P. D. (jr.), 1967 a Biscayne Bay, Florida |
| Dicrocoelium [sic] lanceo- latum survival in vitro | Bénex, J., [1966 a], pl. 3, fig. 1 | Didelphodiplostomum Dubois, 1944 as syn. of Diplostomum | Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 a, 582 |
| Dicrocoelium lanceolatum survival test in vitro, 7 anthelmintics | Benex, J.; and Lamy, L., 1967 a | Didelphodiplostomum variabile sporocyst development | Harris, A. H., 1966 a |
| Dicrocoelium] lanceolatum hetolin | Grus, I., 1966 a | Didelphodiplostomum varia- bile (Chandler, 1932) Dubois, 1944 as syn. of Diplostomum variabile (Chandler, 1932) | Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 a, 577 |
| Dicrocoelium lanceolatum distribution, cattle | Jovov, K., 1966 b North-eastern Bosnia | Didymocystis singularis n.sp. Spynaena jello "barracuda" (tissue surrounding the heart in the gular or sub- lingual region) | Job, S. V., 1966 a, 316-318, figs. 1-12 Indian Region of South India |
| Dicrocoelium lanceolatum sheep | Mantovani, A.; and Restani, R., 1966 b, 104, 107, 109, 110 Marsica (Abruces, Central Italy) | Didymosphaera gen. nov. Didymozoidae; Opephero- trematinae | Mamaev, Iu. L., 1968 a, 159, 165, 166 tod: D. mirabilis sp. nov. |
| Dicrocoelium lanceolatum R. ecology, population | Omeragić, N., 1964 a Jugoslavia | Didymosphaera mirabilis gen. et sp. nov. (tod) Auxis thazard (body cavity) | Mamaev, Iu. L., 1968 a, 159- 164, 166, figs. 1-2, 3A-B, 4-5 North Viet-Nam Gulf |
| Dicrocoelium lanceolatum 2-(4'-tiazolil)-benzimidazole | Restani, R., 1966 c | Didymozoid[ae] metacercaria Paracalanus aculeatus (body cavity) | Madhavi, R., 1968 a, fig. 1 Waltair Coast, Bay of Ben- gal |
| Dicrocoelium lanceolatum hexachloroparaxylyne and hetol, sheep | Reznik, G. K., 1966 a | Didymozoidae gen. sp. lar- vae I Nikolaeva, 1962 Myctophum punctatum (syn. Scopelus heideri Stein.) (intestine, gills, liver, stomach) | Nikolaeva, V. M., 1964 a, 58, 60-62, figs. 2-3 Mediterranean Basin |
| Dicrocoelium lanceolatum Stiles et Hassall, 1896 [Ovis aries] | Trach, V. N., 1961 d, 175 Ukraine forest-steppe | Didymozoidae gen. sp. lar- vae II Nikolaeva, 1962 Arnoglossus laterna (gills) A. thori (intestine) | Nikolaeva, V. M., 1964 a, 58, 63-65, fig. 4 Adriatic Sea Aegean Sea |
| Dicrocoelium orientalis Sudarikov et Ryjikov, 1955 [Rangifer tarandus] | Mitskevich, V. Iu., 1965 a, 169 Russia | Didymozoidae gen. sp. lar- vae III Nikolaeva, 1962 Belone acus (intestine) | Nikolaeva, V. M., 1964 a, 58, 66, fig. 5 Tyrrhenian Sea |
| Dicrocoelium petrowi Kassimov, 1952 Alectoris graeca caucasica | Akhumian, K. S., 1966 a Armenian SSR | Didymozoidae gen. sp. lar- vae IV Nikolaeva, 1962 Scomberesox saurus (intes- tine) Alosa kessleri pontica (gills) | Nikolaeva, V. M., 1964 a, 58, 66-67, fig. 6 Mediterranean Sea, in region of Sicily Black Sea, in region of Sevastopol |
| Dicrocoelium petrovi Kassimov, 1952 Perdix perdix perdix | Stoimenov, K. A.; and Trifon- ov, T., 1964 a eastern Bulgaria | Didymozoidae [sp.] "40-ft. fluke" Mola mola | Noble, G. A., 1967 a |
| Dicrocoelium rileyi Macy, 1931 Tadarida brasiliensis mexicana (gall bladder, biliary tracts) | Cain, G. D., 1966 a, 351 Carlsbad Caverns National Park, New Mexico | Didymozoidae unidentified eggs, sea fish malady | Dollfus, R. P. F., 1966 d, figs. 1-2 |
| Dicrocoelium rileyi Myotis velifer incautus (gall bladder) Tadarida brasiliensis mexicana (bile duct) | Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Kansas Oklahoma | Didymozoon faciale N. A. Baylis 1938 | Dollfus, R. P. F., 1966 d, fig. 9 |
| Dicrocoelium soricis +insectivores | Davydov, O. N., 1963 a Ukraine | Digenea digestion, gut structure | Halton, D. W., 1966 a |
| Dicrocoelium soricis (Diesing, 1858) Dollfus, Sorex araneus (gall bladder, bile duct, liver) | Genov, T.; and Dimitrova, E. A., 1966 a, 134-135, 145, 150, 151, 152, 156, 158 Bulgaria | | |
| Dictyonograptus pipistrelli Sandground 1937 Pipistrellus namus (vésicule biliaire) | Anciaux de Faveaux, M., 1965 a, 28 Katanga, Republic of Congo | | |

- Digenea abstract of thesis Nahhas, F. M., 1964 a Curacao and Jamaica
- Digenea epidermal cell patterns, digenetic trematode Peters, L. E. (jr.), 1966 a
- Digenea Baltic seas as reservoir of developing digenetic trematodes Reimer, L., [1964 d]
- Digenea host specificity, larvae Zdun, V. I., 1963 b
- Dinosoma sp. *Gephyroberyx japonicus* (stomach) Ichihara, A.; et al, 1965 a, 4, 6, 7, 12, fig. 12 Sagami Bay, Japan
- Dinosoma sp. *Gephyroberyx japonicus* Ichihara, A.; et al, 1965 c Bay of Sagami
- Dinosoma sp. *Beryx splendens* [sic] Keto, K.; and Sakata, T., 1963 a Bay of Sagami
- Dinosoma tortum Yamaguti, 1938 (stomach) Mamaev, Iu. L., 1965 a, 179 all from Bering Sea
- Coryphaenoides sp. Anoplopoma fimbria Sebastodes aleutianus *S. introniger*
- Dimiridae gen. sp. juv. *Cololabis saira* (intestine) Baeva, O. M., 1965 b, fig. 2 Pacific Ocean
- Dinurus coryphaenae *Coryphaena hippurus* (stomach) Ku, C.-T.; and Shen, C.-W., 1968 a San-Ya of Hainan Island
- Dinurus scobi [sic] Yamaguti, 1934 *Auxis tapeinosoma* Keto, K.; and Sakata, T., 1963 a Bay of Sagami
- Dioncopseudobenedenia n. g. *Capsalidae; Benedeniinae* Yamaguti, S., 1965 b, 55, 58 tod: *D. kala* n. sp.
- Dioncopseudobenedenia kala n. g., n. sp. (tod) *Naso unicornis* (gill) Yamaguti, S., 1965 b, 55, 56-58, figs. 1 A-E Hawaii
- Diphterostomum brusinae (Stoss., 1899) Stossich, 1914 *Syn.: D. sargus annularis* Vlassenko, 1931; *Cercaria inconstans* Sinitzin *Nassa reticulata* L. all from Black Sea *Cyclonassa kamyschiensis* *Venus gallina* L. *Meretrix rudi* *Spisula subtruncata* *Gouldia minima* *Modiolus adriaticus* *Gobius niger* L. *Diplodus annularis*
- Diphterostomum brusinae Stoss., 1904 metacercaire *Antedon mediterranea* (- A. rosacea) Prevot, G., 1966 a, fig. 7 Vieux-Port de Marseille
- Diphterostomum microacetabulum Schulman-Albowa, 1952 *Mamaev, Iu. L.*, 1965 a, 178 Bering Sea *Hippoglossoides elassodon* (intestine)
- Diphterostomum sargus annularis Vlassenko, 1931 Dolgikh, A. V.; and Naidenova, N. N., 1967 a, figs. 1-3
- Diplectanum aequans chemistry and evolution, sclerites Lyons, K. M., 1966 a
- Diplectanum aequans (Wagener) Diesing genitalia morphology Paling, J. E., 1966 a, figs. 1-2, pl. figs. 1-5
- Diplectanum aequans (Wagener) Diesing adhesive apparatus Paling, J. E., 1966 b, figs. 1-6, pl. figs. 1-5
- Diplectanum collinsi (Mueller) Price Syn.: *Lepidotes collinsi* Mueller (1936) Paling, J. E., 1966 a, 377
- Diplectanum cynoglossum (Tripathi) Yamaguti Syn.: *Pseudodiplectanum cynoglossum* Tripathi, 1955 Paling, J. E., 1966 a, 377
- Diplectanum fluviatile (Johnston & Tiegs) Price Syn.: *Lepidotes fluviatile* Paling, J. E., 1966 a, 377
- Diplectanum girellae (Johnston & Tiegs) Price Syn.: *Acleotrema girellae* Paling, J. E., 1966 a, 377
- Diplectanum longipenis (Yamaguti) Price Syn.: *Squamodiscus longipenis* Yamaguti, 1934 Paling, J. E., 1966 a, 377
- Diplectanum pedatum (Wagener) Diesing Syn.: *Dactylogyrus pedatum* Wagener 1857 Paling, J. E., 1966 a, 377
- Diplectanum secundus Tripathi Syn.: *Squamodiscus secundus* Paling, J. E., 1966 a, 377
- Diplectanum similis Bychowsky Paling, J. E., 1966 a
- Diplobulbus minutus sp. n. (intestine) Cheilio inermis Acanthurus sandvicensis Thalassoma ballieui *T. duperreyi* Pritchard, M. H., 1966 b, 194, 195, 199-200, figs. 26-29 all from Hawaii
- Diplodiscidae not harmed by industrial pollution Chernogorenko-Bidulina, M. I., 1963 a Desna river
- Diplodiscus egg development Chiang, C. P., 1955 a
- Diplodiscus amphichrus (Tubangui, 1933) *Bufo* sp. (rectum) Agrawal, V., 1966 e, 82-84, fig. 1 Lucknow
- Diplodiscus amphichrus Tubangui, 1933 *Rana limnocharis vittigera* (R. vittigera) (small intestine) Fischthal, J. H.; and Kuntz, R. E., 1967 a, 104 Manila, Luzon Island, Philippines
- Diplodiscus amphichrus Tubangui, 1933 (in part) as syn. of *Diplodiscus magnus* (Srivastava, 1934) n. rank. Fischthal, J. H.; and Thomas, J. D., 1968 a, 5

- Diplodiscus amphichrus Mukherjee, R. P., 1966 d, 94-
Tubangui, 1933 96, fig. 1
Syns.: *Diplodiscus am-* Bareilly
phichrus var. magnus Srivastava (1934); *D. amphichrus*
japonicus n. sub-sp. Yamaguti (1936); *D. mehrai* Pande
(1937)
Rana cyanophlyctis (rectum)
- Diplodiscus amphichrus ja- Fischthal. J. H.; and Thomas,
ponicus Yamaguti, 1936 J. D., 1968 a, 5
as syn. of *Diplodiscus magnus* (Srivastava, 1934) n. rank.
- Diplodiscus amphichrus Mukherjee, R. P., 1966 d, 96
japonicus n. sub-sp. Yamaguti (1936)
as syn. of *Diplodiscus amphichrus*
- Diplodiscus amphichrus Fischthal. J. H.; and Thomas,
magnus Srivastava, 1934 J. D., 1968 a, 5
as syn. of *Diplodiscus magnus* (Srivastava, 1934) n. rank.
- Diplodiscus amphichrus var. Mukherjee, R. P., 1966 d, 96
magnus Srivastava (1934)
as syn. of *Diplodiscus amphichrus*
- Diplodiscus japonicus Fischthal. J. H.; and Thomas,
(Yamaguti, 1936) Li, 1937 J. D., 1968 a, 5
as syn. of *Diplodiscus magnus* (Srivastava, 1934) n. rank.
- Diplodiscus magnus Fischthal. J. H.; and Thomas,
(Srivastava, 1934) J. D., 1968 a, 5-6
n. rank
Syns.: *Diplodiscus amphichrus* Tubangui, 1933 (in part);
D. amphichrus magnus Srivastava, 1934; *D. amphichrus*
japonicus Yamaguti, 1936; *D. japonicus* (Yamaguti, 1936)
Li, 1937; *D. mehrai* Pande, 1937
(rectum)
- Dicroglossus occipitalis Poloasi, Legon, and Cape
Rana galamensis Coast, Ghana
Hylarana albolabris Legon and Nungua, Ghana
Kassina senegalensis Kade, Ghana
Xenopus tropicalis Achimota, Ghana
" "
- Diplodiscus mehrai Fischthal. J. H.; and Thomas,
Pande, 1937 J. D., 1968 a, 5
as syn. of *Diplodiscus magnus* (Srivastava, 1934) n. rank.
- Diplodiscus mehrai Pande Mukherjee, R. P., 1966 d, 96
(1937)
as syn. of *Diplodiscus amphichrus*
- Diplodiscus subclavatus Buchvarov, G. K., 1965 a
Goeze, 1782 Kirdjali District, Bulgaria
Rana ridibunda (intestine)
- Diplodiscus subclavatus Halton, D. W., 1966 a
gut structure, digestion
- Diplodiscus subclavatus Halton, D. W., 1967 a, fig. 7
phosphatase activity
- Diplodiscus subclavatus Kiseliene, V. K., 1966 a
(Pallas, 1760) (Cercaria dip- all from Lithuanian SSR
locotylea Pagenst., 1857)
Physa fontinalis
Planorbis planorbis
Anisus septemgyratus
A. spirorbis
Bithynia tentaculata
- Diplodiscus subclavatus Kozák, A., 1966 a, 606, 608
(konečník) all from Košice, ČSSR
Rana esculenta
- Diplodiscus subclavatus -- Kozák, A., 1966 a.-- Continued.
Continued.
R. temporaria
R. ridibunda
Bombina bombina
B. variegata
- Diplodiscus subclavatus Oshmarin, P. G., 1965 b
Goeze, 1782 Buriat ASSR
Esox lucius
- Diplodiscus subclavatus Shevchenko, N. N., 1963 b
Eremias arguta Severskii Donets valley
- Diplodiscus subclavatus Sprehn, C. E. W., 1967 a
distribution Europe
- Diphloheterocotyla n. g. Yamaguti, S., 1965 a, 55, 62
Monocotylidae; Monocoty-
linea tod: *D. dasyatis* n. sp.
- Diphloheterocotyla dasyatis Yamaguti, S., 1965 b, 55, 61-
n. g., n. sp. (tod) 62, 63, figs. 4A-C
Dasyatis hawaiiensis (gill) Hawaii
- Diplomonorchis leiostomi Corkum, K. C., 1966 b, 46
Hopkins, 1941 Barataria Bay, Louisiana
Trinectes maculatus
(small intestine)
- Diplorchinae Yamaguti, Lamothe-Argumedo, R., [1965 c],
1963 154
Polystomatidae, key
- Diplostoma. See *Diplostomum*.
- Diplostomatidae (Poirier, Dubois, G., 1966 a, 20
1886) Hughes, Higginbotham
et Clary, 1942 nom. emend.
- Diplostomatinae Dubois, G., 1966 a, 20
(Monticelli, 1888) Dawes, 1946
nom. emend., ex Poirier, 1886
- Diplostomatoinea Dubois, Dubois, G., 1966 a, 20
1964 ex Poirier, 1886
Syn.: *Diplostomines* Dubois, 1936
- Diplostomidae Cosgrove, G. E., 1966 a
key
- Diplostomines Dubois, 1936 Dubois, G., 1966 a, 20
as syn. of *Diplostomatoinea* Dubois, 1964 ex Poirier, 1886
- Diplostomulum sp. Larson, O. R., 1966 a
Perca flavescens all from Itasca Park, Min-
*Etheostoma exile*nesota
Ictalurus nebulosus
Noturus gyrinus
Ambloplites rupestris
Notropis cornutus
Notropis volucellus
Pimephales notatus
(lens, all from)
- Diplostomulum sp. Liubarskaià, O. D., 1963 a
[*Rutilus rutilus*] Kuibyshev reservoir
- Diplostomulum spp., metc. Spasskii, A. A.; Roitman, V.
Rutilus rutilus lacust-
ris 1965 a
Thymallus arcticus all from Tuva ASSR

- Diplostomulum sp.
 Ictalurus melas
 (lenses)
Diplostomulum ambystoma
Rankin and Hughes, 1937
 as syn. of *Diplostomum variabile* (Chandler, 1932)
- Diplostomulum clavatum
Nordmann, 1832
 Perca fluviatilis
- Diplostomulum clavatum
[*Esox lucius*]
- Diplostomulum clavatum
(Nordmann, 1832)
 Perca fluviatilis (vitreous body)
- Diplostomulum clavatum
Nordmann, 1832
 Perca fluviatilis
 Esox lucius
- Diplostomulum clavatum
Nordmann, 1832
 (vitreous body)
 [Rutilus rutilus heckeli]
 [Vimba vimba]
 [Pelecus cultratus]
 [Abramis brama]
 [Blicca bjoerkna]
 [Tinca tinca]
 [Scardinius erythrophthalmus]
 [Carassius carassius]
 [Rutilus rutilus]
 [Abramis ballerus]
 [Aspius aspius]
 [Leuciscus idus]
 [Lucioperca lucioperca]
 [Perca fluviatilis]
 [Esox lucius]
- Diplostomulum clavatum
seasonal distribution
- Diplostomulum clavatum
Nordm., 1832
 [Rutilus r. heckeli] (eye)
 [R. frisii] (eye)
 [Aspius aspius] (eye)
 [Blicca bjoerkna] (eye)
 [Abramis brama] (eye)
 [Vimba vimba] (eye)
 [Cyprinus carpio] (eye)
 [Esox lucius] (eye)
 [Perca fluviatilis] (eye)
- Diplostomulum clavatum
[*Perca fluviatilis*]
- Diplostomulum clavatum
Nordmann, 1832
 Abramis brama
 Abramis sapo
 Scardinius erythrophthalmus
 Tinca tinca
 Silurus glanis
 Perca fluviatilis
 Esox lucius
- Voth, D. R.; and Larson, O. R., 1968 a, 218
 Goose River, North Dakota
- Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 a, 577
- Belinskova, L. K., 1965 a
 Krasnooskol'skoe reservoir
- Gavrilitsa, L. A., 1964 a
 Dnestr estuary
- Ha, K., 1964 a
 Alol group of alkes (Pskov oblast)
- Komarova, T. I., 1961 a, 253
 all from Central Dnieper
- Komarova, T. I., 1963 b
 Dneprovsk estuary
- Komarova, T. I., 1964 a, 82
 all from Dnieper delta
- Komarova, T. I., 1964 b
 Dnieper delta
- Komarova, T. I., 1966 a, 61
 all from Dnieper estuary
- Koval, V. P., 1963 b
 lower region, Kakhovsk reservoir
- Marits, N. M., 1963 a, 45-46
 all from Moldavia
- Diplostomulum clavatum
(Nordmann, 1832)
 Salmo ishchan (crystalline and hyaline body of eye)
 Varicorhinus capoeta sevangi (crystalline and hyaline body of eye)
- Diplostomulum clavatum
Razmashkin, D. A., 1964 a
 Coregonus lavaretus marae- Chudskoe lake
 noidea (vitreous body of eye)
- Diplostomulum clavatum
[*Carassius carassius*] Sedinkin, A. N., 1965 a
 (hyaloid membrane, eyes) USSR, Chelyabinsk oblast
- Diplostomulum clavatum Semenova, N. N., 1967 a
[*Esox lucius*] Moskov' oblast
- Diplostomulum hughesi Mar- Komarova, T. I., 1961 a, 253
kewitsch, 1934
 Esox lucius (musculature)
- Diplostomulum hughesi Krasil'nikova, N. I., 1963 a
[*Abramis brama*] upper Don, all from
[*Abramis ballerus*]
[*Esox lucius*]
- Diplostomulum leonensis Williams, M. O.; and Chaytor,
n. sp. D. E. B., 1966 a, 568, 569-
 Alestes longipinnis (skin, 570, fig. 4
 muscles)
 Epiplatys senegalensis all from Bush water, Hastings,
 (skin, muscles) Freetown peninsula,
 E. sexfasciatus (skin, muscles) Sierra Leone
 chicks (exper.)
- Diplostomulum scheuringi Larson, O. R., 1966 a
Esox lucius all from Itasca Park, Minnesota
 Perca flavescens
 Etheostoma exile
 Etheostoma nigrum
 Notropis volucellus
 Ambloplites rupestris
 (vitreous chamber, all from)
- Diplostomulum scheurini- Voth, D. R.; and Larson,
gi Hughes, 1929 O. R., 1968 a, 218
 Lepomis macrochirus all from Goose River,
 Perca flavescens North Dakota
 (vitreous humor of all)
- Diplostomulum singhi n.sp. Pande, B. P.; Bhatia, B. B.;
Heteropneustus fossilis and Rai, P., 1964 a, 245-248,
(intestine and body cavity) figs. 1-4
Mathura, India
- Diplostomulum spathaceum Gavrilitsa, L. A., 1964 a
[*Esox lucius*] Dnestr estuary
- Diplostomulum spathaceum Ivasik, V. M., 1961 c, 268
[*Cyprinus carpio*] (eye) Ukraine
- Diplostomulum spathaceum Ru- Komarova, T. I., 1961 a, 252-
dolphi, 1819 253
 (crystalline lens)
 Perca fluviatilis
 Acerina cernua
- Diplostomulum spathaceum Komarova, T. I., 1963 b
Dneprovsk estuary
- Diplostomulum spathaceum Koval, V. P., 1963 b
[*Scardinius erythrocephala*] lower region, Kakhovsk reservoir
- Diplostomulum spathaceum Krotas, R. A., 1963 b
Neman river

| | | | |
|--|--|---|--|
| Diplostomulum spathaceum (Rudolphi, 1810) | Platonova, T. A., 1963 a all from USSR, Lake Sevan | Diplostomum spp., metc.-- Continued. | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a.-- Continued. |
| Salmo ishchan (crystalline and hyaline body of eye) | | Esox lucius | |
| Varicorhinus capoeta sevangi (crystalline and hyaline body of eye) | | Perca fluviatilis | |
| Diplostomulum spathaceum Blicca björkna | Puidak, U., 1965 a, 555 Estonian coastal waters | Lota lota | |
| Diplostomulum spathaceum [Cyprinus carpio] | Sutiägin, V. S.; Ivasik, V. M.; and Vorona, N. I., 1963 a L'vovsk oblast | Diplostomum metacercariae Salmo gairdneri (eye) | Tiainen, O. A., 1966 b Lohja South Finland (fish hatchery) |
| Diplostomulum trituri histochemistry, pathology | Lautenschlager, E. W., 1963 a | Lota vulgaris (eye) | Helsinki fish market (from Baltic) |
| Triturus viridescens virides descens "newt" (brain and brain case) | | Diplostomum baeri Dubois, 1937 | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a Tuva |
| Diplostomum Diplostomatidae; Diplo- stomatinae | Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 a, 582 | Larus chthyaetus (small intestine) | |
| Syn.: Didelphodiplostomum Dubois, 1944 | | Diplostomum baeri Dubois, 1937 key | Shigin, A. A., 1965 c, 265 all from Rybinsk reservoir and Volga delta |
| Diplostomum key to species | Shigin, A. A., 1965 c | [Percidae] (eye) | |
| Diplostomum sp. Culter alburnus | Alekseev, V. M., 1963 c all from Primorskii krai | [Lota lota] (eye) | |
| Hemiculter leucisculus | | Diplostomum (Diplos- tomum) baeri bucculentum Dub. and Rsch, 1948 | Dubois, G., 1967 b, 699 Minchumina (Alaska) |
| Acheilognathus chankaensis | | Larus argentatus | |
| Gobio gobio | | Diplostomum baeri eucaliae Hoffman et Hundley, 1957 | Dubois, G., 1966 a, 40 as syn. of Diplostomum (D.) scudderri (Olivier, 1941) comb. nov. |
| Diplostomum sp. molluscs and domestic aquatic birds | Alekseev, V. M., 1963 d Lake Khanka | Diplostomum clavatum fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| Diplostomum [sp.] (Nordmann, 1832) | Arme, C.; and Owen, R. W., 1967 a, 302 | Diplostomum clavatum Nordmann, 1832 | Bogdanova, E. A., 1965 a lake Sevan |
| Gasterosteus aculeatus (eye lenses) | Farnley, Leeds | [Varicorhinus] | |
| Diplostomum sp. Lymnaea stagnalis | Butenko, Ju. V., 1967 a, 36, fig. 8d South Kazakhstan | Diplostomum clavatum | Komarova, T. I., 1963 a Dnieper delta |
| Diplostomum sp. (spatha- ceum?) | Chernogorenko-Bidulina, M.I., 1966 a, 35-36, fig. 7 upper Dnieper | Diplostomum clavatum Pseudoscaphirhynchus kaufmanni | Osmanov, S. O., 1965 c |
| Limnaea stagnalis | | Diplostomum clavatum Salmo irideus (eye) | Tiainen, O. A., 1966 e all from Southern Finland |
| Diplostomum [spp.] Radix auricularia | Chibichenko, N. T., 1966 b, 67 | Lota vulgaris " | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |
| [Phoxinus phoxinus] | all from lake Issyk-kul | Diplostomum clavatum (Nordmann, 1832) (crys- talline lens) | |
| [Salvelinus alpinus] | | [Blicca bjoerkna] [Carassius carassius] [Abramis brama] [Rutilus rutilus] [Alburnus alburnus] [Leuciscus idus] | |
| Diplostomum sp. cercaria chaetotaxy | Richard, J., 1968 a, fig. 1C | Diplostomum columbi (Dubois, 1928) (stomach, duodenum, small intestine) | Leonov, V. A.; Belourov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 141 all from USSR, Kamchatka |
| Diplostomum sp. Larus ridibundus (small intestine) | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a Tuva | Gavia stellata | |
| Diplostomum [sp.] key | Shigin, A. A., 1965 c, 264, all from Rybinsk reservoir and Volga delta | G. arctica | |
| [Cyprinidae] (eye) | | Larus canus | |
| [Acerina cernua] (eye) | | Colymbus auritus | |
| [Lota lota] (eye) | | Diplostomum columbi (Du- bois, 1928) | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a Tuva |
| [Perca fluviatilis] (eye) | | Colymbus arcticus (small intestine) | |
| [Misgurnus fossilis] (eye) | | | |
| Diplostomum spp., metc. Leuciscus l. baicalensis | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a | | |
| L. idus | all from Tuva ASSR | | |
| Thymallus arcticus | | | |

- Diplostomum commutatum (Diesing, 1850) (intestine)
Larus ridibundus
Sterna hirundo
S. camtschatica
Larus shistisagus
- Diplostomum commutatum (Diesing, 1850) (small intestine)
Larus ridibundus
Sterna hirundo
- Diplostomum commutatum (Diesing, 1850) [Larus ridibundus]
Sergieva, T. P.; and Krasnolobova, T. A., 1963 a all from Tuva
- Diplostomum coniferum cercaria chaetotaxy Richard, J., 1968 a, figs. 1D, 2I
- Diplostomum flexicaudum (Cort and Brooks, 1928)
Salmo gairdneri (nat. and exper.) (lenses)
Oncorhynchus kisutch
Lymnaea palustris nuttalliana
Physa propinqua
- Diplostomum flexicaudum (Cort et Brooks, 1928) (small intestine)
Larus ridibundus
- Diplostomum (Diplostomum) gasterostei n. sp.
[as Cercaria diplostomi gasterostei, pp. 695, 696, 705]
Lymnaea peregra (digestive gland)
Gasterosteus aculeatus (retina)
Colomba livia (var. domestica) (exper.) (anterior region of intestine)
ducklings (exper.) (small intestine)
- Diplostomum gasterostei Williams, M. O., 1966 a, 247
Williams, 1966 Milngavie near Glasgow, Scotland
Lymnaea peregra
Gasterosteus aculeatus (exper.)
ducks (exper.)
- Diplostomum gavium Dubois, 1938
as syn. of Diplostomum (Tylodelphys) immer Dubois, 1961
- Diplostomum (Diplostomum) gavium (Guberlet, 1922)
Gavia adamsi
Gavia immer
- Diplostomum gobiorum sp. nov.
key
[Cottus gobio] (eye)
[Gasterosteus aculeatus] (eye)
- Diplostomum (Diplostomum) huronense La Rue, 1927
(La Rue 1927)
Petromyzon marinus (eyes)
- Diplostomum (Tylodelphys) immer Dubois, 1961
- Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a all from USSR, Kamchatka
- Sergienko, M. I.; and Kharamburga, Ia. I., 1963 a L'vovshchina
- Becker, G. D.; and Brunson, W. D., 1966 a all from Washington state
- Richard, J., 1968 a, figs. 1D, 2I
- Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 141 USSR, Kamchatka
- Williams, M. O., 1966 b, 693-705, figs. 1-7
Milngavie, 8 miles northwest of Glasgow
705]
- Milngavie near Glasgow, Scotland
- Dubois, G.; and Rausch, R. L., 1967 a, 405
- Dubois, G.; and Rausch, R. L., 1967 a, 401-404, fig. 1 all from Alaska
- Shigin, A. A., 1965 c, 262-263
all from Rybinsk reservoir and Volga delta
- Shigin, A. A., 1966 a, 405-407, fig. 2 all from Alaska
- Diplostomum (Tylodelphys) immer Dubois, 1961
Syn.: Diplostomum gavium
Dubois, 1938
Gavia adamsi
Gavia immer
Gavia stellata
- Diplostomum (Diplostomum) indistinctum (Guberlet, 1923)
Larus argentatus
- Diplostomum indistinctum Guberlet, 1923
Anas strepera
- Diplostomum indistinctum Guberlet, 1923
(intestine)
Larus ridibundus
L. chthyaetus
L. canus
- Diplostomum indistinctum (Guberlet, 1923)
key
[Cyprinidae] (eye)
[Acerina cernua] (eye)
[Lota lota] (eye)
[Esox lucius] (eye)
- Diplostomum macrostomum sp. nov.
key
[Cyprinidae] (eye)
[Lucioperca lucioperca] (eye)
- Diplostomum mergi Mergus albellus
- Diplostomum mergi Dubois, 1932
key
[Cyprinidae] (eye)
[Cottus gobio] (eye)
[Lucioperca lucioperca] (eye)
- Diplostomum micradenum (Cort and Brackett), 1938
Lymnaea (Stagnicola) reflexa (Say)
Rana pipiens (exper.)
Rana sylvatica "
Bufo sp. "
Ambystoma opacum "
" jeffersonianum "
Anas domestica "
Gallus domesticus "
Pseudacris brachypophona "
- Diplostomum paraspatha- ceum sp. nov.
key
[Cyprinidae] (eye)
[Percidae] "
[Gobiidae] "
[Clupeidae] "
[Acipenseridae] "
[Esox lucius] "
- Diplostomum phoxini Limnaea auricularia
Phoxinus laevis
- Diplostomum phoxini [Phoxinus phoxinus]
- Dubois, G.; and Rausch, R. L., 1967 a, 405-407, fig. 2 all from Alaska
- Dubois, G., 1967 b, 699 Minchumina (Alaska)
- Maksimova, A. P., [1966 b] Karaganda oblast, Kazakhstan
- Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a all from Tuva
- Shigin, A. A., 1965 c, 263-264 all from Rybinsk reservoir and Volga delta
- Shigin, A. A., 1965 c, 263 all from Rybinsk reservoir and Volga delta
- Maksimova, A. P., 1966 a South Kazakhstan
- Shigin, A. A., 1965 c, 263 all from Rybinsk reservoir and Volga delta
- Williams, R. R., 1964 b Calamus Swamp, Pickaway Co., Ohio
- Shigin, A. A., 1965 c, 264 all from Rybinsk reservoir and Volga delta
- Büttner, A., 1966 a Richelieu, France, all from
- Kaletskaia, S. L., 1965 a Zapadnaia Dvina

| | | | |
|---|---|--|---|
| Diplostomum phoxini Phoxinus phoxinus (brain) | Kane, M. B., 1966 a Ireland | Diplostomum spathaceum [Cyprinus carpio] | Iskov, M. P., 1963 a Kakhovsk reservoir |
| Diplostomum pungitis sp. nov. key [Gasterosteus aculeatus] (eye) [Perca fluviatilis] (eye) | Shigin, A. A., 1965 c, 264- 265 all from Rybinsk reservoir and Volga Delta | Diplostomum spathaceum [Rutilus rutilus] [Blicca bjoerkna] [Vimba vimba] [Lota lota] | Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina |
| Diplostomum pusillum host specificity | Gagarin, V. G., 1965 a | Diplostomum spathaceum [Phalacrocorax carbo] [Anas penelope] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Diplostomum (Diplostomum) scudderii (Olivier, 1941) comb. nov. Syn.: Diplostomum baeri eucaliae Hoffman et Hundley, 1957 | Dubois, G., 1966 a, 20, 40-44, 51, 52, 53, fig. 6 | Diplostomum spathaceum (Rudolphi, 1819) Braun, 1893 Limnaea stagnalis Radix auricularia R. ovata | Kiseliene, V. K., 1966 a all from Lithuanian SSR |
| Diplostomum spathaceum fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Diplostomum spathaceum | Komarova, T. I., 1963 a Dnieper delta |
| Diplostomum spathaceum [Ctenopharyngodon idella] [Hypophthalmus molitrix] | Bauer, O. N.; Babaev, B.; and Strelkov, Iu. A., 1963 a all from Karakum canal | Diplostomum spathaceum (Rud. 1819) (crystalline lens) [Rutilus rutilus heckeli] [Vimba vimba] [Abramis brama] [Blicca bjoerkna] [Rutilus rutilus] [Leuciscus idus] [Aspius aspius] [Lucioperca lucioperca] [Perca fluviatilis] [Esox lucius] | Komarova, T. I., 1964 a, 82 all from Dnieper delta |
| Diplostomum spathaceum Rud., 1819 Abramis brama Perca fluviatilis | Belinisova, L. K., 1965 a all from Krasnooskol'skoe reservoir | Diplostomum spathaceum seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Diplostomum spathaceum (Rudolphi, 1819) [Varicorhinus] | Bogdanova, E. A., 1965 a lake Sevan | Diplostomum spathaceum (Rud., 1819) [Rutilus r. heckeli] (eye) [Aspius aspius] (eye) [Blicca bjoerkna] (eye) | Komarova, T. I., 1966 a, 61 all from Dnieper estuary |
| Diplostomum spathaceum (Rud., 1819) Braun, 1893 Limnaea stagnalis | Büttner, A., 1966 a Richelieu, France | Diplostomum spathaceum biology, metacercaria | Komiya, Y., 1965 e |
| Diplostomum spathaceum (Rud., 1819) Limnaea stagnalis Radix ovata | Butenko, Iu. V., 1967 a, 36 all from South Kazakhstan | Diplostomum spathaceum (Rudolphi, 1819) (intestine) Larus ridibundus L. canus Sterna camtschatica S. hirundo | Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 140 all from USSR, Kamchatka |
| Diplostomum spathaceum [Anas platyrhynchos] [Mergus serrator] [Ardea cinerea] [Vanellus vanellus] [Sterna hirundo] | Chibichenko, N. T., 1966 b, 73 all from lake Issyk-kul | Diplostomum spathaceum Silurus glanis | Lucky, Z., 1966 a |
| Diplostomum spataceum [sic] | Christensen, N. O., 1966 a, fig. 32-33 | Diplostomum spathaceum (Rudolphi, 1810) (eye) Cyprinus carpio Carassius carassius Abramis brama Abramis sapa Rutilus rutilus Scardinius erythrophthalmus Perca fluviatilis Esox lucius Tinca tinca Rutilus rutilus heckeli Aspius aspius | Marits, N. M., 1963 a, 44-45, fig. 3 all from Moldavia |
| Diplostomum spathaceum [Salvelinus alpinus] | Diarova, G. S., 1967 a Alma-Ata pond fisheries | | |
| Diplostomum (Diplostomum) spathaceum (Rudolphi, 1819) | Dubois, G., 1966 a, 38, 39 | | |
| Diplostomum spathaceum (Rudolphi, 1819) (small intestine) Larus argentatus L. atricilla | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina | | |
| Diplostomum spathaceum Larus argentatus | Guildal, J. A., 1968 a, 61, 62 South Harbour of Copenhagen | | |
| Diplostomum spathaceum Rudolphi (eye) Rutilus rutilus Abramis brama Blicca björkna | Huculak, F., 1965 a, 285 all from Kozłowa Góra reservoir | | |

- Diplostomum spathaceum.—Continued.
Chondrostoma nasus
Alburnus alburnus
Acerina cernua
Silurus glanis
Leuciscus cephalus
- Diplostomum spathaceum adhesive organ, structure and function
- Diplostomum spathaceum (Rud., 1819)
Larus canus
- Diplostomum spathaceum Pseudoscaphirhynchus kaufmanni
- Diplostomum spathaceum (Rudolphi, 1819) Braun, 1893
Larus ridibundus
- Diplostomum spathaceum Coregonus lavaretus marae-noides (chryalline lens)
- Diplostomum spathaceum [Esox lucius]
- Diplostomum spathaceum (exper.)
[Coregonus]
[Coregonus peled]
[Salmo salar]
[Salmo irideus]
[Cyprinus carpio]
- Diplostomum spathaceum (Rud., 1819)
Larus chthyaetus (small intestine)
L. ridibundus (small intestine)
- Diplostomum spathaceum [Larus ridibundus]
- Diplostomum spathaceum fertility
- Diplostomum spathaceum (Rudolphi, 1810)
Galba palustris
- Diplostomum spathaceum distribution
- Diplostomum spathaceum (Rudolphi, 1819) Olsson, 1879
Larus argentatus
- Diplostomum spathaceum (Rudolphi, 1819)
Larus marinus
- Diplostomum spathaceum Salmo irideus (eye)
Lota vulgaris (eye)
- Diplostomum spathaceum (Rudolphi, 1819) (crystal-line lens)
[Blicca bjoerkna]
[Carassius carassius]
[Aspius aspius]
- Marits, N. M., 1963 a.—Continued.
- Öhman, C., 1965 a, figs. 1-4, pl. 1, figs. 1-5, pl. 2, figs. 1-5
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Osmanov, S. O., 1965 c
- Rădulescu, I.; and Lustin, L., 1967 a, fig. 3
Romania
- Razmashkin, D. A., 1964 a
Chudskoe lake
- Semenova, N. N., 1967 a
Moskov oblast
- Semenova-Mindel, N. V., 1964 a
- Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a
all from Tuva
- Sergienko, M. I.; and Kharamburg, Ia. I., 1963 a
T. T. vovshchina
- Shigin, A. A., 1965 d
- Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 58
Western Kazakhstan
- Sprehn, C. E. W., 1967 a
Europe
- Threlfall, W., 1966 c, 5
Wales
- Threlfall, W., 1968 b
Newfoundland, Canada
- Tiainen, O. A., 1966 e
Southern Finland, all from
- Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a
all from Moskov area reservoirs
- Diplostomum spathaceum.—Continued.
[Esox lucius]
[Lota lota]
[Abramis brama]
[Tinca tinca]
[Rutilus rutilus]
[Alburnus alburnus]
[Leuciscus idus]
[Lucioperca lucioperca]
[Acerina cernua]
[Perca fluviatilis]
- Diplostomum spathaceum Larus ridibundus (intestine)
- Diplostomum spathaceum Lymnaea peregra
Gasterosteus aculeatus
- Diplostomum spathaceum (Rudolphi, 1819)
Podiceps griseigena
- Diplostomum (Diplostomum) spathaceum flexicaudum (Cort et Brooks, 1928)
- Diplostomum (Diplostomum) spathaceum murrayense Johnston et Cleland, 1938
- Diplostomum (Didelphodiplostomum) variabile (Chandler, 1932)
opossums (feces)
- Diplostomum variabile (Chandler, 1932)
Syns: Didelphodiplostomum variabile (Chandler, 1932). Dubois, 1944; Diplostomulum ambystomae Rankin and Hughes, 1937
life history, taxonomy
Didelphis virginiana (nat. and exper.) (feces)
(exper.)
Menetus dilatus
Ambystoma opacum
A. maculatum
Eurycea bislineata
Necturus spp.
Siren lacertina
mice, white
- Diplostoma volvens biology, metacercaria
- Diplotrema Tripathi, 1959, preoccupied
as syn. of Neodiplozoon Tripathi, 1959, emend.
- Diplozoon von Nordmann, 1832
Diplozoonidae, key
- Diplozoon Nordmann, 1832
Diplozooninae
- Diplozoon sp. fish
- Diplozoon sp. I Rutilus rutilus
- Diplozoon sp. II Scardinius erythrophthalmus
- Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a—Continued.
Vol'skis, G. I., [1967 a]
Latvian SSR
- Williams, M. O., 1966 a, 247
Milngavie near Glasgow, Scotland
- Zhatkanbaeva, D., 1965 a
Southern and Central Kazakhstan
- Dubois, G., 1966 a, 40
- Dubois, G., 1966 a, 40
- Harris, A. H.; Harkema, R.; and Miller, G. C., 1966 a
- Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 a,
figs. 1-12
- Dubois, 1944; Diplostomulum ambystomae Rankin and Hughes, 1937
Komiya, Y., 1965 e
- Price, C. E., 1967 e, 386
- Price, C. E., 1967 e, 379,
383-384
- Prost, M., 1966 a, 17, 18,
19, 22, 23
- Allamuratov, B. K., 1965 b
South-Surkhanskoe reservoirs
- Belinisova, L. K., 1965 a
Krasnooskol'skoe reservoir
- Belinisova, L. K., 1965 a
Krasnooskol'skoe reservoir

| | | | |
|--|--|--|---|
| Diplozoon sp. 1 Alburnus alburnus (žábra) | Ergens, R., 1965 c, 153 Fluss Osoblaha (Oder Gebiet) | Diplozoon homoion Rutilus rutilus lacustris | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a Tuva ASSR |
| Diplozoon sp. 2 Barbus barbus (žábra) | Ergens, R., 1965 c, 153 Fluss Osoblaha (Oder Gebiet) | Diplozoon inustiatus sp.n. Hypophthalmichthys molitrix (gill filaments) | Nagibina, L. F., 1965 a, 172-173, 174, figs. 6, 7G, 8G Bolon lake, Amur river |
| Diplozoon [sp.] [Cyprinus carpio] | Jurpalova, N. M.; and Maslen-nikova, E. I., 1964 a Moldavia | Diplozoon markewitschi sp. nova Vimba vimba (gills) | Bykhovskii, B. E.; Gintovt, F. V.; and Koval, V. P., 1964 a, 43-47, figs. 1-5, 6a, 7a Dnieper, southern Bug (USSR); Nemam (BSSR) |
| Diplozoon sp. [Carassius carassius] | Komarova, T. I., 1964 a, 85 Dnieper delta | Diplozoon markewitschi [Vimba vimba] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina |
| Diplozoon sp. [Rutilus rutilus] | Liubarskaia, O. D., 1963 Kuibyshev reservoir | Diplozoon markewitschi Bychowsky et Kowal, 1962 [i. e. Bykhovskii, Gintovt and Koval, 1964] [Vimba vimba] | Komarova, T. I., 1964 a, 85 Dnieper delta |
| Diplozoon barbi Rasbora heteromorpha | Kamegai, S.; et al., 1966 a | Diplozoon markewitschi seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Diplozoon bliccae [Blicca bjoerkna] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Diplozoon markewitschi Bychowsky et Kowal, 1962 [Vimba vimba] | Komarova, T. I., 1966 a, 63 Dnieper estuary |
| Diplozoon bliccae (Reichenbach-Klinke, 1961) [Blicca bjoerkna] (gill filaments) | Komarova, T. I., 1964 a, 85 Dnieper delta | Diplozoon megan [Leuciscus idus] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina |
| Diplozoon bliccae seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Diplozoon megan Idus idus | Kamegai, S.; et al., 1966 a |
| Diplozoon bliccae (Reichenbach-Klinke, 1961) [Blicca bjoerkna] (gill filaments) | Komarova, T. I., 1966 a, 63 Dnieper estuary | Diplozoon megan Bychowsky et Nagibina, 1959 [Leuciscus idus] | Komarova, T. I., 1964 a, 85 Dnieper delta |
| Diplozoon bychowskyi sp.n. Ctenopharyngodon idella (gill filaments) | Nagibina, L. F., 1965 a, 170-172, 173, 174, figs. 4-5, 7V Bolon lake, Amur river | Diplozoon megan Bychowsky et Nagibina, 1959 [Leuciscus idus] | Komarova, T. I., 1966 a, 63 Dnieper estuary |
| Diplozoon diplodiscus sp.n. Elopichthys bambusa (gill filaments) | Nagibina, L. F., 1965 a, 167-169, 173, 174, figs. 1-2, 7A, 8A Bolon lake, Amur river | Diplozoon nagibinae Rutilus rutilus (Kiemen) | Gläser, H. J., 1967 a, 335, 336, 337, 338, 341, fig. 9c Elbe-Nebenfluss Biese-Aland |
| Diplozoon ghanense (Thomas, 1957) Alestes macrolepidotus | Price, C. E., 1967 e, 383 Ghana (black Volta River, near Lawra) | Diplozoon nipponicum Goto, 1891 morphology Cyprinus carpio | Kamegai, S.; et al., 1966 a, figs. 1-6 |
| Diplozoon gracilis fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Diplozoon paradoxum Nordmann, 1832 Abramis brama Blicca bjoerkna | Belinisova, L. K., 1965 a all from Krasnooskol'skoe reservoir |
| Diplozoon gracilis [Gobio gobio] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Diplozoon paradoxum | Bykhovskii, B. E.; Gintovt, F. V.; and Koval, V. P., 1964 a, 45, 46, figs. 6a, 7a |
| Diplozoon homoion | Bykhovskii, B. E.; Gintovt, F. V.; and Koval, V. P., 1964 a, 66, 7a | Diplozoon paradoxum | Chaplina, O. M.; and Antsishkina, L. M., 1961 a all from small rivers of Northern Azov |
| Diplozoon homoion Rutilus rutilus (Kiemen) | Gläser, H. J., 1967 a, 337, 338, 339, 340, 341, figs. 8, 9b Elbe-Nebenfluss Biese-Aland | [Rutilus rutilus heckeli] [Leucaspis delineatus] [Scardinus erythrophthalmus] | Gavrilitsa, L. A., 1964 a Dnestriv estuary |
| Diplozoon homoion Bychowsky et Nagibina, 1959 Rutilus rutilus (gills) | Ha, K., 1964 a Akol group of lakes (Pskov oblast) | Diplozoon paradoxum [Abramis brama] | Gläser, H. J., 1967 a, 335, 340, fig. 9d Elbe-Nebenfluss Biese-Aland |
| Diplozoon homoion [Rutilus rutilus] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Diplozoon paradoxum Rutilus rutilus (Kiemen) | |
| Diplozoon homoion Bychowsky et Nagibina, 1959 [Rutilus rutilus] | Komarova, T. I., 1964 a, 85 Dnieper delta | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Diplozoon paradoxum phosphatase activity Halton, D. W., 1967 a, fig. 1
- Diplozoon paradoxum Nordmann Rutilus rutilus (gills) Blicca björkna Huculak, F., 1965 a, 285 all from Kozłowa Góra reservoir
- Diplozoon paradoxum [Abramis brama] Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Diplozoon paradoxum s. l. [Leuciscus cephalus] [Leuciscus leuciscus] [Chondrostoma nasus] [Phoxinus phoxinus] Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina
- Diplozoon paradoxum Scardinius erythrophthalmus (gill branchiae) Rutilus rutilus (gills) Kane, M. B., 1966 a, 213 all from Ireland
- Diplozoon paradoxum Nordmann, 1832 (gills) Aspius aspius Lucioperca lucioperca Komarova, T. I., 1961 a, 253 all from Central Dnieper
- Diplozoon paradoxum Nordmann, 1832 [Abramis brama] (gills) [Rutilus rutilus heckeli] (gills) Komarova, T. I., 1964 a, 85 all from Dnieper delta
- Diplozoon paradoxum seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Diplozoon paradoxum Nordm. 1832 (gill filaments) [Abramis brama] [Rutilus r. heckeli] Komarova, T. I., 1966 a, 63 all from Dnieper estuary
- Diplozoon paradoxum Blicca bjoernea [sic] (gills) Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Diplozoon paradoxum [Abramis brama] [Rutilus rutilus] [Vimba vimba] [Blicca bjoerkna] [Abramis ballerus] Koval, V. P., 1963 b all from lower region, Kakhovsk reservoir
- Diplozoon paradoxum [Rutilus rutilus] (gills) Krasil'nikova, N. I., 1963 a upper Don
- Diplozoon paradoxum [Aspius aspius] (gills) Mikailov, T. K., 1963 b Mingeaur reservoir
- Diplozoon paradoxum Nordmann, 1832 Abramis brama "dévrkeszeg" Abramis ballerus "laposkeszeg" Abramis sapa "bagolykeszeg" Pelecus cultratus "garde" Carassius carassius "kárász" Alburnus alburnus "szélhajtó küsz" Blicca björkna "ezüstös balin" Rutilus rutilus "veresszármú koncér" Leuciscus cephalus "fejes domolykó" Leuciscus idus "ónos jász" Scardinius erythrophthalmus "pirosszemű kele" Aspius aspius "ragadozó ön" Molnár, K., 1963 a, 106 all from Hungary
- Diplozoon paradoxum Nordmann, 1832 Oshmarin, P. G., 1965 b Buriat ASSR
- Diplozoon paradoxum Nordmann, 1832 Prost, M., 1966 a, 17, 18, 19, 22, 23
Syn: Diporpa Dujardin, 1845; Diporpa dujardini all from Polsce
- Diplozoon paradoxum Diesing, 1850 Abramis brama Aspius aspius Alburnus alburnus Barbus barbus Blicca bjoernea Carassius carassius Chondrostoma nasus Gobio gobio Leuciscus cephalus Rutilus rutilus Scardinius erythrophthalmus Vimba vimba Acerina cernua
- Diplozoon paradoxum Blicca björkna Puidak, U., 1965 a, 555 Estonian coastal waters
- Diplozoon paradoxum distribution Sprehn, C. E. W., 1967 a Europe
- Diplozoon paradoxum (Nordmann, 1832) (gills) [Carassius carassius] [Abramis brama] [Tincus tinca] [Rutilus rutilus] Wiles, M., 1965 a
- Diplozoon paradoxum Nordmann, 1832 s. l. (Kiemleinblättchen) Cyprinus carpio Rutilus rutilus R. pigus virgo Leuciscus leuciscus L. cephalus L. idus Phoxinus phoxinus Scardinius erythrophthalmus Aspius aspius Chondrostoma nasus Gobio gobio G. kessleri Barbus meridionalis petényi Alburnus alburnus Alburnoides bipunctatus Blicca bjoerkena Abramis brama A. sapa A. ballerus Pelecus cultratus Rhodeus sericeus amarus
- Diplozoon paradoxum ballyeri us ssp. nov. [nomen nudum] [Abramis ballerus] (gill filaments) Komarova, T. I., 1964 a, 85 Dnieper delta
- Diplozoon paradoxum sapae Reichenbach-Klinke, 1961 [Abramis sapa] (gill filaments) Komarova, T. I., 1964 a, 85 Dnieper delta
- Diplozoon pavlovskii fish Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Diplozoon pavlovskii Bykovskii, B. E.; Gintovt, F. V.; and Koval, V. P., 1964 a, 45, 46, figs. 62, 73
- Diplozoon pavlovskii [sic] [Aspius aspius] Gavrilitsa, L. A., 1964 a Dnestriv estuary

- Diplozoon pavlovskii By-chowski et Nagibina, 1959 Komarova, T. I., 1966 a, 63
[Aspius aspius] (gill filaments) Dnieper estuary
- Diplozoon rutili n. sp. Gläser, H. J., 1967 a, 333-342, figs. 1-4, 5a-b, 6a-c, 7-8, 9a
Rutilus rutilus (Kiemen) Elbe-Nebenfluss Biese-Aland
- Diplozoon scardinii sp. nov. Komarova, T. I., 1964 a, 85
[nomen nudum] Dnieper delta
[Scardinius erythrophthalmus]
- Diplozoon scardinii Koma-rova, 1964, n. sp. Komarova, T. I., 1966 a, 63-64, 66
Scardinius erythrophthalmus Dnieper delta and estuary [sic]
- Diplozoon schizothorazi sp. nov. Iksanov, K. I., [1966 a], 88-91, figs. 1a-b
Schizothorax issyk-kuli lake Issyk-Kul, Ortotokoi-skoe reservoir (gills)
- Diplozoon strelkowi sp. n. Nagibina, L. F., 1965 a, 169-170, 173, 174, figs. 3, 7B, 8B
Hemibarbus labeo (gill filaments) BoJ. i lake, Amur river
- Diplozoon tetragone Kamegai, S.; et al., 1966 a
Hyphessobrycon serpae
- Diporpa Dujardin, 1845 Prost, M., 1966 a, 17
as syn. of Diplozoon paradoxum Nordmann, 1832
- Diporpa dujardini Diesing, Prost, M., 1966 a, 17
1850
as syn. of Diplozoon paradoxum Nordmann, 1832
- Discocotyle sagittata Salmo trutta Aderounmu, E. A., 1966 a
Chirk Hatchery, [Wales]
- Discocotyle sagittata phosphatase activity Halton, D. W., 1967 a
- Discocotyle sagittata [sic] Kane, M. B., 1966 a, 213
(Leuckart 1852, Diesing 1850)
Salmo trutta (gills)
- Discocotyle sagittata population dynamics Salmo trutta Paling, J. E., 1965 a
Salvelinus alpinus (gills) Windermere and Crummock Water in the English Lake District, all from
- Discocotyle sagittatum Coregonus lavaretus pidschian Spasskii, A. A.; Roitman, V. A.; and Trofimko, V. Ia., 1965 a
Tuva ASSR
- Discocotyle sagittata distribution Sprehn, C. E. W., 1967 a
Europe
- Discocotyle salmonis Shaffer, 1916 Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1915
(gills) all from Newfoundland
Salvelinus fontinalis
Salmo salar
S. trutta
- Discocotyle sybellae [sic] Sprehn, C. E. W., 1967 a
distribution Europe
- Discocotylidae Yamaguti, S., 1965 b
includes: Opisthogyninae; Pseudodiscocotylinae n. subf.
- Distoma (nepolovozrelye) [sp.] (Wedl., 1857) Dubinin, V. B., 1938 a, 151
as syn. of Tetracotyle ardeae (Matare, 1910)
- Distomum anophelis van Thiel, 1921 Odening, K., 1960 h, 23
as syn. of Haematoloechus (H.) v. variegatus (Rudolphi)
- Distomum bergense Srivastava, L. P., 1966 a
as syn. of Lecithaster gibbosus (Rud.) Lühe, 1901
- Distoma bilobum (Rudolphi, 1819); (Diesing, 1851) Dubinin, V. B., 1938 a, 125
as syn. of Patafifer bilobus (Rudolphi, 1819)
- Distomum capsulare Dubinin, V. B., 1938 a, 151
(Diesing, 1858; Solov'ev, 1912)
as syn. of Tetracotyle ardeae (Matare, 1910)
- Distoma cuneatum (Rudolphi, 1809) Dubinin, V. B., 1938 a, 141
as syn. of Prosthogonimus cuneatus (Rudolphi, 1809)
- Distomum ellipticum (variegatum?) Eckstein, 1922 Odening, K., 1960 h, 25
as syn. of Haematoloechus (H.) sp., ssp. (Eckstein)
- Distomum fragile Threlfall, W., 1967 a, 171
Linton, 1900 Newfoundland
Mola mola (intestine)
- Distomum glandulosum Gupta, N. K., 1966 b, 123
Looss, 1896
as syn. of Paralecithodendrium glandulosum (Looss, 1896)
- Distomum mollissimum Srivastava, L. P., 1966 a
Stossich, 1889; nec Levinson, 1881
as syn. of Lecithaster confusus Odhner, 1905
- Distomum obtusum Looss, Gupta, N. K., 1966 b, 121
1896
as syn. of Paralecithodendrium obtusum (Looss, 1896)
- Distoma ovatum (Rud.) Dubinin, V. B., 1938 a, 140
as syn. of Prosthogonimus ovatus (Rudolphi, 1803)
- Distomum pedicellata Pritchard, M. H., 1966 a, 163
Stossich, 1887
as syn. of Allopodocotyle pedicellata (Stossich, 1887)
n. comb.
- Distomum pyriforme Linton Stunkard, H. W., 1968 b
1900
life cycle and morphology
- Distoma rubens Dujardin, Edelenyi, B., 1965 a
1845
as syn. of Plagiorchis exasperatus (Rudolphi, 1819)
- Distomum sinense Cobbold, Fraissinet, 1906 a
1875 Phu-Lang-Thuong
human "tirailleur; tonkineis" (foie)
- Distomiasis, Bovine Fournier, J., [1953 a], 133
bufflon Viet Nam
- Distomiasis, Bovine Leinati, L.; Carrara, O.; and
Rocalcati, M., 1962 a
- Distomiasis, Ruminants Babenskas, M. A., 1958 c
Lithuania
- Distomum. See Distoma.
- Dogielius planus Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Dolichosaccus lygosomae* n. sp. Fischthal, J. H.; and Kuntz, R. E., 1967 b, 246, 249-250, fig. 3
Lygosoma noctua (small intestine) Espíritu Santo Island, New Hebrides Islands
- Dolichosaccus rastellus* (črevo) Kozák, A., 1966 a, 606, 607 all from Košice, ČSSR
Bombina bombina
B. variegata
- Dolichosaccus rastellus* Radix ovata Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Dollfustravassosiinae* sub-fam. n. *Isoparochiidae* Teixeira de Freitas, J. F.; and Kohn, A., 1967 a, 314, 318
 type genus: *Dollfustravassosiuss* gen. n.
- Fischthal.* J. H.; and Kuntz, R. E., 1967 b, 246, 249-250, fig. 3
 Espíritu Santo Island, New Hebrides Islands
- Kozák*, A., 1966 a, 606, 607 all from Košice, ČSSR
- Kupriianova-Shakhmatova*, R. A., 1965 a USSR, central Povolzh'e
- Teixeira de Freitas*, J. F.; and Kohn, A., 1967 a, 314, 318
 type genus: *Dollfustravassosiuss* gen. n.
- Dollfustravassosiuss* gen. n. Isoparochiidae; Dollfus- travassosiinae Teixeira de Freitas, J. F.; and Kohn, A., 1967 a, 313, 314
 tod: *D. moniliovatus* sp.n.
- Dollfustravassosiuss monilio-* vatus sp. n. (tod) Teixeira de Freitas, J. F.; and Kohn, A., 1967 a, 313, 314, 315-318, figs. 1-7
Tachysurus grandicassis (vessie natatoire) Ile de Marambai (Océan Atlantique), Etat de Rio de Janeiro, Brésil
- Dollfustrema foochowensis* life cycle, evolution T'ang, C.-C.; and T'ang, C.-T., 1968 a
- Drepanocephalus olivaceus* n. sp. Phalacrocorax olivaceus olivaceus (intestine) Nasir, P.; and Marval F., H., 1968 a, pp. 71-72, 74, fig. 1 Laguna de los Patos, Cumana, Venezuela
- Duboisia syriaca* distribution Sprehn, C. E. W., 1967 a Europe

| | | | |
|---|---|---|--|
| Echinochasmus biology, metacercaria | Komiya, Y., 1965 e | Echinochasmus dietzevi [Podiceps cristatus] [Anas penelope] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Echinochasmus sp. [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep | Echinochasmus japonicus fresh water fish | Chun, S. K., 1965 a |
| Echinochasmus amphibolus Kotlan, 1922 Podiceps griseigena P. nigricollis | Zhatkanbaeva, D., 1965 a all from Southern and Central Kazakhstan | Echinochasmus japonicus | Saito, S.; and Otsuru, M., 1965 a |
| Echinochasmus bagulai Verma, 1935 Natica marochiensis Katelysia opima Larus ridibundus (exper.) Numenius arquata " Egretta garzetta " Ardeola grayi " | Ramalingam, K., [1961 e], figs. 1-10 all from Pamban, India | Echinochasmus japonicus | Yamaguchi, T.; and Hirao, Y., 1964 a Shikoku |
| Echinochasmus beleocephalus Culter alburnus Hemiculter leucisculus Acheilognathus chankaensis Gobio gobio Rana temporaria | Alekseev, V. M., 1963 c all from Primorskii krai | Echinochasmus magnovatum (Stunkard and Haviland, 1924) Price, 1931 Fundulus heteroclitus chicks (exper.) white mice (exper.) | Scott, L., 1965 a southeastern New Hampshire |
| Echinochasmus beleocephalus molluscs and domestic aquatic birds Rana temporaria | Alekseev, V. M., 1963 d Lake Khanka | Echinochasmus mirus distribution | Sprehn, C. E. W., 1967 a Europe |
| Echinochasmus beleocephalus (Linstow, 1873) [Anas platyrhynchos] | Belokobyleiko, V. T., 1965 a Ural oblast | Echinochasmus mordax (Looss, 1899) Pelecanus onocrotalus | Roman-Chiriac, E., 1965 a, 1/4 Danube delta, Romania |
| Echinochasmus beleocephalus (Linstow, 1873) Nyroca ferina Anas acuta | Maksimova, A. P., 1967 a, 137 all from Western Kazakhstan | Echinochasmus perfoliatus (Ratz, 1908) [Canis familiaris] [Felis catus] | Chebotarev, R. S.; Zaskind, L. N.; Serafia, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs, all from |
| Echinochasmus beleocephalus [Gallus gallus] | Shevtsov, A. A., 1965 a Smelianskogo raiona, Cherkaskoi oblast, Ukrainian, SSR | Echinochasmus perfoliatus fresh water fish | Chun, S. K., 1965 a |
| Echinochasmus beleocephalus [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Echinochasmus perfoliatus Ratz, 1908 [Canis familiaris] | Litvishko, N. T.; and Adamets, I. I., 1963 a Kharkov and environs |
| Echinochasmus bursicola distribution | Sprehn, C. E. W., 1967 a Europe | Echinochasmus perfoliatus Ratz, 1908 Scardinius erythrophthalmus (musculature) | Marits, N. M., 1963 a, 48 Moldavia |
| Echinochasmus (Episthmium) bursicola (Creplin, 1837) Ardea cinarea [sic] | Vol'skis, G. I., [1967 a] Latvian SSR | Echinochasmus perfoliatus | Marits, N. M., 1963 c Moldavia |
| Echinochasmus coaxatus Dietz, 1909 Podiceps cristatus | Roman-Chiriac, E., 1965 a, 1/4 Danube delta, Romania | Echinochasmus schwartzii Price, 1931 Canis familiaris | Sprehn, C. E. W., 1967 a Europe |
| Echinochasmus coaxatus distribution | Sprehn, C. E. W., 1967 a Europe | Echinochasmus (Episthmium) skrjabini Oschmarin, 1947 (duodenum, small intestine) Gavia stellata Gavia arctica | Volkova, N. S.; and Omelaeva, R. N., 1963 b Lugansk oblast |
| Echinochasmus coaxatus Apodemus agrarius | Tenora, F., 1965 c, 70, 72 Czechoslovakia | Echinochasmus skrjabini Oschmarin, 1947 Colymbus stellatus | Burrows, R. B.; and Lillis, W. G., 1965 a, 571, figs. 3-4 New Jersey |
| Echinochasmus coaxatus Dietz, 1909 Podiceps griseigena P. nigricollis | Zhatkanbaeva, D., 1965 a all from Southern and Central Kazakhstan | Echinochasmus spinulosus distribution | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, figs. 1-2 all from USSR, Kamchatka |
| Echinochasmus colymbi Oschmarin, 1950 Podiceps nigricollis | Zhatkanbaeva, D., 1965 a Southern and Central Kazakhstan | Echinochasmus squamatus distribution | Oshmarin, P.G., 1965 b Buriat ASSR |
| | | Echinochasmus tobi Semisulcospira bensonii | Sprehn, C. E. W., 1967 a Europe |
| | | | Sprehn, C. E. W., 1967 a Europe |
| | | | Hamajima, F.; and Ishii, Y., 1964 a |

- Echinochasmus tobi Yamaguchi, 1939
Semisulcospira spp.
- Echinocirrus melis Schr. distribution
- Echinocirrus suinum distribution
- Echinoparphium [lapsus for Echinoparyphium]
- Echinoparyphium key to species
- Echinoparyphium [lapsus as Echinoparphium]
- Echinoparyphium sp. glycogen deposition
Helisoma trivolvis
- Echinoparyphium sp. Corvus corax (intestine)
- Echinoparyphium sp. Mehlis' gland complex
- Echinoparyphium aconiatum (Dietz, 1909)
[Anas platyrhynchos]
- Echinoparyphium aconiatum Dietz, 1909
Radix ovata
Planorbis planorbis
Lymnaea stagnalis
- Echinoparyphium aconiatum seasonal distribution in molluscs in relation to industrial pollution
- Echinoparyphium aconiatum Dietz.
Limnaea stagnalis
- Echinoparyphium aconi- atum Dietz, 1909
Limnaea stagnalis
Radix ovata
Physa fontinalis
Coretus cornueus
Viviparus contectus
V. viviparus
Bithynia tentaculata
Sphaerium corneum
- Echinoparyphium aconiatum Limnaea stagnalis
Galba palustris
Viviparus viviparus
- Echinoparyphium aconiatum Anas acuta
- Echinoparyphium aconiatum Dietz, 1909
Anas clypeata (intestine)
Nyroca fuligula "
- Echinoparyphium aconiatum Dietz, 1909
Anas querquedula
A. platyrhynchos
A. acuta
A. clypeata
A. crecca
- Kagei, N., 1966 a
Takatsu River, Shimane Prefecture, Japan
- Sprehn, C. E. W., 1967 a
Europe
- Sprehn, C. E. W., 1967 a
Europe
- Grundmann, A. W., and Tsai, Y. H., 1967 a
- Bykhovskaya, I. E. (Pavlovskaya); and Kulakova, A. P., 1965 a, 190-191
- Grundmann, A. W., and Tsai, Y. H., 1967 a
- Cheng, T. C., 1963 f, pl. 1, figs. 1-3; pl. 2, figs. 1-2; pl. 3, figs. 1-4
- Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a, fig. USSR, Kamchatka
- Lie Kian Joe, 1965 a, fig. 4
- Belokobyleko, V. T., 1965 a
Ural oblast
- Butenko, Yu. V., 1967 a, 26
all from South Kazakhstan
- Chernogorenko-Bidulina, M. I., 1964 a, 71
Desna River
- Chernogorenko-Bidulina, M.I., 1966 a, 29
upper Dnieper
- Kiseliene, V. K., 1966 a
all from Lithuanian SSR
- Kuprianova-Shakhmatova, R. A., 1965 a
all from USSR, central Povolzh'e
- Maksimova, A. P., 1966 a
South Kazakhstan
- Maksimova, A. P., [1966 b]
all from Karaganda oblast, Kazakhstan
- Maksimova, A. P., 1967 a, 136
all from Western Kazakhstan
- Echinoparyphium aconiatum-- Maksimova, A. P., 1967 a--
Continued.
Nyroca ferina
N. fuligula
- Echinoparyphium aconiatum Dietz, 1909
Lymnaea stagnalis
- Echinoparyphium aconiatum distribution
- Echinoparyphium baculus (Diesing, 1850)
Anas platyrhynchos
A. penelope
A. querquedula
Nyroca ferina
- Echinoparyphium baculus distribution
- Echinoparyphium bioccale-rouxi distribution
- Echinoparyphium biocealer-auxi [sic] Dollfus, 1935 [i.e. 1953]
+bird
- Echinoparyphium cinctum (Rudolphi, 1802)
Nyroca fuligula (small intestine)
Anas acuta (caecum)
- Echinoparyphium cinctum (Rud., 1802)
found in mollusks used for food for domestic waterfowl
- Echinoparyphium cinctum (Rudolphi, 1802)
Radix ovata
Viviparus viviparus
Bithynia leachii
- Echinoparyphium cinctum Limnaea stagnalis
Radix ovata
- Echinoparyphium cinctum distribution
- Echinoparyphium cinctum (Rudolphi, 1802)
+bird
- Echinoparyphium contiquum [sic] Barker & Bastron, 1915
Ondatra zibethicus osoyoo-sensis
- Echinoparyphium dunni sp. n.
Gyraulus convexiusculus (exper.)
Lymnaea rubiginosa
Indoplanorbis exustus (exper.)
Bellamya ingallsiana
ducklings (exper.) (duodenum, small intestine)
pigeons (exper.) (duodenum, small intestine)
Lonchura ferruginea (exper.) (duodenum, small intestine)
L. punctulata (exper.) (duodenum, small intestine)
Padda oryzivora (exper.) (duodenum, small intestine)
- Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 78
Western Kazakhstan
- Sprehn, C. E. W., 1967 a
Europe
- Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Sprehn, C. E. W., 1968 a
China
- Kiseliene, V. K., 1965 a
Kiseliene, V. K., 1966 a
all from Lithuanian SSR
- Kuprianova-Shakhmatova, R. A., 1965 a
all from USSR, central Povolzh'e
- Sprehn, C. E. W., 1967 a
Europe
- Wang, F.-C., 1968 a
China
- Grundmann, A. W., and Tsai, Y.H., 1967 a
Salt Lake Valley, Utah
- Lie Kian Joe; and Umathevy, T., 1965 b, 793-798, figs. 1-13
Kuala Lumpur and Kuala Pil-ah, Malaya

| | | | |
|---|---|---|---|
| Echinoparyphium dunni surgically implanted in normal snail host | Heyneman, D., 1966 a | Echinoparyphium recurvatum Radix lagotis Planorbis sp. Rana temporaria | Alekseev, V. M., 1963 c all from Primorskii krai |
| Echinoparyphium dunni Lie and Umathevy, 1965 integumentary papillae of cercariae | Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2E, 3E, 4E, 5E, 6E | Echinoparyphium recurvatum molluscs and domestic aquatic birds Rana temporaria | Echinoparyphium recurvatum molluscs and domestic aquatic birds Rana temporaria |
| Echinoparyphium dunni Lie and Umathevy Lymnaea rubiginosa | Lie Kian Joe; Basch, P. F.; and Umathevy, T., 1966 a Central Malaya | Echinoparyphium recurvatum (von Linstow, 1873) Ondatra z. zibethica | Alekseev, V. M., 1963 d Lake Khanka |
| Echinoparyphium echinotooides [sic] Viviparus viviparus | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e | Echinoparyphium recurvatum (Linstow, 1873) [Anas platyrhynchos] | Beckett, J. V.; and Gallic- chio, V., 1967 a, 1171 Portage County, Ohio |
| Echinoparyphium flexum (Linton, 1892) Lymnaea columella | Rabalaïs, F. G., 1966 a, 54, fig. 2 Baton Rouge, Louisiana | Echinoparyphium recurvatum (Linst., 1873) Radix ovata Planorbis planorbis Lymnaea kazakensis L. iliensis Galba truncatula | Belokobylenko, V. T., 1965 a Ural oblast |
| Echinoparyphium hydromyos sp. nov. Hydromys chrysogaster (nat. and exper.) Plananisus isingi (nat. and exper.) tadpoles (exper.) (kidneys) Lenameria sp. (exper.) (kidneys) | Angel, L. M., 1967 a, 19-29, figs. 1-6 all from Tailem Bend and exper. | Echinoparyphium recurvatum [Bufo vulgaris] [Anas platyrhynchos] [Mergus serrator] [Ardea cinerea] [Vanellus vanellus] [Sturnus vulgaris] | Butenko, Iu. V., 1967 a, 26 all from South Kazakhstan |
| Echinoparyphium macrovi- tellatus Oschmarin, 1947 Phalacrocorax carbo | Oshmarin, P. G., 1965 b Buriat ASSR | Echinoparyphium recur- vatum Radix auricularia Hyraultus ehrenbergi Lymnaea stagnalis Rana temporaria | Chibichenko, N. T., 1966 b, 68 all from lake Issyk-kul |
| Echinoparyphium nordiana Baschkirova, 1941 Galba truncatula G. palustris | Kiseliene, V. K., 1966 a all from Lithuanian SSR | [Bufo vulgaris] [Anas platyrhynchos] [Mergus serrator] [Ardea cinerea] [Vanellus vanellus] [Sturnus vulgaris] | Echinoparyphium recurvatum (Linstow, 1873) pathological changes in duckling intestines |
| Echinoparyphium nordiana Limnaea stagnalis | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e | Echinoparyphium recurvatum (Abdel-Azim, 1930) Bulinus truncatus rat (exper.) | Ciuniene, E., 1968 a, figs. 1-5 pathological changes in duckling intestines |
| Echinoparyphium paraulum Viviparus viviparus | Sprehn, C. E. W., 1967 a Europe | Echinoparyphium recurvatum Phenasol, ducks | El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 3 Egypt |
| Echinoparyphium paraulum distribution | Bykhovskaià, I. E. (Pavlov- skaià); and Kulakova, A. P.: 1965 a, 187-190, 191, figs. 1-3 Kurishsk lagoon, Rybachii (Kalininograd oblast) | Echinoparyphium recurvatum von Linstow, 1873 Cygnus olor (gastro- intestinal tract) | Garkavi, B.L.; and Poluektov, V. Sh., 1968 a, 49 |
| Echinoparyphium pavlovskii sp. n. Lymnacryptes minimus (small intestine) key | Chernogorenko-Bidulina, M.I., 1966 a, 29 upper Dnieper | Echinoparyphium recurvatum (Linstow, 1873) Cygnus olor | Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22 Essex, England |
| Echinoparyphium petrowi New. cercaria Viviparus viviparus | Sprehn, C. E. W., 1967 a Europe | Echinoparyphium recurvatum (Linstow, 1873) found in mollusks used for food for domestic waterfowl | Kazlauskas, J., 1968 a Zuvintas Lake |
| Echinoparyphium petrowi distribution | Vergun, G. I., 1963 a Northern Donets | Echinoparyphium recurvatum (Linstow, 1873) Radix ovata R. peregra Galba palustris G. palustris corvus G. truncatula Planorbis planorbis Viviparus viviparus | Kiseliene, V. K., 1966 a all from Lithuanian SSR |
| E[chinoparyphium] petrovi [sic] Sphaerium rivicola | Akhumian, K. S., 1966 a Armenian SSR | Echinoparyphium recurvatum development in final host | Kiseliene, V. K., 1968 a, figs. 3, 4 |
| Echinoparyphium recur- vatum (Linstow, 1873) Tadorna ferruginea | | | |

- Echinoparyphium recurvatum Kuprianova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e
- Echinoparyphium recurvatum (Linstow 1873) Kuznetsov, V. G., 1965 a chlorophos-phenothiazine, ducks
- Echinoparyphium recurvatum (Linton, 1873) Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a USSR, Kamchatka
- Echinoparyphium recurvatum Anas acuta Maksimova, A. P., 1966 a South Kazakhstan
- Echinoparyphium recurvatum (Linstow, 1873) (intestine) Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan
- Anser anser Tadorna ferruginea Nyroca ferina Anas clypeata Anas querquedula Anas acuta Nyroca fuligula Anas strepera
- Echinoparyphium recurvatum (Linstow, 1873) Anas acuta A. platyrhynchos A. strepera A. penelope A. querquedula A. crecca Nyroca ferina Nyroca fuligula N. marila Anser anser
- Echinoparyphium recurvatum (Linstow, 1873) Radix ovata Radix auricularia Galba palustris Planorbis planorbis Rana temporaria
- Echinoparyphium recurvatum (Linstow, 1873) găini rătă
- Echinoparyphium recurvatum Nevostreueva, L. S., 1965 a
- Echinoparyphium recurvatum (Linstow, 1873) Larus ridibundus (small intestine)
- Echinoparyphium recurvatum (enteritis) pigeons
- Echinoparyphium recurvatum [Anas platyrhynchos] [Anser anser]
- Echinoparyphium recurvatum (Linst., 1897) metacercaria Valvata piscinalis
- Echinoparyphium recurvatum Smogorzhevskaya, L. A.; and Iskova, N. I., 1963 a Ukrainian SSR
- Echinoparyphium recurvatum [Gallus gallus] Sovetnikov, V. M., 1963 a Orenburg oblast
- Echinoparyphium recurvatum+[Gallus gallus] Sovetnikov, V. M., 1963 b Orenburg oblast
- Echinoparyphium recurvatum distribution Sprehn, C. E. W., 1967 a Europe
- Echinoparyphium recurvatum Larus canus (caecum) Vok'skis, G. I., [1967 a] Latvian SSR
- Echinoparyphium sinorchis Oschmarin, 1956 key Bykhovskaya, I. E. (Pavlovskaya); and Kulakova, A. P., 1965 a, 191, fig. 4A-B
- Echinoparyphium sisjakowi Skwortzov, 1934 Ondatra zibethica Sharpilo, L. D., 1961 a, 204 Ukraine
- Echinoparyphium spiniferum distribution Sprehn, C. E. W., 1967 a Europe
- Echinoparyphium west-sibiricum Issailschikoff, 1924 +fox Wang, F.-C., 1968 a China
- Echinostoma Echinostomatidae, key Cosgrove, G. E., 1966 a, fig. 12
- Echinostoma sp. Planorbis planorbis Butenko, Yu. V., 1967 a, 24-26, fig. 1 South Kazakhstan
- Echinostoma sp. Pelicanus onocrotalus Deodhar, N. S.; and Narasapur, V. S., 1968 a Victoria Gardens (zoo), Bombay
- Echinostoma sp. Gallinula chloropus (crevo) Macko, J. K., 1967 a, 853 Czechoslovakia (CSSR)
- Echinostoma [sp.] [Anas platyrhynchos] Podgornova, G. P., 1963 a Volgograd oblast
- Echinostoma sp. [Anas platyrhynchos] Shevtsov, A. A., 1963 c Ukraine
- Echinostoma sp., cercaria Valvata piscinalis Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 82-83 Western Kazakhstan
- Echinostoma sp. (E. grandis) Baschkirova, 1946 metacercaria Galba palustris Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 77-78, fig. 15 Western Kazakhstan
- Echinostoma sp. Pica pica hudsonia (large and small intestine, bursa Fabricius) Todd, K. S. (jr.); and Worley, D. E., 1967 a, 365 Bozeman, Gallatin County, Montana
- Echinostoma sp. Bithynia leachii Zdun, V. I., 1961 c, 287, fig III (13) Ukraine
- Echinostoma aegyptiaca Khalil et Abaza, 1924 +wild cat Wang, F.-C., 1968 a China

| | | | |
|--|---|---|---|
| Echinostoma aphyllactum Dietz, 1909 (small intestine) | Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 189 | Echinostomum callawagensis [sic] Barker and Noll, 1915 | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a |
| Saguinus geoffroyi | Panama | Ondatra zibethicus osoyoo- | Salt Lake Valley, Utah |
| Echinostomum armigerum Barker & Irvine, 1915 | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a | Echinostoma chloropodis distribution | Sprehn, C. E. W., 1967 a Europe |
| Ondatra zibethicus osoyoo- sensis | Salt Lake Valley, Utah | Echinostoma chloropodis (Zeder, 1800) +bird | Wang, F.-C., 1968 a China |
| Echinostoma armigerum [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep | Echinostoma coalitum [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep |
| Echinostomum armigerum Barker and Irvine, 1915 | Smith, H. J.; and Archibald, R. McG., 1967 a, 660 Nova Scotia | Echinostoma coalitum distribution | Sprehn, C. E. W., 1967 a Europe |
| Castor canadensis (small intestine) | Lie Kian Joe; and Umathevy, T., 1965 a, 781-787, figs. 1- 15 all from Kuala Lumpur and Kuala Pilah, Malaya | Echinostoma coalitum Apodemus flavicollis | Tenora, F., 1965 c, 70, 72 Czechoslovakia |
| Echinostoma audyi sp. n. Lymnaea rubiginosa | | Echinostoma dietzi [Anser anser] (caecum) | Churina, N. V., 1963 a Srednii Ural |
| Gyraulus convexiusculus | | Echinostoma dietzi Coretus corneus | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| Indoplanorbis exustus | | Echinostoma echiniferum distribution | Sprehn, C. E. W., 1967 a Europe |
| Pila scutata | | Echinostoma echinocephalum distribution | Sprehn, C. E. W., 1967 a Europe |
| Bellamya ingallsiana (exper.) (rectum) | | Echinostoma exasperatus (Rudolphi, 1819) Nicol 1931 as syn. of Plagiorchis exasperatus (Rudolphi, 1819) | Edelényi, B., 1965 a |
| ducklings | | Echinostoma grandis Basch- kirova, 1946 | Churina, N. V., 1963 a Srednii Ural |
| pigeons | | Anas penelope (small intestine) | |
| Macropygia ruficeps | | Echinostoma grandis Baschkirova, 1946 | Macko, J. K., 1967 a, 853 Czechoslovakia (USSR) |
| Lonchura ferruginosa | | Gallinula chloropus (crevo) | |
| L. punctulata | | Echinostoma hortense Asada, 1927 | Shen, Y.-P., 1968 a ali from Kiangsu Province, China |
| Padda oryzivora | | Rattus norvegicus | |
| Echinostoma audyi surgically implanted in normal snail host | Heyneman, D., 1966 a | R. flavipectus | |
| Echinostoma audyi Mehlis' gland complex | Lie Kian Joe, 1965 a, fig. 2 | Echinostoma hystricosum sp. n. | Lie Kian Joe; and Umathevy, T., 1966 a, 449-453, figs. 1-12 (pericardial sac and posterior part of kidney) |
| Echinostoma audyi Lie and Umathevy, 1966 | Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2B, 3B, 4B, 5B, 6B | Lymnaea rubiginosa | Malaya |
| integumentary papillae of cercariae | | Gyraulus convexiusculus | " |
| Echinostoma audyi Lie and Umathevy body gland cells in cercariae | Lie Kian Joe, 1966 c, figs. 1, 5-7 | Indoplanorbis exustus | " |
| Echinostoma audyi | Lie Kian Joe; and Basch, P. F., 1966 a, fig. 13b | Lonchura maja (exper.) (intestine) | |
| | | L. punctulata | " |
| Echinostoma audyi Lie and Umathevy Lymnaea rubiginosa | Lie Kian Joe; Basch, P. F.; and Umathevy, T., 1966 a Central Malaya | Geopelia striata | " |
| Echinostoma bancrofti Johnson, 1928 | Macko, J. K., 1967 a, 853 Czechoslovakia (USSR) | Echinostoma hystricosum Lie and Umathevy, 1966 | Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2F, 3F, 4F, 5F, 6F |
| Gallinula chloropus (crevo) | | integumentary papillae of cercariae | |
| Echinostoma barbosai sp. n. life cycle | Lie Kian Joe; and Basch, P.F., 1966 a, 1052, 1053, 1054-1057, figs. 1-13a, 14-17 | Echinostoma hystricosum Lie and Umathevy, 1966 | Lie Kian Joe; Basch, P. F.; and Umathevy, T., 1966 a |
| chicks (exper.) | | integumentary papillae | Central Malaya |
| ducklings (exper.) | | | |
| pigeons (exper.) | | | |
| Biomphalaria glabrata (nat.) | Recife and Bel Horizonte, Brazil | | |
| and exper.) | | | |
| B. tenagophila (nat. and exper.) | | | |
| B. straminea (exper.) | | | |
| Echinostoma barbosai | Lie Kian Joe; Basch, P. F.; mixed exper. infection with Paraphostomum segre- gatum, antagonism in Biomphalaria straminea | and Hoffman, M. A., 1967 a, figs. 2, 6 | Lie Kian Joe, 1965 a, fig. 5 |
| Dubinin, V. B., 1938 a, 125 | | | |
| Echinostoma bilobum (Cobbold, 1861); (Stossich, 1892) | | | |
| as syn. of Patagifer bilobus (Rudolphi, 1819) | | | |

- Echinostoma lindoense Sandground and Bonne, 1940 integumentary papillae of cercariae Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2A, 3A, 4A, 5A, 6A
- Echinostoma lindoense Sandground and Bonne body gland cells in cercariae Lie Kian Joe, 1966 c, figs. 1, 2-4
- Echinostoma lindoense Sandgrond and Bonne, 1940 life history Biomphalaria glabrata (nat. and exper.) chicks (exper.) white mice (exper.) Gyraulus convexiusculus Lie Kian Joe, 1968 a, figs. 1-2 Belo Horizonte, Brazil Kuala Lumpur, Malaysia
- Echinostoma malayanum human (feces) rats Bhaibulaya, M.; Charoenlarp, P.; and Harinasuta, C., 1964 a, fig. 2 Kalasin Province, North-east Thailand
- Echinostoma malayanum surgically implanted in normal snail host Heyneman, D., 1966 a
- Echinostoma malayanum Mehlis' gland complex Lie Kian Joe, 1965 a, fig. 1
- Echinostoma malayanum Leiper, 1911 integumentary papillae of cercariae Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2G, 3G, 4G, 5G, 6G
- Echinostoma miyagawai Jschii, 1932 [Anas platyrhynchos] Belokobyleko, V. T., 1965 a Ural oblast
- Echinostoma miyagawai [Anas platyrhynchos] Dremkova, P. P.; and Podgornova, G. P., 1963 a Volgograd oblast
- Echinostoma miyagawai Anas platyrhynchos A. penelope Anser anser Maksimova, A. P., 1966 a all from South Kazakhstan
- Echinostoma miyagawai Ishii 1932 Anas acuta (intestine) Maksimova, A. P., [1966 b] Karaganda oblast, Kazakhstan
- Echinostoma miyagawai Ischii, 1932 Anas acuta A. platyrhynchos A. strepera A. penelope A. querquedula Nyroca ferina Anas clypeata A. crecca Maksimova, A. P., 1967 a, 135-136 all from Western Kazakhstan
- Echinostoma miyagawai Ishii, 1932 prophylaxis by isolated rearing of ducklings Podgornova, G. P., 1965 a
- Echinostoma miyagawai [Anas platyrhynchos] Shevtsov, A. A., 1961 a, 226 Ukraine
- Echinostoma miyagawai [Anas platyrhynchos] Shevtsov, A. A., 1963 c Ukraine
- Echinostoma murinum (Tubangui, 1931) life cycle Gyraulus convexiusculus rats (exper.) mice " hamsters "
- Echinostoma murinum (Tubangui, 1931) Rattus norvegicus
- Echinostoma paraensei sp. n. life history rats (exper.) mice, white (exper.) hamsters (exper.) Biomphalaria glabrata Physa rivalis (exper.)
- Echinostoma paraulum domestic waterfowl
- Echinostoma paraulum Anas platyrhynchos (small intestine)
- Echinostoma paraulum Dietz, 1909 rata gîscă
- Echinostoma paraulum Dietz, 1909 prophylaxis by isolated rearing of ducklings
- Echinostoma paraulum
- Echinostoma paraulum [Anas platyrhynchos]
- Echinostoma paraulum
- Echinostoma paraulum [Anas platyrhynchos]
- Echinostoma recurvatum Limnaea stagnalis (exper.) Coretes cornueus " Radix ovata " R. auricularia " Viviparus viviparus " Galba palustris " Planorbis planorbis " [Anser anser] [Anas platyrhynchos]
- Echinostoma revolutum domestic waterfowl
- Echinostoma revolutum (Froelich, 1802) Tadorna ferruginea
- Echinostoma revolutum Radix lagotis Viviparus ussuriensis Culter alburnus Hemiculter leucisculus Acheilognathus chankaensis Gobio gobio Rana temporaria
- Lie Kian Joe, 1967 b, figs. 1-13 Kuala Lumpur, Malaysia
- Shen, Y.-P., 1968 a Kiangsu Province, China
- Lie Kian Joe; and Basch, P. F., 1967 b, 1192-1198, figs. 1-19 Belo Horizonte, Brazil
- Adysheva, M. M., 1963 a Andizhan oblast
- Churina, N. V., 1963 a Srednii Ural
- Olteanu, G.; and Stoicari, E., 1963 b, 229, 234 all from Romania
- Podgornova, G. P., 1965 a
- Sailov, D. I., 1963 a Azerbaidzhan
- Shevtsov, A. A., 1963 c Ukraine
- Smogorzhevskaja, L. A.; and Iskova, N. I., 1963 a Ukrainian SSR
- Lesin'sh, K. P.; and Feodoro, E. Ia., 1966 a all from Latvian SSR
- Adysheva, M. M., 1963 a Andizhan oblast
- Akhumian, K. S., 1966 a Armenian SSR
- Alekseev, V. M., 1963 c all from Primorskii krai

- Echinostoma revolutum
molluscs and domestic
aquatic birds
Rana temporaria
Alekseev, V. M., 1963 d
Lake Khanka
- Echinostoma revolutum
Ondatra zibethicus
Anderson, D. R.; and Beau-
doine, R. L., 1966 a, 72
Centre and Lycoming
Counties, Pennsylvania
- Echinostoma revolutum
(Fröhlich, 1802)
Ondatra zibethica
Andreiko, A. F.; Pinchuk,
L. M.; and Skvortsov, V. G.,
1963 b, 27
Moldavian SSR
- Echinostoma revolutum
(Froelich, 1802)
Ondatra z. zibethica
Beckett, J. V.; and Gallic-
chio, V., 1967 a, 1171
Portage County, Ohio
- Echinostoma revolutum
(Froelich, 1802)
[*Anas platyrhynchos*]
Belokobylenko, V. T., 1965 a
Ural oblast
- Echinostoma revolutum (?)
human (2 villagers)
(intestine)
Bhaibulaya, M.; Harinasuta,
C.; and Thirachantra, S.,
1966 a, figs. 1-3
Mahasarakarm Province of
North-east Thailand
- Echinostoma revolutum
Cygnus olor (intestin
grêle)
Bouvier, G.; and Horning, B.,
1965 a, 16
Switzerland
- Echinostoma revolutum
(Fröhl., 1802) Dietz
Lymnaea stagnalis
Radix ovata
Butenko, Iu. V., 1967 a, 24
all from South Kazakhstan
- Echinostomum revolutum
Fröh.
Limnaea stagnalis
Chernogorenko-Bidulina, M.I.,
1966 a, 30
upper Dnieper
- Echinostoma revolutum
Radix auricularia
Hyraultus ehrenbergi
Limnaea stagnalis
Rana temporaria
[*Bufo vulgaris*]
[*Anas platyrhynchos*]
[*Mergus serrator*]
[*Ardea cinerea*]
[*Vanellus vanellus*]
[*Sterna hirundo*]
Chibichenko, N. T., 1966 b,
68, 73
all from lake Issyk-kul
- Echinostoma revoiutum [sic]
Anas platyrhynchos (small
intestine)
Churina, N. V., 1963 a
Srednii Ural
- Echinostoma revolutum (Fröh-
lich, 1802)
pathological changes in duckling intestines
Ciumiene, E., 1968 a, figs.
1-5
- Echinostoma revolutum
[*Anas platyrhynchos*]
Dremkova, P. P.; and Podgor-
nova, G. P., 1963 a
Volgograd oblast
- Echinostoma revolutum
chlorophos, ducks
Egizoeva, Kh. I., 1965 a
- Echinostoma revolutum
mucopolysaccharides and
glycogen
Fried, B.; and Kramer, M. D.,
1968 a
- Echinostomum revolutum
Phenasol, ducks
Garkavi, B.L.; and Poluektov,
V.Sh., 1968 a, 49
- Echinostomum revolutum
Froelich, 1802
*Ondatra zibethicus osoyoo-
ensis*
Islam, A. W. M. S.; and
Shaikh, H., 1967 a
Mymensingh District, East
Pakistan
- Echinostoma revolutum
domestic fowl (gastro-
intestinal tract)
Jones, J. (jr.), 1968 a, 26
Ohio
- Echinostoma revolutum
[*Ondatra zibethica*]
Kadenatsii, A. N., 1965 a
Omsk lesostep
- Echinostoma revolutum
Lymnaea stagnalis
Coretus corneus
Galba palustris
[*Meleagris gallopavo*] (exper.)
[*Gallus gallus*] (exper.)
[*Anas platyrhynchos*] (exper.)
Khaziev, G. Z., 1966 b
Bashkir
- Echinostoma revolutum
[*Phalacrocorax carbo*]
[*Anas penelope*]
Kibakin, V. V., 1965 a
all from Gasan-Kuliisk game
reserve
- Echinostoma revolutum
(Fröhlich, 1802)
found in mollusks used for food for domestic waterfowl
Kiseliene, V. K., 1965 a
- Echinostoma revolutum
(Fröhlich, 1802) Dietz, 1909
Coretus corneus
Lymnaea stagnalis
Radix ovata
Galba palustris
G. truncatula
Planorbis planorbis
Anisus spirorbis
A. vortex
Viviparus viviparus
Pisidium sp.
Kiseliene, V. K., 1966 a
all from Lithuanian SSR
- Echinostoma revolutum
development in final host
Kiseliene, V. K., 1968 a, figs.
1, 5, 6, 7
- Echinostoma revolutum
carbon tetrachloride
phenothiazine
Kovalenko, I. E.; and Kal'-
chenko, A. A., 1965 a
- Echinostoma revolutum
Limnaea stagnalis
Radix auricularia
R. lagotis
R. ovata
R. pereger
Galba palustris
Kuprianova-Shakhmatova, R.
A., 1965 a
all from USSR, central
Povolzh'e
- Echinostoma revolutum
(Froelich, 1802)
chlorophos-phenothiazine, ducks
Kuznetsov, V. G., 1965 a
- Echinostoma revolutum
Limnaea stagnalis (exper.)
Coretus corneus
Radix ovata
Viviparus contectus
Galba palustris
Planorbis planorbis
[*Anas platyrhynchos*]
[*Anser anser*]
Lesin'sh, K. P.; and Feodo-
rova, E. Ia., 1966 a
all from Latvian SSR

- Echinostoma revolutum
Anas platyrhynchos
Nyroca ferina
N. nyrocae
Oxyura leucocephala
- Echinostoma revolutum
(Frohlich, 1802)
Cygnus cygnus
Anser anser
Anas acuta
Nyroca fuligula
N. ferina
Anas clypeata
Anas querquedula
- Echinostoma revolutum
(Fröhlich, 1802)
Anas acuta
A. platyrhynchos
A. strepera
Nyroca ferina
Anas penelope
A. clypeata
A. querquedula
A. crecca
Anser anser
A. erythropus
- Echinostoma revolutum
chickens (ceca)
- Echinostoma revolutum
(Frölich, 1802)
pasare
rată
gîscă
- Echinostoma revolutum
(Frölich, 1802)
Anas platyrhynchos
- Echinostoma revolutum
histopathologic study of
Lymnaea auricularia var. rufescens
- Echinostoma revolutum
(Froleich [sic], 1802)
life history, distribution
Lymnaea auricularia var.
rufescens
pigeon (exper.)
fowl (exper.)
- Echinostoma revolutum
(Frölich, 1802)
prophylaxis by isolated rearing of ducklings
- Echinostoma revolutum
(Froechlich, 1802) Looss,
1899
Larus ridibundus
- Echinostoma revolutum
(Frolich 1802)
Grus antigone
Balearica pavonina
B. regolorum
Phoenicopterus ruber
Phoeniconaias minor
Grus grus lillfordi
Anthropoides virgo
Ciconia nigra
- Maksimova, A. P., 1966 a
all from South Kazakhstan
- Maksimova, A. P., [1966 b]
all from Karaganda oblast,
Kazakhstan
- Maksimova, A. P., 1967 a, 136
all from Western Kazakhstan
- Manuel, M. F.; and Talens,
E. O., [1967 a], 108, 113,
pl. 4, fig. 16
Philippines
- Olteanu, G.; and Stoican, E.,
1963 b, 225, 228, 234
all from Romania
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Patnaik, M. M.; and Ray, S. K.
1966 a, figs. 1-6
- Patnaik, M. M.; and Ray, S.
K., 1966 b, figs. 1-7
Orissa
- Podgornova, G. P., 1965 a
- Rădulescu, I.; and Lustin, L.,
1967 a, fig. 4
Romania
- Rossi, C.; and Ginanni, C.,
1965 a
all from the Turin Zoological Garden
- Echinostoma revolutum--
Continued.
Dissoura episcopus
Ciconia ciconia
Leptoptilos crumeniferus
Jabiru myotera
- Larus ridibundus
Pyrrherodia purpurea
Ardea cinerea
Phalacrocorax carbo
Casarca ferruginea
Anser anser
Ibis ibis
Cignus olor
Chenopis atrata
- Echinostoma revolutum
- Sailov, D. I., 1963 a
Azerbaijan
- Echinostoma revolutum (Froelich, 1802)
Arvicola terrestris
- Echinostoma revolutum
[Anas platyrhynchos]
- Echinostoma revolutum
[Anas platyrhynchos]
[Anser anser]
- Echinostoma revolutum
[Anser anser]
- Echinostoma revolutum
(Frölich, 1802) Dietz,
1909
cuticle, histochemistry
- Echinostoma revolutum
(Frölich, 1802) Dietz,
1909
Planorbis planorbis
- Echinostoma revolutum
- Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 77
Western Kazakhstan
- Smogorzhevskaya, L. A.; and Iskova, N. I., 1963 a
Ukrainian SSR
- Sovetnikov, V. M., 1963 a
Orenburg oblast
- Sovetnikov, V. M., 1963 b
Orenburg oblast
- Sprehn, C. E. W., 1967 a
Europe
- Stoican, E.; Fromunda, V.;
and Georgescu, L., 1963 a
Scornicesti commune, Slătina region, Romania
- Sundaram, R. K., 1968 a,
pl. facing p. 301, 1 fig.
- Vol'skis, G. I., [1967 a]
Latvian SSR
- Zischke, J. A., 1967 a
- Zischke, J. A., 1968 a
reproduction of rediae, from infected to uninfected snails
- Sharpilo, L. D., 1961 a, 204
Ukraine
- Shevtsov, A. A., 1963 c
all from Ukraine
- Shevtsov, A. A., 1966 b
Ukrainian SSR
- Slais, J.; and Žádorská, Z.,
1967 a, pl. I, figs. 1-3,
pl. II, figs. 1-3

| | | | |
|---|---|---|--|
| Echinostoma robustum domestic waterfowl | Adysheva, M. M., 1963 a Andizhan oblast | Echinostoma skrjabini (Oschmarin, 1946) [n. comb.] | Alekseev, V. M., 1965 c |
| Echinostoma robustum Radix lagotis Viviparus ussuriensis Cristaria plicata Melania amurensis Culter alburnus Hemiculter leucisculus Acheilognathus chankaensis Gobio gobio Rana temporaria | Alekseev, V. M., 1963 c all from Primorskii krai | Echinostoma travassosi Skr., 1924 <i>Corvus corone</i> | Oshmarin, P. G., 1965 b Buriat ASSR |
| Echinostoma robustum molluscs and domestic aquatic birds Rana temporaria | Alekseev, V. M., 1963 d Lake Khanka | Echinostoma turkestanica Kurova, 1926 <i>Nyroca ferina</i> | Oshmarin, P. G., 1965 b Buriat ASSR |
| Echinostoma robustum Yama- guti, 1935 Anas platyrhynchos (small intestine, rectum, caecum) A. penelope (small intestine) Nyroca fuligula (small intestine) | Churina, N. V., 1963 a all from Srednii Ural | Echinostomatidae not harmed by industrial pollution | Chernogorenko-Bidulina, M. I., 1963 a Desna river |
| Echinostoma robustum Yama- guti, 1935 Cygnus olor | Kazlauskas, J., 1968 a Zuvintas Lake | Echinostomatidae key to genera key | Cosgrove, G. E., 1966 a |
| Echinostoma robustum Yamaguti, 1935 found in mollusks used for food for domestic waterfowl | Kiseliene, V. K., 1965 a | Echinostomatidae larvae causes decrease in cardiolipins in digestive gland of mollusks | Stadnichenko, A. P., 1968 a |
| Echinostoma robustum Yamaguti, 1935 Galba palustris corvus Radix ovata | Kiseliene, V. K., 1966 a all from Lithuanian SSR | Echinostomatid[ae sp.] <i>Pseudorasbora parva</i> | Kamegai, S.; et al., 1965 b Lake Inbanuma |
| Echinostoma robustum Coretus cornutus Viviparus contectus | Kupriyanova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e | Echinostomatidae [spp.] <i>Criodrilus lacuum</i> <i>Eisenilla tetraedre f. typica</i> <i>Allolobophora longa</i> | Kosinova, V. G., 1965 a all from Krasnodar krai |
| Echinostoma robustum Yamaguti, 1935 raja gisca | Olteanu, G.; and Stoican, E., 1963 b, 229, 234 all from Romania | Echinostomatidae gen. sp. <i>Colymbus griseigena</i> (small intestine) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, fig. 3 USSR, Kamchatka |
| Echinostoma robustum [Anas platyrhynchos] [Anser anser] | Shevtsov, A. A., 1963 c all from Ukraine | Echinostomatidae [gen. sp.] [<i>Anas platyrhynchos</i>] | Palim[p]estov, M. A., 1963 a Tagotinsk poultry farms |
| Echinostoma robustum [Anas platyrhynchos] [Anser anser] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR, all from | Echinostomatidae sp. <i>Anas discors</i> | Payne, R. R., 1967 a Crescent Lake Nat. Wildlife Refuge, Garden Co., Nebraska |
| Echinostoma robustum [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Echinostomatidae gen. sp. <i>Ardeola ralloides</i> | Roman-Chiriac, E., 1965 a, 149 Danube delta, Romania |
| Echinostoma rodiguezi sp. n. life cycle Physa rivalis | Hsu, K. C.; Lie Kian Joe; and Basch, P. F., 1968 b, 333-338, figs. 1-16 Belo Horizonte, State of Minas Gerais, Brazil | Echinostomatidae spp. <i>Ferrissia fragilis</i> <i>F. parallelia</i> <i>Laevapex fuscus</i> | Smith, R. J., 1967 a, 288 Chelsea, Michigan Douglas Lake, Michigan Ann Arbor, Michigan |
| Biomphalaria glabrata (exper.) chicks (rectum) pigeons " hamsters (ileum) mice (rectum) | " " " " | Echinostome <i>Lymnaea peregrina</i> <i>Valvata piscinalis</i> | Bradley, D. J., 1967 a, 282 all from Flatford, Suffolk, Great Britain |
| Echinostoma sarcinum ["Rhizocotyle atrata"] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve | Echinostome metacercaria <i>Bithmia tentaculata</i> | Bradley, D. J., 1967 a, 285, pl. D, fig. 23 Flatford, Suffolk, Great Britain |
| Echinostoma sarcinum distribution | Sprehn, C. E. W., 1967 a Europe | Echinostome <i>Physa heterostropha</i> <i>Australorbis glabratus</i> (exper.) | Chernin, E., 1967 a |
| Echinostome cercaria Pilo globosa "apple snail" (faecal pellet) | Ganapati, P. N.; and Rao, K. H., 1968 a, 19-20, figs. 1-2 | Echinostome cercaria chemistry, stylets | Lyons, K. M., 1966 a |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Echinostome *Catastrophus semipalmatus* MacInnis, A. J., 1966 a, 53, 66
Alligator Harbor, Franklin County, Florida
- Echinostome *Matricon-Gondran, M.*, 1967 a
electron microscopic morphology of rediae and sporocyst absorptive structures
- Echinostome cercaria *Lymnaea stagnalis* Odening, K., 1965 f
Berlin area
- Echinostomum. See Echinostoma.
- Ectenurus [sp.] *Beryx splendens* Ichihara, A.; et al., 1964 b
Bay of Sagami, Japan
- Ectenurus sp. (stomach) *Selar crumenophthalmus* Oshmarin, P. G., 1965 c, 225-226, fig. 10
North Vietnam
- Ectenurus lepidus Looss, 1907 *Kowaleva, A. A.*, 1965 a
Black Sea
- Trachurus mediterraneus ponticus* (stomach)
- Ectenurus lepidus Looss, 1907 *Nikolaeva, V. M.*, 1963 a, 410
Black Sea
- Trachurus mediterraneus ponticus* (stomach)
- Ectenurus theraponae sp. nov. (stomach) *Therapon theraps* Oshmarin, P. G., 1965 c, 224-225, fig. 9
North Vietnam
- Ectenurus virgulus Linton, 1910 *Ku, C.-T.*; and *Shen, C.-W.*, 1968 a
Pseudosciaena crocea (stomach) *Shen-Chia-Men*
- Ectosiphonus Sinitzin, 1931 *Ubelaker, J. E.*; and *Dailey, M. D.*, 1966 b, 1062
as syn. of *Brachylaima Dujardin*, 1943, emend.
- Encycometra Dwivedi, M. P., 1966 c
[Lapsus as: Encycometra]
- Encycometra [sic] sp. *Tropidonotus piscator* Dwivedi, M. P., 1966 c
- Encycometra [sic] colubrimurorum (Rudolfi, 1819) Agrawal, V., 1966 h, 140-142, 151, figs. 18-21
Syn.: *E. japonica* Yoshida et Ozaki, 1929
Tropidonotus piscator Lucknow, India (esophagus)
- Encycometra colubrimurorum (Rudolfi, 1819) Dollfus, 1929 *Fischthal, J. H.*; and *Kuntz, R. E.*, 1967 a, 109
Enhydrius plumbea (small intestine)
Elaphe rufodorsata " Seoul, Korea
- Encycometra colubrimurorum (Rud.) [Natrix natrix] (stomach) Markov, G. S.; Lukina, G. P.; Markova, L. I.; and Mozgina, A. A., 1964 a
Northern Caucasus
- Encycometra colubrimurorum Natrix natrix Vipera berus Shevchenko, N. N., 1963 b
all from Severskii Donets valley
- Encycometra colubrimurorum rum distribution Sprehn, C. E. W., 1967 a Europe
- Encycometra [sic] japonica Yoshida et Ozaki, 1929
as syn. of *Encycometra colubrimurorum* (Rud., 1819) Dollfus, 1929
- Encycometra natricis [Rana ridibunda] Shevchenko, N. N., 1963 c Volga delta; Khar'kovsk oblast; Duna delta region
- [Rana terrestris] Khar'kovsk oblast; Duna delta region
- Pelobates fuscus [Hyla arborea] Khar'kovsk oblast; Duna delta region
- Encycometra Dwivedi, M. P., 1966 c [lapsus for: Encycometra]
- Enenterum abstract of thesis Nahhas, F. M., 1964 a
- Engraulicola n. g. George, K. C., [1961 a], 208, 213
Gastrotylidae tod: *E. forcipopenis* n. sp.
- Engraulicola forcipopenis n. g., n. sp. (tod) George, K. C., [1961 a], 208, 213, figs. 1-2
Anchoviella bataviensis Trivandrum, India (gills)
- Engrauliscobina thrissocles George, K. C., [1961 a]
Tripathi (1959) Sproston and Puri (Bay of Bengal)
Umnithan (1960) [n. comb.] (in press)
Thrissocles mystax
- Entobdella bumphusi Campbell, J. W.; and Lee, T. W., 1963 a
ornithine transcarbamylase and arginase activity
- Entobdella bumphusi Lyons, K. M., 1966 a
chemistry and evolution, sclerites
- Entobdella diadema Lyons, K. M., 1966 a
chemistry and evolution, sclerites
- Entobdella hippoglossi Halton, D. W., 1967 a
phosphatase activity
- Entobdella hippoglossi Mamaev, Iu. L., 1965 a, 169
(Miller, 1776) (gills) all from Bering Sea
Atherestes stomias
Hippoglossus hippoglossus stenolepis
- Entobdella soleae El Maghraby, A. M.; and Perkins, E. J., 1956 a, 486
(Beneden and Hesse) Johnston Whitstable, England
Solea solea (ventral surface)
- Entobdella soleae Lyons, K. M., 1966 a
chemistry and evolution, sclerites
- Entosiphonus Sinitzin, Ubelaker, J. E.; and Dailey, 1931 M. D., 1966 b, 1062
as syn. of *Brachylaima Dujardin*, 1943, emend.
- Eriilepturus Woolcock, 1935 Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 41
key to species

- Eriilepturus* sp. (stomach) Oshmarin, P. G., 1965 c, 226-
Sciennidae gen. sp. 227, fig. 11
North Vietnam
- Eriilepturus africanus* Reid, W. A.; Coil, W. H.; and Fischthal and Kuntz, 1963 Kuntz, R. E., 1966 a, 41
- Eriilepturus formosae* sp. n. Reid, W. A.; Coil, W. H.; and key Kuntz, R. E., 1966 a, 39, 40-
- Alectis indica* (intestine) 41, fig. 1 Formosan waters
- Eriilepturus hamati* Reid, W. A.; Coil, W. H.; and (Yamaguti, 1934) Manter, Kuntz, R. E., 1966 a, 41
- Eriilepturus lemieriensis* Reid, W. A.; Coil, W. H.; and (Tubanqui and Masilungan, Kuntz, R. E., 1966 a, 41 1934) Manter, 1947
- Eriilepturus paralichthydis* Reid, W. A.; Coil, W. H.; and (Yamaguti, 1934) Manter, Kuntz, R. E., 1966 a, 41
- Eriilepturus platycephali* Reid, W. A.; Coil, W. H.; and (Yamaguti, 1934) Manter and Kuntz, R. E., 1966 a, 41 Fritchard, 1960
- Eriilepturus tiegsi* Reid, W. A.; Coil, W. H.; and Woolcock, 1935 Kuntz, R. E., 1966 a, 41
- Erpocotyle antarctica* Dillon, W. A.; and Hargis, (Hughes, 1928) Price, 1942 W. J. (jr.), 1968 a, 359-360, 362, figs. 26-31
- Syn.: *Squalonchocotyle antarctica* Hughes, 1928
- Mustelus antarcticus* (gills) South Island, New Zealand
- Erpocotyle callorhynchi* Dillon, W. A.; and Hargis, (Manter, 1955) Yamaguti, W. J. (jr.), 1968 a, 358, 360- 1963 361, 362, figs. 20-25
- Syn.: *Squalonchocotyle callorhynchi* Manter, 1955
- Callorhynchus milii* (gills) South Island, New Zealand
- Erpocotyle pontica* sp. nov. Pogorel'tseva, T. P., 1964 b, Trygon pastinaca (gills) 31, 37, 38, fig. 6 Sevastopol, Black Sea
- Erpocotyle squali* Dillon, W. A.; and Hargis, (MacCallum, 1931) Price, W. J. (jr.), 1968 a, 358, 363- 1942 364, figs. 14-19
- Squalus lebruni* (gills) South Island, New Zealand
- Erpocotyle squali* Price, Pogorel'tseva, T. P., 1964 b, 1942 36-37, fig. 5
- Acanthias vulgaris* (gills) Black Sea
- Erschoviorchis lintoni* Belogurov, O. I.; and Smetina, Z. B., 1963 a Kamchatka and Chukotka
- Erschoviorchis lintoni* Leonov, V. A.; Belogurov, O. Skrjabin, 1945 (pancreas) I.; Shagvalieva, N. M.; and Larus shistisagus Bondarenko, S. K., 1965 a, fig L. canus 7 all from USSR, Kamchatka
- Euamphimerus sibiricus* Belogurov, O. I.; and Smetina, Z. B., 1963 a Kamchatka and Chukotka
- Euamphimerus sibiricus* Leonov, V. A.; Belogurov, O. Kontrimavischus et Bachmeteva, 1960 (pancreas) *Gavia stellata*
- Euclinostomum bhagavantami* Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, fig. 9 USSR, Kamchatka
- Euclinostomum channai* Ukoli, F. M. A., 1966 c, 233 Jaiswal, 1957
- as syn. of *E. heterostomum* (Rudolphi, 1809)
- Euclinostomum clarias* Ukoli, F. M. A., 1966 c, 233 Dubois, 1930
- as syn. of *E. heterostomum* (Rudolphi, 1809)
- Euclinostomum heptacaeum* Ukoli, F. M. A., 1966 c, 233 Jaiswal, 1957
- as syn. of *E. heterostomum* (Rudolphi, 1809)
- Euclinostomum heterostomum* Feizullaev, N. A., 1963 c host diet Azerbaijan
- Euclinostomum heterostomum* Sprehn, C. E. W., 1967 a distribution Europe
- Euclinostomum heterostomum* Ukoli, F. M. A., 1966 c, 227- (Rudolphi, 1809) 234, figs. 1-2
- valid species
- Syns.: *E. bhagavantami* Jaiswal, 1957; *E. channai* Jaiswal, 1957; *E. clarias* Dubois, 1930; *E. heptacaeum* Jaiswal, 1957; and *E. indicum* Bhalerao, 1942
- Tilapia zilli* (kidney wall)
- Tilapia heudeloti* (kidney wall)
- Anhinga rufa rufa* (exper.)
- Phalacrocorax africanus africanus* (exper.)
- Euclinostomum indicum* Ukoli, F. M. A., 1966 c, 233 Bhalerao, 1942
- as syn. of *E. heterostomum* (Rudolphi, 1809)
- Euclinostomum multicaecum* Ukoli, F. M. A., 1966 c, 233 valid species
- Eucotyle* Cohn, 1904 Schell, S. C., 1967 b, 1000, key to species 1002
- Eucotyle clangulae* Schell, S. C., 1967 b, 1000 Walden, 1960
- key
- Eucotyle cohni* Skrjabin, 1924 Schell, S. C., 1967 b, 1000
- Skrjabin*, 1924
- Colymbus arcticus* (kidney) Tuva
- Echinocotyle* [i.e. *Eucotyle*] cohni Skrjabin, 1924 Zhatkanbaeva, D., 1965 a
- Podiceps nigricollis* all from Southern and Central Kazakhstan
- P. griseigena*
- Eucotyle hassallii* Schell, S. C., 1967 b, 1002 Price, 1930
- key
- Eucotyle nephritica* Schell, S. C., 1967 b, 1000 (Mehlis, 1846)
- key

- Eucotyle nephritica
distribution Sprehn, C. E. W., 1967 a
Europe
- Eucotyle popovi [sic]
Skrjabin and Evranova, 1942
key Schell, S. C., 1967 b, 1000
- Eucotyle warreni sp. n.
key Schell, S. C., 1967 b, 1000,
1001, 1002, figs. 1-2
Anas platyrhynchos
(kidneys, ureters) Latah County, Idaho
- Eucotyle wehri Price, 1930 Schell, S. C., 1967 b, 1002
key
- Eucotyle zakharowi
Cygnus olor (reins) Bouvier, G.; and Horning, B.,
1965 a, 16
Switzerland
- Eucotyle zakharowi Skrjabin Maksimova, A. P., [1966 b]
1920 Karaganda oblast, Kazakhstan
- Nyroca fuligula (kidneys)
- Eucotyle zakharowi Skrjabin Maksimova, A. P., 1967 a, 130
1920 all from Western Kazakhstan
(kidney)
- Anas acuta
A. strepera
A. penelope
A. crecca
- Eucotyle zakharovi [sic] Schell, S. C., 1967 b, 1002
Skrjabin, 1920
key
- Eucotyle zakharowi
distribution Sprehn, C. E. W., 1967 a
Europe
- Eucotyliid[ae sp.] Kingston, N., 1966 a
laboratory rearing of molluscs
- Eucotylidae n. sp. Ku, C.-T.; and Li, M.-M.,
Anas poecilorhyncha 1968 a, 80
zonorhyncha (kidney) Pai-Yang-Tien, China
- Euhaplorchis californiensis LeFlore, W. B.; and Martin,
serology W. E., 1968 a, figs. 1-3
Cerithidea californica Seal Beach, California
- Eumegacetes Looss, 1900 Kurashvili, B. E., 1940 a,
key to species 701-702
- Eumegacetes sp.
[Cuculus canorus] Daiia, G. G., 1965 a
Latvia SSR
- Eumegacetes artamia Mehra, Kurashvili, B. E., 1940 a,
1935 700-701
key
- Eumegacetes artamii Singh, P. P.; and Pande, B.
domestic fowl P., 1968 a, fig. 1
Brachythemis contaminata (exper.) India
- Eumegacetes brauni Mehra, Kurashvili, B. E., 1940 a,
1935 700, 702
key
- Eumegacetes contribulans Braun, 1901 Kurashvili, B. E., 1940 a,
700, 702
key
- Eumegacetes emendatus, Brn. Kurashvili, B. E., 1940 a,
1901 701-702
key
Syn.: E. triangularis Looss, 1893, not Diesing, 1850
- Eumegacetes emendatus ibericus subsp. n. Kurashvili, B. E., 1940 a,
Tbilisi
key
Passer domesticus L.
(large intestine)
- Eumegacetes medioximus Kurashvili, B. E., 1940 a,
Braun, 1901 700-701
key
- Eumegacetes perodosus [sic] Kurashvili, B. E., 1940 a,
Traw., 1912 700-701
key
- Eumegacetes triangularis Kurashvili, B. E., 1940 a,
Looss, 1893, not Diesing, 1850
as syn. of Eumegacetes emendatus Brn., 1901
- Euparadistomum pipistrelli Anciaux de Faveaux, M.,
Sandground 1937 1965 a, 28
Pipistrellus nanus Katanga, Republic of Congo
(intestin)
- Euparadistomum varani Balasingam, E., 1964 d, 105-
Tubangui, 1931 106, fig. 1D
Varanus nebulosus (gall
bladder)
- Euparadistomum varani Fischthal, J. H.; and Kuntz,
Tubangui, 1931 R. E., 1967 b, 248-249
Varanus indicus (gall
bladder)
- Lepidodactylus guppyi " all from Florida Island,
British Solomon Islands
- Euparagonimus cenocioposus Ch'en, H.-T.; and Ho, K.-T.,
[sic] Chen, 1962 1968 a
adults and rediae
- Euparyphium melis (Schrank,
1788) Dietz, 1909 Kubanov, N. M., 1964 a, 14
Yakutia
(small intestine)
Mustela vison
- Euparyphium melis (Schrank,
1788) Dietz, 1909 Jansen, J. (jr.); and van
Putorius putorius den Broek, E., 1966 a
zoological garden, Netherlands
- Euparyphium melis (Schrank,
1788) Dietz, 1909 Kiseliene, V. K., 1966 a
(C. corona- all from Lithuanian SSR
ta Filippi, 1855)
Limnaea stagnalis
Galba palustris corvus
Viviparus viviparus
- Euparyphium melis (Schrank,
1782) Erinaceus europaeus Merkusheva, I. V., 1966 a
Byelorussia
- Euparyphium melis (Schrank, 1788) Prokopic, J., 1965 a, 209
(tenke strevo)
Putorius putorius all from Czechoslovakia
Martes foina
M. martes
Mustela nivalis
- Euparyphium melis [Mustela lutreola] Shimalov, V. T., 1965 b, 266
(small intestine) Byelorussia

| | | | |
|--|---|--|--|
| Euparyphium melis [Mustela martes] | Siarzhanin, Iu. I., 1965 a Belorussia | Eurytrema Dicrocoeliidae, key | Cosgrove, G. E., 1966 a, fig. 7 |
| Euparyphium melis (Schrank, 1788) Mustela sibiricus (small intestine) | Zueva, L. S.; and Belogurov, O. I., 1965 b Uda river basin | Eurytrema [lapsus as: Erytrema] | Morev, Iu. B., 1964 a |
| Euparyphium sobolevi nov. sp. Nyroca marila (intestine) | Ryzhikov, K. M., 1965 c, pp. 285-287, figs. 1-2 USSR, Kamchatka | Eurytrema sp. Felis domestica | Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang |
| Euparyphium spiculator Rattus norvegicus | Sharpilo, L. D., 1963 a right-bank steppes, Ukrainian SSR | Eurytrema coelomaticum cattle | Kim, Jyong Hi, (1958 a); 1958 b Korea |
| Euparyphium spiculator (Du- jardin, 1845) Rattus norvegicus (small intestine) | Sharpilo, L. D., 1964 a, 206- 207, fig. 1 Kherson and Odessa oblasts, Ukraine | Eurytrema epomopis Sandground 1937 Epomops dobsoni (pancréas) | Anciaux de Faveaux, M., 1965 a, 28 Katanga, Republic of Congo |
| Euparyphium stridulæ (Reich, 1801) +fox | Wang, F.-C., 1968 a China | Eurytrema pancreaticum Bradybaena similaris Conocephalus maculatus cattle | Basch, P. F., 1966 a all from Malaysia |
| Eupolystoma alluaudi (Beauchamp, 1913) [n. comb.] | Euzet, L.; and Combes, C., 1967 a, 404, 405, figs. 1, 3, 4 | Eurytrema pancreaticum cattle | Huang, J. K.; Kuo, T. S.; and Lin., T. C., 1958 a Taiwan |
| Eupolystoma australensis n.sp. Neoceratodus forsteri (gills and skin) | Reichenbach-Klinke, H. H., 1966 a, 142-146, figs. 1-4 Australien (Aquarien des Tierparks Hellabrunn, München) | Eurytrema pancreaticum postembryonal development | Miyata, I., 1962 a |
| Eupolystoma rajai Kaw, 1950 | Euzet, L.; and Combes, C., 1967 a, 404, 405, fig. 2 | Eurytrema [sic] pancreaticum change in pancreas, cattle | Morev, Iu. B., 1964 a |
| Eupolystomatinae Yamaguti, 1963 Polystomatidae, key | Lamothe-Argumedo, R., [1965 c], 154 | Eurytrema pancreaticum [Bos taurus] (pancreas) Eulota sp. | Morev, Iu. B., 1965 a, figs. 1-3 all from Primorskii krai |
| Eurycephalus dogieli Ovtsharenko, 1955 Ixobrychus minutus | Akhumian, K. S., 1966 a Armenian SSR | Eurytrema pancreaticum (Jan- son, 1889) Looss, 1907 ant intermediate hosts, review | Svadzhian, P. K.; and Frol- kova, L. V., 1966 a |
| Euryhelmis pacificus (under skin) Ascaphus truei Dicamptodon ensatus Mustela vison Ondatra zibethica | Anderson, G. A., 1964 a all from Western Oregon | Eurytrema pancreaticum ants as intermediate and definitive hosts, review | Svadzhian, P. K.; and Frol- kova, L. V., [1966 b] |
| Euryhelmis squamula Rudolphi, 1819 (subcutaneous connective tissue) Ascaphus truei golden hamsters Bythinella hemphilli | Anderson, G. A., 1964 a all from Western Oregon | Eurytrema pancreaticum cattle, sheep (pancreas) | Wu, S. C., Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China |
| Euryhelmis squamula (Rudolphi, 1819) (tenke strevo) Putorius putorius Martes foina Meles meles Mustela erminea | Prokopic, J., 1965 a, 209 all from Czechoslovakia | Eurytrema pancreaticum (Jonson, 1880) [Bos taurus] | Zgarden, E. S.; and Frukhtman, E. A., 1965 a Moldavia |
| Euryhelmis squamula distribution | Sprehn, C. E. W., 1967 a Europe | Eurytrema procyonis Denton, 1942 Felis domesticus | Burrows, R. B.; and Lillis, W. G., 1965 a, 570 New Jersey |
| Euryorchis australis Manter and Walling, 1958 Seriolella brama (gills) S. porosa " | Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 355 all from South Island, New Zealand | Eustomos [lapsus as: Eustomus] | Esch, G. W.; and Gibbons, J. W., 1967 a, 819 |
| Euzetremia n. gen. Monopisthocotylea | Euzetremia n. gen. Monopisthocotylea | Eustomus [lapsus for: Eustomos] | Esch, G. W.; and Gibbons, J. W., 1967 a, 819 |
| Combès, C., 1965 a, 451, 456- 457 mt: E. knoepffleri n. sp. | Combès, C., 1965 a, 451, 456- 457 mt: E. knoepffleri n. sp. | | |

- Euzetrema knoepffleri* Combes, C., 1965 a, 451-456,
n. gen., n. sp. (mt) figs. 1-3A-B
- Euproctus montanus* (vessie forêts d'Aitone et de
urinaire) l'Hospédale (Corse)
- Exorchis* Komiya, Y., 1965 e
biology, metacercaria
- Exorchis oviformis* Chun, S. K., 1965 a
fresh water fish
- Exorchis oviformis* Kamegai, S.; et al., 1964 c
Pseudorasbora parva all from Kanto district
- Zacco platypus*
- Acheilognathus* [sic] 1. lanceolata
- Pseudogobio esocinus*
- Hypophthalmichthys moritrix* [sic]
- Exorchis oviformis* Kamegai, S.; et al., 1965 b
Pseudorasbora parva Lake Inbanuma
- Zacco platypus* Kokai River
- Acheilognathus lanceolata* lanceolata Kokai River
- Pseudogobio esocinus* Kokai River
- Hypophthalmichthys moritrix* Kokai River
- Exorchis oviformis* Komiya, Y.; and Suzuki, N.
Plecoglossus altivelis 1966 a, pp. 208-214
- Hypomesus olidus*
- Acheilognathus moriokae*
- Acheilognathus rhombea*
- Acheilognathus lanceolata*
- Acheilognathus tabira*
- Rhodeus ocellatus*
- Rhodeus orizae*
- Acanthorhodeus atremius*
- Sarcocheilichthys variegatus*
- Sarcocheilichthys nigripinnis*
- Pungtungia herzi*
- Gnathopogon elongatus*
- Exorchis oviformis*-- Con-
tinued.
- Pseudogobio esocinus* Komiya, Y.; and Suzuki, N.
1966 a.-- Continued.
- Pseudogobio rivularis*
- Abbottina rivularis*
- Pseudorasbora parva*
- Zacco platypus*
- Zacco temminckii*
- Opsariichthys uncirostris*
- Parapercus argenteus*
- Squarelbarbus curriculus*
- Culter alburnus*
- Cyprinus carpio*
- Carassius carassius*
- Misgurnus anguillicaudatus*
- Mugil cephalus*
- Channa argus*
- Siniperca chuasi*
- Odontobutis obscurus*
- Mogrunda potamophilla*
- Tridentiger obscurus*
- Chaenogobius urotenia*
- Gobius giurinus*
- Mastacembelus acreatus*
- Exorchis oviformis* Saito, S.; and Otsuru, M.,
1965 a
- Exorchis oviformis* Yamaguchi, T.; and Hirao, Y.,
1964 a
Shikiku
- Eurytrema* Morev, Fu. B., 1964 a
[lapsus for: *Eurytremata*]

| | | | |
|---|---|---|--|
| Fasciola soil infection by eggs | Biziuliaivichius, S. K., 1965 d Trakai and Kavarskas, Lithuania | Fasciola gigantica fractionation of skin test antigen | Rifaat, M. A.; and Abdel-Aal, T. M., 1968 b |
| Fasciola Fasciolidae, key | Cosgrove, G. E., 1966 a, fig. 14 | Fasciola gigantica fractionation of antigen | Rifaat, M. A.; Osman, H. G.; Shimi, I. R.; and Abdel-Aal, T. M., 1968 a |
| Fasciola Buffalo, urine analysis | El-Gindy, H., 1966 a | Fasciola gigantica histopathology sheep (liver) goats (lungs) | Sahoo, B. N.; and Mohanty, G. C., 1966 a all from Bhubaneswar slaughter house, India |
| Fasciola molds of digestive system | Tamshchikov, A. V., 1966 a, fig. | Fasciola gigantica osmotic and ionic regulation | Siddiqi, A. H.; and Lutz, P. L., 1966 a |
| Fasciola season of life cycle | Zdun, V. I., 1963 a | Fasciola gigantica acute form, lung involve- ment, sheep | Singh, B., 1966 a Deoli, India |
| Fasciola sp. pathology of cattle liver | Ashizawa, H., 1964 b, figs. 1-24 | Fasciola gigantica guinea pigs (pelvic region) | Strauss, J. M.; and Heyneman, D., 1966 a Malacca, southwestern Malaya |
| Fasciola sp. + pigs (liver) pathology | Ashizawa, H.; Nosaka, D.; and Osato, K., 1966 a, figs. 1-30 Kagoshima and Miyazaki prefectures | Fasciola gigantica light, water depth pres- sure, development and hatching ova | Tongson, M. S.; and Aquino, E. P., 1965 a |
| Fasciola sp. 2 cases, bithionol human | Yoshida, Y.; Miyaka, T.; Nakanishi, Y.; and Nishida, K., 1962 a Japan | Fasciola gigantica development, super and re-invasion, sheep | Tsvetaeva, N. P.; Vasil'ev, A. A.; Gumen'shchikova, V. P.; and Selikhova, O. V., 1965 a |
| Fasciol[a sp.] larvae pastures Galba truncatula | Zdun, V. I., 1966 a Ukrainian SSR | Fasciola gigantica, Bovine recovering eggs from cattle feces | Bitakaramire, P. K., 1967 a |
| Fasciola gigantica diagnosis, sheep | Abdou, A. H.; el-Sherif, A. F.; and El-Sawi, A. F., 1966 a Egypt | Fasciola gigantica, Bovine cattle, vache (canaux hepatiques) | Daynes, P., 1966 a province Tananarive, Madagascar |
| Fasciola gigantica abnormal bodies, caprine bile ducts (exper.) | Iwata, S., 1962 a | Fasciola gigantica, Bovine Cobbold, 1855 vache (foie) | Gretillat, S., 1966 a, 183 Buta, Kivu, Kabinda, Elisabethville, Bembeza, Leopoldville, Central Africa |
| Fasciola gigantica mouton (canaux biliaires) | Levrat, E., 1966 a, 28 Tchad | Fasciola gigantica, Bovine cattle | Kim, Jyong Hi, (1956 a); 1958 b Korea |
| Fasciola gigantica life cycle | Lin, Y.-K., 1968 a | Fasciola gigantica, Bovine [Bos taurus] | Mukhamadiev, S. A., 1967 a Tadzhikistan, SSR |
| Fasciola gigantica hemoglobin compared with host's | Lutz, P. L.; and Siddiqi, A. H., 1967 a | Fasciola gigantica (Cobbald 1856), Bovine epizootiology [Bos taurus] (liver) | Nazarov, A. N., [1966 a] Samarkand and Kashka-Dar'y'a oblasts |
| Fasciola gigantica annual report veterinary | Lwebandiza, T. S., 1965 b division, Tanganyika | Fasciola gigantica, Bovine cattle (liver) | Odel, M. A., 1966 a northern Ghana |
| Fasciola gigantica goat livers | Lwebandiza, T. S., 1966 b, 13 Tanzania | Fasciola gigantica, Bovine cattle, control | United States Department of Agriculture, Agricultural Research Service, Animal Dis- ease and Parasite Research Division, 1968 b, 2 figs. Hawaii |
| Fasciola gigantica Cobbald, 1855 Syn.: F. indica Varma, 1953 all from India sheep goat cattle buffaloes | Malviya, H. C., 1967 a, figs. 1-2, 5-6, 9-13 | Fasciola gigantica, Bovine calf | Yamamoto, H.; Aizawa, T.; Mat- sumoto, H.; and Ueno, H.; 1967 a, figs. 1-2 |
| Fasciola gigantica protein and polysaccha- ride content and their reactivity in the diagnosis of bilharziasis | Rifaat, M. A.; and Abdel-Aal, T. M., 1968 a | Fasciola gigantica, Inter- mediate hosts Frescon, control | Attfield, J. G., 1968 a |

- Fasciola gigantica*, Intermediate hosts comparative susceptibility all from West Africa *Lymnaea natalensis* *L. rufescens* Rao, M. P. C., 1966 a, 131-140, pl. 1a-1
- Fasciola gigantica*, Treatment Rosine Amine d-acetate; Delrad 70; Dipterex; Malathion Grigorian, G. A.; Akopian, V. D.; Khanbekian, R. A.; and Chobanian, A. G., 1967 a
- Fasciola gigantica*, Treatment Hexachlorophene Güralp, N., 1967 c
- Fasciola gigantica*, Treatment Hilomid; Bilevon M Hildebrandt, J., 1967 a
- Fasciola gigantica*, Treatment bithionol, sheep Güralp, N.; and Uzcan, C., 1966 a
- Fasciola gigantica*, Treatment Hetol Hildebrandt, J., 1967 a
- Fasciola gigantica*, Treatment Bilevon M, sheep, exper. Hildebrandt, J., 1968 a
- Fasciola gigantica*, Treatment Hilomid, sheep Hildebrandt, J., 1968 b
- Fasciola gigantica*, Treatment carbon tetrachloride Orekhov, M. D.; Zamotaeva, K. S.; Ergeshev, I. A.; and Stepanov, D. F., 1966 a
- Fasciola gigantica*, Treatment carbon tetrachloride cattle buffaloes Tadros, G.; and Nada, S. M., 1965 a imported from Holland U. A. R.
- Fasciola hepatica* transported in digestive tract of migratory animals Bejšovec, J., 1965 a, 84, 85
- [*Fasciola hepatica*] liver fluke extract, effect on rat female gonads Chung, U. I., 1967 a
- Fasciola hepatica* L. metacercarial excystment physiology Dixon, K. E., 1966 b
- Fasciola hepatica* oligomerization of unicellular organs, larva Ginetsinskaya, T. A., 1963 a, fig. 1a
- Fasciola hepatica* light, bioluminescence, autophotographic record Grabiec, S., 1968 a
- Fasciola hepatica* hepatitis Güralp, N., 1967 a
- Fasciola hepatica* mast cells and globule leucocytes relationship Jarrett, W. F. H.; Miller, H. R. P.; and Murray, M., 1967 a
- Fasciola hepatica* osmotic behaviour, modified Hedon-Fleig media Knox, B. E.; and Pantelouris, E. M., 1966 a
- Fasciola hepatica* ceroid pigment in liver Kublitskenë, O. A., 1966 a
- Fasciola hepatica* host response to primary infection, white mouse Lämmler, G., 1964 g
- Fasciola hepatica* concurrent infection with *Hymenolepis microstoma*, effect Lang, B. Z., 1966 a, figs. 1-13
- Fasciola hepatica* meat inspection Lang, B. Z., 1967 b
- Fasciola hepatica* Malviya, H. C., 1967 a, figs. 3-4, 7-8
- Fasciola hepatica* monograph, pathology, biology, chemotherapy, physiology, ecology, control Pantelouris, E. M., 1965 c
- Fasciola hepatica* studies on pathogenesis, in vitro Senboku, T.; Isoda, M.; and Yoshimura, I., 1963 a
- Fasciola hepatica* fertility Shigin, A. A., 1965 d
- Fasciola hepatica* anaemia, 51 chromium-labelled red cells Sinclair, K. B., 1967 a
- Fasciola hepatica* corticosteroid, effect on development Sinclair, K. B., 1968 a
- Fasciola hepatica* relationship with bacteria Stefański, W., 1965 a
- Fasciola hepatica* motor reaction Tkach, V. I.; Shcherbakova, A. G.; and Krotova, A. I., 1965 a
- Fasciola hepatica*, Biochemistry ornithine transcarbamylase Campbell, J. W.; and Lee, T. W., 1963 a and arginase activity
- Fasciola hepatica*, Biochemistry albumin turnover, rabbits Dargie, J. D.; Holmes, P. H.; Maclean, J. M.; and Milligan, W., 1967 a
- Fasciola hepatica*, Biochemistry di Domizio, G.; and Minoccheri, F., 1966 a bovine, increase in isoenzymatic fractions
- Fasciola hepatica*, Biochemistry radioisotopic assay, acetylcholinesterase Frady, C. H.; and Knapp, S. E., 1967 a
- Fasciola hepatica*, Biochemistry changes, guinea pig Goldbergienë, M., 1963 b
- Fasciola hepatica*, Biochemistry phosphatase activity Halton, D. W., 1967 a, fig. 8
- Fasciola hepatica*, Biochemistry histochemical studies, carboxylic esterase activity Halton, D. W., 1967 b, figs. 1-12
- Fasciola hepatica*, Biochemistry oxidative enzymes Humiczewska, M., 1966 a, figs. 1-2, 5-6, 9-10, 12, 14, 17, 20

TREMATODA

- Fasciola hepatica*, Biochemistry serum transaminase levels, carbon tetrachloride and Bayer 9015 A Kearney, A.; Connolly, J. F.; and Downey, N. E., 1967 a
- Fasciola hepatica*, Biochemistry uptake of nutrients Knox, B. E., 1965 a
- Fasciola hepatica*, Biochemistry soluble lipo-protein Korach, S., 1966 a
- Fasciola hepatica*, Biochemistry isolation and properties of soluble lipoprotein Korach, S., 1966 b
- Fasciola hepatica*, Biochemistry lipoprotein antigen Korach, S.; and Bénex, J., 1966 a, figs. 2-4
- Fasciola hepatica*, Biochemistry biochemical and histochemical changes, rabbits and guinea pigs Kublitskené, O. A.; and Goldbergiené, M., 1966 a, figs. 1-5
- Fasciola hepatica*, Biochemistry amino acid pool Kurelec, B.; and Rijavec, M., 1966 a
- Fasciola hepatica*, Biochemistry styles Lyons, K. M., 1966 a
- Fasciola hepatica*, Biochemistry lipid metabolism Moss, G. D., 1966 a
- Fasciola hepatica*, Biochemistry acetylcholinesterase activity Panitz, E.; and Knapp, S. E., 1967 a
- Fasciola hepatica*, Biochemistry esterases Pantelouris, E. M., 1967 a
- Fasciola hepatica*, Biochemistry cholinesterase Poliakova, O. I., 1965 a
- Fasciola hepatica*, Biochemistry tricarboxylic acid enzymes, *F. hepatica*, rat liver Prichard, R. K.; and Schofield, P. J., 1968 a
- Fasciola hepatica*, Biochemistry phosphoenolpyruvate and pyruvate metabolism Prichard, R. K.; and Schofield, P. J., 1968 b
- Fasciola hepatica*, Biochemistry tryptophan in tissue Reznik, G. K., [1966 e]
- Fasciola hepatica*, Biochemistry cobalt, copper and zinc content Sadikova-Samarina, I. A., [1966 a]
- Fasciola hepatica* Linné, 1758, Biochemistry cuticle, histochemistry Slais, J.; and Žářská, Z., 1967 a, pl. I, figs. 1-3, pl. II, figs. 1-3
- Fasciola hepatica*, Biochemistry citric acid cycle Thorpe, E., 1967 a, 4 pls, figs. 1-15
- Fasciola hepatica*, Biochemistry Thorsell, W., 1963 a
- Fasciola hepatica*, Biochemistry and Downey, N. E., 1967 a
- Fasciola hepatica*, Biochemistry carbon tetrachloride and Bayer 9015 A
- Fasciola hepatica*, Biochemistry amino acids Thorsell, W., 1965 a; [1966 b]
- Fasciola hepatica*, Biochemistry hemoglobin in cecal contents, adults hematophagic Todd, J. R.; and Ross, J. G., 1966 a
- Fasciola hepatica*, Biochemistry enzyme characteristics and 1967 a activities, electrophoresis Tran Van Ky, P.; Vaucelle, T.; Capron, A.; and Vernes, A.,
- Fasciola hepatica*, Biochemistry amylase activity Zuković, M.; and Sir, S., 1966 a
- Fasciola hepatica*, Biology metacercaria, digenetic trematodes Komiya, Y., 1965 e
- Fasciola hepatica*, Bovine Bison bison (liver) Bergstrom, R. C., 1967 a Afton, Wyoming
- Fasciola hepatica*, Bovine biochemistry, increase di Domizio, G.; and Minoccheri, F., 1966 a in isoenzymatic fractions
- Fasciola hepatica*, Bovine eggs, fluctuation of egg-count, cattle faeces Dorsman, W., 1967 a
- Fasciola hepatica*, Bovine histopathology of experimental infections Dow, C.; Ross, J. G.; and Todd, J. R., 1967 a
- Fasciola hepatica*, Bovine epizootiology Gil'bert, L. I., 1963 a Karelia
- Fasciola hepatica*, Bovine pathology Isoda, M., 1955 a
- Fasciola hepatica*, Bovine distribution, cattle Jovov, K., 1966 b North-eastern Bosnia
- [*Fasciola hepatica*], Bovine calcification in bile duct Keck, G.; and Supperer, R., 1967 a
- Fasciola hepatica*, Bovine histochimistry, nucleic acids in cattle liver Krustev, L.; and Poliakova-Krusteva, O., 1966 a, figs. 1-5, 1 pl., figs. a-b
- Fasciola hepatica*, Bovine meat inspection Lorincz, F.; Nemeséri, L.; and Mosonyi, G., 1961 a
- Fasciola hepatica*, Bovine Mikačić, D., 1967 a Yugoslavia
- Fasciola hepatica*, Bovine [Bos taurus] Mukhamadieva, S. A., 1967 a Tadzhikistan, SSR
- Fasciola hepatica*, Bovine epizootiology [Bos taurus] (liver) Nazarov, A. N., [1966 a] Samarkand and Kashka-Dar'ya oblasts
- Fasciola hepatica*, Bovine buffles (intestin) Nguyên-Van-Ai, [1960 a], 107 Viet Nam
- Fasciola hepatica*, Bovine skin test, diagnosis Ono, Y.; and Isoda, M., 1952 c
- Fasciola hepatica*, Bovine infection level, fate of parasite Ross, J. G., 1965 c

- Fasciola hepatica, Bovine distribution Ross, J. G., 1966 c, 131-134 Northern Ireland
- Fasciola hepatica, Bovine abattoir survey Ross, J. G., 1966 d Belfast, Ireland
- Fasciola hepatica, Bovine life span Ross, J. G., 1968 b
- Fasciola hepatica, Bovine acute form Ross, J. G.; and Dow, C., 1966 a
- Fasciola hepatica, Bovine Ross, J. G.; Geary, T. C.; and Welsh, J. C. McM., 1968 a
- Fasciola hepatica, Bovine epidemiology Limnaea truncatula, infested paddock Ross, J. G.; and Todd, J. R., 1968 a
- Fasciola hepatica, Bovine liver biopsy Rossow, N.; et al., 1966 a
- Fasciola hepatica, Bovine infectivity Savchuk, N. A.; Savchuk, O.E.; Tsulman, N. Ia.; and Korneichuk, S., 1961 a Odessa oblast
- Fasciola hepatica, Bovine gall bladder, secretion reservoir Six, F., 1968 b
- Fasciola hepatica, Bovine [Bos taurus] Smith, J. P., 1967 a
- Fasciola hepatica, Bovine Sotolongo Guerra, F., 1962 a Cuba
- Fasciola hepatica, Bovine cattle, control United States Department of Agriculture, Agricultural Research Service, Animal Disease and Parasite Research Division, 1968 b, 2 figs.
- Fasciola hepatica, Bovine seasonal distribution Vařejčko, J., 1965 b
- Fasciola hepatica, Bovine Tetrafinol Spofa, immunity Vařejčko, J., 1966 a
- Fasciola hepatica, Bovine diagnosis Vartic, N., 1965 a
- Fasciola hepatica, Caprine [Capra hircus] Kadenatsii, A. N.; and Birilić, Ia. A., 1963 a Khabarovsk krai
- Fasciola hepatica, Caprine effect on digestion Katsuki, T.; Isoda, M.; and Kaito, Y., 1959 a
- Fasciola hepatica, Cervidae Capreolus capreolus capreolus Dunn, A. M., 1965 b, 744 Great Britain
- Fasciola hepatica, Cervidae [Rangifer tarandus] Mitskevich, V. Iu., 1963 a Chukot and Yamalo-Nenets national okrugs
- Fasciola hepatica, Cervidae Rangifer tarandi Mitskevich, V. Iu., 1963 d Buriat-Mongolia
- Fasciola hepatica, Cervidae [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 169 Russia
- Fasciola hepatica, Control Frescon Attfield, J. G., 1968 a
- Fasciola hepatica, Control snail predators Berghen, P., 1967 a
- Fasciola hepatica, Control control of intermediate host, sheep and cattle, Limnaea tomentosa Brunsdon, R. V., 1967 a, 9-23 New Zealand
- Fasciola hepatica, Control copper sulfate, eggs and metacercaria Isoda, M., 1957 c
- Fasciola hepatica, Control sodium pentachlorophenate, cercariae Isoda, M.; and Yoshimura, I., 1959 a
- Fasciola hepatica, Control pentachlorophenol, as molluscicide Isoda, M.; and Yoshimura, I., 1961 a Kanagawa Prefecture
- Fasciola hepatica, Control molluscicide field trials Leinati, L.; Carrara, O.; and Recalcati, M., [1964 a]
- Fasciola hepatica, Control snail control Nickel, S., [1964 d]
- Fasciola hepatica, Control pasture shifting, sheep Olteanu, G.; and Fromunda, V., 1963 a
- Fasciola hepatica, Control ruminants Tarczyński, S., 1966 a Olsztyn province
- Fasciola hepatica, Control pasture spraying from planes, Galba truncatula Tarczyński, S.; et al., 1965 a
- Fasciola hepatica, Control ruminants, environmental conditions Tarczyński, S.; and Szepelski, L., 1966 a Warmian and Mazurian provinces
- Fasciola hepatica, Development Kuz'movich, L. G., 1963 b Carpathia development, high mountain areas
- Fasciola hepatica, Development Tsvetaeva, N. P.; Vasil'ev, A. A.; Gumen'shchikova, V. P.; and Selikhova, O. V., 1965 a re-invasion, sheep
- Fasciola hepatica, Diagnosis Babenskas, M. A.; and Vishniauskas, A., 1963 b agglutination reaction, guinea pig
- Fasciola hepatica, Diagnosis Biguet, J.; Rosé, G.; and Capron, A., [1966 a] fixation
- Fasciola hepatica, Diagnosis Breza, M.; and Takacs, W., diagnosis technique 1968 a
- Fasciola hepatica, Diagnosis Lupașcu, Gh.; et al., 1967 a simultaneous intradermal tests with several different parasite antigens
- Fasciola hepatica, Diagnosis Mikačić, D.; and Žuković, M., 1967 a a comparison of two coprologic quantitative methods

- Fasciola hepatica*, Diagnosis
skin test, cattle Ono, Y.; and Isoda, M., 1952 c
- Fasciola hepatica*, Diagnosis utilization of distome Pautrizel, R.; Bailenger, J.; Duret, J.M.L.G.; and Tribouley, J., 1962 b
- Fasciola hepatica*, Diagnosis Reid, J. F. S.; et al., 1967 a
- Fasciola hepatica*, Diagnosis liver biopsy Rossow, N.; et al., 1966 a
- Fasciola hepatica*, Diagnosis Six, F., 1968 a
- Fasciola hepatica*, Diagnosis sedimentation of eggs Tagle Villarroel, I., 1966 b
- Fasciola hepatica*, Diagnosis serological, bovine Vartic, N., 1965 a
- Fasciola hepatica*, Ecology survival in vitro Bénex, J., [1966 a]
- Fasciola hepatica*, Ecology snail seasonal distribution Isoda, M.; and Yoshimura, I., 1961 a Kanagawa Prefecture
- Fasciola hepatica*, Ecology metacercarial survival Kakacheva-Avramova, D., 1965 a District of Sofia, Bulgaria
- Fasciola hepatica*, Ecology metacercaria vitality and invasive capacity in ensilage medium Kakacheva-Avramova, D., 1966 a
- Fasciola hepatica*, Ecology climate conditions Kiseliene, V., 1963 a
- Fasciola hepatica*, Ecology ecology, population Omeragić, N., 1964 a Jugoslavia
- Fasciola hepatica*, Ecology low temperature, eggs Sazanov, A. M., [1966 a]
- Fasciola hepatica*, Ecology epizootiology Shalaeva, N. M., 1963 a forest-steppe regions, Riazansk oblast
- Fasciola hepatica*, Ecology grazing, pasture conditions Zdun, V. I., 1963 c
- Fasciola hepatica*, Economic importance cattle, sheep Pantelouris, E. M., 1962 a Northern Ireland
- Fasciola hepatica*, Eggs Biziuliavichius, S.K., 1965 e
- Fasciola hepatica*, Eggs Clegg, J. A.; and Morgan, J., lipid composition of lipo- 1966 a protein membranes on egg-shell
- Fasciola hepatica*, Eggs Dorsman, W., 1967 a fluctuation of egg-count, cattle faeces
- Fasciola hepatica*, Eggs Eurelec, B., 1960 a, figs.1-9 effect of light and temperature, hatching
- Fasciola hepatica*, Eggs Koopman, J. J., 1966 a cattle faeces, egg count
- Fasciola hepatica*, Eggs Thorsell, W., 1966 a effect of phenols on egg development
- Fasciola hepatica*, Eggs Wilson, R. A., 1967 a, pl. shell and vitelline membrane, structure and permeability
- Fasciola hepatica*, Eggs Wilson, R. A., 1967 b physiological study of the development of the egg
- Fasciola hepatica*, Ensilage Tarczyński, S.; and Podkówka, W., 1967 a lactic acid, infectivity
- Fasciola hepatica*, Epidemiology Leporidae as reservoir hosts Bailenger, J.; Tribouley, J.; Amyot, B.; and Duret, J.M.L.G., 1965 a Pyrénées-Atlantiques
- Fasciola hepatica*, Epidemiology ovine Ross, J. G., 1967 a
- Fasciola hepatica*, Epidemiology Ross, J. G., 1967 b
- Fasciola hepatica*, Epidemiology Ross, J. G.; and Todd, J. R., 1968 a Limnaea truncatula, infested paddock
- Fasciola hepatica*, Equine Hatch, C., 1966 a, 130 donkey (feces) County Mayo
- Fasciola hepatica*, Equine Nguyen-Van-Ai, [1961 b], 133 cheval (selles) Viet Nam
- Fasciola hepatica*, Geographic distribution**
- Fasciola hepatica*, Austria Supperer, R.; and Pfeiffer, H., 1963 a
- Fasciola hepatica*, Bulgaria Kakacheva-Avramova, D., 1965 a viability of metacercaria
- Fasciola hepatica*, Cuba Sotolongo Guerra, F., 1962 a bovine and human
- Fasciola hepatica*, Europe Sprehn, C. E. W., 1967 a distribution Europe
- Fasciola hepatica*, Germany Plaschke, W.; and Grosche, E., 1967 a slaughterhouses Berlin
- Fasciola hepatica*, Guatemala Padilla, M. R., 1956 a
- [*Fasciola hepatica*], Ireland Ireland, Northern. Ministry of Agriculture, 1967 a
- Fasciola hepatica*, Japan Ono, Y., 1958 a ruminants, control and treatment
- Fasciola hepatica*, Poland Tarczyński, S.; and Szepelski, L., 1966 a control, ruminants, environmental conditions Warmian and Mazurian provinces
- Fasciola hepatica*, Russia Chistiakov, Iu. V., 1965 a epizootiology Vologda oblast
- Fasciola hepatica*, Yugoslavia Mikačić, D., 1967 a

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Fasciola hepatica, Human 3 cases Alberran Trevino, C.; and Llerenas Ochoa, J. R., 1964 a Mexico
- Fasciola hepatica, Human biliary duct syndrome Beltran de Heredia, J.; Gonzales y Gonzalez, M.; and Gutierrez Sanz, E., 1964 a
- Fasciola hepatica, Human Capron, A.; et al, 1965 c
- Fasciola hepatica, Human déhydro-émétine Coumbaras, A., 1966 a Algérie
- Fasciola hepatica, Human 28-year old woman (stool) Hanjani, A. A.; Sadighian, A.; Nikakhtar, B. (Nazari); and Arfaa, F., 1968 a, 648 Iran
- Fasciola hepatica, Human epidemic, liver Petin, G.; et al, 1961 a Haute-Marne
- Fasciola hepatica, Human Sotolongo Guerra, F., 1962 a Cuba
- Fasciola hepatica, Immunity antigens, fractionation of delipidated Benex, J., 1967 a
- Fasciola hepatica, Immunity Capron, A.; et al, 1965 c
- Fasciola hepatica, Immunity Korach, S.; and Bénex, J., 1966 a
- Fasciola hepatica, Immunity lipoprotein antigen Korach, S.; and Bénex, J., 1966 b, figs. 3, 4
- Fasciola hepatica, Immunity antigen used in diagnosis Landmann, H.; Thai, D. D.; and Than, D. T., 1961 a human paragonimiasis
- Fasciola hepatica, Immunity Lang, B. Z., 1967 a,figs. 1-9 acquired immunity, white mice (exper.)
- Fasciola hepatica, Immunity mice given peritoneal exudate cells Lang, B. Z.; Larsh, J. E.(in); Weatherly, N. F.; and Goulson, H. T., 1967 a
- Fasciola hepatica, Immunity immunoglobulin binding by miracidia, ^{131}I -labelling Mowsesijan, M., 1968 a
- Fasciola hepatica, Immunity Omori, M., 1965 a antigens, intradermal reaction
- Fasciola hepatica, Immunity utilization of distome antigen Pautrizel, R.; Bailenger, J.; Duret, J.M.L.G.; and Tribouley, J., 1962 b
- Fasciola hepatica, Immunity isolation of a specific antigen Railliez, R.; Mangalo, R.; and Korach, S., 1967 a
- Fasciola hepatica, Immunity Ross, J.G., 1966 b, 1464-1465 heavy infection, cattle Vařejčko, J., 1966 a Tetrafinol Spofa, allergy persistence after treatment
- Fasciola hepatica, Intermediate hosts snail predators Berghen, P., 1967 a
- Fasciola hepatica L., Intermediate hosts *Limnaea truncatula* van den Bruel, W. E., 1967 a
- Fasciola hepatica, Intermediate hosts *Galba truncatula* Butenko, Iu. V., 1967 a, 37-38 South Kazakhstan
- Fasciola hepatica, Intermediate hosts molluscicides Frick, W.; and Kiliias, R., 1967 a
- Fasciola hepatica, Intermediate hosts *Radix peregra* *R. auricularia* Georgescu, L.; Fromunda, V.; and Stoican, E., 1963 a Podisul Cotmeana-Arges, Romania, all from
- Fasciola hepatica, Intermediate hosts biotope of *Galba truncatula* Gorokhov, V. V., 1965 a
- Fasciola hepatica, Intermediate hosts *Lymnaea cubensis* Grétiliat, S., 1966 c La Martinique
- Fasciola hepatica, Intermediate hosts *Lymnea tomentosa* Healey, J. S., 1968 b New South Wales
- Fasciola hepatica, Intermediate hosts nitrolime pentachlorphenol Isoda, M., 1957 c
- Fasciola hepatica (Linné, 1758), Intermediate hosts *Galba truncatula* Kiseliene, V. K., 1966 a Lithuanian SSR
- Fasciola hepatica, Intermediate hosts *Galba truncatula* Kuprianova-Shahmatova, R. A., 1965 a USSR, central Povolzh'e
- Fasciola hepatica, Intermediate hosts *Galba truncatula* Kuz'movich, L. G., 1963 a Ukraine Karpat
- Fasciola hepatica, Intermediate hosts *Lymnaea tomentosa* Lynch, J. J., 1966 a Australia
- Fasciola hepatica, Intermediate hosts snail control Nickel, S., [1964 d]
- Fasciola hepatica, Intermediate hosts distribution of *Galba truncatula* on high-mountain pastures Oshanova, N., 1963 a
- Fasciola hepatica, Intermediate hosts snail hosts, review, geographic distribution Pantelouris, E. M., 1962 a
- Fasciola hepatica, Intermediate hosts *Stagnicola (Hinkleyia) montanensis* (exper.) Rowan, W. B.; and Russell, R. H., 1966 a
- Fasciola hepatica, Intermediate hosts pasture spraying from planes, *Galba truncatula* Tarczynski, S.; et al, 1965 a
- Fasciola hepatica, Life cycle Lin, Y.-K., 1968 a

- Fasciola hepatica, Life cycle duration of sexual maturity Pauliukonis, F., 1966 a
- Fasciola hepatica, Miracidia MacInnis, A. J., 1965 a
chemical attractants
- Fasciola hepatica, Miracidia hyaluronidase as a medium for penetration Poliakova, O. I.; and Sazanov, A. M., 1965 a
- Fasciola hepatica, Miracidia morphology Sazanov, A. M.; and Ternopolskaya, L. D., 1965 a
- Fasciola hepatica, Miscellaneous animals *Oryctolagus cuniculus* *Lepus mediterraneus* Arru, E.; Deiana, S.; and Nuvole, A., 1968 a
Sardinia, Italy, all from
- Fasciola hepatica, Miscellaneous animals Leporidae as reservoir hosts Bailenger, J.; Tribouley, J.; Amyot, B.; and Duret, J.M.L.G., 1965 a
Pyrénées-Atlantiques
- Fasciola hepatica, Miscellaneous animals *Felis domestica* Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a
Kweiyang
- Fasciola hepatica, Miscellaneous animals *[Bison bonasus]* *[Alces alces]* Egorov, Iu. G., 1965 a
all from Byelorussia
- Fasciola hepatica, Miscellaneous animals *Citellus tridecemlineatus* (exper.) Ford, B. R.; and Lang, B. Z., 1967 a
- Fasciola hepatica, Miscellaneous animals *Tasmania* Howkins, A. B., 1966 b
Wallabia rufogrisea fruticosa (liver)
- Fasciola hepatica, Miscellaneous animals goats cattle Huang, J. K.; Kuo, T. S.; and Lin, T. C., 1958 a
Taiwan, all from
- Fasciola hepatica, Miscellaneous animals *Lepus europaeus* (intestine) Ianchev, Ia., 1963 b, 206
- Fasciola hepatica, Miscellaneous animals *Elephas maximus* (bile ducts) Ianchev, Ia., 1965 b
Zoological Garden, Sofia
- Fasciola hepatica Linnaeus, 1758, Miscellaneous animals *Camelus bactrianus* Jansen, J. (jr.); and van den Broek, E., 1966 a
zoological garden, Netherlands
- Fasciola hepatica, Miscellaneous animals pig sheep and [or] goat cattle Kim, Jyong Hi, (1958 a); 1958 b
all from Korea
- Fasciola hepatica, Miscellaneous animals sheep goats cattle Kimura, S., 1964 a, 47, 49, 50
all from Hyogo Prefecture, Japan
- Fasciola hepatica, Miscellaneous animals buffaloes sheep camel goats cow Sabbaghian, H.; Bijan, H.; and Arfaa, F., 1964 a
all from Khusestan Province, Iran
- Fasciola hepatica, Miscellaneous animals *[Lutra lutra]* (liver) Shimalov, V. T., 1965 b, 266
Byelorussia
- Fasciola hepatica, Miscellaneous animals rodents Tokobaev, M. M., 1965 a
Kirgiz
- Fasciola hepatica, Miscellaneous animals cattle, sheep (bile duct) Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374
southwestern China
- Fasciola hepatica, Miscellaneous animals *[Ovis aries]* *[Bos taurus]* Zgardan, E. S.; et al, 1966 a
all from Moldavia
- Fasciola hepatica, Miscellaneous animals *[Bos taurus]* *[Ovis aries]* Zgardan, E. S.; and Frukhtman, E. A., 1965 a
all from Moldavia
- Fasciola hepatica, Morphology cystogenic cells, cercaria Dixon, K. E., 1966 a, figs. 1-2, pl. 1, figs. 1-6
- Fasciola hepatica, Morphology ultrastructure of cercaria nervous system Dixon, K. E.; and Mercer, E. H., 1965 a, figs. 1-10
- Fasciola hepatica, Morphology gut structure, digestion Halton, D. W., 1966 a
- Fasciola hepatica, Morphology cuticle Lee, D. L., 1966 b, figs. 1-2
- Fasciola hepatica, Morphology parenchymal cells, ultra-structure Threadgold, L. T.; and Gallagher, S. S. E., 1966 a
- Fasciola hepatica, Nutrition Read, C. P. (ir.), 1968 a
nutrition of parasites
- Fasciola hepatica, Ovine sheep Angelovskii, T.; Madzirov, Z.; and Iliev, A., 1967 a
Macedonian territory
- Fasciola hepatica, Ovine Boray, J. C., 1967 a
experimental infection, acute and subacute cases
- Fasciola hepatica, Ovine life cycle, control Dent, C. H. R., 1968 a
- Fasciola hepatica, Ovine control, advance planning, drainage Edwards, C. M., 1968 a
- Fasciola hepatica, Ovine albumin and globulin turnover Holmes, P. H.; Dargie, J. D.; Maclean, J. M.; and Mulligan, W., 1968 b
- Fasciola hepatica, Ovine sheep Mantovani, A.; and Restani, R., 1966 b, 104, 107, 109, 110
Marsica (Abruces, Central Italy)
- Fasciola hepatica, Ovine Pugh, D. M., 1965 a, 223-232

- Fasciola [hepatica], Ovine ewes Roach, R. W.; and Lopes, V., 1966 a Kenya
- Fasciola hepatica, Ovine epidemiology Ross, J. G., 1967 a
- Fasciola hepatica, Ovine histopathology Ross, J. G.; Dow, C.; and Todd, J. R., 1967 a
- Fasciola hepatica, Ovine alkaline phosphatase in blood serum Selikhova, O. V., 1965 a
- Fasciola hepatica, Ovine sheep, anemia Sewell, M. M. H.; Hammond, J. A.; and Dinning, D. C., 1968 a
- Fasciola hepatica L. 1758, Ovine [Ovis aries] Trach, V. N., 1961 d, 175 Ukraine forest-steppe
- Fasciola hepatica, Ovine [Ovis aries] Trach, V. N., 1964 a, 192 steppe regions, Ukraine
- Fasciola hepatica, Pathology albumin loss Dargie, J. D.; Holmes, P. H.; McLean, J. M.; and Mulligan, W., 1968 b
- Fasciola hepatica, Pathology x-ray reduces pathogenicity in mice Hughes, D. L., 1962 b, fig. 1
- Fasciola hepatica, Pathology carbon tetrachloride, liver pathology, before and after treatment Irfan, M., 1968 a
- Fasciola hepatica, Pathology Isoda, M., 1954 b, fig. 3
- Fasciola hepatica, Pathology bovine Isoda, M., 1955 a
- Fasciola hepatica, Pathology studies on pathogenesis Senboku, T.; Isoda, M.; and Yoshimura, I., 1963 a
- Fasciola hepatica, Pathology Sinclair, K. B., 1968 a corticosteroid
- Fasciola hepatica, Radiation solar spectrum, survival of metacercariae Kakacheva-Avramova, D., 1965 b
- Fasciola hepatica, Swine Mangalitsa swine Dimitrova, E. A., 1964 a Bulgaria
- Fasciola hepatica, Swine [Sus scrofa] Mamedov, R. G., [1966 a] Azerbaijan
- Fasciola hepatica, Swine [Sus scrofa] Nazarova, N. S., 1965 a Belovezhsk forest
- Fasciola hepatica, Swine [Sus scrofa] Novikova, R. A., 1965 a Moldavia
- Fasciola hepatica, Swine comparison with other hosts Ross, J. G.; Dow, C.; and Todd, J. R., 1967 b
- Fasciola hepatica, Swine [Sus scrofa] Shapolatov, Zh. Sh., 1963 a Samarkand oblast, Uzbekistan
- Fasciola hepatica, Swine [Sus scrofa] Spasskii, A. A.; and Andreiko, A. F., 1963 a Moldavia
- Fasciola hepatica Lin., 1758, Swine [Sus scrofa] Spasskii, A. A.; Andreiko, A. F.; and Poletaeva, V. A., 1963 a, 4 Moldavia
- Fasciola hepatica, Swine Varela, M. C.; and da Cruz, A. A., 1964 a Portugal
- Fasciola hepatica, Technique Wheatley rapid staining method Büttner, A., 1964 a, pl., fig. 1
- Fasciola hepatica, Technique anemia in rabbits, ^{51}Cr -labelled red cells and ^{95}Nb -labelled albumin Dargie, J. D.; Holmes, P. H.; MacLean, J. M.; and Mulligan, W., 1968 a
- Fasciola hepatica, Technique harvesting metacercaria for experimental work Kuz'movich, L. G., 1963 c
- Fasciola hepatica, Treatment Behrens, H., 1960 b helot, ovine
- Fasciola hepatica, Treatment Boray, J. C.; and Happich, hexachlorophene, low daily F. A., 1966 a doses, sheep
- Fasciola hepatica, Treatment Boray, J. C.; and Happich, hilomid F. A., 1966 b
- Fasciola hepatica, Treatment Boray, J. C.; and Happich, F. A., 1968 a anthelmintics, ovine
- Fasciola hepatica, Treatment Boray, J. C.; Happich, F. A.; and Andrews, J. C., 1967 a
- Fasciola hepatica, Treatment Boray, J. C.; Happich, F. A.; and Andrews, J. C., 1967 b antihelmintic testing in rats
- Fasciola hepatica, Treatment Colegrave, A. J., 1968 a nitroxynil, cattle
- Fasciola hepatica, Treatment Coumbaras, A., 1966 a déhydro-émetine, human Algérie
- Fasciola hepatica, Treatment Euzeby, J. A., 1968 a fasciolicides, review
- Fasciola hepatica, Treatment Goldbergien, M., 1966 a effect of carbon tetrachloride on cholinesterase activity in animals
- Fasciola hepatica, Treatment Guilhon, J. C., 1966 b N-methylglucamine
- Fasciola hepatica, Treatment Güralp, N., 1968 a hilomid; oxyclozanide

- Fasciola hepatica*, Treatment
hexachlorophene
Bayer 9015
carbon tetrachloride Happich, F. A.; Boray, J. C.,
and Healy, B. P., 1967 a
- Fasciola hepatica*, Treatment
mass treatment Hiepe, T., [1964 d]
- Fasciola hepatica*, Treatment Hildebrandt, J.; and Ilmole
zanil Zanil, L. L., 1968 a
- [*Fasciola hepatica*], Treatment Hilton, G., 1967 a
- Fasciola hepatica*, Treatment Irfan, M., 1968 a
- carbon tetrachloride, liver pathology, before and after
treatment
- Fasciola hepatica*, Treatment Juszakiewicz, T.; Madejski, Z.;
carbon tetrachloride,
biochemistry of sheep Stefaniak, B.; and Mizak, B.,
1965 a
- Fasciola hepatica*, Treatment Karelina, S. T., [1966 a]
- carbon tetrachloride; distocain, rats and guinea pigs
- Fasciola hepatica*, Treatment Kearney, A.; Connolly, J. F.;
serum transaminase levels, and Downey, N. E., 1967 a
- carbon tetrachloride and Bayer 9015 A
- Fasciola hepatica*, Treatment Klesov, M. D., 1963 b
- carbon tetrachloride; hexachloroethane, ruminants
Ukrainian SSR
- Fasciola hepatica*, Treatment Kobulej, T.; Rankiti, J.;
hexachlorophene, ovine and Oroszlan, J., 1967 a
- Fasciola hepatica*, Treatment Leinati, L.; Ceccarelli, D.;
and Cremagnani, A., 1966 a
- Hepadist
- Fasciola hepatica*, Treatment Lipcera, E.; Niculescu, A.;
carbon tetrachloride Balaci, P.; and Lungu, T.,
1961 a
- Fasciola hepatica*, Treatment Lienert, E.; and Jahn, F.,
2,2'-methylene-bisphenol 1966 a
- derivatives need attraction of oxygen atom for
electrons
- Fasciola hepatica*, Treatment Lucas, J. M. S., 1967 a
- 4-cyano-2-iodo-6-nitrophenol, M&B 10,755, rabbits,
sheep and calves
- Fasciola hepatica*, Treatment Mitterpik, J., 1965 b
- evaluation of antifasciolous preparations
- Fasciola hepatica*, Treatment Olteanu, G.; and Fromunda, V.,
1963 a
- sheep, hexachlorethane.
lactic calcium and carbon tetrachloride
- Fasciola hepatica*, Treatment Perrett, W. J., 1967 a
- carbon tetrachloride
- Fasciola hepatica*, Treatment Popov, Iu. A., 1966 a
- carbon tetrachloride, ovine
- Fasciola hepatica*. Treatment Pugh, D. M., 1965 a, 223-232
- Fasciola hepatica*, Treatment Reid, J. F. S.; et. al., 1967 a
- Reuss, U.; and Brozeit, H. E.,
1968 a
- Bilevon-R; ICI-46,683; Hetol
- Fasciola hepatica*, Treatment Reznik, G. K., 1966 a
- carbon tetrachloride
- Fasciola hepatica*, Treatment Ross, J. G., 1968 a
- antihelmintics, sheep
- Fasciola hepatica*, Treatment Salimov, B. S., and Demidov,
N. G., 1966 a
- Sanz, F.; Jurado, R.; Moral,
A.; and Relimpio, A., 1966 a
- Fasciola hepatica*, Treatment Sinclair, K. B., 1968 a
- corticosteroid
- Fasciola hepatica*, Treatment Tadros, G.; and Nada, S. M.,
1965 a
- carbon tetrachloride
cattle
buffaloes imported from Holland
U. A. R.
- Fasciola hepatica*, Treatment Thorsell, W., 1965 b; [1966 c]
- carbon tetrachloride; hexachlorethane; Freon 112;
Hetol; hexachlorophene; bithionol; diaphene
- Fasciola hepatica*, Treatment Thorsell, W., 1966 a
- effect of phenols on egg development
- Fasciola hepatica*, Treatment Thorsell, W., 1967 a
- hexachlorophene, cuticle and intestine
- Fasciola* [hepatica], Treatment Ueno, H.; Lee, B. D.; Watanabe,
disodium bis-(2-hydroxy-3,
5, 6-trichlorophenyl) sulfide, rabbits
S.; and Fujita, J., 1965 a
- Fasciola hepatica*, Treatment Ziegler, K.; et al., 1968 a
- BS/1466, cattle
- Fasciola indica* Lal, M. B.; and Johri, G. N.,
Verma, 1953 1967 a, figs. 1-5, 7
- eggshell formation, vitellocalycal glands
- Fasciola indica* Varma, Malviya, H. C., 1967 a
- 1953 as syn. of *Fasciola gigantica* Cobbold, 1855
- Fasciola jacksoni* (Cobbond, Jansen, J. (jr.); and van
1869) den Broek, E., 1966 a
- Elephas indicus zoologial garden, Netherlands
- Fasciola nyanzae* Gretillat, S., 1966 a, 183
- Leiper, 1910 river Lulua, near Pungo,
hippopotame Central Africa
- Fasciola ovata* Dubinin, V. B., 1938 a, 140
(Rudolphi, 1803)
as syn. of *Prosthiognomimus ovatus* (Rudolphi, 1803)
- Fasciola tragelaphi* Pike, A. W.; and Condy, J. B., 1966 a, 511-520, figs. 1-
sp. nov. 3, pl., figs. 1-4
Tragelaphus spekei Chobe swamps, Rhodesia
'bile-ducts'

- Fasciolata [gen. sp.] [Anas platyrhynchos] Palim[p]estov, M. A., 1963 a
Iagotinsk poultry farms
- Fascioliasis meat inspection Aiupov, Kh. V.; and Valiullin, S. M., 1966 a
Bashkir ASSR
- Fascioliasis Hassler, L., 1963 a
North Uppland, Sweden
- Fascioliasis epidemiology Irvin, A. D., 1966 a
- Fascioliasis encystment, emergence from snail host, cercariae Itagaki, H.; and Kanno, Y., 1962 b
- Fascioliasis host-parasite relationships Kendall, S. B., 1964 a
- Fascioliasis review of 1966-67 Kendall, S. B., 1967 b
- Fascioliasis fattened animals Koudela, K.; and Titěra, P., 1967 a
- Fascioliasis prognosis Kruglov, N. D., 1965 a
- Fascioliasis Lwebandiza, T. S., 1966 a
Tanzania
- Fascioliasis, Bovine gallbladder behaviour Asdrubali, G.; and Mughetti, L., 1966 a
- Fascioliasis, Bovine Tetranol Fromunda, V.; Suteu, E.; and Marcu, M., 1963 a
- Fascioliasis, Bovine survey Isoda, M.; Yoshimura, I.; and Kato, T., 1960 a
Ishioka, Ibaraki Prefecture
- Fascioliasis, Bovine distocaine-chinoin; carbon tetrachloride Ivanova, P. S.; Mandrusov, A. F.; and Novikova, R. F., [1966 a]
- Fascioliasis, Bovine biochemical picture of liver cirrhosis Konrád, J., 1968 a
- Fascioliasis, Bovine Mamedov, A. K., 1965 a
Azerbaijdzhani SSR
- Fascioliasis, Bovine economic losses Mereminskii, A. I., 1961 a
Rovensk oblast
- Fascioliasis, Bovine blood changes Moroshkin, B. F.; Chrelasvili, T. V.; and Gzelidze, Ts. V., 1968 a
- Fascioliasis, Bovine purification of active principal of diagnostic antigen Ono, M.; et al, 1955 a
- Fascioliasis, Bovine antimon, hexachloroethane, 1965 a
tetrachlorodifluoroethane, 3, 4, 5-tribromosalicylanilide, 5-dibromosalicylanilide Ono, Y.; and Kimura, S.,
- Fascioliasis, Bovine 3,4,5-tribromosalicylanilide and 3,5-dibromosalicylanilide Ono, Y.; Kimura, S.; Asao, T.; and Kitamura, M., 1964 a
- Fascioliasis, Bovine not found with Salmonella Rodríguez Rebollo, M., 1966 a
- Fascioliasis, Bovine eosinophilia Sutiagin, V. S.; Urgin, I. N.; and Zvkin, L. A., 1963 a
- Fascioliasis, Caprine Ono, Y.; and Kimura, S., 1964 a
- Fascioliasis, Control Babenskas, M. A., 1965 a
- Fascioliasis, Control molluscicide distribution apparatus Grétillat, S., 1964 c
- Fascioliasis, Control molluscs on pastures Kuz'movich, L. G., [1966 a]
Carpathian regions, Ukrainian SSR
- Fascioliasis, Control human Mincheva, N.; Pishchiiski, G.; and Bachev, K., 1959 a
Stankedimitrovska okolia, Bulgaria
- Fascioliasis, Control fecal examination as evaluation of antifasciolotic preparations Mitterpák, J., 1965 a
- Fascioliasis, Control Nemeséri, L., [1964 b]
- Fascioliasis, Control control of intermediate snail Lymnaea truncatula, molluscicides, sheep and cattle Ross, J. G.; and Taylor, D. M., 1968 a
molluscicides, sheep and cattle
- Fascioliasis, Control ovine Shanks, P. L., 1968 a
Scotland
- Fascioliasis, Control artificial pasture for eradication, ovine Shtun, F. A., 1963 a
- Fascioliasis, Control molluscicides on pastures Vishniakov, Iu, 1966 a
- Fascioliasis, Diagnosis Babenskas, M. A., 1965 a
- Fascioliasis, Diagnosis fecal examination Babenskas, M. A.; Vishniauskas, A.; Burakauskas, A. A.; and Svabonas, Z., 1967 a
- Fascioliasis, Diagnosis purification of active principal of diagnostic antigen Ono, M.; et al, 1955 a
- Fascioliasis, Diagnosis fecal examination Skovronskii, R. V., 1961 a
- Fascioliasis, Diagnosis fecal examination technique, human Sosipatrov, G. V., 1965 a
- Fascioliasis, Economic importance sheep Koudela, K., 1967 b
Czechoslovakia
- Fascioliasis, Economic importance sheep Mereminskii, A. I., 1961 a
Rovensk oblast
- Fascioliasis, Geographic distribution
- Fascioliasis, Czechoslovakia Andraško, H., 1968 a
epizootic, vernal period 1967
- Fascioliasis, Romania Fromunda, V.; and Cerni, I., 1963 a
pastures, infested hay
- Fascioliasis, Russia Iakhontov, B. V.; and Iakhontova, L. M., 1965 a
livestock Tadzhikistan
- Fascioliasis, Tasmania Ryan, A. F., 1965 a
life cycle, intermediate host, treatment
- Fascioliasis, Immunity allergic reaction, sheep Babenskas, M. A.; and Vishniauskas, A., 1963 a
- Fascioliasis, Immunity metabolites, antigens Omori, M., 1964 a

| | | | |
|--|--|--|--|
| Fascioliasis, Intermediate hosts | Itagaki, H.; and Yanno, Y., 1962 b | Fascioliasis, Treatment chlorophos, ovine | Demidov, N. V., 1963 a |
| cercariae encystment, emergence from snail host | | | |
| Fascioliasis. Intermediate hosts | Kuz'movich, L. G., [1966 a] | Fascioliasis, Treatment cattle, Tetranol | Fromunda, V.; Suteu, E.; and Marcu, M., 1963 a |
| molluscs on pastures, control | Carpatian regions, Ukrainian SSR | | |
| Fascioliasis, Miscellaneous animals | Holmes, P. H.; et al., 1967 a | Fascioliasis, Treatment phreon-112; toluol | Gluzman, I. Ia.; and Mereminskii, A. I., [1966 a] |
| anemia, isotope-labeled red cells, rabbits | | | |
| Fascioliasis, Miscellaneous animals | Holmes, P. H.; Dargie, J. D.; MacLean, J. M.; and Mulligan W., 1968 a | Fascioliasis, Treatment hexachloroparaxylool | Goldbergienë, M.; Kublitskene, O. A.; and Malachovskis, A., 1966 a |
| anemia, ^{51}Cr -labeled erythrocytes, rabbits | | | |
| Fascioliasis, Miscellaneous animals | Kobulej, T., 1967 a | Fascioliasis, Treatment tetrachloromethane, hexachloroethane, hexachlorophene, 1,4-bis-trichlor-methylbenzol, bovine | Heipe, Th.; and Ribbeck, R., 1966 b |
| domesticated ruminants and deer abroad | | | |
| Fascioliasis, Miscellaneous animals | Nauranges, P., 1968 a | Fascioliasis, Treatment distocain, CCl_4 , hexachlorophene, Hetol | Hollé, F., 1963 a |
| rabbit and livestock, transmission to man | | | |
| Fascioliasis, Ovine serum sulfhydryl groups | Gevondian, V. S., 1965 a | Fascioliasis, Treatment distocaine-chinoin; carbon tetrachloride | Ivanova, P. S.; Mandrusov, A. F.; and Novikova, R. F., [1966 a] |
| Fascioliasis, Ovine | Great Britain, Ministry of Agriculture, Fisheries and Food, Department of Agriculture and Fisheries for Scotland, 1965 b, 55 | Fascioliasis, Treatment Hetol, ovine | Karabaev, D. K.; and Musanov, A., 1967 a |
| review, drenching | | | |
| Fascioliasis, Ovine radio-isotopes, anaemia, Cr-labelled red cells | Holmes, P. H.; et al., 1967 b | Fascioliasis, Treatment Hetol, sheep | Machinskii, A. P., [1966 b] |
| Fascioliasis. Ovine anemia, ^{51}Cr -labelled erythrocytes | Holmes, P. H.; Dargie, J. D.; MacLean, J. M.; and Mulligan, W., 1968 a | Fascioliasis, Treatment Hetol effect on feed assimilation, sheep | Machinskii, A. P.; and Lapshin, S. A., 1966 a |
| Fascioliasis, Ovine economic losses | Koudela, K., 1967 b | Fascioliasis, Treatment copper sulfate | Mamedov, A. K.; and Balabekian, Ts. P., 1963 a |
| | Czechoslovakia | | Nukhinsk region, Azerbaijan oblast |
| Fascioliasis. Ovine economic losses | Mereminskii, A. I., 1961 a | Fascioliasis, Treatment calcium; phosphorus, ovine | Moroshkin, B. F.; Chrelashvili, T. V.; Grdzeldize, Ts. V.; and Ksovreli, B. G., 1966 a |
| Fascioliasis, Ovine prognosis of outbreaks | Rovensk oblast | Fascioliasis, Treatment sheep, carbon tetrachloride + hexachlorethane + calcium lacticum | Olteanu, G., 1963 e |
| Fascioliasis, Ovine distribution | Nereminskii, A. I., 1968 a | Fascioliasis, Treatment bovine, antimon, hexachloroethane, tetrachlorodifluoroethane, 3,4,5-tribromo-salicylanilide, 5-dibromosalicylanilide | Ono, Y.; and Kimura, S., 1965 a |
| Fascioliasis, Ovine | Olteanu, G., 1963 b | | |
| | Romania | Fascioliasis, Treatment 3,4,5-tribromo-salicylanilide and 3,5-dibromosalicylanilide, bovine | Ono, Y.; Kimura, S.; Asao, T.; and Kitamura, M., 1964 a |
| Fascioliasis. Ovine patho-morphological and histo-chemical changes of liver | Ono, Y.; and Kimura, S., 1964 a | Fascioliasis, Treatment hexachloroparaxylool, ovine | Poarkov, A. A.; Veselova, T. P.; Vorob'ev, M. A.; and Doroshina, M. V., 1965 a |
| Fascioliasis. Ovine change in volume of sugar, bilirubin, protein and protein fractions of blood serum | Vasil'ev, A. A., 1965 a | | |
| Fascioliasis, Ovine cvascopic evaluation of anthelmintics unsatisfactory | Vodrážka, J., 1967 a | Fascioliasis, Treatment bovine | Rahman, M. H., 1964 a |
| | | | Pakistan |
| Fascioliasis, Ovine ranfion | Zavadil, R., 1967 a | Fascioliasis, Treatment carbon tetrachloride; hexachlorophene; hexachloroethane, ovine | Ramirez Miller, A. M.; Guerrero Ramirez, R.; and Tovar Pe., C., 1964 a |
| Fascioliasis, Treatment chloxyol | Alekseeva, M. I., 1965 b | Fascioliasis. Treatment chlorophos, ovine | Reznik, G. K., 1965 a |

- Fascioliasis, Treatment petroleum-based preparations, sheep Shirinov, N. M., [1966 a]
- Fascioliasis, Treatment Ursofasciol, ovine Tatarov, B.; Lazarov, E.; and Dimitrov, G., 1964 a
- Fascioliasis, Treatment screening tests, liver fluke, rabbits Ueno, H.; Watanabe, S.; and Fujita, J., 1962 a
- Fascioliasis, Treatment Bithionol Bithionol-SO Ueno, H.; Watanabe, S.; and Fujita, J., 1964 c
- Fascioliasis, Treatment oxyclozanide, sheep and cattle Vaughan, J. J., 1966 a
- Fascioliasis, Treatment hexachloroparaxylene, bovine Veselova, T. P.; and Doroshina, M. V., 1966 a
- Fascioliasis, Treatment hexachloroparaxytol Veselova, T. P.; and Doroshina, M. V., 1966 b
- Fascioliasis, Treatment hexachlorparaxilol; Hetol Veselova, T. P.; Doroshina, M. V.; and Vorob'ev, M. A., 1965 a
- Fascioliasis, Treatment Bilevlon M; Hetol; tetrachlordifluoroethane, evaluation, bovine Vodrážka, J.; and Šutta, J., 1967 a
- Bilevlon M; Hetol; tetrachlordifluoroethane, evaluation, bovine Zarnowski, E.; et al, 1966 a
- Fasciolidae not harmed by industrial pollution Chernogorenko-Bidulina, M. I., 1963 a Desna river
- Fasciolidae key to genera key Cosgrove, G. E., 1966 a
- Fascioloides magna ornithine transcarbamylase and arginase activity Campbell, J. W.; and Lee, T. W., 1963 a
- Fascioloides magna Odocoileus hemionus Cervus canadensis roosevelti [Bos taurus] Lymnaea bulimoides (exper.) L. columella (exper.) L. ferruginea (exper.) Dutson, V. J.; Shaw, J. N.; and Knapp, S. E., 1967 a all from Oregon
- Fascioloides magna egg development in nature Erhardová, B., 1965 a, 171-183 Czechoslovakia
- Fascioloides magna Odocoileus virginianus Glazener, W. C.; and Knowlton, F. F., 1967 a Welder Refuge, near Sinton, San Patricio County, Texas
- Fascioloides magna [Bos taurus] Smith, J. P., 1967 a
- Fascioloides magna distribution Sprehn, C. E. W., 1967 a Europe
- Fascioloides magna cattle, liver changes Záhor, A.; Proks, C.; and Vitovec, J., 1966 a, 2 pls., figs. 1-3
- Fasciolopsis Fasciolidae, key Cosgrove, G. E., 1966 a, fig. 15
- Fasciolopsis buski buffles (feces) Fournier, J., [1953 a], 95 Viet Nam
- Fasciolopsis buski swine Huang, J. K.; Liao, S. C.; and Keo, K. Y., 1958 a Taiwan
- Fasciolopsis buski (Lankester, 1857) Odhner, 1962 de Jesus, Z.; and Waramontri, J., 1961 a, 14-15 Thailand
Sus scrofa domesticus (small intestine)
- Fasciolopsis buski biology, metacercaria Komiya, Y., 1965 e
- Fasciolopsis buski (Lankester, 1857) culture being maintained in United States Segmentina hemisphaerula Saimiri sciureus petrinus (exper.) pig (exper.) rabbit "
- Fasciolopsis buski antigens used in diagnosis and Than, D. T., 1961 a of human paragonimiasis Landmann, H.; Thai, D. D.; Li, J.-S.; and Hsu, S.-T., 1968 a Shensi Province, China
- Fasciolopsis buski Segmentina hemisphaerula (exper.) Lo, C.-T., 1967 a
- Fasciolopsis buski 754 people (feces) pigs (feces) Saovakontha, S.; Charoenlarp, P.; Radomyos, P.; and Harinasuta, C., 1965 a all from Nong Ong Canton, Utong District; Salakao Canton, Juang District, Supanburi Province, Thailand
- Fasciolopsis buski (Lankester, 1857) Odhner, 1902 [Homo sapiens] Shul'man, E. S.; Blitshtain, I. I.; Burakovskaya, K. A.; and Lukshina, R. G., 1963 a Khar'kov (native of Vietnam)
- Felidistomum furcigerum (Olsson, 1868) Syn.: Steringophorus furciger (Olsson, 1868) Myoxocephalus verrucosus (intestine) Zhukov, E. V., 1963 a, 99 Chukotsk Peninsula
- Fibricola cratera (Barker and Noll, 1915) Ondatra z. zibethica Beckett, J. V.; and Gallicchio, V., 1967 a, 1171 Portage County, Ohio
- Fibricola cratera Barker & Noll, 1915 Ondatra zibethicus osoyoo-sensis Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah
- Fischoderius cobboldi (Poirier, 1883) Stiles and Goldberger, 1910 morphology, anatomy and histology Gupta, N. K.; and Dutta, T., 1967 a, figs. 1-22
- Fischoderius elongatus (Poirier, 1883) Bubalus bubalis de Leon, D. D.; and Juplo, R. J., 1966 a Caloocan City, Philippines
- Fischoderius elongatus (Poirier, 1883) Stiles and Goldberger, 1910 Mukherjee, R. P., 1966 b, 5-14, figs. 1-12 Bareilly
- Lymnaea luteola f. succinea cow (exper.)

| | | | |
|--|--|--|--|
| <i>Fischoederius elongatus</i> (Poirier, 1833) Stiles and Goldberger, 1910 <i>Bos bubalus</i> (rumen) | Mukherjee, R. P., 1966 d, 99-101, fig. 4 Bareilly abattoir | <i>Furcocercaria</i> sp. <i>Planorbis planorbis</i> | Butenko, Iu. V., 1967 a, 44, 46, fig. 15b South Kazakhstan |
| <i>Fischoederius elongatus</i> cattle (stomach cyst) | Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China | <i>Furcocercaria</i> sp. I <i>Viviparus viviparus</i> | Chernogorenko-Bidulina, M.I., 1966 a, 34, 35, fig. 6 upper Dnieper |
| <i>Frater</i> [n. subgen.] subgen. of <i>Himasthloides</i> key | Alekseev, V. M., 1965 b, 17 tod: <i>Himasthloides</i> (<i>Frater</i>) <i>maris-albi</i> (Ginezinskaja et Naumov, 1955) [n. comb.] | <i>Furcocercaria</i> n. sp. <i>Limnaea stagnalis</i> <i>Radix auricularia</i> <i>R. ovata</i> <i>Galba palustris</i> | Kiseliene, V. K., 1966 a all from Lithuanian SSR |
| <i>Furcocercaria</i> [sp.] <i>Lymnaea stagnalis</i> | Bradley, D. J., 1967 a, 282 Flatford, Suffolk, Great Britain | | |

- Galactosomum sp.
Larus argentatus (small intestine)
Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a
North Carolina
- Galactosomum sp.
(kidneys)
Cobius melanostomus
Naidenova, N. N., 1965 a
Black Sea
- Galactosomum agrachanensis Saidov, 1954 (intestine)
Larus ridibundus
Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, fig. 15
USSR, Kamchatka
- Galactosomum lacteum larvac Spicara smaris (muscles, branchial cavity)
Nikolaeva, V. M., 1963 b, 442
Crimean and Caucasus coasts, Black Sea
- Galactosomum lacteum (Jägerskiöld, 1896)
Phalacrocorax aristotelis desmarestii Payr. (intestine)
Smogorjhevskaja, L. A., 1961 c, 210-212, fig. 3
Krymskaja oblast
- Galactosomum phalacrocoracis (Jan., 1939)
Phalacrocorax aristotelis desmarestii Payr. (intestine)
Smogorjhevskaja, L. A., 1961 c, 212-213, fig. 4
Krymskaja oblast
- Galactosomum puffini Yamaguti, 1941
Larus occidentalis livens "gaviota blanca" (intestino)
Bravo-Hollis, M., [1967 b], figs 1-3
Isla Rasa, Golfo de Cortés, Baja California, México
- Galactosomum puffini [sic] Yamaguti, 1941
Sturna hirundo (intestine)
Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 145, fig. 14
USSR, Kamchatka
- Galactosomum puffini Yamaguti, 1941
Larus atricilla (small intestine)
Nasir, P.; and Marval F., II., 1968 a, fig. 2
Playa de San Luis, Cumana, Venezuela
- Galactosomum spinetum Gelochelidon nilotica aranea (air sacs or coelom)
MacInnis, A. J., 1966 a, 58-60, fig. 2
Alligator Harbor, Franklin County, Florida
- Galactosomum tuvensis sp. nov.
Sturna hirundo (large intestine)
Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a, 91-93, 94, fig. 1
Tuva
- Ganeo africana (Skrjabin, 1916) Kaw, 1950
Syn.: Ganeo glottoides africana Skrjabin, 1916
Dicroglossus occipitalis (small intestine)
Fischthal, J. H.; and Thomas, J. D., 1968 a, 2, 3, 10, fig. 8
Legon, Ghana
- Ganeo glottoides africana Skrjabin, 1916
as syn. of Ganeo africana (Skrjabin, 1916) Kaw, 1950
Fischthal, J. H.; and Thomas, J. D., 1968 a
- Ganeo tigrinum (Mehra et Negi, 1928)
Rana tigrina (intestine)
Agrawal, V., 1966 e, 84-86, fig. 2
Lucknow, India
- Gastrocotyle kalla n. sp. [nomen nudum]
Caranx kalla (gills)
Gastrocotyle trachuri chemistry and evolution, sclerites
Unnithan, R. V., 1966 a, 53
Trivandrum
- Gastrocotylidae includes: Gastrocotylinae; Arectesiinae n. subf.
Gastrodiscoides Paramphistomidae, key
- Gastrodiscoides hominis (Lewis and McConnell, 1876)
domestic pig
Helicorbis coenosus (exper.)
Gastrodiscoides hominis Cynomologus rhesus monkey (cecum and colon)
- Gastrodiscoides hominis (Lewis and McConnell, 1876)
Leiper, 1913
Sus scrofa domesticus (large intestine)
- Gastrodiscoides hominis human "17 year old Thai female" (intestine)
- Gastrothylax crumenifer prophylaxis
- Gastrothylax crumenifer osmotic activity
- Gastrothylax crumenifer phosphatase systems
- Gastrothylax crumenifer [Bos taurus]
- Gastrothylax crumenifer Gyraulus albus (exper.) Planorbis planorbis (exper.) Hippocampus complanatus (exper.) Armiger cristata (exper.)
- Gastrothylax crumenifer (Creplin, 1847)
life cycle
[Bos taurus]
[Ovis aries]
[Capra hircus]
Planorbis planorbis Gyraulus albus Hippocampus complanatus
- Gauhatiana Gupta, 1953 valid genus
- Gekkonotrema n. gen. Allocrediidae
- Gekkonotrema postporum g. gen., n. sp. (tod)
Lepidodactylus lugubris (small intestine)
Gymnodactylus pelagicus (small intestine, gall bladder)
- Genarches milleri (Levinson, 1881) (intestine)
- Cosgrove, G. E., 1966 a, fig. 23
- Dutt, S. C.; and Srivastava, H. D., 1966 a, 45-52, fig. 1, pl. 1
Izatnagar (U. P.) India
- Herman, L. H., 1967 a, figs. 1-2
- de Jesus, Z.; and Waramontri, J., 1961 a, 15 Thailand
- Surinthrangkul, B.; Gonthian, S.; and Pradatsundarasar, A., 1965 a Pichit Province, Thailand
- Nikitin, V. F., 1966 a
- Goil, M. M., 1966 a
- Goil, M. M., 1966 b
- Lavrov, L. I., 1965 a Southern Kazakhstan
- Nikitin, V. F., 1966 a, figs. 1-4
- Astrakhan meat combine "
- Astrakhan oblast "
- Nikitin, V. F., [1966 b]
- Fischthal, J. H.; and Kuntz, R. E., 1967 b, 245, 247-248
tod: G. postporum n. sp.
- Fischthal, J. H.; and Kuntz, R. E., 1967 b, 245, 246, 247, figs. 1-2
all from Espíritu Santo Is., New Hebrides Islands
- Mamaev, Iu. L., 1965 a Bering Sea
- Hippoglossus hippoglossus stenolepis

| | | | |
|--|---|--|--|
| Genarches milleri (Levin- | Zhukov, E. V., 1963 a, 105-106 all from Chukotsk Peninsula | Genolinea amura (Layman, 1930) | Zhukov, E. V., 1963 a, 105 all from Chukotsk Peninsula |
| Salvelinus malma (stomach, pyloric caeca) | Eleginus gracilis (stomach) | Salvelinus malma (stomach, pyloric caeca) | Eleginus gracilis (intestine) |
| Hexagrammos stelleri (stomach) | Chirolophis snyderi (stomach) | Hexagrammos stelleri (stomach) | Chirolophis snyderi (stomach) |
| Melletes papilio (stomach, intestine) | Gymnacanthus tricuspidis (stomach) | Melletes papilio (stomach) | Gymnacanthus tricuspidis (stomach) |
| Myoxocephalus polyacanthocephalus (stomach, fins) | Myoxocephalus axillaris (stomach) | Myoxocephalus polyacanthocephalus (stomach, intestine) | Myoxocephalus axillaris (stomach) |
| Myoxocephalus verrucosus (stomach, pyloric caeca) | Myoxocephalus platicephalus (stomach) | Myoxocephalus verrucosus (stomach) | Myoxocephalus platicephalus (stomach) |
| Enophrys dicerous (stomach) | Enophrys dicerous (stomach) | Enophrys dicerous (stomach) | Enophrys dicerous (stomach) |
| Blepsias bilobus (stomach) | Liparis gibbus (stomach) | Liparis gibbus (stomach) | Cottus kaganowskii (gills) |
| Podothecus acipenserinus (stomach, intestine, gills) | | | |
| Liparis gibbus (stomach, gills) | | | |
| Platessa quadrituberculata (stomach, intestine) | | | |
| Pleuronectes stellatus (stomach, intestine) | | | |
| Thymallus arcticus (intestine) | | | |
| Cottus kaganowskii (gills) | | | |
| Genarchopsis Ozaki, 1925 | Agrawal, V., 1966 g, 230-231 key to species | Genolopa | Oshmarin, P. G., 1965 c [lapsus as: Genelopa] |
| Genarchopsis dasus | Agrawal, V., 1966 g, 230 | Genolopa [sic] cacuminata | Oshmarin, P. G., 1965 c, 240- Nicoll, 1915 (stomach) Pomadasys hasta |
| Genarchopsis faruquis | Agrawal, V., 1966 g, 230 | Gephyrocotyle n. g. | Unnithan, R. V., 1966 a, 53, Gephyrocotylidae n. fam. |
| key | | n. g., n. sp. (tod) | 59 tod: G. ixoracorona n. sp. |
| Genarchopsis indicus | Agrawal, V., 1966 g, 231 | Gephyrocotyle ixoracorona | Unnithan, R. V., 1966 a, 53- key |
| Genarchopsis lobatum | Agrawal, V., 1966 g, 230 | n. g., n. sp. (tod) | 58, 59, 61, 62, figs. 1-9 |
| key | | Caranx kalla (gills) | Trivandrum |
| Genarchopsis melanostictus | Dwivedi, M. P., 1965 b, 37- sp. nov. | Gephyrocotylidae n. fam. | Unnithan, R. V., 1966 a, 53, Mazocraeidea |
| Bufo melanostictus | 42, figs. 1-2 (stomach) | includes: Gephryocotyle gen. nov. | 58 |
| (stomach) | Adhartal tank, Jabalpur, M. P., India | Gigantobilharzia or Tricho- | Farley, J., 1967 b |
| Genarchopsis ovocaudatum | Agrawal, V., 1966 g, 230 | bilharzia [sp.] | Lake Ainslie, Cape Breton grackles (intestinal wall) Island |
| key | | elongata (Brackett, 1940) [n. comb.] | Grodhaus, G., 1965 a, 680- (=Cercaria elongata) laboratory rearing |
| Genarchopsis piscicola | Agrawal, V., 1966 g, 231 | Gyraulus sp. | Hume, Sequoia and Success Lakes, California |
| key | | parakeet (exper.) (subcutaneous tissue, lung tissue) | |
| Genarchopsis punctati n. sp. | Agrawal, V., 1966 g, 217, 228- key | pigeon (exper.) (sub- | |
| Ophicephalus punctatus | 230, pl. 4, figs. 1-5 fish market at Lucknow | cutaneous tissue, lung | |
| (stomach) | | tissue) | |
| Genarchopsis shanghaiensis | Yeh, Y.; and Wu, S. C., 1955 a n. sp. | Podilymbus podiceps | Hume and Sequoia Lakes, |
| Macrobrachium nipponensis | 37-42, pl. 1, figs. 1-3 Shanghai, China | podiceps (small veins | California |
| | | in the intestinal wall) | |
| Genarchopsis singularis | Agrawal, V., 1966 g, 230 | Gigantobilharzia monocotylea | Sprehn, C. E. W., 1967 a distribution |
| key | | | Europe |
| Genarchopsis thapari n. | Gupta, S. P.; and Chak- | Gigantocotyle explanatum | Gupta, N. K., 1966 a, sp. |
| sp. | revari, K. K., 1966 a, 177- | (Creplin, 1847) | figs. 1-4 |
| snake (intestine) | 180, fig. 1 Lucknow | Syns.: Amphistomum explanatum Creplin, 1847; Paramphistomum (Cauliorchis) explanatum (Creplin) Travassos, 1934 | |
| | | Bos bubalis (bile duct) | Lucknow, India |
| Genelopa | Oshmarin, P. G., 1965 c | Glossimatra Mehra, 1937, | Dwivedi, M. P., 1967 b |
| [lapsus for: Genolopa] | | emend. | Plagiochiidae; Astiotrematinae, key to species |
| Genolinea aburame | Baeva, O. M., 1965 a | Glossimatra narmadai n. sp. | Dwivedi, M. P., 1967 b, 200, key |
| (Yamaguti, 1934) (stomach) | | Kachuga dhongoka | 204-207, 208, fig. 3 Bheraghat, Jabalpur (M.P.) |
| Pleurogrammus azonus | Sea of Japan | (intestine) | India |
| Pleurogrammus monopterigius | Avacha Bay, USSR | Glossimatra orientalis | Dwivedi, M. P., 1967 b, 208 |
| | | key | |

- Glossimetra tamiansis n. sp. Dwivedi, M. P., 1967 b, 200,
key 201-204, 208, figs. 1-2
Kachuga intermedia (in- Tamia Chhindwara (M.P.)
testine) India
- Glypthelmins Bailey, H. H.; and McDaniel,
life cycle charts, in- J. S., 1965 a, fig. 2
structions for keeping living material as teaching aid
- Glypthelmins Nasir, P., 1966 a, 169
Syns.: Choledocystus; Reynoldstrema; Repandum
- Glypthelmins elegans Nasir, P., 1966 a, 169
Travassos, 1926
Syn.: Choledocystus eucharis Pereira and Cuocolo, 1941.
- Glypthelmins incurvatum Nasir, P., 1966 a, 166-167,
n. sp. fig. 1
Pseudis paradoxa (intestine) Valle de la Pascua, Edo.
Guarico, Venezuela
- Glypthelmins intermedia Nasir, P., 1966 a, 169
Caballero; Bravo; and Cerecero, 1944
[n. comb.]
- Glypthelmins linguatula Nasir, P., 1966 a, 169
(Rudolphi, 1819)
Syns.: Glypthelmins palmipedis (Lutz, 1928); G. sera
Cordero, 1944; G. simulans Freits, 1941
- Glypthelmins palmipedis Nasir, P., 1966 a, 169
(Lutz, 1928)
as syn. of Glypthelmins linguatula (Rudolphi, 1819)
- Glypthelmins quieta Nasir, P., 1966 a, 169
(Stafford, 1900)
Syn.: Glypthelmins subtropica Harwood, 1932
- Glypthelmins quieta Parry, J. E.; and Grundmann,
(intestinal tract) A. W., 1965 a
Bufo microscaphus all from Utah
B. woodhousei
Rana pipiens
- Glypthelmins ramitesticularis n. sp. Nasir, P., 1966 a, 166, 167,
168, fig. 2
Pseudis paradoxa (lungs) Valle de la Pascua, Edo.
Guarico, Venezuela
- Glypthelmins sera Nasir, P., 1966 a, 169
Cordero, 1944
as syn. of Glypthelmins linguatula (Rudolphi, 1819)
- Glypthelmins simulans Nasir, P., 1966 a, 169
Freits, 1941
as syn. of Glypthelmins linguatula (Rudolphi, 1819)
- Glypthelmins staffordi Fischthal, J. H.; and Kuntz,
Tuiangui, 1928 R. E., 1967 a, 105, 107
Rana limnocharis vittigera Manila, Luzon Island,
(stomach, small intestine) Philippines
- Glypthelmins subtropica Campbell, R. A., 1968 a
Harwood, 1933 all from Pocahontas State
(small intestine) Park, Virginia
Rana catesbeiana
Rana clamitans
- Glypthelmins subtropica Nasir, P., 1966 a, 169
Harwood, 1932
as syn. of Glypthelmins quieta (Stafford, 1900)
- Glypthelmins vesicalis Nasir, P., 1966 a, 169
(Ruit and Leac, 1942)
[n. comb.]
- Godonocephalus [lapsus for: Godonocepha- Smogorzhevskaja, L. A.; Kor-
lus] niushkin, V. V.; Iskova, N. I.;
and Eminov, A., 1965 a
- Gogatea Lutz, 1935 Dwivedi, M. P., 1967 a, 16-17
Syn.: Neogogatea Chandler and Rausch, 1947
- Gogatea serpentium (Gogate, 1932) Lutz, 1935 Agrawal, V., 1966 c, 72-75,
Tropidonotus piscator Lucknow, India
(intestine)
- Gogatea serpentium (Gogate, Gupta, N. K., 1967 b, 319-
1932) Lutz, 1935 321, fig. 1
Syn: Prohemistomum serpentum Gogate, 1932
Natrix piscator (intestine) Ludhiana (Punjab), India
- Gonopodamus okushimai Dollfus, R. P. F., 1966 d,
N. Ishii 1935 figs. 5-8
- Gorgocephalinae subfam. n. Manter, H. W., 1966 a, 347, 350
Lepocreadiidae type genus: Gorgocephalus
gen. n.
- Gorgocephalus gen. n. Manter, H. W., 1966 a, 347,
Lepocreadiidae; Gorgo- 349, 350
cephalinae subfam. n. mt: G. kyphosi sp. n.
- Gorgocephalus kyphosi gen. Manter, H. F., 1966 a, 347,
et sp. n. (mt) 348, 349, figs. 1, 2a, 3-8
Gorgocephalinae subfam. n. Port Noarlunga, Adelaide,
Kyphosus sydneyanus South Australia
(ceca and intestine)
- Gorgodera sp. Buchvarov, G. K., 1965 a
Rana ridibunda (urin- Kirdjali District, Bulgaria
ary bladder)
- Gorgodera amplicava Campbell, R. A., 1968 a
Locs, 1901 Pocahontas State Park,
Rana catesbeiana Virginia
(colon and urinary bladder)
- Gorgodera amplicava Dike, S. C., 1967 a, figs. 1-
ultrastructure, ceca 5, 8-10
- Gorgodera amplicava Ginetsinskaia, T. A., 1963 a,
oligomerization of uni- fig. 1v
cellular organs, larva
- Gorgodera amplicava Hershenov, B. R.; Tulloch,
ultrastructure of sperm- G. S.; and Johnson, A. D.,
tails 1966 a, figs. 1-2
Rana pipiens (bladder)
- Gorgodera asymmetrica [sic] Sprehn, C. E. W., 1967 a
distribution Europe
- Gorgodera (Mediodera) asym- Tscherner, W., 1966 a, 260,
metrica [sic] (Fuhrmann, 277
1924) Odening, 1957
as syn. of G. (N.) pagenstecheri (Sinicyn, 1905)
- Gorgodera circava granaten- Sprehn, C. E. W., 1967 a
sis Europe
- Gorgodera (G.) cygnoides Buchvarov, G. K., 1965 a
Zeder, 1800 Kirdjali District, Bulgaria
Rana ridibunda (urinary bladder)
- Gorgodera cygnoides Halton, D. W., 1966 a
gut structure, digestion

- Gorgodera cygooides (močový mechur)
Rana esculenta
R. temporaria
Bombina variegata Kozák, A., 1966 a, 606, 608
all from Košice, ČSSR
- Gorgodera cygnoides distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgodera (Postodera) loossi Ssinitzin, 1905 Rana ridibunda (urinary bladder) Buchvarov, G. K., 1965 a
Kirdjali District, Bulgaria
- Gorgodera loossi distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgodera loossi Rana esculenta R. ridibunda Tschernner, W., 1966 a, 260
all from Germany
- Gorgodera microovata distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgodera (G.) microovata (Fuhrmann, 1924) (Harnblase) Rana esculenta R. ridibunda Tschernner, W., 1966 a, 260, 261
all from Germany
- Gorgodera (Mediodera) pag- enstecheri Ssintzin, 1905 Rana ridibunda (urinary bladder) Buchvarov, G. K., 1965 a
Kirdjali District, Bulgaria
- Gorgodera pagenstecheri distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgodera (Mediodera) pagen- stecheri (Sinicyn, 1905) Syn.: G. (M.) asymmetrica Rana esculenta (Harnblase) R. ridibunda Tschernner, W., 1966 a, 260, 261-262, 277
all from Germany
- Gorgodera (Postodera) varsoviensis Ssintzin, 1905 Rana ridibunda (urinary bladder) Buchvarov, G. K., 1965 a
Kirdjali District, Bulgaria
- Gorgodera varsoviensis distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgodera varsoviensis Rana esculenta R. ridibunda Tschernner, W., 1966 a, 260
all from Germany
- Gorgoderidae not harmed by industrial pollution Chernogorenko-Bidulina, M. I., 1963 a
Desna river
- Gorgoderina sp. ultrastructure, cuticle, frog Burton, P. R., 1966 b,
figs. 1-8
- Gorgoderina albata sp. nov. Bombina variegata (urinary bladder) Lees, E.; and Mitchell, J. B., 1966 a
Austria
- Gorgoderina bilobata Rankin, 1937 Rana catesbeiana (urinary bladder) Campbell, R. A., 1968 a
Pocahontas State Park, Virginia
- Gorgoderina orientalis distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgoderina skrababini distribution Sprehn, C. E. W., 1967 a
Europe
- Gorgoderina vitelliloba gut structure, digestion Halton, D. W., 1966 a
- Gorgoderina vitelliloba phosphatase activity Halton, D. W., 1967 a
- Gorgoderina vitelliloba (Olsson, 1876) (Cercaria macrocerca Filippi, 1954) Sphaerium corneum
- Gorgoderina vitelliloba Pisidium amnicum Kiselienė, V. K., 1966 a
Lithuanian SSR
- Gorgoderina vitelliloba distribution Kupriianova-Shakhmatova, R. A., 1965 a
USSR, central Povolzh'e
- Gorgoderina vitelliloba distribution Sprehn, C. E. W., 1967 a
Europe
- Gowrococoecum [lapsus for: Gowrococaeum] Kaletskaià, S. L., 1965 a
- Gymnophallus affinis distribution Sprehn, C. E. W., 1967 a
Europe
- Gymnophallus bursicola Venerupis (Amygdala philip- pinarum) Ichihara, A., 1963 a
Bay of Tokyo
- Gymnophallus deliciosus (Olsson, 1893) Larus argentatus (gall bladder) Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a
North Carolina
- Gymnophallus deliciosus Larus argentatus Guildal, J. A., 1968 a, 61, 64
South Harbour of Copenhagen
- Gymnophallus deliciosus (Olsson, 1893) (gall bladder) Leonov, V. A.; Belogurov, U. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 1/4
all from USSR, Kamchatka
- Gymnophallus deliciosus (Olsson, 1893) Larus argentatus Threlfall, W., 1966 c, 7
Wales
- Gymnophallus deliciosus (Olsson, 1893) Larus marinus Threlfall, W., 1968 b
Newfoundland, Canada
- Gymnophallus fossarum n. sp. Bartoli, P., 1966 c, 571-580, figs. 1-4
Cardium edule
Tapes decussatus
Larus argentatus
michaellis (exper.) all from Fos-sur-mer Bouches-du-Rhône, France
- Gymnophallus macroporus distribution Sprehn, C. E. W., 1967 a
Europe
- Gymnophallus nereiscola as syn. of Meiogymno- phallus minutus (Cobbold, 1859) comb. nov. Bowers, E. A.; and James, B. L., 1967 a, 294
- Gymnophallus oedemiae as syn. of Meiogymno- phallus minutus (Cobbold, 1859) comb. nov. Bowers, E. A.; and James, B. L., 1967 a, 294
- Gymnophallus oidemiae [sic] distribution Sprehn, C. E. W., 1967 a
Europe
- Gymnophallus ovoplenus distribution Sprehn, C. E. W., 1967 a
Europe

- Gymnophallus skrjabini* sp. nov.
(large intestine)
Somateria fischeri
S. spectabilis
- Gynaecotyla adunca* Linton, 1905
(small intestine)
Larus argentatus
L. atricilla
- Gynaecotyla nassicola* Cable et coll., 1938
key
- Gynaecotyla riggini* Dery, 1958
Catoptrophus semipalmatus (liver ?)
- Gynaecotylinae* Guschanskaia 1952
Microphallidae, key
- Gyrobascus* [sic] *brevigastrus* Macy, 1935
Miniopterus schreibersii
- Gyrobascus*. See *Gyrabascus*.
- Gyrocotylida* Llewellyn, 1965
subclass of Monogenea
- Gyrodactilus* [lapsus for: *Gyrodactylus*] Ivasik, V. M.; and Sutiagin, V. S., 1966 a
- Gyrodactylus* [lapsus as: *Gyrodactilus*] Ivasik, V. M.; and Sutiagin, V. S., 1966 a
- Gyrodactylus ammonia* Kanaev, A. I., 1964 a
- Gyrodactylus* Nordmann, 1832, emend.
key to species from Pacific tomcod
- Gyrodactylus von Nordmann*, 1832
Gyrodactylidae; *Gyrodactylinae*, key
- Gyrodactylus Nordmann*, 1832
Gyrodactylidae
- Gyrodactylus* sodium chloride, fish
- Gyrodactylus* sp. *Salmo trutta*
- Gyrodactylus* sp. fish
- Gyrodactylus* spp. channel catfish, treatment
- Gyrodactylus* [sp.] (Nordmann, 1832)
Gasterosteus aculeatus (fins)
- Gyrodactylus* sp. 1 Barbus barbus (ploutve, žábra)
- Ryzhikov, K. M., 1963 f, 130-132, fig. 1 all from Chukotka (Uelen)
- Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina
- Deblock, S.; and Tran Van Ky, P., 1966 a, 53
- MacInnis, A. J., 1966 a, 60-62 Alligator Harbor, Franklin County, Florida
- Deblock, S.; and Tran Van Ky, P., 1966 a, 35, 53
- Mituch, J., 1965 a, 115, 117, 119 Slovakia (CSSR)
- Ivasik, V. M.; and Sutiagin, V. S., 1966 a
- Kanaev, A. I., 1964 a
- Kritsky, D. C.; and Mizelle, J. D., 1968 a, 205
- Mizelle, J. D.; and Kritsky, D. C., 1967 b, 265, 269
- Price, C. E., 1967 e, 379, 384-385
- Prost, M., 1966 a, 3, 4, 15, 18, 19, 22, 23
- Shcherbina, A. K., 1960 a
- Aderounmu, E. A., 1966 a Chirk Hatchery, [Wales]
- Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Allison, R., 1965 a
- Arme, C.; and Owen, R. W., 1967 a, 302 Farnley, Leeds
- Ergens, R., 1965 c, 152, 153, fig. 7 Fluss Osoblahta (Oder Gebiet)
- Gyrodactylus sp. 2 Gobio gobio (ploutve, žábra)
- Gyrodactylus sp. Phoxinus lagowskii (skin)
- Gyrodactylus [sp.] [Cyprinus carpio]
- Gyrodactylus sp. [Phoxinus phoxinus]
- Gyrodactylus sp. Gasterosteus aculeatus (skin and fins) Phoxinus phoxinus (gills, skin, fins)
- Gyrodactylus sp. Istiblennius zebra (gills) Hawaii
- Gyrodactylus [sp.] [Salmo salar] losos formalin
- Gyrodactylus sp. Barbus barbus Rutilus rutilus Abramis brama Cyprinus carpio
- Gyrodactylus sp. distribution
- Gyrodactylus ackerti sp. n. Platichthys stellatus (gills)
- Gyrodactylus aggregata sp. n. Cymatogaster aggregata (skin)
- Gyrodactylus alabamensis sp. n. Nocomis leptcephalus bellicus
- Gyrodactylus albaniensis Ergens, 1960 as syn. of *Gyrodactylus markewitschi* Kulakowskaja, 1951
- Gyrodactylus albaniensis Ergens, 1960 River Hron Barbus meridionalis petényi (Kiemenblättchen)
- Gyrodactylus albeoli sp. n. Notropis albeolus
- Gyrodactylus alexanderi sp. n. Gasterosteus aculeatus (skin)
- Gyrodactylus antarcticus A. Gussev, sp. n. Trematomus newnesi (gill filaments)
- Ergens, R., 1965 c, 153, fig. 2 Fluss Osoblahta (Oder Gebiet)
- Ergens, R.; and Dulmaa, A., 1967 a, 329, 333, fig. 5b Mongolia
- Turpalova, N. M.; and Maslenikova, E. I., 1964 a Moldavia
- Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Kane, M. B., 1966 a, 213 all from Ireland
- Noble, E. R., 1966 c Parshuta, V. V., 1968 a
- Prost, M., 1966 a, 16, 18, 19 all from Polsce
- Sprehn, C. E. W., 1967 a Europe
- Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 265, 266, 267, 1 fig. Bodega Bay, Sonoma County, California
- Mizelle, J. D.; and Kritsky, D. C., 1967 d, 132, 133, 134, 135, 136, figs. 18-22, 39 Pacific Ocean, Bodega Bay, California
- Rogers, W. A., 1968 b, 490, 491, 492, 494, fig. 5 Auburn, Lee County, Alabama
- Zitňan, R., 1965 a River Hron Barbus meridionalis petényi (Kiemenblättchen)
- Rogers, W. A., 1968 b, 490, 493, 494, fig. 8 Roanoke River, Montgomery County, Virginia
- Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 265, 266, 267, 268, 1 fig. Stow Lake (San Francisco), San Francisco County, California
- Gusev, A. V., 1967 a, 188-189, fig. 2 Deivisa Sea and Reid Mirnogo

| | | | |
|---|--|--|--|
| Gyrodactylus aphredoderi sp. n. Aphredoderus sayanus (fins and body) | Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 978, 979, figs. 1-5 Dallas County, Alabama | Gyrodactylus bychowskyi Sproston, 1946 (?) Abramis brama (Kiemenblättchen) | Zithan, R., 1965 a, fig. 5 River Hron |
| Gyrodactylus aphyae Malmberg, 1956 Phoxinus phoxinus (fins, gills) | Ergens, R.; and Dulmaa, A., 1967 a, 325, 326, fig. 3a Mongolia | Gyrodactylus californiensis n. sp. key Microgadus proximus (external surface) | Mizelle, J. D.; and Kristsky, D. C., 1967 b, 263, 265, 266, 267, 269, figs. 4-10 Pacific Coast of California, near Bodega Bay and San Francisco |
| Gyrodactylus armatus sp. n. Leptocottus armatus (external surface) | Crane, J. W.; and Mizelle, J. D., 1967 a, 270, 271, figs. 1-7 Pacific Ocean, Bodega Bay, Sonoma Co., California | Gyrodactylus campostomae sp. n. Campostoma anomalum (fins, body) | Wellborn, T. L. (jr.), 1967 a, 55, 56, 57, 58, figs. 6-10 Lee County, Alabama; Kentucky |
| Gyrodactylus asperus sp. n. Notropis baileyi | Rogers, W. A., 1967 d, 747, 749, 750, figs. 17-21 Auburn, Lee Co., Alabama | Gyrodactylus campostomae Wellborn, 1967 Campostoma anomalum (gills and external surface) | Kristsky, D. C.; and Mizelle, J. D., 1968 a, 207, figs. 1-5 Lower Little River, Fauquier Co., Va. |
| Gyrodactylus atherinæ distribution | Sprehn, C. E. W., 1967 a Europe | Gyrodactylus carpio n. sp. Cyprinus carpio (gills) | Kristsky, D. C.; and Mizelle, J. D., 1968 a, 205, 208-209, figs. 1-5 Bull Shoals Reservoir, Marion Co., Ark. |
| Gyrodactylus auriculatus Nordmann, 1832 as syn. of Dactylogyrus auriculatus (Nordmann, 1832), Kycelix, 1937 | Frost, M., 1966 a, 6 | Gyrodactylus cernuae Malmberg, 1956 Syn: Gyrodactylus wageneri cernuae Malmberg, 1956; Gyrodactylus raabei Frost, 1957 Acerina cernua | Prost, M., 1966 a, 15, 18, 22, 23 Polsce |
| Gyrodactylus australis A. Gussev, sp. n. (gill filaments) Trematomus scotti Trematomus eulepidotus | Gusev, A. V., 1967 a, 187-188, fig. 1 Zemli Printsessy Elizavety Berega Larsa Kristensen and Berega Printsessy Ragnkhil'dy | Gyrodactylus chinensis Lin Mo-en, 1962 | Jaczó, I. ² , 1966 a |
| Gyrodactylus baeacanthus sp. n. Notropis venustus (fins and body) | Wellborn, T. L. (jr.); and Rogers, W. A., 1967 a, 10, 11, 13, figs. 18-22 Seminole County, Georgia; Macon County, Alabama; East Feliciana Parish, Louisiana | Gyrodactylus chondrostomatis Zithan, 1964 Chondrostoma nasus (Flossen) | Zithan, R., 1965 a Hron River |
| Gyrodactylus baeacanthus Wellborn and Rogers, 1967 Notropis amoenus (gills and external surface) | Kristsky, D. C.; and Mizelle, J. D., 1968 a, 207, figs. 1-5 Shenandoah River, Clarke Co., Berryville, Va. | Gyrodactylus chondrostomi n. sp. Chondrostoma nasus (gills) | Ergens, R., 1967 a, 377, fig. 1a River Tisa near Rakocziuj-falu (Central Hungary) |
| Gyrodactylus bodegaensis sp. n. Clinocottus acuticeps (skin) | Mizelle, J. D.; and Kristsky, D. C., 1967 d, 132, 133, 134, 135, 136, figs. 23-28, 42 Pacific Ocean, Bodega Bay, California | Gyrodactylus cobitis distribution | Sprehn, C. E. W., 1967 a Europe |
| Gyrodactylus branchius sp. n. Platichthys stellatus (gills) | Mizelle, J. D.; and Kristsky, D. C., 1967 a, 264, 266, 267, 268, 1 fig. Bodega Bay, Sonoma County, California | Gyrodactylus corti sp. n. Anarrhichthys ocellatus (gills) | Mizelle, J. D.; and Kristsky, D. C., 1967 a, 264, 266, 267, 268, 269, 1 fig. Steinhart Aquarium, San Francisco, California |
| Gyrodactylus bretinae sp. n. Etheostoma stigmatum (fins, body) | Wellborn, T. L. (jr.), 1967 a, 55, 56, 58, figs. 1-5 Clay County, Arkansas | Gyrodactylus cranei sp. n. key Microgadus proximus (external surface) | Mizelle, J. D.; and Kristsky, D. C., 1967 b, 263, 266, 267, 269, figs. 11-17 Pacific Coast of California, near Bodega Bay and San Francisco |
| Gyrodactylus brevis sp. n. Salmo gairdneri (external surface) Hesperoleucus navarroensis (external surface) | Crane, J. W.; and Mizelle, J. D., 1967 a, 270, 271, 272, figs. 8-13 all from Navarro River, Mendocino Co., California | Gyrodactylus crenilabri Zaika n. sp. excretory system Crenilabrus griseus (surface and gills) | Zaika, V. E., 1966 b, 500-501, fig. 1 Black Sea in region of Sevastopol |
| Gyrodactylus bullatarudis Turnbull, 1956 Lebiasina reticulata (fins and body) | Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 981 Lee County, Alabama | Gyrodactylus cruciatus Wedi, 1857 as syn. of Ancyrocephalus cruciatus (Wedi, 1857), Lühe, 1909 | Frost, M., 1966 a, 14 |
| Gyrodactylus ctenopharinodon [Ctenopharyngodon idella] | | Gyrodactylus ctenopharinodon [Ctenopharyngodon idella] | Bauer, O. N.; Babaev, B.; and Strelkov, Iu. A., 1963 a all from Karakum canal |

- Gyrodactylus cyprini
S. O. Osmanov, 1964
fish
- Gyrodactylus cyprini
Diarova, 1964
[*Cyprinus carpio*]
- Gyrodactylus cyprini n. sp.
Cyprinus carpio
(Kiemen; Haut; Flossen)
- Gyrodactylus cyprini
Diarova, 1964
Cyprinus carpio
- Gyrodactylus cyprinodon-
tis sp. n. (skin)
Cyprinodon nevadensis
nevadensis
- Gyrodactylus decorus
Malmberg, 1956
(ploutve)
Alburnus alburnus
Leuciscus cephalus
- Gyrodactylus decorus
[*Alburnus alburnus*]
- Gyrodactylus decorus
Malmberg, 1956
(Flossen)
Scardinius erythrophthalmus
Alburnus alburnus
- Gyrodactylus elegans
fish
- Gyrodactylus elegans
- Gyrodactylus elegans
[*Cyprinus carpio*]
[*Tinca tinca*]
[*Salvelinus alpinus*]
- Gyrodactylus elegans
Nordmann
Blicca björkna (derm)
- Gyrodactylus elegans
[*Cyprinus carpio*]
- Gyrodactylus elegans
[*Cyprinus carpio*] (skin)
- Gyrodactylus [sic] elegans
[*Cyprinus carpio*] (gills)
- Gyrodactylus elegans
paraformaldehyde, epizootic prevention, minnow
hatcheries
- Gyrodactylus elegans
chlorine, quick dip,
golden shiner, fathead minnow, and green sunfish
- Gyrodactylus elegans
chemistry and evolution,
sclerites
- Allamuratov, B. K., 1965 b
South-Surkhanskoe reservoirs
- Diarova, G. S., 1967 a
Alma-Ata pond fisheries
- Kollmann, A., 1968 b, 36-42,
figs. 1-2
Nähe von Erlangen (Mittel-
franken)
- Rogers, W. A., 1968 b, 490,
491, 492, fig. 3
Lake Eufaula, Barbour
County, Alabama
- Mizelle, J. D.; and Kritsky,
D. C., 1967 a, 264, 266, 267,
269, 1 fig.
Saratoga Springs (Death
Valley), Inyo County,
California
- Ergens, R., 1965 c, 149
all from Fluss Osoblaha
(Oder Gebiet)
- Kaletskaia, S. L., 1965 a
Zapadnaia Dvina
- Zitňan, R., 1965 a
all from River Hron
- Christensen, N. O., 1966 a;
fig. 30
- Diarova, G. S., 1967 a
all from Alma-Ata pond
fisheries
- Huculak, F., 1965 a, 285
Kozłowa Góra reservoir
- Iskov, M. P., 1963 a
Kakhovsk reservoir
- Ivasik, V. M., 1961 c, 266,
268
Ukriane
- Ivasik, V. M.; and Sutlagin,
V. S., 1966 a
Tissa river
- Lewis, S. D., 1967 a
paraformaldehyde, epizootic prevention, minnow
- Lewis, W. M.²; and Ulrich, M.
G., 1967 a
- Lyons, K. M., 1966 a
- Gyrodactylus elegans
fish rearing ponds
- Gyrodactylus elegans
Gillichthys mirabilis
"mudskipper" (gills)
- Gyrodactylus elegans
von Nordmann, 1832
Carassius auratus
- Gyrodactylus elegans Nord-
mann, 1832
Abramis brama
- Gyrodactylus elegans
chlorophos; neguvon; and
trichlorphon, farm fish
- Gyrodactylus elegans
distribution
- Gyrodactylus elegans
(Nordmann, 1832)
(gills, fins)
[*Rutilus rutilus*]
[*Carassius carassius*]
- Gyrodactylus elegans
Nordmann, 1832
(Kiemenblättchen, Flossen, Haut)
Cyprinus carpio
Carassius carassius
Tinca tinca
Gobio gobio
- Gyrodactylus elongatus
sp. n.
key
Microgadus proximus
(external surface)
- Gyrodactylus ensatus sp. n.
Dicamptodon ensatus
(external surface)
- Gyrodactylus etheostomae
sp. n.
Etheostoma radiosum
(fins and body)
- Gyrodactylus eucaliae
Ikezaki and Hoffman, 1957
Eucalia inconstans
(external surface)
- Gyrodactylus fairporti
Van Cleave, 1921
redescription
- Gyrodactylus fairporti
Van Cleave, 1921
Ictalurus nebulosus marmor-
atus
- Maslenikova, E. I.; and
Cheremisina, V. I., 1963 a
Moldavia
- Noble, E. R., 1963 c
southern California coast
- Nowlin, W. J.; Price, C. E.;
and Schlueter, E. A., 1967 a
Texas
- Prost, M., 1966 a, 15, 18,
22, 23
Polsce
- Prost, M.; and Studnicka, M.,
1966 b
- Sprehn, C. E. W., 1967 a
Europe
- Vasil'kov, G. V.; Kamenskii,
I. V.; Biriukova, L. P.; and
Ponomareva, E. V., 1965 a
all from Moskov area
reservoirs
- Zitňan, R., 1965 a
all from River Hron
- Mizelle, J. D.; and Kritsky,
D. C., 1967 b, 263, 266, 267,
268, 269, figs. 18-22
Pacific Coast of California,
near Bodega Bay and San
Francisco
- Mizelle, J. D.; Kritsky,
D. C.; and Bury, R. B.,
1968 a, 281-282, figs. 1-3
Arcata, California
- Wellborn, T. L. (jr.); and
Rogers, W. A., 1967 a, 10, 11,
12, figs. 1-5
Fulton County, Arkansas
- Kritsky, D. C.; and Mizelle,
J. D., 1968 a, 209, figs. 1-
5
Cottonwood Lake, McHenry
Co., N. Dak.
- Kritsky, D. C.; and Mizelle,
J. D., 1968 a, 211, figs. 1-
5
- Rogers, W. A., 1968 b, 490,
491, fig. 1
Lake Thallocca, Dale County,
Alabama
- Gyrodactylus falcatus Wedl, Prost, M., 1966 a, 8
1857
as syn. of *Dactylogyrus falcatus* (Wedl, 1857), Diesing,
1858

| | | | |
|---|--|---|---|
| Gyrodactylus gambusiae sp. n. | Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 978, 979, figs. 11-15 Putnam County, Florida | Gyrodactylus lacustricola sp. n. Erinnyzon sucetta | Rogers, W. A., 1967 d, 747, 749, 750, figs. 22-26 Poundstones Lake, Montgomery Co., Alabama; Lake Seminole, Seminole Co., Georgia; Edisto River, Orangeburg Co., South Carolina |
| Gyrodactylus gloriosi sp. n. | Rogers, W. A., 1968 b, 490, 493, 494-495, fig. 9 Lake Seminole, Seminole County, Georgia | | |
| Emeacanthus gloriosus | | | |
| Gyrodactylus gobii fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | | |
| Gyrodactylus gobii [Gobio gobio] | Kaletskaia, S. I., 1965 a Zapadnaia Dvina | | |
| Gyrodactylus gobioninum fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | | |
| Gyrodactylus gobionium [sic] Gussev, 1955 | Ergens, R., 1965 c, 149 Fluss Osotlaha (Oder Gebiet) | | |
| Gobio gobio (ploutve, kúze) | | | |
| Gyrodactylus gobioninum Gussev, 1955 (Flossen) | Zitňan, R., 1965 a all from River Hron | | |
| Gobio gobio | | | |
| G. albipinnatus | | | |
| Gyrodactylus gracilis Kathariner, 1894 | Prost, M., 1966 a, 15, 18, 19, 22, 23 Polsce | | |
| Rutilus rutilus | | | |
| Gyrodactylus gracilis distribution | Sprehn, C. E. W., 1967 a Europe | | |
| Gyrodactylus heterodactylus sp. n. | Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 978, 979-980, figs. 16-20 Dallas County, Alabama | | |
| Elassoma zonatum (fins and body) | | | |
| Gyrodactylus hoffmani sp. n. | Wellborn, T. L. (jr.); and Rogers, W. A., 1967 a, 10, 11, 12, figs. 6-10 Lee County, Alabama | | |
| Pimephales promelas (fins, body) | | | |
| Gyrodactylus hronosus Zitňan, 1964 | Zitňan, R., 1965 a (Flossen) | | |
| Alburnus alburnus | | | |
| Alburnoides bipunctatus | | | |
| Gyrodactylus ictaluri sp. n. | Rogers, W. A., 1967 d, 747, 749, figs. 1-6 Lake Talquin, Gadsden Co., Florida | | |
| Ictalurus punctatus | | | |
| Gyrodactylus illigatus sp. n. | Rogers, W. A., 1968 b, 490, 493, 494, fig. 7 Lake Demopolis, Marengo County, Alabama | | |
| Notropis shumardi | | | |
| Gyrodactylus imperialis sp. n. | Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 266, 267, 269, 1 fig. (Salton Sea), Imperial County, California | | |
| Gillichthys mirabilis (skin) | | | |
| Gyrodactylus ivindoensis Price and Gery, in press [nomen nudum] | Price, C. E., 1967 e, 384 Gabon (from River Mounianghi into Ivindo, near Makokou) | | |
| Barbus guilari holotaenia | | | |
| | | Gyrodactylus luci Kulakowskaja, 1952 Phoxinus lagowskii (skin) | Ergens, R.; and Dulmaa, A., 1967 a, 328, 329, 330, fig. 6d Mongolia |
| | | | |
| | | Gyrodactylus luci Kulakowskaja, 1952 (Flossen) Esox lucius Perca fluviatilis | Zitňan, R., 1965 a all from Hron River |
| | | | |
| | | | |

- Gyrodactylus macrochirri Hoffman and Putz, 1964 (fins and body) Lepomis macrochirus L. punctatus Chaenobrytus gulosus Gyrodactylus macrocornis n. sp. Chondrostoma nasus (Flossen) Gyrodactylus macrocornis Ergens, 1963 Chondrostoma nasus (ploutve) Gyrodactylus macronychus Malmberg, 1956 Phoxinus phoxinus (ploutve) Gyrodactylus macronychus Malmberg, 1956 Phoxinus phoxinus (fins, gills, nasal cavities) Gyrodactylus macronychus Malmberg, 1956 Phoxinus phoxinus (Flossen) Gyrodactylus magniclypeus sp. n. Moxostoma cervinum Gyrodactylus magnificus Mlamberg [sic], 1956 Rutilus rutilus (ploutve) Gyrodactylus magnificus Malmberg, 1956 (fins, gills, nasal cavities) Phoxinus phoxinus P. lagowskii Gyrodactylus magnificus Malmberg, 1956 Rutilus rutilus (olfactory fossa) Gyrodactylus magnificus Malmberg, 1956 [Rutilus rutilus] [Carassius carassius] [Blicca bjoerkna] Gyrodactylus malmbergi Ergens, 1961 Barbus barbus B. meridionalis petény Gyrodactylus markakulenis [sic] Gvozdev, 1950 Cobio gobio (ploutve, zábra) Gyrodactylus markakulensis Gwosdew, 1950 (Kiemenblättchen) Gobio gobio G. albipinnatus Gyrodactylus markewitschi Kulakowskaja, 1951 Syn.: Gyrodactylus albaniensis Ergens, 1960 Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 981 Perry County, Alabama Marion County, Florida " " Ergens, R., 1964 b, 735-736 fig. 1 Fluss Toplá bei Bardejov der Fluss Osoblaha bei Oso-blaha, Tschechoslowakei Ergens, R., 1965 c, 149-150, fig. 3 Fluss Osoblaha (Oder Gebiet) Ergens, R., 1965 c, 150 Fluss Osoblaha (Oder Gebiet) Ergens, R.; and Dulmaa, A., 1967 a, 329, 330, fig. 6a-c Mongolia Zitňan, R., 1965 a Hron River Phoxinus phoxinus (Flossen) Rogers, W. A., 1968 b, 490, 493, 494, fig. 10 Roanoke River, Montgomery County, Virginia Ergens, R., 1965 c, 150, fig. 4 Fluss Osoblaha (Oder Gebiet) Ergens, R.; and Dulmaa, A., 1967 a, 330, 331, fig. 6e all from Mongolia Phoxinus phoxinus (olfactory fossa) Ha, K., 1964 a, fig. 3 Alol group of lakes (Pskov oblast) Smirnova, T. S.; Strelkov, Iu. A.; Timofeev, V. A.; and Shul'man, S. S., 1964 a all from oz. Óstrovito (basin of river Velikaia) Zitňan, R., 1965 a, fig. 6 all from Hron River Ergens, R., 1965 c, 150 Fluss Osoblaha (Oder Gebiet) Ergens, R., 1965 a all from Hron River Gyrodactylus medius [Cyprinus carpio] Gyrodactylus medius fish Gyrodactylus medius [Cyprinus carpio] [Tinca tinca] [Salvelinus alpinus] Gyrodactylus medius Kathariner, 1894 Cyprinus carpio Carassius carassius Pungitius pungitius Zoarcetes viviparus Gyrodactylus medius [Cyprinus carpio] (gills, skin and fins) Gyrodactylus medius distribution Gyrodactylus medius Kathariner, 1894 Onos mustelus (gills) Gyrodactylus medius Kathariner, 1894 Onos mustelus (gills, eyes, fins) Gyrodactylus medius Kathariner, 1894 Onos mustelus (gills, skin) Srivastava, L. P., 1966 d, 469, 473, fig. 1 Mumbles Head, Swansea Gyrodactylus medius (Kathariner, 1893) [Carassius carassius] (gills) Gyrodactylus megacanthus sp. n. (fins, body) Fundulus olivaceus F. notti Gyrodactylus minimus Malmberg, 1956 Phoxinus phoxinus (gills) Gyrodactylus minytremae sp. n. Minytrema melanops (fins, body) Gyrodactylus mirabilis sp. n. Cottus asper (skin) Gyrodactylus mutabilitas Bychowsky, 1957 (?) Carassius carassius (ploutve) Gyrodactylus nannus sp. n. Menidia beryllina Gyrodactylus nataliae sp. n. Hybopsis amblops Akhmerov, A. Kh., 1960 d lakes of Kelifskii Uzboi Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs Diarova, G. S., 1967 a all from Alma-Ata pond fisheries Prost, M., 1966 a, 15-16, 18, 19, 22, 23 all from Polsce Sedinkin, A. N., 1965 a USSR, Chelyabinsk oblast Sprehn, C. E. W., 1967 a Europe Srivastava, L. P., 1966 a Srivastava, L. P., 1966 b, 111 Mumbles Head, Swansea Srivastava, L. P., 1966 d, 469, 473, fig. 1 Mumbles Head, Swansea Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs Wellborn, T. L. (jr.); and Rogers, W. A., 1967 a, 10, 11, 12, 13, figs. 11-17, 28 Harrison County, Mississippi Perry County, Alabama Ergens, R.; and Dulmaa, A., 1967 a, 327, 332, fig. 4b Mongolia Wellborn, T. L. (jr.), 1967 a, 56, 58, figs. 16-20 Lee County, Alabama Mizelle, J. D.; and Kristsky, D. C., 1967 a, 264, 266, 267, 270, 1 fig. Elk River (Eureka), Humboldt County, California Ergens, R., 1965 c, 151, Fig. 5 Fluss Osoblaha (Oder Gebiet) Rogers, W. A., 1968 b, 490, 491, 492, fig. 4 Fish River, Baldwin County, Alabama Rogers, W. A., 1967 d, 747, 748, 749, figs. 12-16 Cahaba River, Bibb Co., Alabama

- Gyrodactylus navarroensis* sp. n. *Crane, J. W.; and Mizelle, J. D., 1967 a, 270, 271, 272, 273, figs. 14-20*
Ilesperoleucas navarroensis (external surface) *Navarro River, Mendocino Co., California*
- Gyrodactylus nebulosus* n. sp. *Kritsky, D. C.; and Mizelle, J. D., 1968 a, 205, 210, 212-213, figs. 1-5*
Ictalurus nebulosus (external surface) *Strawberry Lake, Ruso, McLean Co., N. Dak.*
- Gyrodactylus nemachili* [Salvelinus alpinus] *Diarova, G. S., 1967 a*
Alma-Ata pond fisheries
- Gyrodactylus nemachili* Bychowsky, 1936 *Ergens, R., 1965 c, 151*
Nemachilus barbatulus (ploutve)
- Gyrodactylus nemachili* Bychowsky, 1936 *Zitňan, R., 1965 a*
(Kiemenblättchen, Flossen, Haut)
- Nemachilus barbatulus*
Phoxinus phoxinus
Lampetra danfordi
- Gyrodactylus nevadensis* sp. n. *Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 266, 267, 270, 271, 1 fig.*
Cyprinodon nevadensis nevadensis (skin) *Saratoga Springs (Death Valley), Inyo County, California*
- Gyrodactylus olsoni* sp. n. *Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 266, 267, 271, 1 fig.*
Gillitchthys mirabilis (skin) *(Salton Sea), Imperial County, California*
- Gyrodactylus osoblahensis* n. sp. *Ergens, R., 1964 b, 736-737, fig. 2*
Leuciscus leuciscus (Flossen) *Fluss Osoblaho bei Osoblaho, Tschechoslowakei*
- Gyrodactylus osoblahensis* Ergens, 1963 *Ergens, R., 1965 c, 151-152, fig. 6*
Leuciscus leuciscus (ploutve) *Fluss Osoblaho (Oder Gebiet)*
- Gyrodactylus pacificus* sp. n. key *Mizelle, J. D.; and Kritsky, D. C., 1967 b, 263, 266, 268, 269, figs. 23-28*
Microgadus proximus (external surface) *Pacific Coast of California, near Bodega Bay and San Francisco*
- Gyrodactylus paralaevis* Ergens, 1966 (?) *Ergens, R.; and Dulmaa, A., 1967 a, 327, 332, fig. 4c*
Phoxinus sp. (gills) *Mongolia*
- Gyrodactylus parvicopula* [Abramis brama] *Gavrilitsa, L. A., 1964 a*
Dnestriv estuary
- Gyrodactylus parvicopula* Bykhovsky, 1933 *Frost, M., 1966 a, 16, 18, 22, 23*
Abramis brama *all from Polsce*
- Gyrodactylus parvicopula* distribution *Sprehn, C. E. W., 1967 a*
Europe
- Gyrodactylus parvicepula* Bychowsky, 1933 (Flossen) *Zitňan, R., 1965 a*
Abramis brama *all from Hron River*
Vimba vimba
- Gyrodactylus percinae* sp.n. *Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 978, 980, figs. 21-25*
Percina nigrofasciata (fins and body) *Lee County, Alabama*
- Gyrodactylus phoxini* Malmberg, 1956 *Ergens, R.; and Dulmaa, A., 1967 a, 326, 332, fig. 3b*
(gills, fins, nasal cavities) *all from Mongolia*
- Phoxinus phoxinus* P. lagowskii P. sp. *Zitňan, R., 1965 a*
Hron River
- Gyrodactylus phoxini* Malmberg, 1956 *Phoxinus phoxinus (Flossen)*
- Gyrodactylus prostae* n. sp. *Ergens, R., 1964 b, 738-739, fig. 3*
(all from Haut, Flossen, vereinzelt auch Kiemen)
Abramis brama
Blicca bjoerkna
Leucaspis delineatus
Leuciscus cephalus
L. leuciscus
Rutilus rutilus
- Gyrodactylus prostae* Ergens, 1963 *Ergens, R.; and Dulmaa, A., 1967 a, 332*
Phoxinus phoxinus (gills) *Mongolia*
- Gyrodactylus proterorhini* sp. n. *Ergens, R., 1967 a, 378, fig. 1b*
Proterorhinus marmoratus (fins, gills, skin) *river Danube near Komárno (southern Slovakia)*
- Gyrodactylus protuberus* sp. n. *Rogers, W. A.; and Wellborn, T. L. (jr.), 1965 a, 977, 978, 980-981, figs. 6-10*
Notropis uranoscopus (fins and body) *Perry County, Alabama*
- Gyrodactylus raabei* Frost, 1957 *Frost, M., 1966 a, 15*
as syn. of Gyrodactylus cernuae Malmberg, 1956
- Gyrodactylus rachelae* n. sp. *Price, C. E.; and McMahon, T. E., 1967 a, figs. 1-6*
Notemigonus crysoleucas *Milner's Branch, three mi. SE of Hollanville, Georgia*
- Gyrodactylus rarus* distribution *Sprehn, C. E. W., 1967 a*
Europe
- Gyrodactylus rhodei* Zitňan, R., 1964 *Zitňan, R., 1965 a*
Rhodeus sericeus amarus (Haut, Flossen) *Hron River*
- Gyrodactylus rogersi* sp. n. Mizelle, J. D.; and Kritsky, D. C., 1967 b, 263, 266, 268, 269, figs. 29-33 *Pacific Coast of California, near Bodega Bay and San Francisco*
- Gyrodactylus salaris* Malmberg, 1956 *Ergens, R., 1965 c, 152*
Trutta trutta m. fario (ploutve, kůže) *Fluss Osoblaho (Oder Gebiet)*
- Gyrodactylus salaris* [Salmo trutta m. fario] *Palii, M. A., 1963 a*
- Gyrodactylus salaris* [Salmo irrideus] *Palii, M. A., 1963 b*
western Ukrainian SSR

- Gyrodactylus galericis* Malmberg, 1956 Zitman, R., 1965 a
Salmo trutta m. fario (Flossen)
- Gyrodactylus caralensis* sp. n. Cyprinodon nevadensis nevadensis (skin) Mizelle, J. D.; and Kritsky, D. C., 1967 a, 264, 266, 267, 271, 272, 1 fig.
Caraloga Springs (Death Valley), Inyo County, California
- Gyrodactylus scutpinus* sp. n. Leptocottus armatus (external surface) Crane, J. W.; and Mizelle, J. D., 1967 a, 270, 271, 272-273, figs. 21-28
Pacific Ocean, Bodega Bay, Sonoma Co., California
- Gyrodactylus zedekovi* Gozdev, 1960 Nemacheilus barbatus (ploutve) Ergens, R., 1965 c, 152
Fluss Osoblaha (Oder Gebiet)
- Gyrodactylus slovacicus* n. sp. *Umbrakrameri* (Haut, Flossen) Ergens, R., 1964 b, 739-740
fig. 4
blinder Arm der Donau bei Dunajská Streda, Tschechoslowakei
- Gyrodactylus stellatus* sp. n. Matichtys stellatus (external surface) Crane, J. W.; and Mizelle, J. D., 1967 a, 270, 271, 273, figs. 29-35
Pacific Ocean, Bodega Bay, Sonoma Co., California
- Gyrodactylus stanckardi* n. sp. *Caleostomus occidentalis* (external surface) Kritsky, D. C., and Mizelle, J. D., 1968 a, 205, 210, 213-214, figs. 1-5
Salinus River, San Lucas, Monterey Co., Calif.
- Gyrodactylus tennesseensis* sp. n. *Chromis erythropterus* Rogers, W. A., 1968 b, 400, 413, 424, fig. 6
Buffalo River, Wayne County, Tennessee
- Gyrodactylus thymallus* Zitman, R., 1965 a
Thymallus thymallus (Flossen)
- Gyrodactylus trematoelitis* sp. n. *Iacanthia goodei* Rogers, W. A., 1967 d, 747, 749, 750-751, figs. 27-32
Ruemore Mill Spring, Houston Co., Alabama
- Gyrodactylus vanleweei* sp. n. *Hexagrammos superciliatus* (skin) Mizelle, J. D.; and Kritsky, D. C., 1967 d, 132, 133, 134, 135-136, figs. 29-37
Pacific Ocean, Bodega Bay, California
- Gyrodactylus vicinus* fish Allamurat-w. B. K., 1965 b
South-Sarkhansko reservoirs
- Gyrodactylus vimbi* Sulman, 1953 Zitman, R., 1965 a
Vimba vimba (Flossen)
- Gyrodactylus viriosus* sp.n. Hypontelium otowanum II. nigriceps Wellborn, T. L. (jr.); and Rogers, W. A., 1967 a, 10, 11, 13-14, figs. 23-27
Gilmer County, Georgia
Transylvania County, North Carolina
- Gyrodactylus wageneri* aphyae Ergens, R., 1965 c, 152
Malmberg, 1956 Fluss Osoblaha (Oder Gebiet)
Phoxinus phoxinus (ploutve)
- Gyrodactylus wageneri* aphyae Malmberg, 1956 Phoxinus phoxinus (Flossen, Haut)
- Gyrodactylus wageneri cer-* Prost, M., 1966 a, 15
mae Malmberg, 1956 as syn. of *Gyrodactylus cernuae* Malmberg, 1956
- Gyrodactylus wageneri* scar- Ergens, R., 1965 c, 152
dinia Malmberg, 1956 all from Fluss Osoblaha
(ploutve, kuke)
Alburnus alburnus
Carassius carassius
Leuciscus cephalus
L. leuciscus
Rutilus rutilus
- Gyrodactylus wageneri* Zitman, R., 1965 a
scardinii Malmberg, 1956 all from Fluss River
(Kiemenblättchen, Flossen)
Cyprinus carpio
Rutilus rutilus
R. pigus virgo
Leuciscus leuciscus
L. cephalus
Scardinius erythrophthalmus
Barbus meridionalis petenyi
Alburnus alburnus
Blicca bjoerkna
- Gyrodactylus wageneri* tinea Malmberg, 1956 Zitman, R., 1965 a
Tinea tinea (Flossen)
- Gyrodactylus wardi* n. sp. *Caleostomus occidentalis* (external surface) Kritsky, D. C.; and Mizelle, J. D., 1968 a, 205, 210, 214-215, figs. 1-5
Salinus River, San Lucas, Monterey Co., Calif.
- Gyrodactylus wellborni* n. sp. *Notemigonus crysoleucus* (body and fins) Nowlin, W. J., 1968 a, pp. 29-30, figs. 1-9
Auburn, Alabama
- Gyrodactylus wellborni* n.sp. *otomigonus crysoleucus* (body and fins) Nowlin, W. J., 1968 b, 20-30, figs. 1-9
Auburn, Alabama

- Haematoloechiae Freitas and Lent Odening, K., 1960 h, 1-19
Ssns.: Haplometrinae Pratt, 1902; Saphedratinae Baer, 1924
key to genera
- Haematoloechus life cycle charts, instructions for keeping living material as teaching aid Bailey, H. H.; and McDaniel, J. S., 1965 a, fig. 1
- Haematoloechus key to French species Combes, C., 1965 b, 465
- Haematoloechus key to South American species Mañe Garzón, F.; and Gil Solares, O., [1961 b], 221-222
- Haematoloechus Looss Haematoloechiae, key Odening, K., 1960 h, 17, 19-21
key to subgenera and species
- Haematoloechus subgen. of Haematoloechus, 21 Odening, K., 1960 h, 19, 20-
key
key to sp. and ssp.
- Haematoloechus sp. neurosecretory cells Bonner, T. P., 1968 a
- Haematoloechus sp. Rana ridibunda (lung) Buchvarov, G. K., 1965 a
Kirdjali District, Bulgaria
- Haematoloechus sp. Bufo woodhouseii fowleri (lungs) Campbell, R. A., 1968 a
Pocahontas State Park, Virginia
- ?Haematoloechus (Haematoloechus?) sp., ssp. (Eckstein) Odening, K., 1960 h, 19, 20, 24,
keys
Syn.: Distomum ellipticum (variegatum?), Eckstein, 1922
Bombina bombina Murnauer Moos, Deutschland
- 1899
key
- Haematoloechus asper Looss Combes, C., 1965 b, 465
- Haematoloechus asper (plifca) Rana esculenta Kozák, A., 1966 a, 606, 607
Kosic, CSSR
- Haematoloechus asper distribution Sprehn, C. E. W., 1967 a
Europe
- Haematoloechus asper Rana esculenta R. ridibunda Tscherner, W., 1966 a, 260
all from Germany
- Haematoloechus (Anomolecithus) asper asper Looss Odening, K., 1960 h, 41-42,
43, fig. 35
key
Syn.: Monostoma bombynae Zeder, 1800
+Rana esculenta all from Europe
+R. ridibunda
R. temporaria
R. a. arvalis ?
Bombina bombina
Bufo bufo bufo
- Haematoloechus (Anomolecithus) asper lipsiensis Odening, 1958 Odening, K., 1960 h, 41, 42, 43,
fig. 36
Deutschland
key
+Rana esculenta
- Haematoloechus (Haematoloechus) australis (Johnston) Odening, K., 1960 h, 4, 19, 21,
28-29, figs. 6a-c, 22
keys all from New South Wales
+Hyla aurea
+Limnodynastes peronii
- ?Haematoloechus (Skrjabinoces) breviansa Sudarikov Odening, K., 1960 h, 49, 50,
51, fig. 46
key
+Rana ridibunda
Wolga-Gebiet, UdSSR
- Haematoloechus breviansa distribution Sprehn, C. E. W., 1967 a
Europe
- Haematoloechus brevplexus Stafford, 1902 Odening, K., 1960 h, 2, 19, 21,
(lungs)
Rana catesbeiana
Rana clamitans all from Pocahontas State Park, Virginia
- Haematoloechus brevplexus life history, sporocyst development Odening, K., 1960 h, 19, 20,
24, 25, fig. 17
Rana pretiosa (exper.)
Aeshna multicolor (exper.)
Gyraulus similaris (exper.)
- Haematoloechus (Haematoloechus) brevplexus breviplexus Stafford Odening, K., 1960 h, 2, 19, 21,
keys 33, 35, figs. 4f, 27
Rana clamitans Indiana, Michigan
R. catesbeiana Canada; Indiana
+R. pipiens "
Bufo terrestris americanus Oklahoma
- Haematoloechus (Haematoloechus) brevplexus floedae Harwood Odening, K., 1960 h, 19, 21,
[n. comb.] 33-34, fig. 28
keys
Syns: Haematoloechus floedae Harwood, 1932; H. uniplexus Harwood, 1932
Rana catesbeiana Texas, Florida
R. clamitans "
R. pipiens sphenocephala "
Harwood
- Haematoloechus (Haematoloechus) buttensis Ingles, Odening, K., 1960 h, 19, 21,
1936 39, 40, fig. 34
keys
+Rana boylii Butte Co., California

- Haematoloechus coloradensis* Parry, J. E.; and Grundmann, A. W., 1965 a
Bufo microscaphus all from Utah
Rana pipiens
- Haematoloechus (Ostiolum) dollfusinus* Odening, K., 1960 h, 61
 as syn. of *Ostiolum dollfusinum* (Odening)
- Haematoloechus elongatus* Odening, K., 1960 h, 54
 Caballero & Sokoloff, 1934
 as syn. of *Ostiolum elongatum* (Caballero & Sokoloff) 1934.
- Haematoloechus exoterorchis* Fischthal, J. H.; and Thomas, J. D., 1968 a, 2
 Rees, 1964
Dicroglossus occipitalis Achimota, Cape Coast, Legon, Nungua, Pokoasi; Ghana
 (Rana o.) (lungs)
- Haematoloechus floedae* Jacobs, B.; and Morrison, E. O., 1966 a
 Harwood
Rana catesbeiana (larynx) Jefferson Co., Texas
- Haematoloechus floedae* Odening, K., 1960 h, 33
 Harwood, 1932
 as syn. of *Haematoloechus (H.) brevplexus floedae* Harwood
- Haematoloechus freitasi* n. Mañe Garzón, F.; and Gil Solares, O., [1961 b], 217-219, 220, 221, figs. 1-3
 key
Leptodactylus ocellatus Banado Tropa Vieja, departamento de Canelones, Uruguay (pulmón)
- Haematoloechus fuelleborni* Mañe Garzón, F.; and Gil Solares, O., [1961 b], 222
 key
- Haematoloechus (Anomolecithus) fuelleborni* Odening, K., 1960 h, 2, 41, 47, 48, figs. 3b, 43
 (Travassos & Darriba)
 key
 +*Bufo marinus*
- Haematoloechus illimis* Odening, K., 1960 h, 55
 Caballero, 1942
 as syn. of *Ostiolum illime* (Caballero)
- Haematoloechus iturbei* Mañe Garzón, F.; and Gil Solares, O., [1961 b], 221
 key
- Haematoloechus (Haematoloechus) kernensis* Ingles Odening, K., 1960 h, 19, 20, 39, 40, fig. 33
 keys
 +*Rana aurora draytonii*
- Haematoloechus legrandi* n. sp. Mañe Garzón, F.; and Gil Solares, O., [1961 b], 219-221
 key
Leptodactylus ocellatus Uruguay (pulmón)
- ?*Haematoloechus lobatus* Odening, K., 1960 h, 44
 Seno, 1907
 as syn. of ?*Haematoloechus (Anomolecithus) nanchangensis major* (Yamaguti, 1936)
- Haematoloechus longiplexus* Schell, S. C., 1965 a, 587, 593
 Stafford, 1902
Gyraulus similaris all from Idaho and Washington
Rana catesbeiana (lungs)
Rana pretiosa (lungs)
Rana pipiens (lungs)
- Haematoloechus (Haematoloechus) longiplexus longiplexus* Stafford Odening, K., 1960 h, 2, 18, 20, 36, 37, figs. 1, 4e, 30b-c
 keys
Rana catesbeiana Canada; Illinois, Michigan, Indiana, Nebraska, Wisconsin
- Haematoloechus (H.) longiplexus longiplexus*.—Continued.
R. pipiens Illinois
R. grylio Florida
- Haematoloechus (Haematoloechus) longiplexus macrorchis* Caballero, 1941 [n. comb.] Odening, K., 1960 h, 18, 20, 37, 38, fig. 31
 keys
 Syn.: *Haematoloechus macrorchis* Caballero, 1941.
Rana montezumae all from Mexico
R. pipiens
- Haematoloechus lutzi* Mañe Garzón, F.; and Gil Solares, O., [1961 b], 221
 key
- Haematoloechus (Anomolecithus) lutzi* Freitas & Lent, 1939 Odening, K., 1960 h, 2, 41, 46, 47, figs. 3c, 41
 key
 Syn.: *Pneumonoeces tejerae* Cordero & Vogelsand, 1939
 +*Rana palmipes* Maracay, Venezuela
- Haematoloechus macrorchis* Odening, K., 1960 h, 37
 Caballero, 1941
 as syn. of *Haematoloechus (H.) longiplexus macrorchis* Caballero, 1941. [n. comb.]
- Haematoloechus medioplexus* Bogitsh, B. J.; and Davis, D. ultrastructural localization of acid phosphatase in the digestive system
- Haematoloechus medioplexus* Burton, P. R., 1967 a, fine structure, reproductive system, Mehlis' gland
Rana pipiens (exper.)
- Haematoloechus medio-plexus* Burton, P. R., 1967 b, fine structure of reproductive system, penetration of ovum by spermatozoa
- Haematoloechus medioplexus* Dike, S. C., 1967 a, figs. 6-7, 11-13
 ultrastructure, ceca
- Haematoloechus medioplexus* Halton, D. W., 1966 a gut structure, digestion
- Haematoloechus medioplexus* Halton, D. W., 1967 a, fig. 6 phosphatase activity
- Haematoloechus medioplexus* Lee, D. L., 1966 b, fig. 4-5 cuticle
- Haematoloechus medioplexus* Rothman, A. H. (jr.), 1968 a, figs. 1-11
 fine structure, enzyme localization
- Haematoloechus medioplexus* Stafford, 1902
 glycogen relationships with Rana pipiens
- Haematoloechus micrurus* Shields, R. J., 1963 a
 Rees, 1964
- Dicroglossus occipitalis* (lungs) Achimota, Cape Coast, Legon, Nungua; Ghana
- ?*Haematoloechus (Anomolecithus) nanchangensis bychovskii* Odening, 1958 Odening, K., 1960 h, 41, 44, 45, fig. 39
 key
 +*Rana chensinensis* (=*R. amurensis*) UdSSR
- ?*Haematoloechus (Anomolecithus) nanchangensis major* (Yamaguti, 1936) Odening, K., 1960 h, 41, 44, 45, fig. 38
 key
 Syn.: ?*Haematoloechus lobatus* Seno, 1907
 +*Rana nigromaculata* Japan

- Haematoloechus (Anomolecithus) nanchangensis nanchangensis Hisung, 1934* Odening, K., 1960 h, 41, 43, 44, 45, fig. 37
key
+*Rana plancti*
- Haematoloechus neivai key* Mañe Garzón, F.; and Gil Solares, O., [1961 b], 221
- Haematoloechus neivae Inglis, 1936* Odening, K., 1960 h, 62
as syn. of *Nectaematoeuchus neivai* (Travassos & Artigas, 1927)
- Haematoloechus ozorioi key* Mañe Garzón, F.; and Gil Solares, O., [1961 b], 221
- Haematoloechus (Anomolecithus) ozorioi Freitas & Lent, 1939* Odening, K., 1960 h, 2, 41, 47, 48, figs. 3a, 42
key
+*Leptodactylus ocellatus*
- Haematoloechus parcivitellarius Caballero, 1942* Odening, K., 1960 h, 49
as syn. of *Ostium pulchellum* (Caballero)
- Haematoloechus (Haematoeuchus) parvplexus (Irwin)* Odening, K., 1960 h, 21, 34, 35, 36, fig. 29c-e
key
Syn.: *Pneumonoeches similplexus* Fortner, 1923
+*Rana clamitans* Minnesota; Michigan
- Haematoloechus parvplexus Rana clamitans* Schell, S. C., 1965 a, 592-593
Gyraulus similaris (exper.)
- Haematoloechus pulcher Bravo Hollis, 1943* Odening, K., 1960 h, 58
as syn. of *Ostium pulchrum* (Bravo Hollis, 1943)
- Haematoloechus pyrenaicus n. sp.* Combes, C., 1965 b, 459-462, 463, 464, 465, fig. 1a-c
key
(poumons)
Rana temporaria temporaria all from Rieutord, Puyvalador (canton de Mont-Louis, Pyrénées-Orientales)
Bufo bufo bufo
- Haematoloechus schulzei (Wundsch, 1911)* Buchvarov, G. K., 1965 a
Bombina variegata (lung) Kirdjali District, Bulgaria
- Haematoloechus (Haematoeuchus) schulzei (Wundsch)* Odening, K., 1960 h, 19, 20, 27-28, 29, fig. 20
keys
Rana ridibunda Berlin; Sofia
R. esculenta Wien?; Jena
- Haematoloechus schulzei distribution* Sprehn, C. E. W., 1967 a Europe
- Haematoloechus (Haematoeuchus) sibiricus japonicus (Yamaguti)* Odening, K., 1960 h, 19, 20, 30, 31, 32, fig. 23
keys
Syns.: *Haematoloechus variegatus* Seno, 1907; *Pneumonoeches variegatus* Syôgaki, 1937
+*Rana nigromaculata* Japan
- Haematoloechus (Haematoeuchus) sibiricus jeholensis (Fukui & Ogata)* Odening, K., 1960 h, 19, 20, 31, 32-33, fig. 26
keys
+*Rana nigromaculata nigromaculata* Korea
- Haematoloechus (Haematoeuchus) sibiricus sibiricus (Isajčikov)* Odening, K., 1960 h, 19, 20, 39, 31, fig. 23
keys
+*Rana arvalis altaica* Omsk, W. Siberien
+*R. chensinensis* (=*R. amurensis* Boulenger) Wladiwostok, UdSSR
- Haematoloechus (Haematoeuchus) tiansiensis Hsiung* Odening, K., 1960 h, 19, 20, 31, 32, fig. 25
keys
+*Rana nigromaculata* Tientsin, China
- Haematoloechus similis Looss, 1899* Buchvarov, G. K., 1965 a
Rana ridibunda (lung) Kirdjali District, Bulgaria
- Haematoloechus similis Looss 1899* Combes, C., 1965 b, 465
key
- Haematoloechus similis (pluca)* Kozák, A., 1966 a, 606, 607
Rana esculenta all from Košice, CSSR
R. ridibunda
Bombina bombina
- Haematoloechus similis distribution* Sprehn, C. E. W., 1967 a Europe
- Haematoloechus similis Rana esculenta (Lung)* Tscherner, W., 1966 a, 260, 261 Germany
- Haematoloechus (Skrjabinoeches) similis similis Looss* Odening, K., 1960 h, 49-50, 51, fig. 44a-b
key
+*Rana esculenta* Deutschland; Polen; Österreich; Frankreich, Ukraine
+*R. ridibunda* Deutschland; Ukraine, Krim, Wolgabiet; Bulgarien, Tadschikistan
+*R. temporaria* Deutschland; europäische UdSSR?
R. arvalis arvalis?
- Haematoloechus (Skrjabinoeches) similis volgensis (Sudarikov) 1958* Odening, K., 1960 h, 49, 50, 51, fig. 45
key
+*Rana esculenta* Wolga-Gebiet, UdSSR
- Haematoloechus (Anomolecithus) tumidus Ingles, 1932* Odening, K., 1960 h, 41, 45-46, fig. 40
key
+*Rana aurora draytonii* Kern Co., California
- Haematoloechus uniplexus Harwood, 1932* Odening, K., 1960 h, 33
as syn. of *Haematoloechus (H.) brevplexus floedae* Harwood
- Haematoloechus variegatus (Rud., 1819) Looss, 1899* Buchvarov, G. K., 1965 a
Rana ridibunda (lung)
Bombina variegata"
- Haematoloechus variegatus (Rudolfi 1819) Looss 1899* Combes, C., 1965 b, 465
key
- Haematoloechus variegatus (pluca)* Kozák, A., 1966 a, 606, 607
Rana esculenta all from Košice, CSSR
R. ridibunda
Bombina bombina

- Haematoloechus variegatus* Odening, K., 1960 h, 30
Seno, 1907
 as syn. of *Haematoloechus* (H.) *sibiricus japonicus* (Yamaguti)
- Haematoloechus variegatus* distribution Sprehn, C. E. W., 1967 a Europe
- Haematoloechus variegatus* *Rana esculenta* Tschernner, W., 1966 a, 260 all from Germany
- Haematoloechus variegatus* [atus] *abbreviatu* (plúca) Kozák, A., 1966 a, 606, 607, 609 Kosic, CSSR
- Bombina variegata*
- Haematoloechus* (*Haemato-*
loechus) *variegatus* *abbreviatu* Odening, K., 1960 h, 19, 21, 24-
(Bychovskij) 25, fig. 16
 keys Kiev
Bombina bombina
- Haematoloechus* (*Haemato-*
loechus) *variegatus* *almorai* Odening, K., 1960 h, 19, 21, 25-
(Pande) 26, 27, fig. 18
 keys Almora, Srinagar, No-Indien and Kaschmir
+Rana cyanophlyctis
- Haematoloechus* (*Haemato-*
loechus) *variegatus* *capy-* Odening, K., 1960 h, 19, 21, 26-
ristes (*Klein*) 27, fig. 19
 keys S. Indien
+Rana hexadactyla
- Haematoloechus* (*Haemato-*
loechus) *variegatus* *dubini-* Odening, K., 1960 h, 19, 21, 23,
nae Odening 24, fig. 15
 keys Wolga-Delta, UdSSR
+Rana ridibunda
- Haematoloechus* (*Haemato-*
loechus) *variegatus* *varie-* Odening, K., 1960 h, 3, 4, 5, 6,
gatus (*Rudolphi*) 19, 21-23, figs. 5a-e, 8, 10, 11,
 14
 keys
 Syn.: *Distomum anophelis* van Thiel, 1921.
+Rana esculenta Europe
+R. ridibunda " Mittel-Asien, N. W.
+R. temporaria Afrika?
+R. a. arvalis Europe
+Bombina bombina "
+B. variegata "
+Bufo bufo "
+Triturus alpestris "
- Haematoloechus* *vario-* Stafford, 1902 Odening, K., 1960 h, 2, 20, 38,
plexus (*lungs*) 39, figs. 4a, 32a-b
Rana catesbeiana
Rana clamitans
- Haematoloechus* (*Haemato-*
loechus) *varioplexus* Stafford, 1902 Odening, K., 1960 h, 2, 20, 38,
 39, figs. 4a, 32a-b
 key
Rana catesbeiana
R. pipiens
+R. montezumae
R. p. pretiosa
+R. sylvatica
Bufo t. terrestris
Toronto; Montreal
Canada; Wisconsin, Minne-
sota, Illinois, Michigan
Mexico
Wyoming
Michigan
Canada
- Haematotrephus adelphus* Dubois, G., 1965 a, 417
S.J. Johnston, 1916
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rud., 1819)
- ?*Haematotrephus consimilis* Dubois, G., 1965 a, 417
Nicoll, 1914
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rud., 1819)
- Haematotrephus* (*Uvitel-*
lina) *kaniharensis* P.D. Gupta, 1958
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rudolphi, 1819)
- Haematotrephus kossacki* (Witenberg, 1923) Wang, H.-O., 1968 a
 birds' abdominal cavity Yin-Ch'uan Municipality, China
- Haematotrephus lanceolatum* Dubois, G., 1965 a, 421
Macko, 1960, puis Macko et Feige, 1960 (nec Wedl, 1858)
 as syn. of *Cyclocoelum* (*Haematotrephus*) *kossacki* (Witenberg, 1923)
- Haematotrephus lanceolatus* Dubois, G., 1965 a, 421
Stossich, 1902 (nec Wedl, 1858, et Bychov.-Pavlov., 1953, 1962)
 as syn. of *Cyclocoelum* (*Haematotrephus*) *kossacki* (Witenberg, 1923)
- Haematotrephus lanceola-* Macko, J. K., 1965 d, figs.
tum (Wedl, 1858) 66-143
 variation all from Senné Rad (CSSR)
(Körperhöhle)
Philomachus pugnax
Numenius phaeopus
- Haematotrephus* (*H.*) *lobi-* Dubois, G., 1965 a, 417
vaneli N.K. Gupta, 1958
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rud., 1819)
- Haematotrephus similis* Dubois, G., 1965 a, 417
Stossich, 1902
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rud., 1819)
- Haematotrephus* (*Uvitellina*) Dubois, G., 1965 a, 417
vanelli (Rud.) Dollfus, 1948
 as syn. of *Cyclocoelum* (*Haematotrephus*) *vanelli* (Rud., 1819)
- Halipegidae* Chernogorenko-Bidulina, M.I.,
 not harmed by industrial 1963 a
 pollution Desna river
- Halipegus* sp. Corkum, K. C., 1966 b, 48
Trinectes maculatus Barataria Bay, Louisiana
 (lower end of stomach)
- Halipegus ghanensis* n. sp. Fischthal, J. H.; and Thomas,
Chamaeleo gracilis J. D., 1968 a, 2, 3, 12-13,
 (stomach) fig. 11
Achimota, Ghana
- Halipegus kessleri* Sprehn, C. E. W., 1967 a
 distribution Europe
- Halipegus occidualis* Matricon-Gondran, M., 1967 a
 electron microscopic morphology of rediae and sporocyst absorptive structures
- Halipegus ovocaudatus* Sprehn, C. E. W., 1967 a
 distribution Europe
- Halipegus ovocaudatus* Tscherner, W., 1966 a, 260
Rana esculenta Germany
- Halipegus tropicus* Kloss, G. R., 1966 a, 194-196,
 (Manter, 1936) Sogandares figs. 5-8
 Bernal, 1955 rio Mogi-Guassu, Estado de
Astyanax fasciatus (estômago) S. Paulo
- Hamacreadium koshari* Pritchard, M. H., 1966 a, 169
Nagaty and Abdel Aal, 1962
 uncertain generic status

- Hamacreadium mehsena* Pritchard, M. H., 1966 a, 167
Nagaty, 1941
 as syn. of *Apopodocotyle mehsena* (Nagaty, 1941) n. comb.
- Hamacreadium oscitans* Pritchard, M. H., 1966 a, 167
Linton, 1910
 as syn. of *Apopodocotyle oscitans* (Linton, 1910) n. comb.
- Hamatopeduncularia emend.* Young, P. C., 1967 a, 1011-
 includes: *H. arii*; *H. 1012*
nengi; *H. heraldi*; *H. australis* sp. n.; *H. brisbanensis*
 sp. n.
- Hamatopeduncularia australis* sp. n. Young, P. C., 1967 a, 1008-
Neocarius australis (gills) 1010, 1012, figs. 1-7
 tidal part of Brisbane
 River, Brisbane, Queensland
- Hamatopeduncularia brisbanensis* sp. n. Young, P. C., 1967 a, 1008,
Neocarius australis (gills) 1010, 1011, 1012, figs. 8-14
 Moreton Bay and tidal part
 of Brisbane River, Queensland, Australia
- Hamatopeduncularia nengi* (Tripathi, 1959) comb. n. Young, P. C., 1967 a, 1012
- Haplocaecum Simha*, 1958 Dwivedi, M. P., 1966 c
 amended diagnosis
 key to the species
- Haplocaecum asymmetricum* Dwivedi, M. P., 1966 c
 key
- Haplocaecum proctophorum* Dwivedi, M. P., 1966 c,
 n. sp. 87-91, figs. 1-3
 key
Tropidonotus piscator
- Haplocladus typicus* Odhner, 1911 Kovaleva, A. A., 1965 a
Trachurus mediterraneus ponticus (intestine)
Black Sea; Azov Sea
- Haplocladus typicus* Odhner, 1911 Nikolaeva, V. M., 1963 a, 413-
Trachurus mediterraneus 414
ponticus (intestine)
Black Sea
- Haplocleidus siluri* Price, 1937 Prost, M., 1966 a, 13
 as syn. of *Ancylodiscoides siluri* (Zandt, 1924),
Yamaguti, 1937
- Haplometra allometra* Baer distribution Sprehn, C. E. W., 1967 a
Europe
- Haplometra cylindracea* oligomerizations of unicellular organs, larva Ginetsinskaja, T. A., 1963 a,
 fig. 1g
- Haplometra cylindracea* gut structure, digestion Halton, D. W., 1966 a
- Haplometra cylindracea* phosphatase activity Halton, D. W., 1967 a
- Haplometra cylindracea* ultrastructure, gland cells Halton, D. W.; and Dermott, E., 1967 a, figs. 1, 3-4, 6-7
- Haplometra* (*cylindracea?*) (Zeder, 1800), Looss, 1899 Kiseliene, V. K., 1966 a
Lithuanian SSR
- Haplometra cylindracea* (*pllica*) Rana temporaria R. arvalis Kozák, A., 1966 a, 606, 607
 all from Kosic, CSSR
- Haplometra cylindracea* specificity Rana temporaria (lungs) Markov, G. S., 1955 b
- (Zeder 1800) glycogen metabolism, frog Muller, R. L., 1966 b
- Haplometra cylindracea* distribution Sprehn, C. E. W., 1967 a
Europe
- Haplometra cylindracea* cuticle structure Threadgold, L. T., 1966 a
- Haplometra cylindracea* *Lymnaea peregra* Williams, M. O., 1966 a, 248
 Milngavie near Glasgow,
 Scotland
- Haplometrinae* Pratt, 1902 Odening, K., 1960 h, 1
 as syn. of *Haematoloechinae* Freitas and Lent.
- Haplometroides rappiae* Szidat, 1932 Fischthal, J. H.; and Thomas, J. D., 1968 a, 7
 as syn. of *Ostioloides rappiae* (Szidat, 1932) Odening, 1960.
- Haplometroides rappiae* Szidat, 1932 Odening, K., 1960 h, 64
 as syn. of *Ostioloides rappiae* (Szidat, 1932) [n. comb.]
- Haplorchis* *Heterophyidae*, key Cosgrove, G. E., 1966 a,
 fig. 16
- Haplorchis microrchis* Mugil cephalus Komiya, Y.; and Suzuki, N.
 1966 a, pp. 208-214
- Haplorchis taichui* (Nishigori, 1924) Witenberg, 1929 Gupta, N. K., 1967 a, 305,
 311-313, fig. 4
Pseudogyps bengalensis (intestine) Hoshiarpur (Punjab), India
- Haplorchis taichui* Rhodeus ocellatus Komiya, Y.; and Suzuki, N.
Rhodeus ocellatus Pseudorasbora parva 1966 a, pp. 208-214
Zacco platypus Ctenopharyngodon idellus
Cyprinus carpio Carassius carassius
Clarias fucatus Misgurnus anguillicaudatus
Parasilurus asotus Gamusia affinis
Gamusia affinis Channa formosana
Channa formosana Macropodus opercularis
- Haplorchis taihoku* Rhodeus ocellatus Komiya, Y.; and Suzuki, N.
Rhodeus ocellatus Zacco platypus 1966 a, pp. 208-214
Ctenopharyngodon idellus Ctenopharyngodon idellus
Cyprinus carpio Carassius carassius
Carassius carassius Gamusia affinis
- Haplorchis yokogawai* Mugil cephalus Komiya, Y.; and Suzuki, N.
Mugil cephalus 1966 a, pp. 208-214
- Hargitrema eilatica* (Paperna, 1965) n. comb. Young, P. C., 1967 a, 1008,
 1012
- Harmostomum opisthotriias* (Lütz) Boero, J. J.; and de Boehringer, I. K., 1967 a, 153-
Didelphis azarae 154, 160, fig. 23
 Argentina
- Harmotrema eugari* Tubangui and Masilungan, 1936 Fischthal, J. H.; and Kuntz,
 R. E., 1967 a, 109-110
Cerberus rhynchops (small Zamboanga, Mindanao Is., Philippines
 intestine)

- Harmotrema laticaudae
Laticauda semifasciata
(small intestine)
Harvardia duboisi
R. Gupta, 1962
as syn. of Harvardia sandgroundi Baer, 1932.
Harvardia sandgroundi
Baer, 1932
Syn.: Harvardia duboisi R. Gupta, 1962.
- Hasstilesia ochotonae
Gvosdev, 1962
Ochotona roylei macrotis
(small intestine)
Hasstilesia tricolor
Sylvilagus floridanus
- Hawkesius hawkesii
(Cobbold, 1875)
Elephas maximus L. (large intestine)
- Hawkesius hawkesi
(Cobbold, 1875)
Elephas indicus
- Helicometra antarcticae
sp. nov.
Dissostichus mawsoni
Rhigophila dearborni
- Helicometra aposinuata
sp. n.
(intestine)
Holocentrus schthrops
Thalassoma duperreyi
- Helicometra boseli
Nagaty, 1956
as syn. of Stenopera boseli (Nagaty, 1956) n. comb.
- Helicometra dochmosorchis
Manter and Pritchard, 1960
(intestine)
Paracirrhites arcatus
P. forsteri
Scorpaena ballieui
- Helicometra grandora
Manter, 1954
Syn.: Helicometra magnora Manter, 1954.
- Helicometra kyliotrema
sp. n.
Muraenidae "moray eel"
(intestine)
- Helicometra magnora
Manter, 1954
as syn. of Helicometra grandora Manter, 1954.
- Helicometra nasae
Nagaty and Abdel Aal, 1962
as syn. of Stenopera nasae (Nagaty and Abdel Aal, 1962)
n. comb.
- Helicometra paracirrhiti
sp. n.
Paracirrhites forsteri
(intestine)
- Helicometra pulchella
(Rudolphi, 1819) Odhner,
1902
[*Syngnathus nigrolineatus*]
[*Leucaspis delineatus*]
- Telford, S. R. (jr.), 1967 a,
fig. 8
Amami Island, Japan
Dubois, G., 1966 a, 45
Dubois, G., 1966 a, 45, 51
Syn.: Harvardia duboisi R. Gupta, 1962.
- Tokobaev, M. M.; and Erkulov,
K. E., 1966 b, 17-18
Kirgiz
- Franklin, J.; Simmons, M. L.;
and Cosgrove, G. E., 1966 a
Rago, Kansas
- Ianchev, I., 1965 b
Zoological Garden, Sofia
- Jansen, J. (jr.); and van
den Broek, E., 1966 a
zoological garden, Netherlands
- Holloway, H. L. (jr.); and
Bier, J. W., 1968 a, 30, 31-
34, figs. 1-8
all from McMurdo Sound,
Antarctica
- Pritchard, M. H., 1966 b,
188, 189, 192-193, 200,
figs. 15-16
all from Hawaii
- Pritchard, M. H., 1966 b,
198
as syn. of Stenopera boseli (Nagaty, 1956) n. comb.
- Pritchard, M. H., 1966 b,
193
all from Hawaii
- Holloway, H. L. (jr.); and
Bier, J. W., 1968 a, 31
Syn.: Helicometra magnora Manter, 1954.
- Pritchard, M. H., 1966 b,
194, 195, 196, 200, figs. 19-23
Hawaii
- Holloway, H. L. (jr.); and
Bier, J. W., 1968 a, 31
as syn. of Helicometra grandora Manter, 1954.
- Pritchard, M. H., 1966 b,
198
as syn. of Stenopera nasae (Nagaty and Abdel Aal, 1962)
n. comb.
- Pritchard, M. H., 1966 b,
194, 195, 196-197, 200,
figs. 24-25
Hawaii
- Chaplina, O. M.; and Antish-
kina, L. M., 1961 a
all from small rivers of
Northern Azov
- Helixaxine, n. g.
Heteraxinidae; Monaxiniae
and Bravo Hollis, M., 1965 a,
535, 536-537, 546
tod: *H. winteri* n. sp.
- Helixaxine winteri n. g.,
n. sp. (tod)
Caranx latus (branquias)
- Hemiurata gen. sp. juv.
Therapon theraps (intes-
tine)
- Hemiuridae
includes: *Albulatrematinæ* n. subf.; *Bunocotylinæ*;
Quadrifoliovariinæ n. subf.
- Hemiuridae [sp.]
Hydrophidae
- Hemiurus sp. A
Clausocalanus furcatus
(cephalothorax)
- Hemiurus sp. B
Corycaeus (Corycella)
gibbulus (cephalon)
Oncaeæ venusta (cephalon),
1st thoracic segment)
- Hemiurus appendiculatus
- Hemiurus appendiculatus
(Rud., 1802)
(intestine)
[*Alosa kessleri pontica*]
[*Caspialosa*]
[*Lucioperca lucioperca*]
- Hemiurus appendiculatus
seasonal distribution
- Hemiurus appendiculatus
Rud., 1802
[*Caspialosa sp.*] (intestine)
- Hemiurus appendiculatus
[*Alosa kessleri pontica*]
Koval, V. P., 1963 b
lower region, Kakhovsk
reservoir
- Hemiurus appendiculatus
(Rud., 1802)
Caspialosa kessleri pon-
tica
- Hemiurus appendiculatus
(Rud.)
Alosa kessleri pontica
- Hemiurus appendiculatus
Spicara smaris (stomach)
- Hemiurus appendiculatus
distribution
- Hemiurus bothryophorous [sic]
Looss, 1899, *nec Distomum*
bothryophoron Olsson, 1868
as syn. of *Lecithaster confusus*
Odhner, 1905
- Hemiurus communis (Odhner)
Solea solea (stomach)
- Hemiurus (H.) communis
Odhner, 1905
Engraulis encrasicholus
ponticus (stomach)
- Caballero y Caballero, E.;
and Bravo Hollis, M., 1965 a,
535, 536-537, 546
tod: *H. winteri* n. sp.
- Caballero y Caballero, E.;
and Bravo Hollis, M., 1965 a,
535, 536, 537-541, 546,
figs. 1-4
Golfo de México, México
- Oshmarin, P. G., 1965 c, 232,
233, fig. 15
North Vietnam
- Yamaguti, S., 1965 c
- Nguyễn-Van-Ai, [1961 b], 134
Viet Nam
- Sewell, R. B. S., 1953 b,
347-348, figs. 40A-B
"John Murray" Expedition,
Sta. 61
- Sewell, R. B. S., 1953 b,
348-350, figs. 41A-C, 42
all from "John Murray" Ex-
pedition, Sta. 61
- Komarova, T. I., 1963 a
Dnieper delta
- Komarova, T. I., 1964 a, 80
all from Dnieper delta
- Komarova, T. I., 1964 b
Dnieper delta
- Komarova, T. I., 1966 a, 60
Dnieper estuary
- Koval, V. P., 1963 b
lower region, Kakhovsk
reservoir
- Koval, V. P.; and Otsupok, N.,
D., 1964 a, 50
region of Evpatoria, Black
Sea
- Margaritov, N. M., 1966 a, 159
Bulgarian sector of Donau
river
- Nikolaeva, V. M., 1963 b, 442
Crimean coast, Black Sea
- Sprehn, C. E. W., 1967 a
Europe
- Srivastava, L. P., 1966 a
- El Maghraby, A. M.; and
Perkins, E. J., 1956 a, 486
Whitstable, England
- Nikolaeva, V. M., 1963 a, 408
Black Sea

- Hemiurus communis* Srivastava, L. P., 1966 d,
Odhner, 1905 472, 473, fig. 7
Onos mustelus (stomach) Mumbles Head, Swansea
- Hemiurus levinseni* Mamaev, Iu. L., 1965 a, 179
Odhner, 1905 (stomach) Bering Sea
Hippoglossus hippoglossus stenolepis
- Hemiurus levinseni* Odhner, Zhukov, E. V., 1963 a, 104
1905 (stomach) all from Chukotsk Peninsula
Salvelinus malma
Gadus morhua macrocephalus
Eleginus gracilis
Theragra chalcogramma
Hexagrammos stellifer
Melletes papilio
Myoxocephalus polyacanthocephalus
M. verrucosus
M. platicephalus
Blepsias bilobus
Liparis gibbus
- Hemiurus lühei* Odhner, Sey, O., 1968 a
1905 (intestine) waters around Split,
Alosa fallax nilotica Yugoslavia
- Hemiurus ocreatus* Sprehn, C. E. W., 1967 a
distribution Europe
- Hemiurus raabii* [sic] Sprehn, C. E. W., 1967 a
distribution Europe
- Hemiurus rugosus* Looss, Sey, O., 1968 a
1907 (stomach) waters around Split,
Clupea pilchardus Yugoslavia
- Hepatiarius longissimus* Turemuratov, A. T., 1963 a
(Linstow, 1883) all from lake Sudoch'e and
[*Ardea purpurea*] (liver, Ak-Kala
gall bladder)
[*Botaurus stellaris*] (liver)
- Heronimus chelydrae* Mac- Acholonu, A. D., 1968 a
Callum 1902 Louisiana
- Pseudemys scripta elegans* Esch, G. W.; and Gibbons,
Chelydra serpentina serpentina J. W., 1967 a, 819
Wintergreen Lake, Kalamazoo
County, Michigan
- Heronimus chelydrae* Johnson, C. A. III, 1967 a
MacCallum, 1902 Chewacla Creek, Lee Co.,
Sternotherus minor peltifer Alabama
- Heteraxine heterocerca* Akazaki, M.; Harada, T.;
control, temperature, Umeda, S.; and Kumai, H.,
salinity 1965 a
- Heterobilharzia americana* (exper.) Abdel-Malek, E. T., 1967 a
Fossaria humilis
Pseudosuccinea columella
Lymnaea peregrina
Fossaria cubensis
- Heterobilharzia americana* Armstrong, J. C., 1965 a,
mating behavior in a 605-616, fig. 1
mouse, mixed infections
- Heterobilharzia americana* Armstrong, J. C., 1965 b
mouse response to schistosome sexual development
and mating behaviour
- Heterobilharzia americana* Byrd, E. E.; Prestwood,
Price, 1929 A. K.; and Maples, W. P.,
Procyon lotor (mesenteric 1967 a
veins) Liberty County, Georgia
Odocoileus virginianus Barnwell Co., South Carolina
(mesenteric washings, liver)
- Heterobilharzia americana* Feldman, R. G.; and Chester,
dog D. K., 1968 a, figs. 1-4
Texas
- Heterobilharzia americana* Wilks, N. E., 1963 b
lung to liver migration
- Heterobothrium affinis* Mamaev, Iu. L., 1965 a, 170
(Liton, 1898) all from Bering Sea
Atherestes evermanni
A. stomias
Reinhardtius hippoglossoides matsuurae
Hippoglossus hippoglossus stenolepis
- Heterocotyle robusta* Robinson, E. S., 1966 b,
Urolophus testaceus fig. 1
New South Wales
- Heteroncholeidinae* n. Price, C. E., [1967 c]
subfam.
Dactylogyridae, key includes: *Heteroncholeidus* Bychowsky, 1957; and
Triangularis Price and Berry, 1966
- Heteroncholeidus* Bychowsky Price, C. E., [1967 c]
1957 *Dactylogyridae*; *Heteroncholeidinae* n. subfam.
- Heterophyes Cobbold*, 1866 Leonov, V. A., (1957 a), 47
Heterophyinae, key
- Heterophyes heterophyes* Tadros, G., 1966 d
dog (small intestine) all from Kenya
Genetta tigrina "
- Heterophyes heterophyes* Ito, J.; Mochizuki, H.; and
nocens Noguchi, M., 1967 b
humans Shizuoka Prefecture, Japan
- Heterophyes heterophyes* Weng, T. W., 1959 a
var. nocens Onji et Nishio Inland Sea of Japan
Typanotomus microptera
- Heterophyes katsuradai* Komiya, Y.; and Suzuki, N.
Mugil cephalus 1966 a, pp. 208-214
- Heterophyes nocens* Komiya, Y.; and Suzuki, N.
Mugil cephalus 1966 a, pp. 208-214
Lisa menada
Therapon oxyrhynchus
Tridentiger obscurus
Glossogobius giuris brunneus
Acanthogobius flavimanus
- Heterophyes superspinatus* Leonov, V. A.; and Belogurov,
sp. nov. O. I., 1965 a, pp. 119-120,
Sterna hirundo (duodenum) fig.
Kamchatka, USSR
- Heterophyes superspinatus* Leonov, V. A.; Belogurov, O.
sp. nov. Leonov et Belo- I.; Shagvalieva, N. M.; and
gurov Bondarenko, S. K., 1965 a, 143
USSR, Kamchatka
- Heterophyidae* Chernogorenko-Bidulina, M. I.,
not harmed by industrial 1963 a
pollution Desna river

- Heterophyidae
key to genera
key
- Heterophyidae
Bitin
- Heterophyinae Ciurea, 1924
key to genera
- Heterophyopsis Tabangui et
Africa, 1938
Heterophyinae, key
- Heterophyopsis continua
Dorsoma thrissa
Coilia sp.
Harengula zunasi
Mugil cephalus
- Heterorchis ghanensis
n. sp.
Hyperolioides nitidulus
(small intestine)
- Heterotestophyes nov. gen.
Heterophyidae; Heterophy-
inae
key
- Heterotestophyes sobolevi
nov. sp. (tod)
Sterna hirundo (intestine)
Hydroprogne tschegrawa "
- Hexabothrium akaroensis
new species
Galeorhinus australis
(gills)
- Hexabothrium appendicu-
latum
chemistry and evolution,
sclerites
- Hexagrammia gen. nov.
Allocreadiidae; Allocrea-
diinae
- Hexagrammia zhukova gen.
et sp. nov. (tod)
Pleurogrammus monopterigius
(intestine)
- Hexostoma Rafinesque, 1815, Unnithan, R. V., 1965 b, 334-
335
includes: *H. thynni* (Delaroche, 1811) Rafinesque, 1815;
H. dissimili (Yamaguti, 1937) Sproston, 1946; *H. extensi-*
caudum (Dawes, 1940); *H. grossum* (Goto, 1894) Sproston
1946; *H. macracanthum* Fujii, 1944; *H. pricei* Koratha,
1953
- Hexostoma dissimili (Yamagu-
ti, 1937) Sproston, 1946
- Hexostoma extensicaudum
(Dawes, 1940)
- Hexostoma grossum (Goto,
1894) Sproston, 1946
- Hexostoma macracanthum
Fujii, 1944
- Hexostoma pricei Koratha,
1953
- Cosgrove, G. E., 1966 a
- Zaitsev, Y., 1962 a
- Leonov, V. A., (1957 a), 46-
47
- Leonov, V. A., (1957 a), 47
- Komiya, Y.; and Suzuki, N.
1966 a, pp. 208-214
- Fischthal, J. H.; and Thomas,
J. D., 1968 a, 2, 3, 4-5,
figs. 2-3
Agbogba, Ghana
- Leonov, V. A., (1957 a), 43,
44-46, 47
tod: *H. sobolevi* nov. gen.
nov. sp.
- Leonov, V. A., (1957 a), 43-
44, 45, 46, fig. 1
all from Tendrovskii Bay
- Dillon, W. A.; and Hargis,
W. J. (j.F.), 1968 a, 356, 357,
359, 364, figs. 7-13
Akaroa, Canterbury Province,
South Island, New Zealand
- Lyons, K. M., 1966 a
- Baeva, O. M., 1965 a, 24, 25,
26-27, 32
tod: *Hexagrammia zhukova*
gen. et sp. nov.
- Baeva, O. M., 1965 a, 24-27,
32, fig. 1
Avacha Bay, USSR
- Unnithan, R. V., 1965 b, 334-
335
- Unnithan, R. V., 1965 b
- Unnithan, R. V., 1965 b
- Unnithan, R. V., 1965 b
- Hexostoma thynni
chemistry and evolution,
sclerites
- Hexostoma thynni (Delaroche
1811)
- Hexostomatidae Price,
1936, emend.
- Himasthla Dietz, 1909
key, *Himasthlinae*
- Himasthla sp.
electron microscopic morphology of rediae and sporocyst
absorptive structures
- Himasthla elongata
Larus argentatus
- Himasthla elongata
distribution
- Himasthla elongata
(Mehlis, 1831)
Larus argentatus
- Himasthla leptosoma
Larus argentatus
- Himasthla leptosoma
distribution
- Himasthla leptosoma
(Creplin, 1829) Dietz, 1909
Larus argentatus
- Himasthla littoraliae
sp. n.
morphology, life history
Littorina saxatilis (hemal
sinuses)
- L. obtusata* (hemal sinuses)
(exper.)
- Mytilus edulis* (palps, gills, mantle)
- Mya arenaria*
Larus argentatus
- Himasthla militaris
(Rudolphi, 1802)
Calidris alpina
C. maritima
Larus glaucescens
(nat. and exper.)
- Anser canagicus*
Motacilla alba
Littorina sitchana (nat. and exper.)
- Acmaea cassisa* (nat. and exper.)
- Buccinum baeri*
Mytilus edulis
- Himasthla militaris (Ru-
dolphi, 1802)
Calidris maritima coesi
- Himasthla quissetensis
(exper.)
- Crassostrea virginica*
C. gigas
Mytilus edulis
Modiolus demissus
Ensis directus
Mya arenaria
Mercenaria mercenaria
Tapes philippinarum
- Himasthla quissetensis
effect of molluscan
plasma and extracts on
cercaria
- Lyons, K. M., 1966 a
- Unnithan, R. V., 1965 b
- Unnithan, R. V., 1965 b
- Alekseev, V. M., 1965 b
- Matricon-Gondran, M., 1967 a
South Harbour of Copenhagen
- Sprehn, C. E. W., 1967 a
Europe
- Threlfall, W., 1966 c, 6
Wales
- Guildal, J. A., 1968 a, 61,
64
- Sprehn, C. E. W., 1967 a
Europe
- Threlfall, W., 1966 c, 6
Wales
- Guildal, J. A., 1968 a, 61,
63, 64
- South Harbour of Copenhagen
- Stunkard, H. W., 1966 b, 367-
371, figs. 1-4
Sheep-Pen Cove, Nonamesett
Island, Woods Hole, Massa-
chusetts
- Kulikov, V. V.; Tsimbaliuk, A.
K.; and Baranova, T. I.,
1965 a
all from Russia, Pacific
Ocean littoral, Far Eastern
seas
- Tsimbaliuk, A. K., [1966 a]
Komandorskie Islands
- Cheng, T. C.; Shuster, C. N.
(jr.); and Anderson, A. H.,
1966 a, pl. 1, figs. 1-6;
pl. 2, figs. 7-12; pl. 3,
figs. 13-18; pl. 4, figs. 19-
22
- Cheng, T. C.; Shuster, C. N.
(jr.); and Anderson, A. H.,
1966 b, figs. 1-6

- Himasthla quissetensis* (Miller and Northup, 1926) (small intestine)
Larus argentatus
L. atricilla
- Himasthlinae* key to genera
- Himasthloides* gen. nov.
Himasthlinae
- Himasthloides* Alexeev 1963 [i.e. 1965] key; key to subgen., *Himasthlinae*
- Himasthloides* [n. subgen.] subgen. of *Himasthloides* key
- Himasthloides* (*H.*) bonus sp. nov. (tod)
Aythya marila (small intestine)
- Himasthloides* (*H.*) bonus Alexeev, 1963 [i.e. 1965] (tod of subg.)
- Himasthloides* (*F[rater]*) *maris-albi* (Ginezinskaja et Naumov, 1955) [n. comb.]
- Himasthloides* (*Frater*) *maris-albi* (Ginezinskaja et Naumov, 1955)
- Hippocrepis fuelleborni* *Myocastor coypus* (intestine)
- Hippocrepis hippocrepis* *Hydrochoerus hydrochaeris* (intestino)
- Holostephanus ictaluri* Vernberg, 1952
Notropis cornutus (body musculature)
Lioplax subcarinata (digestive gland)
Ictalurus punctatus (exper.) (intestine)
- Holostephanus lühei* Szidat, 1936 adhesive organ, structure and function
- Holostephanus luehei* distribution
- Holostephanus ripponensi* [sic]
Pseudorasbora parva
- Holostephanus nipponicus* *Pseudorasbora parva*
- Holostephanus nipponicus* Yamaguti, 1939
Parafossarulus manchouricus
Pseudorasbora parva (exper.) (muscle)
- Holostephanus nipponicus* Saito, S.; and Otsuru, M., 1965 a
- Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina
- Alekseev, V. M., 1965 b
- Alekseev, V. M., 1965 a, 11, 12, 13, 14-15 tod: *H. bonus* gen. et sp. nov.
- Alekseev, V. M., 1965 b
- Alekseev, V. M., 1965 b, 17 tod: *Himasthloides* (*Himasthloides*) *bonus* [n. comb.]
- Alekseev, V. M., 1965 a, 11-14, 15, fig. Khasansk region of the Primorskii krai
- Alekseev, V. M., 1965 b, 17
- Alekseev, V. M., 1965 a, 15
- Alekseev, V. M., 1965 b
- Boero, J. J.; and de Boehringer, I. K., 1967 b, 165, 172, figs. 35-38 Argentina
- Boero, J. J.; and de Boehringer, I. K., 1967 b, 165, 172, figs. 32-34 Argentina
- Stang, J. C.; and Cable, R. M., 1966 a, 405-410, figs. 1-3 Tippecanoe River, Indiana
- Kamegai, S.; et al., 1964 c Kanto district
- Kamegai, S.; et al., 1965 b Lake Inbanuma
- Komiya, Y.; and Enomoto, S., 1967 a, figs. 1-4, photo 1 Saitama Prefecture, Japan
- Dubois, G., 1966 a, 29
- Yasuraoka, K., 1965 a behavior, cercariae
- Holostomum eustemma Brandes, 1888 as syn. of *Strigea caryophylla* (Diesing, 1850) Mathias, 1925.
- Holostomum tenuicolle (Westr.) Diesing, 1850 as syn. of *Parastrigea tenuicollis* (Westrumb, 1823) comb. nov.
- Homalogaster paloniae cattle
- Homalogaster paloniae (Poirier, 1883) *Bubalus bubalis*
- Homalogaster paloniae Poirier (1883) *Ovis aries* (caecum)
- Homalogaster paloniae cattle, sheep (bronchi, large intestine)
- Homalometron armatum effect of 7 year drought Lampsilis anodontoides all from Little Brazos L. *tampicoensis berlandieri* River, Texas *Quadrula forsyhei* *Q. houstonensis* *Tritigonia verrucosa* *Amblema perplicata* *Musculium ferrissi*
- Homalometron armatum MacCallum, 1895 *Lepomis megalotis*
- Homalometron pallidum Fundulus diaphanus (intestine)
- Homalometroninae Leporeaudiidae
- Homostoma n. g. Hexostomatidae; Mazocraei-dea includes: *Homostoma acutum* (Gotto, 1894) n. comb.; *H. euthynni* (Meserve, 1938) n. comb.; *H. thunninae* (Par. and Per., 1889) n. comb.; *H. chura* n. g., n. sp.
- Homostoma acutum (Gotto, 1894) comb. nov.
- Homostoma chura n. g., n. sp. (tod) *Euthynnus affinis* (gills)
- Homostoma euthynni (Meserve, 1938) comb. nov.
- Homostoma thunninae (Par. and Per., 1889) comb. nov.
- Hypoderaeum Dietz, 1909 key to species
- Hypoderaeum [lapsus as: Hypodereum] Garkavi, B. L.; and Poluektov, V. Sh., 1968 a, 49
- Hypoderaeum [lapsus as: Hypodereum] Oshmarin, P. G., 1965 b
- de Leon, D. D.; and Juplo, R. J., 1966 a Caloocan City, Philippines
- Mukherjee, R. P., 1966 d, 101-102, fig. 5
- Wu, S. C.; Yen, W. O.; and Shen, S. S., 1965 a, 374 southwestern China
- Gentner, H. W.; and Hopkins, S. H., 1966 a, 459
- McGraw, J. L., (ir.); and Allison, T. C., 1967 a Little River System, Texas
- Larson, O. R., 1966 a Itasca Park, Minnesota
- Howell, M. J., 1966 a, 27, 28
- Unnithan, R. V., 1965 a, 335
- Unnithan, R. V., 1965 b, 329, 330-334, figs. 1-3 Trivandrum
- Unnithan, R. V., 1965 b
- Unnithan, R. V., 1965 b
- Unnithan, R. V., 1965 b
- Alekseev, V. M., 1965 c

- Hypoderæum sp. Oschmarin, 1956 key Alekseev, V. M., 1965 c, 21
- Hypoderæum [sp.] [Anas platyrhynchos] Podgornova, G. P., 1963 a Volgograd oblast
- Hypoderæum sp. Lymnaea stagnalis Smirnova, V. A.; and Ibrashëva, S. I., 1967 a, 79-80, fig. 16 Western Kazakhstan
- Hypoderæum batanguensis (Tubangui, 1932) key Alekseev, V. M., 1965 c, 22
- Hypoderæum conoideum domestic waterfowl Adysheva, M. M., 1963 a Andizhan oblast
- Hypoderæum conoideum (Bloch, 1782) Larus argentatus armenicus Akhumiyan, K. S., 1966 a Armenian SSR
- Hypoderæum conoideum Radix lagotis Planorbis sp. Viviparus ussuriensis Alekseev, V. M., 1963 c all from Primorskii krai
- Hypoderæum conoideum molluscs and domestic aquatic birds Alekseev, V. M., 1963 d Lake Khanka
- Hypoderæum conoideum (Bloch, 1782) Dietz, 1909 key Alekseev, V. M., 1965 c, 21
- Hypoderæum conoideum (Bloch, 1782) [Anas platyrhynchos] Belokobylenko, V. T., 1965 a Ural oblast
- Hypoderæum conoideum human (feces) Bhaibulaya, M.; Charoenlarp, P.; and Marinasuta, C., 1964 a, fig. 3 Kalasin Province, Northeast Thailand Bangkok market, Thailand
- Hypoderæum conoideum Radix ovata Butenko, Iu. V., 1967 a, 26-27 South Kazakhstan
- Hypoderæum conoideum Rana temporaria [Bufo vulgaris] Hyraulus ehrenbergi Radix auricularia Limnaea stagnalis Chibichenko, N. T., 1966 f, 68, 69 all from lake Issyk-kul
- Hypoderæum conoideum Anas platyrhynchos (small intestine, caecum, rectum) Churina, N. V., 1963 a Srednii Ural
- Hypoderæum conoideum (Bloch, 1782) pathological changes in duckling intestines Ciuniene, E., 1968 a, figs. 1-5
- Hypoderæum conoideum [Anas platyrhynchos] Dremkova, P. P.; and Podgornova, G. P., 1963 a Volgograd oblast
- Hypoderæum [sic] conoideum Phenasol, ducks Garkavi, B. L.; and Poluektov, V. Sh., 1968 a, 49
- Hypoderæum conoideum (Bloch, 1782) Cairina moschata Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Hypoderæum conoideum (Bloch, 1782) Dietz 1909 Cygnus olor (gastro-intestinal tract) Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22 Essex, England
- Hypoderæum conoideum L[ymnæa] stagnalis [Anas platyrhynchos] (exper.) Khaziev, G. Z., 1966 b Bashkir
- Hypoderæum conoideum [Anas platyrhynchos] [Anas penelope] Kibakin, V. V., 1965 a all from Casan-Kuliisk game reserve
- Hypoderæum conoideum (Bloch, 1782) Dietz, 1909 Limnaea stagnalis Radix auricularia R. ovata Planorbis planorbis Sphaerium corneum Pisidium sp. Kiseliene, V. K., 1966 a all from Lithuanian SSR
- Hypoderæum conoideum development in final host Kiseliene, V. K., 1968 a, figs. 2, 8
- Hypoderæum conoideum Limnaea stagnalis Radix ovata Coretus cornutus Kupriianova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e
- Hypoderæum conoideum Limnaea stagnalis (exper.) [Anas platyrhynchos] Lesin'sh, K. P.; and Feodrova, E. Ia., 1966 a Latvian SSR
- Hypoderæum conoideum Oxyura leucocephala Maksimova, A. P., 1966 a South Kazakhstan
- Hypoderæum conoideum (Bloch, 1782) Anas querquedula (intestine) Anas acuta Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan
- Hypoderæum conoideum (Bloch, 1892) Anas platyrhynchos A. acuta A. clypeata Nyroca ferina Anas penelope Mergus albellus Maksimova, A. P., 1967 a, 136 all from Western Kazakhstan
- Hypoderæum conoideum (Bloch, 1782) găini răță gîscă Olteanu, G.; and Stoican, E., 1963 b, 225, 229, 234 all from Romania
- Hypoderæum [sic] conoideum (Bloch, 1782) Anas platyrhynchos Osmarin, P. G., 1965 b Buriat ASSR
- Hypoderæum conoideum (Bloch, 1782) prophylaxis by isolated rearing of ducklings Podgornova, G. P., 1965 a
- Hypoderæum conoideum cercaria chaetotaxy Richard, J., 1968 a, fig. 1E
- Hypoderæum conoideum [Anas platyrhynchos] Shevtsov, A. A., 1961 a, 226 Ukraine
- Hypoderæum conoideum [Anas platyrhynchos] Shevtsov, A. A., 1963 b Volynskaiia oblast
- Hypoderæum conoideum [Anas platyrhynchos] [Anser anser] Shevtsov, A. A., 1963 c all from Ukraine
- Hypoderæum conoideum [Anser anser] Shevtsov, A. A., 1966 b Ukrainian SSR

| | | | |
|--|--|---|--|
| Hypoderaeum conoideum (Bloch, 1782) | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 79 Western Kazakhstan | Hypoderœum [lapsus for: Hypoderaeum] | Garkavi, B. L.; and Poluektov, V. S., 1968 a, 49 |
| Lymnaea stagnalis | | | |
| Hypoderaeum conoideum distribution | Sprehn, C. E. W., 1967 a Europe | Hypohepaticola callionymi Callionymus fragris | Ichihara, A., 1963 a Bay of Tokyo |
| Hypoderaeum conoideum Lymnaea peregra (nat. and exper.) duck (exper.) | Williams, M. O., 1966 a, 248 Milngavie near Glasgow, Scotland | Hyptiasmus arcuatus (Stossich, 1902) <i>Turdus musicus</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Hypoderaeum dingeri Mehlis' gland complex | Lie Kian Joe, 1965 a, fig. 3 | Hyptiasmus arcuatus <i>Mergus albellus</i> | Maksimova, A. P., 1966 a South Kazakhstan |
| Hypoderaeum dingeri Lie, 1964 integumentary papillae of cercariae | Lie Kian Joe, 1966 b, 1041, 1043, 1044, 1045, 1046, 1047, figs. 2D, 3D, 4D, 5D, 6D | Hyptiasmus arcuatus (Stossich, 1902) <i>Anas strepera</i> <i>A. querquedula</i> <i>A. platyrhynchos</i> <i>A. acuta</i> <i>A. clypeata</i> | Maksimova, A. P., 1967 a, 129 all from Western Kazakhstan |
| Hypoderaeum dingeri Lie Lymnaea rubiginosa | Lie Kian Joe; Basch, P. F.; and Umathevy, T., 1966 a Central Malaya | Hyptiasmus arcuatus distribution | Sprehn, C. E. W., 1967 a Europe |
| Hypoderaeum gnedini Baschkirova, 1941 key | Alekseev, V. M., 1965 c, 22 | Hyptiasmus brumpti Dollfus, 1948 <i>Gallicula chloropus</i> (dutina telová) | Macko, J. K., 1967 a, 852 Czechoslovakia (ČSSR) |
| Hypoderaeum gnedini Anas platyrhynchos Nyroca ferina | Maksimova, A. P., 1966 a all from South Kazakhstan | Hyptiasmus laevigatus distribution | Sprehn, C. E. W., 1967 a Europe |
| Hypoderaeum gnedini Baschkirova, 1941 Nyroca ferina (intestine) | Maksimova, A. P., [1966 b] Karaganda oblast, Kazakh- stan | Hyptiasmus oculeus Kossack, 1911 <i>Fulica atra atra</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Hypoderaeum gnedini Baschkirova, 1941 Anas platyrhynchos | Maksimova, A. P., 1967 a, 136 Western Kazakhstan | Hyptiasmus oculeus [<i>Fulica atra</i>] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve |
| Hypoderaeum gnedini [<i>Anas platyrhynchos</i>] | Shevtsov, A. A., 1963 c Ukraine | Hyptiasmus witenbergi Tretiakova, 1940 <i>Anas platyrhynchos</i> (infraorbital sinus) | Maksimova, A. P., 1967 a, 129- 130, fig. 4 Western Kazakhstan |
| Hypoderaeum gnedini [sic] distribution | Sprehn, C. E. W., 1967 a Europe | Hysterogonia balistis Hanson, 1955 <i>Balistes bursa</i> (intestine) | Pritchard, M. H., 1966 b, 192 Hawaii |
| Hypoderaeum microspina (Singh, 1954) Skrjabin, Baschkirova, 1956 key | Alekseev, V. M., 1965 c, 21 | Hysterolecitha trilocalis Gillichthys mirabilis "mudsucker" (gills) | Noble, E. R., 1963 c southern California coast |
| Hypoderaeum sobolevi sp. nov. (small intestine) key | Alekseev, V. M., 1965 c, 19- 21, figs. a,b,v all from USSR, Spasskii and Khasansk regions of Primor- skii krai | Hysteroomorpha triloba (Rud., 1819) (musculature) [<i>Rutilus rutilus</i>] [<i>Abramis brama</i>] [<i>Blicca bjoerkna</i>] [<i>Carassius carassius</i>] [<i>Esox lucius</i>] | Komarova, T. I., 1964 a, 82 all from Dnieper delta |
| Hypoderaeum vigi Baschkirova, 1941 key | Alekseev, V. M., 1965 c, 22 | Hysteroomorpha triloba seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Hypoderaeum vigi Nyroca ferina | Maksimova, A. P., 1966 a South Kazakhstan | Hysteroomorpha triloba (Rud., 1819) [<i>Blicca bjoerkna</i>] [<i>Abramis brama</i>] | Komarova, T. I., 1966 a, 62 all from Dnieper estuary |
| Hypoderaeum vigi Basch- kirova, 1941 Anas platyrhynchos A. acuta | Maksimova, A. P., 1967 a, 137 all from Western Kazakhstan | Hysteroomorpha triloba (Rudolphi, 1819) (musculature) <i>Abramis sapa</i> <i>Rutilus rutilus</i> <i>Scardinus erythrophthalmus</i> | Marits, N. M., 1963 a, 48 all from Moldavia |
| Hypoderaeum vigi [<i>Anas platyrhynchos</i>] | Shevtsov, A. A., 1963 c Ukraine | Hysteroomorpha triloba (Rud., 1819) [<i>Phalacrocorax carbo</i>] | Smogorzhevskaiia, L. A.; Kor- niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen |
| Hypoderaeum vigi distribution | Sprehn, C. E. W., 1967 a Europe | | |
| Hypodereum [lapsus for: Hypoderaeum] | Oshmarin, P. G., 1965 b | | |

- Irinaia n. g.
Cryptogonimidae Caballero y Caballero, E.;
and Bravo-Hollis, M.,
[1966 b], 303-304, 307, 308
tod: *I. brenesi* n. sp.
- Irinaia brenesi n. g.,
n. sp. (tod)
Cochlearius cochlearius
zeledoni (cavidad bucal?) Caballero y Caballero, E.;
and Bravo-Hollis, M.,
[1966 b], 303, 304, 305-307,
308, 309, figs. 1-5
Peñas Blancas, Rivas,
República de Nicaragua,
America Central
- Isoparorchidae Teixeira de Freitas, J. F.;
includes: *Dollfustravassosiinae* subfam. n. and Kohn, A., 1967 a, 314
- Isoparorchis hypselobagri Nihei, E.; Ichihara, A.; and
Pseudogobio esocinus Kamegai, S., 1964 a
Parasilurus asotus all from River Tone and its
tributaries, Japan
- Isoparorchis hypselobagri Nihei, E.; Ichihara, A.;
Tribolodon hakueensis Kamegai, S.; and Suzuki, N.,
1963 a
Tone River
- Isoparorchis hypselobagri Suzuki, N.; Kamegai, S.;
Billet, 1898 Kamegai, S.; and Nihei, E.,
Ophicephalus argus 1963 a
Hemibarbus bargus all from Kanto District
Pseudogobio esocinus
Parasilurus asotus
- Isthmiophora spiculator Dönges, J., 1967 b
yomesan, rats, ferrets
- Itygonimus. See *Itygonimus*.
- Caballero y Caballero, E.;
and Bravo-Hollis, M.,
[1966 b], 303-304, 307, 308
tod: *I. brenesi* n. sp.
- Itygonimus [sic] ocreatus Edelényi, B., 1965 a, fig. 2
(Goeze, 1782) Hungary
Syn.: *Cucullanus talpae* Müller, 1782
Talpa europaea (Darmakanal)
- Ithygonimus [sic] talpa Merkusheva, I. V.; and Kraev-
(Goeze, 1782) skaia, L. I., [1966 a]
Talpa europea (intestine) Belorussia
- Johniophyllum Ichihara, A.; et al., 1964 b
[lapsus as: *Johnyophyllum

Johnyophyllum Ichihara, A.; et al., 1964 b
[lapsus for: *Johniophyllum

Johniophyllum [sic] johnii Ichihara, A.; et al., 1964 b
(Yamaguti) Skrjabin et Sagami Bay, Japan
Gushanskaya
Beryx splenedens

Kaurma orientalis T'ung, Y.-J.; and Sun, C.-P.,
Yamaguti, 1937 1968 a
Chelonidea Nanking, China

Kuhnia sombri (Kuhn, 1829) Pogorel'tseva, T. P., 1964 b,
Sproston, 1945 39-40, fig. 7
Scomber scomber (gills) Black Sea**

- Laiogonimus tananarivense* (Deblock and Capron, 1962) *Fischthal, J. H.; and Thomas, J. D.*, 1968 a, 9
n. comb.
Syn.: *Astiotrema* (*Biguetrema*) *tananarivense* Deblock and Capron, 1962.
- Lamellodiscus coronatus* n. sp. (*branchies*) *Euzet, L.; and Oliver, G.*, 1966 a, 588-590, 596, figs. 11-12, 17
Diplodus sargus *D. annularis* all from Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus drummondi* n. sp. *Pagellus acarne* (*branchies*) *Euzet, L.; and Oliver, G.*, 1967 a, 414-417, 422, 423, 424, figs. 6-7, 13
Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus elegans* Bychowsky, 1957 *Euzet, L.; and Oliver, G.*, 1966 a, 583-586, 596, figs. 8-9, 17
Diplodus sargus (*branchies*) all from Sète (Hérault), Banyuls (P.-O.)
D. annularis "
D. vulgaris "
- Lamellodiscus ergensi* n. nov. *Euzet, L.; and Oliver, G.*, 1966 a, 581-583, 596, figs. 6-7, 17
Syn.: *L. pagrosomi* Murray, 1931 (in Ergens 1960)
Diplodus sargus (*branchies*) all from Sète (Hérault), Banyuls (P.-O.)
D. annularis "
D. vulgaris "
- Lamellodiscus erythrini* n. sp. *Pagellus erythrinus* (*branchies*) *Euzet, L.; and Oliver, G.*, 1967 a, 407-412, 423, 424, figs. 1-3A
Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus fraternus* Bychowsky, 1957 *Euzet, L.; and Oliver, G.*, 1966 a, 578-581, 596, figs. 4-5, 17
Diplodus annularis (*branchies*) all from Sète (Hérault), Banyuls (P.-O.)
D. vulgaris (*branchies*)
- Lamellodiscus furcosus* n. sp. *Euzet, L.; and Oliver, G.*, 1966 a, 586-588, 596, figs. 10, 17
Diplodus cervinus (*branchies*) Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus gracilis* n. sp. *Euzet, L.; and Oliver, G.*, 1966 a, 593-596, figs. 15-17
Diplodus sargus (*branchies*) all from Sète (Hérault), Banyuls (P.-O.)
D. annularis "
- Lamellodiscus ignoratus* Palombi, 1943 *Euzet, L.; and Oliver, G.*, 1966 a, 574-578, 596, figs. 1-3, 17
Diplodus sargus (*branchies*) Sète (Hérault), Banyuls (P.-O.), all from
D. annularis "
D. vulgaris "
- Lamellodiscus mirandus* n. sp. *Euzet, L.; and Oliver, G.*, 1966 a, 590-593, 596, figs. 13-14, 17
Diplodus sargus (*branchies*) Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus mormyri* n. sp. *Euzet, L.; and Oliver, G.*, 1967 a, 420-422, 423, 424, figs. 11-12, 13
Pagellus mormyrus (*branchies*) Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus pagrosomi* Murray, 1931 (in Ergens 1960) *Euzet, L.; and Oliver, G.*, 1966 a, 581
as syn. of *Lamellodiscus ergensi* n. nov.
- Lamellodiscus pagrosomi* Murray, 1931 *Euzet, L.; and Oliver, G.*, 1967 a, 410, fig. 3B
- Lamellodiscus verberis* n. sp. *Pagellus acarne* (*branchies*) *Euzet, L.; and Oliver, G.*, 1967 a, 417-420, 422, 423, 424, figs. 8-10, 13
Sète (Hérault), Banyuls (P.-O.)
- Lamellodiscus virgula* n. sp. *Pagellus acarne* (*branchies*) *Euzet, L.; and Oliver, G.*, 1967 a, 412-414, 422, 423, 424, figs. 4, 5, 13
Sète (Hérault), Banyuls (P.-O.)
- Lasiotocus nulli* (M. Stos-sich, 1883) *A. Looss*, 1907 *Euzet, L.; and Oliver, G.*, 1967 a, 398-401, 411, figs. 1-3
in T. Odner, 1911
Mullus barbatus (*rectum*) *M. surmuletus* " Golfe de Marseille, all from
- Laterostrigea capella* *Yang Fu-Hsi*, 1962 Dubois, G., 1966 a, 47
as syn. of *Pulvinifer macrostomum* (Jägerskiöld, 1900)
Dubois, 1938.
- Laterostrigea conicura* *Yang Fu-Hsi*, 1962 Dubois, G., 1966 a, 47
as syn. of *Pulvinifer macrostomum* (Jägerskiöld, 1900)
Dubois, 1938.
- Laterotrema Semenov*, 1927 *Macy, R. W.; and Strong, G. L.*, 1967 a
key to species
- Laterotrema* [n. sp.?] *Crocothemis s. servilliae* *Prakash, R.; and Pande, B. P.*, 1967 a, figs. 1-3
- Laterotrema americana* *McIntosh*, 1936 *Macy, R. W.; and Strong, G. L.*, 1967 a, 585
key
- Laterotrema arenula* (Creplin, 1825) *Gallinula chloropus* (crevo) Macko, J. K., 1967 a, 854
Czechoslovakia (CSSR)
- Laterotrema arenula* (Creplin, 1825) *key* Macy, R. W.; and Strong, G. L., 1967 a, 585
- Laterotrema arenula* distribution *Sprehn, C. E. W.*, 1967 a Europe
- Laterotrema cascadiensis* sp. n. *Macy, R. W.; and Strong, G. L.*, 1967 a, 584, 585, figs. 1-5
key
Cinclus mexicanus unicolor (small intestine) lower Columbia River Gorge, Multnomah Co., Oregon; Stevenson, Washington
- Laterotrema cinctili* Yamaguti, 1939 *Macy, R. W.; and Strong, G. L.*, 1967 a, 585
key
- Laterotrema indianae* Mehra, 1938 *Macy, R. W.; and Strong, G. L.*, 1967 a, 585
key
- Laterotrema (Pseudola-terotrema) indica* (Singh, 1962) [?n. comb.] *Macy, R. W.; and Strong, G. L.*, 1967 a, 585
- Laterotrema vaginata* Oshimarin, 1964 *Macy, R. W.; and Strong, G. L.*, 1967 a
key

- Laterotrema vexans* (Braun, 1901) Khotenovskii, I. A., 1963 a, fig. 4
Sitta europaea (bursa of Fabricius) all from Leningrad oblast
Sturnus vulgaris (small intestine)
- Laterotrema vexans* (Braun, 1901) (cloaca) Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 148, fig. 19 USSR, Kamchatka
- Sterna camtschatica*
- Laterotrema vexans* (Braun, 1901) key Macy, R. W.; and Strong, G. L., 1967 a, 585
- Corvus corone* (cloaca)
- Laticaudatrema* n. g. Telford, S. R. (jr.), 1967 a, 245, 248
 Hemiuridae; Sternurinae tod: *L. amamiensis* n. sp.
- Laticaudatrema amamiensis* n. g., n. sp. (tod) Telford, S. R. (jr.), 1967 a, 245, 248-249, 250, 251, 254-256, figs. 1-6 Amami Island, Japan
- Laticaudatrema semifasciata* (trachea, lung, air sac)
- Lecithaster* Lühe, 1901 Srivastava, L. P., 1966 a, emend. 546-552
 key to species includes: *Lecithaster musteli* sp. nov.; *Lecithaster tauricus* Pigulewsky, 1938; *Lecithaster salmonis* Yamaguti, 1934; *Lecithaster extralobus* Srivastava, 1935; *Lecithaster galeatus* Looss, 1907; *Lecithaster gibbosus* (Rud.) Lühe, 1901; *Lecithaster confusus* Odhner, 1905; *Lecithaster indicus* Srivastava, 1935
- Lecithaster bothryophorus* (Olsson) Srivastava, L. P., 1966 a
- Stafford, 1904 as syn. of *Lecithaster gibbosus* (Rud.) Lühe, 1901
- Lecithaster confusus* Odhner, 1905 Ichihara, A.; et al., 1966 a
Kareius bicoloratus (intestine) 1 fig. Tokyo Bay
- Lecithaster confusus* Komarova, T. I., 1963 b
 (intestine) Dneprovsk estuary
- Lecithaster confusus* Odhner, 1905 Komarova, T. I., 1964 a, 81
 (intestine) all from Dnieper delta
 [Alosa kessleri pontica]
 [Caspialosa]
- Lecithaster confusus* Odhner, 1905 Komarova, T. I., 1966 a, 60
 (intestine) Dnieper estuary
 [Caspialosa sp.] (intestine)
- Lecithaster confusus* Odhner, 1905 Srivastava, L. P., 1966 a
 key
 Syns.: *Distomum mollissimum* Stossich, 1889, nec Levinsen, 1881; *Apoblema mollissimum* Looss, 1896 in part; *Hemirurus bothryophorus* Looss, 1899, nec *Distomum bothryophoron* Olsson, 1868
- Lecithaster extralobus* Srivastava, L. P., 1966 a
 Srivastava, 1935
 key
- Lecithaster galeatus* Looss, 1907 Srivastava, L. P., 1966 a
 key
- Lecithaster gibbosus* (Rud., 1802) (intestine) Mamaev, Iu. L., 1965 a
Sebastodes alutus all from Bering Sea
S. introniger
S. aleutianus
Atherestes evermanni
A. stomias
Reinhardtius hippoglossoides matsuurae
Hippoglossoides elassodon
- Lecithaster gibbosus* (Rud.) Lühe, 1901 Srivastava, L. P., 1966 a
 key
 Syns.: *Distomum bergense* Olsson, 1868; *Lecithaster bothryophorus* (Olsson) Stafford, 1904
- Lecithaster gibbosus* (Rudolphi, 1802) Zhukov, E. V., 1963 a, 106
 all from Chukotsk Peninsula
Clupea harengus pallasi (pyloric caeca)
Salvelinus malma (pyloric caeca, intestine)
Osmerus eperlanus dentex (intestine)
Mallotus villosus socialis (intestine)
Mellettes papilio (stomach, intestine)
Myoxocephalus polyacanthocephalus (intestine)
Myoxocephalus verrucosus (stomach, intestine)
Myoxocephalus platicephalus (intestine)
Liparis gibbus (intestine)
- Lecithaster indicus* Srivastava, L. P., 1966 a
 Srivastava, 1935
 key
- Lecithaster musteli* sp. nov. Srivastava, L. P., 1966 a, 543-546, 550, 552, figs. 1-8
 key
Onos mustelus (intestine) Mumbles Head, Swansea
- Lecithaster musteli* Srivastava, L. P., 1966 d, 472, 473, fig. 8
 Srivastava, 1966
Onos mustelus (intestine) Mumbles Head, Swansea
- Lecithaster salmonis* Yamaguti, 1934 Srivastava, L. P., 1966 a
 key
- Lecithaster sayori* Yamaguti, 1938 Baeva, O. M., 1965 b
Cololabis saira (intestine) Pacific Ocean
- Lecithaster stellatus* Looss, 1907 Srivastava, L. P., 1966 a
 key
- Lecithaster tauricus* Pigulewsky, 1938 Nikolaeva, V. M., 1963 a, 409
Engraulis encrasicholus ponticus (intestine) Black Sea
- Lecithaster tauricus* Pigulewsky, 1938 Srivastava, L. P., 1966 a
 key
- Lecithochiriidae* gen. sp. Mamaev, Iu. L., 1965 a, 179
Sebastodes aleutianus Bering Sea
- Lecithochiridae* gen. sp. larva Nikolaeva, V. M., 1963 a, 405-408, fig. 3
Engraulis encrasicholus ponticus (air bladder) Black Sea
- Lecithochirium fusiforme* Luhe, 1901 Ku, C.-T.; and Shen, C.-W., 1968 b
 Holocentrum rubrum (stomach) San-Ya, Hainan Island

| | | | |
|---|---|---|--|
| <i>Lecithochirium parvum</i> Manter, 1947 | Corkum, K. C., 1966 b, 49 Barataria Bay, Louisiana | <i>Lecithocladium excisum</i> (Rudolphi, 1819) <i>Selar crumenophthalmus</i> (stomach) | Oshmarin, P. G., 1965 c, 227- 229, fig. 12 North Vietnam |
| <i>Lecithochirium platessae</i> Mamaëv et Parukhin, 1963 (stomach) | Mamaev, Iu. L., 1965 a, 179 all from Bering Sea | <i>Lecithocladium excisum</i> Lühe, 1901 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Paralichthys lethostigma</i> | | <i>Lecithocladium excisum</i> (Rus., 1819) Lühe, 1901 (stomach) <i>Scomber scombrus</i> | Sey, O., 1968 a waters around Split, Yugoslavia |
| <i>Sebastodes aleutianus</i> | | | |
| <i>Lecithochirium synodi</i> Manter, 1931 | Corkum, K. C., 1966 b, 48 Barataria Bay, Louisiana | <i>Lecithocladium glandularis</i> Chauhan, 1945 <i>Megalaspis cordayla</i> (intestine) | Ku, C.-T.; and Shen, C.-W., 1968 a Hai-K'ou, Hainan Island |
| <i>Paralichthys lethostigma</i> (lower end of stomach and small intestine) | | <i>Lecithocladium glandulum</i> Chauhan, 1945 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium Lühe, 1901</i> key to species | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium harpodontis</i> Srivastava, 1937 <i>Stromatecides argenteus</i> (stomach, pyloric orifice) | Ku, C.-T.; and Shen, C.-W., 1968 a Hu-Lu-Tao of Chou-Shan Islands; Lai-Chou Bay, Shantung Province |
| <i>Lecithocladium sp. (imma-</i> <i>turte)</i> (stomach) | Ichihara, A.; et al, 1965 a 2, 3, 7, 9, fig. 3 Sagami Bay, Japan | <i>Lecithocladium harpodontis</i> Srivastava, 1942 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Psenopsis anomala</i> | | <i>Lecithocladium magnacatabu-</i> lum Yamaguti, 1934 <i>Psenopsis anomala</i> (stomach) | Ichihara, A.; et al, 1965 a, 2-3, 7, 9, fig. 2 Sagami Bay, Japan |
| <i>Lecithocladium aegyptensis</i> Fischthal and Kuntz, 1963 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium magnacatabu-</i> lum Yamaguti, 1934 <i>Psenopsis anomala</i> | Ichihara, A.; et al, 1965 c Bay of Sagami |
| <i>Lecithocladium angustiovum</i> Yamaguti, 1953 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium magnacatabu-</i> lum Yamaguti, 1934 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium annulatum</i> Chauhan, 1945 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium megalaspis</i> Yamaguti, 1953 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium aplecti</i> Velasquez, 1962 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium pagrosomi</i> Yamaguti, 1934 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium brevicaudum</i> Srivastava, 1942 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium parviovum</i> Yamaguti, 1953 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium bulbolabrum</i> sp. n. key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 39, 41- 42, 43, fig. 2 Formosan waters | <i>Lecithocladium psenopsis</i> Yamaguti, 1934 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Rastralliger kanagurta</i> (small intestine) | | <i>Lecithocladium scombri</i> Yamaguti, 1953 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium carvultum</i> Chauhan, 1945 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithocladium seriolellae</i> Manter, 1954 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 |
| <i>Lecithocladium chingi</i> Manter and Pritchard, 1960 key | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43 | <i>Lecithoclaesum sp.</i> <i>Psenopsis anomala</i> | Ichihara, A.; et al, 1965 c Bay of Sagami |
| <i>Lecithocladium excisiforme</i> Cohn, 1903 <i>Scolopsis teaniopterus</i> (stomach and intestines) <i>Caranx (Atule) macrurus</i> (stomach and intestines) | Ku, C.-T.; and Shen, C.-W., 1968 a all from San-Ya, Hainan Island | <i>Lecithodendriidae</i> not harmed by industrial pollution | Chernogorenko-Bidulina, M.I., 1963 a Desna river |
| <i>Lecithocladium excisum</i> (Rud., 1819) <i>Pleurobrachia pileus</i> (pharynx) | Boyle, M. S., 1966 a, pl. 1, fig. 1 New Zealand | <i>Lecithodendriidae</i> key to genera | Cosgrove, G. E., 1966 a |
| <i>Lecithocladium excisum</i> (Rud., 1819) <i>Scomber scomber</i> | Koval, V. P.; and Otsupok, N. D., 1964 a, 50 region of Evpatoria, Black Sea | | |
| <i>Lecithocladium excisum</i> (Rudolphi, 1819) Lühe, 1901 <i>Trachurus mediterraneus</i> <i>ponticus</i> (intestine) | Nikolaeva, V. M., 1963 a, 410 Black Sea | | |

- Lecithodendriidae ? [sp.] Lewis, D. J.; and Wright, A., 1962 b, fig. 1
Rio Guarapiche near San Antonio de Maturin, state of Monagas
- Lecithodendriidae gen. sp. I Vergun, G. I., 1963 a
Bithynia tentaculata Northern Donets
- Lecithodendrium Looss, 1896 Richard, J., 1966 a, 421, 423, fig. 6C
- Lecithodendrium (Lecithodendrium) sp. inq. Gupta, N. K., 1966 b, 128-129, fig. 5
Lyroderma lyra (intestine) Gurdaspur (Punjab), India
- Lecithodendrium lynchii (Inglis, 1936) Rankin, 1938 Martin, G. W., 1966 b, 1066
as syn. of *Prosthopycoides lynchii* (Inglis, 1936) comb. n.
- Lecithodendrium (L.) macrostomum Ozaki, 1929 Mituch, J., 1965 a, 113, 114, 118, fig. 3
Miniopterus schreibersii Slovakia (CSSR)
- Lecithodendrium (L.) medlingeri Ozaki (1929) Mituch, J., 1965 a, 115, 117-
Miniopterus schreibersii Slovakia (CSSR)
- Lecithodendrium ovimagnosum Bhalerao, 1926 Gupta, N. K., 1966 b, 125
as syn. of *Paralecithodendrium ovimagnosum* (Bhalerao, 1926)
- Lecithodendrium skrjabini Matsaberidze, G. V., 1963 a, 695-698, fig.
Vespertilio nathusii Georgian SSR (small intestine)
- Lecithodendrium somatiriae Bowers, E. A.; and James, B. L., 1967 a, 298
as syn. of *Meiogymnophallus minutus* (Cobbold, 1859) comb. nov.
- Lecithophyllum sphaerocleatum Mamaev, Iu. L., 1965 a, 179
thum (Manter, 1925) (stomach) all from Bering Sea
Sebastodes alutus
S. introniger
S. aleutianus
Reinhardtius hippoglossoides matsuurae
- Leipertrema Dicrocoeliidae, key Cosgrove, G. E., 1966 a, fig. 8
- Lepidapedon key to species with short excretory bladders McCauley, J. E., 1968 a, 504
- Lepidapedon Stafford, 1904 Srivastava, L. P., 1966 b, 116-119
historical review key to species
- Lepidapedon antarcticus key McCauley, J. E., 1968 a, 504
- Lepidapedon antarcticus key Srivastava, L. P., 1966 b, 119
- Lepidapedon antimorae sp. n. key McCauley, J. E., 1968 a, 496, 498, 499, 504, figs. 2-4
Antimora rostrata (intestine) coast of Oregon
- Lepidapedon australis key McCauley, J. E., 1968 a, 504
- Lepidapedon australis key Srivastava, L. P., 1966 b, 119
- Lepidapedon calli key McCauley, J. E., 1968 a, 504
- Lepidapedon calli key Lewis, D. J.; and Wright, A., 1962 b, fig. 1
Rio Guarapiche near San Antonio de Maturin, state of Monagas
- Lepidapedon cambrensis sp. nov. key Onos mustelus (large intestine) Srivastava, L. P., 1966 b, 111, 112-116, 119, 120, figs. 1-6
Mumbles Head, Swansea
- Lepidapedon cambrensis key McCauley, J. E., 1968 a, 504
- Lepidapedon cambrensis Srivastava 1966 Onos mustelus (large intestine) Srivastava, L. P., 1966 d, 470, 473, fig. 4
Mumbles Head, Swansea
- Lepidapedon cascadiensis sp. n. key Chalinura filifera (intestine)
C. serrula " McCauley, J. E., 1968 a, 496, 500, 501, 502, 504, figs. 8-10
all from coast of Oregon
- Lepidapedon clavatum key Srivastava, L. P., 1966 b, 119
- Lepidapedon congeri key Srivastava, L. P., 1966 b, 119
- Lepidapedon elongatum key McCauley, J. E., 1968 a, 504
- Lepidapedon elongatum key Srivastava, L. P., 1966 b, 119
- Lepidapedon epinepheli key Srivastava, L. P., 1966 b, 119
- Lepidapedon filiformis sp. n. key Chalinura filifera (intestine) McCauley, J. E., 1968 a, 496, 501, 503-504, figs. 14-18
coast of Oregon
- Lepidapedon gadi key McCauley, J. E., 1968 a, 504
- Lepidapedon gadi Yamaguti, 1934 (intestine) Mamaev, Iu. L., 1965 a, 178
Sebastodes alutus
S. introniger
Anoplopoma fimbria all from Bering Sea
- Lepidapedon gadi (Yamaguti, 1934) Syn.: *Lepidapedon microcotyleum* Dollfus, 1953. Srivastava, L. P., 1966 b, 117, 120
- Lepidapedon genge key McCauley, J. E., 1968 a, 504
- Lepidapedon genge key Srivastava, L. P., 1966 b, 119
- Lepidapedon gymnoanthi [sic] key Srivastava, L. P., 1966 b, 119
- Lepidapedon hancocki key Srivastava, L. P., 1966 b, 119
- Lepidapedon lebouri key McCauley, J. E., 1968 a, 504
- Lepidapedon lebouri key Srivastava, L. P., 1966 b, 119
- Lepidapedon levensesi key Srivastava, L. P., 1966 b, 119
- Lepidapedon luteum key McCauley, J. E., 1968 a, 504

TREMATODA

- Lepidapedon luteum
key Srivastava, L. P., 1966 b,
119
- Lepidapedon luteum
abyssensis ssp. n.
key McCauley, J. E., 1968 a, 496,
497-498, 499, 504, fig. 1
Syn.: Lepidapedon luteum var. abyssensis McCauley, 1964
(intestine)
all from coast of Oregon
- Hemimacrurus acrolepis
Chalinura filifera
C. serrula
Nematonurus longifilis
unidentified macrourids
- Lepidapedon megalaspi sp.n.
(intestine) Parukhin, A.M., 1966 b, 1463,
1464-1465, fig. 3
Megalaspis cardyla
Caranx malabaricus
Rhachycentron canadus all from Tonkin gulf
- Lepidapedon microcotyleum
(Döhner, mss.) Dollfus, 1953
key McCauley, J. E., 1968 a, 504
- Lepidapedon microcotyleum
Dollfus, 1953
as syn. of Lepidapedon gadi (Yamaguti, 1934) Srivastava, L. P., 1966 b,
117, 120
- Lepidapedon nicolli
key Srivastava, L. P., 1966 a,
1966 b, 119
- Lepidapedon oregonensis
sp. n.
key McCauley, J. E., 1968 a, 496,
501, 502-503, 504, figs. 11-13
(intestine)
Chalinura filifera
C. serrula
unidentified macrourids all from coast of Oregon
- Lepidapedon paraepinepheli
[sic]
key Srivastava, L. P., 1966 b,
119
- Lepidapedon rachion
key McCauley, J. E., 1968 a, 504
- Lepidapedon rachion
key Srivastava, L. P., 1966 b,
119
- Lepidapedon trachinoti
key Srivastava, L. P., 1966 b,
119
- Lepidapedon truncatum
key Srivastava, L. P., 1966 b,
119
- Lepidapedon yaquina sp. n.
key McCauley, J. E., 1968 a, 496,
498, 499, 500, 504, figs. 5-7
(intestine)
Chalinura serrula
C. filifera
unidentified macrourid all from coast of Oregon
- Lepidophyllum pleuronectini Mamaev, Iu. L., 1965 a, 178
Zhukov, 1957 (urinary bladder) Bering Sea
Hippoglossoides elassodon
- Lepidophyllum pleuronectini Zhukov, E. V., 1963 a, 100
Zhukov, 1957
Plateissa quadrituderculata (urinary bladder)
- Lepidophyllum schantaricum
sp. nov.
Zoarcetes viviparus elongatus (urinary bladder) Kulikov, V. V.; Tsimbaliuk,
E. M.; and Kazachenko, V. N.,
1968 a, 167-169, figs. a, b,
v Jakshin Gulf (Great Shantar
- Lepidotes collinsi Mueller (1963)
as syn. of Diplectanum collinsi (Mueller) Price Paling, J. E., 1966 a, 337
- Lepidotes fluviatile
as syn. of Diplectanum fluviatile (Johnston & Tiegs) Price Paling, J. E., 1966 a, 377
- Lepocreadiidae includes: Lepocreadiinae; Homalometroninae Howell, M. J., 1966 a, 27, 28
- Lepocreadiidae includes: Bulbocirrinae n. subf., Lepocreadiinae Yamaguti, S., 1965 c
- Lepocreadiinae Lepocreadiidae Howell, M. J., 1966 a, 27, 28
- Lepocreadium Stossich, 1903 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253-254
- Lepocreadium album (M. Stossich, 1890) Bartoli, P., 1966 a
Mediterranean
Cantharus cantharus (appendices pyloriques)
- Lepocreadium album (Stos-
sich, 1890) Stossich, 1903 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253
- Lepocreadium archosargi,
Pearse, 1949 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253
- Lepocreadium bimarinum,
Manter, 1940 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253
- Lepocreadium bravoae La-
mothe, 1964 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253
- Lepocreadium brevoortiae
Nahhas and Short, 1965 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium californianum
sp. n. Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 247, 249, 251-
252, 253, fig. 1C-D
Roccus saxatilis (intes-
tine)
Sacramento-San Joaquin Delta
- Lepocreadium clavatum
(Ozaki, 1932) Yamaguti,
1938 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium elongatum
(Nagati, 1942) Manter,
1946 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium exiguum Man-
ter, 1963 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium floridanum
Sogandares-Bernal and
Hutton, 1959 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium hemiramphi
Nahhas and Cable, 1964 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253
- Lepocreadium incisum Han-
son, 1955 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium maris (Cabal-
lerc, 1957) Manter, 1963 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 254
- Lepocreadium micropogoni
Pearse, 1949 Edwards, S. R.; and Nahhas,
key F. M., 1968 a, 253

- Lepocreadium opsanusi
Sogandares-Bernal and
Hutton, 1960
key
- Lepocreadium ovale Manter,
1931
key
- Lepocreadium pegorchis
Syn.: *Cercaria setifera*
F. S. Monticelli, 1914, nec J. Müller
Nassa mutabilis
Maena smaris (intestine) Trieste
- Cardium tuberculatum
Dona semistriatus
Mactra corallina
Venus gallina
Spisula subtruncata
Gobius microps
Pagellus erythrinus
Pagellus mormyrus
- Lepocreadium pegorchis
(M. Stossich 1900)
Nassa mutabilis (exper.)
- Cardita sulcata "
- Venus fasciata "
- V. verrucosa "
- Psammobia tellinella "
- Pagellus erythrinus "
- P. mormyrus "
- Gobius microps "
- Lepocreadium pyriforme
(Linton, 1900) Linton 1940
key
- Lepocreadium retrusum Lin-
ton, 1940
Trachurus trachurus (in-
testine)
- Lepocreadium retrusum
Linton 1940
Trachurus mediterraneus ponticus (pyloric caecum)
- Lepocreadium retrusum
Linton, 1940
(pyloric appendage, in-
testine)
- Engraulis encrasicholus ponticus
- Trachurus mediterraneus ponticus
- Lepocreadium setiferoides
Martin, 1938
key
- Lepocreadium trulla (Lin-
ton, 1907) Linton, 1910
key
- Lepocreadium trullaforme
Linton, 1940
key
- Lepocreadium truncatum
Nahhas and Cable, 1964
key
- Lepocreadium vitellosum
(Ozaki, 1936) Manter, 1946
key
- Lepoderma ramlianum (Abdel-
Azim, 1935)
Bulinus truncatus
Bufo regularis (exper.)
- Leptocotyle minor
Scyliorhinus canicula
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 253
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 253
- Bartoli, P., 1966 a
all from Mediterranean
- Bartoli, P., 1966 a
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 253
- Leptophallus nigrovenosus
Natrix natrix
Vipera berus
- Leptophallus nigrovenosus
distribution
- Leucochloridomorpha con-
stantiae [sic]
seasonal distribution in
molluscs in relation to
industrial pollution
- Leucochloridomorpha con-
stantiae [sic] Mill.
Viviparus viviparus
- Leucochloridomorpha skribabini sp. nov.
Anas clypeata (bursa of
Fabricius)
- Leucochloridomorphinae
Yamaguti, 1958 emend.
includes: *Ptyalincola* gen. n.; Leucochloridomorpha
- Leucochloridium sp.
(small intestine)
Dryobates martius
- Leucochloridium sp.
Succinea altaica
- Leucochloridium actitis
McIntosh, 1932
Sturmus vulgaris
(cloaca)
- Leucochloridium astitis
McIntosh, 1932 [corrected
to *L. actitis* in addendum
insert]
Sterna hirundo (intestine)
- Nikolaeva, V. M., 1963 a, 414-
415
all from Black Sea
- Koval, V. P.; and Otsupok, N.
D., 1964 a, 49
region of Evpatoria,
Black Sea
- Kovaleva, A. A., 1965 a
Black Sea; Azov Sea
- El-Gindy, M. S.; and Rushdi,
M. Z., 1962 a, fig. 4
Egypt
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 254
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 253
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 253
- Edwards, S. R.; and Nahhas,
F. M., 1968 a, 254
- Leucocochlidium cyanocittae
McIntosh, 1932
Sturmus vulgaris vulgaris
(rectum)
- Turdus musicus musicus
(mid-ileum)
- Leucocochlidium holosomum
[sic] (Rud., 1819)
Gallinula chloropus
(crevo)
- Shevchenko, N. N., 1963 b
all from Severskii Donets
valley
- Sprehn, C. E. W., 1967 a
Europe
- Chernogorenko-Bidulina, M.I.,
1964 a, 71
Desna River
- Chernogorenko-Bidulina, M.I.,
1966 a, 38
upper Dnieper
- Khaziev, G. Z., 1963 b, 136-
137, fig. 1
Bashkir
- Wootton, D. M.; and Murrell,
K. D., 1967 a, 741
- Makarenko, V. K., 1965 a, 163
USSR, central Urals
- Panin, V. Ia., 1967 b, 10-13,
fig. 3
all from Southern Altai,
Kazakhstan
- Khotenovskii, I. A., 1963 a,
fig. 2
USSR, Leningrad oblast
- Leonov, V. A.; Belogurov, O.
I.; Shagvalieva, N. M.; and
Bondarenko, S. K., 1965 a
USSR, Kamchatka
- Leonov, V. A.; Belogurov, O.
I.; Tsimbaljuk, A. K.; and
Sinichkin, Z. N., 1965 a
all from USSR, Kamchatka
- Makarenko, V. K., 1965 a, 163
USSR, central Urals
- Vol'skis, G. I., [1967 a]
Latvian SSR
- Vanellus vanellus (large intestine)
- Leucochloridium cardis
Yamaguti, 1939
Cuculus canorus (cloaca)
- James, B. L.; and Llewellyn,
L. C., 1967 a
all from the island of
Skomer off Wales
- Leucochloridium holosomum
[sic] (Rud., 1819)
Gallinula chloropus
(crevo)
- Macko, J. K., 1967 a, 854
Czechoslovakia (CSSR)

- Leucochloridium holostomum Sprehn, C. E. W., 1967 a
distribution Europe
- Leucochloridium insigne Dubinin, V. B., 1938 a, 143-
(Looss, 1899) Mönnig, 1922 144
Syns.: Urogonimus insigne Astrakhan game reserve
nisi (Looss, 1899; Soloviev, 1912)
Plegadis falcinellus
- Leucochloridium macrostomum Chernobai, V. F., 1965 a
Pica pica Volgograd oblast
- Leucochloridium macrostomum Daila, G. G., 1965 a
(Rudolphi, 1803) Latvian SSR
[Dryobates major]
- Leucochloridium macrostomum Gräfner, G., 1962 a, 237
(Rud., 1802)
Passer domesticus
- Leucochloridium macrostomum Khotenovskii, I. A., 1963 a
(Rud., 1803) all from Leningrad oblast
- Sturnus vulgaris
Pyrrhula pyrrhula
Spinus spinus
Cuculus canorus
Dryobates major
Dryobates minor
Dryocopus martius
- Leucochloridium macrostomum (intestine) Leonov, V. A.; Belogurov, O.
(Rud., 1802) I.; Tsimbaluk, A. K.; and
Tetrao parvirostris Sinichkin, Z. N., 1965 a
Cuculus canorus all from USSR, Kamchatka
Dryobates minor
Corvus corone
Pica pica
Chloris chloris
Chloris sinica
Pyrrhula pyrrhula
Erythrina erythrina
Emberiza aureola
E. rustica
Alauda arvensis
Motacilla cinerea
Anthus pratensis
An. cervina
Sitta europaea
Parus atricapillus
Muscicapa griseisticta
M. parva
M. cyanomelana
Phylloscopus fuscatus
Turdus obscurus
Saxicola torquata
Luscinia calliope
- Leucochloridium macrostomum Makarenko, V. K., 1965 a, 163
(Rud., 1802) all from USSR, central Urals
- Nucifraga caryocatactes
Erythrina erythrina
Emberiza aureola
E. schoeniclus
Anthus trivialis
Parus atricapillus
Phylloscopus nitidus
Turdus ericetorum
T. ruficollis
Phoenicurus phoenicurus
Lanius collurio
Emberiza citrinella
Anthus pratensis
Sylvia communis
Miscicapa striata
Turdus musicus
T. pilaris
- Leucochloridium macrostomum (Rud., 1802)
[Fringilla coelebs]
[Garrulus glandularis]
[Anthus trivialis]
[Hirundo rustica]
[Parus major]
[Crex crex]
[Apus apus]
[Sitta europaea]
[Saxicola rubetra]
[Turdus ericetorum philomeles]
[Turdus pilaris]
[Dryobates major]
[Dicoides trydactylus]
[Dryobates minor]
[Lanius cristatus]
[Caprimulgus europaeus]
[Coturnix coturnix]
[Tetrastes bonasia]
- Leucochloridium macrostomum Sprehn, C. E. W., 1967 a
distribution Europe
- Leucochloridium macrostomum Vol'skis, G. I., [1967 a]
(Rudolphi, 1803) all from Latvian SSR
Coleus monedula (large intestine)
Parus major (large intestine)
Sturnus vulgaris (cloaca)
- Leucochloridium mniotiltae McIntosh, 1927 (cloaca)
Cuculus optatus
Pica pica
Erythrina erythrina
Anthus hodgsoni
Phylloscopus fuscatus
- Leucochloridium phragmitophyla [sic] Bychov.-Pavlov., et Dubin., 1951
Sturnus vulgaris (cloaca)
Turdus musicus "
- Leucochloridium phragmitophila Bychowskaja-Pawlow-skaja et Dubinina, 1951
Sturnus vulgaris (cloaca)
- Leucochloridium seiuri McIntosh, 1932 (intestine)
Anthus hodgsoni
- Leucochloridium sorocis Sol. Davydov, O. N., 1963 a
+insectivores
- Leucochloridium turanicum Soloviev, 1912
Fulica atra
Crex crex
- Levinsenia pygmaea Jaegersk. Deblock, S.; and Tran Van Ky,
1900 P., 1966 a, 42
as syn. of Microphallus similis (Jaegerskioeld, 1900)
- Levinseniella Stiles et Hassall, 1901
key; key to species
- Levinseniella Heard, R. W. III, 1968 a
current status
- Levinseniella belopolskoi Deblock, S.; and Tran Van Ky,
Chuan, 1962 (?) P., 1966 a, 47
as syn. of Levinseniella pellucida Jaegerskioeld, 1907

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Levinseniella brachysoma* foci of infection Belopol'skaia, M. M., 1965 a
- Levinseniella brachysoma* (Creplin, 1837) key Deblock, S.; and Tran Van Ky, P., 1966 a, 45-47, 55, fig. 7
- Syn.: *L. tridigitata* Deblock et coll., 1958
- Asio flammeus* Norfolk
- Erolia alpina* Ecosse [Scotland]
- Squatarola squatarola* Norfolk
- "
- Colymbus arcticus* Essex
- Clangula hiemalis* Weymouth
- Nyroca fuligula* Norfolk
- Tadorna tadorna* Weymouth, Dorset; Aberystwyth (Pays de Galles) [Wales]
- Charadrius hiaticula*
- Levinseniella brachysoma* distribution Sprehn, C. E. W., 1967 a
- Levinseniella byrdi* n. sp. *Rallus longirostris* (ceca, rectum) Heard, R. W. III, 1968 a, 62, 63-66, figs. 1-7
- Georgia; Alabama; Florida; South Carolina; North Carolina; Virginia; Maryland; New Jersey
- Levinseniella carcinidis* Rankin, 1939 Deblock, S.; and Tran Van Ky, P., 1966 a, 48
- as syn. of *L. propinqua* Jaegersk., 1907
- Levinseniella carteretensis* sp. nov. *Charadrius wilsonia* (ceca) Coil, W. H.; and Heard, R. W. III, 1966 a, 54-56, Carteret Co., North Carolina
- Levinseniella fissicotyle* Belopolskaiia, 1952 Tsimbaluk, A. K., [1966 a] Komandorskie Islands
- Calidris maritima coesi*
- Levinseniella gymnopocha* Coil, 1956 Deblock, S.; and Tran Van Ky, P., 1966 a, 48
- as syn. of *L. propinqua* Jaegersk., 1907
- Levinseniella leptophallus* Coil, 1956; Coil, 1956 sensu Cable et coll., 1960 Deblock, S.; and Tran Van Ky, P., 1966 a, 48
- Cable et coll., 1960
- as syn. of *L. propinqua* Jaegersk., 1907
- Levinseniella macrophallos* distribution Sprehn, C. E. W., 1967 a Europe
- Levinseniella pellucida* Jaegerskioeld, 1907 Deblock, S.; and Tran Van Ky, P., 1966 a, 47-48, 55, fig. 8
- key
- Syn.: *L. belopolskoi* Chuan, 1962 (?)
- Levinseniella pellucida* distribution Sprehn, C. E. W., 1967 a Europe
- Levinseniella polydactyla* Deblock et Rose key Deblock, S.; and Tran Van Ky, P., 1966 a, 55
- Levinseniella propinqua* foci of infection Belopol'skaia, M. M., 1965 a
- Levinseniella propinqua* Jaegersk., 1907 Deblock, S.; and Tran Van Ky, P., 1966 a, 48-51, 55, figs. 9-11
- Syns.: *L. leptophallus* Coil, 1956; *L. leptophallus* Coil 1956 sensu Cable et coll., 1960; *L. gymnopocha* Coil, 1956; *L. carcinidis* Rankin, 1939
- Charadrius hiaticula* Orkneys Island
- Arenaria interpres* Menai Strait
- Bucephala clangula* Havant
- Levinseniella propinqua* distribution Levinseniella propinqua [sic] Jaegerskioeld, 1907 *Calidris maritima coesi*
- Levinseniella tridigitata* Deblock et coll., 1958
- as syn. of *Levinseniella brachysoma* (Creplin, 1837)
- Leyogonimus polyoon* (Linstow, 1887) *Gallinula chloropus* (crevo)
- Leyogonimus polyoon* distribution Sprehn, C. E. W., 1967 a Europe
- Liliatrema skrjabini* Cubanov, 1953 *Phalacrocorax pelagicus* (esophagus)
- Liliatrema skrjabini* Cubanov, 1953 *Phalacrocorax pelagicus* (small intestine)
- Sebastes schlegeli*
- Liliatrema skrjabini* Cubanov, 1953 *Sebastes schlegeli*
- Liliatrema sobolevi* Cubanov, 1953 (duodenum, small intestine, rectum) *Phalacrocorax pelagicus* *Cephus carbo*
- Liliatrema sobolevi* Cubanov, 1953 *Phalacrocorax pelagicus* (small intestine)
- Linstowiella* sp. *Pelicanus onocrotalus*
- Linstowiella szidati* Campeloma rufum (digestive gland)
- Lintonium novikovi* sp. nov. (intestine) *Cololabis saira*
- Lintonium vibex* (Linton, 1900) (intestine) *Alutera monoceros*
- Lintonium vibex* thermal acclimation of parasite and host *Spherooides maculatus* (pharynx)
- Lissorchidae* *Laevapex fuscus*
- Lissorchidae*
- Lissorchis* Syn.: *Triganodistomum* Simer, 1929.
- Sprehn, C. E. W., 1967 a Europe
- Tsimbaluk, A. K., [1966 a] Komandorskie Islands
- Deblock, S.; and Tran Van Ky, P., 1966 a, 45
- Macko, J. K., 1967 a, 854 Czechoslovakia (CSSR)
- Sprehn, C. E. W., 1967 a Europe
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a USSR, Kamchatka
- Machida, M., 1966 a, 447, 448-449, pl. 1, fig. 4
- Hariusu Seashore near Sapporo, Japan
- Ohbayashi, M.; and Konno, T. 1966 a, figs. 1 and 2 Hokkaido, Japan
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a all from USSR, Kamchatka
- Machida, M., 1966 a, 447-448, pl. 1, figs. 1-3
- Hariusu Seashore near Sapporo, Japan
- Deodhar, N. S.; and Narasapur, V. S., 1968 a Victoria Gardens (zoo), Bombay
- Stang, J. C.; and Cable, R. M., 1966 a, 407, 410-411, figs. 3-5
- Tippecanoe River, Indiana
- Baeva, O. M., 1965 b, 34, 35, 42, fig. 3
- Atlantic Ocean near the southeastern shore of Khonsiu Island
- Oshmarin, P. G., 1965 c, 232, 233-234, fig. 16
- North Vietnam
- Vernberg, F. J.; and Vernberg, W. B., 1966 a
- near Cape Hatteras, North Carolina
- Smith, R. J., 1967 a, 288
- Grosse Ile and Ann Arbor, Michigan
- Smith, R. J., 1968 a, 285
- Smith, R. J., 1968 a, 283

- Lissorchis mutabile Smith, R. J., 1968 a, 283-
(Cort, 1918) comb. n. 285
Syn.: *Triganodistomum mutabile* Cort, 1918.
Laevapex fuscus all from southeastern
Ferrissia rivularis Michigan
- Lobatocystis* n. g. Yamaguti, S., 1965 c, 459, 472
Didymozoidae; Didymozoinae tod: L. yaito n. sp.
- Lobatocystis yaito* n. g., Yamaguti, S., 1965 c, 459,
n. sp. (tod) 470-472, fig. 8
Euthynnus yaito "kawakawa" Hawaii
(gill arch)
- Lobatostoma ringens* Caballero y Caballero, E.;
(Linton, 1907) Eckmann, 1932 and Bravo-Hollis, M.,
(intestino y ciegos [1966 a], figs. 1-2
intestinales) all from Estado de Veracruz;
Trachinotus carolinus Golfo de Mexico, Mexico
Hyporhamphus roberti
- Lobatovitelliovariidae* Yamaguti, S., 1965 c, 459, 470
n. fam.
- Lobatovitelliovarium* n. g. Yamaguti, S., 1965 c, 459, 470
Lobatovitelliovariidae tod: L. fusiforme n. sp.
n. fam.
- Lobatovitelliovarium* fusi-forme n. g., n. sp. (tod) Yamaguti, S., 1965 c, 459,
Ablennes hians "aha'aha" 463, 469-470, fig. 6
(intestine) Hawaii
- Lophotaspis orientalis* T'ang, C.-C.; and T'ang, C.-T.,
life cycle, evolution 1968 a
- Loxogenoides bicolor* (Krull, Campbell, R. A., 1968 a
1933 Pocahontas State Park,
Rana clamitans Virginia
(bile duct and stomach)
- Lubens centroamericanum* Brenes Madrigal, R. R.;
n. sp. Arroyo Sancho, G.; and Muñoz,
Calocitta formosa (ves- G., 1966 a, pp. 127-128, 130,
fícula biliar) 131, fig. 2
Tilarán, Guanacaste, Costa Rica
- Lutziella* n. subg. Rohde, K., 1966 b, 187, 190,
subgen. of *Lutzrema* 191, 198
tod: *Lutzrema* (*Lutziella*)
microacetabulare n. sp.
- Lutzrema Travassos, 1941* Rohde, K., 1966 b, 187, 191,
Dicrocoeliidae; Dicrocoeliinae 192
- Lutzrema* (*Lutziella*) micro-acetabulare n. sp. Rohde, K., 1966 b, 187-190,
Myotis mystacinus (gall 198, figs. 2-3
bladder) Janda Baik, Pahang, Malaya
- Lutzrema monenteron* Carney, W.P., 1966 a, 343-344
Allogona ptychophora Montana
(exper. and nat.)
- Lutzrema monenteron* Slater, R. L., 1967 a, 193
(Price and McIntosh, 1935) Northern Colorado
- Turdus migratorius* (gall bladder)
- Lutzrema obliquum* Faust, E. C., 1966 b, 336,
(Travassos, 1917) Travassos, 337, fig. 2
1941 Foochow, coastal South China
Aethiopsar cristatellus cristatellus (bile ducts)
- Lutzrema sinense* sp. n. Faust, E. C., 1966 b, 335,
(bile ducts) 337, 338, fig. 4
Passer montanus saturatus Peking, China
Turdus r. ruficollis "
Carpodacus roseus "
Alectoris graeca pubescens Shansi Province, China
- Lutzrema spinosum* sp. n. Faust, E. C., 1966 b, 335, 336
(bile ducts) 337, 338, fig. 3
Motacilla alba baikalensis all from Peking, China
Turdus r. ruficollis
- Lyperosomum* Looss, Fotedar, D. N.; and Raina,
1899, emend. M. K., 1965 a, 61
- Lyperosomum armenicum* Mituch, J., 1964 f, 1 fig.
Dryomys nitedula (liver) Tatra National Park,
Czechoslovakia
- Lyperosomum emberizae* Makarenko, V. K., 1965 a, 164
turdici Makarenko. 1960 *Turdus pilaris* (liver)
USSR, central Urals
- Lyperosomum kavini* n. sp. Fotedar, D. N.; and Raina,
Corvus monedula M. K., 1965 a, 54-62, figs.
1-2 Srinagar, Kashmir
- Lyperosomum longicauda* Faust, E. C., 1966 b, 340-341
(Rudolphi, 1809) Looss, 1899
(bile ducts)
Pica pica sericea Peking, China
Erythacus caeruleucus "
Turdus naumannni naumannni Shansi Province, China
Alsonax latirostris poomensis "
Passer montanus saturatus Changsha, Central China
- Lyperosomum metatestis* Belogurov, O. I.; and Zueva,
Belogurov et Zueva sp. n. L. S., 1967 a, pp. 999-1000,
Calidris alpina L. 1008, fig. 1
(bile duct of the liver) Ol'skii Region
- Lyperosomum mosquensis* Makarenko, V. K., 1965 a, 164
Skrjabin et Issaitschikoff, USSR, central Urals
1927
Turdus pilaris (liver)
- Lyperosomum olssoni* Vol'skis, G. I., [1967 a]
(Railliet, 1900) Looss. 1907 Latvian SSR
Micropus apus (liver)
- Lyperosomum petiolatum* Macko, J. K., 1968 a, figs.
variability 1-41 Slovakia
Garrulus glandarius
- Lyperosomum schikhobalovi* Akhumian, K. S., 1966 a
Kassimov, 1952 Armenian SSR
Alectoris graeca caucasica
- Lyperosomum stunkardi* of Fotedar, D. N.; and Raina,
Agrawal, 1964 M. K., 1965 a, 60
as syn. of *Brachylecithum* stunkardi (Pande, 1939)
- Lyperosomum turdi* [sic] (Ku, Faust, E. C., 1966 b, 341
1938) Travassos, 1944 Foochow, coastal South China
Turdus merula mandarinus (bile ducts)
- Lyperosomum vitta* Wahl, E., 1967 a
(Dujardin, 1845) all from Val de l'Allondon
Apodemus flavicollis (Geneva)
Apodemus sylvaticus
Clethrionomys glareolus
- Lyrodiscus* gen. n. Rogers, W. A., 1967 a, 15
Dactylogyridae; Ancyrocephalinae
tod: *L. muricatus* sp. n.

Lyrodiscus longibasus
sp. n.
Pomoxis nigromaculatus
P. annularis

Rogers, W. A., 1967 a, 15, 16,
17, 18, figs. 9-15
Logan-Martin Reservoir,
Talladega County, Alabama
Lake Martin, Elmore County,
Alabama

Lyrodiscus muricatus
gen. et sp. n. (tod)
Lepomis microlophus

Rogers, W. A., 1967 a, 15, 16,
17, figs. 1-8
Logan-Martin Reservoir,
Talladega County, Alabama;
Lake Seminole, Seminole
County, Georgia

Lyrodiscus seminolensis
sp. n.
Lepomis macrochirus

Rogers, W. A., 1967 a, 15, 17,
18, figs. 16-22
Lake Seminole, Seminole
County, Georgia

| | | | |
|--|---|--|---|
| Mabiarama gen. n. | Teixeira de Freitas, J. F.; and Kohn, A., [1967 b], 135-136 | Macrophylla Hughes, 1928 as syn. of Macrophyllida Johnston, 1929, emend. | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 385 |
| Mabiaramidae fam. n.; Mabiaraminae subfam n. | tod: Mabiarama prevesiculata n. sp. | | |
| Mabiarama prevesiculata gen. n., sp. n. (tod) | Teixeira de Freitas, J. A.; and Kohn, A., [1967 b], 136-137, 139-141, figs. 1-10 | Macrophyllida Johnston, 1929, emend. | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 385, 387 |
| Rachycentron canadus (estómago) | Marambaia (Océano Atlântico) Estado de Rio de Janeiro, Brasil | Trochopodinae Syn.: Macrophylla Hughes, 1928 | |
| Mabiaramidae fam. n. | Teixeira de Freitas, J. F.; and Kohn, A., [1967 b], 135, 137 | Macrophyllida antarctica Hughes, 1928 Mustelus antarcticus (gills) | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 386, 387-389, 391, figs. 21-26 Tasmania |
| Hemiuroidae includes: Mabiaraminae n. subfam. | | | |
| Mabiaraminae subfam. n. Mabiaramidae fam. n. | Teixeira de Freitas, J. F.; and Kohn, A., [1967 b] | Macrotestophyes gen. nov. Heterophyidae; Heterophyinae | Varenov, I. V., 1963 a, 142, 144 |
| Macravestibulum eversum fine structure of photo-receptors of cercariae | Pond, G. G.; and Cable, R. M., 1966 a, 483, 484, 485-487, 488, 489, figs. 1-3, 6-11 | Macrotestophyes ondatrae gen. nov. sp. nov. (tod) Ondatra zibethica (small intestine) | Varenov, I. V., 1963 a, 142-144, figs. 1-2 Gor'kov oblast, Zavolzh'e |
| Macrodera [lapsus as: Marcodera] | Shevchenko, N. N., 1963 b | Macrotrema Gupta, 1951 not a syn. of Orientocreadium | Saksena, J. N., 1966 a, 368 |
| Marcodera [sic] longicollis Natrix natrix | Shevchenko, N. N., 1963 b Severskii Donets valley | Macyella idahoensis sp. n. Cinclus mexicanus unicolor (small intestine) | Schell, S. C., 1967 b, 1001, 1002, fig. 3 Pierce, Clearwater County, Idaho |
| Macroderoides spiniferus Lepisosteus productus (intestines) | Casto, S.; and McDaniel, B., 1967 a, 190 Frio River, south Texas | Magnacetabulum trachuri Yamaguti Beryx splenedens | Ichihara, A.; et al., 1964 b Bay of Sagami, Japan |
| Macrogryrodactylus Malmberg, 1956 | Price, C. E., 1967 e, 379, 385-386 | Magnacetabulum trachuri Yamaguti, 1934 Trachurus japonicus (intestines) | Ku, C.-T.; and Shen, C.-W., 1968 a Wei-Hai, Shantung Province, China |
| Gyrodactylidae, Gyrodactilinae, key | | | |
| Syn.: Neogryrodactylus Prudhoe, 1957. | | | |
| Macrogryrodactylus clarii [sic] Gussev (1961) | Price, C. E., 1967 e, 386 southern Ethiopia | Magnivitellinum, gen. n. Allocreadiidae; Walliniinae | Kloss, G. R., 1966 a, 192 tod: M. simplex sp. n. |
| Clarias sp. | | | |
| Macrogryrodactylus congolensis (Prudhoe, 1957) | Price, C. E., 1967 e, 386 | Magnivitellinum simplex sp. n. (tod) Astyanax bimaculatus (intestino) | Kloss, G. R., 1966 a, 192, 193, 194, figs. 2-4 rio Mogi-Guassu, Estado de S. Paulo |
| 1963 | Yamaguti, 1957. | | |
| Syn.: Neogryrodactylus congolensis Prudhoe, 1957. | | | |
| Clarias lazera | | | |
| Macrogryrodactylus polypteri Malmberg (1956) | Price, C. E., 1967 e, 385 Gambia, British West Africa | Marbewitschia [lapsus for: Marbewitschiana] | Allamiratov, B. K., 1965 b |
| Polypterus senegalus | | | |
| Macrohaptor gen. n. Ancyrocephalinae | Allison, T. C., 1967 a, 1005, 1007 tod: M. hopkinsi sp. n. | Marcodera [lapsus for: Macrodera] | Shevchenko, N. N., 1963 b |
| Macrohaptor hopkinsi gen. n., sp. n. (tod) | Allison, T. C., 1967 a, 1005, 1006, 1007, figs. 3-4 | | |
| Lepomis megalotis (gills) | Lake Belton and Lampasas River, Belton, Texas; Little River, Cameron, Texas | Maritrema Nicoll, 1907 copulatory organ key to species; key | Deblock, S.; and Tran Van Ky, P., 1966 a, 26-28, 53, 55-56 |
| Macrolecithus Hasegawa et Ozaki, 1926 | Gupta, S. P.; and Agrawal, V., 1967 a, 158 | Maritrema afanassjewi Belopolskaja, 1952 (intestine) Larus shistisagus L. ridibundus | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 142 fig. 10 all from USSR, Kamchatka |
| key to species | | | |
| Macrolecithus elongatus Park, 1939 | Gupta, S. P.; and Agrawal, V., 1967 a, 158 | Maritrema arenaria Hadley et Castle, 1940 as syn. of M. gratiosum Nicoll, 1907 | Deblock, S.; and Tran Van Ky, P., 1966 a, 24 |
| key | | | |
| Macrolecithus gotoi Hasegawa et Ozaki, 1926 | Gupta, S. P.; and Agrawal, V., 1967 a, 158 | Maritrema erpobdellicola Timon-David key | Deblock, S.; and Tran Van Ky, P., 1966 a, 55 |
| key | | | |
| Macrolecithus indicus n. sp. key | Gupta, S. P.; and Agrawal, V., 1967 a, 156-158, figs. 1-5 | Maritrema galloprovinciale Timon-David key | Deblock, S.; and Tran Van Ky, P., 1966 a, 55 |
| Puntius sophore (intestine) | Gomti River, Lucknow, India | | |

- Maritrema gratiosum* foci of infection Belopol'skaia, M. M., 1965 a
- Maritrema gratiosum* Nicoll, 1907 Deblock, S.; and Tran Van Ky, P., 1966 a, 24-26, 56, figs. la-b
key
- Syns.: *Metacercaria balani* Lebour, 1908; *M. arenaria* Hadley et Castle, 1940
souris (exper.) (intestin grêle)
- Charadrinus hiaticula* "
Melanitta nigra " Lines
Erolia alpina " Ecosse [Scotland]
Limosa lapponica " Angleterre
- Maritrema gratiosum* Nicoll, 1907 James, B. L.; and Llewellyn, L. C., 1967 a
Turdus musicus musicus (rectum) island of Skomer off Wales
- Maritrema gratiosum* distribution Sprehn, C. E. W., 1967 a Europe
- Maritrema humile* Nicoll, 1907 Deblock, S.; and Tran Van Ky, P., 1966 a, 29
as syn. of *Maritrema oocysta* (Lebour, 1907)
- Maritrema humile* distribution Sprehn, C. E. W., 1967 a Europe
- Maritrema lepidum* Nicoll, 1907 sub judice Deblock, S.; and Tran Van Ky, P., 1966 a, 28
as syn. of *Maritrema linguilla* Jaegersk., 1909
- Maritrema linguilla* foci of infection Belopol'skaia, M. M., 1965 a
- Maritrema linguilla* Jaegersk., 1909 Deblock, S.; and Tran Van Ky, P., 1966 a, 28-29, 56, fig. 2a-b
key
Syns.: *Metacercaria ligiae* Lebour, 1914; *M. lepidum* Nicoll, 1907 sub judice
Tringa maritima Riso Eyjafjorden
- Maritrema macracetabulum* Deblock et coll. Deblock, S.; and Tran Van Ky, P., 1966 a, 56
key
- Maritrema magnicirrus* Belop. (= *echinocirrata* Léonov) Deblock, S.; and Tran Van Ky, P., 1966 a, 56
key
- Maritrema obustum* *Esox lucius* (intestine) Larson, O. R., 1966 a Itasca Park, Minnesota
- Maritrema oocysta* (Lebour, 1907) Deblock, S.; and Tran Van Ky, P., 1966 a, 29, 56
Syns.: *Metacercaria oocysta* Lebour, 1907; *Maritrema humile* Nicoll, 1907; *Pseudomaritrema innae* Leonov, 1958
key
Ardea cinerea Kommeij Marsh, Kent.
- Maritrema opisthometa* Léonov (= *elongata*) Deblock, S.; and Tran Van Ky, P., 1966 a, 56
key
- Maritrema ovata* Rankin, 1939 Deblock, S.; and Tran Van Ky, P., 1966 a, 30
as syn. of *M. subdolum* Jaegerskioeld, 1909
- Maritrema prolixum* Caballero and Montero, 1961 Sogandares-Bernal, F.; and Smalley, A. E., 1967 a
Potamocarcinus magnus all from Costa Rica
Ptychophallus tristani (*hepatopancreas*)
- Maritrema pyrenaica* Deblock Deblock, S.; and Tran Van Ky, P., 1966 a, 55
key
- Maritrema rhodanicum* Carrère, 1936 Deblock, S.; and Tran Van Ky, P., 1966 a, 30
as syn. of *Maritrema subdolum* Jaegerskioeld, 1909
- Maritrema subdolum* foci of infection Belopol'skaia, M. M., 1965 a
- Maritrema subdolum* Jaegerskioeld, 1909 Deblock, S.; and Tran Van Ky, P., 1966 a, 30, 56
Syns.: *Maritrema rhodanicum* Carrère, 1936; *Maritrema ovata* Rankin, 1939
key
Arenaria interpres
Nyroca fuligula
- Maritrema subdolum* (all exper.) Garkavi, B. L., 1965 a
Hydrobia ventrosa
Idotea baltica
Gammarus locusta
[*Anas platyrhynchos*]
- Maritrema subdolum* bitionol; kamala, ducks Garkavi, B. L., 1966 a
- Maritrema subdolum* Jagerskiöld Phenasol, ducks Garkavi, B. L.; and Poluektov, V. Sh., 1968 a, 49
- Maritrema subdolum* Jager-skioeld, 1909 Maksimova, A. P., [1966 b] Karaganda oblast, Kazakhstan
Nyroca fuligula (intestine) stan
- Maritrema subdolum* distribution Sprehn, C. E. W., 1967 a Europe
- Maritrema syntomocycclus* n. sp. Deblock, S.; and Tran Van Ky, P., 1966 b, 313, 315, 318-324, 331, 333, figs. 2-4
Hydrobia (= *Paludestrina*) *acuta* Golfe de Figari (Corse, France)
- Maritreminae* Lal, 1939 Deblock, S.; and Tran Van Ky, P., 1966 a, 33, 35, 52
char. emend.
Microphallidae, key
- Markewitschiana* [lapsus as: *Marcewitschia*] Allamuratov, B. K., 1965 b
- Markewitschiana* nov. gen. Dactylogyridae; Dactylogy- V. P., 1966 a, 228, 230, 231
rinae mt: *M. crucifera* nov. gen., nov. sp.
- Markewitschiana crucifera* nov. gen., nov. sp. (mt) Allamuratov, B. K.; and Koval, V. P., 1966 a, 228-230, 231, fig. la, b, v, g, d
(nasal cavity)
Varicorhinus capoeta hera- all from Uzbekistan (Kashka- tensis natio steindachneri Dar'ia and Surkhan-Dar'ia Barbus capito conocephalus rivers; Kamashi, Chimkiran Schizothorax intermedius and Iuzhnosurkhan reservoirs, Rakhimov Hatchery)
- Marcewitschia* [sic] *cruci-fera* Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs
- Massaliotrema* Sprehn, C. E. W., 1967 a
[lapsus as: *Massoliatrema*]

| | | | |
|---|--|--|--|
| Massoliatrema [sic] gyrini- cola distribution | Sprehn, C. E. W., 1967 a Europe | Mehraorchis tigrinamarum (Gupta, 1954) Bufo sp. (intestine) | Agrawal, V., 1966 e, 86-87, 86-87, fig. 3 Lucknow, India |
| Massoliatrema [lapsus for: Massaliatrema] | Sprehn, C. E. W., 1967 a | Meiogymnophallus minutus (Cobbod, 1859) comb. nov. | Bowers, E. A.; and James, B. L., 1967 a, figs. 1-8 |
| Mazocraeoides olentangien- sis Dorosoma (D.) cepedianum (gills) | Hopkins, S. H., 1966 a Lake Texoma, Oklahoma | Syns.: Cercaria cambrensis; Cercaria margaritae; Gymnophallus nereicola; Lecithodendrium somateriae Cardium edule | |
| Mazocraes alosae | Komarova, T. I., 1963 a Dnieper delta | Haematopus ostralegus oc- cidentalis | |
| M[azocraes] alozae [sic] | Komarova, T. I., 1963 b Dneprovsk estuary | Melanitta nigra (in- testine) ducklings (exper.) | Gower Peninsula, South Wales |
| Mazocraes alosae Hermann, 1782 [Alosa kessleri pontica] [Caspiosalosa] | Komarova, T. I., 1964 a, 85 all from Dnieper delta | Mesocercaria marcianae (La Rue, 1917) Oliver and Odlaug, 1938 as syn. of Alaria marcianae (La Rue, 1917) Walton, 1949. | Johnson, A. D., 1968 b, 331 |
| Mazocraes alozae [sic] Hermann, 1782 [Caspiosalosa sp.] (gill filaments) | Komarova, T. I., 1966 a, 64 Dnieper estuary | Mesocoelium meggitti Bhalerao, 1927 Mabuya multifasciata (small intestine) | Balasingam, E., 1964 d, 104- 105, fig. 1C Singapore |
| Mazocraes alosae [Alosa kessleri pontica] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | Mesocoelium monas (Rudolphi, 1819) Ichthyophis glutinosus | Ubelaker, J. E., 1966 b Palembang, Sumatra |
| Mediavagina new genus Trochopodinae | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 372, 391, 397-398 tod: M. forsteri n. sp. | Mesocoelium monodi Dollfus, 1929 Bufo cameronensis camer- onensis | Fischthal, J. H.; and Thomas, J. D., 1968 a, 9-10 all from Ghana |
| Mediavagina forsteri new genus, new species (tod) Latridopsis forsteri (gills) | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 390, 391- 393, 397 Hobart, Tasmania | B. regularis Ptychadena aequiplicata Rana galamensis Dicrogylossus occipitalis Conraua crassipes alleni Hylarana albolabris Phrynobatrachus sp. Hyperolius concolor Phrynomerus microps Mabuya perroteti Chamaeleo gracilis Varanus niloticus | |
| Mediavagina macropteri new species Nemadactylus macropterus (gills) | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 394, 395, 397, figs. 36-43 Lakes Entrance, Victoria | Mesocoelium sociale (Lühe, 1901) Odhner, 1911 Bufo marinus (small intestine) | Fischthal, J. H.; and Kuntz, R. E., 1967 b, 244-245 Florida Island, British Solomon Islands; Suva, Viti Levu Is., Fiji Islands |
| Mediogonimus ovilacus Woodhead and Malewitz, 1936 Ondatra z. zibethica (bile duct) | Beckett, J. V.; and Gallic- chio, V., 1967 a, 1169, 1171 Portage County, Ohio | Mesodiplostomum Dubois, 1936 Proterodiplostominae | Dwivedi, M. P., 1966 d |
| Megalocotylinae Bychowsky, 1957 as syn. of Trochopodinae (Price, 1936) Sproston, 1946, emend. | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 370 Sproston, 1946, | Mesometra brachycoelia, Lühe, 1901 (intestine) Boops salpa | Sey, O., 1968 a waters around Split, Yugoslavia |
| Megalodiscus microphagus Ingles, 1936 Rana cascadae (rectum) | Panitz, E.; and Briggs, J. L., 1968 a Bear Spring, Oregon | Mesometra brachycoelium minispinus Dollfus, 1947 Boops salpa | Sey, O., 1968 a waters around Split, Yugoslavia |
| Megalodiscus temperatus (Stafford, 1905) Bufo woodhouseii fowleri (colon) | Campbell, R. A., 1968 a all from Pocahontas State Park, Virginia | Mesometra orbicularis (Rud., 1819), Lühe, 1901 Boops boops (intestine) B. salpa | Sey, O., 1968 a all from waters around Split, Yugoslavia |
| Rana clamitans (colon) R. catesbeiana | | Mesometra orbicularis minu- taculeata Boops boops (intestine) | Sey, O., 1968 a waters around Split, Yugoslavia |
| Megalodiscus temperatus Ferrissia fragilis Helisoma trivolvis Rana clamitans (exper.) | Smith, R. J., 1967 a, 288, 290 southeastern Michigan " " | Mesoophorodiplostomum pricei (Krull, 1934) (small intestine) Larus argentatus L. atricilla | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina |
| Mehraorchis chamaeleonis Simha, 1958 as syn. of M. ranarum Srivastava, 1934 | Dwivedi, M. P., 1966 a, 25 | | |
| Mehraorchis ranarum Sri- vastava, 1934 emended description Syn.: M. chamaeleonis Simha, 1958 Rana tigrina (intestine) | Dwivedi, M. P., 1966 a, figs. 1-7 India | | |

- Mesorchis denticulata
Larus argentatus Guildal, J. A., 1968 a, 61,
 63 South Harbour of Copenhagen
- Mesorchis denticulatus
distribution Sprehn, C. E. W., 1967 a
 Europe
- Mesorchis gracilis Mendl.
distribution Sprehn, C. E. W., 1967 a
 Europe
- Mesorchis pseudodenticulatus Mendl.
distribution Sprehn, C. E. W., 1967 a
 Europe
- Mesorchis pseudoechinatus [Podiceps cristatus]
[Larus ridibundus] Kibakin, V. V., 1965 a
 all from Gasan-Kuliisk
 game reserve
- Mesorchis pseudoechinatus (Olsson, 1876)
Phalacrocorax aristotelis desmarestii Payr. (intestine) Smogorzhevskaiia, L. A., 1961 c,
 208, 209, fig. 1
 Krymskaiia oblast
- Mesorchis pseudoechinatus (Olsson, 1876)
Podiceps nigricollis Zhatkanbaeva, D., 1965 a
 Southern and Central
 Kazakhstan
- Mesostephanus appendiculatum (Ciurea, 1916)
Lutz, 1935 (muscles, fins)
Abramis sapa
Abramis brama
Rutilus rutilus Marits, N. M., 1963 a, 48
 all from Moldavia
- Mesostephanus appendiculatum distribution Sprehn, C. E. W., 1967 a
 Europe
- Mesostephanus ovatus Kats. distribution Sprehn, C. E. W., 1967 a
 Europe
- Mesothatrium Richard, J., 1966 a, 423,
 fig. 6A
- Mesotretes peregrinus Braun, 1900
Miniopterus schreibersii Mituch, J., 1965 a, 109, 110,
 117 Slovakia (CSSR)
- Metacercaria [sp.] Lymnaea pereger Bithynia tentaculata Bradley, D. J., 1967 a, 282
 Flatford, Suffolk, Great
 Britain
- Metacercaria F Bithynia tentaculata Bradley, D. J., 1967 a, 285
 pl. C, figs. 15-17
 Flatford, Suffolk, Great
 Britain
- Metacercaria T roach Bradley, D. J., 1967 a, 285,
 pl. D, figs. 18-21
 Flatford, Suffolk, Great
 Britain
- Metacercaria sp. I Viviparus viviparus Kiseliene, V. K., 1966 a
 Lithuanian SSR
- Metacercaria sp. II (Echinochasmus sp. ?) Bithynia tentaculata Viviparus viviparus Kiseliene, V. K., 1966 a
 all from Lithuanian SSR
- Metacercaria II Digoniostoma pulchella Matta, S. C.; and Pande, B. P.
 1966 b, 131-132, figs. 3-4
 Mathura, India
- Metacercaria III Digoniostoma pulchella (head, tentacles, liver tissues) Matta, S. C.; and Pande, B. P.
 1966 b, 132-133, figs. 5-6
 Mathura, India
- Metacercaria IV Digoniostoma pulchella (mantle and tentacular region) Matta, S. C.; and Pande, B. P.,
 1966 b, 133-134, figs. 7-8
 Mathura, India
- Metacercaria V Digoniostoma pulchella (mantle and tentacular region) Matta, S. C.; and Pande, B. P.,
 1966 b, 134-135, figs. 9-10
 Mathura, India
- Metacercaria VI Indoplanorbis exustus (liver) Matta, S. C.; and Pande, B. P.,
 1966 b, 136-137, figs. 11-12
 Mathura, India
- Metacercaria VII (Xiphidio cercaria) Indoplanorbis exustus (liver and mantle region) Matta, S. C.; and Pande, B. P.,
 1966 b, 137-138, figs. 13-14
 all from Mathura, India
 Lymnaea luteola f. australis (liver and mantle region)
- Metacercaria VIII (Xiphidio cercaria) Lymnaea luteola f. aust- tralis (liver and mantle region) Matta, S. C.; and Pande, B. P.,
 1966 b, 138-140, figs. 15-16
 Mathura, India
- [Metacercaria sp.] Istiblennius zebra (muscles and digestive tract) Noble, E. R., 1966 c
 Hawaii
- Metacercaria sp. II Succinea altaica Zenobiella nordenskioldi Panin, V. Ia., 1967 b, 9-10,
 fig. 2
 all from Southern Altai,
 Kazakhstan
- Metacercaria sp. Antedon mediterranea (= A. rosacea) Prevot, G., 1966 a, figs. 1-6
 Vieux-Port de Marseille;
 Golfe de Marseille
- Metacercaria [sp.] Mastacembalus armatus Ophioceras punctatus Cirrhana mirgala Rai, P.; and Pande, B. P.,
 1966 c, 18-21, figs. 1, 2
 Hyderabad
- Metacercaria sp. Ondatra zibethica Sey, O., 1967 a, 409
 Hungary
- Metacercaria balani Lebour, 1907 Deblock, S.; and Tran Van Ky,
 P., 1966 a, 24
 as syn. of Maritrema gratiosum Nicoll, 1907
- Metacercaria carcinii Lebour, 1908 Deblock, S.; and Tran Van Ky,
 P., 1966 a, 42
 as syn. of Microphallus similis (Jaegerskioeld, 1900)
- Metacercaria corophii Lebour, 1908 Deblock, S.; and Tran Van Ky,
 P., 1966 a, 35
 as syn. of Microphallus claviformis (Brandes, 1888)
- Metacercaria hasegawai fresh water fish Chun, S. K., 1965 a
- Metacercaria hasegawai Acheilognathus morioka Acheilognathus lanceolata Sarcocheilichthys nigripinnis Gnathopogon elongatus Gnathopogon biwae Leucogobio polystigma Pseudogobio esocinus Pseudogobio rivularia Pseudorasbora parva Tribolodon hakonensis Opsariichthys uncirostris Parapercis argenteus Squaribarbus curriculus Komiya, Y.; and Suzuki, N.,
 1966 a, pp. 208-214

- Metacercaria hasegawai.— Komiya, Y.; and Suzuki, N. 1966 a.— Continued.
- Culter alburnus
 - Carassius carassius
 - Pelteobagrus fulvidraco
 - Channa argus
 - Siniperca chuasi
 - Mogurnda potamophilla
 - Gobius giurinus
 - Mastacembelus acreatus
- Metacercaria ligiae Lebour, Deblock, S.; and Tran Van Ky, 1914 P., 1966 a, 28
as syn. of Maritrema linguilla Jaegersk., 1909
- Metacercaria littorinae ru- Deblock, S.; and Tran Van Ky, dis Lebour, 1906 (in Lebour P., 1966 a, 37
1911)
as syn. of Microphallus pygmaeus (Levinsen, 1881)
- Metacercaria (Gymnophallus) Dolgikh, A. V., 1963 a megaceola Palombi Crimean coast, Black Sea
- Mytilus galloprovincialis var. trepida
- Metacercaria oocysta Lebour Deblock, S.; and Tran Van Ky, 1907 P., 1966 a, 29
as syn. of Maritrema oocysta (Lebour, 1907)
- Metacercaria (Gen.?) theo- Dollfus, R. P. F., 1966 b, monodi n. sp. 195-200, figs. 1-7
Nyctiphantes couchii Boavista (Iles du Cap Vert)
- Metacercaiae Hippocampus punctulatus (pectoral fins) Daigler, D. P.; and Lewis, P. D. (jr.), 1967 a Biscayne Bay, Florida
- Metacercaiae Blicca björkna (body cavity) Huculak, F., 1965 a, 285 Koziowa Góra reservoir
- Metadena eurystoma sp. nov. (intestine) Oshmarin, P. G., 1965 c, 221-222, fig. 7 North Vietnam
- Sciennidae gen. sp. Oshima, T., 1965 a
- Metagonimiasis epidemiology Oshima, T.; et al, 1965 a
- Metagonimiasis Bithionol Lang, B. Z.; and Gleason, L. N., 1967 a
- Metagonimoides oregonensis Price, 1931 life cycle Gonobasis proxima Desmognathus fuscus Rana clamitans Acris sp. Pseudacris sp. Bufo fowleri (nat. and exper.) hamsters, golden (exper.) Meade, T. G.; and Pratt, I., 1966 a changes in redia and metacercaria, infected to uninfected snails Williams, R. R.; and Myer, D. G., 1964 a
- Metagonimoides oregonensis Price, 1931 Procyon lotor lotor (small intestine) Cosgrove, G. E., 1966 a, fig. 17
- Metagonimus Heterophyidae, key Chun, S. K., 1965 a
- Metagonimus spp. dogs
- Metagonimus katsuradai Achelognathus lanceolata Pseudorasbora parva Zacco temminckii Opsariichthys uncirostris Cyprinus carpio Carassius carassius Misgurnus anguillicaudatus
- Metagonimus minutus Mugil cephalus
- Metagonimus yokogawai [sic] (Katsurada, 1912) [Felis catus]
- Metagonimus yokogawai Semisulcospira bensonii
- Metagonimus yokogawai human
- Metagonimus yokogawai humans
- Metagonimus yokogawai (Katsurada, 1912) humans (stool) epidemiology
- Metagonimus yokogawai Semisulcospira bensonii S. plicosa
- Metagonimus yokogawai Plecoglossus altivelis Garassius carassius Tribolodon hakonensis hakonensis Zacco platypus Z. temmincki
- Metagonimus yokogawai (Katsurada, 1912) Semisulcospira spp. Plecoglossus altivelis
- Metagonimus yokogawai morphology, developmental stages
- Metagonimus yokogawai Komarova, T. I., 1963 a Dnieper delta
- Metagonimus yokogawai Kat- surada, 1912 (scales) [Rutilus rutilus heckeli] [Vimba vimba] [Pelecus cultratus] [Abramis brama] [Blicca bjoerkna] [Carassius carassius] [Scardinius erythrophthalmus] [Rutilus rutilus] [Abramis ballerus] [Leuciscus idus] [Aspius aspius] [Lucioperca lucioperca] [Perca fluviatilis]
- Metagonimus yokogawai seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Shiraishi, S.; and Inokuchi, T., 1965 a delta of Chikugo River
- Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
- Chebotarev, R. S.; Zaskind, L. N.; Seraia, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs
- Hamajima, F.; and Ishii, Y., 1964 a
- Ishii, N.; Shibasaki, Y.; and Hori, Haruo, 1959 a Tokyo, Japan
- Ito, J.; Mochizuki, H.; and Noguchi, M., 1967 b Shizuoka Prefecture, Japan
- Kagei, N., 1965 a Takatsu River, Shimane Prefecture, Japan
- Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan
- Kagei, N., 1966 b all from Takatsu River, Shimane Prefecture, Japan
- Kagei, N.; et al, 1966 a, fig. 1 all from Amami Islands
- Kagei, N.; and Oshima, T., 1965 b
- Komarova, T. I., 1964 a, 83 all from Dnieper delta

- Metagonimus yokogawai* Komiya, Y.; and Suzuki, N., 1966 a, pp. 208-214
- Oncorhynchus rhodurus*
- Oncorhynchus masou*
- Plecoglossus altivelis*
- Salangichthys microdon*
- Acheilognathus moriokae*
- Acheilognathus rhombea*
- Acheilognathus lanceolata*
- Acheilognathus tabira*
- Acheilognathus limbata*
- Pseudoperilampus typus*
- Rhodeus ocellatus*
- Rhodeus orizae*
- Sarcocheilichthys variegatus*
- Pungtungia herzi*
- Gnathopogon elongatus*
- Gnathopogon biwae*
- Pseudogobio esocinus*
- Hemibarbus barbus*
- Biwa zezera*
- Pseudorasbora parva*
- Tribolodon hakonensis*
- Moroco steidachneri*
- Zacco platypus*
- Zacco temminckii*
- Opsariichthys uncirostris*
- Ishikawia steenackeri*
- Cyprinus carpio*
- Carassius carassius*
- Misgurnus anguillicaudatus*
- Cobitis biwae*
- Parasilurus asotus*
- Anguilla japonica*
- Oryzias latipes*
- Mugil cephalus*
- Channa argus*
- Lateolabrax japonicus*
- Siniperca chuasi*
- Coreopera kawamebari*
- Odontobutis obscurus*
- Tridentiger obscurus*
- Chaenogobius urcenia*
- Acanthogobius flavimanus*
- Cottus pollux*
- Metagonimus yokogawai* Bithynia tentaculata Auprianova-Shakimmatova, F. A., 1965 a USSR, central Povolzh'e
- Metagonimus yokogawai* ova change Miyazato, T.; Inoue, A.; and Hosokawa, S., 1962 a
- Metagonimus yokogawai* Tribolodon hakuensis Ctenopharyngodon idellus Zacco platypterus Pseudorasbora parva Nihei, E.; Ichihara, A.; and Kamegai, S., 1964 a all from River Tone and its tributaries, Japan
- Metagonimus yokogawai* Plecoglossus altivelis Oshima, T.; et al, 1963 b
- Metagonimus yokogawai* Metagonimus yokogawai var. takahashi human Yamaguchi, T.; and Hirao, Y., 1964 a Shikoku
- Metagonimus yokogawai* var. takahashi Ishii, N.; Shibasaki, Y.; and Hori, H., 1959 a Tokyo, Japan
- Metagonimus yokogawai* takahashi Saito, S.; and Otsuru, M., 1965 a
- Metagonimus yokogawai* var. takahashii + [Pisces] [Pseudorasbora parva] [Gnathopogon elongatus] [Biwa zezera] [Acheilognathus moriokae] [Rhodeas smithii] [Carassius auratus]
- Metamicrocotyla macracantha* (Alexander, 1954) Koratha, 1955 Mugil cephalus Linnaeus "lisa" (branquias)
- Metanemabothrioides* n. g. Didymozoidae; Nemabothriinae
- Metanemabothrioides* opakapaka n. g., n. sp. (tod) Pristipomoides microlepis "opakapaka" (submental connective tissue, inner surface and its opposite surface of operculum)
- Metaplagiorchis biloborchis* n. sp. Dicroglossus occipitalis (duodenum)
- Metapseudaxine* n. g. Gastrocotylidae, Gastrocotylinae
- Metapseudaxine ventrosicula* Mamaëv n. g., n. sp. (tod) (gills) Thunnus thynnus [sic] Euthynnus affinis Auxis thazard
- Methorchis* [lapsus for: Metorchis]
- Metorchis* [lapsus as: Methorchis]
- Methorchis* [sic] sp.
- Metorchis albidus* [Rutilus rutilus]
- Metorchis albidus*
- Metorchis albidus* (Braun, 1893) [Felis catus]
- Metorchis albidus* Ondatra zibethica
- Metorchis albidus* (Braun, 1893) + Halichoerus grrysus (Gallengänge, Gallenblase)
- Metorchis albidus* distribution
- Metorchis bilis* Braun, 1790 ducks
- Saito, S.; and Otsuru, M., 1965 b Niigata Prefecture, all from
- Bravo-Hollis, M., [1967 a], 119-122, figs. 18-23 La Paz, Baja California, México
- Yamaguti, S., 1965 c, 459, 475, 478 tod: M. opakapaka n. sp.
- Yamaguti, S., 1965 c, 459, 476-478, figs. 11 A-C Hawaii
- Fischthal, J. H.; and Thomas, J. D., 1968 a, 2, 3, 6-7, figs. 4-5 Nungua, Ghana
- Mamaëv, Iu. L., 1967 a, 993, 994, 996-997, 998 tod: M. ventrosicula n. sp.
- Mamaëv, Iu. L., 1967 a, 993, 994-996, 997, 998, fig. 2, 1-4 all from South-Chinese Sea
- Shevtsov, A. A., 1963 c
- Shevtsov, A. A., 1963 c
- Volkova, N. S.; and Omelaeva, R. N., 1963 b Lugansk oblast
- Kaletskaia, S. I., 1965 a Zapadnaia Dvina
- Komarova, T. I., 1963 a Dnieper delta
- Litvishko, N. T.; and Adamets, I. I., 1963 a Kharkov and environs
- Sey, O., 1967 a, 409 Hungary
- Sprehn, C. E. W., 1966 a, 173
- Sprehn, C. E. W., 1967 a Europe
- Gräfner, G.; and Graubmann, H.-D., 1965 b, figs. 1, 5-6

| | | | |
|--|--|--|--|
| Metorchis butoridi Oschmarin, 1963 Phalacrocorax carbo (liver) | Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a Tuva | Metorchis xanthosomus [Fulica atra] | Kibakin, V. V., 1965 a Gasan-Kullisk game reserve |
| Metorchis conjunctus Ondatra zibethicus | Anderson, D. R.; and Beaudoin, R. L., 1966 a, 72 Centre County, Pennsylvania | Metorchis xanthosomus (Creplin, 1846) Cygnus cygnus (liver bile ducts) Anas querquedula " | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan |
| Metorchis conjunctus dogs (liver) | McLeod, J. A., 1967 a Manitoba | Metorchis xanthosomus (Creplin, 1846) Anas strepera (bile duct of liver) | Maksimova, A. P., 1967 a, 129, fig. 3 Western Kazakhstan |
| Metorchis conjunctus Cobbold, 1860 hepatic lesions Canis familiaris Felis domestica Procyon lotor Mustela vison Urocyon cinereoargenteus | Mills, J. H. L.; and Hirth, R. S., 1968 a Ontario, Canada " " Connecticut " " | Metorchis xanthosomus (Creplin, 1846) rata | Olteanu, G.; and Stoican, E., 1963 b, 229 Romania |
| Metorchis crassiusculus distribution | Sprehn, C. E. W., 1967 a Europe | Metorchis xanthosomus (Creplin, 1846) life cycle Cobitis taenia [Anas platyrhynchos] Chlidonias nigra | Shevchenko, N. N., [1966 a], figs. A-B all from Severskii Donets (Khar'kov oblast) |
| Metorchis crassiusculus (Rudolphi, 1809) [Circus aeruginosus] (liver) | Turemuratov, A. T., 1963 a Ak-Kala | Metorchis [sic] xanthosomus Shevtsov, A. A., 1963 c [Anas platyrhynchos] | Ukraine |
| Metorchis elegans Belogurov et Leonov, 1963 | Belogurov, O. I.; and Smetanova, Z. B., 1963 a Kamchatka and Chukotka | Metorchis xanthosomus distribution | Sprehn, C. E. W., 1967 a Europe |
| Metorchis hovorkai distribution | Sprehn, C. E. W., 1967 a Europe | Metorchis xanthosomus (Creplin, 1840) [Larus argentatus] (gall bladder) | Turemuratov, A. T., 1963 a Syr-Dar'ia river |
| Metorchis intermedius Heinemann, 1937 Aythya fuligula (gall bladder) | Ku, C. T.; and Li, M. M., 1966 a Bai Yang Dian, Hopei Province, China | Microbilharzia chapini Price, 1929 Larus atricilla (mesenteric veins) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a North Carolina |
| Metorchis intermedius Heinemann, 1937 Aythya fuligula (gall bladder) | Ku, C.-T.; and Li, M.-M., 1968 b Pai-Yang-Tien, China | Microbilharzia lari McLeod 1937 (mesenteric veins) Larus argentatus L. atricilla | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina |
| Metorchis orientalis Tanabe, 1921 morphological comparison with M. taiwanensis | Ch'en, P.-H.; and T'ang, C.-C., 1968 a | Microbothrium apicalatum Squalus acanthias | Kearn, G. C., 1965 a, 478 |
| Metorchis orientalis fresh water fish | Chun, S. K., 1965 a | Microcotyle pontica sp. nov. Crenilabrus tinca (gills) | Pogorel'tseva, T. P., 1964 b, 31, 41, 42, fig. 9 Sevastopol, Black Sea |
| Metorchis orientalis Tanabe, 1921 Anas poecilorhyncha zonorrhyncha | Ku, C. T.; and Li, M. M., 1966 a Bai Yang Dian, Hopei Province, China | Microcotylinae sp. Istiblennius zebra (gills) | Noble, E. R., 1966 c Hawaii |
| Metorchis orientalis Tanabe, 1921 Anas poecilorhyncha zonorrhyncha (gall bladder) | Ku, C.-T.; and Li, M.-M., 1968 b Pai-Yang-Tien, China | Microcreadium parvum effect of 7 year drought Lampsilis anodontoides Musculium ferrissi | Gentner, H. W.; and Hopkins, S. H., 1966 a, 459 all from Little Brazos River, Texas |
| Metorchis orientalis Tanabe 1921 Anas querquedula | Maksimova, A. P., 1967 a, 129 Western Kazakhstan | Microparphyrum [lapsus for: Microparphyphium] | Kagei, N., 1966 a |
| Metorchis progenetica distribution | Sprehn, C. E. W., 1967 a Europe | Microparphyphium [lapsus as: Microparphyrum] | Kagei, N., 1966 a |
| Metorchis taitwanensis Morishita, 1929 morphological comparison with M. orientalis | Ch'en, P.-H.; and T'ang, C.-C., 1968 a | Microparphyphum [sic] kyushuensis Koga, 1952 Semisulcospira spp. | Kagei, N., 1966 a Takatsu River, Shimane Prefecture, Japan |
| Metorchis xanthosomus | Belogurov, O. I.; and Smetanova, Z. B., 1963 a Kamchatka and Chukotka | Microphallidae Travassos, 1920 progenesis | Belopol'skaya, M. M., 1963 d |
| Metorchis xanthosomus (Creplin, 1846) [Anas platyrhynchos] | Belokobylenko, V. T., 1965 a Ural oblast | Microphallid[ae] metacercaria studies | Ching, H. L., 1966 a |

- Microphallidae** Deblock, S.; and Tran Van Ky,
key to subfamilies P., 1966 a, 35
includes: *Microphallinae* Ward, 1901; *Maritreminae* Lal,
1939 char. emend.; *Gynaecotylinae* Guschanskaia, 1952;
Sphaeriotreminae nov. sub-fam.
- Microphallid[ae sp.]** Guildal, J. A., 1968 a, 61
Larus argentatus South Harbour of Copenhagen
- Microphallinae** Ward, 1901 Deblock, S.; and Tran Van Ky,
Microphallidae, key P., 1966 a, 35, 52
- Microphalloides japonicus** Kamo, H.; and Maejima, J.,
excysting of metacercariae 1965 a
- Microphallus** Ward, 1901 Deblock, S.; and Tran Van Ky,
key; key to species P., 1966 a, 53, 54
- Microphallus arenaria** Deblock, S.; and Tran Van Ky,
key P., 1966 a, 54
- Microphallus canchei** Biguet Deblock, S.; and Tran Van Ky,
et coll., 1958 P., 1966 a, 41-42
as syn. of *Microphallus primas* (Jaegerskioeld, 1909)
- Microphallus chabaudi** Ca- Deblock, S.; and Tran Van Ky,
pron et coll., 1957 P., 1966 a, 37
as syn. of *M. papillorobustus* (Rankin, 1940)
- Microphallus chabaudi** James, B. L.; and Llewellyn,
Capron, Deblock and L. C., 1967 a
Biguet, 1957 all from the island of
Anthus pratensis Skomer off Wales
Turdus musicus musicus (posterior ileum and rectum)
- Microphallus claviformis** Belopol'skaia, M. M., 1965 a
foci of infection
Arenaria interpres
- Microphallus claviformis** Deblock, S.; and Tran Van Ky,
(Brandes, 1883) P., 1966 a, 35-36, 54
key
Syn.: *Metacercaria corophii* Lebour, 1908
Charadrius (= *Aegialitis*) *hiaticula* Weymouth, Dorset
Philomachus (= *Machetes*) *pugnax*
Erolia (= *Tringa*) *alpina*
Haematopus ostralegus
Somateria mollissima
- Microphallus claviformis** Garkavi, B. L., 1966 a
bitonol; kamala, ducks
- Microphallus debuni** Biguet Deblock, S.; and Tran Van Ky,
et coll., 1958 P., 1966 a, 36-37, 54
key
Arquatella (= *Tringa*) *mari-* Riso Eyjafjord
tima
Arenaria interpres Menai Strait
- Microphallus dicaecus** Mukherjee, R. P.; and Ghosh,
n. sp. R. K., 1967 a, 342-344, figs.
(digestive tract) 1-1a
Rana tigrina tigrina Sujapur, West Bengal
- Microphallus excellens** Belopol'skaia, M. M., 1965 a
foci of infection
- Microphallus excellens** Deblock, S.; and Tran Van Ky,
(Nicoll, 1907) P., 1966 a, 39-41
- Microphallus fusiformis** Deblock, S.; and Tran Van Ky,
Reimer, 1963 P., 1966 a, 54
- Microphallus gracilis** Baer, Deblock, S.; and Tran Van Ky,
1943 P., 1966 a, 53
key
- Microphallus hoffmanni** Deblock, S.; and Tran Van Ky,
key P., 1966 a, 54
- Microphallus indicus** n. sp. Mukherjee, R. P.; and Ghosh,
Atretium schistosum R. K., 1967 a, 344-347, figs.
(intestine) 2-2a
Bhasna, West Bengal
- Microphallus limuli** Stunkard, H. W., 1968 a,
sexual generation, life figs. 1-5
cycle
- Hydrobia minuta** Massachusetts
Microphallus limuli
Erichsonella attenuata "
(exper.) mice (exper.)
- Microphallus oedemia** Belopol'skaia, M. M., 1965 a
foci of infection
- Microphallus oedemia** Deblock, S.; and Tran Van Ky,
key P., 1966 a, 54
- Microphallus opacus** Voth, D. R.; and Larson, O.
(Ward, 1894) Ward, 1901 R., 1968 a, 219
Esox lucius all from Goose River, North
Leptomis macrochirus Dakota
(intestine and urinary
bladder)
- Microphallus orientalis** Jurakhno, M. V., 1968 a, 630-
turachno sp. n. 631
Odobaenus rosmarus di-
vergens (intestine)
Erignathus barbatus nauticus (intestine)
- Microphallus papilloro-** Belopol'skaia, M. M., 1965 a
bustus foci of infection
- Microphallus papillorobus-** Deblock, S.; and Tran Van Ky,
tus (Rankin, 1940) P., 1966 a, 37, 53
key
Syns.: *Spelotrema papillorobustus* Rankin, 1940; *S.*
pseudogonotyla Chen, 1944; *M. chabaudi* Capron et coll.,
1957; *M. tringae* Capron et coll., 1957; *S. magnipapil-*
lata Leonov, 1958
Nyroca (= *Fuligula*) *marila* Rone
(caeca ?)
- Microphallus papillorobusta** Garkavi, B. L.; and Poluektov,
Rancin V. Sh., 1968 a, 49
Phenasol, ducks
- Microphallus primus** Belopol'skaia, M. M., 1965 a
foci of infection
- Microphallus primas** (Jaeger- Deblock, S.; and Tran Van Ky,
skioeld, 1909) P., 1966 a, 41, 43, 44, 54,
key fig. 6
Syns.: *Microphallus canchei* Biguet et coll., 1958;
Spelotrema carcinii sensu Guyénot et coll., 1925
Somateria mollissima Styroso; East Lothian
Bucephala (= *Glaucionetta*) Havant
clangula
Numenius arquata Pays de Galles [Wales]
- Microphallus pygmaeus** Belopol'skaia, M. M., 1965 a
foci of infection

| | | | |
|---|---|--|---|
| <i>Microphallus pygmaeus</i> (Le-vinsen, 1881) key Syn.: <i>Metacercaria littorinae rudis</i> Lebour, 1906 (in Lebour, 1911) | Deblock, S.; and Tran Van Ky, P., 1966 a, 37-38, 54 | <i>Moliniella anceps</i> distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Nyroca fuligula</i> <i>Somateria mollissima</i> | Weymouth East Lothian; île Jan Mayen and Kristineberg | <i>Monogenea ammonium pictrate as fixative</i> | Gusev, A. V., 1968 a |
| <i>Melanitta nigra</i> | Lincolnshire | <i>Monogenea s. str.</i> subclass of Monogenea | van der Land, J., 1967 a |
| <i>Microphallus scolectroma</i> n. sp. Hydrobia (= <i>Paludestrina</i>) acuta | Deblock, S.; and Tran Van Ky, P., 1966 b, 313, 325-331, 333, figs. 5-8 Golfe de Figari (Corse, France) | <i>Monogenea...</i> key to genera, from African freshwater fishes | Price, C. E., 1967 e, 379 |
| <i>Microphallus scolectroma</i> key | Deblock, S.; and Tran Van Ky, P., 1966 a, 54 | <i>Monogenea</i> proposed system of anatomical terms | Price, C. E.; and Arai, H.P., 1967 b |
| <i>Microphallus similis</i> foci of infection | Belopol'skaià, M. M., 1965 a | <i>Monogenea</i> keys, figs. (not orig.) hosts of Europe and Latvia | Viksne, V. A., 1961 a Latvia and Europe |
| <i>Microphallus similis</i> (Jaegerskioeld, 1900) key Syns.: <i>Levinsenia pygmaea</i> , Jaegersk., 1900; <i>Spelotrema simile</i> (Jaegersk., 1900), Jaegersk., 1901; <i>Spelotrema excellens</i> Nicoll, 1907; <i>Metacercaria carcinii</i> Lebour, 1908 <i>Larus argentatus</i> <i>L. fuscus</i> <i>L. marinus</i> <i>Somateria mollissima</i> <i>Haematopus ostralegus</i> | Deblock, S.; and Tran Van Ky, P., 1966 a, 38-39, 42-43, 54, fig. 5 Dungeness, Kent; Ecosse [Scotland] | <i>Monorchides diplorchis</i> Odhner, 1905 (intestine) <i>Lumpenus medius</i> <i>Platessa quadratuberculata</i> <i>Pleuronectes stellatus</i> | Zhukov, E. V., 1963 a, 100, fig. 2 all from Chukotsk Peninsula |
| <i>Microphallus somateriae</i> key | Deblock, S.; and Tran Van Ky, P., 1966 a, 54 | <i>Monorchis monorchis</i> (Stoss., 1890) <i>Spicara smaris flexuosa</i> (intestine) | Koval, V. P.; and Otsupok, N. D., 1964 a, 48 region of Evpatoria, Black Sea |
| <i>Microphallus tringae</i> Capron et coll., 1957 as syn. of <i>M. papillorobustus</i> (Rankin, 1940) | Deblock, S.; and Tran Van Ky, P., 1966 a, 37 | <i>Monorchis monorchis</i> (M. Stosch) A. Looss, 1902 <i>Antedon mediterranea</i> (tissu conjonctif du disque central) <i>Spondyliosoma cantharus</i> (exper.) <i>Blennius gattorugine</i> (exper.) | Préyat, G., 1967 a, figs. 1-2 Golfe de Marseille |
| <i>Microscaphidium aberrans</i> Looss, 1899 <i>Chelonia mydas</i> (esophagus) | Fischthal, J. H.; and Thomas, J. F., 1968 a, 13 Ada, Ghana | <i>Monorchis monorchis</i> (M. Stoschich, 1890) A. Looss, 1902 (intestin) <i>Diplodus sargus</i> <i>Spicara alcedo</i> <i>Blennius pavo</i> | Prevot, G.; and Bartoli, P., 1967 a, 621-625, figs. 1-3 . all from golfe de Marseille (France) |
| <i>Microscaphidium reticularis</i> (van Beneden, 1859) Looss, 1902 <i>Chelonia mydas</i> (esophagus) | Fischthal, J. H.; and Thomas, J. D., 1968 a, 13 Ada, Ghana | <i>Monorchis monorchis</i> (Stossich, 1890) (middle part of intestine) <i>Blennius gattorugine</i> <i>Sargus annularis</i> | Sey, O., 1968 a all from waters around Split, Yugoslavia |
| <i>Miliniella</i> [lapsus for: <i>Moliniella</i>] | Macko, J. K., 1967 a | <i>Monostoma bombynae</i> Zeder, 1800 as syn. of <i>Haematoloechus</i> (<i>Anomolecithus</i>) a. asper Looss. | Odening, K., 1960 h, 41 |
| <i>Miliniella</i> [lapsus as: <i>Miliniella</i>] | Macko, J. K., 1967 a | <i>Monostoma lanceolatum</i> Wedl, 1858 as syn. of <i>Cyclocoelum</i> (<i>Haematotrephus</i>) vanelli (Rud., 1819) | Dubois, G., 1965 a, 417 |
| <i>Miliniella anceps</i> (Molin, 1859) <i>Lymnaea iliensis</i> | Butenko, Iu. V., 1967 a, 27 fig. 2 South Kazakhstan | <i>Monostoma microstomum</i> Creplin, 1829 as syn. of <i>Cyclocoelum</i> (C.) mutabile (Zeder, 1800) | Dubois, G., 1965 a, 417 |
| <i>Miliniella anceps</i> (Molin, 1859) Hübner, 1939 (C. lati-caudata Riech, 1927) <i>Galba palustris</i> <i>G. palustris corvus</i> <i>Coretus corneus</i> | Kiselienė, V. K., 1966 a all from Lithuanian SSR | <i>Monostomum microstomum</i> Stossich, 1896 as syn. of <i>Cyclocoelum</i> (C.) mutabile (Zeder, 1800) | Macko, J. K., 1965 e |
| <i>Miliniella</i> [sic] <i>anceps</i> (Molin, 1859) <i>Gallinula chloropus</i> (crevo) | Macko, J. K., 1967 a, 853 Czechoslovakia (CSSR) | <i>Monostoma mutabile</i> Zeder, 1800 as syn. of <i>Cyclocoelum</i> (C.) mutabile (Zeder, 1800) | Dubois, G., 1965 a, 417 |
| <i>Miliniella anceps</i> (Molin, 1859) <i>Planorbis planorbis</i> | Smirnova, v. A.; and Ibrash-eva, S. I., 1967 a, 82 Western Kazakhstan | <i>Monostoma mutabile</i> Zeder, 1800 as syn. of <i>Cyclocoelum</i> (C.) mutabile (Zeder, 1800) | Dubois, G., 1965 a, 417 |

- Nematobothrium sp. (Tschulko, 1939) Nicolaeva, 1962 Nikolaeva, V. M., 1963 a, 400
(liver, gills)
Engraulis encrasicholus ponticus
Sprattus s. phalericus
Trachurus mediterraneus ponticus
- Nematobothrium sp. larvae Nikolaeva, V. M., 1963 b, 442
Spicara smaris (intestine) Crimean coast, Black Sea
- Nematobothrium sp. larvae Nikolaeva, V. M., 1964 a, 55-57, 58, 59-60, 67, fig. 1
(Tschulko, 1939)
Sprattus s. phalericus all from Mediterranean
(liver, gills, intestine, body cavity)
Trachurus mediterraneus ponticus (intestine)
Engraulis encrasicholus ponticus
- Nematobothrium filarina P. J. Van Beneden, 1858 Dollfus, R. P. F., 1966 d, figs. 3-4
- Nematobothrium texomensis A. McIntosh and Self, 1955 Dollfus, R. P. F., 1966 d, figs. 10-12
- Neocanthoparyphium [lapsus as: Neocanthoparyphium] Kiseliene, V. K., 1965 a
- Neocanthoparyphium [sic] echinatoides (Filippi, 1854) Kiseliene, V. K., 1965 a
Odening, 1962 found in mollusks used for food for domestic waterfowl
- Neoacanthoparyphium echinatoides (Filippi, 1854), Odening, 1962 Kiseliene, V. K., 1966 a
all from Lithuanian SSR
- Viviparus viviparus V. contectus Yamaguti, S., 1965 c, 458, 464
Lepocreadiidae; Lepocreadiinae tod: N. hawaiiense n. sp.
- Neoallolepidapedon hawaiiense n. g., n. sp. (tod) Fistularia petimba (stomach and intestine) Yamaguti, S., 1965 c, 458, 461-463, figs. 7A-B Hawaii
- Neocanthoparyphium [lapsus for: Neoacanthoparyphium] Kiseliene, V. K., 1965 a
- Neochasmus sp. Etheostoma nigrum (flesh and cornea) Voth, D. R.; and Larson, O. R., 1968 a, 219
Goose River, North Dakota
- Neocreadium n. g. Lepocreadiidae; Lepocreadiinae Howell, M. J., 1966 a, 23, 24, 26, 27, 28
tod: N. geniagni n. sp.
- Neocreadium geniagni n. g., n. sp. (tod) Geniagnus monopterygius (intestine, pyloric caeca and gall bladder) Howell, M. J., 1966 a, 23, 24-26, fig. 1A-E Wellington Harbour, New Zealand
- Neodactylogyrus affinis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus alatus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus borealis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus chranilowi distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus cornu distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus crucifer distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus difformis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus distinguendus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus fraternus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus frisi distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus gamellus [sic] distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus gracilis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus haplogenous distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus macracanthus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus malleus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus megastoma distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus micracanthus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus minor distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus mollis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus parvus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus suecicus distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus tenuis distribution Sprehn, C. E. W., 1967 a Europe
- Neodactylogyrus zandti distribution Sprehn, C. E. W., 1967 a Europe
- Neodiplorchinae Yamaguti, 1963 Polystomatidae, key Lamothe-Argumedo, R., [1965 c], 154
- Neodiplostomulum [lapsus for: Neodiplostomulum] Kolesnikova, M. N., 1963 b
- Neodiplostoma. See Neodiplostomum.
- Neodiplostomoides mehrii Vidyarthi, 1938 Dubois, G., 1966 a, 44
as syn. of Neodiplostomum (N.) mehrai (Vidyarthi, 1938) Bhalerao, 1942.

| | | | |
|---|---|---|--|
| Neodiplostomoides milvii Saxena, 1954 as syn. of Neodiplostomum (N.) mehrai (Vidyarthi, 1938) Bhalerao, 1942. | Dubois, G., 1966 a, 44 | Neodiplostomum gumbudia Gogate, 1940 as syn. of Neodiplostomum (N.) mehrai (Vidyarthi, 1938) Bhalerao, 1942. | Dubois, G., 1966 a, 44 |
| Neodiplostomulum [lapsus as: Neodiplostomulum] Kolesnikova, M. N., 1963 b | | Neodiplostomum laruei Vidyarthi, 1938 Pseudogyps bengalensis (intestine) Aquila rapax (intestine) | Gupta, N. K., 1967 a, 305, 309-311, fig. 3 Hoshiarpur (Punjab), India |
| Neodiplostomulum [lapsus as: Neodiplostomulum] Shevchenko, N. N., 1963 b | | | |
| Neodiplostomulum [sic] sp. Cyprinus carpio | Kolesnikova, M. N., 1963 b Sur-Darya river, lower channel | Neodiplostomum (Neodiplo- stomum) mehrai (Vidyarthi, 1938) Bhalerao, 1942 Syn.: Neodiplostomoides mehrii Vidyarthi, 1938; Neo- diplostomum gumbudia Gogate, 1940; Neodiplostomoides milvii Saxena, 1954. | Dubois, G., 1966 a, 44-45, 51 |
| Neodiplostomulum [sic] sp. Natrix natrix Vipera berus | Shevchenko, N. N., 1963 b all from Severskii Donets valley | | |
| Neodiplostomulum hughesi (Markewitsch, 1934) Rutilus rutilus (liver, musculature) Esox luceus [sic] (musculature) Perca fluviatilis (liver) Tinca tinca | Ha, K., 1964 a all from Alol group of lakes (Pskov oblast) | Neodiplostomum (Neodip- lostomum) pearsoni Dubois, 1962 Accipiter striatus velox | Dubois, G., 1967 b, 695 Stony Creek, Ontario |
| Neodiplostomum Diplostomidae, key | Cosgrove, G. E., 1966 a, fig. 10 | Neodiplostomum pseudathe- nuatum [sic] Dubois, 1928 Scardinius erythrophthalmus | Belinisova, L. K., 1965 a Krasnooskol'skoe reservoir |
| Neodiplostoma sp. Dollfus, 1935 as syn. of Pseudoneodiplostomum thomasi (Dollfus, 1935) Dubois, 1936. | Fischthal. J. H.; and Thomas, J. D., 1968 a, 13 | Neodiplostomum pseudattenu- atum (Dubois, 1928) [Scardinius erythrophthalmus] (brain) | Komarova, T. I., 1964 a, 82 Dnieper delta |
| Neodiplostomum sp. Cyprinus carpio | Kolesnikova, M. N., 1963 b Syr-Darya river, lower channel | Neodiplostomum (Neodip- lostomum) reflexum Chand- ler and Rausch, 1947 Bubo virginianus Strix varia | Dubois, G., 1967 b, 695 |
| Neodiplostomum attenuatum Buteo buteo Falco tinnunculus (duodenum) | Dubois, G., 1967 b, 696 all from Pays-Bas | Neodiplostomum (Fibricola) singhi n. sp. Antilope cervicapra (intestine) | Chippewa, Ontario Agincourt, Ontario |
| Neodiplostomum attenuatum Natrix natrix Buteo buteo Milvus milvus Planorbis planorbis Anisus vortex Gyraulus albus Planorbarius corneus Physa fontinalis Rana arvalis R. temporaria | Odening, K., 1965 e, figs. 1-4 all from Raum Berlin | Neodiplostomum spathoides Dubois Circus aeruginosus Accipiter gentilis A. nisus Natrix natrix Planorbis planorbis | Dwivedi, M. P., 1967 a, 10, 12-16, 17, figs. 1-3 Tamia Ghat, Chhindwara (M. P.) India |
| Neodiplostomum attenuatum (v. Linstow) Buteo buteo Milvus milvus Natrix natrix Anisus vortex Gyraulus albus | Odening, K., 1965 i all from Berlin area | Neodiplostomum spathoides Dubois [Circaetus sp.] [Buteo buteo] | Odening, K., 1965 i all from Berlin area |
| Neodiplostomum cochleare (Krause, 1914) Asio flammeus (small intestine) | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka | Neodiplostomum spathoides Dubois, 1937 (small intes- tine) [Circaetus sp.] [Buteo buteo] | Ryzhova, A. A.; and Nevostru- eva, L. S., 1965 a all from USSR, Belovezhskaya pushcha |
| Neodiplostomum cochleare | Sharpilo, V. P., 1963 a Ukraine | Neodiplostomum spathoides | Sharpilo, V. F., 1963 a Ukraine |
| Neodiplostomum delicatum Chandler and Rausch, 1947 Aegolius funereus (small intestine) | Threlfall, W., 1968 c Newfoundland, Canada | Neodiplostomum spathula Circus aeruginosus (intes- tine) | Vol'skis, G. I., [1967 a] Latvian SSR |
| | | Neodiplostomum (Conodip- lostum) spathula banghami Penrod, 1947 Accipiter striatus velox | Dubois, G., 1967 b, 696 |
| | | Accipiter gentilis atri- capillus | Algonquin Park, Ontario; Middlesex Co., Ontario |
| | | Circus cyaneus hudsonicus | Algonquin Park, Ontario |
| | | | Bradford, Ontario |

- Neodiplostomum** (*Neodiplostomum*) *tamarini* n. sp. Dubois, G., 1966 c, pp. 57-42, figs. 1-3
- Leontocetus** *nigricollis* (Spix) (=*Tamarinus nigricollis*) (Spix) Oak Ridge, Tenn., (native to Colombia, Peru and Brazil)
- Neodiplostoma** *thomasi* Dollfus, 1935 Fischthal, J. H.; and Thomas, J. D., 1968 a, 13 as syn. of *Pseudoneodiplostomum thomasi* (Dollfus, 1935) Dubois, 1936.
- Neodiplozoon** *Tripathi*, 1959, Price, C. E., 1967 e, 379, emend. 386-387
- Diplozoonidae**, key
Syn.: *Diplotrema* *Tripathi*, 1959, preoccupied.
- Neodiplozoon** *barbi* *Tripathi* 1959 Bykhovskii, B. E.; and Nagibina, L. F., 1966 a, figs. 1-2
Barbus chagunio (gills)
- Neodiplozoon** *grassitrema* n. sp. [nomen nudum] Price, C. E., 1967 e, 386 Gabon
Barbus guilari
- Neodiscocotyle** n. gen. Discocotylidae; *Neodiscocotylinae* n. subfam. Dechtiar, A. O., 1967 b, 473, 474
tod: *N. carpioditis* n. sp.
- Neodiscocotyle** *carpioditis* n. gen., n. sp. (tod) Dechtiar, A. O., 1967 b, 473, 474-478, figs. 1-10
Carpoides cyprinus (gills) Lake Erie
- Neodiscocotylinae** n. subfam. Discocotylidae Dechtiar, A. O., 1967 b, 473, 474
type genus: *Neodiscocotyle* n. gen.
- Neodiplostomulum** [lapsus for: *Neodiplostomulum*] Shevchenko, N. N., 1963 b
- Neogogatea** Chandler and Rausch, 1947 Dwivedi, M. P., 1967 a
as syn. of *Gogatea* Lutz, 1935
- Neogogatea** *kentuckiensis* Syn.: *Neogogatea pandionis* (Chandler & Rausch, 1948) Goniobasis Stang, J. C.; and Cable, R. M., 1966 a, 413, 414, 415, figs. 9-10 southern Indiana
- Neogogatea** *pandionis* (Chandler & Rausch, 1948) as syn. of *Neogogatea kentuckiensis*. Stang, J. C.; and Cable, R. M., 1966 a, 415
- Neogrubea** new genus Mazocraeidae; *Neogrubeinae* n. subfam. Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 352, 353, 364
tod: *N. seriolellae* n. sp.
- Neogrubea** *seriolellae* n. gen., n. sp. (tod) Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 353-355, 364, figs. 1-6 all from South Island, New Zealand
- Neogrubeinae** new subfam. Mazocraeidae type genus: *Neogrubea* n. gen. Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 352-353, 364
- Neogyrodactylus** Prudhoe, 1957 Price, C. E., 1967 e, 385
as syn. of *Macrogyrodactylus* Malmberg, 1956.
- Neogyrodactylus** *congolensis* Prudhoe, 1957 as syn. of *Macrogyrodactylus congolensis* (Prudhoe, 1957) Yamaguti, 1963.
- Dubois, G.**, 1966 c, pp. 57-42, figs. 1-3
- Oak Ridge, Tenn.**, (native to Colombia, Peru and Brazil)
- Fischthal, J. H.**; and Thomas, J. D., 1968 a, 13
- Price, C. E.**, 1967 e, 379, 386-387
- Bykhovskii, B. E.**; and Nagibina, L. F., 1966 a, figs. 1-2
- Gabon**
- Dechtiar, A. O.**, 1967 b, 473, 474
- Shevchenko, N. N.**, 1963 b
- Dwivedi, M. P.**, 1967 a
- Stang, J. C.**; and Cable, R. M., 1966 a, 413, 414, 415, figs. 9-10
- Dillon, W. A.**; and Hargis, W. J. (jr.), 1968 a, 352, 353, 364, figs. 1-6
- Yamaguti, S.**, 1963 b, 55, 64
- Yamaguti, S.**, 1965 b, 55, 64, figs. 5A-C
- Yamaguti, S.**, 1965 c, 459, 475, 481
- Yamaguti, S.**, 1965 c, 459, 479, 480-481, figs. 13A-E
- Parukhin, A.M.**, 1966 b, 1462-1463, fig. 1
- Ichihara, A.**; et al, 1964 b
- Zhukov, E. V.**, 1963 a, 101, 105
- Salvelinus malma** (pyloric caeca, intestine)
- Gadus morhua** macrocephalus (gills)
- Eleginops gracilis** (pyloric caeca)
- Hexagrammos stelleri** (pyloric caeca, intestine, fins)
- Melletes papilio** (pyloric caeca, intestine, fins)
- Myoxocephalus polyacanthocephalus** (pyloric caeca, intestine, gills, fins)
- Myoxocephalus axillaris** (pyloric caeca, intestine, gills, fins)
- Myoxocephalus verrucosus** (pyloric caeca, intestine, gills, fins)
- Myoxocephalus platicephalus** (intestine, gills, fins)
- Erophrys dicercaus** (pyloric caeca, intestine)
- Blepsias bilobus** (intestine)
- Podothecus acipenserinus** (pyloric caeca, intestine, gills)
- Liparis gibbus** (pyloric caeca, intestine, gills)
- Pleuronectes stellatus** (intestine)
- Neopodocotyle** Dayal 1950 Gupta, S. P.; and Chakravarti, K. K., 1966 b, 192
- key to species**

| | | | |
|--|---|--|--|
| Neopodocotyle indica Dayal 1950 key | Gupta, S. P.; and Chakravarti, K. K., 1966 b, 192 | Nicolla timoni Reb. distribution | Sprehn, C. E. W., 1967 a Europe |
| Neopodocotyle indicum Dayal, 1950 as syn. of Allocreadium indicum (Dayal, 1950) n. comb. | Pritchard, M. H., 1966 a, 168, 171 | Nicolla wisniewskii Slus. distribution | Sprehn, C. E. W., 1967 a Europe |
| Neopodocotyle lucknowensis n. sp. key Barbus sarana (intestine) | Gupta, S. P.; and Chakravarti, K. K., 1966 b, 188-192, figs. 1-3 Lucknow | Nilocotyle includes Nilocotyle (Näsmark, 1937); Sellsitrema (Yamaguti, 1958) | Swart, P. J., 1966 a Swart, P. J., 1966 a, 73 subgen. of Nilocotyle |
| Neopodocotyloides n. gen. Opecoelidae, key | Pritchard, M. H., 1966 a, 166, 170 tod: N. sinusaccus (Ching, 1960) n. comb. | Nilocotyle (Nilocotyle) praespinctris Näsmark, 1937 Hippopotamus amphibius (stomach) | Swart, P. J., 1966 a, 73-76, figs. 1-4 Kruger National Park, South Africa |
| Neopodocotyloides caithnessi (Manter, 1954) n. comb. Syn.: Podocotyle caithnessi Manter, 1954. | Pritchard, M. H., 1966 a, 166, 170 | Notaulus asiaticus Skrjabin, 1913 [Circus aeruginosus] (liver) | Turemratov, A. T., 1963 a Ak-Kala |
| Neopodocotyloides pedunculatus (Park, 1937) n. comb. Syn.: Podocotyle pedunculatus Park, 1937. | Pritchard, M. H., 1966 a, 166, 170 | Notocotyle attenuatus biology, metacercaria | Komiya, Y., 1965 e |
| Neopodocotyloides sinus- accus (Ching, 1960) n. gen., 170 n. comb. (tod) Syn.: Podocotyle sinusaccus Ching, 1960. | Pritchard, M. H., 1966 a, 166, 170 | Notocotylidae not harmed by industrial pollution | Chernogorenko-Bidulina, M. I., 1963 a Desna river |
| Neopolystoma orbiculare Chrysemys picta marginata | Esch, G. W.; and Gibbons, J. W., 1967 a, 819 Wintergreen Lake, Kalamazoo County, Michigan | Notocotylidae key | Cosgrove, G. E., 1966 a |
| Neopronocephalus triangulifer Mehra, 1932 Geoclemys hamiltoni (intestine) | Gupta, N. K., 1967 b, 319, 321-322, fig. 2 Ferozepore (Punjab), India | Notocotylidae gen. sp. oligomerization of unicellular organs, larva | Ginetsinskaia, T. A., 1963 a fig. 2a |
| Nephrostomum legonum n. sp. Bubulcus ibis (small intestine) | Ukoli, F. M. A., 1967 a, 219-220, figs. 1-2 Accra, Ghana | Notocotylidae sp. Anas discors | Payne, R. R., 1967 a Crescent Lake Nat. Wildlife Refuge, Garden Co., Nebraska |
| Nephrostomum ramosum (Sonsino, 1895) Bubulcus ibis | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands | Notocotylidae larvae causes decrease in cardiolipins in digestive gland of mollusks | Stadnichenko, A. P., 1968 a |
| Nephrostomum ramosum (Sonsino, 1895) [Bubulcus ibis] | Smogorzhevskaya, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen | Notocotyloides n. gen. Parapronocephalidae; Parapronocephalinae | Dollfus, R. P. F., 1966 c, 292, 297, 298 tod: N. petasatum (Deslongchamps 1824) [n. comb.] |
| Nephrotrema truncatum (Leuckart, 1842) Baer, 1931 Neomys fodiens Crocidura suaveolens (all, kidney) | Genov, T.; and Dimitrova, E. A., 1966 a, 134, 146, 149, 150, 152, 156, 158 all from Bulgaria | Notocotyloides petasatum (Deslongchamps 1824) [n. comb.] (tod) Littorina obtusata (glande génitale) Strepsilas interpres | Dollfus, R. P. F., 1966 c, 290-295, 297, 298, figs. 1-6 Saint-Vaast-la-Hougue (Manche) Roscoff (Finistère) |
| Nicolla gallica distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus waterfowl, diagnosis | Pustovar, N. S., 1968 a |
| Nicolla minuta sp. n. (intestine) Thalassoma duperreyi Stethojululus axillaris Conger cinereus marginatus | Pritchard, M. H., 1966 b, 174, 175, 176-177, 200, fig. 4 all from Hawaii | Notocotylus sp. Planorbis planorbis | Butenko, Yu. V., 1967 a, 30, fig. 5 South Kazakhstan |
| Nicolla proavitum Wisn. distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus sp. Lithoglyphus naticoides | Chernogorenko-Bidulina, M.I., 1966 a, 27, 28, fig. 1 upper Dnieper |
| Nicolla skrjabini Ivan. distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus sp. (attenuatus? Rud.) cercaria Theodoxus fluviatilis | Chernogorenko-Bidulina, M.I., 1966 a, 28 upper Dnieper |
| Nicolla testiobliquum distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus sp. (Cercaria ephemera Nitzsch, 1807) Planorbis planorbis Coretus corneus | Kiseliene, V. K., 1966 a all from Lithuanian SSR |

- Notocotylus [sp.]
[*Anas platyrhynchos*] Palim[p]estov, M. A., 1963 a
Iagotinsk poultry farms
- Notocotylus [sp.]
[*Anas platyrhynchos*] Podgornova, G. P., 1963 a
Volgograd oblast
- Notocotylus sp.
Rattus norvegicus Sharpilo, L. D., 1963 a
right-bank steppes,
Ukrainian SSR
- Notocotylus sp. Ginetzinskaja, 1959 Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 72-73,
fig. 11
Western Kazakhstan
- Notocotylus atlanticus n. sp.
eider duck (exper.) (caecum)
Hydrobia salsa Stunkard, H. W., 1966 c, 501,
506, 507, 508-509, 510, 511-513, pl. 1, figs. 1-2; pl. 2,
figs. 1-7
Nobska Pond, near Woods Hole, Massachusetts
- Notocotylus attenuatus domestic waterfowl Adysheva, M. M., 1963 a
Andizhan oblast
- Notocotylus attenuatus (Rudolphi, 1809)
Anser anser Akhumiyan, K. S., 1966 a
Armenian SSR
- Notocotylus attenuatus (Rudolphi, 1809)
[shrimp] (tegument) Alekseev, V. M., 1962 a, 1256,
1257
lake Khanka, Astrakhan
- Notocotylus attenuatus Radix lagotis Planorbis sp.
Cristaria plicata
Melania amurensis Alekseev, V. M., 1963 c
all from Primorskii krai
- Notocotylus attenuatus molluscs and domestic aquatic birds Melania amurensis
Cristaria plicata
Leander modestus Alekseev, V. M., 1963 d
Lake Khanka, all from
- Notocotylus attenuatus (Rud., 1809)
[*Anas platyrhynchos*] Belokobyleko, V. T., 1965 a
Ural oblast
- Notocotylus attenuatus Cygnus olor (caecum) Bourvier, G.; and Horning, B., 1965 a, 16
Switzerland
- Notocotylus attenuatus (Rudolphi, 1809)
Radix ovata
Galba truncatula Butenko, Iu. V., 1967 a, 29-30
South Kazakhstan
- Notocotylus attenuatus [*Anas platyrhynchos*]
[*Mergus serrator*]
[*Ardea cinerea*]
[*Vanellus vanellus*]
[*Sterna hirundo*]
Radix auricularia
Hyrax eisenbergi
Limnaea stagnalis Chibichenko, N. T., 1966 b,
68, 73
all from lake Issyk-kul
- Notocotylus attenuatus Anas platyrhynchos (caecum) Churina, N. V., 1963 a
[*Anser anser*] (caecum)
Clangula clangula (caecum)
Anas crecca (caecum)
- Notocotylus attenuatus [*Anas platyrhynchos*] Dremkova, P. P.; and Podgornova, G. P., 1963 a
Volgograd oblast
- Notocotylus attenuatus Phenasol, ducks
- Notocotylus attenuatus L[ymnaea] stagnalis
- Notocotylus attenuatus [*Podiceps cristatus*]
[*Anas penelope*]
[*Anas platyrhynchos*]
[*Nyroca ferina*]
[*Fulica atra*]
- Notocotylus attenuatus (Rudolphi, 1809)
Limnaea stagnalis
Radix ovata
Galba palustris
G. palustris corvus
- Notocotylus attenuatus Galba palustris
Coretus cornutus
- Notocotylus attenuatus Anser anser
A. platyrhynchos
A. acuta
A. penelope
A. clypeata
A. crecca
Nyroca ferina
Oxyura leucocephala
- Notocotylus attenuatus (Rud., 1809)
(caecum)
Cygnus cygnus
Anas clypeata
Anas querquedula
Netta rufina
Nyroca ferina
Anas strepera
Anas acuta
- Notocotylus attenuatus (Rud., 1809)
Anser anser
Anas clypeata
A. acuta
A. penelope
A. platyrhynchos
A. crecca
A. querquedula
A. strepera
Nyroca marila
N. fuligula
Nyroca ferina
- Notocotylus attenuatus duck (caeca and rectum) Mohiuddin, S. G.; and Lone, M. M., 1967 a, 494
Nylore, Hyderabad (A.P.), India
- Notocotylus attenuatus (Rudolphi, 1809)
gäini
räta
gisca
- Notocotylus attenuatus (Rud., 1819)
Anas platyrhynchos Olteanu, G.; and Stoican, E., 1963 b, 224, 228, 234
all from Romania
- Notocotylus attenuatus (Rudolphi, 1809)
Buriat ASSR Oshmarin, P. G., 1965 b
- Notocotylus attenuatus (Rudolphi, 1809)
prophylaxis by isolated rearing of ducklings Podgornova, G. P., 1965 a
- Garkavi, B. L.; and Poluektov, V. Sh., 1968 a, 49
- Khaziev, G. Z., 1966 b Bashkir
- Kibakin, V. V., 1965 a
all from Gasan-Kuliisk game reserve
- Kiselienė, V. K., 1966 a
all from Lithuanian SSR
- Kupriianova-Shakhmatova, R. A., 1965 a
all from USSR, central Povolzh'e
- Maksimova, A. P., 1966 a
all from South Kazakhstan
- Maksimova, A. P., [1966 b]
all from Karaganda oblast, Kazakhstan
- Maksimova, A. P., 1967 a, 135
all from Western Kazakhstan

| | | | |
|--|---|--|---|
| Notocotylus attenuatus Rattus norvegicus | Sharpilo, L. D., 1963 a right-bank steppes, Ukrainian SSR | Notocotylus ephemera (Nitzsch, 1807) Harwood, 1939 Syns.: N. thienemanni Szidat and Szidat, 1933; N. attenuatus (Rudolphi, 1809) | Stunkard, H. W., 1966 c, 505 |
| Notocotylus attenuatus [Anas platyrhynchos] | Shevtsov, A. A., 1963 b Volynskaia oblast | Notocotylus filamentus (Barker, 1915) Harwood, 1939 Ondatra zibethicus osoyoo-sensis | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah |
| Notocotylus attenuatus [Anas platyrhynchos] [Anser anser] | Shevtsov, A. A., 1963 c all from Ukraine | Notocotylus gibbus (Mehlis, 1846) Gallinula chloropus (slepé črevo) | Macko, J. K., 1967 g, 854 Czechoslovakia (CSSR) |
| Notocotylus attenuatus [Anas platyrhynchos] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR | Notocotylus gibbus (Mehlis, 1846) Fulica atra | Oshmarin, P. G., 1965 b Buriat ASSR |
| Notocotylus attenuatus [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Notocotylus gibbus | Sailov, D. I., 1963 a Azerbaijan |
| Notocotylus attenuatus (Rud., 1809) Kossak, 1911 Lymnaea stagnalis Radix pereger | Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 72 all from Western Kazakhstan | Notocotylus distribution | Sprehn, C. E. W., 1967 a Europe |
| Notocotylus attenuatus [Anas platyrhynchos] [Anser anser] | Smogorzhevskaia, L. A.; and Iskova, N. I., 1963 a all from Ukrainian SSR | Notocotylus imbricatus (Looss, 1893) Bithynia tentaculata | Kiseliene, V. K., 1966 a Lithuanian SSR |
| Notocotylus attenuatus distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus imbricatus Bithynia tentaculata | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| Notocotylus attenuatus (Rudolphi, 1809) as syn. of N. ephemera (Nitzsch, 1807) Harwood, 1939 | Stunkard, H. W., 1966 c, 505 | Notocotylus imbricatus distribution | Sprehn, C. E. W., 1967 a Europe |
| Notocotylus attenuatus (caecum) Anas platyrhynchos Nyroca ferina | Vol'skis, G. I., [1967 a] all from Latvian SSR | Notocotylus imbricatus (Looss, 1893) (nec Looss, 1896) renamed: Notocotylus duboisi nom. nov. +Bithynia tentaculata | Stunkard, H. W., 1966 c, 504 |
| Notocotylus attenuatus Lymnaea peregra (nat. and exper.) duck (exper.) | Williams, M. O., 1966 a, 248 Milngavie near Glasgow, Scotland | Notocotylus imbricatus (Looss, 1896) valid name for Egyptian species from Melania tuberculata | Stunkard, H. W., 1966 c, 504 |
| Notocotylus chionis Baylis, 1928 [Anas platyrhynchos] | Belokobylenko, V. T., 1965 a Ural oblast | Notocotylus magniovatus Semisulcospria bensoni | Hamajima, F.; and Ishii, Y., 1964 a |
| Notocotylus chionis Anser anser | Maksimova, A. P., 1966 a South Kazakhstan | Notocotylus minutus Stunkard, 1960 Hydrobia salsa ducklings (exper.) ducks, wild hybrid (caeca) eider duck (exper.) | Stunkard, H. W., 1966 c, 507, 510, pl. 2, fig. 8 |
| Notocotylus chionis Baylis 1928 Anser anser (intestine) | Maksimova, A. P., [1966 b] Karaganda oblast, Kazakhstan | Notocotylus noyeri Joyeux, 1922 Arvicola terrestris | Cuttyhunk Island |
| Notocotylus chionis Baylis, 1928 Anser fabalis | Maksimova, A. P., 1967 a, 135 Western Kazakhstan | Notocotylus pacifer [sic] distribution | Sharpilo, L.D., 1961 a, 204 Ukraine |
| Notocotylus chionis [Anser anser] | Shevtsov, A. A., 1963 c Ukraine | Notocotylus ralli distribution | Sprehn, C. E. W., 1967 a Europe |
| Notocotylus chionis [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Notocotylus seineti distribution | Sprehn, C. E. W., 1967 a Europe |
| Notocotylus chionis distribution | Sprehn, C. E. W., 1967 a Europe | Notocotylus seineti distribution | Sprehn, C. E. W., 1967 a Europe |
| Notocotylus duboisi nom. nov. for: Notocotylus imbricatus (Looss, 1893) | Stunkard, H. W., 1966 c, 501, 504 | Notocotylus seineti causes decrease in cardiolipins in digestive gland of Lymnaea stagnalis | Stadnichenko, A. P., 1968 a |
| Notocotylus ephemera distribution | Sprehn, C. E. W., 1967 a Europe | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Notocotylus skrjabini*
Ablassov, 1953
Ixobrychus minutus
- Notocotylus stagnicolae*
Herber, 1942
Lymnaea auricularia
- Notocotylus stagnicolae*
life history
Lymnaea auricularia
duckling (exper.)
goslings "
albino rats "
- Notocotylus stagnicolae*
Stagnicola caberata
S. emarginata angulata
- Notocotylus stagnicolae*
Herber, 1942
Gallus domesticus (exper.)
Lymnaea (Stagnicola) reflexa (Say)
- Notocotylus thienemanni*
Szidat, and Szidat, 1933
as syn. of *N. ephemera* (Nitzsch, 1807) Harwood, 1939
- Notocotylus urbanensis*
(Cort, 1914)
Physa gyrina
- Notocotylus urbanensis*
life history
Physa gyrina
chick (exper.)
- Paspalev, G.V.; and Zhelfazkova-Paspaleva, A.*, 1963 a,
199
Southwest Bulgaria
- Acholomu, A. D.*, 1964 c
Northern Colorado
- Acholomu, A. D.; and Olsen, O. W.*, 1967 a, fig. 2
Fort Collins, Colorado
- Herber, E. C.*, 1965 a, 91,
92, 93, 94
Lake Itasca, Minnesota
Walloon Lake, Michigan
- Williams, R. R.*, 1964 b
Calamus Swamp, Pickaway Co., Ohio
- Stunkard, H. W.*, 1966 c, 505
- Acholomu, A. D.*, 1964 c
Northern Colorado
- Acholomu, A. D.; and Olsen, O. W.*, 1967 a, figs. 1, 3
Fort Collins, Colorado
- Notocotylus urbanensis*
(Cort, 1914)
Ondatra zibethica
- Notocotylus urbanensis*
(Cort, 1914) Harrah, 1922
Ondatra zibethicus osoyoensis
- Notocotylus urbanensis*
Physa gyrina
rats (exper.)
Microtus (exper.)
- Novemtestis armatum*
Parapercis multifasciatus
- Novetrema Rohde*, 1962
as syn. of *Pseudocryptotropa Yamaguti*, 1958
- Nudacotyle novicia*
Barker, 1916
Ondatra zibethica
- Novetrema novicia Barker*, 1916
as syn. of *Pseudocryptotropa osoyoensis*
- Novetrema nycticebi Rohde*, 1962
as syn. of *Pseudocryptotropa nycticebi* (Rohde, 1962)
[n. comb.]
- Beckett, J. V.; and Gallicchio, V.*, 1967 a, 1171
Portage County, Ohio
- Grundmann, A. W., and Tsai, Yuan-Hwang*, 1967 a
Salt Lake Valley, Utah
- Herber, E. C.*, 1965 a, 91,
pl. I
Lake Itasca; Erwin, Tennessee; Carlisle; and Cheboygan, Michigan
- Komiya, Y.; and Suzuki, N.*, 1966 a, pp. 208-214
- Khotenovskii, I. A.*, 1965 a, 199
- Beckett, J. V.; and Gallicchio, V.*, 1967 a, 1171
Portage County, Ohio
- Grundmann, A. W., and Tsai, Yuan-Hwang*, 1967 a
Salt Lake Valley, Utah
- Khotenovskii, I. A.*, 1965 a, 201

| | | | |
|--|--|--|---|
| Ochoterenotrema Caballero, Cain, G. D., 1966 a, 353-354 1943, emend. Lecithodendriinae | | Odhneriella rossica Skrjabin, 1915 +Odobenus rosmarus (Gallengänge) | Sprehn, C. E. W., 1966 a, 173 |
| Ochoterenotrema caballeroi Teixeira de Freitas, 1957 as syn. of Ochoterenotrema diminutum (Chandler, 1938) | Cain, G. D., 1966 a, 353 | Ogmocotyle Notocotylidae, key | Cosgrove, G. E., 1966 a, fig. 20 |
| Ochoterenotrema diminutum (Chandler, 1938) Dubois, 1960 Syn.: Ochoterenotrema caballeroi Teixeira de Freitas, 1957. | Cain, G. D., 1966 a, 353 | Ogmocotyle indica (Bhalerao, 1942) Ruiz, 1946 morphology and biology sheep (faeces) goats " cattle " | Deorani, V. P. S., 1966 c, 15-24, figs. 1-4 all from India |
| Ochoterenotrema labda Caballero, 1943 Tadarida brasiliensis mexicana (small intestine) | Cain, G. D., 1966 a, 351-353, figs. 1-4 Carlsbad Caverns National Park, New Mexico | Ogmocotyle pygargi sheep (small intestine) | Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China |
| Octodactylus palmata phosphatase activity | Halton, D. W., 1967 a, figs. 2-5 | Ogmogaster Jägerskiöld, 1891 revision | Rausch, R. L.; and Fay, F. H., 1966 a |
| Octodactylus palmata glycogen deposition | Halton, D. W., 1967 c, 1 pl., figs. 3-4 | Ogmogaster antarcticus Johnstone, 1931 description emended baleen whales and pinnipeds | Rausch, R. L.; and Fay, F. H., 1966 a, 34, 36, figs. 7, 9 |
| Octomacrum europaeum Roman et Bychowsky, 1956 Alburnoides bipunctatus (branchial plates) | Kakacheva-Avramova, D., 1965 c, figs. 1-2 Burzia River (District of Berkovitsa) | Ogmogaster delamurei n. sp. Eschrichtius gibbosus (intestine) | Treshchey, V. V., 1966 a, 22-24, 25, fig. 1(1-3) Chukotsk Sea |
| Octomacrum semotili n.sp. Semotilus atromaculatus (gills) | Dechtiar, A.O., 1966 a, 821-824, pl. 1, figs. 1-2; figs. 3-7 Algonquin Park, Ontario | Ogmogaster pentalineatus sp. n. Eschrichtius gibbosus (small intestine) | Rausch, R. L.; and Fay, F. H., 1966 a, 26, 31-33, 34, 35, 36, 37, figs. 2-6, 8, 12 St. Lawrence Island, Bering Sea |
| Oculotrematinae Yamaguti, 1963 Polystomatidae, key | Lamothe-Argumedo, R., [1965 c], 154 | Ogmogaster plicatus (Creplin, 1829) Jägerskiöld, 1891 redescription +Balaenoptera physalus +B. borealis | Rausch, R. L.; and Fay, F. H., 1966 a, 36, fig. 10 Northeastern North Atlantic and North Pacific Oceans |
| Odeningotrema Rohde, 1962 Cryptotropidae; Odeningotremae | Khotenovskii, I. A., 1965 a, 201, 203 | Oligoncobenedenia n. g. Capsalidae; Benedeniinae | Yamaguti, S., 1965 b, 55, 60 tod: O. nasonis |
| Odeningotrema bivesicularis Rohde, 1962 | Khotenovskii, I. A., 1965 a, 203-205, fig. 7 | Oligoncobenedenia nasonis n. g., n. sp. (tod) Naso hexacanthus (gill) | Yamaguti, S., 1965 b, 55, 58-60, figs. 2A-D Hawaii |
| Odeningotrema hypergenitalis Rohde, 1962 | Khotenovskii, I. A., 1965 a, 205-206, fig. 8 | Ommatobrithus lobatum (Mehra, 1928) Varanus monitor (intestine) | Agrawal, V., 1966 c, 64-67, fig. 2 Lucknow, India |
| Odeningotrema hypergenitalis Rohde, 1962 allometric growth | Rohde, K., 1966 b, 198, fig. 11 | Ommatobrithus prosectorchis n. sp. Zonosaurus sp. (vésicule biliaire) | Deblock, S.; Capron, A.; and Brygoo, E. R., 1965 a, 503, 513-517, 520, figs. 6-7 [for author entry see Supplement 17, Part 1] Mahabo, Madagascar |
| Odeningotremae Rohde, 1962 Cryptotropidae key | Khotenovskii, I. A., 1965 a, 194, 201 | | |
| Odhneria limnodromi sp. n. Limnodromus griseus (small intestine) | Schell, S. C., 1967 b, 1001, 1002-1003, figs. 4-5 Rathdrum, Kootenai County, Idaho | | |

- Omphalometra Looss, 1899 Odening, K., 1960 h, 68
 Omphalometridae n. fam. key to species
 Sobolev, Maškov & Maškov, 1939
 key
 Syn.: Skrjabinomerus desmanae Sobolev, Maskov, V.; &
 Maskov, N., 1939.
Desmana moschata European UdSSR
- ?Omphalometra desmanae Sobolev, Maškov, 1939
 fig. 60
- Omphalometra flexuosa (Rudolphi, 1809) Edelényi, B., 1965 a, fig. 3 Hungary
Talpa europaea (Darmkanal)
- Omphalometra flexuosa Rudolphi, 1809 Genov, T.; and Dimitrova, E. A., 1966 a, 129, 144, 150, 152, 156, 158, fig. 1 Bulgaria
Talpa europaea (stomach, intestine)
- Omphalometra flexuosa (Rudolphi) Odening, K., 1960 h, 68-70, fig. 59
 key
Talpa europaea
- Omphalometridae n. fam. Plagiorchiata (?) incertae superfamiliae Odening, K., 1960 h, 68 type genus: *Omphalometra* Looss, 1899
- Opechona sp. Stunkard, H. W., 1967 d
Gonionemus vertens
Chrysaora quinquecirrha
Stenotomus chrysops (exper.)
Anachis sp.
Bougainvillia carolinensis
- Opechona alaskensis Ward et Fillingham, 1934 (intestine)
Sebastodes alutus
S. introniger
S. aleutianus
- Opechona bacillaris (Molin, 1859) Looss, 1907 (duodenum)
Scomber scomber
- Opechona formiae sp. nov. Oshmarin, P. G., 1965 c, 238-239, fig. 21 North Vietnam
Formio niger (intestine)
- Opechona olssoni Jamaguti, 1934
Scomber scomber
- Opecoelidae Ozaki, 1925 Pritchard, M. H., 1966 c
 peripheral papillae on acetabulum
- Opecoelina vixigastera sp. nov. (stomach) Therapon theraps
- Odening, K., 1960 h, 68, 70, fig. 60
- Opecoeloides Odhner, 1928
- Opecoeloides Odhner, 1928 Pritchard, M. H., 1966 c
 peripheral papillae on acetabulum
- Opecoeloides fimbriatus (Linton, 1934)
- Opecoeloides furcatus (Bremser) Odhner, 1928 (intestine)
Mullus barbatus
- Opecoeloides manaarensis Gupta, 1956
- Opecoeloides polyfimbriatus Read, 1947
- Opecoeloides polynemi Von Wicklen, 1946
- Opecoelus Ozaki (1925) key to species
- Opecoelus Ozaki, 1925 Pritchard, M. H., 1966 c
 peripheral papillae on acetabulum
- Opecoelus acutus key
- Opecoelus adelongatus key
- Opecoelus adelongatus Nagaty, 1954 Pritchard, M. H., 1966 b, 182
 as syn. of *Paropecoelus adelongatus* (Nagaty, 1954) n. comb.
- Opecoelus adsphaericus Manter and Van Cleave, 1951 Banerjee, A. C., 1965 a, 452, 453, 454, 456, fig. 1
 key
Cebidichthys sp. (small intestine)
- Opecoelus adsphaericus Manter and Van Cleave, 1951 Pritchard, M. H., 1966 b, 178
 (intestine)
Parupeneus pleurostigma
P. chrysoneurus
- Opecoelus elongatus key
- Opecoelus elongatus Ozaki, 1925 Pritchard, M. H., 1966 b, 182
 as syn. of *Paropecoelus elongatus* (Ozaki, 1925) n. comb.
- Oshmarin, P. G., 1965 c, 244-245, fig. 25
 North Vietnam

| | | | |
|---|---|--|---|
| Opecoelus goniistii key | Banerjee, A. C., 1965 a, 455 | Opecoelus pentadactylus [sic] key | Banerjee, A. C., 1965 a, 456 |
| Opecoelus himezi key | Banerjee, A. C., 1965 a, 455 | Opecoelus pyriformis [sic] | Banerjee, A. C., 1965 a, 455 |
| Opecoelus inimici key | Banerjee, A. C., 1965 a, 455 | Opecoelus quadratus key | Banerjee, A. C., 1965 a, 456 |
| Opecoelus lanceolatus Martin, 1960 Mulloidichthys auriflamma (intestine) | Pritchard, M. H., 1966 b, 178 Hawaii | Opecoelus sebastodis key | Banerjee, A. C., 1965 a, 456 |
| Opecoelus lobatus key | Banerjee, A. C., 1965 a, 455 | Opecoelus sphaericus key | Banerjee, A. C., 1965 a, 456 |
| Opecoelus lobatus Ozaki Beryx splendens | Ichihara, A.; et al, 1964 b • Bay of Sagami, Japan | Opecoelus tasmanicus key | Banerjee, A. C., 1965 a, 455 |
| Opecoelus lobatus Ozaki, 1925 Syn.: Opecoelus mutu Yamaguti, 1940. Dactyloptena orientalis (intestine) | Pritchard, M. H., 1966 b, 178-179 | Opecoelus thapari Nagaty, 1954 as syn. of Paropecoelus thapari (Nagaty, 1954) n. comb. | Pritchard, M. H., 1966 b, 182 |
| Opecoelus lotellae key | Banerjee, A. C., 1965 a, 455 | Opecoelus upenoidis key | Banerjee, A. C., 1965 a, 455 |
| Opecoelus mexicanus key | Banerjee, A. C., 1965 a, 455 | Opecoelus upenoides Nagaty, 1954 as syn. of Paropecoelus upenoides (Nagaty, 1954) n. comb. | Pritchard, M. H., 1966 b, 182 |
| Opecoelus minimus key | Banerjee, A. C., 1965 a, 456 | Opecoelus xenistii key | Banerjee, A. C., 1965 a, 455 |
| Opecoelus minor key | Banerjee, A. C., 1965 a, 456 | Opegaster ditrematis Yamaguti, 1942 Malacanthus hoedtii (intestine) | Pritchard, M. H., 1966 b, 190 Hawaii |
| Opecoelus mutu key | Banerjee, A. C., 1965 a, 455 | Opegaster parapristipomatis Parapristipoma trilineatum 6 (intestine) | Ichihara, A.; et al, 1965 a, Sagami Bay, Japan |
| Opecoelus mutu Yamaguti, 1940 as syn. of Opecoelus lobatus Ozaki, 1925. | Pritchard, M. H., 1966 b, 178 | Opegaster parapristipomatis Yamaguti, 1939 Parapristipoma trilineatum | Ichihara, A.; et al., 1965 b Sagami Bay |
| Opecoelus nipponicus key | Banerjee, A. C., 1965 a, 456 | Opegaster parapristipomatis Yamaguti, 1934 Parapristipoma trilineatum | Ichihara, A.; et al, 1965 c Bay of Sagami |
| Opecoelus noblei sp. nov. key Sebastodis sp. (small intestine) | Banerjee, A. C., 1965 a, 451- 452, 453, 455, figs. 2-5 Monterey Bay, California | Ophiosoma patagiatum [Botaurus stellaris] | Sailov, D. I., 1963 a Azerbaijan |
| Opecoelus ozakii key | Banerjee, A. C., 1965 a, 456 | Ophiosoma patagiatum distribution | Sprehn, C. E. W., 1967 a Europe |
| Opecoelus palawanensis Fischthal and Kuntz, 1964 as syn. of Paropecoelus palawanensis (Fischthal and Kuntz, 1964) n. comb. | Pritchard, M. H., 1966 b, 182 | Ophthalmophagus charadrii | Dubinin, V. B., 1938 a, 138, fig. 7 |

- Ophthalmophagus massinoi Dubinin, V. B., 1938 a, 138, fig. 7
- Ophthalmophagus nasicola Dubinin, V. B., 1938 a, 138, fig. 7
- Ophthalmophagus singularis Dubinin, V. B., 1938 a, 138, fig. 7
- Ophthalmophagus skrjabincanus [sic] (Witenberg, 1926; 137, 138, 139-140, figs. 5-6, 7) Astrakhan game reserve
Syn.: *Contracoelum skrjabineanum* [sic] (Witenberg, 1926)
Plegadis falcinellus
- Opisthadena dimidia* Manter, H. F., 1966 a, 350
Kyphosus sydneyanus South Australia
- Opisthioglyphae* Butenko, Iu., 1967 a
[lapsus for: *Opisthioglyphe*]
- Opisthioglyphe* Butenko, Iu., 1967 a
[lapsus as: *Opisthioglyphae*]
- Opisthioglyphe* Edelényi, B., 1965 a
[lapsus as: *Opisthyoglyphe*]
- Opisthioglyphe* Nadtochiĭ, E. V., 1965 a
diagnosis
Plagiorchidae; Opisthioglyphinae
- Opisthyoglyphe* [sic] anomali Edelényi, B., 1965 a, fig. 4
Prokopic, 1955 (Darmkanal) Insel Dias des Kis-Balaton,
Neomys anomalus Hungary, all from
Neomys fodiens
- Opisthioglyphe arcuatus* Sprehn, C. E. W., 1967 a
distribution Europe
- Opisthioglyphe endoloba* Sprehn, C. E. W., 1967 a
distribution Europe
- Opisthioglyphe exasperatum* Davydov, O. N., 1963 a
+insectivores Ukraine
- Opisthioglyphe* (Rubenstrem) Genov, T.; and Dimitrova, E.
exasperatum (Rud., 1819) A., 1966 a, 130-132, 145, 146
Dollfus, 1949 147, 148, 149, 150, 151, 152,
Sorex araneus 156, 158
S. minutus all from Bulgaria
Neomys fodiens
N. anomalus
Crocidura leucodon
C. suaveolens
- Opisthioglyphe* (O.) locellus Kossakk, 1910 Genov, T.; and Dimitrova, E.
Neomys anomalus (stomach, 152, 156, 158 Europe
intestine) Bulgaria
- Opisthioglyphe megastomus* Sprehn, C. E. W., 1967 a
distribution Europe
- Opisthioglyphe opisthowtilinus* [sic] Davydov, O. N., 1963 a
+insectivores Ukraine
- Opisthioglyphe* (Rubenstrem) Genov, T.; and Dimitrova, E.
opisthovitellinus (Soltys, A., 1966 a, 132-134, 145, 147,
1954) Prokopić, 1959 148, 149, 150, 151, 152, 156,
Sorex araneus 158
S. minutus all from Bulgaria
Neomys anomalus
Crocidura leucodon
C. suaveolens
- Opisthioglyphe polylecithos* Richard, J., 1965 d, 1030,
n. sp. 1033-1035
Limnogale mergulus (rectum) Antsamandrano (Antsirabe)
- Opisthioglyphae* [sic] ranae Butenko, Iu. V., 1967 a, 39
Loos, 1907 South Kazakhstan
Limnaea stagnalis
- Opisthioglyphe ranae* Chernogorenko-Bidulina, M.I.,
Löoss Coretus corneus 1966 a, 30
upper Dnieper
- Opisthioglyphe ranae* Dobrovolskii, A. A., 1965 b
Frölich, 1791 figs. 1a-b, 2a-h, 3a-b, 4a-d,
Rana ridibunda (exper.) 5
R. esculenta "
Limnaea stagnalis "
Radix ovata "
R. auricularia "
- Opisthioglyphe ranae* Halton, D. W., 1966 a
gut structure, digestion
- Opisthioglyphe ranae* Halton, D. W., 1967 a
phosphatase activity
- Opisthioglyphe ranae* Halton, D. W., 1967 c, 1 pl.,
glycogen deposition fig. 1
- Opisthioglyphe ranae* Halton, D. W.; and Dermott,
ultrastructure, gland E., 1967 a, figs. 2, 5, 8
cells
- Opisthioglyphe ranae* Kiseliene, V. K., 1966 a
Looss, 1887 Lithuanian SSR
Limnaea stagnalis
- Opisthioglyphe ranae* Kozák, A., 1966 a, 606, 607
(crevo) all from Košice, CSSR
Rana esculenta
R. temporaria
R. ridibunda
Bombina bombina
- Opisthioglyphe ranae* Shevchenko, N. N., 1963 b
Natrix natrix all from Severskii Donets
Vipera berus valley
- Opisthioglyphe ranae* Sprehn, C. E. W., 1967 a
distribution Europe
- Opisthioglyphe ranae* Tscherner, W., 1966 a, 200
Rana esculenta all from Germany
R. ridibunda

- Opisthioglyphe (rastellus?) Kiselienė, V. K., 1966 a
 (Olsson, 1876) (Cercaria all from Lithuanian SSR
 limnaeae--ovatae Linstow, 1884)
Limnaea stagnalis
Radix ovata
- Opisthioglyphe rastellus distribution Sprehn, C. E. W., 1967 a Europe
- Opisthioglyphinae systematics Plagiorchidae includes: *Sorexeglyphe*; *Opisthioglyphe*
- Opisthodiscus diplodiscoides distribution Sprehn, C. E. W., 1967 a Europe
- Opisthodiscus nigrivasis distribution Sprehn, C. E. W., 1967 a Europe
- Opisthodiscus nigrivasis *Rana esculenta* Tscherner, W., 1966 a, 260
R. ridibunda all from Germany
- Opisthomonorchides gen.n. Monorchidae Parukhin, A.M., 1966 b, 1465,
 1466
 tod: *O. decapteri* sp.n.
- Opisthomonorchides decap- teri gen. et sp.n. (tod)
 (intestine)
Decapterus sp.
Selar mate Parukhin, A.M., 1966 b, 1463,
 1465-1466, fig. 4
 all from Tonkin gulf
- Opisthorchiasis exocrine secretory function of liver, human Faibusovich, G. M., 1966 a
- Opisthorchiasis human Gritsai, A. D., 1963 a
 Romensk region, Sumsk oblast
- Opisthorchiasis rare complications, human bile tract Permiakov, N. K.; and Shumae- va, A. M., 1965 a
- Opisthorchiasis pathomorphological changes, gallbladder, human Shmyreva, T. A., 1965 a
- Opisthorchiasis morphological changes, intrahepatic bile ducts, human Shmyreva, T. A., 1966 a
- Opisthorchiasis epidemiology Sliusarev, A. A., 1963 b
 Donets oblast
- Opisthorchiasis, Treatment hexachloroparaxylene, human Dalmatov, D. M., 1966 a
- Opisthorchiasis, Treatment human, liver, treatment with radioisotopes Limwongse, K.; Suwanik, R.; and Visudharom, K., 1964 a
- Opisthorchiasis, Treatment hexachloroparaxylene, human Pantiukhov, A. M., 1966 a
- Opisthorchiasis, Treatment human and dogs hexachlorethane cyclochbine resochine Pavlova, V. N., 1963 a
- Opisthorchiasis, Treatment hexachloroparaxylene, *Alopex lagopus* Sokolov, V. A., [1966 a]
- Opisthorchidae distribution in Far East, peculiarities Belogurov, O. I.; and Smetanina, Z. B., 1963 a
- Opisthorchidae not harmed by industrial pollution Chernogorenko-Bidulina, M.I., 1963 a
- Opisthorchiidae flame cell pattern Komiya, Y., 1965 b
- Opisthorchiidae [n. sp.] *Gallinula chloropus* *indica* Ku, C.-T.; and Li, M.-M., 1968 b, 80
 Pai-Yang-Tien, China
- Opisthorchis [lapsus as: *Opisthorcis*] Awan, M. A. Q., 1964 a
- Opisthorchis sp. [*Phoxinus phoxinus*] Kaletskaia, S. I., 1965 a
 Zapadnaia Dvina
- Opisthorchis metacercaria [*Leuciscus idus*] (musculature) Reshetnikova, A. V., [1966 a]
 Volgograd reservoir
- Opisthorchis [sp.] Rohde, K., 1967 a
 Katzen all from Malaya
Neofelis nebulosa diardi Tiger
Bithynia (Dugoniostoma) sp. (exper.)
- Opisthorchis [sp.] pregnant women (stool) Sundharagiati, B.; et al, 1967 a
 Bangkok, Thailand
- Opisthorchis sp. *Pelecanus crispus* (liver) Turemuratov, A. T., 1963 a, fig. 1
 Ak-Kala, Muinak region, Karakalpak ASSR; Syr-Dar'ia river, Aral region, Kazakh SSR
- Opisthorchis altajevi [sic] Turemuratov, A. T., 1963 a
 Saidow, 1954
 as syn. of *Opisthorchis geminus* (Looss, 1896)
- Opisthorcis [sic] caninus Awan, M. A. Q., 1964 a
 dogs (gall bladder; small intestine) Lahore, Pakistan
- Opisthorchis entzi distribution Sprehn, C. E. W., 1967 a Europe
- Opisthorchis felineus dysproteinemia, human Alekseeva, M. I., 1966 a
- Opisthorchis felineus larval form biology Blizniuk, I. D., 1963 a

- Opisthorchis felineus* Riv. cercarial emission in relation to light, time of day, water temperature Blizniuk, I. D.; and Chernogorenko-Bidulina, M. I., 1964 a
- Opisthorchis felineus* (Rivolta, 1884) [Canis familiaris] [Felis catus] Chebotarev, R. S.; Zaskind, L. N.; Seraia, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs
- Opisthorchis felineus* Bithynia leachi (exper.) Chernogorenko-Bidulina, M. I.; and Blizniuk, I. D., 1963 a
- Opisthorchis felineus Ursus arctos* (bile duct of liver) Drozdov, V. N., 1966 a Tagan'jakh Khanty-Mansijsk national okrug
- Opisthorchis felineus* [Felis catus] [Canis familiaris] [Homo sapiens] Druzhinin, N. D., 1966 b all from Aktiubinsk (Kazakh SSR)
- Opisthorchis felineus* incidence Ereshchenko, G. I., [1966 a] Dnieper-Petrov oblast
- Opisthorchis felineus* [Ondatra zibethica] (gall bladder) Fedorov, K. P., 1968 a Northern Tomsk Region
- Opisthorchis* [sic] felineus porc Igritan, A., 1967 a, figs. 1-2 raionul Tulcea
- Opisthorchis felineus* [Leuciscus idus] [Abramis brama] [Canis familiaris] [Felis catus] [Homo sapiens] Khamidullin, R. I.; and Mukhametov, R. Iu., [1966 a] all from Kuibyshevsk region of TASSR
- Opisthorchis felineus* Komarova, T. I., 1963 a Dnieper delta
- Opisthorchis felineus* (musculature) [Leuciscus idus] [Blicca bjoerkna] [Cyprinus carpio] Komarova, T. I., 1963 b all from Dneprovsk estuary
- Opisthorchis felineus* (musculature) [Rutilus rutilus] [Leuciscus idus] [Abramis brama] [Tinca tinca] [Pelecus cultratus] Komarova, T. I., 1964 a, 82 all from Dnieper delta
- Opisthorchis felineus* seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Opisthorchis felineus* [sic] (Rivolta, 1884) [Cyprinus carpio] (musculature) Komarova, T. I., 1966 a, 62 Dnieper estuary
- Opisthorchis felineus* flame cell pattern Komiya, Y., 1965 b
- Opisthorchis felineus* biology, metacercaria Komiya, Y., 1965 e
- Opisthorchis felineus* [Alburnus alburnus] (liver) Krasil'nikova, N. I., 1963 a upper Don
- Opisthorchis felineus* Krotas, R. A., 1963 b Neman river
- Opisthorchis felineus* effect upon flesh quality of fish Linnik, V. Ia., 1966 a
- Opisthorchis felineus* diagnosis, larvae Linnik, V. Ia.; and Zen'kovich, E. M., 1968 a, 56, 57, figs. 1a, 2a
- Opisthorchis felineus* (Rivolta, 1884) [Felis catus] Litvishko, N. T.; and Adamets, I. I., 1963 a Kharkov and environs
- Opisthorchis felineus* Alopex lagopus Luzhkov, A. D., 1963 c Yamal peninsula
- Opisthorchis felineus* piperazine Panthera pardus Mill, J., 1964 a, 254 Tierpark, Berlin
- Opisthorchis felineus* (Rivolta, 1884) [Leuciscus idus L.] [Leuciscus l. baicalensis] [Rutilus r. lacustris] [Tinca tinca (L.)] [Gobio gobio] [Carassius carassius] [Carassius auratus gibelio] [Lota lota] [Perca fluviatilis] [Esox lucius L.] [Acerina cernua] [Stenodus leucichthys] Pantiukhov, A. M., 1965 a all from USSR, Irtysh River
- Opisthorchis felineus* ecology and distribution of intermediate host Bithynia leachi Pestushko, E. I., 1961 a, 292-297 Dnepropetrovsk oblast

| | | | |
|--|---|---|---|
| Opisthorchis felineus [<i>Felis catus</i>] [<i>Canis familiaris</i>] | Podlesnov, A. V., 1966 a all from Eastern Kazakhstan | Opisthorchis neverca Braun, 1902 <i>Sus scrofa domestica</i> (pancreas) | Sinha, B. K., 1968 a, 22-23, figs. 1-2 Bihar |
| Opisthorchis felineus fish consumption | Poliakov, A. A.; and Kolobolozki, G. W., 1959 b | Opisthorchis simulans (Looss, 1896) <i>Anas platyrhynchos platyrhynchos</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Opisthorchis [sic] felineus <i>Vulpes vulpes</i> (liver) | Romanov, I. V., 1964 b Gorky oblast | Opisthorchis simulans (Looss, 1896) Looss, 1899 <i>Anas platyrhynchos</i> | Maksimova, A. P., 1967 a, 128-129, fig. 2 Western Kazakhstan |
| Opisthorchis felineus histopathology, dogs | Sastray, G. A.; and Patnaik, B., 1968 a, pl., fig. 1 | Opisthorchis simulans distribution | Sprehn, C. E. W., 1967 a Europe |
| Opisthorchis felineus review | Shul'man, E. S., 1961 d Ukraine | Opisthorchis tenuicollis distribution | Sprehn, C. E. W., 1967 a Europe |
| Opisthorchis felineus metacercaria | Shul'man, E. S.; Starobinets, G. M.; and Lapina, A. A., 1963 a | Opisthorchis tenuicollis tenuicollis (Rudolphi, 1819) + <i>Erignathus barbatus</i> + <i>Halichoerus grypus</i> | Sprehn, C. E. W., 1966 a, 173 |
| Opisthorchis felineus <i>Jscox</i> [i.e. <i>Esox</i>] <i>lucius</i> <i>Abramis brama</i> <i>Jdus</i> [i.e. <i>Idus</i>] <i>idus</i> | Sokolov, A. N., 1965 a all from Volga river, Kozlovka village, Chuvash-skaia ASSR | Opisthorchis viverrini Hetol | Harinasuta, C.; Bunnag, D.; Wiriyawit, P.; and Petchklah, S., 1966 a Northeast Thailand |
| Opisthorchis felineus [<i>Vulpes vulpes</i>] [<i>Nyctereutes procyonoides</i>] [<i>Mustela erminea</i>] | Troitskaiia, A. A., 1963 a Chistopol and Kuibyshev regions Laishev region " | Opisthorchis viverrini clinical aspects | Wykoff, D. E.; Chittayaso-thorn, K.; and Winn, M. M., 1966 a Thailand |
| Opisthorchis felineus [<i>Felis catus</i>] | Volkova, N. S.; and Omelaeva, R. N., 1963 a Lugansk city | Opisthorchis viverrini amopyroquin, humans | Wykoff, D. E.; Winn, M. M.; Harinasuta, C.; and Chittayaso-thorn, K., 1967 a Thailand |
| Opisthorchis felineus | Volkova, N. S.; and Omelaeva, R. N., 1963 b Lugansk oblast | Opisthorchis. See Opisthorchis. | |
| Opisthorchis felineus excretion of worms after hexachlorparaxylo treatment | Zal'nova, N. S., [1966 a] | Opisthorcis [lapsus for: Opisthorchis] | Awan, M. A. Q., 1964 a |
| Opisthorchis felineus <i>Bithynia leachi</i> | Zdun, V. I., 1961 c, 279-285, 288, figs. I (3, 4a, 4b) Ukraine | Opisthyogliphe [lapsus for: Opisthioglyphe] | Edelényi, B., 1965 a |
| Opisthorchis geminus (Looss, 1896) Syn.: Opisthorchis alta-jevi Saidow, 1954 [<i>Ardea purpurea</i>] (gall bladder, liver) | Turemmiratov, A. T., 1963 a lake Sudoch'e; Ak-Kala; Kazakh-Dar'e, Muinak region, Karakaplikh ASSR; Syr-Dar'ia, Aral region, Kazakh SSR | Orchipedum key to species | Schell, S. C., 1967 b, 1003-1004 |
| Opisthorchis longissimus [<i>Larus ridibundus</i>] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve | Orchipedum sp. (trachea, lungs, nasal and oral cavities) <i>Larus ridibundus</i> <i>L. canus</i> | Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a all from Tuva |
| | | Orchipedum akhtari Bhalerao, 1942 key | Schell, S. C., 1967 b, 1004 |

- Orchipedum armeniacum* Schell, S. C., 1967 b, 1004
Skrjabin, 1925
key
- Orchipedum centrorchis* [sic] Schell, S. C., 1967 b, 1004
Wittenberg, 1922
key
- Orchipedum conjunctum* Schell, S. C., 1967 b, 1004
Strom, 1947
key
- Orchipedum formosum* Schell, S. C., 1967 b, 1004
(Sonsino, 1890)
key
- Orchipedum formosum* Sprehn, C. E. W., 1967 a
distribution Europe
- Orchipedum isostomum* Schell, S. C., 1967 b, 1004
(Rud., 1819)
key
- Orchipedum isostomum* Sprehn, C. E. W., 1967 a
distribution Europe
- Orchipedum jolliei* sp. n. Schell, S. C., 1967 b, 1001,
key 1003, fig. 6
Grus c. canadensis (trachea) Nez Perce County, Idaho
- Orchipedum kirgisicum* Schell, S. C., 1967 b, 1004
Ablasov and Iksanov, 1958
key
- Orchipedum leanderi* Schell, S. C., 1967 b, 1004
Faroqi, 1958
key
- Orchipedum tracheicola* Schell, S. C., 1967 b, 1003
Braun, 1901
key
- Orchipedum tracheicola* Sprehn, C. E. W., 1967 a
distribution Europe
- Orchipedum tracheicola* cyg- Ryzhikov, K. M.; Kazlauskas,
ni new form J.; and Dalia, G. G., 1968 a
Cygnus cygnus 97-99, 105, fig. 1
Latvia
- Orchipedum turkestanicum* Schell, S. C., 1967 b, 1004
Skrjabin, 1913 (=O. sufflavum
Nicoll, 1914)
key
- Orientobilharzia dattei* Mohan, R. N., 1968 a, 744
buffaloes, review, geographic distribution
- Orientobilharzia harina-* Mohan, R. N., 1968 a, 744
sutai
buffaloes, review, geographic distribution
- Orientocreadium Tubangui* Saksena, J. N., 1966 a, 366-
1931 367
Macrotrema Gupta 1951
not a synonym
- Orientocreadium batra-* Saksena, J. N., 1966 a, 368
choides
not available for restudy
- Orientocreadium ottoi* Agrawal, V., 1966 c, 62-64,
n.sp. fig. 1
Uromastix hardwickii Lucknow, India
(intestine)
- Orientocreadium raipuren-* Saksena, J. N., 1966 a, 368
sis
not available for restudy
- Orientocreadium siluri* Allamuratov, B. K., 1965 b
fish South-Surkhanskoe reservoirs
- Orientocreadium siluri* Marits, N. M., 1963 a, 39-40
(Bychowsky et Dubinina, 1954)
fig. 2
Silurus glanis (intestine)
Moldavia
- Orientocreadium siluri* Osmanov, S. O., 1965 c
Pseudoscaphirhynchus kaufmanni
- Orientocreadium umadasi* Saksena, J. N., 1966 a, 307
Saksena, 1960
valid species
- Orientodiscus* sp. Dwivedi, M. P., 1965 c, 91
Cyclemys ambionensis Jabalpur, India
(duodenum, ileum)
- Ornithobilharzia* Lavrov, L. I.; and Vsevolodov,
patho-morphology, B. P., 1967 a
bovine
- Ornithobilharzia* [sp.] Azimov, D. A.; and Nurmukha-
[*Ovis aries*] medov, Kh. N., 1968 a,
[*Bos taurus*] figs. 1-4
- Ornithobilharzia* sp. Leonov, V. A.; Belogurov, O.
Sterna hirundo I.; Shagvalieva, N. M.; and
Bondarenko, S. K., 1965 a, 139
USSR, Kamchatka

| | | | |
|--|---|---|---|
| Ornithobilharzia canaliculata (Rudolphi, 1819) | Travassos, L. P.; Teixeira de Freitas, J. F.; Machado de Mendonga, J.; and de Oliveira Rodrigues, H., 1960 a Cabo Frio. Estado do Rio de Janeiro | Ornithobilharzia turkestanica buffaloes, review, geographic distribution | Mohan, R. N., 1968 a, 744 |
| Larus dominicanus | | | |
| Ornithobilharzia intermedia human | Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 a USSR | Ornithobilharzia turkestanica cow sheep buffalo camel goat deer wild boar <i>Lymnea gedrosiana</i> (exper.) | Sabbaghian, H.; Bijan, H.; and Arfaa, F., 1964 a all from Khusestan Province, Iran |
| Ornithobilharzia intermedia dermatitis, human | Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 b Volga delta | | |
| Ornithobilharzia intermedia Odhner, 1912 (mesenteric veins) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina | Ornithobilharzia turkestanica Rattus sp. | Witenberg, G. G.; and Lengy, J., 1966 a, figs. 1-6 Kirikhan (South Turkey) |
| Larus argentatus | | | |
| L. atricilla | | | |
| Ornithobilharzia intermedia [Larus ridibundus] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve | Ornithobilharzia turkestanica cattle (bronchi) | Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China |
| Ornithobilharzia intermedia Price, 1929 | Sailov, D. I., 1963 a Azerbaiydzhan | Ornithobilharzia turkestanica (Skrjabin, 1913) <i>Limnaea (Radix) auricularia plicatula</i> [Leporidae] (exper.) [<i>Mus musculus</i>] (exper.) | Zakhrialov, Ia. N., 1965 a Primorskii krai and Amur oblast |
| cattle goats sheep camels wild boar <i>Lymnaea gedrosiana</i> <i>Tatera indica</i> (exper.) rat (exper.) rabbit (exper.) (liver, mesenteric veins) | Ale-Dawood, H., 1965 a all from Iran | Ornithodiplostomum ptychocheilus <i>Perca flavescens</i> <i>Etheostoma exile</i> <i>Notropis volucellus</i> <i>Pimephales notatus</i> (on the brain, peritoneum, all from) | Larson, O. R., 1966 a all from Itasca Park, Minnesota |
| Ornithobilharzia turkestanica (Skrjabin, 1913) Price, 1929 | Azimov, D. A., 1965 a all from Uzbekistan | Ornithodiplostomum ptychocheilus (Faust, 1917) Dubois, 1936 <i>Notropis cornutus</i> (cranial cavity) | Voth, D. R.; and Larson, O. R., 1968 a, 218 Goose River, North Dakota |
| [Ovis aries] (liver) [Bos taurus] (liver) | | | |
| Ornithobilharzia turkestanica (Skrjabin, 1913) | Azimov, D. A., 1966 a, figs. 1-3 | Ornithotrema longibursatum n. sp. <i>Chamaepetes unicolor</i> (intestino delgado) | Caballero y Caballero, E.; and Brenes Madrigal, R. R., [1965 a], 229-232, 233, 234, 235, figs. 1-2 Caserio de Tiquiara, Distrito Gangrejal, Cantón Acosta, Provincia de San José, Costa Rica |
| epizootiology, ruminants | | | |
| Ornithobilharzia turkestanica (Skrjabin, 1913) | Azimov, D. A., 1966 a, figs. 1-3 | Ornithotrematinae n. subfam. <i>Microphallidae</i> | Caballero y Caballero, E.; and Brenes Madrigal, R. R., [1965 a], 229, 232, 233, 234 |
| epizootiology, ruminants | | | |
| Ornithobilharzia turkestanica (Skrjabin, 1913) | Chu, K. Y.; Bijan, H.; and Massoud, J., 1967 a <i>Limnaea gedrosiana</i> , laboratory survival ability, out of water | Orthosplanchnus albamarinus Treshchev sp. n. <i>Delphinapterus leucas</i> Palas | Treshchev, V. V., 1968 a, 937-940, fig. Kanin peninsula, White sea |
| | | | |
| Ornithobilharzia turkestanica (Skrjabin, 1913) | Logachev, A. D., 1963 a fine structure, connective tissue and parenchyma | | |

- Orthosplanchnus arcticus* Cowan, D. F., 1967 a
Odhner 1905
Globicephala melaena (bile ducts)
- Orthosplanchnus arcticus* Deliamure, S. L.; and Alekse-
ev, E. V., 1963 a
Jan Mayen Island; Newfound-
land; Belye more
- Orthosplanchnus arcticus* Sprehn, C. E. W., 1966 a, 173
Odhner, 1905
+*Phoca hispida* (Leber, Gallenblase)
+*Erignathus barbatus* " "
- Orthosplanchnus fraterculus* Sprehn, C. E. W., 1966 a, 173
Odhner, 1905
(Gallenblase)
+*Odobenus rosmarus*
+*Erignathus barbatus*
- Ostioloides n. gen.* Odening, K., 1960 h, 17, 64
Haematoloechiae, key
tod: *O. rappiae* (Szidat,
1932) [n. comb.]
- Ostioloides Odening, 1960* char. emend.
Plagiorchiidae Fischthal, J. H.; and Thomas,
J. D., 1968 a, 8-9
- Ostioloides rappiae* (Szidat, 1932) n. gen.,
[n. comb.] (tod)
Syn.: *Haplometroides rappiae* Szidat, 1932.
Hyperolius concolor
- Ostioloides rappiae* (Szidat, 1932) Odening, 1960
Syn.: *Haplometroides rappiae* Szidat, 1932.
(small intestine)
Hyperolius concolor (syn. *Rappia concolor*)
H. nasutus igbettensis
H. nitidulus
Mabuya perrotetii Fischthal, J. H.; and Thomas,
J. D., 1968 a, 2, 3, 7-8,
figs. 6, 7
- Tinkong, Agbogba, Cape*
Coast, Ghana
Legon, Ghana
Agbogba, Ghana
Cape Coast, Ghana
- Ostiolum Pratt* Haematoloechiae, key
key to species Odening, K., 1960 h, 17, 51,
52
- Ostiolum coloradense* (Cort)
key +*Rana pipiens*
R. montezumae Odening, K., 1960 h, 2, 52, 55-
56, 57, figs. 4b, 51a-b
Colorado
Mexico
- Ostiolum complexus* (Seely)
key
Rana pipiens
+*R. pipiens sphenococephala*
R. clamitans
R. montezumae
R. catesbeiana (exper.)
- Ostiolum dollfusinum* (Odening)
key
Syns.: *Haematoloechus* (*Ostiolum*) *dollfusinus* Odening,
1958; *Pneumonoeces variegatus* Dollfus, 1950.
Rana mascareniensis Africa (Belgian Congo)
- Ostiolum elongatum* (Caballero & Sokoloff) 1934
Syn.: *Haematoloechus elongatus* Caballero & Sokoloff, 1934.
Rana montezumae Mexico
- Ostiolum formosum* Pratt, 1902
as syn. of *Ostiolum medioplexus* (Stafford)
- Ostiolum illime* (Caballero) Odening, K., 1960 h, 52, 54,
key 55, fig. 50
Syn.: *Haematoloechus illimis* Caballero, 1942.
Rana montezumae Mexico
- Ostiolum medioplexus* (Stafford)
key
Syn.: *Ostiolum formosum* Pratt, 1902.
Rana pipiens So. Canada; Illinois, Michigan,
Wisconsin, Minnesota,
Indiana; Mexico
+*R. montezumae*
?*R. catesbeiana*
Bufo t. terrestris
B. t. americanus
Rana clamitans (exper.) So. Canada
Michigan
- Ostiolum oxyorchis* (Ingles) Odening, K., 1960 h, 52, 56,
key 57, 58, fig. 52a-e
+*Rana aurora draytonii* San Francisco Bay, Califor-
nia
+*R. boylii* (exper.) nia
- Ostiolum parcivitellarium* (Caballero)
key
Syn.: *Haematoloechus parcivitellarius* Caballero, 1942.
Rana montezumae Mexico
- Ostiolum pulchrum* (Bravo Hollis, 1943)
key
Syn.: *Haematoloechus pulcher* Bravo Hollis, 1943.
Ambystoma tigrinum Mexico

| | | | |
|---|---|---|--|
| Pachytrema sp. Sternula hirundo (gall bladder) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a USSR, Kamchatka | Palaeorchis incognitus seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Pachytrema calculus Looss, 1907 Larus argentatus armenicus Tringa totanus totanus | Akhumian, K. S., 1966 a all from Armenian SSR | Palaeorchis incognitus Szidat, 1943 [Blicca bjoerkna] (intestine) | Komarova, T. I., 1966 a, 61 Dnieper estuary |
| Pachytrema calculus [Larus ridibundus] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve | Palaeorchis incognitus Szidat, 1943 [Rutilus rutilus heckeli] [Rutilus rutilus] [Leuciscus idus] [Leuciscus cephalus] [Scardinius erythrophthalmus] | Koval, V. P., 1961 a, 258-260, fig. 1 all from Ukraine |
| Pachytrema calculus Looss 1907 Larus ridibundus (liver) | Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a Tuva | Palaeorchis incognitus Szidat, 1943 Rutilus frisii (intestine) | Marits, N. M., 1963 a, 42 Moldavia |
| Pachytrema sanguineum (Linton, 1928) Larus atricilla (gall bladder) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a North Carolina | Palaeorchis incognitus Szidat, 1943 Abramis sapo "bagolykeszeg" Scardinius "erythrophthalmus" "pirosszemű kele" Leuciscus idus "ónos jász" Chondrostoma nasus "paduo" | Molnár, K., 1963 a, 107 all from Hungary |
| Pachytrema sanguineus Thalasseus maximus (gall bladder) | MacInnis, A. J., 1966 a, 52-58, fig. 1 Alligator Harbor, Franklin County, Florida | Palaeorchis incognitus distribution | Sprehn, C. E. W., 1967 a Europe |
| Pachytrema skrjabini [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep | Palaeorchis incognitus Szidat, 1943 Rutilus rutilus (intestine) Leuciscus idus " | Wyrzykowska, B., 1964 a, 154, 156 all from Zegrzyński Reservoir |
| Pachytrema tringae Layman, 1926 Tringa hypoleucus | Akhumian, K. S., 1966 a Armenian SSR | Palaeorchis skrjabini Koval, V. P., 1961 a, 261-262 1950 Neogobius fluviatilis | Ukraine |
| Pagumogonimus skrjabini Chen, 1959 morphology of rediae | Ch'en, H.-T.; and Ho, K.-T., 1968 b | Palaeorchis skrjabini distribution | Sprehn, C. E. W., 1967 a Europe |
| Palaeorchis sp. Bithynia tentaculata | Chernogorenko-Bidulina, M.I., 1966 a, 39, 40 upper Dnieper | Palaeorchis unicus [Abramis brama] [Vimba vimba] | Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina |
| Palaeorchis [sp.] Bithynia leachi | Zdun, V. I., 1961 c, 285, 287, 288, fig. III(12) Ukraine | Palaeorchis unicus Szidat, 1943 [Blicca bjoerkna] (intestine) | Komarova, T. I., 1964 a, 79 Dnieper delta |
| Palaeorchis incognitus [Leuciscus leuciscus] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Palaeorchis unicus seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Palaeorchis incognitus Szi- dat, 1943 (intestine) [Rutilus rutilus heckeli] [Scardinius erythrophthalmus] [Blicca bjoerkna] | Komarova, T. I., 1964 a, 79 all from Dnieper delta | Palaeorchis unicus Szidat, 1943 [Blicca bjoerkna] [Abramis sapo] | Koval, V. P., 1961 a, 260-261, fig. 2 all from Ukraine |
| | | Palaeorchis unicus distribution | Sprehn, C. E. W., 1967 a Europe |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Palitrema macrorchis* Fischthal, J. H.; and Kuntz, R. E., 1967 a, 111
Gogate, 1939 as syn. of *Postorchigenes ovatus* Tubangui, 1928.
- Palombitrema* n. gen. Price, C. E.; and Bussing, W. A., 1968 a, 54, 56
Dactylogyridae; Ancyrocephalinae tod: *P. heteroancistrium* n. sp.
- Palombitrema heteroancistrium* n. gen., n. sp. (tod) Price, C. E.; and Bussing, W. A., 1968 a, 54-56, figs. 1-13
Astyanax fasciatus (gill filaments) Costa Rica, Central America
- Papillatrium* n. gen. Richard, J., 1966 a, 413, 421, 423, 426, fig. 6B
Lecithodendriidae; Lecithodendriinae tod: *P. (P.) inversum* n. sp.
- Papillatrium* (Capronia) Richard, J., 1966 a, 421, 422, 426, fig. 5A-B
atrio-papillatum n. sg. [n. comb.]
- Papillatrium* (P.) *inversum* Richard, J., 1966 a, 413, 419-421, 426, fig. 4A-C
Eptesicus pusillus (intestin) Tananarive
Chaerephon limbatus (intestin) Périnet
- Parabascus lepidotus* Mituch, J., 1965 a, 115, 118, 119
Looss, 1907 *Miniopterus schreibersii* Slovakia (CSSR)
- Parabascus semisquamosum* Mituch, J., 1965 a, 115, 117, 119, fig. 4
(Braun, 1900) *Miniopterus schreibersii* Slovakia (CSSR)
- Parabucephalopsis prosthochisis* T'ang, C.-C.; and T'ang, C.-T., 1968 a
life cycle, evolution
- Paracoegonimus* Semenova, N. N., 1967 a
[lapsus for: *Paracoenogonimus*]
- Paracoenogonimus* biology, metacercaria Komiya, Y., 1965 e
- Paracoenogonimus* Semenova, N. N., 1967 a
[lapsus as: *Paracoegonimus*]
- Paracoenogonimus ovatus* Belinskova, L. K., 1965 a
Katsurada, 1914 all from Krasnoyarsk' skoe
Scardinius erythrophthalmus reservoir
- Paracoenogonimus ovatus* Paracoenogonimus ovatus [Rutilus rutilus] [Blicca bjoerkna] [Leuciscus idus] [Leuciscus leuciscus] [Leuciscus cephalus]
- Paracoenogonimus ovatus* Paracoenogonimus ovatus [Esox lucius] (musculature)
- seasonal distribution
- diagnosis, larvae
- Paracoenogonimus ovatus* Paracoenogonimus ovatus (Katsurada, 1914) (musculature)
Abramis sapa
- Paracoenogonimus ovatus* Paracoenogonimus ovatus (Katsurada, 1914) (Lacerta) (liver)
- [sic] ovatus [Esox lucius]
- spp. marine fishes
- Paradistomoides gregarium* Fischthal, J. H.; and Kuntz, [sic] (Tubangui, 1929) Tra- R. E., 1967 a, 111 vassos, 1944 as syn. of *Paradistomum gregarium* [sic] Tubangui, 1929
- Paradistomoides gregarium* Fischthal, J. H.; and Kuntz, [sic] (Tubangui, 1929) Tra- R. E., 1967 b, 248 vassos, 1944 as syn. of *Paradistomum gregarium* [sic] Tubangui, 1929
- Paradistomoides malayanum* sp. nov. Balasingam, E., 1964 d, 103, 104, 109-110, fig. 3
Lycodon aulicus (gall bladder) Singapore
- Paradistomoides moghei* Balasingam, E., 1964 d, 107
Bhalerao 1936 as syn. of *P. orientale* (Narain & Das, 1929)
- Paradistomoides orientale* Balasingam, E., 1964 d, 106- (Narain & Das, 1929) 109, fig. 1A
Calotes cristatellus (gall bladder) Singapore
Syn.: *P. moghei* Bhalerao 1936

- Paradistomum gregarium [sic] Fischthal, J. H.; and Kuntz, Tubangui, 1929 R. E., 1967 a, 111
Syn.: Paradistomoides gregarium (Tubangui, 1929) Travassos, 1944.
- +Hemidactylus frenatus Tacloban, Leyte Island
Platyurus platyurus Tacloban, Leyte Is.; and Luzon Is., Philippines
- Paradistomum gregarium [sic] Fischthal, J. H.; and Kuntz, Tubangui, 1929 R. E., 1967 b, 248-249
Syn.: Paradistomoides gregarium (Tubangui, 1929) Travassos, 1944.
Gymnodactylus pelagicus Espiritu Santo Island,
Gehyra oceanica New Hebrides Islands
Lygosoma noctua "
L. cyanurum "
Lepidodactylus guppyi Florida Island, British
Lygosoma anolis Solomon Islands
L. solomonis "
- Paradistomum mutabile Timon-David, J.; and Timon-
(Molin) David, P., 1967 b, figs. 4-18
Lacerta muralis (vésicule biliaire) sud de Marseille
Helicella arenosa (exper.)
- Paradistomum trachysauri (MacCallum, 1921) Dollfus, 1922 Fischthal, J. H.; and Kuntz, R. E., 1967 b, 249 Australia
Cyclodus rugosus (gall bladder)
- Parafasciolopsis fasciolae-morpha Ejmonst, 1932 Egorov, Iu. G., 1965 a Byelorussia
[Alces alces]
- Parafasciolopsis fasciolae-morpha distribution Sprehn, C. E. W., 1967 a Europe
- Paragonimiasis experimental, cerebral Nishimura, K., 1964 a
- Paragonimiasis, Canine tetrachlorodifluoroethane Noda, R.; Tomimura, T.; Noda, S.; and Hashizume, K., 1962 a
- Paragonimiasis, Feline biological problems Sogandares-Bernal, F., 1966 b America
- Paragonimiasis, Human Carrera Cobos, T., 1967 a
- Paragonimiasis, Human operated case Iwasaki, M.; and Hirose, H., 1962 a
- Paragonimiasis, Human epidemiology Oshima, T., 1965 a
- Paragonimiasis, Human wormcyst formation Sanefuji, S., 1962 a
- Paragonimiasis, Human clinical observations Sato, H.; et al, 1962 c Kagoshima Prefecture
- Paragonimiasis, Human, Diagnosis morphopathology Brătianu, S.; Wasserman, L.; Dobrescu, G.; and Cordun, G., 1964 a
- Paragonimiasis, Human, Diagnosis chest X-ray findings Katamine, D.; et al, 1964 a Japan
- Paragonimiasis, Human, Diagnosis antigens of P. ringeri, Fasciolopsis buski and Fasciola hepatica Landmann, H.; Thai, D. D.; and Than, D. T., 1961 a
- Paragonimiasis, Human, Diagnosis chest X-ray, calcification Murakami, F.; and Noguchi, S., 1965 a
- Paragonimiasis, Human, Diagnosis agar diffusion test Yokogawa, M.; and Tsuji, M., 1965 a
- Paragonimiasis, Human, Geographic distribution
- Paragonimiasis, Human, Japan Okamura, I., 1964 a Kumamoto area
- Paragonimiasis, Human, Japan survey Ooyagi, J.; Masuda, R.; Suzuki, N.; and Shimizu, S., 1964 a Nishitama district, Tokyo
- Paragonimiasis, Human, Japan epidemiology Sato, H.; et al, 1962 b Kagoshima Prefecture
- Paragonimiasis, Human, Japan Sato, H.; et al, 1963 d Kagoshima Prefecture
- Paragonimiasis, Human, Japan Sato, H.; et al, 1964 a Kagoshima Prefecture, Japan
- Paragonimiasis, Human, Japan Sato, H.; et al, 1965 b Izumi Dist., Kagoshima Pref.
- [Paragonimiasis], Human, Japan Tomimura, T.; Moritoki, H.; and Nomura, K., 1963 a Amada area, Kyoto Prefecture
- [Paragonimiasis], Human, Japan Tomimura, T.; Shino, A.; Kuruha, Y.; and Nomura, K., 1964 a Taka area, Hyogo Prefecture
- Paragonimiasis, Human, Japan survey Yokogawa, M., 1964 b Shizuoka Prefecture

- Paragonimiasis, Human, Treatment clinico-pathology Hosokawa, S.; Miyazato, T.; Toyohara, M.; and Iki, H., 1962 a
- Paragonimiasis, Human, Treatment bithionol derivatives Ishii, Y., 1962 a
- Paragonimiasis, Human, Treatment Bitin-S Iwasaki, M.; and Goto, M., 1963 a
- Paragonimiasis, Human, Treatment X-ray observations before and after treatment, Bitin Iwasaki, M.; and Okura, T., 1964 a
- Paragonimiasis, Human, Treatment bithionol Iwasaki, M.; Shigeyasu, M.; Yokogawa, M.; and Okura, T., 1962 a
- Paragonimiasis, Human, Treatment bithionol Sato, H.; et al, 1962 a
- Paragonimiasis, Human, Treatment bithionol Sato, H.; et al, 1963 e
- Paragonimiasis, Human, Treatment Bitin-S Sato, H.; et al, 1963 f
- Paragonimiasis, Human, Treatment bithionol and bithionol sulfoxide Yang, S.-P.; and Lin, C.-C., 1967 a
- Paragonimiasis, Human, Treatment bithionol, mass treatment Yokogawa, M.; et al, 1963 c
- Paragonimidae key to genera Cosgrove, G. E., 1966 a
- Paragonimus genealogical relationship, China geographical classification Ch'en, H.-T., 1968 a
- Paragonimus Paragonomidae, key Cosgrove, G. E., 1966 a, fig. 21
- Paragonimus metabolism, larvae and adults Hamajima, F., 1964 c
- Paragonimus cyst wall structure Ishii, Y., 1964 a
- Paragonimus zoo animals, piperazine Mill, J., 1964 a Tierpark, Berlin
- Paragonimus [sp.] Felis domesticus Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang
- Paragonimus sp. feline (feces) Graham, J. E. B.; Ketchell, R. J.; and Bodendistel, J. K., 1962 a Ontario, Canada
- Paragonimus [spp.] cercariae Ho, L.-Y.; et al, 1968 a crab survey Ho-K'ou Hsien and Hsi-Shuang Panna Autonomous Chou
- Paragonimus I Tricula gregoriana annandale Ho, L.-Y.; et al, 1968 b Ho-K'ou Hsien; Hsi-Shuang Panna Autonomous Chou
- Paragonimus II Tricula gregoriana annandale Ho, L.-Y.; et al, 1968 b Ho-K'ou Hsien; Hsi-Shuang Panna Autonomous Chou
- Paragonimus III Tricula gregoriana annandale Ho, L.-Y.; et al, 1968 b Ho-K'ou Hsien; Hsi-Shuang Panna Autonomous Chou
- Paragonimus IV Tricula gregoriana annandale Ho, L.-Y.; et al, 1968 b Ho-K'ou Hsien; Hsi-Shuang Panna Autonomous Chou
- Paragonimus V Tricula gregoriana annandale Ho, L.-Y.; et al, 1968 b Ho-K'ou Hsien; Hsi-Shuang Panna Autonomous Chou
- Paragonimus [sp.] weasel Kamo, H.; Hatushika, R.; and Hara, I., 1963 a Hyôgo Prefecture
- Paragonimus sp. Syn.: P. ohirai Otsuru; et al, 1956 Potamon dehaani Kawashima, K.; et al, 1967 a, figs. 8-9 Sado Is., Japan
- Paragonimus [sp.] Potamon dehaani Miyazaki, I.; Ishii, Y.; and Hamajima, F., 1963 a Fukuoka Prefecture
- Paragonimus [sp.] heterotopic parasitism Miyazato, T.; and Hosokawa, S., 1964 a
- Paragonimus sp. dog (uterus) Willson, J. E.; and Lord, G. H., 1965 a, 1 fig. southern Pennsylvania
- Paragonimus heterotremus human (migratory swellings, back, chest and abdomen) Miyazaki, I.; and Harinasuta, T., 1966 a Bangkok, Thailand
- Paragonimus heterotremus Chen and Hsia, 1964 13 yr. old boy (lung) Miyazaki, I.; and Harinasuta, T., 1966 b, 509, figs. 1-2, pl. XIII, figs. 3-4 Syn.: Paragonimus tuanshanensis Nakorn-nayok province, central Thailand

| | | | |
|--|---|--|---|
| <i>Paragonimus heterotremus</i> | Miyazaki, I.; and Vajrasthira, S., 1967 a | <i>Paragonimus kellicotti</i> dog (lung) | Comfort, C. F.; and Axelsson, R. D., 1962 a, figs. 1,2 Ontario, Canada |
| Syn.: <i>Paragonimus turanhanensis</i> Chung et al., 1964. dog (nat. and exper.) cat (nat. and exper.) boy, 13 yr. old | all from Nakorn-Nayok, Thailand | <i>Paragonimus kellicotti</i> cat (feces, lung) | Herman, L. H.; and Helland, D. R., 1966 a, 753-757, figs. 1-5 |
| <i>Paragonimus heterotremus</i> | Setasubun, P.; Radomyos, P.; and Vajrasthira, S., 1966 a all from Sarika Canton, Nakorn-Nayok Province | <i>Paragonimus kellicotti</i> Ward, 1908 morphology <i>Orconectes propinquus</i> raccoons mink cats (exper.) | Ishii, Y., 1966 a, figs. 1-2, 4B, 5-19 Ann Arbor, Michigan North Carolina " " |
| Chen et Hsia, 1964 dog cat <i>Rattus rattus</i> <i>R. rajah</i> <i>R. sabanus</i> <i>R. berdmorei</i> <i>R. exulans</i> <i>R. norvegicus</i> <i>Bandicota bengalensis</i> <i>B. indica</i> <i>Macrotis berdmorei</i> <i>Herpestes javanicus</i> <i>Helictes personata</i> <i>Tupaia glis</i> palm civet | Vajrasthira, S.; and Radomyos, P., 1966 a | <i>Paragonimus kellicotti</i> phosphomonoesterase activity | Mills, R. R.; Sogandares-Bernal, F.; and Seed, J. R., 1966 a |
| <i>Paragonimus heterotremus</i> | Vajrasthira, S.; and Radomyos, P., 1966 a | <i>Paragonimus kellicotti</i> Ward, 1908 metacercaria <i>Cambarellus robustus</i> | Miyazaki, I., 1964 a, figs. 1-6 Ann Arbor, Michigan |
| cat (lung) (exper.) dog (lung) " " " " | | <i>Paragonimus kellicotti</i> | Miyazaki, I.; and Mazzotti, L., 1964 a Central and North America |
| <i>Paragonimus heterotremus</i> | Vajrasthira, S.; Setasubun, P.; Radomyos, P.; and Pahuchon, W., 1966 a Potamon (P.) smithianus (gill, liver, muscular tissue) | <i>Paragonimus kellicotti</i> immunity, complement fixation test, cats | Seed, J. R.; Sogandares-Bernal, F.; and Mills, R. R., 1966 a |
| Chen et Hsia, 1964 larval development in snail <i>Oncocleania nosophora</i> (exper.) | Sarika Canton, Muang District, Nakorn-Nayok | <i>Paragonimus kellicotti</i> Ward, 1908 age immunity of snail host | Sogandares-Bernal, F., 1965 b |
| <i>Paragonimus iloktsuenensis</i> | Kawashima, K., 1963 a | <i>Paragonimus kellicotti</i> Ward, 1908 pairing of adult worms, cats | Sogandares-Bernal, F., 1966 a |
| Chen, 1940 Oncomelania nosophora, infectivity experiments | | <i>Paragonimus kellicotti</i> Ptychophallus tristani (exper. and natural) <i>Potamocarcinus magnus</i> | Miyazaki, I.; and Lee, H-F., 1963 a Malaya |
| <i>Paragonimus iloktsuenensis</i> | Miyazaki, I.; and Chiu, J. K., 1962 b all from Taiwan | <i>Paragonimus macacae</i> <i>Potamon (P.) johorense</i> | Miyazaki, I.; and Vajrasthira, S., 1967 b, fig. 1 Nakorn-nayok province, Thailand |
| Chen, 1940 <i>Rattus norvegicus</i> <i>R. coxinga</i> <i>Potamon (Geothelphusa) sp.</i> <i>Tricula chiui</i> n. sp. | | <i>Paragonimus macroorchis</i> Chen, 1962 <i>Bandicota indica</i> <i>B. bengalensis</i> <i>Rattus rattus</i> | |
| <i>Paragonimus ilo-tsuensis</i> | Takahashi, N.; Hayashi, G.; and Kowa, Y., 1962 a | <i>Paragonimus miyazakii</i> biochemistry | Namajima, F., 1965 a |
| bithionol and bithionol S-oxide, rats | | | |
| <i>Paragonimus kellicotti</i> | Beckett, J. V.; and Gallicchio, V., 1966 a, 511 Ohio | | |
| Ward, 1908 Mustela vison (lung) | | | |
| <i>Paragonimus kellicotti</i> | Burrows, R. B.; and Lillis, W. G., 1965 a, 571 New Jersey | | |
| Ward, 1908 <i>Cavia familiaris</i> <i>Felis domesticus</i> | | | |

- Paragonimus miyazakii* Hamajima, F., 1966 b
paper chromatography,
sugars and hexose
phosphates, *Paragonimus*
- Paragonimus miyazakii* Hamajima, F., 1967 a
organic acids
- Paragonimus miyazakii* Hatsuhashi, R.; Maezima, Z.;
lab. animals, exper.
infection and Kamo, H., 1962 a
- Paragonimus miyazakii* Kamo, H.; and Hatsuhashi, R.,
morphology of miracidium 1965 a
- Paragonimus miyazakii* Kamo, H.; and Maejima, J.,
excysting of metacercariae 1965 a
- Paragonimus miyazakii* Kawashima, K.; and Miyazaki,
Kamo, Nisnida, Hatsuhashi I., 1964 b, pl., figs. 1-4
and Tomimura, 1961
Oncomelania nosophora (exper.)
- Paragonimus miyazakii* Komiya, Y.; and Tomimura, T.,
Kamo et al., 1961 1964 a
metacercaria, excretory system
- Paragonimus miyazakii* Miyazaki, I.; Hamajima, F.;
development of metacer-
cariae in the crab hosts and Ishii, Y., 1964 a
- Paragonimus miyazakii* Nishida, H.; Ishikawa, K.;
Mustela sibirica coreana Ono, G.; and Saga, K., 1964 a
Ehime Prefecture, Japan
- Paragonimus miyazakii* Nishimura, K., 1966 c
Kamo et al., 1961
(cerebral)
dog (exper.)
cat "
rat "
- Paragonimus miyazakii* Tada, I., 1967 a
physiological and serological studies, rats
Potamon dehani (heart) Iwakuni, Yamaguchi Pref.,
Japan
- Paragonimus miyazakii* Tada, I., 1967 b
'cortisone,' rats
- Paragonimus miyazakii* Tomimura, T.; et al., 1962 a
infection incidence
Potamon dehani Rokuroishi, Iwakuni City,
Yamaguchi Prefecture, Japan
- Paragonimus miyazakii* Tomimura, T.; and Terauchi,
Nishida, Hatsuhashi and J., 1962 a
Tomimura, 1962
eggs, morphology
- Paragonimus miyazakii* studies on route of
migration in rats with
Evans-blue technique Yokogawa, M.; Tsuji, M.;
Araki, K.; and Nomoto, T.,
1964 a
- Paragonimus ohirai* Hamajima, F., 1965 a
biochemistry
- Paragonimus ohirai* Kamegai, S.; et al., 1964 b,
pigs (lung) figs. 1-5
Japan
- Paragonimus ohirai* Kawashima, K., 1963 a
Miyazaki, 1939
larval development in snail
Oncomelania nosophora (exper.)
- Paragonimus ohirai* Kawashima, K., 1964 a
Miyazaki, 1939
developmental stages
Oncomelania nosophora
- Paragonimus ohirai* Kawashima, K., 1965 a
Miyazaki, 1939
+Assiminea parasitologica
+A. yoshidayukioi
+Paludinella japonica
+*Oncomelania nosophora*
- Paragonimus ohirai* Kawashima, K., 1965 b, figs.
intramolluscan development 1-7, pls. I-VII, figs. 1-41
- Paragonimus ohirai* Kawashima, K., 1965 c
Miyazaki, 1939
development in *Oncomelania nosophora*
- Paragonimus ohirai* Kawashima, K.; et al., 1967 a,
Otsuru; 1956 figs. 10-11
As syn. of *Paragonimus* sp.
- Paragonimus ohirai* Kawashima, K.; and Tada, I.,
Oncomelania nosophora,
infectivity experiments 1962 a
- Paragonimus ohirai* Nishimura, K., 1966 c, figs.
(cerebral)
dog (exper.)
cat "
rat "
- Paragonimus ringeri* Landmann, H.; Thai, D. D.;
antigen used in diagnosis and Than, D. T., 1961 a
of human paragonimiasis
- [*Paragonimus*] *ringeri* Nguyên-Van-Ai, [1960 a], 105
human (pulmon)
Viet Nam
- Paragonimus rudis* Miyazaki, I.; and Mazzotti,
L., 1964 a
Central and North America

| | | | |
|---|--|--|---|
| Paragonimus rudis (Diesing, 1850) | Thatcher, V. E., 1967 a Achiote, Colon Province, Panama | Paragonimus westermani epidemic conditions pigs (lungs) Astacus dauricus dogs (exper.) cats " | Chung, H.-L.; et al, 1968 a K'uan-T'ien Hsien, Liaoning Province |
| Nasua narica "coati" Didelphis marsupialis "common opossum" Philander opossum "four-eyed opossum" Felis onca "jaguar" Felis catus "house cat" Canis familiaris "domestic dog" Pseudothelphusa richmondi "freshwater crab" | | | |
| Paragonimus siamensis Rattus rattus R. berdmorei Bandicota indica B. bengalensis | Vajrasthira, S.; et al, 1966 a all from Central Thailand | Paragonimus westermani hexachloroparaxylool, cats exper., human | Chung, H. L.; K'o, H. Y.; Ts'ao, W. C.; and Hsii, C. P., 1965 a |
| Paragonimus skrjabini Chen, 1959 morphological relationship | Tung, C.-A.; and Huang, Y.-Y., 1968 a P. szechuanensis | Paragonimus westermani epidemiology | Fukushima, H.; and Hamada, M., 1965 b Amami Oshima Islands, Kagoshima Prefecture, Japan |
| Paragonimus szechuanensis hexachloroparaxylool, cats | Chung, H. L.; K'o, H. Y.; Ts'ao, W. C.; and Hsii, C. P., 1965 a | Paragonimus westermani biochemistry | Hamajima, F., 1965 a |
| Paragonimus szechuanensis Chung and Tsao, 1962 life history, epidemiology, clinical pathology | Chung, H.-L.; Ts'ao, W.-C.; and Ho, L.-Y., 1968 a | Paragonimus westermani paper chromatography, sugars and hexose phosphates, Paragonimus | Hamajima, F., 1966 b |
| Paragonimus szechuanensis Chung and Tsao, 1962 human | Ho, L.-Y.; et al, 1968 c Yunnan Province, China | Paragonimus westermani Semisulcospira bensonii | Hamajima, F.; and Ishii, Y., 1964 a |
| Paragonimus szechuanensis egg morphology | Liu, S.-C.; Li, T.-Y.; Wang, T.-H.; and Liu, Y.-C., 1968 a | Paragonimus westermanii human | Ho, L.-Y.; et al, 1968 c Yunnan Province, China |
| Paragonimus szechuanensis Chung and Tsao, 1962 morphological relationship with P. skrjabini | Tung, C.-A.; and Huang, Y.-Y., 1968 a | Paragonimus westermanii antigenic properties, agar diffusion technique | Imai, J., 1965 a |
| Paragonimus taipingini Sesarma (Holometopsis) dehaani S. (Sesarma) sinensis | An, K.-C.; and Shen, Y.-H., 1968 a all from a suburb of Shanghai | Paragonimus westermannii (Kerbert, 1878) Felis bengalensis | Jansen, J. (jr.); and van den Brink, E., 1966 a zoological garden, Netherlands |
| Paragonimus taipingini rediae wall formation | Li, S.-H., 1968 a | Paragonimus westermani pigs (lung) | Kamegai, S.; et al., 1964 b, fig. 6 Japan |
| Paragonimus tuanshanensis as syn. of Paragonimus heterotremus Chen and Hsia, 1964 | Miyazaki, I.; and Harinasuta, T., 1966 b, 509 Nakorn-nayok province, central Thailand | Paragonimus westermani excysting of metacercariae | Kamo, H.; and Maejima, J., 1965 a |
| Paragonimus tuanshanensis Chung et al, 1964 as syn. of Paragonimus heterotremus Chen et Hsia, 1964. | Miyazaki, I.; and Vajrasthira, S., 1967 a | Paragonimus yunnanensis Ho et Chung, 1959 life history studies | Ho, L.-Y.; Chung, H.-L.; Cheng, L.-T.; and Ts'ao, W.- C., 1968 a Yunnan Province, China |
| Paragonimus westermanii human. 3 cases (lung) | von Buchwald, C.. 1965a, fig. 3 Ecuador | Parahaliipegus Wootton and Powell, 1964 as syn. of Deropogus McCauley and Pratt, 1961. "should be suppressed" | Wootton, D. M.; and Powell, E. C., 1967 a |
| Paragonimus westermani in vitro egg laying capacity | Chu, I.; and Sun, H., 1964 a | Farahaplometroides basilis- cae Thatcher, 1963 Basiliscus basiliscus (mouth) | Stunkard, H. W.; and Gandal, C. P., 1966 a, 91-95, pls. 1- 2, figs. 1-3 South America (New York Zool. Park) |
| | | Parahemimurus bennettae n.sp. Jamieson, B. G. M., 1966 a, Salina or fragilis (fe- male gonad) | 73-80, figs. 1-3 Cook's River at Botany Bay, N. South Wales |

- Parahemiuirus bennettae larval stages, cercariae evolution Jamieson, B. G. M., 1966 b, figs. 1-2, pl. 5
- Parahemiuirus merus (Linton, 1910) Woolcock, 1935 Ku, C.-T.; and Shen, C.-W., 1968 & China
- Platycephalus indicus
- Parahemiuirus merus (Linton, 1910) (stomach) Mamaev, Iu. L., 1965 a Bering Sea
- Hippoglossus hippoglossus stenolepis
- Paralaria Krause, 1914, subgen. emend. Johnson, A. D., 1968 b, 331
- Paralecithodendrium carlsbadensis sp. n. Cain, G. D., 1966 a, 351, 354, 355, 356, fig. 6 Carlsbad Caverns, New Mexico
- Tadarida brasiliensis mexicana
- Tadarida brasiliensis
- Paralecithodendrium glandulosum (Looss, 1896) Gupta, N. K., 1966 b, 123-125, fig. 3
- Syn.: Distomum glandulosum Looss, 1896
- Lyroderma lyra (intestine) Gurdaspur (Punjab), India
- Paragonimus westermani Kania, I.; Leski, B.; and Marciniak, R., 1957 a
- Paragonimus westermani Potamon dehaani Eriochier japonicus Kawashima, K., 1967 b, figs. 2-5 Is. Yaku, Kagoshima Prefecture, Japan
- Paragonimus westermani Oncocelania nosophora, infectivity experiments Kawashima, K.; and Tada, I., 1962 a
- Paragonimus westermani dog Kim, Jyong Hi, (1958 a); 1958 b Korea
- Paragonimus westermani biology, metacercaria Komiya, Y., 1965 e
- Paragonimus westermani (Kerbert, 1878) tigers (lungs) Kwo, E.-H.; and Miyazaki, I., 1968 a, figs. 1-3 North Sumatra, Indonesia
- Paragonimus westermani rediae distribution, bee bodies Astacus dauricus Li, T.-Y.; Wang, T.-H.; and Liu, S.-C., 1968 a Liaoning Province, China
- Paragonimus westermani swine Liu, S.-C.; et al., 1968 a K'uan-Tien Hsien, Liaoning Province
- Paragonimus westermani Parathelphusa maculata (gill vessel, liver) + cat (exper.) Miyazaki, I.; Kawashima, K.; and Tan, M. H., 1968 a Ulu Langat, Kuala Lumpur
- Paragonimus westermani Miyazaki, I.; and Mazzotti, L., 1964 a Central and North America
- Paragonimus westermani Macacus cyclopis (exper.) Nagahana, M.; Kondo, K.; and Nishida, H., 1964 a
- Paragonimus westermani (cerebral) cat (exper.) dog " rat "
- Paragonimus westermannii diagnosis by ophthalmological signs Oh, S. J., 1968 a, 13, figs. 1, 5
- Paragonimus westermani Katzen Neofelis nebulosa diardi Tiger Bithynia (Digonostoma) sp. (exper.)
- Paragonimus westermanii histopathology, dogs Sastry, G. A.; and Patnaik, B., 1968 a, pl., fig. 2
- Paragonim[us] westermani diagnosis, antigen Sawada, T., 1965 a
- Paragonimus westermani intradermal skin test Sawada, T.; Takei, K.; Sato, S.; and Matsuyama, S., 1967 a
- Paragonimus westermani bithionol allyle-isothiocyanate (allyl-NCS) phenyl-isothiocyanate (phenyl-NCS) Sawatari, S.; and Hamajima, F., 1967 a
- Paragonimus westermani Macrobrachium (=Palaemon) nipponensis Cambaroides similis Eriochier japonicus Potammon dehaani puppies (exper.) Soh, C.-T.; Lee, K.-T.; Ahn, Y.-G.; and Lee, Y.-H., 1966 a, figs. 2-4 all from Korea
- Paragonimus westermani field conditions environment, Semisulcospira bensoni Suzuki, N.; Ito, Y.; and Komiya, Y., 1962 a
- Paragonimus westermani cortisone, rats Tada, I., 1967 b
- Paragonimus westermani survival in vitro Yasuraoka, K.; Hosaka, Y.; and Kato, K., 1965 a, fig. 1
- Paralecithodendrium obtusum (Looss, 1896) Gupta, N. K., 1966 b, 121-123, figs. 1-2
- Syn.: Distomum obtusum Looss, 1896. Lyroderma lyra (intestine) Gurdaspur (Punjab), India
- Paralecithodendrium ovi-magnosum (Bhalerao, 1926) Gupta, N. K., 1966 b, 125-126
- Syn.: Lecithodendrium ovimagnosum Bhalerao, 1926. Lyroderma lyra (intestine) Gurdaspur (Punjab), India
- Paralepoderma sp. Scharpilo [Natrix natrix] (stomach, esophagus) Markov, G. S.; Lukina, G. P.; Markova, L. I.; and Mozgina, A. A., 1964 a Northern Caucasus
- Paralepoderma brumpti Limnaea stagnalis Kuprianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Paralepoderma brumpti distribution Sprehn, C. E. W., 1967 a Europe

| | | | |
|--|--|---|---|
| <i>Paralepoderma cloacicola</i> | Shevchenko, N. N., 1963 b all from Severskii Donets valley | <i>Paranoxostomum bucephalae</i> Yanaguti, 1935 | Makarova, A. P., 1967 a, 136 all from Western Kazakhstan |
| <i>Vipera berus</i> | | <i>Anas acuta</i> A. clypeata A. persica | |
| <i>Paralepoderma cloacicola</i> [<i>Rana ridibunda</i>] | Shevchenko, N. N., 1963 c Volga delta; Khabarovsk oblast; Duma delta region; Khar'kov oblast; Duma delta region; | <i>Netta rufina</i> <i>Anas platyrhynchos</i> <i>Nyroca fuligula</i> | |
| <i>[Rana temporis]</i> | | | |
| <i>Felobates fuscus</i> | Stunkard and Dunihue, 1931 Klamath oblast; Duma delta region; | <i>Paranoxostomum parvum</i> Stunkard and Dunihue, 1931 chicks (exper.) | Stunkard, H. W., 1967 a, 136, 138-140, figs. 103, 104 |
| <i>[Hyla arborea]</i> | Khar'kov oblast; Duma delta region | <i>Dendrocygna bicolor</i> ducks, eider | Stunkard, H. W., 1967 a, 136, 138-140, figs. 103, 104 |
| <i>Paralepoderma cloacicola</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Hydrobates salors</i> gull (exper.) (intestine) | Woods Hole, Massachusetts |
| <i>Paralepoderma progeneticum</i> | Kuritanova-Shchadmatova, R. Planorhynchus planorbis | <i>Paranoxostomum pseudaleve-</i> bitonial; kamala, ducks | Garkavi, B. I., 1966 a |
| | A., 1965 a USSR, central Povolzh'e | <i>Paranoxostomum pseudal-</i> ventum Price, 1931 Planorhynchus | Garkavi, B. I.; and Poluektov, V. Sh., 1968 a, 49 |
| <i>Parallelorchis Hernkem et</i> | Duklova, G., 1966 a, 49 | <i>Paranoxostomum pseudal-</i> vestum Price, 1931 | Grundmann, A. W., and Tsai, Yuen-Hung, 1967 a |
| <i>Müller, 1961</i> | as syn. of <i>Pharyngostomoides Hernkem et</i> , 1942. | <i>Ondatra zibethicus</i> oscopy- | Salt Lake Valley, Utah |
| <i>Paralleloporphryx jonesi</i> sp. n. | Ubelaker, J. R., 1965 b, 773- | sensis | |
| <i>Anolis litoratus</i> (closely) | 774, fig. 1 Finca Tepoyac, Metagalpa, Nicaragua | <i>Paranoxostomum pseudalve-</i> tum [sic] Price, 1931 [<i>Anas platyrhynchos</i>] (in- | Iakov, N. I., 1966 a, fig. 2 Berdiansk region, Zaporizh'- |
| <i>Paramacrodorcerides echinus</i> | Casto, S., and McDaniel, B., 1964, 1965 Frio River, south Texas | <i>Paranoxostomum querquehu-</i> Zol, 1936 | Chernogorenko-Bidulina, M. I., 1963 a Desna river |
| <i>Macrodorcerides ocellatus</i> (Infectiosus) | | <i>Ixobrychus minutus</i> | Paspalev, G. V., and Zheliazko-Paspalev, A., 1963 a, 199 Southwest Bulgaria |
| <i>Paramerorchis complexus</i> [Stiles and Hassall, 1894] | Burrows, R. B.; and Lillis, W. G., 1965 a, 570 New Jersey | <i>Paraphistomatida nov.</i> comb. | Meritivenci, A., 1966 b, 79 |
| <i>Scaphiopus, 1913</i> | | | |
| <i>Palis domesticus</i> (gall bladder) | | <i>Paraphistomatidae</i> not harmed by industrial pollution | Chernogorenko-Bidulina, M. I., 1963 a Desna river |
| <i>Paranoxostomum alveatum</i> | Kubakin, V. V., 1965 a [<i>Anas penelope</i>] [<i>Nyroca ferina</i>] | <i>Paraphistomatidae</i> pharynx structure | Davydov-Volichko, I. V., 1963 a, figs. 1-10 |
| | all from Kasan-Kulilsk game reserve | <i>Paraphistomatidae</i> [sp.] | Smith, R. J., 1967 a, 288 Douglas Lake, Michigan |
| <i>Paranoxostomum alveatum</i> | Stunkard, H. W., 1967 a, 124, 125, 136, 137-138, figs. 4-8 | <i>Ferrisia parallela</i> | |
| (Mehlis in Creplin, 1826) | syn.: <i>P. brentae</i> Bullock, 1932 | <i>Paraphistomiasis</i> | |
| <i>Bullock, 1932</i> | ducks, domestic (exper.) | acute course, bovine | Artemenko, Yu. G., 1967 a |
| as syn. of <i>P. alveatum</i> (Mehlis in Creplin, 1826) | <i>Hydrobates salors</i> | <i>Paraphistomiasis</i> | Bearhood, J. C., 1966 a |
| | ducks, eider | catle | Australia |
| <i>Paranoxostomum anatis</i> (Garkavi, 1965) | Garkavi, B. I., 1966 a | <i>Paraphistomiasis</i> | Luebandiza, T. S., 1966 a |
| bitionial; kamala, ducks | | acute course, bovine | Tanzania |
| <i>Paranoxostomum brantae</i> | Stunkard, H. W., 1967 a, 142 | <i>Paraphistomiasis</i> | Mamedov, A. K., 1965 a |
| Bullock, 1932 | as syn. of <i>P. alveatum</i> (Mehlis in Creplin, 1826) | seasonal dynamics, Planor- | Azerbaijan SSR |
| | | bilis planorbis | Mereminski, A. I., 1963 a |
| <i>Paranoxostomum bucephalae</i> | Makarova, A. P., 1966 a all from South Kazakhstan | <i>Paraphistomiasis</i> | Ukrainian woodlands |
| <i>Anas platyrhynchos</i> | | prognosis of outbreaks | Mereminski, A. I., 1968 a |
| <i>Anas acuta</i> | | | |
| <i>Nyroca ferina</i> | | | |
| <i>Nyroca fuligula</i> | | | |

[1966]

- Paramphistomiasis buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 744
- Paramphistomiasis fecal examination Sosipatrov, G. V., 1965 a
- Paramphistomiasis fecal examination, calves Vorob'ev, M. M.; Kopol'ov, N. P.; and Kopol'ov, V. K., 1965 a
- Paramphistomiasis, Treatment Fedorchenko, N. G., 1965 b hexachlorophene; bithionol; filixan; dichlorophene
- Paramphistomiasis, Treatment Fedorchenko, N. G., 1966 a bithionol
- Paramphistomiasis, Treatment Holló, F., 1963 a CCl₄; phenothiazine; Yomesan
- Paramphistomiasis, Treatment Mereminskii, A. I.; and Gluz-chlorophos man, I. Ia., 1965 a
- Paramphistomiasis, Treatment Mereminskii, A. I.; and chlorophos, bovine Gluzman, I. Ia., 1966 a
- Paramphistomiasis, Treatment Mereminskii, A. I.; and Gluz-Freon-112 + toluol man, I. Ia., 1966 b
- Paramphistomidae key to genera Cosgrove, G. E., 1966 a
- Paramphistomum sp. diagnosis technique Breza, M.; and Takacs, W., 1968 a
- Paramphistomum sp. [Capra hircus] [Alces alces] Egorov, Iu. G., 1965 a all from Byelorussia
- Paramphistomum spp. cattle goats Huang, J. K.; Kuo, T. S.; and Lin, T. C., 1958 a all from Taiwan
- Paramphistomum sp. cattle sheep goats Kimura, S., 1964 a, 47, 49, 50 all from Hyogo Prefecture, Japan
- Paramphistomum sp. [Ovis aries] Trach, V. N., 1961 d, 175 Ukraine forest-steppe
- Paramphistom[um sp.] larvae Zdun, V. I., 1966 a pastures Ukrainian SSR, all from Planorbis Anisus
- Paramphistomum caulinorchis Stiles and Goldberger, 1910 as syn. of Calicophoron caulinorchis (Stiles and Goldberger, 1910) Näsmark, 1937 Mukherjee, R. P., 1966 a
- Paramphistomum cervi (Fischer, 1901) cattle, pathology Damiano, S., 1965 b, figs. 1-10, 1 pl.
- Paramphistomum cervi (Looss 1896) Bulinus truncatus El-Gindy, M. S.; and Rushdi, M. Z., 1962 a, fig. 2 Egypt
- Paramphistomum cervi (Zeder, 1870) (rumen) Cervus elaphus xanthopygus Alces alces Rangifer tarandus Capreolus capreolus pygargus
- Paramphistomum cervi distribution, cattle Jovov, K., 1966 b Northeastern Bosnia
- Paramphistomum cervi Rangifer tarandus caragassi Kadenatsii, A. N., 1963 d Khabarovsk krai
- Paramphistomum cervi cattle sheep and [or] goats Kim, Jyong Hi, (1958 a); 1958 b all from Korea
- Paramphistomum cervi (Schrank, 1790) (Cercaria pigmentata Sonsino, 1875) Planorbis planorbis Kiselienskii, V. K., 1966 a Lithuanian SSR
- Paramphistomum cervi Planorbis planorbis Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e
- Paramphistomum cervi [Rangifer tarandus] Mitskevich, V. Iu., 1963 a Chukot and Yamalo-Nenetsk national okrugs
- Paramphistomum cervi Rangifer tarandi Mitskevich, V. Iu., 1963 d Kol'ski Peninsula; Chukot and Yamalo-Nenetsk National okrugs
- Paramphistomum cervi [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170 Russia
- Paramphistomum cervi thio-bis-dichlorphenol, effect Popov, A. T.; et al., 1966 a, 813-818
- Paramphistomum cervi CCl₄, ruminants Popov, A. T.; et al., 1967 a Bulgaria
- Paramphistomum cervi (Zeder, 1870) [Bos taurus] (rumen) Safronov, M. G., 1966 a, 10 Yakutia
- Paramphistomum cervi [Bos taurus] (rumen) Sivtseva, M. Z., 1963 a Briansk oblast
- Paramphistomum cervi distribution Sprehn, C. E. W., 1967 a Europe
- Paramphistomum cervi sheep, cattle (stomach cyst) Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China
- Paramphistomum cervi ecology, grazing, pasture conditions Zdun, V. I., 1963 c
- Paramphistomum cervi (Schrank, 1790) [Ovis aries] [Bos taurus] Zgordan, E. S.; and Fruchtman, E. A., 1965 a all from Moldavia
- Paramphistomum daubneyi Dinnik ewes Roach, R. W.; and Lopes, V., 1966 a Kenya

- Paramphistomum (*Cauliorchis*) Gupta, N. K., 1966 a, 77
explanatum (Creplin)
Travassos, 1934
as syn. of *Gigantocotyle explanatum* (Creplin, 1847)
- Paramphistomum explanatum cattle Kim, Jyong Hi, (1958 a); 1958 b Korea
- Paramphistomum gotoi [Bos taurus] (rumen) Sivtseva, M. Z., 1963 a Kuibyshev oblast
- Paramphistomum hiberniae distribution Sprehn, C. E. W., 1967 a Europe
- Paramphistomum ichikawai effect of climate, epizootiology, calves Podlesnyi, G. V., [1966 a] Polesskoe zone, Ukrainian SSR
- Paramphistomum microbothrium sheep, lambs Planorbis planorbis Cvetković, L., 1968 a Yugoslavia
- Paramphistomum microbothrium pathology, symptoms Horak, I. G., 1966 a
- Paramphistomum microbothrium mouton (rumen, abomasum) Levrat, E., 1966 a, 28
- Paramphistomum microbothrium Fischoeder ewes Roach, R. W.; and Lopes, V., 1966 a Kenya
- Paramphistomum microbothrium cows buffaloes sheep goats Bulinus truncatus (exper.) Sabbaghian, H.; Bijan, H.; and Arfaa, F., 1964 a all from Khusestan Province, Iran
- Paramphistomum microbothrium Swart, P. J., 1967 a, figs. (Fischoeder, 1901) 3-5 miracidal epidermal structures
- Paramphistomum stunkardi Holl, 1929 Edwards, S. R.; and Nahhas, F. M., 1968 a, 250 as syn. of *Pisciamphistoma stunkardi* (Holl, 1929), Yamaguti, 1954
- Parapronocephalidae n. fam. Notocotylata includes: Notocotylinae; Parapronocephalinae Dollfus, R. P. F., 1966 c, 297, 298
- Parastictodora hancocki serology Cerithidea californica LeFlore, W. B.; and Martin, W. E., 1968 a, fig. 4 Seal Beach, California
- Parastrigea sp. (intestine) Larus canus Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 140 USSR, Kamchatka
- Parastrigea sp. Anas penelope Maksimova, A. P., 1967 a, 135 Western Kazakhstan
- Parastrigea anati Bychowskaja-Pawlowskaja et Zhukov 1953 Churina, N. V., 1963 a Sredni Ural
- Parastrigea anatis Bychovskaja-Pawlowskaja and Zukov, 1953 as syn. of *P. robusta* Szidat
- Parastrigea anati distribution Sprehn, C. E. W., 1967 a Europe
- Parastrigea brasiliiana (Szidat, 1928) Cochlearius cochlearius Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Parastrigea ogchnocephala Dubois and Rausch, 1950 Circus cyaneus Dubois, G., 1967 b, 694 Napaskiak, Alaska
- Parastrigea robusta Szidat, 1928 Belokobylenko, V. T., 1965 a [Anas platyrhynchos] Ural oblast
- Parastrigea robusta Szidat, Dubois, G., 1966 a, 25-26, 51 Syn.: *Apharyngostrigea parastrigiformis* Bychovskaja-Pawlowskaja et Zhukov, 1953.
- Parastrigea robusta Szidat Odening, K., 1965 g
- Syn.: *P. anatis* Bychovskaja-Pawlowskaja and Zukov, 1953 Planorbis planorbis Raum Berlin Rana arvalis " " R. temporaria " " Anisus vortex " " Bufo bufo (exper.) Gyraulus albus (exper.) Segmentina nitida "
- Parastrigea robusta Szidat, 1928 Odening, K., 1966 a, figs. 2-7 life cycle Berlin region Anisus vortex Planorbis planorbis enten Haustaube Rana arvalis R. temporaria Bufo bufo (exper.) Gyraulus albus Anisus leucostomus Bathyomphalus contortus Segmentina nitida
- Parastrigea robusta host-specificity and immunity Odening, K., 1967 b Anser cygnoides f. dom. (exper.) Gallus gallus f. dom. " Numida meleagris gallopavo f. dom. (exper.)
- Parastrigea robusta rata Olteanu, G.; and Stoican, E., 1963 b, 229 Romania
- Parastrigea robusta distribution Sprehn, C. E. W., 1967 a Europe
- Parastrigea tenuicollis (Westrum, 1823) comb. nov. 51, 52, Dubois, G., 1966 a, 19, 26-27, 51, 52, Synts.: *Amphistoma tenuicolle* Westrum, 1823; *Holostomum tenuicolle* (Westr.) Diesing, 1850.
- Paratetraonchoides gen. n. Tetraonchoididae key; key to species Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 141, 143, 160, 161, fig. 10E tod: *P. inermis* sp. n.

- Paratetraonchoides inermis* sp. n. (tod) key *Ichthyoscopus lebeck* (gill filaments) *Paratimonia* n. gen. Monorchidae; *Lasiotocinae* *Paratimonia gobii* n. gen., n. sp. (tod) *Gobius microps* (intestin) *Paropecoelus* gen. n. *Opecoelidae* *Paropecoelus adelongatus* (Nagaty, 1954) n. comb. Syn.: *Opecoelus adelongatus* Nagaty, 1954. *Paropecoelus elongatus* (Ozaki, 1925) n. comb. Syn.: *Opecoelus elongatus* Ozaki, 1925. *Paropecoelus palawanensis* (Fischthal and Kuntz, 1964) n. comb. Syn.: *Opecoelus palawanensis* Fischthal and Kuntz, 1964. *Paropecoelus sacculatus* sp. n. (*intestine*) *Parupeneus multifasciatus* *P. chrysoneurus* *Paropecoelus sogandaresi* gen. n., sp. n. (tod) (*intestine*) *Parupeneus pleurostigma* *P. multifasciatus* *P. chrysoneurus* *P. porphyreus* *Paropecoelus thapari* (Nagaty, 1954) n. comb. Syn.: *Opecoelus thapari* Nagaty, 1954. *Paropecoelus upenoides* (Nagaty, 1954) n. comb. Syn.: *Opecoelus upenoides* Nagaty, 1954. *Parorchis acanthus* Nicoll, 1907 *Larus argentatus* (cloaca) *Parorchis acanthus* oligomerization of unicellular organs, larva *Parorchis acanthus* exogenous glucose utilization by rediae of *Parorchis acanthus* and *Cryptocotyle lingua* *Parorchis acanthus* Nicoll redia morphology *Parorchis acanthus* cystogenous gland cells and cyst wall, histochemistry *Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F.* 1965 a, 141-143, 160, fig. 1 *A, B, V* *Tonkin Bay, South China Sea* *Prevot, G.; and Bartoli, P.* 1967 a, 625, 630, 631 *tod: P. gobii* n. sp. *Prevot, G.; and Bartoli, P.* 1967 a, 625-630, 631, figs. 4-9 *golfe de Marseille (France)* *Pritchard, M. H.*, 1966 b, 180, 182, 187, 200 *tod: P. sogandaresi* sp. n. *Pritchard, M. H.*, 1966 b, 182, 187, 200 *Pritchard, M. H.*, 1966 b, 183, 181, 182, 183-184, 185, 187, 200, figs. 8-9 *all from Hawaii* *Pritchard, M. H.*, 1966 b, 174, 175, 180, 181, 182-183, 187, 200, figs. 5-7 *all from Hawaii* *Pritchard, M. H.*, 1966 b, 182, 187, 200 *Pritchard, M. H.*, 1966 b, 182, 187, 200 *Ehrhardt, W. R.; Harkema, R.; and Miller, G. C.*, 1966 a *North Carolina* *Ginetsinskaiia, T. A.*, 1963 a, fig. 1b *McDaniel, J. S.; and Dixon, K. E.*, 1967 a *Rees, F. G.*, 1966 b, figs. 1-12, pl. 1-2 *Rees, F. G.*, 1967 a, figs. 1-8, pls. 1-5 *Parorchis acanthus* (Nicoll, 1907) *Larus argentatus* *Parorchis acanthus* Strom 1927 *Calidris maritima coesi* *Parvatrema borealis* Stunkard and Uzmann, 1958 *Nereis (Neanthes) succinea* Leuchart, 1847 (syn. *N. limbata* Ehlers, 1847) (ventral nerve cord, nephridia, parapodia) *Paraphystomum mehrai* of Jain, 1957 *Paraphystomum radiatum* [*Phalacrocorax carbo*] *Paraphystomum radiatum* (Dujardin, 1845) *Phalacrocorax carbo* *P. pygmaeus* *Podiceps cristatus* *Paraphystomum radiatum* (Dujardin, 1845) [*Phalacrocorax carbo*] *Paraphystomum segregatum* antagonism of rediae to *Schistosoma mansoni* sporocysts, snail *Paraphystomum segregatum* Dietz, 1909 *life cycle* *Biomphalaria glabrata* (exper.) *B. tenagophila* " *B. straminea* " *Coragyps atratus* (nat. and exper.) *Rana catesbeiana* (exper.) *Carassius a. auratus* (exper.) *Brachydanio rerio* (exper.) tadpole *Paraphystomum segregatum* mixed exper. infection and Hoffman, M. A., 1967 a, with *Echinostoma barbosai*, figs. 1, 3-4, 5, 6 antagonism in *Biomphalaria straminea* *Paraphystomum segregatum* electron microscopic morphology of rediae and sporocyst absorptive structures *Paraphystomum testitribolium* Gogate, 1934 [*Phalacrocorax carbo*] *Patagifer bilobus* (Rudolphi, 1819) Dietz, 1909 *Syns.: Distoma bilobum* (Rudolphi, 1819); *Distomum bilobum* (Diesing, 1851); *Echinostoma bilobum* (Cobbold, 1861); *Echinostomum bilobum* (Stossich, 1892); *Plegadis falcinellus* *Patagifer bilobus* host diet *Threllfall, W.*, 1966 c, 9 Wales *Tsimbaliuk, A. K.*, [1966 a] Komandorskie Islands *Oglesby, L. C.*, 1965 a, 582 San Francisco Bay, California *Matta, S. C.; and Pande, B. P.* 1966 b, 130 *as syn. of Artyfechinostomum sufrartyfex* *Kibakin, V. V.*, 1965 a Gasan-Kuliisk game reserve *Roman-Chiriac, E.*, 1965 a, 143, 146 all from Danube delta, Romania *Smogorzhevskaiia, L. A.; Korniushin, V. V.; Iskova, N. I.*; and Eminov, A., 1965 a Turkmen *Lie Kian Joe*, 1967 a *Schistosoma mansoni* sporocysts, Belo Horizonte, Brazil *Lie Kian Joe; and Basch, P. F.*, 1967 a, figs. 1-16 *Paraphystomum segregatum* Lie Kian Joe; Basch, P. F.; and Hoffman, M. A., 1967 a, with *Echinostoma barbosai*, figs. 1, 3-4, 5, 6 *Matricorn-Gondran, M.*, 1967 a electron microscopic morphology of rediae and sporocyst absorptive structures *Smogorzhevskaiia, L. A.; Korniushin, V. V.; Iskova, N. I.*; and Eminov, A., 1965 a Turkmen *Dubinin, V. B.*, 1938 a, 125-132, 133, fig. 3a-g, h-m Astrakhan game reserve *Syns.: Distoma bilobum* (Rudolphi, 1819); *Distomum bilobum* (Diesing, 1851); *Echinostoma bilobum* (Cobbold, 1861); *Echinostomum bilobum* (Stossich, 1892); *Plegadis falcinellus* *Feizullaev, N. A.*, 1963 c Azerbaidzhhan

| | | | |
|--|---|---|---|
| <i>Patagifer bilobus</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Pegosomum bubulcum</i> Tubangui 1947 key | Kurashvili, B. E., 1949 b, 438 |
| <i>Paucivitellosus fragilis</i> ? <i>Salarias meleagris</i> (sto- mach and intestine) <i>Mugil cephalus</i> (intestine) <i>Crenimugil crenilabis</i> " <i>Cerithium penthusarus</i> | Pearson, J. C., 1966 a all from Heron Island, Great Barrier Reef, Aus- tralia | <i>Pegosomum [sic] bubulcum</i> Tubangui et Mesilingan, 1935 +bird | Wang, F.-C., 1968 a |
| <i>Pavlovskioides</i> gen. n. Tetraonchoididae key; key to species | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 146, 158, 160 tod: <i>P. litoralis</i> sp. n. | <i>Pegosomum ixobrychi</i> Gvosdev, 1960 [<i>Ixbrychus minutus</i>] | Smogorzhevskaya, L. A.; Kor- niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen |
| <i>Pavlovskioides antarcticus</i> sp. n. key <i>Trematomus bernacchii</i> (gill filaments) | Bykhovskii, B.E.; Gusev, A.V.; and Nagibina, L. F., 1965 a, 150-155, 160, 161, figs. 5-7; 10K Davis Sea, Eastern Antarc- tica | <i>Pegosomum petrowi</i> sp. nov. key <i>Egretta alba</i> (gall bladder) | Kurashvili, B. E., 1949 b, 435-437, 438, fig. 1 Georgian SSR |
| <i>Pavlovskioides ichthyoscopi</i> sp. n. key <i>Ichthyoscopus lebeck</i> (gill filaments) | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 146-148, 160, 161, figs. 3A, B, V, G; 10Z Tonkin Bay, South China Sea | <i>Pegosomum petrovi</i> [sic] distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Pavlovskioides litoralis</i> sp. n. (tod) <i>Trachinocephalus myops</i> (gill filaments) key | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 148-149, 158, 160, 161, fig. 4A, B, V, G; 10I Tonkin Bay, South China Sea | <i>Pegosomum saginatum</i> (Ratz, 1893) [<i>Ardea alba</i>] | Smogorzhevskaya, L. A.; Kor- niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen |
| <i>Pavlovskioides meridianus</i> sp. n. key <i>Trematomus borchgrevinki</i> (gill filaments) | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 155, 156, 160, 161, figs. 8A, B, V; 10K Sabrin coast (Eastern Ant- arctica) | <i>Pegosomum saginatum</i> distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Pavlovskioides pearsoni</i> sp. n. <i>Anguilla reinhardtii</i> (gill filaments) key | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 155, 157, 158, 160, fig. 9A, B, V Logan river, Southeast Queensland, Australia | <i>Pegosomum skrjabini</i> Schacht., 1947 key | Kurashvili, B. E., 1949 b, 438 |
| <i>Pedunculacetabulum</i> Yamaguti, 1934 as syn. of <i>Podocotyloides</i> Yamaguti, 1934. | Pritchard, M. H., 1966 a, 164 | <i>Pegosomum spiniferum</i> [<i>Ardea alba</i>] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve |
| <i>Pedunculacetabulum</i> manteri Nagaty, 1942 uncertain generic status | Pritchard, M. H., 1966 a, 169 | <i>Pegosomum spiniferum</i> Ratz, 1903 [<i>Ardea alba</i>] | Kurashvili, B. E., 1949 b, 438 |
| <i>Pedunculacetabulum opis-</i> <i>thoris</i> Yamaguti, 1934 as syn. of <i>Podocotyloides opisthorchis</i> (Yamaguti, 1934) n. comb. | Pritchard, M. H., 1966 a, 165 | <i>Pegosomum spiniferum</i> distribution | Smogorzhevskaya, L. A.; Kor- niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen |
| <i>Pedunculacetabulum pedi-</i> <i>cellatus</i> Srivastava, 1938 as syn. of <i>Podocotyloides pedicellatus</i> (Srivastava, 1938) n. comb. | Pritchard, M. H., 1966 a, 165 | <i>Pegosomum</i> [lapsus for: <i>Pegosomum</i>] | Sprehn, C. E. W., 1967 a Europe |
| <i>Pegosomum</i> Ratz, 1903 key to species | Kurashvili, B. E., 1949 b, 438 | <i>Pellucidhaptor</i> Price and Mizelle, 1964 emend. <i>Dactylogyrinae</i> | Wang, F.-C., 1968 a |
| <i>Pegosomum</i> [lapsus as: <i>Pegossomum</i>] | wang, F.-C., 1968 a | <i>Pellucidhaptor alabamensis</i> sp. n. <i>Hypentelium etowanum</i> | Rogers, W. A., 1967 c, 518, 520 |
| <i>Pegosomum asperum</i> Wright, 1903 key | Kurashvili, B. E., 1949 b, 438 | <i>Pellucidhaptor alabamensis</i> Rogers and Mizelle, 1966 + <i>Hypentelium etowanum</i> (body) | Rogers, W. A.; and Mizelle, J. D., 1966 a, 707, 709, 711- 712, figs. 55-65 Lee County, Alabama |

- Pellucidhaptor eremitus sp. n. Rogers, W. A., 1967 c, 501, 519, 520, figs. 196-200
- Carpoides velifer (body) Tombigbee River, Pickens Co., Cahaba River, Perry Co., Line Creek, Montgomery Co., Chewacla Creek, Lee Co., Alabama
- Pellucidhaptor orthacis sp. n. Rogers, W. A., 1967 c, 501, 519, 520-521, figs. 201-205
- Moxostoma poecilurum (body) Opintalocca Creek, Macon Co., Alabama
- Pellucidhaptor pterigynus sp. n. Rogers, W. A., 1967 c, 501, 519, 521, figs. 206-210
- Hypentelium etowanum (body) Coosawattee River, Gilmer Co., Georgia
- Moxostoma poecilurum " Saugahatchee Creek, Tallapoosa Co., Alabama
- Pellucidhaptor ramosus sp. n. Rogers, W. A., 1967 c, 501, 519, 521-522, figs. 211-215
- Minytrema melanops (body) Chewacla Creek, Lee Co., Lake Martin, Elmore Co., Alabama; Lake Seminole, Seminole Co., Georgia
- Pellucidhaptor smithianizi sp. n. Rogers, W. A., 1967 c, 501, 519, 522, figs. 216-220
- Minytrema melanops (body) Chewacla Creek, Lee Co., Alabama
- Pelmatostomum Dietz, 1909 key, Himasthlinae Alekseev, V. M., 1965 b
- Pentagramma [lapsus as: Pentogramma] Kovaleva, A. A., 1963 a, 447
- Pentagramma symmetricum Tschulikova, 1939 Koval, V. P.; and Otsupok, N. D., 1964 a, 50
- Caspialosa kessleri pontica region of Evpatoria, Black Sea
- Pentagramma [sic] symmetricum Atherina mochon pontica Kovaleva, A. A., 1963 a
- A. hepsetus all from Black Sea, Karadag region
- Pentagramma symmetricum Tschulikova, 1939 Nikolaeva, V. M., 1963 a, 411-413
- Engraulis encrasicholus ponticus (pyloric appendage) Black Sea
- Pentagramma [lapsus for: Pentogramma] Kovaleva, A. A., 1963 a, 447
- Peracreadium mycteropercae (Sogandares-Bernal, 1959) Pritchard, M. H., 1966 a, 168, 171
- n. comb.
- Syn.: Podocotyle mycteropercae Sogandares-Bernal, 1959.
- Petasiger [lapsus as: Petaziger] Ginetsinskaia, T. A.; Mashanski, V. F.; and Dobrovolskii, A. A., 1966 a
- Petasiger aeratus Oschmarin, 1947 Oshmarin, P. G., 1965 b
- Ardea cinerea Buriat ASSR
- Petasiger coronatus distribution Sprehn, C. E. W., 1967 a
- Europe
- Petasiger exaeretus Dietz, 1909 Phalacrocorax carbo
- Petasiger megacantha [Podiceps nigricollis]
- Petasiger neocommense [sic] ultrastructure of redia cuticle, feeding method
- Petasiger (N) neocommense Fuhrmann, 1927 (intestine) Colymbus griseigena C. auritus
- Petasiger neocommense distribution
- Petasiger neocommense Fuhrmann, 1927 Podiceps griseigena P. nigricollis
- Petasiger nitidus Linton, 1928 Podilymbus podiceps (small intestine)
- Petasiger pungens distribution
- Petasiger spasskyi Oschmarin, 1947 Ardea cinerea
- Petasiger [lapsus for: Petasiger] Ginetsinskaia, T. A.; Mashanski, V. F.; and Dobrovolskii, A. A., 1966 a
- Phagicola diminutus (Stunkard and Haviland, 1924) Gambusia affinis (gills)
- Phagicola longus (Ransom, 1920) Price, 1932 Canis familiaris
- Phagicola longa (Ransom, 1920) Price, 1932 Canis familiaris (small intestine)
- Phagicola longa distribution
- Phagicola macrostomus Robinson, 1956 Mollienesia latipinna chicks (exper.)
- Phagicola septentrionalis n. sp. Phoca vitulina (ileum and duodenum)
- Phagicola sinoicum Giur. distribution
- Phaneropsolus Lecithodendriidae, key Gosgrove, G. E., 1966 a, fig. 18
- Roman-Chiriac, E., 1965 a, 143
- Danube delta, Romania
- Kibakin, V. V., 1965 a
- Gasan-Kuliisk game reserve
- Ginetsinskaia, T. A.; Mashanski, V. F.; and Dobrovolskii, A. A., 1966 a, pl. preceding p. 967, fig. 1r
- Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a
- all from USSR, Kamchatka
- Sprehn, C. E. W., 1967 a
- Europe
- Zhatkanbaeva, D., 1965 a
- all from Southern and Central Kazakhstan
- Threlfall, W., 1968 c
- Newfoundland, Canada
- Oshmarin, P. G., 1965 b
- Buriat ASSR
- Ginetsinskaia, T. A.; Mashanski, V. F.; and Dobrovolskii, A. A., 1966 a
- Stein, P. C., 1968 a
- southern Florida
- Burrows, R. B.; and Lillis, W. G., 1965 a, 570
- New Jersey
- Jordan, H. E.; and Maples, W. P., 1966 a
- Georgia
- Sprehn, C. E. W., 1967 a
- Europe
- Stein, P. C., 1968 a
- southern Florida
- van den Broek, E., 1967 a, 1-4, fig. 1
- Dutch Wadden Sea
- Sprehn, C. E. W., 1967 a
- Europe

| | | | |
|---|--|---|--|
| <i>Phaneropsolus orbicularis</i> (Diesing, 1850) <i>Saimiri sciurea</i> | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands | <i>Philophthalmus hovorkai</i> distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Phaneropsolus orbicularis</i> (Diesing, 1850) Braun, 1901 <i>Aotus trivirgatus</i> (small intestine) | Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 188, 189, fig. 5 Panama | <i>Philophthalmus lachrymosus</i> Braun, 1902 <i>Larus dominicanus</i> | Travassos, L. P.; Teixeira de Freitas, J. F.; Machado de Mendonça, J.; and de Oliveira Rodrigues, H., 1960 a Cabo Frio. Estado do Rio de Janeiro |
| <i>Pharyngostomoides</i> Harkema, 1942 Syn.: <i>Parallelorchis</i> Harkema et Miller, 1961. | Dubois, G., 1966 a, 49 | <i>Philophthalmus lucipetus</i> (Rudolphi, 1819) Looss, 1899 <i>Larus argentatus</i> | Threlfall, W., 1966 c, 9 Wales |
| <i>Pharyngostomoides diglossus</i> (Harkema et Miller, 1961) comb. nov. | Dubois, G., 1966 a, 49 | <i>Philophthalmus megalurus</i> (Cort, 1914) | Nollen, P. M., 1968 a, figs. 1-10 radiation studies, reproduction |
| <i>Pharyngostomoides procyonis</i> Harkema, 1942 maternal transmission raccoon (abdominal wall muscles, lungs, small intestine) | Harris, A. H.; Harkema, R.; and Miller, G. C., 1967 b Grove Swamp, North Carolina | <i>Philophthalmus megalurus</i> (Cort, 1914) | Nollen, P. M., 1968 b, figs. 1-10 autoradiography, carbohydrates |
| <i>Pharyngostomum cordatum</i> <i>Felis domesticus</i> | Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang | <i>Philophthalmus nyrocae</i> Yamaguti, 1934 <i>Larus argentatus armenicus</i> <i>Anas angustirostris</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| <i>Pharyngostomum cordatum</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Philophthalmus posavinensis</i> [sic] Richt. distribution | Sprehn, C. E. W., 1967 a Europe |
| <i>Pharyngostomum cordatum</i> <i>sinense</i> n. ssp. | Dubois, G., 1966 a, 20, 47-48, 51, 52, 53 | <i>Philophthalmus problematicus</i> Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a | Tubangui, 1932 <i>Motacilla flava</i> (conjunctival tissue) USSR, Kamchatka |
| <i>Phillodistomum</i> [lapsus for: <i>Phyllodistomum</i>] | Semenova, N. N., 1967 a | <i>Philophthalmus skrjabini</i> Efimov, 1937 <i>Anas platyrhynchos</i> <i>platyrhynchos</i> | Akhumian, K. S., 1966 a Armenian SSR |
| <i>Philophthalmus</i> [sp.] <i>Zeacumantus subcarinatus</i> | Howell, M. J., 1965 a Wellington, New Zealand | <i>Phocitrema fusiforme</i> Goto and Ozaki, 1930 + <i>Phoca hispida</i> (Darm) | Sprehn, C. E. W., 1966 a, 173 |
| <i>Philophthalmus</i> sp. <i>Anas acuta</i> (intestine) | Maksimova, A. P., 1967 a, 130 Western Kazakhstan | <i>Phygidiopsis</i> [lapsus for: <i>Pygidiopsis</i>] | Sprehn, C. E. W., 1967 a |
| <i>Philophthalmus</i> sp. <i>Melanoides tuberculatus</i> | Murty, A. S., 1966 a, figs. 1-2 India | <i>Phyllodistomum</i> life cycle charts, instructions for keeping living material as teaching aid | Bailey, H. H.; and McDaniel, J. S., 1965 a, fig. 4 |
| <i>Philophthalmus burrili</i> n. sp. domestic chicken (exper.) <i>Larus noyaehollandiae</i> | Howell, M. J.; and Bearup, A. J., 1967 a, 182, 183-188, figs. 1-8 Lake Burril, N. S. W.; and Narrabeen Lagoon, N. S. W. | <i>Phyllodistomum</i> [lapsus as: <i>Phillodistomum</i>] | Marits, N. M., 1963 c Moldavia |
| <i>Philophthalmus cupensis</i> Richt. distribution | Sprehn, C. E. W., 1967 a Europe | <i>Phyllodistomum</i> [lapsus as: <i>Phillodistomum</i>] | Semenova, N. N., 1967 a |
| <i>Philophthalmus gralli</i> thermal activation, inactivation <i>Tarebia granifera</i> mauiensis | Cheng, T. C.; and Thakur, A. S., 1967 a | <i>Phyllodistomum</i> sp. <i>Carassius carassius</i> (mocoy mächtýr) | Ergens, R., 1965 c, 154, fig. 9 Fluss Osoblaha (Oder Gebiet) |
| <i>Philophthalmus gralli</i> aminopeptidase activity | Cheng, T. C.; and Yee, H. W. F., 1968 a | <i>Phyllodistomum</i> sp. effect of 7 year drought <i>Lampsilis tampicoensis</i> <i>berlandieri</i> <i>Amblema perplicata</i> | Gentner, H. W.; and Hopkins, S. H., 1966 a, 459 all from Little Brazos River, Texas |
| <i>Philophthalmus hegneri</i> chicks (eye) (exper.) | Fried, B., 1965 b | <i>Phyllodistomum</i> sp. <i>Dreissena polymorpha</i> | Kupriianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| <i>Philophthalmus</i> (<i>Tuboleci-</i> <i>thasmus</i>) <i>hovorkai</i> <i>Fagotia</i> (<i>Microcolpia</i>) <i>acicularis</i> geese (exper.) ducks " chicken " | Buša, V., 1965 a, 2 pls., figs. 1-4 | <i>Phyllodistomum</i> sp. <i>Pimephales promelas</i> (flesh) | Woth, D. R.; and Larson, O. R., 1968 a, 219 Goose River, North Dakota |

- Phyllodistomum* sp. Wyrzykowska, B., 1964 a, 154,
Perca fluviatilis (kidneys) 158
 Zegrzyński Reservoir
- Phyllodistomum angulatum* Belinišova, L. K., 1965 a
 Linst., 1907 Krasnooskol'skoe reservoir
Lucioperca lucioperca
- Phyllodistomum angulatum* Komarova, T. I., 1961 a, 252
 Linstow, 1907 Central Dnieper
Lucioperca lucioperca (ureters)
- Phyllodistomum angulatum* Marits, N. M., 1963 a, 39
 Linstow, 1907 all from Moldavia
 (urinary bladder)
Acerina cernua
Neogobius fluviatilis
- Phyllodistomum angulatum* Sprehn, C. E. W., 1967 a
 distribution Europe
- Phyllodistomum angulatum* Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponamareva, E. V., 1965 a
 (Linstow, 1907) [Lucioperca lucioperca] (Kidneys) Moskov area reservoirs
- Phyllodistomum baueri* Sprehn, C. E. W., 1967 a
 distribution Europe
- Phyllodistomum bychowskii* Sprehn, C. E. W., 1967 a
 distribution Europe
- Phyllodistomum cameroni* Agrawal, V., 1966 g, 217, 221, n. sp. 222, 223, pl. 2, fig. 1 Rita rita (intestine) Lucknow
- Phyllodistomum conostomum* Spasskiĭ, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., Coregonus lavaretus 1965 a pidschian Tuva ASSR
- Phyllodistomum conostomum* Sprehn, C. E. W., 1967 a distribution Europe
- Phyllodistomum coregoni* Dechtiar, A., 1966 b, 135- sp. nov. 140, figs. 2-6, pl. 1, fig. 1 Coregonus clupeaformis Lake of the Woods, Ontario (urinary bladders and ureters)
- Phyllodistomum dogieli* Smirnova, V. A.; and Ibrash- Pigulevsky, 1953 eva, S. I., 1967 a, 73-74, fig. 12 Western Kazakhstan
- Phyllodistomum dogieli* Wyrzykowska, B., 1964 a, 154, Pigulevsky, 1953 Abramis brama (kidneys), 158 Zegrzyńska Reservoir urinary ducts, urinary bladder
- Phyllodistomum elongatum* Kaletskaia, S. L., 1965 a [Abramis brama] all from Zapadnaia Dvina [Alburnus alburnus]
 [Rutilus rutilus]
- Phyllodistomum elongatum* Komarova, T. I., 1961 a, 252 Nybelin, 1926 Central Dnieper Aspius aspius (ureters)
- Phyllodistomum elongatum* Komarova, T. I., 1964 a, 80 Nybelin, 1920 all from Dnieper delta (ureters)
 [Rutilus rutilus heckeli]
 [Abramis brama]
 [Blicca bjoerkna]
 [Rutilus rutilus]
 [Vimba vimba]
 [Abramis ballerus]
 [Abramis sapo]
 [Carassius carassius]
- Phyllodistomum elongatum* Komarova, T. I., 1964 b seasonal distribution Dnieper delta
- Phyllodistomum elongatum* Komarova, T. I., 1966 a, 60 Nybelin, 1926 all from Dnieper estuary (ureters, kidneys)
 [Rutilus r. heckeli]
 [Blicca bjoerkna]
- Phyllodistomum elongatum* Kosareva, N. A., [1966 a] Abramis ballerus reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Phyllodistomum elongatum* Marits, N. M., 1963 a, 39 Nybelin, 1926 all from Moldavia (ureters, kidneys)
 Abramis sapo
 Vimba vimba
- Phyllodistomum elongatum* Sprehn, C. E. W., 1967 a distribution Europe
- Phyllodistomum elongatum* Wyrzykowska, B., 1964 a, 154, Nybelin, 1926 all from Zegrzyński Reservoir (urinary ducts)
 Tinca tinca
 Abramis brama
 Rutilus rutilus
- Phyllodistomum folium* Ergens, R., 1965 c, 154 (Olfers, 1915) all from Fluss Osoblaha (mocový mechýr, mocovody) (Oder Gebiet)
 Alburnus alburnus
 Leuciscus cephalus
 Trutta trutta m. fario
- Phyllodistomum folium* Ha, K., 1964 a (Olfers, 1916) all from Alol group of lakes (Pskov Esox luceus [sic] (urinary oblast) bladder)
- Phyllodistomum folium* Kaletskaia, S. L., 1965 a [Abramis brama] all from Zapadnaia Dvina [Alburnus alburnus]
 [Blicca bjoerkna]
 [Vimba vimba]
 [Leuciscus idus]
 [Leuciscus leuciscus]
 [Leuciscus cephalus]
 [Chondrostoma nasus]
 [Esox lucius]
- Phyllodistomum folium* Komarova, T. I., 1961 a, 252 (urinary bladder and ureters)
 Esox lucius
Acerina acerina
- Phyllodistomum* folium Komarova, T. I., 1963 b [Cyprinus carpio] all from Dneprovsk estuary [Esox lucius]

| | | | |
|--|--|--|--|
| Phyllodistomum folium (Olfers, 1816) | Komarova, T. I., 1964 a, 80 all from Dnieper delta (ureters and urinary bladder) [<i>Rutilus rutilus</i>] [<i>Pelecus cultratus</i>] [<i>Aspius aspius</i>] [<i>Esox lucius</i>] | Phyllodistomum pseudofolium Nybelin, 1926 (urinary bladder) <i>Acerina cernua</i> <i>Neogobius fluviatilis</i> <i>Lucioperca lucioperca</i> | Marits, N. M., 1963 a, 38 all from Moldavia |
| Phyllodistomum folium seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Phyllodistomum pseudofolium distribution | Sprehn, C. E. W., 1967 a Europe |
| Phyllodistomum folium (Olfers, 1916) [<i>Aspius aspius</i>] | Komarova, T. I., 1966 a, 60 Dnieper estuary | Phyllodistomum pseudofoilum (Nybelin, 1926) (urinary bladder) [<i>Acerina cernua</i>] [<i>Perca fluviatilis</i>] [<i>Lucioperca lucioperca</i>] | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |
| Phyllodistomum folium (Olfers, 1916) (urinary bladder) <i>Silurus glanis</i> | Marits, N. M., 1963 a, 38 Moldavia | Phyllodistomum simile distribution | Sprehn, C. E. W., 1967 a Europe |
| Phyllodistomum [sic] folium [<i>Esox lucius</i>] | Semenova, N. N., 1967 a Moskov oblast | Phyllodistomum [sic] skrjabini sp. nov. Rachicentron canadus (kidneys, urinary bladder) | Parukhin, A. M., 1963 a, 124, 125, fig. 2 Tonkin Bay |
| Phyllodistomum folium distribution | Sprehn, C. E. W., 1967 a Europe | Phyllodistomum staffordi Pearse, 1924 life history <i>Musculipora ryckholti</i> <i>Ameiurus nebulosus</i> (urinary bladder) damselflies <i>Trichoptera</i> [sp.] | Schell, S. C., 1967 a, figs. 1-22 Robinson Lake, Latah Co., Idaho Atwater Lake, Latah Co., Idaho Spring Valley Reservoir, Latah Co., Idaho |
| Phyllodistomum folium (Olfers, 1916) [<i>Esox lucius</i>] (urinary bladder) | Vasil'kov, G. V.; Kamenskii, I. V.; Birukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs | Phyllodistomum staffordi Pearse, 1924 Ictalurus melas (urinary bladder) | Voth, D. R.; and Larson, O. R., 1968 a, 219 Goose River, North Dakota |
| Phyllodistomum folium (Olfers, 1816) Braun, 1899 | Wyrzykowska, B., 1964 a, 154, 158 <i>Esox lucius</i> (urinary ducts, Zegrzynski Reservoir urinary bladder) | Phyllodistomum strictum sp. nov. (intestine (?)) Formio niger | Oshmarin, P. G., 1965 c, 237-238, figs. 19-20 North Vietnam |
| Phyllodistomum ghanense Thomas, 1958 Ctenopoma kingslayae | Williams, M. O.; and Chaytor, D. E. B., 1966 a, 565-566 Bush water, Hastings, Free-Bush water, Hastings, Free- (ureter and urinary bladder) town Peninsula, Sierra Leone | Phyllodistomum trinectes Corkum, 1961 Trinectes maculatus (urinary bladder) | Corkum, K. C., 1966 b, 46 Barataria Bay, Louisiana |
| Phyllodistomum limnosa n. sp. (ureters and bladder) | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1917-1918, 1919, fig. 3, 4-5 all from Newfoundland | Phyllodistomum tripathi (Motwani and Srivastava, 1961) Bagarius yarrellii (intestine) Pseudeutropius garua " | Agrawal, V., 1966 g, 222, 223, 224-225, pl. 2, figs. 2-5 all from Lucknow |
| Phyllodistomum massino distribution | Sprehn, C. E. W., 1967 a Europe | Phyllodistomum zachvatkini Sprehn, C. E. W., 1967 a distribution Europe | Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 371 as syn. of <i>Trochopus Diesing</i> , 1850. |
| Phyllodistomum megalorchis [<i>Lota lota</i>] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Pisciamphistoma reynoldsi Bogitsh and Cheng, 1959 <i>Lepomis cyanellus</i> <i>Lepomis megalotis</i> | McGraw, J. L., (jr.); and Allison, T. C., 1967 a all from Little River system, Texas |
| Phyllodistomum megalovum sp. nov. (<i>urinary bladder</i>) | Oshmarin, P. G., 1965 c, 234-237, fig. 18 <i>Cranoglanis multiradiatus</i> | Placunella Beneden and Hesse, 1863 | Larson, O. R., 1966 a Itasca Park, Minnesota |
| Phyllodistomum petruschewskii distribution | Sprehn, C. E. W., 1967 a Europe | Plagiocirrus sp. <i>Notropis volucellus</i> (intestine) | Ichihara, A.; et al, 1965 a Sagami Bay, Japan |
| Phyllodistomum pseudofolium [<i>Perca fluviatilis</i>] | Kaletskaia, S. L., 1965 a Zapadnaia Dvina | Plagioporus sp. <i>Parapristipoma trilineatum</i> 6 (intestine) | |
| Phyllodistomum pseudofolium Nybelin, 1926 | Komarova, T. I., 1961 a, 252 Central Dnieper | | |
| <i>Acerina acerina</i> (ureters) | | | |

- Plagioporus sp. Ichihara, A.; et al., 1965 b
Parapristipoma trilineatum Sagami Bay
- Plagioporus sp. Ichihara, A.; et al., 1965 c
Parapristipoma trineatum Bay of Sagami
- Plagioporus angulatus Sprehn, C. E. W., 1967 a
distribution Europe
- Plagioporus angusticolle Marits, N. M., 1963 a, 43
(Hausmann, 1896) Moldavia
Neogobius fluviatilis (intestine)
- Plagioporus angusticolle Sprehn, C. E. W., 1967 a
distribution Europe
- Plagioporus beringi sp. nov. Mamaev, Iu. L., 1965 a, 170,
(stomach) 176, 177, fig. 1
Coryphaenoides sp. Bering Sea
- Plagioporus leporinus Pritchard, M. H., 1966 a, 162
Dobrovolny, 1939
as syn. of *Allopodocotyle leporinus* (Dobrovolny, 1939)
n. comb.
- Plagioporus leporinus Wilson, K. A.; and Ronald, K.,
Dobrovolny, 1939 1967 a
Petromyzon marinus
(intestine) Great Lakes region
- Plagioporus (Caudotestis) neopercis Yamaguti, 1938 Pritchard, M. H., 1966 b,
(intestine) 188, 189, 190, fig. 13
Thalassoma bellieui
T. duperreyi all from Hawaii
- Plagioporus occidentalis Sprehn, C. E. W., 1967 a
distribution Europe
- Plagioporus skrjabini Chaplina, O. M.; and Antish-
Kowal, 1950 kina, L. M., 1961 a
[*Proterorhinus marmoratus*] all from small rivers of
[*Crenilabrus tinca*] Northern Azov
- Plagioporus skrjabini Sprehn, C. E. W., 1967 a
distribution Europe
- Plagioporus stefanskii Sprehn, C. E. W., 1967 a
distribution Europe
- Plagioporus virens Pritchard, M. H., 1966 a, 163
Sinitzin, 1931
as syn. of *Allopodocotyle virens* (Sinitzin, 1931)
n. comb.
- Plagiorchidae Chernogorenko-Bidulina, M. I.,
not harmed by industrial 1963 a
pollution Desna river
- Plagiorchidae larvae Stadnichenko, A. P., 1968 a
causes decrease in cardiolipins in digestive gland of
mollusks
- Plagiorchidae [sp.] Chibichenko, N. T., 1966 b,
Radix auricularia 68
Hyraulus ehrenbergi all from lake Issyk-kul
Limnaea stagnalis
Gammarus lacustris
- Plagiorchidae Haematoloechiae Odening, K., 1960 h, 1-66
taxonomic review
- Plagiorchiinae sp. Parry, J. E.; and Grundmann,
"larval forms" (leg and A. W., 1965 a
back muscles) all from Utah
Bufo microscaphus
Hyla arenicolor
Rana pipiens
- Plagiorchis Luhe, 1899 Timofeeva, T. N., 1963 a
diagnostic characteristics of species
- Plagiorchis sp. Chibichenko, N. T., 1966 b,
[Odonata] 69
lake Issyk-kul
- Plagiorchis sp. I. Makarenko, V. K., 1965 a, 166
Sylvia borin (small in- USSR, central Urals
testine)
- Plagiorchis sp. II (small Makarenko, V. K., 1965 a, 166
intestine) all from USSR, central Urals
Muscicapa striata
Eriothacus rubecula
Prunella modularis
- Plagiorchis sp. Oshmarin, P. G., 1965 b
Falco vespertinus Buriat ASSR
- Plagiorchis (P.) sp. Sharpilo, L. D., 1963 a
Rattus norvegicus right-bank steppes,
Ukrainian SSR
- Plagiorchis sp. Todd, K. S. (jr.); Ernst, J.
Pica pica hudsonia V.; and Hammond, D. M.,
(intestine) 1967 a
Logan, Cache Co., Utah
- Plagiorchis ameiurensis Edwards, S. R.; and Nahhas,
McCoy, 1928 F. M., 1968 a, 250-251
as syn. of *Alloglossidium* corti (Lamont, 1921) Mueller,
1930
- Plagiorchis arcuatus Kupriianova-Shakhmatova, R.
Bithynia tentaculata A., 1965 a
USSR, central Povolzh'e
- Plagiorchis (Multiglandularis) arvicola Schulz et Andreiko, A. F.; Pinchuk,
Skvorcov, 1931 L. M.; and Skvortsov, V. G.,
Arvicola terrestris 1963 b, 26, 27, fig. 2
(small intestine) all from Moldavian SSR
Ondatra zibethica (small intestine; gall bladder;
liver; pancreas)
- Plagiorchis (Multiglandularis) arvicola Schulz et Kubanov, N. M., 1964 a, 7
Skvorcov, 1931 Yakutia
Arvicola terrestris (large intestine)
- Plagiorchis arvicola Kadenatsii, A. N., 1965 a
[Ondatra zibethica] Omsk lesostep
- Plagiorchis arvicolae Schulz Sharpilo, L. D., 1961 a, 204
et Skwrtzow, 1931 Ukraine
Arvicola terrestris
- Plagiorchis (Multiglandularis) arvicolae Sharpilo, L. D., 1964 a, 209,
[Arvicola terrestris] fig. 3.
(intestine) Ukraine
- Plagiorchis arvicolae Tenora, F., 1965 c, 70, 72
Apodemus flavicollis Czechoslovakia
Apodemus sylvaticus

| | | | |
|--|---|--|---|
| <i>Plagiorchis arvicola</i> Schulz et Skworzow 1931 <i>Apodemus</i> [spp.] | <i>Wahl, E.</i> , 1967 a, fig. 1a-c Val de l'Allondon (Geneva) | <i>Plagiorchis elegans</i> (Rud., 1802) <i>Lanius cristatus</i> <i>Aegithalos caudatus</i> <i>Sturmus vulgaris</i> <i>Phylloscopus sibilatrix</i> <i>Dryobates major</i> | Khotenovskii, I. A., 1963 a all from Leningrad oblast |
| <i>Plagiorchis (Multiglandularis) asperus</i> Stossich, 1904 <i>Miniopterus schreibersii</i> | <i>Mituch, J.</i> , 1965 a, 113, 117, 118, fig. 2 Slovakia (CSSR) | <i>Plagiorchis elegans</i> (Rud., 1802) (small intestine) <i>Cuculus canorus</i> | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka |
| <i>Plagiorchis (Plagiorchis) berghei</i> Vercammen-Grandjean, 1960 as syn. of <i>Reynoldstrema berghei</i> (Vercammen-Grandjean, 1960) n. comb. | Fischthal, J. H.; and Thomas, Berghei Vercammen-Grandjean, J. D., 1968 a, 7 | <i>Plagiorchis elegans</i> (Rudolfi, 1802) [1967 a] Latvian SSR | [1967 a] Latvian SSR |
| <i>Plagiorchis blumbergi</i> Massino, 1927 (intestine) <i>Dryobates major</i> | Makarenko, V. K., 1965 a, 164 USSR, central Urals | <i>Syn.: Plagiorchis strictus</i> Strom, 1940 <i>Fringilla coelebs</i> (small intestine) | |
| <i>Plagiorchis brauni</i> Massino, 1927 1927 <i>Pica pica</i> | Chernobai, V. F., 1965 a Volgograd oblast | <i>Plagiorchis (M.) eutamiatis</i> Schulz, 1932 <i>Ondatra zibethica</i> (small intestine; stomach; blind intestine) | Genov, T., 1964 a, 98-99 Srebarna, Siliстра District, Bulgaria |
| <i>Plagiorchis brauni</i> Massino, 1927 (intestine) <i>Nucifraga caryocatactes</i> <i>Dryobates major</i> | Makarenko, V. K., 1965 a, 164 all from USSR, central Urals | <i>Plagiorchis (Multiglandularis) eutamiatis</i> Schulz, 1932 (small intestine) <i>Citellus undulatus</i> <i>Eutamias sibiricus</i> | Gubanov, N. M., 1964 a, 7 all from Yakutia |
| <i>Plagiorchis brauni</i> Massino, 1927 diagnostic characteristics Syns.: <i>P. casarcii</i> ; <i>P. loossi</i> Massino, 1927; <i>P. uhl-wormi</i> Massino, 1927 | Timofeeva, T. N., 1963 a, fig. 4v | <i>Plagiorchis eutamiatis</i> [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep |
| <i>Plagiorchis brauni</i> Massino, 1927 1927 <i>Cuculus canorus</i> (small intestine) | Timofeeva, T. N., 1963 a, fig. 4v | <i>Plagiorchis (Multiglandularis) eutamiatis</i> [sic] rodents | Tokobaev, M. M., 1965 a Kirgiz |
| <i>Plagiorchis brevifarynx</i> [sic] as syn. of <i>Plagiorchis marii</i> Skrjabin 1920 | Timofeeva, T. N., 1963 a | <i>Plagiorchis (Multiglandularis) eutamiatis</i> Schulz, 1932 [<i>Apodemus sylvaticus</i>] (small intestine) | Tokobaev, M. M.; and Erkulov, K. E., 1966 a, 5-6, fig. 3 Kirgiz |
| <i>Plagiorchis casarcii</i> as syn. of <i>Plagiorchis brauni</i> Massino 1927 | Timofeeva, T. N., 1963 a | <i>Plagiorchis (Multiglandularis) eutamiatis zibethicus</i> Andreiko, A. F.; Pinchuk, L. M.; and Skvorstov, V. G., 1963 b, 24, 25, fig. 1 all from Moldavian SSR | Vassiliev, 1939 (small intestine) <i>Ondatra zibethica</i> <i>Arvicola terrestris</i> |
| <i>Plagiorchis cirratus</i> (Rud. 1802) <i>Passer domesticus</i> <i>P. montanus</i> | Gräfner, G., 1962 a, 237 | <i>Plagiorchis (Multiglandularis) eutamiatis zibethicus</i> Vassiliev, 1939 Fiber zibethicus (Darmkanal) | Edelényi, B., 1965 a, fig. 6 Karelien, Moldau, Hungary |
| <i>Plagiorchis cirratus</i> distribution | Sprehn, C. E. W., 1967 a Europe | <i>Plagiorchis (Multiglandularis) eutamiatis zibeticus</i> [sic] Vassiliev, 1939 [<i>Ondatra zibethica</i> (small intestine) | Gubanov, N. M., 1964 a, 8, fig. 1 Yakutia |
| <i>Plagiorchis corti</i> Lamont, 1921 as syn. of <i>Alloglossidium corti</i> (Lamont, 1921) Mueller, 1930 | Edwards, S. R.; and Nahhas, F. M., 1968 a, 250-251 | <i>Plagiorchis exasperatus</i> (Rudolphi, 1819) Syns: <i>Echinostoma exasperatus</i> (Rudolphi, 1819) Nicol 1931; <i>Distoma rubens</i> Dujardin, 1845 <i>Neomys anomalus</i> (Darmkanal) Kis-Balaton, Hungary | Edelényi, B., 1965 a, fig. 5 |
| <i>Plagiorchis elegans</i> (Rudolphi, 1802) [<i>Oriolus oriolus</i>] [<i>Passer domesticus</i>] | Daija, G. G., 1965 a all from Latvian SSR | <i>Plagiorchis extremus</i> Strom, 1940 diagnostic characteristics | Gubanov, N. M., 1964 a, 8, fig. 1 Yakutia |
| <i>Plagiorchis elegans</i> (Rud. 1802) <i>Passer domesticus</i> <i>P. montanus</i> | Gräfner, G., 1962 a, 237 | <i>Plagiorchis laricola</i> [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep |

- Plagiorchis laricola* Skryabin, 1924 (small intestine, rectum) Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. N.; 1965 a all from USSR, Kamchatka [Ondatra zibethicus]
Larix kaempferi
L. cemara
Sternus hirundo
S. omissus
S. longicaudus
Colaptes griseiceps
- Plagiorchis laricola* Skryabin, 1924 (small intestine) Leonov, V. A.; Belogurov, O. I.; Tschablikin, A. K.; and Stachkin, Z. N.; 1965 a all from USSR, Kamchatka [Corvus corone
Alauda arvensis
Muscicapa cyaneolana
Phylloscopus borealis
Locustella obohotensis
- Plagiorchis laricola* Skryabin, 1924 (small intestine) Leonov, V. A.; Belogurov, O. I.; Tschablikin, A. K.; and Stachkin, Z. N.; 1965 a all from USSR, Kamchatka [Gallus gallus] (small intestine)
- Plagiorchis laricola* Skryabin, 1924 Tsimbaluk, A. K.; [1966 a] Kamchatka Islands
- Plagiorchis laricola* Skryabin, 1924 Calidris maritima coesi
- Plagiorchis laricola* Skryabin, 1924 Vol'skis, G. I.; [1967 a] b1n, 1968 Larus ridibundus (small intestine)
- Plagiorchis* (Plagiorchis) laurentii Verammen-Grandjean, 1960 Pischthel, J. H.; and Thomas, J. D.; 1968 a, 7 as syn. of Reynoldstremma laurentii (Verammen-Grandjean 1960) n. comb.
- Plagiorchis* (Plagiorchis) linnaegele n. sp. Richardi, J.; 1965 a, 103; fig. 1 Mus musculus (rectum) Antennapendru (Antistrebo)
- Plagiorchis laosii* Massino, 1927 Leonov, V. A.; Belogurov, O. I.; Tschablikin, A. K.; and Locustella obohotensis (small intestine) Stachkin, Z. N.; 1965 a USSR, Kamchatka
- Plagiorchis laosii* Massino, 1927 Makarenko, V. K.; 1965 a USSR, central Urals Sylvia borin (small intestine)
- Plagiorchis laoensis* Massino, 1927 Timofeeva, T. N.; 1963 a 1927 as syn. of Plagiorchis brauni Massino 1927
- Plagiorchis lutras* distribution Sprahn, C. E. W.; 1967 a Europe
- Plagiorchis* (Multiplagiorchis) macrobreathum nov. sp. Falta europea (Intestine) Gherkova, A. N.; and Rodionova, T. B.; [1966 a], 299-300, fig. 1 Sukhumsk region of Georgian SSR
- Plagiorchis maculosus* (Hedelphi, 1902) [Hirundo rustica] [Sturnus vulgaris] [Delichon urbica] Delia, G. G.; 1965 a all from Latvian SSR
- Plagiorchis maculosus* Passer domesticus P. montanus Grünauer, G.; 1962 a, 237
- Plagiorchis maculosus* Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. N.; 1965 a all from USSR, Kamchatka [Ripaia riparia
Parus major
Passer domesticus
Prunella modularis
Erithacus rubecula
Dryocopus minor
- Plagiorchis maculosus* (Ripaia riparia) Leonov, V. A.; Belogurov, O. I.; Tschablikin, A. K.; and Stachkin, Z. N.; 1965 a Metacilla clirensis M. flava Actitis hypoleucos Riparia riparia
- Plagiorchis maculosus* (Ripaia riparia) Ryzhova, A. A.; and Novostroev, S. S.; 1965 a Cuprimilus europaeus Dryobates major Hirundo rustica Garrulus glandarius Fringilla coelebs Emberiza citrinella Sexicola rubetra Sitta europaea
- Plagiorchis* (P.) maculosus Mus musculus Sharpilo, L. D.; 1963 a right-bank steppes, Ukrainian SSR
- Plagiorchis* (Plagiorchis) makarenkoi (Rad., 1923) Mus musculus Sharpilo, L. D.; 1964 a, 208, fig. 2 Ukraine
- Plagiorchis* (P.) maculosus distribution Sprehn, C. E. W.; 1967 a Europe
- Plagiorchis* (P.) maculosus (Mus musculus) Timofeeva, T. N.; 1963 a, 1927 diagnostic characteristics Timofeeva, T. N.; 1963 a, 1927 fig. 3a
- Plagiorchis* (Plagiorchis) makarenkoi (Rad., 1923) [Mus musculus] [Apodemus sylvaticus] Dyromys nitidulus Tokobayev, M. M.; 1965 a Kirgiz
- Plagiorchis* (Plagiorchis) makarenkoi (Rad., 1923) [Mus musculus] Tokobayev, M. M.; and Erikulov, K. E.; 1966 a, 4, 5, fig. 2 all from Kirgiz
- Plagiorchis* (Plagiorchis) makarenkoi (Rad., 1923) (intestine) Hirundo rustica Sturnus vulgaris Vol'skis, G. I.; [1967 a] all from Latvian SSR
- Plagiorchis* (Plagiorchis) makarenkoi (Rad., 1923) diagnostic characteristics Sys.: P. brevifarynx [sic]; P. petrovii [sic]

Urals

| | | | |
|---|---|---|---|
| Plagiorchis (Multiglandularis) massino Petrov et Tichonov, 1927 [<i>Vulpes fulva</i>] (small intestine) | Gubanov, N. M., 1964 a, 8 Yakutia | Plagiorchis morosovi Sobolev, 1946 (small intestine) <i>Dryobates minor</i> <i>Parus atricapillus</i> | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a all from USSR, Kamchatka |
| Plagiorchis massino <i>Alopex lagopus</i> | Luzhkov, A. D., 1963 c Yamal peninsula | Plagiorchis morosovi Sobolev, 1946 <i>Tringa ochropus</i> (small intestine) | Makarenko, V. K., 1965 a, 166 USSR, central Urals |
| Plagiorchis (M[ultiglandularis]) massino Petrov et Tichonov, 1927 (small intestine) [<i>Vulpes vulpes</i> [<i>Canis familiaris</i>] | Safronov, M. G., 1966 a, 9 all from Yakutia | Plagiorchis motacillae Yamaguti, 1939 [<i>Motacilla alba duk-hunensis</i>] | Daiia, G. G., 1965 a Latvian SSR |
| Plagiorchis melanderi Semenov, 1927 <i>Phylloscopus fuscatus</i> (small intestine) | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka | Plagiorchis multi-glandularis Semenov, 1927 <i>Larus argentatus armenicus</i> <i>Tringa hypoleucos</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| Plagiorchis mentulatus (Rud.) [<i>Lacerta agilis</i>] | Markov, G. S.; Lukina, G. P.; Markova, L. I.; and Mozgina, A. A., 1964 a Northern Caucasus | Plagiorchis (Multiglandularis) multiglandularis Semenov, 1927 <i>Arvicola terrestris</i> (small intestine) | Gubanov, N. M., 1964 a, 8 Yakutia |
| Plagiorchis mentulatus <i>Lacerta agilis</i> | Shevchenko, N. N., 1963 b Severskii Donets valley | Plagiorchis multiglandularis [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep |
| Plagiorchis mentulatus distribution | Sprehn, C. E. W., 1967 a Europe | Plagiorchis multiglandularis Khotenovskii, I. A., 1963 a Sem., 1927 <i>Dryobates major</i> | Leningrad oblast |
| Plagiorchis micracanthos McMullen, 1937 <i>Physa gyrina</i> | Acholou, A. D., 1964 c northern Colorado | Plagiorchis multiglandularis Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a all from USSR, Kamchatka | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a all from USSR, Kamchatka |
| Plagiorchis micracanthos Pipistrellus subflavus subflavus (intestine) | Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Nebraska | Cuculus canorus <i>Corvus corone</i> <i>Fringilla montifringilla</i> <i>Emberiza aureola</i> <i>E. pusilla</i> <i>E. pallasi</i> <i>Calcarius lapponicus</i> <i>Motacilla cinerea</i> <i>M. flava</i> <i>Anthus hodgsoni</i> <i>A. cervina</i> <i>Sitta europaea</i> <i>Parus atricapillus</i> <i>Phylloscopus trochilus</i> <i>P. borealis</i> <i>P. fuscatus</i> | Cuculus canorus <i>Corvus corone</i> <i>Fringilla montifringilla</i> <i>Emberiza aureola</i> <i>E. pusilla</i> <i>E. pallasi</i> <i>Calcarius lapponicus</i> <i>Motacilla cinerea</i> <i>M. flava</i> <i>Anthus hodgsoni</i> <i>A. cervina</i> <i>Sitta europaea</i> <i>Parus atricapillus</i> <i>Phylloscopus trochilus</i> <i>P. borealis</i> <i>P. fuscatus</i> |
| Plagiorchis micracanthos Macy, 1931 diagnostic characteristics | Timofeeva, T. N., 1963 a, fig. 2v | Plagiorchis multiglandularis Makarenko, V. K., 1965 a Semenov, 1927 (small intestine) all from USSR, central Urals | Makarenko, V. K., 1965 a USSR, central Urals |
| Plagiorchis micromaculosus Skrjabin et Massino, 1925 <i>Corvus corax</i> (small intestine) | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a USSR, Kamchatka | Plagiorchis multiglandularis Makarenko, V. K., 1965 a Semenov, 1927 (small intestine) all from USSR, central Urals | Makarenko, V. K., 1965 a USSR, central Urals |
| Plagiorchis micronotabilis Semenov, 1927 (intestine) <i>Fringilla montifringilla</i> <i>Emberiza aureola</i> <i>Calcarius lapponicus</i> <i>Alauda arvensis</i> <i>Locustella ochotensis</i> | Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a all from USSR, Kamchatka | Plagiorchis multiglandularis Sprehn, C. E. W., 1967 a Europe | Sprehn, C. E. W., 1967 a Europe |
| Plagiorchis (P.) miniopteri n. sp. Miniopterus schreibersii | Mituch, J., 1965 a, 109, 110, 111, 112, 117, 118, 119, fig. 1 Slovakia (CSSR) | Plagiorchis multiglandularis Semenov, 1927 diagnostic characteristics | Timofeeva, T. N., 1963 a, figs. 1; 2b |
| Plagiorchis mordovii Schaldybin, 1958 (= P. symmetrica, 1958) diagnostic characteristics | Timofeeva, T. N., 1963 a, fig. 2g | Plagiorchis muris Citellus tridecemlineatus | Cahill, J. E.; Lewert, R.M.; and Jaroslav, B. N., 1967 a Chicago |
| Plagiorchis morosovi Sobolev, 1946 (duodenum, small intestine) <i>Larus shistisagus</i> <i>L. canus</i> <i>Sterna camtschatica</i> <i>S. hirundo</i> | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 134, fig. 6 all from USSR, Kamchatka | Plagiorchis muris Lymnaea emarginata | Farley, J., 1967 a Lake Ainslie, Cape Breton Island |

- Plagiorchis muris
Microtus pennsylvanicus
(small intestine)
Plagiorchis muris Tanabe
Apodemus agrarius
Plagiorchis (M[ultiglandularis]) muris
Mus musculus
Plagiorchis (Multiglandularis) muris (Tanabe, 1922)
[Apodemus agrarius]
Mus musculus (small intestine)
Plagiorchis muris
Tanabe, 1922
Rattus norvegicus
Plagiorchis muris
dogs
Plagiorchis muris
life cycle
Plagiorchis muris
life history
Plagiorchis mutationis
Panova, 1927
Larus ridibundus (small intestine)
Plagiorchis mutationis
Panova, 1927
Radix ovata
Limnaea stagnalis
Galba palustris
Planorbis planorbis
Bithynia tentaculata
Glyptotendipes gr. gripekoveni (exper.)
Chironomus gr. plumosus (exper.)
Aedes sp. (exper.)
Erythromma najas (exper.)
Cloeon dipterum (exper.)
Hybius sp. (exper.)
Phryganea sp. (exper.)
Plagiorchis mutationis
Panova, 1927
diagnostic characteristics
Plagiorchis noblei Park
Agelaius phoeniceus
(intestine)
Plagiorchis noblei Park,
1936
Limnaea (Stagnicola) reflexa (Say)
Agelaius phoeniceus phoeniceus
Aedes aegypti (exper.)
Gallus domesticus "
Plagiorchis notabilis
Nicoll, 1903
Motacilla cinerea
(small intestine)
Kinsella, J. M., 1967 a, 271
western Montana
Sharpilo, L.D., 1961 a, 204
Ukraine
Sharpilo, L. D., 1963 a
right bank-steppes,
Ukrainian SSR
Sharpilo, L. D., 1964 a, 209-
210
Ukraine, all from
Shen, Y.-P., 1968 a
Kiangsu Province, China
Shiraishi, S.; and Inokuchi,
T., 1965 a
delta of Chikugo River
Watanabe, S.; and Ueno, H.,
1962 a
Watanabe, S.; and Ueno, H.,
1963 a
Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a
Tuva
Shigina, N. G., 1965 a, fig. 1-5
all from USSR, Darwin pre-
serve
Timofeeva, T. N., 1963 a,
fig. 4a
Bourns, T. K. R., 1966 a
Peterborough, Ontario
Williams, R. R., 1964 b
Calamus Swamp, Pickaway Co.,
Ohio
Leonov, V. A.; Belogurov, O.
I.; Tsimbaliuk, A. K.; and
Sinichkin, Z. N., 1965 a
USSR, Kamchatka
Plagiorchis notabilis
(?) Nicoll, 1909
Phylloscopus nitidus (small intestine)
Phylloscopus nitidus viridanus (small intestine)
Plagiorchis nyrocae Ryjikov et Timofeeva, 1962
Anas crecca
Plagiorchis obensis
[Ondatra zibethica]
Plagiorchis obtusus Strom,
1940 (intestine)
Larus canus
L. shistisagus
Sterna camtschatica
Plagiorchis obtusus
Strom, 1940 (small intestine)
Dryobates minor
Motacilla alba
M. cinerea
M. flava
Emberiza pusilla
Passerculus sandvicensis
Alauda arvensis
Sitta europaea
Muscicapa griseisticta
M. cyanomelana
Plagiorchis peterborensis
sp. n.
Lymnaea stagnalis appressa
Mus musculus (exper.)
Aedes aegypti (exper.)
Plagiorchis petrovi [sic]
Timofeeva, T. N., 1963 a
as syn. of Plagiorchis marii Skrjabin 1920
Plagiorchis potanini
Skrjabin, 1928
Nyroca ferina
Plagiorchis proximus
Ondatra zibethicus
Plagiorchis proximus
Barker, 1915
Ondatra z. zibethica
Plagiorchis proximus
Lymnaea emarginata
Plagiorchis proximus
Barker, 1915
Ondatra zibethicus osoyoosensis
Plagiorchis proximus
[Ondatra zibethica]
Plagiorchis proximus
distribution
Plagiorchis proximus
Apodemus flaviventer
Plagiorchis strictus
Strom, 1940
diagnostic characteristics
Makarenko, V. K., 1965 a
all from USSR, central Urals
Maksimova, A. P., 1967 a, 127,
fig. 1
Western Kazakhstan
Kadenatsii, A. N., 1965 a
Omsk lesostep
Leonov, V. A.; Belogurov, O.
I.; Shagvalieva, N. M.; and
Bondarenko, S. K., 1965 a, 134
all from USSR, Kamchatka
Leonov, V. A.; Belogurov, O.
I.; Tsimbaliuk, A. K.; and
Sinichkin, Z. N., 1965 a
all from USSR, Kamchatka
Kavelaars, J.; and Bourns,
T. K. R., 1968 a, 135-140,
figs. 1-9
Peterborough, Ontario
Maksimova, A. P., 1967 a, 127
Western Kazakhstan
Anderson, D. R.; and Beau-
doin, R. L., 1966 a, 72
Centre County, Pennsylvania
Beckett, J. V.; and Gallicchio, V., 1967 a, 1171
Portage County, Ohio
Farley, J., 1967 a
Lake Ainslie, Cape Breton
Island
Grundmann, A. W., and Tsai,
Yuan-Hwang, 1967 a
Salt Lake Valley, Utah
Kadenatsii, A. N., 1965 a
Omsk lesostep
Sprehn, C. E. W., 1967 a
Europe
Tenora, F., 1965 c, 70, 72,
73
Czechoslovakia
Timofeeva, T. N., 1963 a,
fig. 4b

| | | | |
|---|--|---------------------------------------|---------------------------------|
| <i>Plagiorchis strictus</i> | Vol'skis, G. I., [1967 a] | <i>Plagitura intermedia</i> sp. n. | Etges, F. J.; and Bonner, T.P., |
| Strom, 1940 | as syn. of <i>Plagiorchis elegans</i> (Rudolphi, 1802) | <i>Notophthalmus viridescens</i> | 1965 a, 775-776, fig. 1 |
| <i>Plagiorchis (P.) talassen-</i> | Tokobaev, M. M., 1965 a | <i>viridescens</i> (small intes- | Bear Lake, Shawnee State |
| <i>sis (in lit.) [nomen nudum]</i> | Kirgiz | tine) | Park, Ohio |
| <i>Plagiorchis (Plagiorchis)</i> | Tokobaev, M. M.; and Erkulov, | <i>Plagitura parva</i> | Mead, R. W.; and Cordero, |
| <i>talassensis</i> Tokobajev et | K. E., 1966 a, 3, 4, fig. 1 | <i>Triturus viridescens</i> | K. P., 1967 a |
| <i>Erikulov nov. sp.</i> | Kirgiz | (exper.) (intestine) | Elkins, West Virginia |
| <i>Dyromys nitedula</i> (small intestine) | | <i>Helisoma antrosa</i> | |
| <i>Plagiorchis triangularis</i> | Leonov, V. A.; Belogurov, O. | <i>Platynosomum</i> | Cosgrove, G. E., 1966 a, |
| (Diesing, 1850) Braun, 1901 | I.; Tsimbaliuk, A. K.; and | <i>Dicrocoeliidae</i> , key | fig. 9 |
| (small intestine) | Sinichkin, Z. N., 1965 a | <i>Platynosomum amazonensis</i> | |
| <i>Motacilla cinerea</i> | USSR, Kamchatka | sp. nov. | Kingston, N.; and Cosgrove, |
| <i>Plagiorchis uhlwurmii</i> | Dubinin, V. B., 1938 a, 132, | (biliary ducts) | G. E., 1967 a, 147, 148, 149, |
| (Massino, 1927) | 133-134 | <i>Callimico goeldii</i> | 150, 151, fig. 1 |
| <i>Plegadis falcinellus</i> | Astrakhan game reserve | <i>Saguinus nigricollis</i> | all from South America, |
| <i>Plagiorchis uhlwurmii</i> | Timofeeva, T. N., 1963 a | <i>Platynosomum concinnum</i> | Amazon headwaters |
| Massino, 1927 | as syn. of <i>Plagiorchis brauni</i> Massino 1927 | (Braun, 1901) | |
| <i>Plagiorchis (P.) vespertilio-</i> | Gubanov, N. M., 1964 a, 7 | stray cat (liver) | Greve, J. H.; and Leonard, P.O. |
| <i>lionis</i> (Miller, 1780) | all from Yakutia | <i>Platynosomum costaricense</i> | 1966 a, figs. 1-2 |
| (small intestine) | | n. sp. | Illinois |
| <i>Ondatra zibethica</i> | Mituch, J., 1965 a, 109, 110, | <i>Buteo nitidus micrus</i> | Brenes Madrigal, R. R., |
| <i>Eptesicus nilssonii</i> | 117 | (vesicula biliar) | Arroyo Sancho, G.; and Muñoz, |
| <i>Plagiorchis (P.) vespertilio-</i> | Slovakia (CSSR) | <i>Platynosomum fastosum</i> | G., 1966 a, pp. 129-130, 131, |
| <i>lionis</i> (Miller, 1784) | Nickel, P. A.; and Hansen, | <i>Felis catus</i> | fig. 3 |
| Braun, 1900 | M. F., 1967 a, 482 | <i>Platynosomum fastosum</i> | Tilarán, Guanacaste, Costa |
| <i>Miniopterus schreibersii</i> | Kansas | Kossack, 1910 | Rica |
| <i>Plagiorchis vespertilio-</i> | Myotis lucifugus luci- | allometric growth | |
| <i>lionis</i> | fugus (intestine) | <i>Platynosomum marmoseti</i> | |
| <i>Eptesicus fuscus</i> | Nebraska | sp. nov. | Kingston, N.; and Cosgrove, |
| <i>fuscus</i> | Richard, J., 1966 a, 413-415, | <i>Saguinus nigricollis</i> | G. E., 1967 a, 148, 149, 150, |
| <i>Myotis lucifugus luci-</i> | 426, fig. 1 | (biliary ducts) | 151, fig. 2 |
| <i>fugus (intestine)</i> | Tananarive | <i>Platynosomum muris</i> | South America, Amazon |
| <i>Plagiorchis (P.) vespertilio-</i> | Sprehn, C. E. W., 1967 a | (Stscherbakova, 1942) | headwaters |
| <i>lionis</i> (Miller, 1784) Braun | Europe | Skrjabin, 1952 | |
| 1900 | | as syn. of <i>Skrjabinus muris</i> | |
| <i>Eptesicus pusillus</i> | Timofeeva, T. N., 1963 a, | <i>Platynosomum passeri</i> n. sp. | Matskási, I., 1967 a, 367 |
| <i>E. matroka</i> (intestin) | fig. 2a | [i.e. Yamashita and Tsu- | |
| <i>Plagiorchis vespertilionis</i> | Acholoni, A. D., 1964 c | mura, 1962] | Yamashita, J.; and Tsumura, |
| <i>distribution</i> | northern Colorado | +Japanese tree sparrow (gall bladder) | I., 1963 a |
| <i>Plagiorchis vespertilionis</i> | Oshmarin, P. G., 1965 b | <i>Platynosomum philippinorum</i> | Anciaux de Faveaux, M., |
| <i>(Miller, 1780)</i> | all from Buriat ASSR | <i>congolensis</i> Sandground 1937 | 1965 a, 28 |
| diagnostic characteristics | | <i>Myotis bocagei</i> (intestin) | Katanga, Republic of Congo |
| <i>Plagiorchis vespertilionis</i> | Ginetsinskaia, T. A., 1963 a, | <i>Plectanocotyle gurnardi</i> | Lyons, K. M., 1966 a |
| <i>parorchis</i> Macy, 1960 | fig. 2v | chemistry and evolution, | |
| <i>Lymnaea auricularia</i> | Wallace, J. H.; and Olsen, | sclerites | |
| <i>Plagiorchis vitellatus</i> | O. W., 1966 a | <i>Plectanocotyle gurnardi</i> | Porogel'tseva, T. P., 1964 b, |
| (Linstow, 1875) | Colorado | (Beneden et Hesse, 1863) | 40-41, fig. 8 |
| <i>Tringa glareola</i> | | <i>Trigla lucerna</i> (gills) | Black Sea |
| <i>Colymbus stellatus</i> | | <i>Pleorhynchus scienae</i> [sic] | |
| <i>Plagiorchoidea gen. sp.</i> | | Yamaguti, 1938 (intestine) | Oshmarin, P. G., 1965 c, 215- |
| oligomerization of uni- | | Sciendae gen. sp. | 216, fig. 3 |
| cellular organs, larva | | | North Vietnam |
| <i>Plagiorchoides noblei</i> | | <i>Pleurogenes</i> sp. | |
| (Park, 1936) | | <i>Enallagma parvum</i> | Muralidharan, K.; and Panai, |
| <i>Agelaius phoeniceus</i> | | <i>Crocethemis servilia</i> | B. P., 1967 a, figs. 1-5 |
| (small intestine) | | <i>servilia</i> | Raya (7-8 miles from |
| | | <i>Brachythemis contaminata</i> | Mathura), India |
| | | <i>Orthezium sabina</i> | |

- Pleurogenes claviger (crevo) Rana esculenta Bufo bufo B. viridis Kozák, A., 1966 a, 606, 607-608 all from Kosic, ČSSR
- Pleurogenes claviger distribution Sprehn, C. E. W., 1967 a Europe
- Pleurogenes claviger Rana esculenta R. ridibunda Tscherner, W., 1966 a, 260 all from Germany
- Pleurogenes loossi distribution Sprehn, C. E. W., 1967 a Europe
- Pleurogenoides sp. Anguis fragilis Eremias arguta Shevchenko, N. N., 1963 b all from Severskii Donets valley
- Pleurogenoides compactus Strom, 1940 valid species Tscherner, W., 1966 a, 263
- Pleurogenoides hashimi Rohde, 1963 as syn. of Pleurogenoides taylori (Tubangui, 1928) Fischthal, J. H.; and Kuntz, R. E., 1967 a, 104
- Pleurogenoides medians (Olsson, 1876) Travassos, 1921 Limnaea stagnalis Kiseliene, V. K., 1966 a Lithuanian SSR
- Pleurogenoides medians (crevo) Rana esculenta Kozák, A., 1966 a, 606, 608 Kosic, ČSSR
- Pleurogenoides medians distribution Sprehn, C. E. W., 1967 a Europe
- Pleurogenoides medians (Olsson, 1879) Travassos, 1921 Rana esculenta R. ridibunda Tscherny, W., 1966 a, 260, 262-265, fig. 1 all from Germany
- Pleurogenoides minus distribution Sprehn, C. E. W., 1967 a Europe
- Pleurogenoides stromi distribution Sprehn, C. E. W., 1967 a Europe
- Pleurogenoides stromi Travassos, 1930 valid species Tscherny, W., 1966 a, 263
- Pleurogenoides taylori (Tubangui, 1928) Syn.: Pleurogenoides hashimi Rohde, 1963. Rana limnocharis vittigera (stomach, small intestine) Manila, Luzon Island, Philippines Fischthal, J. H.; and Kuntz, R. E., 1967 a, 104-105
- Pleurogonius malaclemys Hunter, 1961 life history Nassarius obsoleta Malaclemys terrapin centrata (exper.) Hunter, W. S., 1967 a, figs. 1-29 Beaufort, North Carolina
- Pneumonoeces sp. variegatus? Planorbis planorbis Butenko, Iu. V., 1967 a, 39-41, fig. 11 a South Kazakhstan
- Pneumonoeces asper Looss, 1899 life cycle Dobrovols'kiy, A. A., [1966 a] fig. 1
- Pneumonoeces asper asper (Looss, 1899) Rana ridibunda (lungs) R. esculenta R. terrestris Shevchenko, N. N., 1965 a, 19-20 Northern Donec (District of Charkov), Ukraine, all from
- Pneumonoeces iturbei Cordero & Vogelsang, 1939 as syn. of Neohaematoloechus iturbei (Cordero & Vogelsang) [n. comb.] Odening, K., 1960 h, 63
- Pneumonoeces medioplexus Uribe-Piedrahita, 1948 as syn. of Neohaematoloechus iturbei (Cordero & Vogelsang) [n. comb.] Odening, K., 1960 h, 63
- Pneumonesces (sic) neivai Travassos & Artigas, 1927 as syn. of Neohaematoloechus neivai (Travassos & Artigas, 1927) Odening, K., 1960 h, 61
- Pneumonoeces planorbinus Lutz, 1928 as syn. of Neohaematoloechus neivai (Travassos & Artigas, 1927) Odening, K., 1960 h, 61
- Pneumonoeces pseudis Lutz, 1928 as syn. of Neohaematoloechus neivai (Travassos & Artigas, 1927) Odening, K., 1960 h, 62
- Pneumonoeces schulzei Travassos & Darriba, 1930 as syn. of ?Haematoloechus sp. (Travassos & Darriba) Odening, K., 1960 h, 28
- Pneumonoeces similplexus Fortner, 1923 as syn. of Haematoloechus (H.) parviplexus (Irwin) Odening, K., 1960 h, 34
- Pneumonoeces tejerae Cordero & Vogelsang, 1939 as syn. of Haematoloechus (Anomolecithus) lutzi Freitas and Lent, 1939. Odening, K., 1960 h, 46
- Pneumonoeces variegatus Dollfus, 1950 as syn. of Ostiolum dollfusinum (Odening) Odening, K., 1960 h, 61
- Pneumonoeces variegatus Syōgaki, 1937 as syn. of Haematoloechus (H.) sibiricus japonicus (Yamaguti) Odening, K., 1960 h, 30
- Pneumonoeces variegatus abbreviatus Bychowskij, 1932 Bombina bombina (lungs) Shevchenko, N. N., 1965 a, 21-22, fig. 1 Northern Donec (District of Charkov), Ukraine
- Pneumonoeces variegatus variegatus (Rudolphi, 1819) (lungs) Rana ridibunda R. esculenta R. terrestris Shevchenko, N. N., 1965 a, 19 all from Northern Donec (District of Charkov), Ukraine
- Podocotyle (Dujardin, 1845) sensu stricto Pritchard, M. H., 1966 a, 159 Syn.: Sinistroporus Stafford, 1904. key, key to Podocotyle-like genera
- Podocotyle sp. Nagaty and Abdel Aal, 1962 uncertain generic status Pritchard, M. H., 1966 a, 169

| | | | |
|---|--|--|-------------------------------|
| <i>Podocotyle abitionis</i> McFarlane, 1936 | Pritchard, M. H., 1966 a, 159 | <i>Podocotyle bongosi</i> Nagaty and Abdel Aal, 1962 as syn. of <i>Apopodocotyle bongosi</i> (Nagaty and Abdel Aal, 1962) n. comb. | Pritchard, M. H., 1966 a, 167 |
| <i>Podocotyle angulata</i> "inadequate description and no known specimen" | Pritchard, M. H., 1966 a, 164 | <i>Podocotyle breviformis</i> Manter, 1940 as syn. of <i>Apopodocotyle oscitans</i> (Linton, 1910) n. comb. | Pritchard, M. H., 1966 a, 167 |
| <i>Podocotyle aphanii</i> Paperna, 1964 uncertain generic status | Pritchard, M. H., 1966 a, 170 | <i>Podocotyle caithnessi</i> Manter, 1954 as syn. of <i>Neopodocotyloides caithnessi</i> (Manter, 1954) n. comb. | Pritchard, M. H., 1966 a, 166 |
| <i>Podocotyle apodichthysi</i> Park, 1937 | Pritchard, M. H., 1966 a, 159 | <i>Podocotyle californica</i> Park, 1937 | Pritchard, M. H., 1966 a, 160 |
| <i>Podocotyle atherinae</i> Nicoll, 1914 [<i>Atherina mochon pontica</i>] | Chaplina, O. M.; and Antsish- kina, L. M., 1961 a small rivers of Northern Azov | <i>Podocotyle elongata</i> Park, 1937 | Pritchard, M. H., 1966 a, 160 |
| <i>Podocotyle atherinae</i> Nicoll, 1914 as syn. of <i>Apopodocotyle atherinae</i> (Nicoll, 1914) n. comb. | Pritchard, M. H., 1966 a, 167 | <i>Podocotyle endophrysi</i> Park, 1937 | Pritchard, M. H., 1966 a, 160 |
| <i>Podocotyle atomon</i> (Rud., 1802) <i>Sebastodes alutus</i> <i>S. introniger</i> <i>S. aleutianus</i> | Mamaev, Iu. L., 1965 a, 177 all from Bering Sea | <i>Podocotyle epinepheli</i> Yamaguti, 1942 as syn. of <i>Allopodocotyle epinepheli</i> (Yamaguti, 1942) n. comb. | Pritchard, M. H., 1966 a, 161 |
| <i>Podocotyle atomon</i> (Rudolphi, 1802) Odhner, 1905 Syn.: <i>Podocotyle staffordi</i> Miller, 1941. | Pritchard, M. H., 1966 a, 159 | <i>Podocotyle fracta</i> (Rudolphi, 1819) Stossich, 1898 uncertain generic status | Pritchard, M. H., 1966 a, 169 |
| <i>Podocotyle atomon</i> (Rudol- phi, 1802) Odhner 1905 Onos mustelus (intestine) | Srivastava, L. P., 1966 a Mumbles Head, Swansea | <i>Podocotyle gibbonsiae</i> Johnson, 1949 | Pritchard, M. H., 1966 a, 160 |
| <i>Podocotyle atomon</i> (Rudolphi, 1802) Onos mustelus (intestine, pyloric caeca) | Srivastava, L. P., 1966 d, 470, 473, fig. 5 Mumbles Head, Swansea | <i>Podocotyle gracilis</i> Yamaguti, 1952 as syn. of <i>Podocotyloides gracilis</i> (Yamaguti, 1952) n. comb. | Pritchard, M. H., 1966 a, 165 |
| <i>Podocotyle atomon</i> (Rudolphi, 1802) | Zhukov, E. V., 1963 a, 101, 102 all from Chukotsk Peninsula <i>Cadus morhua macrocephalus</i> (pyloric caeca, intestine) <i>Salvelinus malma</i> (intestine) <i>Eleginus gracilis</i> (pyloric caeca, intestine) <i>Hexagrammos stelleri</i> (pyloric caeca, intestine) <i>Melletes papilio</i> (pyloric caeca, intestine) <i>Gymnacanthus tricuspidis</i> (intestine) <i>Myoxocephalus polyacanthocephalus</i> (pyloric caeca, intestine) <i>Myoxocephalus axillaris</i> (pyloric caeca, intestine) <i>Myoxocephalus verrucosus</i> (pyloric caeca, intestine) <i>Myoxocephalus platicephalus</i> (pyloric caeca, intestine) <i>Enophrys diceraus</i> (intestine) | <i>Podocotyle kofoidi</i> Park, 1937 | Pritchard, M. H., 1966 a, 160 |
| Blepsias bilobus (pyloric caeca) <i>Podothecus acipenserinus</i> (intestine) <i>Liparis gibbus</i> (pyloric caeca, intestine) <i>Platessa quadrituberculata</i> (intestine) <i>Pleuronectes stellatus</i> (intestine) | Pritchard, M. H., 1966 a, 161 Nigrelli, 1939 as syn. of <i>Allopodocotyle atzi</i> (Nigrelli, 1939) n. comb. | <i>Podocotyle lacustris</i> Paperna, 1964 uncertain generic status | Pritchard, M. H., 1966 a, 170 |
| <i>Podocotyle atzi</i> Nigrelli, 1939 as syn. of <i>Allopodocotyle atzi</i> (Nigrelli, 1939) n. comb. | Pritchard, M. H., 1966 a, 159 | <i>Podocotyle lanceolata</i> Price, 1934 | Pritchard, M. H., 1966 a, 160 |
| <i>Podocotyle ayu</i> Takahashi, 1928 | Pritchard, M. H., 1966 a, 159 | <i>Podocotyle leporis</i> (Dobro- volny, 1939) Yamaguti, 1954 as syn. of <i>Allopodocotyle leporis</i> (Dobrovolny, 1939) n. comb. | Pritchard, M. H., 1966 a, 162 |
| <i>Podocotyle blennicottusi</i> Park, 1937 Syn.: <i>Podocotyle pacifica</i> Park, 1937. | Pritchard, M. H., 1966 a, 159- 160 | <i>Podocotyle lethrini</i> Yamaguti, 1942 as syn. of <i>Allopodocotyle lethrini</i> (Yamaguti, 1942) n. comb. | Pritchard, M. H., 1966 a, 163 |
| | | <i>Podocotyle levinseni</i> Issatschikoff, 1928 | Pritchard, M. H., 1966 a, 160 |
| | | <i>Podocotyle mecopera</i> Manter, 1940 as syn. of <i>Allopodocotyle mecopera</i> (Manter, 1940) n. comb. | Pritchard, M. H., 1966 a, 163 |
| | | <i>Podocotyle musculometra</i> Bravo-Hollis and Manter, 1957 as syn. of <i>Apopodocotyle musculometra</i> (Bravo-Hollis and Manter, 1957) n. comb. | Pritchard, M. H., 1966 a, 167 |

- Podocotyle mycteropercae Pritchard, M. H., 1966 a, 168
Sogandares-Bernal, 1959
as syn. of *Peracreadium mycteropercae* (Sogandares-Bernal, 1959) n. comb.
- Podocotyle odhneri Pritchard, M. H., 1966 a, 160
Issatschikoff, 1928
- Podocotyle olssoni Pritchard, M. H., 1966 a, 160
Odhner, 1905
- Podocotyle pacifica Pritchard, M. H., 1966 a, 159
Park, 1937
as syn. of *Podocotyle blennicottusi* Park, 1937.
- Podocotyle parupenei Pritchard, M. H., 1966 a, 165
Manter, 1963
as syn. of *Podocotyloides parupenei* (Manter, 1963)
n. comb.
- Podocotyle pearsei Pritchard, M. H., 1966 a, 160
Manter, 1934
- Podocotyle pedicellata Pritchard, M. H., 1966 a, 163
(Stossich, 1887) Stossich, 1898
as syn. of *Allopodocotyle pedicellata* (Stossich, 1887)
n. comb.
- Podocotyle pedunculatus Pritchard, M. H., 1966 a, 166
Park, 1937
as syn. of *Neopodocotyloides pedunculatus* (Park, 1937)
n. comb.
- Podocotyle plectropomi Pritchard, M. H., 1966 a, 161
Manter, 1963
as syn. of *Allopodocotyle plectropomi* (Manter, 1963)
n. comb.
- Podocotyle reflexa (Creplin Baeva, O. M., 1965 a, 24
1825) (intestine)
- Pleurogrammus azonus Sea of Japan
- Pleurogrammus monoapterigius Avacha Bay, USSR
- Podocotyle reflexa (Crep- Mamaev, Iu. L., 1965 a, 177
lin, 1825) (intestine) all from Bering Sea
- Sebastodes alutus
- S. introniger
- S. aleutianus
- Podocotyle reflexa (Creplin, 1905) Pritchard, M. H., 1966 a, 160
(Creplin, 1825) Odhner, 1905
- Podocotyle reflexa Srivastava, L. P., 1966 d,
(Creplin, 1825) 471
Onos mustelus (intestine) Mumbles Head, Swansea
- Podocotyle reflexa (Crep- Zhukov, E. V., 1963 a, 101,
lin, 1825) 102
Salvelinus malma (intestine) all from Chukotsk Peninsula
- Gadus morhua macrocephalus (intestine)
- Eleginus gracilis (pyloric caeca, intestine)
- Theragra chalcogramma (pyloric caeca, intestine)
- Hexagrammos stelleri (intestine)
- Melletes papilio (intestine)
- Gymnanchus tricuspidis (intestine)
- Myoxocephalus polyacanthocephalus (intestine)
- Myoxocephalus verrucosus (intestine)
- Elepsias bilobus (pyloric caeca, intestine)
- Podothecus acipenserinus (pyloric caeca, intestine)
- Liparis gibbus (pyloric caeca, intestine)
- Podocotyle serrani Pritchard, M. H., 1966 a, 161
Nagaty and Abdel Aal, 1962
as syn. of *Allopodocotyle epinepheli* (Yamaguti, 1942)
n. comb.
- Podocotyle serrani Yamaguti, 1952
as syn. of *Allopodocotyle serrani* (Yamaguti, 1952)
n. comb.
- Podocotyle sinusaccus Ching, 1960
as syn. of *Neopodocotyloides sinusaccus* (Ching, 1960)
n. comb.
- Podocotyle staffordi Miller, 1941
as syn. of *Podocotyle atomon* (Rudolphi, 1802) Odhner,
1905.
- Podocotyle syngnathi Nicoll, 1913
- Podocotyle tamame Yamaguti, 1942
as syn. of *Allopodocotyle tamame* (Yamaguti, 1942)
n. comb.
- Podocotyloides Yamaguti, 1934, emend.
Syn.: *Pedunculacatabulum* Yamaguti, 1934.
key
- Podocotyloides gracilis (Yamaguti, 1952) n. comb. Pritchard, M. H., 1966 a, 165,
170
Syn.: *Podocotyle gracilis* Yamaguti, 1952.
- Podocotyloides opisthorchis (Yamaguti, 1934) n. comb. Pritchard, M. H., 1966 a, 165,
170
Syn.: *Pedunculacatabulum opisthorchis* Yamaguti, 1934.
- Podocotyloides parupenei (Manter, 1963) n. comb. Pritchard, M. H., 1966 a, 165,
170
Syn.: *Podocotyle parupenei* Manter, 1963.
- Podocotyloides pedicellatus (Srivastava, 1938) n. comb. Pritchard, M. H., 1966 a, 165-
170
Syn.: *Pedunculacatabulum pedicellatus* Srivastava, 1938.
- Podocotyloides stenometra sp. n. Pritchard, M. H., 1966 b,
(intestine) 188, 189, 191-192, fig. 14
Chaetodon quadrimaculatus
C. auriga
C. fremblii
C. multicinctus
Zanclus canescens
- Polyangium columbi distribution Sprehn, C. E. W., 1967 a
Europe
- Polyclithrinae subfam. n. Rogers, W. A., 1967 b, 274
Gyrodactylidae type genus: *Polyclithrum*
gen. n.
- Polyclithrum gen. n. Rogers, W. A., 1967 b, 274
Gyrodactylidae; Poly- tod: *P. mugilini* sp. n.
- Polyclithrum mugilini gen. et sp. n. (tod) Rogers, W. A., 1967 b, 274-
276, figs. 1-10
Mugil cephalus Lake Seminole, Seminole
(fins and body) Co., Georgia
- Polylekithum ictaluri effect of 7 year drought Gentner, H. W.; and Hopkins,
gen. et sp. n. (tod) S. H., 1966 a, 459
Lampsilis anodontoides all from Little Brazos
L. tampaensis berlandieri River, Texas
Quadrula forsyhei
Q. houstonensis
Leptodea fragilis
Tritigonia verrucosa

- Polylekithum ictaluri*.—
Continued.
Proptera purpurata
Amblema perplicata
Musculium ferrissi
Anodontia corpulenta
- Polystoma Zeder*, 1800
Polystomatidae
- Polystoma gallieni*
 distribution
- Polystoma integerrimum* (Frölich, 1791)
Bufo viridis (lung)
- Polystoma integerrimum* phosphatase activity
- Polystoma integerrimum* glycogen deposition
- Polystomum integerrimum* (močový mechur)
Rana temporaria
Bufo viridis
- Polystoma integerrimum* chemistry and evolution, sclerites
- Polystoma integerrimum* (Frölich, 1791), Rudolphi, 1808
Rana temporaria
Rana arvalis
- Polystoma integerrimum* distribution
- Polystoma i. integerrimum*
- Polystoma integerrimum pelobatis* n. subsp.
Pelobates cultripes (vessie urinaire)
- Polystoma integerrimum pelobatis* Euzet et Combes, 1966
 neotenic form
Pelobates cultripes (exper.)
- Polystoma integerrimum persicum* n. subsp.
Bufo persicus (vessie urinaire)
- Polystoma nearcticum* Paul 1938
Hyla versicolor versicolor (colon)
- Polystomum ocellatum* *Eremias arguta*
- Polystoma pelancai* [sic] distribution
- Polystomatidae* parts and measurements of hamuli
- Gentner, H. W.*; and *Hopkins, S. H.*, 1966 a.—Continued.
- Prost, M.*, 1966 a, 16, 19, 22, 23
- Sprehn, C. E. W.*, 1967 a Europe
- Buchvarov, G. K.*, 1965 a Kirdjali District, Bulgaria
- Halton, D. W.*, 1967 a
- Halton, D. W.*, 1967 c, 1 pl., fig. 2
- Kózák, A.*, 1966 a, 606, 608 all from Košic, CSSR
- Lyons, K. M.*, 1966 a
- Prost, M.*, 1966 a, 16, 19, 22, 23 all from Polsce
- Sprehn, C. E. W.*, 1967 a Europe
- Euzet, L.*; and *Combes, C.*, 1966 a, 113, 114, 116, figs. 3a, 4a-d
- Euzet, L.*; and *Combes, C.*, 1966 a, 109, 110, 111, 113, 115, 116, 117, figs. 1, 3b, 5a-d
 Littoral des Pyrénées-Orientales
- Combes, C.*, 1966 a, figs. 1-6
- Dollfus, R.-P. F.*; *Euzet, L.*; and *Combes, C.*, 1965 a, 55-59, figs. 1-5 Iran
- Campbell, R. A.*, 1968 a Pocahontas State Park, Virginia
- Shevchenko, N. N.*, 1963 b Severskii Donets valley
- Sprehn, C. E. W.*, 1967 a Europe
- Euzet, L.*; and *Combes, C.*, 1966 a, 112, fig. 2
- Polystomatidae* (*Carus*, 1863) *Gamble*, 1896 emend. key to subfamilies
- Polystomatinae* *Gamble*, 1896
- Polystomatidae*, key
- Polystomoides* sp. transplanted to chick chorioallantois
- Fried, B.*, 1965 c, figs. 1-9
- Polystomoides chabaudi* n. sp. *Euzet, L.*; and *Combes, C.*, 1965 b, 445-449, figs. 1-4
- Pelomedusa subrufa* (vessie urinaire) *Betioky* (Madagascar)
- Polystomoides coronatum* *Chrysemys picta marginata* *Esch, G. W.*; and *Gibbons, J. W.*, 1967 a, 819 Wintergreen Lake, Kalamazoo Lake, Michigan
- Polystomoides ocellatum* distribution *Sprehn, C. E. W.*, 1967 a Europe
- Polystomoidinae* *Yamaguti*, 1963 *Lamothe-Argumedo, R.*, [1965 c], 154
- Polystomatidae*, key
- Postericirrus* gen. nov. *Lecithodendriidae* *Andreiko, A.F.*; and *Khotenovskii, I. A.*, 1964 a, 220, 223 tod: *P. clethrionomi* sp. nov.
- Postericirrus clethrionomi* sp. nov. (tod) *Clethrionomys glareolus istericus* (liver, mesentery) Moldavian SSR
- Postharmostomum commutatum* (*Diesing*, 1853) *gäini* *Olteanu, G.*; and *Stoican, E.*, 1963 b, 225 Romania
- Postharmostomum gallinum* *Witenberg*, 1923 *Akhumian, K. S.*, 1966 a Armenia SSR
- Postharmostomum gallinum* chickens (ceca) *Alectoris graeca caucasica* *Manuel, M. F.*; and *Talens, E. O.*, [1967 a], 108, 113, pl. 4, fig. 15 Philippines
- Postharmostomum gallinum* *Witenberg*, 1923 *Meleagris gallopavo silvestris* *Vasilev, I. D.*; and *Kamburov, P.*, 1965 a Bulgaria
- Postharmostomum helicis* temperature *Anguispira alternata* *Elwell, A. S.*; and *Ulmer, M. J.*, 1968 a
- Posthodiplostomum* [*lapsus* for: *Posthodiplostomum*] *Linnik, V. Ia.*; and *Zen'ko-vich, E. M.*, 1968 a
- Posthodiplostomum cuticola* *Komarova, T. I.*, 1963 b Dneprovsk estuary
- Posthodiplostomum* [*lapsus* as: *Posthodiplostomum*] *Linnik, V. Ia.*; and *Zen'ko-vich, E. M.*, 1968 a
- Posthodiplostomum brevi-caudatum* cercariae produce immunity to *Schistosoma mansoni* and *S. haematobium* in man *Dönges, J.*, 1966 c, figs. 1-2
- Posthodiplostomum brevicaudatum* host diet *Feizullaev, N. A.*, 1963 c Azerbaijan

- Posthodiplostomum brevi-caudatum (Nordm., 1832)
Planorbis planorbis Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 60
Western Kazakhstan
- Posthodiplostomum cuticola fish Allamuratov, B. K., 1965 b
South-Surkhanskoe reservoirs
- Posthodiplostomum cuticola [Hypophthalmus molitrix] (under skin) Bauer, O. N.; Babaev, B.; and Strelkov, Yu. A., 1963 a
Krasnodar krai
- Posthodiplostomum cuticola Nordm., 1832 Belinisova, L. K., 1965 a
Rutilus rutilus all from Krasnooskol'skoe reservoir
Blicca bjoerkna
Scardinius erythrophthalmus
- Posthodiplostomum cuticola roach Bradley, D. J., 1967 a, 280
Flatford, Suffolk, Great Britain
- Posthodiplostomum cuticula [sic] Chibichenko, N. T., 1966 b,
[Mergus serrator] 73 all from lake Issyk-kul
[Ardea cinerea]
[Vanellus vanellus]
[Sterna hirundo]
[Anas platyrhynchos]
- Posthodiplostomum cuticola host diet Feizullaev, N. A., 1963 c
Azerbaidzhan
- Posthodiplostomum cuticola ultrastructure of sporocyst cuticle, feeding method Ginetsinskaya, T. A.; Mashanskiy, V. F.; and Dobrovolskiy, A. A., 1966 a
- Posthodiplostomum cuticola [Cyprinus carpio] Iskov, M. P., 1963 a
Kakhovsk reservoir
- Posthodiplostomum cuticola (Nordmann, 1832) Dubois, 1936 Kamenskiy, I. V., 1965 a
Planorbis planorbis Astrakhansk oblast; Volga delta
P. carinatus
Limnaea stagnalis (exper.) Radix peregrina
R. ovata
Coretes cornutus
Anisus cornutus
[Rutilus rutilus caspicus] (exper.) Abramis brama
[Blicca bjoerkna]
[Alburnus alburnus]
[Phalacrocorax carbo]
[Nycticorax nycticorax] (exper.)
[Platalea leucorodia]
[Egretta garzetta]
[Ardea cinerea]
- Posthodiplostomum cuticola (Nordmann 1832) Kane, M. B., 1966 a 213
Scardinius erythrophthalmus (external surface and fins) Ireland
- Posthodiplostomum cuticola Komarova, T. I., 1963 a
Dnieper delta
- Posthodiplostomum cuticola (Nordmann, 1928) Komarova, T. I., 1964 a, 82
(skin and fins)
[Rutilus rutilus heckelii]
[Vimba vimba]
[Pelecus cultratus]
[Abramis brama]
[Blicca bjoerkna]
[Tinca tinca]
[Scardinius erythrophthalmus]
[Rutilus rutilus]
[Leuciscus idus]
- Posthodiplostomum cuticola seasonal distribution Komarova, T. I., 1964 b
Dnieper delta
- Posthodiplostomum cuticola (Nordm., 1832) Komarova, T. I., 1966 a, 62
(skin, fins)
Scardinius erythrophthalmus [sic]
[Blicca bjoerkna]
[Vimba vimba]
[Pelecus cultratus]
[Cyprinus carpio]
- Posthodiplostomum cuticola Rutilus rutilus (skin) Kosareva, N. A., [1966 a]
reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin
- Posthodiplostomum [sic] cuticola diagnosis, larvae Linnik, V. Ia.; and Zen'kovich, E. M., 1968 a, 56, 57, figs. 1d, 2c
- Posthodiplostomum cuticola (Nordmann, 1832) Dubois, 1936 Marits, N. M., 1963 a, 46-47
(skin, fins, gills, musculature)
Cyprinus carpio
Carassius carassius
Abramis brama
Abramis sapo
Rutilus rutilus
Scardinius erythrophthalmus
Misgurnus fossilis
Leuciscus cephalus
Tinca tinca
Alburnus alburnus
Vimba vimba
Pelecus cultratus
Aspius aspius
Chondrostoma nasus
Nemachilus barbatulus
- Posthodiplostomum cuticola Osmanov, S. O., 1965 c
Pseudoscaphirhynchus kaufmanni
- Posthodiplostomum cuticola Roman-Chiriac, E., 1965 a, 147
(Nordmann, 1832)
Ardea cinerea Danube delta, Romania
- Posthodiplostomum impreputiatum Sprehn, C. E. W., 1967 a
distribution Europe
- Posthodiplostomum minimum Aldridge, F. P.; and Bogitsh, B. J., 1966 a
ultrastructure and histochemistry of integument and subcuticle
- Posthodiplostomum minimum Avault, J. W. (jr.); and Allison, R., 1965 a
experimental biological control in bluegill
- Posthodiplostomum minimum Avault, J. W. (jr.); and Smitherman, R. O., 1965 a
specific to Centrarchidae Lepomis macrochirus
- Posthodiplostomum minimum Bedinger, C. A. (jr.); and Meade, T. G., 1967 a, figs. 1-2
biology, cercaria Physa halei Madisonville, Texas
Lepomis macrochirus (exper.)
L. microlophus " chicks (exper.)
- Posthodiplostomum minimum Bogitsh, B. J., 1966 a, figs. 1-8
esterases

| | | | |
|---|---|---|---|
| <i>Posthodiplostomum minimum</i> | Bogitsh, B. J., 1966 c, figs. 1-12 alkaline phosphatase activity | <i>Proalaroides kobayashii</i> Park, 1940 <i>Dinodon rufozonatum</i> (small intestine) | Fischthal, J. H.; and Kuntz, R. E., 1967 a, 110, 111 Seoul, Korea |
| <i>Posthodiplostomum minimum</i> | Meade, T. G.; and Bedinger, C. A., (jr.), 1967 a Lepomis macrochirus (nat. and exper.) all from Madison Co., Texas | <i>Proalaroides tropidonotis</i> (Vidyarthi, 1937) <i>Tropidonotus piscator</i> (intestine) | Agrawal, V., 1966 c, 70-71, fig. 6 Lucknow, India |
| <i>L. microlophus</i> (nat. and exper.) | | | |
| <i>L. megalotis</i> | | | |
| <i>L. cyanellus</i> | | | |
| <i>Chaenobrytus gulosus</i> | | | |
| <i>Micropterus salmoides</i> | | | |
| <i>Pomoxis annularis</i> | | | |
| <i>Ictalurus punctatus</i> | | | |
| <i>Gambusia affinis</i> | | | |
| <i>Posthodiplostomum minimum</i> (McCallum) | Smitherman, R. O. (jr.), 1964 a effect on host, Lepomis macrochirus | <i>Proalaroides tropidonotis</i> (Vidyarthi, 1937) penetration gland in miracidium | Rao, K. H.; and Bharathi, J. S., 1967 a, fig. 1 <i>Tropidonotus piscator</i> (intestine) |
| <i>Posthodiplostomum minimum</i> centrarchi (MacCallum, 1921; Dubois, 1936) Hoffman, 1958 (liver and heart) | Edwards, S. R.; and Nahhas, F. M., 1968 a, 248 all from Sacramento-San Joaquin Delta | <i>Procerovum varium</i> <i>Hemiramphus sajori</i> <i>Mugil cephalus</i> <i>Lisa menada</i> <i>Acanthogobius flavimanus</i> | Komiya, Y.; and Suzuki, N., 1966 a, pp. 208-214 |
| <i>Archoplites interruptus</i> | | | |
| <i>Chaenobrytus gulosus</i> | | | |
| <i>Lepomis cyanellus</i> | | | |
| <i>Lepomis macrochirus</i> | | | |
| <i>Posthodiplostomum minimum</i> centrarchi | Larson, O. R., 1966 a Ambloplites rupestris (liver) | <i>Proctoeces</i> progenetic metacercaria | Dolgikh, A. V., 1965 a |
| <i>Posthodiplostomum minimum</i> centrarchi Hoffman, 1958 | McGraw, J. L., (jr.); and Allison, T. C., 1967 a all from Little River system, Texas | <i>Proctoeces</i> [sp.] <i>Turbo cornutus</i> | Ichihara, A., 1964 c |
| <i>Lepomis megalotis</i> | | | |
| <i>Lepomis macrochirus</i> | | | |
| <i>Micropterus salmoides</i> | | | |
| <i>Posthodiplostomum minimum</i> centrarchi (MacCallum, 1921; Dubois, 1936) Hoffman, 1958 | Voth, D. R.; and Larson, O. R., 1968 a, 217-218 Goose River, North Dakota | <i>Proctoeces maculatus</i> (Looss, 1901) Odhner, 1911 progenetic metacercaria | Dolgikh, A. V., 1965 a Sevastopol |
| <i>Lepomis macrochirus</i> (liver and pericardium) | | <i>Rissoa splendida</i> (body cavity) | |
| <i>Posthodiplostomum minimum</i> minimum | Larson, O. R., 1966 a all from Itasca Park, Minnesota | <i>Proctoeces maculatus</i> (Looss, 1901) <i>Karelius bicoloratus</i> (intestine) | Ichihara, A., et al., 1966 a 1 fig. Tokyo Bay |
| <i>Notropis cornutus</i> | | | |
| <i>Pimephales notatus</i> | | | |
| <i>Fundulus diaphanus</i> | | | |
| (mesenteries, liver, all from) | | <i>Proctoeces major</i> Yamaguti, 1938 progenetic metacercaria | Dolgikh, A. V., 1965 a Sevastopol |
| | | <i>Rissoa splendida</i> (body cavity) | |
| <i>Posthodiplostomum nanum</i> (Dubois, 1937) | Williams, M. O.; and Chaytor, D. E. B., 1966 a, 571, fig. 5 all from Bush water, Free-town peninsula, Sierra Leone | <i>Proctoeces subtenuis</i> volumetric respirometer, oxygen consumption | Freeman, R. F. H., 1962 a |
| <i>Epiplatys senegalensis</i> (liver, peritoneum) | | | |
| <i>E. sexfasciatus</i> (liver, peritoneum) | | | |
| <i>Postorchigenes macrorchis</i> (Gogate, 1939) | Fischthal, J. H.; and Kuntz, R. E., 1967 a, 111 as syn. of <i>Postorchigenes ovatus</i> Tubangui, 1928. | <i>Proctotrema sp.</i> <i>Pomadasys hasta</i> (stomach) | Oshmarin, P. G., 1965 c, 243-244, fig. 24 North Vietnam |
| Syns.: <i>Palitrema macrorchis</i> Gogate, 1939; <i>Postorchigenes macrorchis</i> (Gogate, 1939) | | | |
| + <i>Hemidactylus frenatus</i> (stomach) | Luzon Island, Philippines | <i>Proctotrema bacilliovatum</i> T. Odhner, 1911 <i>Mullus barbatus</i> (rectum) <i>M. surmuletus</i> " | Bartoli, P.; and Prevot, G., 1966 a, 401-406, 411, figs. 4-10 all from Golfe de Marseille |
| <i>Primatotrema</i> Lecithodendriidae, key | Cosgrove, G. E., 1966 a, fig. 19 | <i>Proctotrema bacilliovatum</i> Odhner, 1911 <i>Mullus barbatus</i> | Koval, V. P.; and Otsupok, N. D., 1964 a, 48 region of Evpatoria, Black Sea |
| <i>Proalaria alcedensis</i> | Dubois, G., 1966 a, 46 | <i>Proctotrema cryptastoma</i> sp. nov. (stomach) <i>Pomadasys hasta</i> | Oshmarin, P. G., 1965 c, 241-243, fig. 23 North Vietnam |
| Patwardhan, 1935 | | | |
| as syn. of <i>Pseudodiplostomum alcedense</i> (Patwardhan, 1935) comb. nov. | | <i>Profundiella alepisauri</i> sp. n. <i>Alepisaurus</i> sp. | Parukhin, A. M.; and Nikolaeva, V. M., 1967 a, pp. 757-759, figs. 1-2 Gulf of Mexico |
| | | <i>Prohemistomum chandleri</i> Vernberg, 1952 <i>Pleurocerca acuta</i> (digestive gland) | Stang, J. C.; and Cable, R. M., 1966 a, 411, 412, 413, 414, figs. 6-8 Tippecanoe and Wabash Rivers, Indiana, USA |

- Prohemistomum chandleri*-- Stang, J. C.; and Cable, R.
Continued. M., 1966 a.-- Continued.
- Ambloplites rupestris*
Pomoxis nigromaculatus
P. annularis
- Prohemistomum serpentum* Gupta, N. K., 1967 b, 319
Gogate, 1932
as syn. of *Gogatea serpentium* (Gogate, 1932) Lutz,
1935
- Prohemistomum vivax* Sprehn, C. E. W., 1967 a
distribution Europe
- Prohyptiasmus robustus* Kazlauskas, J., 1968 a
(Stassich, 1902)
Cygnus olor
- Prohyptiasmus robustus* Sprehn, C. E. W., 1967 a
distribution Europe
- Pronocephalidae* Vercammen-Grandjean, P. H.;
total absence of intestinal flukes as possible cause of death in marine iguana
- Prosogonotrema summetrica* Oshmarin, P. G., 1965 c, 247-
sp. nov. (stomach) 249, figs. 27-28
Pristhiopomoides thypus North Vietnam
- Prostorhynchus sp.* Ichihara, A., 1963 a
Meretrix meretrix lusoria Bay of Tokyo
- Prostorhynchus aculeatus* Ichihara, A., et al., 1966 a
Odhner, 1905 1 fig.
Kareius bicoloratus (gill) Tokyo Bay
- Prostorhynchus crucibulum* Baeva, O. M., 1965 a, 24
(Rudolphi, 1819) (muscles, subcutaneous tissue of fins, branchial membrane, kidneys, heart and intestine)
- Pleurogrammus azonus* Sea of Japan
- Pleurogrammus monopterigius* Avacha Bay, USSR
- Hexagrammus octogrammus* Terpenia Bay, Japan
- Prostorhynchus crucibulum* Mamaev, Iu. L., 1965 a, 170
(Rud., 1819) all from Bering Sea
- Sebastodes alutus* (adult and larvae)
S. introniger (adult and larvae)
S. aleutianus
Atherestes stomias
- Prostorhynchus crucibulum* Matthews, R. A., 1966 a
(Rudolphi, 1819)
Odhner, 1905
Mytilus edulis (fibrous tissue)
- Prostorhynchus crucibulus* Sey, O., 1968 a, fig. 1
(Rud., 1819) Odhner, 1905 waters around Split,
(duodenum) Yugoslavia
- Conger conger*
- Prostorhynchus crucibulum* Zhukov, E. V., 1963 a, 99
(Rudolphi, 1819) all from Chukotsk Peninsula
- Gadus morhua macrocephalus* (pyloric caeca)
Hexagrammos stelleri (intestine)
Melletta papilio (pyloric caeca, intestine)
Gymnacanthus tricuspidis (intestine)
- Myoxocephalus polyacanthocephalus* (pyloric caeca, intestine)
- Myoxocephalus axillaris* (pyloric caeca, intestine, gills, fins, skin)
- Myoxocephalus verrucosus* (pyloric caeca, intestine, gills, fins, skin and palate)
- Myoxocephalus platicephalus* (pyloric caeca, intestine, gills, fins)
- Prosorhynchus crucibulum*-- Zhukov, E. V., 1963 a-- Continued.
- Enophrys diceraus* (pyloric caeca)
Blepsias bilobus (pyloric caeca)
Podothecus acipenserinus (pyloric caeca, gills, mesentery of liver)
Liparis gibbus (pyloric caeca, intestine, skin, musculature)
- Pleuronectes stellatus* (intestine)
- Prostotocus confusus* (zalidok, crevo)
Rana esculenta
R. ridibunda
- Prostotocus confusus* Lacerta agilis
- Prostotocus confusus* distribution
- Prostotocus confusus* (Looss, 1894)
Syns.: *P. fuelleborni* Travassos, 1930; *P. sigalasi* Bailenger et Chanseau, 1954
Rana esculenta
R. ridibunda
- Prostotocus exovitellosus* n. sp. Fischthal, J. H.; and Thomas, J. D., 1968 a, 2, 3, 11-12, figs. 9-10
Chamaeleo gracilis (small intestine) Achimota, Ghana
- Prostotocus fuelleborni* Shevchenko, N. N., 1963 c Northern Donets, Khar'kovsk oblast
- Prostotocus fuelleborni* (Looss, 1894) Tschernier, W., 1966 a, 260, 265, 266-277, figs. 5-6
all from Germany
- Prostotocus fuelleborni* Tschernier, W., 1966 a, 265, 266-277, figs. 5-6
- Prostotocus mirabilis* Grabda, 1958 Tschernier, W., 1966 a, 277
- Prostotocus sigalasi* distribution Sprehn, C. E. W., 1967 a Europe
- Prostotocus sigalasi* Bailenger et Chanseau, 1954 Tschernier, W., 1966 a, 265, 266-277, figs. 5-6
as syn. of *P. confusus* (Looss, 1894)
- Prosthodendrium Dollfus, 1931* Richard, J., 1966 a, 421, 423, fig. 6C
- Prosthodendrium (P.) ascidia* Mituch, J., 1965 a, 115, 116, 117, 118, 119 Slovakia (CSSR)
- Miniopterus schreibersii*
- Prosthodendrium (P.) carolinum* Hirková, 1959 Mituch, J., 1965 a, 115, 117, 119 Slovakia (CSSR)
- Miniopterus schreibersii*
- Prosthodendrium (P.) chilostomum* (Mehlis, 1831) Mituch, J., 1965 a, 115, 116, 117 Slovakia (CSSR)
- Miniopterus schreibersii*
- Prosthodendrium chilostomum* Sprehn, C. E. W., 1967 a distribution Europe

| | | | |
|---|---|--|--|
| Prosthodendrium (P.) chilostomum madagascariense n. subsp. | Richard, J., 1966 a, 413, 423-425, 426, fig. 7 Férinet | Prosthogonimus cuneatus host diet | Fežullaev, N. A., 1963 c Azerbaijan |
| Chaerephon limbatus | | | |
| Prosthodendrium (Paralecithodendrium) glandulosum (Looss, 1896) Dollfus, 1931 | Fischthal, J. H.; and Thomas, J. D., 1968 a, 10-11 Achimota, Ghana | Prosthogonimus cuneatus (Rud., 1809) Schoeniclus schoeniclus (caeca) Turdus musicus (bursa of Fabricius and cloaca) | Khotenovskii, I. A., 1963 a all from Leningrad oblast |
| Chamaeleo gracilis (small intestine) | | | |
| Prosthodendrium lagena Braun distribution | Sprehn, C. E. W., 1967 a Europe | Prosthogonimus cuneatus (Rudolphi, 1809) Anisus spirorbis Bithynia tentaculata | Kiselienė, V. K., 1966 a all from Lithuanian SSR |
| Prosthodendrium longiforme | Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Kansas | Prosthogonimus cuneatus (Rudolphi, 1809) Aeschna grandis +ducks (bursa Fabricius) (exper.) +chickens (bursa Fabricius) " | Kiselienė, V. K., 1968 b Lithuania |
| Eptesicus fuscus fuscus (intestine) | | | |
| Prosthodendrium obtusum (Looss, 1896) | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands | Prosthogonimus cuneatus Bithynia tentaculata | Kuprianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e |
| Chameleon sp. | | | |
| Prosthodendrium (P.) parvouterus (Bhalerao, 1926) | Mituch, J., 1965 a, 115, 117, 118, 119 Slovakia (CSSR) | Prosthogonimus cuneatus (Rud., 1809) Anas platyrhynchos Nyroca ferina Oxyura leucocephala | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Dubois, 1955 | | | |
| Miniopterus schreibersii | | | |
| Prosthodendrium swansonii | Nickel, P. A.; and Hansen, M. F., 1967 a, 482 Kansas | Prosthogonimus cuneatus (Rud., 1809) Anas querquedula A. crecca A. platyrhynchos Anser anser Nyroca ferina Anas strepera | Maksimova, A. P., 1967 a, 127 all from Western Kazakhstan |
| Myotis grisescens (intestine) | | | |
| Prosthodendrium urna var. loossi (Pande, 1935) | Gupta, N. K., 1966 b, 126-128; fig. 4 Gurdaspur (Punjab), India | Prosthogonimus (Macrogenotrema) cuneatus (Rudolphi, 1809) rată gîscă | Olteanu, G.; and Stoican, E., 1963 b, 229, 234 all from Romania |
| Lyroderma lyra (intestine) | | | |
| Prosthogonimus sp. | Alekseev, V. M., 1963 c Primorskii krai | Prosthogonimus (Macrogenotrema) cuneatus (Rud., 1809) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR |
| Simpetrum sp. | | | |
| Prosthogonimus [sp.] [Anas platyrhynchos] | Podgornova, G. P., 1963 a Volgograd oblast | Prosthogonimus cuneatus [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR |
| Prosthogonimus anatinus | Belokobyleenko, V. T., 1965 a Ural oblast | Prosthogonimus cuneatus distribution | Sprehn, C. E. W., 1967 a Europe |
| Markow, 1902 | | | |
| [Anas platyrhynchos] | | | |
| Prosthogonimus anatinus | Maksimova, A. P., 1967 a, 127 all from Western Kazakhstan | Prosthogonimus cuneatus (Rudolphi, 1809) (bursa of Fabricius) Corvus corone Pica pica | Vol'skis, G. I., [1967 a] all from Latvian SSR |
| Markov, 1902 | | | |
| Anser anser | | | |
| Anas platyrhynchos | | | |
| Nyroca ferina | | | |
| Anas strepera | | | |
| Prosthogonimus anatinus distribution | Sprehn, C. E. W., 1967 a Europe | Prosthogonimus elongatus n. sp. Columba livia (intestine) | Mukherjee, R. P., 1966 c, 91-93, fig. 1 Calcutta |
| Prosthogonimus cuneatus (Rud. 1809) | Chernobai, V. F., 1965 a Volgograd oblast | Prosthogonimus macrorchis | Krasnolobova, T. A., 1965 a |
| Pica pica | | | |
| Prosthogonimus cuneatus (bursa of Fabricius) | Churina, N. V., 1963 a all from Sredniy Ural | | |
| Anas platyrhynchos | | | |
| [Anser anser] | | | |
| Prosthogonimus cuneatus (Rudolphi, 1809) | Dalia, G. G., 1965 a Latvian SSR | | |
| [Turdus pilaris] | | | |
| Prosthogonimus cuneatus (Rudolphi, 1809) | Dubinin, V. B., 1938 a, 141, 142 | Prosthogonimus macro-skribabini Mosgovoy et Mischenina, 1958 As syn. of Pr. macrorchis Macy, 1934 | Krasnolobova, T. A., 1965 a |
| Braun, 1902 | | | |
| Syns.: Distoma cuneatum (Rudolphi, 1809); Prynnoptilon anceps (Looss, 1910) | | Prosthogonimus (P.) ovatus (Rudolphi, 1803) | Akhuman, K. S., 1966 a Armenian SSR |
| Plegadis falcinellus | Astrakhan game reserve | Coturnix coturnix | |

- Prosthogonimus ovatus* (Rud., 1803) [Anas platyrhynchos]
Prosthogonimus ovatus (Rud., 1803) *Pica pica*
Prosthogonimus ovatus [Anser anser] (bursa of Fabricius)
Prosthogonimus ovatus (Rudolphi, 1803) [Sturnus vulgaris] [Turdus merula]
Prosthogonimus ovatus (Rudolphi, 1803) Braun, 1901
 Syn.: *Fasciola ovata* (Rudolphi, 1803); *Distoma ovatum* (Rud.); *Prymnopriion ovatus* (Looss, 1899-1910) Astrakhan game reserve *Plegadis falcinellus*
Prosthogonimus ovatus (Rud. 1803) *Passer domesticus*
Prosthogonimus ovatus (Rud., 1803) *Sturnus vulgaris* (bursa of Fabricius) *Riparia riparia* (cloaca)
Prosthogonimus ovatus (Rud., 1803) *Anas penelope* *A. acuta* *A. clypeata* *A. strepera* *A. crecca* *A. querquedula* *Anser anser* *Anas platyrhynchos* *Nyroca marila* *Nyroca ferina*
Prosthogonimus (Prosthogonimus) ovatus (Rudolphi, 1803) *gäina* *gisca*
Prosthogonimus (Prosthogonimus) ovatus (Rud., 1809) *Larus canus*
Prosthogonimus ovatus (Rud., 1803) Corvus cornix (bursa Fabricii)
Prosthogonimus ovatus (Rud., 1803) (bursa of Fabricius) [*Lyrurus tetrix*] [*Tetrao urogallus*] [*Tetrastes bonasia*] [*Crex crex*] [*Garrulus glandularis*] [*Turdus merula*] [*Turdus pilaris*] [*Fringilla coelebs*]
Belokobylenko, V. T., 1965 a Ural oblast
Chernobai, V. F., 1965 a Volgograd oblast
Churina, N. V., 1963 a Srednii Ural
Daila, G. G., 1965 a all from Latvian SSR
Dubinin, V. B., 1938 a, 140-141, 142
Gräfner, G., 1962 a, 237
Khotenovskii, I. A., 1963 a all from Leningrad oblast
Macko, J. K., 1967 a, 852 Czechoslovakia (CSSR)
Maksimova, A. P., 1967 a, 127 all from Western Kazakhstan
Olteanu, G.; and *Stoican, E.*, 1963 b, 224, 234 all from Romania
Oshmarin, P. G., 1965 b Buriat ASSR
Paspalev, G. V.; and *Zhelfazkova-Paspaleva, A.*, 1963 a, 200 Southwest Bulgaria
Ryzhova, A. A.; and *Nevostrueva, L. S.*, 1965 a all from USSR, Belovezhskaya pushcha
Prosthogonimus ovatus--Continued.
 [*Sturnus vulgaris caucasicus*]
 [*Passer sp.*]
 [*Dryobates major*]
Prosthogonimus ovatus *Libellula quadrimaculatum*
Prosthogonimus ovatus [*Larus ridibundus*]
Prosthogonimus ovatus (Rudolphi, 1803) *Sturnus vulgaris* (cloaca, bursa of Fabricius)
Prosthogonimus pellucidus [*Gallus gallus*]
Prosthogonimus (Macrogenotrema) pellucidus (Linstow, 1873)
 pasare
 rata
Prosthopycoides gen. n. *Lecithodendriidae; Lecithodendriinae*
Prosthopycoides lynchii (Inglis, 1936) gen. et comb. n. (tod)
 Syns.: *Brachycoelium lynchii* Inglis, 1936; *Lecithodendrium lynchii* (Inglis, 1936) Rankin, 1938.
Rana aurora (small intestine) western California and Oregon (range extension)
Prosthogonimus sudarikovi Oschmarin, 1946
 as syn. of *Prosthogonimus (Macrogenotrema) macrorchis* Macy, 1934
Prosthogonimus sudarikovi Oschmarin, 1946
 As syn. of *Pr. macrorchis* Macy, 1934
Prosthogonimus (Politogenotrema) spinatus nov. sp. [*Anas platyrhynchos*] (bursa of Fabricius)
Prosthogonimus (Primagenotrema) sobolevi Leonov et Belogurov, 1963
Stercorarius parasiticus (bursa of Fabricius)
Prosthogonimus robdfus i n. sp.
Gallinago gallinago (bursa Fabricii)
Prosthogonimus pellucida distribution
Prosthogonimus pellucida [*Anas platyrhynchos*]
Prosthogonimus pellucidus [*Anas platyrhynchos*]
Ryzhova, A. A.; and *Nevostrueva, L. S.*, 1965 a--Continued
Savchenko, M. E., 1963 b Dnepropetrovsk oblast
Sergienko, M. I.; and *Kharamburga, Ia. I.*, 1963 a L'vovshchina
Vol'skis, G. I., [1967 a] Latvian SSR
Olteanu, G.; and *Stoican, E.*, 1963 b, 224, 229 all from Romania
Martin, G. W., 1966 b, 1066, 1068
 tod: *P. lynchii* (Inglis, 1936) comb. n.
Martin, G. W., 1966 b, 1066-1069, figs. 1-4
Shevtsov, A. A., [1966 a], 317-319, 320, fig. Chernigovskaya oblast, Ukraine
Leonov, V. A.; *Belogurov, O. I.*; *Shagvalieva, N. M.*; and *Bondarenko, S. K.*, 1965 a, 134 all from USSR, Kamchatka
Anantaraman, S., 1966 a, 274-280, figs. 1-2 Madras (India)
Sprehn, C. E. W., 1967 a Europe
Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR
Shevtsov, A. A., 1963 c Ukraine

| | | | |
|---|----------------------------------|--------------------------------------|---------------------------------|
| Protechinostoma mucroniser- | Williams, R. R., 1964 b | Pseudacolpenteron Bychow- | Rogers, W. A., 1968, 339 |
| tulatum Beaver, 1943 | Calamus Swamp, Pickaway Co., | sky and Gussev, 1955 | |
| Lymnaea (Stagnicola) re- | Ohio | valid genus | |
| flexa (Say) | | | |
| Anas domestica (exper.) | | Pseudacolpenteron pav- | Allamuratov, B. K., 1965 b |
| Turdus migratorius " | | lovskii | South-Sirkhanskoe reservoirs |
| Sturnus vulgaris " | | fish | |
| Protenes angustus | Esch, G. W.; and Gibbons, | Pseudacolpenteron pav- | Diarova, G. S., 1967 a |
| Chrysemys picta marginata | J. W., 1967 a, 819 | lovskii | Alma-Ata pond fisheries |
| | Wintergreen Lake, Kalamazoo | [Cyprinus carpio] | |
| County, Michigan | | | |
| Proterodiplostominae | Dwivedi, M. P., 1966 d | Pseudacolpenteron pavlov- | Margaritov, N. M., 1965 a, |
| Dubois, 1936 | | skii Bychowsky et Gussev, | fig. 1 |
| key to genera | | 1955 | Bulgaria |
| includes: Mesodiplostomum; Pseudoneodiplostomum; Cap- | | Pseudacolpenteron pavlov- | Rogers, W. A., 1968 a |
| sulodiplostomum n. g.; Proterodiplostomum; and Archaeo- | | sky [sic] Bychowsky and Gussev, 1955 | Lake Seminole and Eufaula, |
| diplostomum | | Cyprinus carpio | between Georgia and Alabama |
| Proterodiplostomum | Dwivedi, M. P., 1966 d | Pseudamphistomum | Deliamure, S. L.; and Alekseev, |
| Dubois, 1936 | | [lapsus as: Pseudoamphi- | E. V., 1963 a |
| Proterodiplostominae | | stomum] | |
| Proterodiplostomum inter- | Nasir, P.; and Rodriguez M., L., | Pseudamphistomum larvae | Reshetnikova, A. V., [1966 a] |
| medium n. sp. | 1967 a, 144-146, figs. 1-2 | [Abramis brama] (muscula- | Volgograd reservoir, all |
| Caiman crocodilus (small | San Bonifacio, Venezuela | ture) | from |
| intestine) | | [Blicca bjoerkna] (musculature) | |
| Proterometra albacauda | Anderson, M. G.; and Anderson, | Pseudamphistomum danubiensis | Sprehn, C. E. W., 1967 a |
| sp. n. | F. M., 1967 a, 31, 32, 33, 35; | distribution | Europe |
| Goniobasis catenaria | 36, 37, figs. 1-4 | Pseudoamphistomum [sic] | Deliamure, S. L.; and Alek- |
| (gonoducts) | Blue Springs, Marianna, | truncatum | seev, E. V., 1963 a |
| Lepomis gibbosus (exper.) | Jackson County, Florida | Pagophoca groenlandica | Jan Mayen Island; Newfound- |
| (cardiac stomach) | | | land |
| Proterometra catenaria | Anderson, M. G.; and Anderson, | Pseudamphistomum truncatum | Komarova, T. I., 1963 a |
| Smith, 1934 | F. M., 1967 a, 33, 34, 35, | (musculature) | Dnieper delta |
| Lepomis gibbosus (exper.) | figs. 8-10 | [Leuciscus idus] | |
| (esophagus) | | [Blicca bjoerkna] | |
| L. cyanellus (esophagus) | Blue Springs, Marianna, | [Cyprinus carpio] | |
| Goniobasis catenaria | Jackson County, Florida | Pseudamphistomum truncatum | Komarova, T. I., 1964 a, 83 |
| (gonoducts) | | (Rud., 1819) | all from Dnieper delta |
| Proterometra septimae sp. n. | Anderson, M. G.; and Anderson, | (musculature) | |
| Goniobasis catenaria | F. M., 1967 a, 31, 32, 33, 34, | [Scardinius erythrophthalmus] | |
| (gonoducts) | 35, 36, 37, figs. 5-7 | [Rutilus rutilus] | |
| Lepomis gibbosus (exper.) | Blue Springs, Marianna, | [Blicca bjoerkna] | |
| (esophagus) | Jackson County, Florida | [Tinca tinca] | |
| Protomicrocotyle manteri | Bravo-Hollis, M., [1967 a], 113, | Pseudamphistomum truncatum | Komarova, T. I., 1964 b |
| n. sp. | 114-119, 122, figs. 11-17 | seasonal distribution | Dnieper delta |
| Trachinotus paloma Jordan | La Paz, Baja California, | | |
| and Starks (branquias) | México | Pseudamphistomum truncatum | Komarova, T. I., 1966 a, 62 |
| Protomicrocotyle mirabilis | Caballero y Caballero, E.; | (Rud., 1819) | Dnieper estuary |
| (MacCallum, 1918) Johnston | and Bravo-Hollis, M., 1965 b, | [Blicca bjoerkna] (musculature) | |
| et Tiegs, 1922 | 106, 108-111, 121, figs. 5-6 | | |
| Syn.: Acanthodiscus mirabilis | MacCallum, 1918. | | |
| Xurel lata (branquias) | Veracruz, Golfo de Mexico, | Pseudamphistomum truncatum | Linnik, V. Ia.; and Zen'ko- |
| | Mexico | diagnosis, larvae | vich, E. M., 1968 a, 56, 57, |
| Prymnopriion anceps (Looss, | Dubinin, V. B., 1938 a, 141 | | figs. 1b, 2b |
| 1910) | | Pseudamphistomum truncatum | Marits, N. M., 1963 a, 49 |
| as syn. of Prosthognomimus cuneatus (Rudolphi, 1809) | | (Rudolfi, 1819) Lihe, 1909 | Moldavia |
| Prymnopriion ovatus (Looss, | Dubinin, V. B., 1938 a, 140 | Rutilus rutilus heckeli | |
| 1899-1910) | | (musculature) | |
| as syn. of Prosthognomimus ovatus (Rudolphi, 1803) | | Pseudamphistomum truncatum | Marits, N. M., 1963 c |
| Pseudacaenodera n. g. | Yamaguti, S., 1965 c, 458, 465 | (Rudolfi, 1819) Lihe, 1909 | Moldavia |
| Acanthoclpidae; Acantho- | tod: F. cristata n. sp. | Rutilus rutilus heckeli | |
| colpinae | | (musculature) | |
| Pseudacaenodera cristata | Yamaguti, S., 1965 c, 458, | Pseudamphistomum truncatum | |
| n. g., n. sp. (tod) | 460, 464-465, figs. 3A-B | (Rudolfi, 1819) Lihe, 1909 | |
| Conger marginatus (small | Hawaii | Rutilus rutilus heckeli | |
| intestine) | | (musculature) | |

- Pseudamphistomum truncatum* Sprehn, C. E. W., 1966 a, 174
 (Rudolphi, 1819)
 (Gallengänge)
 +*Phoca vitulina*
 +*P. hispida*
 +*P. groenlandica*
 +*Halichoerus grypus*
- Pseudamphistomum truncatum* distribution Sprehn, C. E. W., 1967 a
 Europe
- Pseudamphistomum truncatum* Volkova, N. S.; and Omelaeva, R. N., 1963 a
 [Felis catus]
 Lugansk city
- Pseudamphistomum truncatum* Volkova, N. S.; and Omelaeva, R. N., 1963 b
 Lugansk oblast
- Pseudanthocytoides dossae* Caballero y Caballero, E.; n. sp.
Anchoa hepsetus (branquias) 535, 542-545, 546, figs. 5-6
 Golfo de Mexico, Mexico
- Pseudapatemon elassocotylus* Sprehn, C. E. W., 1967 a
 distribution Europe
- Pseudascocotyle mollienesi-cola* [sic] Stein, P. C., 1968 a
 Sogardares-Bernal southern Florida
 and Bridgman, 1960
Mollienesia latipinna chicks (exper.)
- Pseudaxine* sp. Mamaëv, Īu. L., 1967 a
Caranx crumenophthalmus
- Pseudaxine triangula* Mamaëv, Īu. L., 1967 a,
 sp. n. 993-994, 996, 998, fig. 1,
 Auxis thazard (gills) 1-4
 South-Chinese Sea
- Pseudempleurocosa* n. g. Yamaguti, S., 1965 a, 55, 66,
Dactylogyridae, Ancyrocephalinae 68
 n. g., n. sp. (tod) tod: *P. carangis* n. sp.
- Pseudempleurocosa carangis* Yamaguti, S., 1965 b, 55, 64-
 n. g., n. sp. (tod) 66, figs. 6A-E
Caranx lugubris (gill and Hawaii
 pharynx)
Caranx sexfasciatus (gill and pharynx)
Myripristis berndti "
- Pseudexorchis major* fresh water fish Chun, S. K., 1965 a
- Pseudexorchis major* Semisulcospira bensonii Hamajima, F.; and Ishii, Y., 1964 a
- Pseudexorchis major* *Zacco platypus* Kamegai, S.; et al., 1964 c
Pseudogobio esocinus all from Kanto district
Pseudorasbora parva
- Pseudexorchis major* *Pseudorasbora parva* Kamegai, S.; et al., 1965 b
Zacco platypus Lake Inbanuma
Pseudogobio esocinus Kokai River
 Kokai River
- Pseudexorchis major* *Plecoglossus altivelis* Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
Acheilognathus rhombea
Acheilognathus lanceolata
Acheilognathus tabira
Rhodeus orizae
Acanthorhodeus atremius
Sarcocheilichthys variegatus
Gnathopogon elongatus
Pseudogobio esocinus
- Pseudexorchis major*--Continued.
Pseudorasbora parva
Zacco platypus
Zacco temminckii
Carassius carassius
Misgurnus anguillicaudatus
Parasilurus asotus
Channa argus
Coreopera kawamebari
Odontobutis obscurus
Tridentiger obscurus
Chaenogobius urotenia
Cottus pollux
- Pseudoexorchis* [sic] *major*
Pseudogobio esocinus
Zacco platypus
Tribolodon hakuenensis
Cyprinus carpio
Pseudorasbora parva
- Pseudexorchis major*
- Pseudexorchis major*
- Pseudoamphistomum* [lapsus for: *Pseudamphistomum*] Deliamure, S. L.; and Alekseev, E. V., 1963 a
- Pseudoanthocytyle* sp. Nikolaeva, V. M., 1963 a, 415-416, fig. 4
Engraulis encrasicholus ponticus (gills) Black Sea
- Pseudobenedenia* sp. Hargis, W. J. (jr.); and Dillon, W. A., 1968 a, 410
Trematomus borchgrevinki McMurdo Sound, Antarctic
- Pseudobenedenia nototheniae* Johnston, 1931 Hargis, W. J. (jr.); and Dillon, W. A., 1968 a, 409-410
Trematomus bernacchii (skin) McMurdo Sound, Antarctic
- Pseudobenedenia shorti* new species Hargis, W. J. (jr.); and Dillon, W. A., 1968 a, 406-409, figs. 1-10
Trematomus bernacchii McMurdo Sound and Windmill Islands, Antarctic
T. hasoni
T. centronotus
T. sp.
Rhigophila dearborni Ramp Cove, Antarctic
 McMurdo Sound, Antarctic
- Pseudobilharziella filiformis* distribution Sprehn, C. E. W., 1967 a
 Europe
- Pseudobilharziella kowalewskii* distribution Sprehn, C. E. W., 1967 a
 Europe
- Pseudobunocotyla* n. g. Yamaguti, S., 1965 c, 459, 467
Hemiuroidae; Bunocotylinae tod: *P. awa* n. sp.
- Pseudobunocotyla awa* n. g., Yamaguti, S., 1965 c, 459,
 n. sp. (tod) 463, 466-467, fig. 5
Chanos chanos "awa" (stomach) Hawaii
- Pseudochauhanea* n. g. Yamaguti, S., 1965 b, 56, 88-89
Gastrocotylidae, Gastrocotylinae tod: *P. sphyraenae* n. sp.
- Pseudochauhanea mexicana* Lamothe Argumedo, R., [1967 a], n. sp. 129-133, figs. 1-5
Sphyraena ensis (branquias) Acapulco, Guerrero, México

- Pseudochauhanea sphyraenae Yamaguti, S., 1965 b, 56, 87-
n. g., n. sp. (tod) 88, 90, 91, figs. 17A-D
Sphyraena barracuda (gill) Hawaii
- Pseudochetosoma leucisci Kakacheva-Avramova, D.,
Ergens, 1963 1966 b
as syn. of *P. salmonicola* Dollfus, 1951
- Pseudochetosoma leucisci Kakacheva-Avramova, D., 1966 d,
Ergens 1963 fig. 2
differential diagnosis from *P. salmonicola* Dollfus 1951
- Pseudochetosoma salmonicola Čanković, M.; Kiškarolj, M.;
Silurus glanis (zučni and Ramadanović, R., 1968 a
mjeđur) Sava river
- Pseudochetosoma salmonicola Kakacheva-Avramova, D.,
Dollfus, 1951 1966 b, figs. 1a, 1b, 1v
Syn.: *P. leucisci* Ergens, 1963
- Labeobarbus paytoni* (gallbladder)
Barbus calensis"
Salmo macrostigma"
Leuciscus cephalus albus"
L. cephalus"
Alburnoides bipunctatus"
Gobio gobio"
Phoxinus phoxinus"
Salmo irideus"
Cobitis taenia"
Nemachilus barbatulus"
Barbus meridionalis petenyi"
- Pseudochetosoma salmonicola Kakacheva-Avramova, D., 1966 d,
Dollfus 1951 figs. 1, 3
differential diagnosis from *P. leucisci* Ergens 1963
(vésicule biliaire) all from Bulgarie
- Leuciscus cephalus*
Phoxinus phoxinus
Alburnoides bipunctatus
Cobitis taenia
Gobio gobio
Salmo iridea
Nemachilus barbatulus
Barbus meridionalis petenyi
- Pseudocotyle squatinae Kearn, G. C., 1965 a, 478,
Squatina squatina fig. 6
Plymouth
- ? Pseudocreadium sp. Boyle, M. S., 1966 a, pl. 2,
Pleurobrachia pileus fig. 4
(pharynx) New Zealand
- Pseudocreadium ovale Ichihara, A.; et al., 1965 a
Parapristipoma trilineatum 6 Sagami Bay, Japan
(intestine)
- Pseudocreadium ovale Yama- Ichihara, A.; et al., 1965 b
guti, 1942 Sagami Bay
Parapristipoma trilineatum
- Pseudocreadium ovale Ichihara, A.; et al., 1965 c
Yamaguti, 1942 Bay of Sagami
Parapristipoma trineatum
- Pseudocreadium patellare Oshmarin, P. G., 1965 c, 222-
(Yamaguti, 1938) 223, fig. 8
Abalistes stellaris North Vietnam
(intestine)
- Pseudocryptotropa Yamaguti Khotenovskii, I. A., 1965 a,
1958 192, 194, 199
Cryptotropidae; Cryptotropinae
key
Syn.: Novetrema Rohde, 1962 [syn. nov.]
- Pseudocryptotropa macro- Khotenovskii, I. A., 1965 a,
testis (Belopolskaja, 1954) 199-200, fig. 4
[Yamaguti, 1958]
- Pseudocryptotropa nycticebi Khotenovskii, I. A., 1965 a,
(Rohde, 1962) [n. comb.] 201, 202, 203, figs. 5-6
Syn.: Novetrema nycticebi Rohde, 1962
- Pseudodactylogyrus gen. n. Gusev, A. V., 1965 a, 120,
Dactylogyridae; Dactylogy- 124-125
riniae (?) tod: *P. bini* (Kikuchi, 1929)
[n. comb.]
- Pseudodactylogyrus anguil- Gusev, A. V., 1965 a, 122, 123,
lae (Yin, Wen-Ying and N. 124, 125, fig. 3
Sproston, 1948) [n. comb.]
Syn.: *Dactylogyrus anguillae* (Yin, Wen-Ying and Sproston
1948)
- Pseudodactylogyrus bini Gusev, A. V., 1965 a, 119-121,
(Kikuchi, 1929) [n. comb.] 123, 124, 125, figs. 1-2
(tod)
- Pseudodiclidophora n. g. Yamaguti, S., 1965 b, 55, 71
Pseudodiclidophoridae, tod: *P. decapteri* n. sp.
Pseudodiclidophorinae
- Pseudodiclidophora decapteri Yamaguti, S., 1965 b, 55, 69-
n. g., n. sp. (tod) 71, figs. 8A-D
Decapterus pinnulatus Hawaii
"opelu" (gills)
- Pseudodiclidophoridae n. fam Yamaguti, S., 1965 b, 55, 71
includes: Pseudodiclidophorinae; Allopseudodiclidophor-
inae
- Pseudodiclidophorinae n. Yamaguti, S., 1965 b, 55, 71
subf.
Pseudodiclidophoridae n. fam.
includes: Pseudodiclidophora n. g.
- Pseudodiplectanum Paling, J. E., 1966 a, 377
cynoglossum Tripathi
1955
as syn. of *Diplectanum*
cynoglossum (Tripathi)
Yamaguti
- Pseudodiplostomum alcedense Dubois, G., 1966 a, 20, 46, 52
(Patwardhan, 1935) comb. nov.
Syns.: *Proalaria alcedensis* Patwardhan, 1935; *Pseudodip-*
lostomum fraterni Verma, 1936.
- Pseudodiplostomum fraterni Dubois, G., 1966 a, 46
Verma, 1936
as syn. of *Pseudodiplostomum alcedense* (Patwardhan,
1935) comb. nov.
- Pseudodiscocotyla n. g. Yamaguti, S., 1965 b, 55, 83
Discocotylidae, Pseudo-
discocotylinae tod: *P. opakapaka* sp. n.
- Pseudodiscocotyla opakapaka Yamaguti, S., 1965 b, 55, 81,
n. g., n. sp. (tod) 82, figs. 14A-D
Pristipomoides microlepis Hawaii
"opakapaka" (gill)
- Pseudodiscocotylinae n. Yamaguti, S., 1965 b, 55, 82-
subf.
Discocotylidae
includes: *Pseudodiscocotyla* n. g.
- Pseudodiscus collinsi Jansen, J. (jr.); and van
(Cobbald, 1875) den Broek, E., 1966 a
Elephas indicus zoological garden, Nether-
lands

- Pseudodiscus zibethicus* (Barker and East, 1915) *Ondatra z. zibethica* Beckett, J. V.; and Gallicchio, V., 1967 a, 1171 Portage County, Ohio
- Pseudodiscus zibethicus* (Barker & East, 1915) *Fukai, Yuan-Hwang*, 1967 a 1929 Salt Lake Valley, Utah
Ondatra zibethicus osoyoosensis
- Pseudoexorchis.* *See Pseudexorchis.*
- Pseudogalactosoma macrostoma* Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
Mugil cephalus
Acanthogobius flavimanus
- Pseudohaliotrema (Pseudohaliotrematoides) fusiforme* Yamaguti, 1953
as syn. of *Tetrancistrum fusiforme* (Yamaguti, 1953) comb. n.
- Pseudohaliotrema longiphallus* (MacCallum, 1915) Young, P. C., 1967 b, 1016, 1017; 1968 a
comb. n.
Syn.: *Tetrancistrum spirophallus* (MacCallum, 1915) corrected to *T. longiphallus* (MacCallum, 1915) in Young, 1968 a
- Pseudohaliotrematoides fusiforme* (Yamaguti, 1953) Yamaguti, 1963
as syn. of *Tetrancistrum fusiforme* (Yamaguti, 1953) comb. n.
- Pseudoheterophyes* Yamaguti, Leonov, V. A., (1957 a), 47 1939
Heterophyinae, key
- Pseudoleptobothrium* gen. n. Young, P. C., 1967 a, 1008, 1014-1015
Microbotriinae tod: *P. aptychotremae* sp. n.
- Pseudoleptobothrium* aptychotremae gen. n., sp. n. (tod) Young, P. C., 1967 a, 1008, 1013, 1014, figs. 21-22
Aptychotrema banksii (pectoral fins) Moreton Bay, Queensland, Australia
- Pseudoleucochloridium soricis* (Söltys, 1952) Pojmanska, 1959 Genov, T.; and Dimitrova, E. A., 1966 a, 127, 148, 150, 152, 156, 158
Crocidura leucodon (intestine) Bulgaria
- Pseudomaritrema innae* Leonov Deblock, S.; and Tran Van Ky, 1958 P., 1966 a, 29.
as syn. of *Maritrema oocysta* (Lebour, 1907)
- Pseudomazocraes selene* Hargis, 1957 Caballero y Caballero, E.; and Bravo-Hollis, M., 1965 b, 111-114, 121, figs. 7-8
Xurel lata (branquias) all from Veracruz, Golfo de Mexico, Mexico
Argyreiosus vomer " Price, C. E., 1967 a, 87, 91-92
- Pseudomurraytrema* Bychowsky, 1957 Rogers, W. A., 1966 a, 462
Bychowsky, 1957, emend.
Dactylogyridae, *Ancyrocephalinae*
- Pseudomurraytrema alabarrum* sp. n. Rogers, W. A., 1966 a, 462, 463, 464, figs. 9-16
Minytrema melanops Lee County, Alabama
- Pseudomurraytrema etowanum* sp. n. Hypentelium etowanum Rogers, W. A., 1966 a, 462, 463, 464-465, figs. 17-23 Lee County, Alabama
- Pseudomurraytrema muelleri* sp. n. *Catostomus commersonii* Price, C. E., 1967 a, 87, 88-91, figs. 1-12 Milner's Branch, three miles SE of Hollanville, Georgia
- Pseudomurraytrema muelieri* C. Price, 1967 *Catostomus commersonii* Nowlin, W. J.; Price, C. E.; and Schlueter, E. A., 1967 a Texas
- Pseudomurraytrema muelleri* Price (1967) *Catostomus commersoni* Price, C. E.; and Arai, H.P., 1967 a, 1239 Milk River, Alberta, Canada
- Pseudomurraytrema swingeli* sp. n. *Moxostoma duquesnei* Rogers, W. A., 1966 a, 462, 463, 465, figs. 1-8 Lee County, Alabama
- Pseudoneodiplostomum Dubois, 1936* *Proterodiplostominae* Dwivedi, M. P., 1966 d
- Pseudoneodiplostomum thomasi* (Dollfus, 1935) Dubois, 1936 Fischthal, J. H.; and Thomas, J. D., 1968 a, 13
Syns.: *Neodiplostoma thomasi* Dollfus, 1935; *N. sp.* Dollfus, 1935; *Pseudoneodiplostomum thomasi gabonicum* Dubois, 1948.
Crococilus niloticus (small intestine) Nungua, Ghana
- Pseudoneodiplostomum thomasi* Dubois, 1948 Fischthal, J. H.; and Thomas, J. D., 1968 a, 13
as syn. of *Pseudoneodiplostomum thomasi* (Dollfus, 1935) Dubois, 1936.
- Pseudonitzschia* n. g. *Capsalidae*, *Pseudonitzschiae* Yamaguti, S., 1965 b, 55, 61
tod: *P. uku* n. sp.
- Pseudonitzschia uku* n. g., n. sp. (tod) Yamaguti, S., 1965 b, 55, 59, 60-61, figs. 3A-C Hawaii
Aprion virescens "uku" (gills)
- Pseudonitzschiae* n. subf. *Capsalidae* Baird, 1853 Yamaguti, S., 1965 a, 55, 61
includes: *Pseudonitzschia* n. g.
includes: *Pseudonitzschiae* n. subf.
- Pseudopecoelus vitellozonus* sp. n. Pritchard, M. H., 1966 b, 180, 181, 187-188, figs. 11-12 all from Hawaii
Naso unicornis
Holocentrus xantherythrus
- Pseudopisthogyne* n. g. Discocotylidae, Opistho-gyninae Yamaguti, S., 1965 b, 55, 76
tod: *P. lepidocybii* n. sp.
- Pseudopisthogyne* lepidocybii n. g., n. sp. (tod) Yamaguti, S., 1965 b, 55, 74-76, figs. 10A-F Hawaii
Lepidocybium flavobrunneum (gill)
- Pseudopisthogynopsis* n. g. Discocotylidae, Opistho-gyninae Yamaguti, S., 1965 b, 55, 80, 82
tod: *P. lepidocybii* n. sp.
- Pseudopisthogynopsis* lepidocybii n. g., n. sp. (tod) Yamaguti, S., 1965 b, 55, 78-80, figs. 12A-E Hawaii
Lepidocybium flavobrunneum (gill)

| | | | |
|---|---|---|---|
| Pseudoplagioporus brevivitellus Siddiqi and Cable, 1960 as syn. of Apopodocotyle oscitans (Linton, 1910) n. comb. | Pritchard, M. H., 1966 a, 167 | Psilochasmus oxyurus.--Continued. A. querquedula A. crecca | Maksimova, A. P., 1967 a.--Continued. |
| Pseudopolystoma australensis (Reichenbach-Klinke 1966) [n. comb.] | Euzet, L.; and Combes, C., 1967 a, 405 | Psilochasmus oxyurus duck (small intestine) | Mohiuddin, S. G.; and Lone, M. M., 1967 a, 494 Nylore, Hyderabad (A.P.), India |
| Pseudopolystomatinae Yamaguti, 1963 Polystomatidae, key | Lamothe-Argumedo, R., [1965 c], 154 | Psilochasmus oxyurus | Sailov, D. I., 1963 a Azerbaijan |
| Pseudoprosthenhyphista, gen. n. Callodistomidae; Callodistominae | Kloss, G. R., 1966 a, 190-191 tod: P. microtesticulata n. sp. | Psilochasmus oxyurus (Creplin, 1825) Bithynia leachi | Smirnova, V. A.; and Ibrasheva, S. I., 1967 a, 70-71, fig. 10 Western Kazakhstan |
| Pseudoprosthenhyphista microtesticulata sp. n. (tod) (vesicula biliaris) Astyanax bimaculatus A. fasciatus | Kloss, G. R., 1966 a, 190, all from rio Mogi-Guassu, Estado de S. Paulo, Brasil | Psilochasmus oxyurus distribution | Sprehn, C. E. W., 1967 a Europe |
| Pseudospelotrema japonicum Yamaguti, 1939 (rectum) Colymbus griseigena | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 143 USSR, Kamchatka | Psilochasmus oxyurus (Creplin, 1825) Aythya (Nyroca) fuligula | Vol'skis, G. I., [1967 a] Latvian SSR |
| Pseudostrigaea Yamaguti, 1933 rejected | Dubois, G., 1966 b | Psilstomatidae not harmed by industrial pollution | Chernogorenko-Bidulina, M.I., 1963 a Desna river |
| Pseudostrigaea sarcogyponis Vidyarthi, 1937 as syn. of Strigea sarcogyponis (Vidyarthi, 1937) comb. nov. | Dubois, G., 1966 a, 32 | Psilstomum arvicola Schulz et Dobrova, 1933 Ondatra zibethica | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G., 1963 a Moldavia |
| Pseudotetraonchoides gen.n. Tetraonchoidae key; key to species | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 144, 159, 161, fig. 10Zh tod: P. bleekeriae sp. n. | Psilstomum arvicolae Schulz et Dobrova, 1933 (small intestine) Ondatra zibethica Arvicola terrestris | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G., 1963 b, 28 all from Moldavian SSR |
| Pseudotetraonchoides bleekeriae sp. n. (tod) Bleekeria anguilliviridis (gill filaments) key | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 144, 145, 159, fig. 2 Tonkin Bay, South China Sea | Psilstomum brevicolle distribution | Sprehn, C. E. W., 1967 a Europe |
| Psilochasmus oxyurus (Creplin, 1825) Larus argentatus (small intestine) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a North Carolina | Psilstomum cygnei Southwell & Kirchner, 1937 Cygnus olor (gastro-intestinal tract) | Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22 Essex, England |
| Psilochasmus oxyurus host diet | Feizullaev, N. A., 1963 c Azerbaijan | Psilstomum cygnei distribution | Sprehn, C. E. W., 1967 a Europe |
| Psilochasmus oxyurus [Anas platyrhynchos] [Anas crecca] [Anas penelope] [Nyroca ferina] [Anas clypeata] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve | Psilstomum lineatum Linton, 1928 Larus argentatus | Threlfall, W., 1966 c, 10 Wales |
| Psilochasmus oxyurus Anas platyrhynchos | Maksimova, A. P., 1966 a South Kazakhstan | Psilstomum ondatrae Price, 1931 Ondatra zibethicus osoyoosensis | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah |
| Psilochasmus oxyurus (Creplin, 1825) (small intestine) Anas clypeata A. querquedula Netta rufina Nyroca fuligula | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan | Psilstomum progeneticum distribution | Sprehn, C. E. W., 1967 a Europe |
| Psilochasmus oxyurus (Creplin, 1825) Anas platyrhynchos A. clypeata A. acuta | Maksimova, A. P., 1967 a, 131 all from Western Kazakhstan | Psilotrema sp. Ondatra zibethicus osoyoosensis | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah |
| Psilochasmus oxyurus (Creplin, 1825) Anas platyrhynchos A. clypeata A. acuta | Maksimova, A. P., 1967 a, 131 all from Western Kazakhstan | Psilotrema marki distribution | Sprehn, C. E. W., 1967 a Europe |
| Psilochasmus oxyurus (Creplin, 1825) Anas platyrhynchos A. clypeata A. acuta | Maksimova, A. P., 1967 a, 131 all from Western Kazakhstan | Psilotrema oligoon distribution | Sprehn, C. E. W., 1967 a Europe |
| Psilochasmus oxyurus (Creplin, 1825) Anas platyrhynchos A. clypeata A. acuta | Maksimova, A. P., 1967 a, 131 all from Western Kazakhstan | Psilotrema pharyngeatum Grabda, 1954 as syn. of Psilotrema simillimum (Mühling, 1898) | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G., 1963 b |

- Psilotrema pharyngeatum*
Grabda, 1954
Ondatra zibethica
(small intestine)
- Psilotrema pharyngeatum*
distribution
- Psilotrema simillimum* (Mühl-
ing, 1893)
Arvicola terrestris
Ondatra zibethica
- Psilotrema simillimum* (Mühl-
ing, 1898)
Syn.: *Psilotrema pha-
ryngeatum* Grabda, 1954
Ondatra zibethica
Arvicola terrestris
- Psilotrema simillimum*
(Mühl-
ing, 1898)
[*Anas platyrhynchos*]
- Psilotrema simillimum*
(Mühl-
ing, 1898)
Cygnus melanoriphus
- Psilotrema simillimum*
Anas penelope
- Psilotrema simillimum* (Mühl-
ing, 1898)
Anas strepera
Anser erythropus
Anas penelope
- Psilotrema simillimum* [sic]
distribution
- Psilotrema spiculigerum*
(Mühl-
ing, 1898)
[*Anas platyrhynchos*]
- Psilotrema spiculigerum*
(Mühl-
ing, 1898)
Cygnus melanoriphus
- Psilotrema spiculigerum*
(Mühl-
ing, 1898)
Bithynia tentaculata
- Psilotrema spiculigerum*
(Mühl-
ing, 1898)
Anas strepera
A. penelope
- Genov, T., 1964 a, 101, fig.
2
Srebarna, Siliстра District,
Bulgaria
- Sprehn, C. E. W., 1967 a
Europe
- Andreiko, A. F.; Pinchuk, L.
M.; and Skvortsov, V. G.,
1963 a
all from Moldavia
- Andreiko, A. F.; Pinchuk,
L. M.; and Skvortsov, V. G.,
1963 b, 28, fig. 3
all from Moldavian SSR
- Belokobyleko, V. T., 1965 a
Ural oblast
- Jansen, J. (jr.); and van
den Broek, E., 1966 a
zoological garden, Nether-
lands
- Maksimova, A. P., 1966 a
South Kazakhstan
- Maksimova, A. P., 1967 a, 131
all from Western Kazakhstan
- Sprehn, C. E. W., 1967 a
Europe
- Belokobyleko, V. T., 1965 a
Ural oblast
- Jansen, J. (jr.); and van
den Broek, E., 1966 a
zoological garden, Nether-
lands
- Kiselienė, V. K., 1966 a
Lithuanian SSR
- Maksimova, A. P., 1967 a, 131
all from Western Kazakhstan
- Ptyalincola* gen. n.
Brachylaimidae; Leucoch-
loridiomorphinae
- Ptyalincola ondatrae,
gen. et sp. n. (tod)
Ondatra zibethicus
(nat. and exper.)
(oral, salivary glands)
Anodonta grandis
Alasmidonta calceolus
Ligumia nasuta
Lampsilis siliquoidea
- Pulvinifer macrostomum*
(Jägerskiöld, 1900) Dubois, 1938
Syns.: *Pulvinifer singularis* Yamaguti, 1933; *Latero-
strigea conicura* Yang Fu-Hsi, 1962; *L. capella* Yang Fu-
Hsi, 1962.
- Pulvinifer singularis*
Yamaguti, 1933
as syn. of *Pulvinifer macrostomum* (Jägerskiöld, 1900)
Dubois, 1938.
- Pycnadenoides pagrosomi*
Yamaguti, 1938 (intestine)
Scienciidae gen. sp.
- Pygidiopsis*
[lapsus as: *Phygiadiopsis*]
- Pygidiopsis genata*
- Pygidiopsis* [sic] *genata*
Looss
distribution
- Pygidiopsis summa*
Mugil cephalus
Lisa menada
Acanthogobius flavimanus
- Pygidiopsis summa*
dogs
- Pygidiopsis summus* Onji et
Nishio
- Kupriianova-Shakhmatova, R.
A., 1965 a
USSR, central Povolzh'e
- Wootton, D. M.; and Murrell,
K. D., 1967 a, 739
tod: *P. ondatrae* sp. n.
- Wootton, D. M.; and Murrell,
K. D., 1967 a, 739-742,
fig. 1
Douglas Lake, Cheboygan
County, Michigan
Douglas and Carp Lakes,
and Carp River, Michigan
"
- Dubois, G., 1966 a, 47, 52
(Jägerskiöld, 1900) Dubois, 1938
Syns.: *Pulvinifer singularis* Yamaguti, 1933; *Latero-
strigea conicura* Yang Fu-Hsi, 1962; *L. capella* Yang Fu-
Hsi, 1962.
- Dubois, G., 1966 a, 47
Oshmarin, P. G., 1965 c, 234,
fig. 17
North Vietnam
- Sprehn, C. E. W., 1967 a
- Sailov, D. I., 1963 a
Azerbaijdhan
- Sprehn, C. E. W., 1967 a
Europe
- Komiya, Y.; and Suzuki, N.
1966 a, pp. 208-214
- Shiraishi, S.; and Inokuchi,
T., 1965 a
delta of Chikugo River
- Weng, T. W., 1959 a
Inland Sea of Japan

| | | | |
|--|---|---|--|
| Quadriacanthus Paperna, 1961 | Price, C. E., 1967 e, 379, 387-388 Dactylogyridae, Ancyrocephalinae, key | Quinqueserialis quinqueserialis (Barker and Laughlin, 1911) Ondatra z. zibethica | Beckett, J. V.; and Gallicchio, V., 1967 a, 1171 Portage County, Ohio |
| Quadriacanthus voltaensis Paperna (1965) | Paperna, I., 1965 a, 109, 111, fig. 3 Southern Ghana | Quinqueserialis quinquiserialis [sic] (Barker and Laughlin, 1911) Marrah, 1922 Ondatra zibethicus osoyoosensis | Grundmann, A. W.; and Tsai, Y. H., 1967 a Salt Lake Valley, Utah |
| Quadriacanthus voltaensis Paperna (1965) | Price, C. E., 1967 e, 388 Ghana (lower reaches of Volta River) | Quinqueserialis quinque- serialis (Barker et Laughlin, 1911) Ondatra zibethica (large intestine, caecum) | Gubanov, N. M., 1964 a, 10 Yakutia |
| Quadrifoliovariinae n. subf. Hemiuroidae | Yamaguti, S., 1965 c, 459, 468-469 includes: Quadrifoliovarium n. g. | Quinqueserialis quinqueserialis [Ondatra zibethica] | Kadenatsii, A. N., 1965 a Omsk lesostep |
| Quadrifoliovarium n. g. | Yamaguti, S., 1965 c, 459, 469 Hemiuroidae, Quadrifoliovaria- riinae | Quinqueserialis quinque- serialis | Kinsella, J. M., 1967 a, 271 western Montana |
| Quadrifoliovarium pritchardi n. g., n. sp. (tod) | Yamaguti, S., 1965 c, 459, 460, 467-468, figs. 2A-B Naso unicornis "kala" (stomach and pyloric ceca) | Micromys pennsylvanicus (cecum) | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G. 1963 a Moldavia |
| Quasichiorchis purvisi (Southwell & Kirshner, 1937) | Balasingam, E., 1964 d, 110- 112 Heosemys grandis (stomach) | Quinqueserialis volgensis [sic] Skvorzov, 1934 (caecum) Arvicola terrestris Ondatra zibethica | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G., 1963 b, 30 all from Moldavian SSR |
| Quinqueserialis [lapsus as: Quinquieria- lis] | Grundmann, A. W.; and Tsai, Y. H., 1967 a | Quinqueserialis wolgaensis Skwrtzow, 1934 Arvicola terrestris | Sharpilo, L.D., 1961 a, 204 Ukraine |
| Quinqueserialis quinque- serialis Ondatra zibethicus | Anderson, D. R.; and Beau- doin, R. L., 1966 a, 72 Centre and Lycoming Counties, Pennsylvania | Quinquieria [lapsus for: Quinque- serialis] | Grundmann, A. W.; and Tsai, Y. H., 1967 a |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Rajonchocotyle emarginata
chemistry and evolution, sclerites
- Lyons, K. M., 1966 a
- Renicola pinguis (Mehlis, 1831) (kidneys)
Gavia stellata
Colymbus griseigena
C. auritus
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 151 all from USSR, Kamchatka
- Ratzia parva
distribution
- Sprehn, C. E. W., 1967 a Europe
- Renicola sp.
Plegadis falcinellus
- Dubinin, V. B., 1938 a, 152 Astrakhan game reserve
- Renicola sp.
Larus argentatus (kidney tubules)
- Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a North Carolina
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 154 USSR, Kamchatka
- Renicola brevivitellata
Leonov et Belogurov, 1963 (ureters)
Sterna camtschatica
Sterna hirundo
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150 all from USSR, Kamchatka
- Renicola glandiloba [sic]
Witenberg, 1929
Larus atricilla (kidney tubules)
Sterna hirundo hirundo (kidney tubules)
- MacInnis, A. J., 1966 a, 62-63 Alligator Harbor, Franklin County, Florida
- Renicola keimahuri Yamaguti, 1939 (kidneys)
Larus shistisagus
L. ridibundus
Sterna camtschatica
Rissa tridactyla
Gavia stellata
Sterna hirundo
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150, fig. 20 all from USSR, Kamchatka
- Renicola lari Timon-David, 1933 (kidney tubules)
Larus argentatus
L. atricilla
- Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina
- Renicola lari
[*Larus ridibundus*]
- Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve
- Renicola lari Timon-David, 1933 (kidneys)
Larus canus
Sterna hirundo
Larus shistisagus
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150 all from USSR, Kamchatka
- Renicola mediavitellata Bychowskaja-Pawlowskaja, 1950
Anas penelope (kidneys)
Netta rufina "
Nyroca fuligula "
- Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan
- Renicola paraquinta W. Ra-jewsky, 1937 (ureters)
Sterna hirundo
Larus canus
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150 all from USSR, Kamchatka
- Renicola pinguis distribution
- Sprehn, C. E. W., 1967 a Europe
- Renicola umigarasu Yamaguti 1939 (kidneys)
Larus shistisagus
L. canus
Sterna camtschatica
S. hirundo
Phalacrocorax pelagicus
Uria aalge
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150-151, fig. 21 all from USSR, Kamchatka
- Renicola vladica [sic] Oschmarin, 1950 (kidneys)
Phalacrocorax pelagicus
Puffinus tenuirostris
Synthilboramphus antiquus
- Leonov, V. A.; Belogurov, O. I.; Shagvaleeva, N. M.; and Bondarenko, S. K., 1965 a, 150 all from USSR, Kamchatka
- Renicolidae [sp.] [*Sterna hirundo*]
- Sergienko, M. I.; and Kharambura, Ia. I., 1963 a L'vovshchina
- Repadum
as syn. of Glypthelmins
- Nasir, P., 1966 a, 169
- Reptiliotrema Baschkirova, 1941
key, *Himasthlinae*
- Alekseev, V. M., 1965 b
- Reptiliotrema
Echinostomatidae, key
- Cosgrove, G. E., 1966 a, fig. 13
- Reynoldstrema
as syn. of Glypthelmins
- Nasir, P., 1966 a, 169
- Reynoldstrema berghei (Vercammen-Grandjean, 1960) n. comb.
Syn.: *Plagiorchis* (P.) berghei Vercammen-Grandjean, 1960.
- Fischthal, J. H.; and Thomas, J. D., 1968 a, 7
- Reynoldstrema laurenti (Vercammen-Grandjean, 1960) n. comb.
Syn.: *Plagiorchis* (P.) laurenti Vercammen-Grandjean, 1960.
- Fischthal, J. H.; and Thomas, J. D., 1968 a, 7
- Rhipidocotyle [sp.]
Pleuronectes platessa (fibrous tissue)
- Matthews, R. A., 1966 a
- Rhipidocotyle sp. metaceraria
Scienidae gen. sp.
(crystalline body of eye)
- Oshmarin, P. G., 1965 c, 219-221, fig. 6
North Vietnam
- Rhipidocotyle adbaculum Manter, 1940
Scomberomorus maculatus
(upper small intestine)
- Corkum, K. C., 1968 a, 346 northern Gulf of Mexico
- Rhipidocotyle angusticolle Chandler, 1941
Euthynnus alletteratus (upper small intestine)
Scomberomorus cavalla " " "
- Corkum, K. C., 1968 a, 346 northern Gulf of Mexico

| | | | |
|--|--|--|---|
| Rhipidocotyle illense fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Rhodotrema ovacutum (Le- bour, 1908) (intestine) Hippoglossoides elassodon | Mamaev, Iu. L., 1965 a, 178 Bering Sea |
| Rhipidocotyle illense Ziegler, 1883 Lucioperca lucioperca Esox lucius Scardinius erythrophthalmus | Belini sova, I. K., 1965 a Krasnooskol'skoe reservoir, all from | Rhodotrema problematica Issaitschikoff, 1928 Syns.: Stenakron vetustum Stafford, 1904, nom. nud.; Rhodotrema quadrilobata Basikalova, 1932 Myoxocephalus polycan- thocephalus (intestine) Platessa quadrituberculata (intestine) | Zhukov, E. V., 1963 a, 99-100. fig. 1 Basikalova, 1932 all from Chukotsk Peninsula |
| Rhipidocotyle illense Esox lucius (crijevo) Acipenser ruthenus " | Canković, M.; Kiškarolj M.; and Ramadanić, R., 1968 a all from Sava river | Rhodotrema quadrilobata Basikalova, 1932 as syn. of Stenakron [sic] vetustum Stafford, 1904 | Mamaev, Iu. L., 1965 a, 178 |
| Rhipidocotyle illense [Esox lucius] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | Rhodotrema quadrilobata Basikalova, 1932 as syn. of Rhodotrema problematica Issaitschikoff, 1928 | Zhukov, E. V., 1963 a, 99 |
| Rhipidocotyle illense (Ziegler, 1883) Leuciscus leuciscus (gill filaments) | Marits, N. M., 1963 a, 37 Moldavia | Rhopalias horridus (Diesing) Lutreolina crassicaudata Didelphis azarae | Boero, J. J.; and de Boehringer, I. K., 1967 a, 153, 159, fig. 22 all from Argentina |
| Rhipidocotyle illense Pseudoscaphirhynchus kaufmanni | Osmanov, S. O., 1965 c | Riojatrema bravoae Lamothe, 1963 (vejiga urinaria) Tomodactylus annulae Bufo simus | Lamothe-Argumedo, R., [1965 c], 153, 155 all from Tepoztlán, Morelos, México |
| Rhipidocotyle illense (Ziegler, 1883) Vejnar, 1956 (intestine) Esox lucius Perca fluviatilis | Wyrzykowska, B., 1964 a, 154, 155 all from Zegrzynski Reser- voir | Riojatrematinae n. subf. Polystomatidae, key | Lamothe-Argumedo, R., [1965 c], 153, 154, 155 |
| Rhipidocotyle lepisostei Corkum, K. C., 1968 a, 346 Hopkins, 1954 northern Gulf of Mexico Lepisosteus spatula (upper small intestine) | Hopkins, S. H., 1967 a | Rossicotrema Skrjabin et Lindtrop, 1919 key to species | Leonov, V. A., (1957 a), 50 |
| Rhipidocotyle lepisostei Hopkins, 1954 Lepisosteus spatula (intestine) L. osseus | Red River, between Oklahoma and Texas and Dayton, Texas Red River (Denison Dam), between Oklahoma and Texas | Rossicotrema donicum [sic] Skrjabin et Lindtrop, 1919 [Perca fluviatilis] (fins) | Komarova, T. I., 1964 a, 83 Dnieper delta |
| Rhipidocotyle lintoni Hop- kins, 1954 Strongylura marina (upper small intestine) | Corkum, K. C., 1968 a, 346 northern Gulf of Mexico | Rossicotrema donicum Skrjabin et Lindtrop, 1919 key | Leonov, V. A., (1957 a), 50 |
| Rhipidocotyle longleyi Manter, 1934 Synagrops bella (upper small intestine) | Corkum, K. C., 1968 a, 346- 347 northern Gulf of Mexico | Rossicotrema donicum (Skrjabin et Lindtrop, 1919) Price, 1931 Perca fluviatilis (skin, fins, scales) | Marits, N. M., 1963 a, 49 Moldavia |
| Rhipidocotyle megagaster n. sp. Lophius americanus (gastric ceca) | Corkum, K. C., 1968 a, 347- 349, figs. 2-3 Gulf of Mexico, 29° 10' N, 88° 05' W | Rossicotrema donicum Skrjabin and Lindtrop, 1919 Phoca vitulina (Darm) | Sprehn, C. E. W., 1966 a, 174 |
| Rhipidocotyle nagatyi Man- ter, 1940 Euthynus alletteratus (upper small intestine) | Corkum, K. C., 1968 a, 347 northern Gulf of Mexico | Rossicotrema donicum distribution | Sprehn, C. E. W., 1967 a Europe |
| Rhipidocotyle transversale Chandler, 1935 Strongylura marina (upper small intestine) | Corkum, K. C., 1968 a, 347 northern Gulf of Mexico | Rossicotrema lari nov. sp. key Larus argentatus (intestine) | Leonov, V. A., (1957 a), 48- 50, fig. 3 Tendrovskii Bay |
| Rhodotrema Odhner, 1911 Syn.: Stenakron Stafford, 1904, nom. nud. | Zhukov, E. V., 1963 a, 99 | Rossicotrema venustus (Ransom, 1920) key | Leonov, V. A., (1957 a), 50 |

| | | | |
|--|---|---|---|
| Saccocoelium [lapsus as: Saccocoelum] | Koval, V. P.; and Otsupok, N. D., 1964 a, 52 | Sanguinicola inermis Plehn, 1905 Radix ovata R. auricularia | Butenko, Iu. V., 1967 a, 38-39 fig. 10a, v all from South Kazakhstan |
| Saccocoelum [sic] tensum Looss, 1902 Mugil cephalus | Koval, V. P.; and Otsupok, N. D., 1964 a, 52 region of Evpatoria, Black Sea | Sanguinicola inermis | Christensen, N. O., 1966 a, fig. 34 |
| Saccocoelum [lapsus for: Saccocoe- lium] | Koval, V. P.; and Otsupok, N. D., 1964 a, 52 | Sanguinicola inermis [Cyprinus carpio] | German, A. N.; Zozulia, E. A.; and Sukhenkov, G. E., 1964 a Kiev oblast |
| Salmonchus gvosdevi Brachymystax lenok | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a Tuva ASSR | Sanguinicola inermis [Cyprinus carpio] | Iskov, M. P., 1963 a Kakhovsk reservoir |
| Salmonchus huchonis Hucho taimen | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a Tuva ASSR | Sanguinicola inermis [Cyprinus carpio] (gills) | Ivasik, V. M., 1961 c, 268 Ukraine |
| Salmonchus lenoki Brachymystax lenok | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a Tuva ASSR | Sanguinicola inermis [Cyprinus carpio] (heart, gills) | Ivasik, V. M.; and Sutiagin, V. S., 1966 a Tissa river |
| Salmonchus skrjabini Hucho taimen | Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a Tuva ASSR | Sanguinicola [sic] inermis Plehn, 1905 (Cercaria cris- tata La Val., 1855) Radix ovata | Kiseliene, V. K., 1966 a Lithuanian SSR |
| Sanguinicola life history | Hu, C.-Y., 1968 a China | Sanguinicola inermis [Cyprinus carpio] | Poliakov, M. G.; and Ivasik, V. M., 1963 a L'vovsk oblast |
| Sanguinicola [lapsus as: Sanquinicola] | Kiseliene, V. K., 1966 a | Sanguinicola inermis distribution | Sprehn, C. E. W., 1967 a Europe |
| Sanguinicola sp. Radix ovata | Butenko, Iu. V., 1967 a, 39, fig. 10b South Kazakhstan | Sanguinicola intermedia distribution | Sprehn, C. E. W., 1967 a Europe |
| Sanguinicola sp. cercaria Theodoxus fluviatilis Lithoglyphus naticoides | Chernogorenko-Bidulina, M.I., 1966 a, 33 all from upper Dnieper | Sanguinicola intermedia (Ejsmont, 1926) [Carassius carassius] (vascular system) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |
| Sanguinicola sp. Tinca tinca (gills) | Ha, K., 1964 a Alol group of lakes (Pskov oblast) | Sanguinicola volgensis distribution | Sprehn, C. E. W., 1967 a Europe |
| Sanguinicola sp. Radix ovata | Kuprianova-Shakhmatova, R. A., 1965 a USSR, central Povolzh'e | Sanguinicolidae not harmed by industrial pollution | Chernogorenko-Bidulina, M.I., 1963 a Desna river |
| Sanguinicola sp. (Cercaria cristata?) Lymnaea stagnalis Radix auricularia R. pereger Valvata piscinalis | Smirnova, V. A.; and Ibrash- eva, S. I., 1967 a, 54 all from Western Kazakhstan | Sanquinicola [lapsus for: Sanguinicola] | Kiseliene, V. K., 1966 a |
| Sanguinicola armata distribution | Sprehn, C. E. W., 1967 a Europe | Scaphanocephalus expansus Parapercis multifasciatus | Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214 |
| Sanguinicola armata (Plehn, 1905) [Tinca tinca] (vascular system) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoirs | Schikhobalotrema sparisorae (Manter, 1937) Mugil cephalus | Koval, V. P.; and Otsupok, N. D., 1964 a, 50-52, fig. region of Evpatoria, Black Sea |
| Sanguinicola inermis fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Schistogonimus rarus (Braun, 1901) [Anas platyrhynchos] | Belokobylenko, V. T., 1965 a Ural oblast |

| | | | |
|--|---|--|---|
| Schistogonimus rarus (bursa of Fabricius) Clangula clangula Nyroca fuligula | Churina, N. V., 1963 a all from Srednii Ural | Schistosoma bovis dromadaire (veines mésentériques) | Graber, M.; Tabo, R.; and Service, J., 1967 a, 239, 241 Tchad |
| Schistogonimus rarus [Anas platyrhynchos] | Dremkova, P. P.; and Podgornova, G. P., 1963 a Volgograd oblast | Schistosoma bovis cercariae used to immunize rhesus monkeys to S. haematobium | Hsü, S. Y. L.; et al, 1966 a |
| Schistogonimus rarus Anas platyrhynchos Nyroca ferina | Maksimova, A. P., 1966 a all from South Kazakhstan | Shistosoma [sic] bovis mouton (veines mésentérique et hépatique) | Levrat, E., 1966 a, 28 Tchad |
| Schistogonimus rarus (Braun, 1901) Anas platyrhynchos A. querquedula Nyroca ferina Anas strepera A. acuta A. penelope A. crecca Mergus albellus | Maksimova, A. P., 1967 a, 128 all from Western Kazakhstan | Schistosoma bovis buffaloes, review, geographic distribution | Mohan, R. N., 1968 a, 743 |
| Schistogonimus rarus [Anas platyrhynchos] | Shevtsov, A. A., 1963 c Ukraine | Schistosoma bovis heterologous immunity | Nelson, G. S.; Amin, M. A.; Teesdale, C.; and Saoud, M. F. A., 1967 a |
| Schistogonimus rarus [Anas platyrhynchos] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR | Schistosoma bovis Mastomys natalensis Lophuromys flavopunctatus | Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a all from Kenya |
| Schistogonimus rarus distribution | Sprehn, C. E. W., 1967 a Europe | Schistosoma bovis Son-sino, 1876 | Pitchford, R. J., 1966 a Africa |
| Schistogonimus rarus | Willemse, J. J., 1966 a, fig. 3 | Schistosoma bovis diurnal recovery pattern of cercariae | Pitchford, R. J.; and Visser, P. S., 1966 a, 519 |
| Schistorchis skrjabini sp. nov. (intestine) Triacanthus brevirostris Abalistes stellaris | Parukhin, A. M., 1963 a, 123-124, fig. 1 all from Tonkin Bay | Schistosoma bovis chaetotaxy | Richard, J., 1968 b, fig. 1(5), 2(3) |
| Schistosoma Schistosomatidae, key | Cosgrove, G. E., 1966 a, fig. 25 | Schistosoma bovis cows sheep Bulinus truncatus (exper.) | Sabbaghian, H.; Bijan, H.; and Arfaa, F., 1964 a all from Khusestan Province, Iran |
| Schistosoma [lapsus as: Shistosoma] | Levrat, E., 1966 a, 28 | Schistosoma bovis incidence in Egypt and Sudan | Soliman, K. N., 1962 b |
| Schistosoma Weinland, 1858 nomenclature history | Mansour, K., 1962 a | Schistosoma bovis distribution | Sprehn, C. E. W., 1967 a Europe |
| Schistosoma Schistosomatinae nov. subfam. | Merdivenci, A., 1966 b, 80 | Schistosoma capense (Harley, 1864) valid species for schistosomes developing in africanus group of bulinid snails | Wright, C. A., 1962 a |
| Schistosoma [sp.] baboons | Kalter, S. S.; Kuntz, R. E.; Al-Doory, Y.; and Katzberg, A. A., 1966 a East Africa | Schistosoma capense life cycle | Wright, C. A., 1967 b |
| Schistosoma bovis Bulimus contortus (exper.) B. truncatus | Arfaa, F.; Massoud, J.; and Chu, K. Y., 1967 a | Schistosoma curassoni Brumpt, 1931 | Pitchford, R. J., 1966 a Africa |
| Schistosoma bovis Wheatley rapid staining method | Bittner, A., 1964 a, pl., fig. 3 | Schistosoma edwardiense Thurston, 1964 | Pitchford, R. J., 1966 a Africa |
| Schistosoma bovis distribution, frequence and biology of Bulinus truncatus | Doby, J.-M.; Rault, B.; Deblock, S.; and Chabaud, A.-G., 1966 a Corse, France | Schistosoma haematobium review, popular | Deckart, M., 1966 b, fig. 5,2 |
| | | Schistosoma haematobium appendix | El Faoumi, I. N., 1939 a, figs. 1-2 |
| | | Schistosoma haematobium appendix | Soliman, L. A. M., 1966 a |

- Schistosoma haematobium, cause of abdominal pain, humans Watson, W. C., 1968 a Kenya
- Schistosoma haematobium, infraspecific variation Wright, C. A., 1962 a
- Schistosoma haematobium, Biochemistry localization of β -glucuronidase Fripp, P. J., 1966 b
- Schistosoma haematobium, Biochemistry carbohydrates, glucose assimilation Fripp, P. J., 1967 b
- Schistosoma haematobium, Biochemistry arginine metabolism by schistosomes Senft, A. W., 1967 a
- Schistosoma haematobium, Biochemistry carbohydrate Wajdi, N. A., 1967 a
- Schistosoma haematobium, Bladder carcinoma relationship with Schistosoma haematobium Gelfand, M.; Weinberg, R. W.; and Castle, W. M., 1967 a
- Schistosoma haematobium, Blood severe anemia Gelfand, M., 1968 b Rhodesia
- Schistosoma haematobium, Blood blood loss, human chronic cases Mahmood, A., 1966 a
- Schistosoma haematobium, Case reports congestive heart failure, women, 2 cases with cor pulmonale, bilharziasis in sputum Damluji, S. F.; Al-Saffar, G.; Thamer, M. A.; and Mary, A.S., 1964 a Iraq
- Schistosoma haematobium, Cercaria inactive cercaria Dodin, A.; and Moreau, J.-P., 1966 a
- Schistosoma haematobium, Cercaria diurnal recovery pattern of cercariae Pitchford, R. J.; and Visser, P. S., 1966 a, 519
- Schistosoma haematobium, Cercaria chaetotaxy Richard, J., 1968 b, fig. 1(4), 2(3)
- Schistosoma haematobium, Clinical aspects Elsdon-Dew, R.; and Bhagwandin, S. B., 1966 a
- Schistosoma haematobium, Clinical aspects egg output, children Farooq, M.; and Samaan, S. A., 1967 a Egypt
- Schistosoma haematobium, Complications salmonellosis Hathout, S. El-Din; El-Ghaffer, Y. A.; and Awny, A. Y., 1967 a Egypt
- Schistosoma haematobium, Com- plications endemicity of typhoid and paratyphoid fevers Mohieldin, M. S., 1962 a
- Schistosoma haematobium, Con- trol Egypt Ayad, N., [1966 a]
- Schistosoma haematobium, Control transmission after snail control Bell, D. R.; et al, 1967 b
- Schistosoma haematobium, Control evaluation of control project El-Gindy, M. S.; Baquir, H.; de Moraes, T.; and Radhawy, I. A., 1967 a Central Iraq
- Schistosoma haematobium, Control transmission site determination Farooq, M., 1966 a Egypt
- Schistosoma haematobium, Control molluscicides Farooq, M.; Hairston, N. G.; and Samaan, S. A., 1966 a Egypt
- Schistosoma haematobium, Control molluscicides Gretillat, S., 1966 b Senegal
- Schistosoma haematobium, Control molluscicides Pitchford, R. J., 1962 a South Africa
- Schistosoma haematobium, Control control of snail vector Watson, J. M.; et al., 1965 a
- Schistosoma haematobium, Diagnosis intradermal test Ata, A.-H. A.; Bassaly, M.; El-Raziky, E.-S.; and El-Kaluby, A. H., 1967 a
- Schistosoma haematobium, Diagnosis urine examination Dancescu, P.; and Tintăreanu, J., 1968 a, figs. 1-2
- Schistosoma haematobium, Diagnosis Cercarien-Hüllen-Reaktion, native patients Dönges, J., 1967 a West Africa
- Schistosoma haematobium, Diagnosis miracidia hatching test Dönges, J., 1967 c
- Schistosoma haematobium, Diagnosis agnosis El-Rooby, A.; and Ata, A. E.-H. A., [1966 a] fresh biopsy, slide compression technique
- Schistosoma haematobium, Diagnosis antigens of Schistosoma mansoni, Schistosoma japonicum, and Trichinella spiralis com- pared, skin test Kagan, I. G.; Kaiser, R. L.; and Kent, N., 1966 a
- Schistosoma haematobium, Diagnosis eosinophilia, Thorn test Lopes da Cunha, C. A. do C., 1962 a
- Schistosoma haematobium, Di- agnosis circumoval precipitin and intradermal tests evaluated Shoeb, S.M.; et al, [1966 a]
- Schistosoma haematobium, Di- agnosis rectal valve snips, hepatosplenomegaly Shoeb, S. M.; Basmy, K.; and Habib, M. A., [1966 b]
- Schistosoma haematobium, Di- agnosis circumoval precipitin and intradermal tests Shoeb, S.M.; Basmy, K.; and Haseeb, N.M., [1966 a]

- Schistosoma haematobium, Ec- Bradley, D. J., 1967 b
ology population measurement
- Schistosoma haematobium, Ec- Elsdon-Dew, R.; and Bhagwand-
ology een, S. B., 1967 a
- Schistosoma haematobium, Ecology ecology of snail host
- Schistosoma haematobium, Eggs Browne, H. G.; Gutekunst, R.
R.; and Thomas, J. I., 1962 a
- Schistosoma haematobium, Eggs al-Hussaini, M.; and McDonald,
Eggs D. F., 1967 a
cancer, no carcinogenic effect in 44 weeks, mice
- Schistosoma haematobium, Eggs Jordan, P., 1967 a
egg-output, relation to epidemiology, pathology
- Schistosoma haematobium, Eggs von Lichtenberg, F.; Smith,
Hoeppli phenomenon, egg J. H.; and Cheever, A. W.,
load correlation 1966 a
- Schistosoma haematobium, Eggs Schulert, A. R.; et al.,
antimony uptake from 1966 a
drugs
- Schistosoma haematobium, Epidemiology Bell, D. R.; et al., 1967 b
transmission after snail control
- Schistosoma haematobium, Epidemiology Berrie, A. D., 1966 a
fish ponds in relation to transmission
- Schistosoma haematobium, Epidemiology El-Sayed A., A.; and El-Kholy,
control, irrigation A. M., [1966 a]
- Schistosoma haematobium, Epidemiology Farooq, M.; et al., 1966 a
Egypt
- Schistosoma haematobium, Epidemiology Farooq, M.; et al., 1966 b
Egypt
- Schistosoma haematobium, Epidemiology Farooq, M.; and Hairston,
N. G., 1966 a
Egypt
- Schistosoma haematobium, Epidemiology Farooq, M.; and Nielsen, J.,
1966 a
Egypt
- Schistosoma haematobium, Epidemiology Olivier, L. J.; and Ansari, N.
1967 a
- Schistosoma haematobium, Geographic distribution
- Schistosoma haematobium, Africa Foster, R., 1967 a
human East Africa
- Schistosoma haematobium, Africa Foster, R., 1967 b
worker efficiency East Africa
- Schistosoma haematobium, Africa Gelfand, M., 1967 b
Central Africa
clinical and pathological aspects
- Schistosoma haematobium, Africa Payet, M.; and Camain, R.,
1967 a
West Africa
- Schistosoma haematobium, Africa Pitchford, R. J., 1966 a
- Schistosoma haematobium, Congo Davadie, J. A.; Dégrémont,
Congo A.; and Pothier, M. A.,
human intestinal parasites [1966 a]
- Schistosoma haematobium, Congo McCullough, F. S., 1964 a
Brazzaville potential snail hosts, distribution
- Schistosoma haematobium, Egypt Ayad, N., [1966 a]
ypt control
- Schistosoma haematobium, Egypt Farooq, M.; et al., 1966 a
epidemiology
- Schistosoma haematobium, Egypt Farooq, M.; et al., 1966 b
epidemiology
- Schistosoma haematobium, Egypt Farooq, M.; and Hairston,
N. G., 1966 a
epidemiology
- Schistosoma haematobium, Egypt Farooq, M.; and Nielsen, J.,
1966 a
epidemiology
- Schistosoma haematobium, Egypt Farooq, M.; Samaan, S. A.; and
assessment of severity Nielsen, J., 1966 a
- Schistosoma haematobium, Ghana Wolfe, M. S.; and Quartey,
urinary, 53 cases, pyelographic and cystoscopic J. M. K., 1967 a
abnormalities
- Schistosoma haematobium, Great Britain Woodruff, A. W., 1962 a
expatriates of Africa and the Caribbean, clinical aspects,
diagnosis, serum protein changes
- Schistosoma haematobium, India Chaudhuri, R. N., 1962 b
review
- Schistosoma haematobium, Iraq El-Gindy, M. S.; and Radhawy,
Bulinus truncatus (exper.) I. A., 1965 a
- Schistosoma haematobium, Madagascar Brygoo, E. R., [1968 a] 434,
temperature requirements 435, 436, 438, 439, 440, 441,
of molluscs map 1
- Schistosoma haematobium, Nigeria Edington, G. M., 1967 a
Ibadan, Western Nigeria

- Schistosoma haematobium, Nigeria human Wyatt, J. L.; and Wyatt, G. B., 1967 a Western Nigeria
- Schistosoma haematobium, Rhodesia Clarke, V. de V., 1966 a
- Schistosoma haematobium, Somalia Cahill, K. M.; and Kagan, I., 1968 a Giohar
- Schistosoma haematobium, South Africa urinary tract, radiological survey Powell, S. J.; Engelbrecht, H. E.; and Welchman, J. M., 1968 b Durban
- Schistosoma haematobium, South Africa mortality Walker, A. R. P., 1967 a
- Schistosoma haematobium, Sudan students Hamad, B., 1968 a
- Schistosoma haematobium, Sudan intradermal test Khalil, H. M., 1967 a Gezira, Sudan
- Schistosoma haematobium, Sweden Swedish military personnel, returning from Congo Bengtsson, E.; and Pellegrino, J., 1966 a
- Schistosoma haematobium, Tanzania Forsyth, D. M.; and Bradley, D. J., 1966 a
- Schistosoma haematobium, Tanzania Forsyth, D. M.; and MacDonald, G., 1966 b
- Schistosoma haematobium, Immunity antigens and precipitins Capron, A.; et al., 1966 a
- Schistosoma haematobium, Immunity Posthodiplostomum brevicaudatum cercariae produce immunity in man Dönges, J., 1966 c
- Schistosoma haematobium, Immunity Schistosoma bovis cercariae, immunizes rhesus monkeys to S. haematobium Hsti, S. Y. L.; et al., 1966 a
- Schistosoma haematobium, Immunity mechanisms Kagan, I. G., 1966 a
- Schistosoma haematobium, Immunity acquired resistance, hamsters Purnell, R. E., 1966 d
- Schistosoma haematobium, Intermediate hosts +Bulinus contortus; B. dybowskii; B. innesi; B. forskali Abdel-Ghani, A. F., [1966 b] Egypt
- Schistosoma haematobium, Intermediate hosts Bulinus contortus (exper.) B. truncatus Arfaa, F.; Massoud, J.; and Chu, K. Y., 1967 a "
- Schistosoma haematobium, seasonal distribution Bulinus (Physopsis) globosus Bulinus (Physopsis) nasutus nasutus Berrie, A. D., 1966 b Southern Tanzania
- Schistosoma haematobium, Intermediate hosts temperature requirements of molluscs Bryggo, E. R., [1968 a], 434, 435, 436, 438, 439, 440, 441, map 1
- Schistosoma haematobium, Intermediate hosts Bulinus truncatus survival buried in mud Chu, K. Y.; Arfaa, F.; and Massoud, J., 1967 a
- Schistosoma haematobium, Intermediate hosts Bulinus truncatus, laboratory survival ability, out of water Chu, K. Y.; Bijan, H.; and Massoud, J., 1967 a
- Schistosoma haematobium, Intermediate hosts distribution, frequency and biology of Bulinus truncatus In-Doby, J.-M.; Rault, B.; De-block, S.; and Chabaud, A.-G., 1966 a Corse, France
- Schistosoma haematobium, Intermediate hosts Bulinus truncatus (exper.) El-Gindy, M. S.; and Radhawy, I. A., 1965 a
- Schistosoma haematobium, Intermediate hosts bulinid snail variability in morphology and anatomy Bulinus (B.) forskalii Egypt B. truncatus "
- Schistosoma haematobium, Intermediate hosts molluscicides Farooq, M.; Hairston, N. G.; and Samaan, S. A., 1966 a Egypt
- Schistosoma haematobium, Intermediate hosts Bulinus (B.) truncatus (exper.) Fraga de Azevedo, J.; and Xavier, M. de L., 1966 a, pl., fig. 3
- Schistosoma haematobium, Intermediate hosts ecology of snail host Hira, Parsotam R.; and Muller, R. L., 1966 a Western Nigeria
- Schistosoma haematobium, Intermediate hosts immunity in Bulinus truncatus Wajdi, N. A., 1966 a
- Schistosoma haematobium, Intermediate hosts control of snail vector Watson, J. M.; et al., 1965 a
- Schistosoma haematobium, Intermediate hosts testine World Health Organization, 1965 c
- Schistosoma haematobium, Intermediate hosts clinico-pathological manifestations Bhagwandeen, S. B., 1967 a Durban, South Africa
- Schistosoma haematobium, Life cycle Salem, H. H., 1962 a
- Schistosoma haematobium sensu stricto, Life cycle Wright, C. A., 1967 b

TREMATODA

- Schistosoma haematobium, Liver Gelfand, M., 1968 a Rhodesia
- Schistosoma haematobium, Li- Hess, W., 1961 a ver hepatosplenomegaly
- Schistosoma haematobium, Liver Sicot, C.; Benhamou, J.-P.; and Fauvert, R., 1963 a
- Schistosoma haematobium, Lung Brocard, H.; and Gallouédec, C., 1964 a
- Schistosoma haematobium, Miracidia hatching technique Kruger, S. P.; and Heitmann, L. P., 1967 a
- Schistosoma haematobium, Miscellaneous animals animal reservoirs, review Barretto, A. C., 1964 a
- Schistosoma haematobium, Miscellaneous animals Praomys (Mastomys) natalensis (exper.) Saccostomus campestris (exper.) Arvicinus niloticus " Aethomys chrysophilus " Tatera brantsi " Mystromys albicaudatus " Mus musculus " Cercopithecus aethiops "
- Schistosoma haematobium, Miscellaneous animals laboratory animal study Saccostomus campestris (exper.) Arvicinus niloticus Praomys (Mastomys) natalensis (exper.) Aethomys chrysophilus (exper.) Tatera brantsi (exper.)
- Schistosoma haematobium, Miscellaneous animals Hoeppli phenomenon, pathology von Lichtenberg, F.; Smith, J. H.; and Cheever, A. W., 1966 a
- Schistosoma haematobium, Miscellaneous animals Papio doguera Cercopithecus aethiops Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a all from East Africa
- Schistosoma haematobium, Miscellaneous animals acquired resistance, hamsters Furnell, R. E., 1966 d
- Schistosoma haematobium, Miscellaneous animals failure to infect pigs, Egyptian strain albino mice (exper.) Saoud, M. F. A., 1966 b
- Schistosoma haematobium, Miscellaneous animals hamsters, lesions Wright, C. A.; and Bennett, M. S., 1966 a
- Schistosoma haematobium, Pathology genito-urinary Bayoumi, M. L., 1962 a
- Schistosoma haematobium, Pathology Elsdon-Dew, R.; and Bhagwadeen, S. B., 1966 a
- Schistosoma haematobium, Pathology ova digestion, 200 necropsies Elsdon-Dew, R.; and Bhagwandeen, S. B., 1967 a
- Schistosoma haematobium, Pathology radiological pathology, investigation methods Middlemiss, J. H., 1967 a
- Schistosoma haematobium, Rec- tum Shoeib, S. M.; Basmy, K.; and Habib, M. A., [1966 b] rectal valve snips, diagnosis
- Schistosoma haematobium, Technique floating cage for lab. animal exposure to schistosomes Dazo, B. C., 1965 a
- Schistosoma haematobium, Treatment Abd-Rabbo, H., [1966 a] dehydroemetine dihydrochloride, dehydroemetine resinate
- Schistosoma haematobium, Treatment Abd-Rabbo, H.; and Montasir, M., 1967 a 2-dehydroemetine dihydrochloride
- [Schistosoma haematobium], Treatment Arfaa, F.; Bijan, H.; and Panahandeh, A. 1966 a sodium antimony dimercapto- succinate, mass treatment
- Schistosoma haematobium, Treatment Arfaa, F.; Tohidi, E.; and Ardelan, A., 1967 a antimony dimecapto- succinate
- Schistosoma haematobium, Treatment Bassaly, M., [1966 a] Dipterex as molluscicide, miracidicide, cercaricide
- Schistosoma haematobium, Treatment Blanc, F.; and Nosny, Y., 1967 a 2-dehydro-emetine
- Schistosoma haematobium, Treatment Davis, A., 1968 a antimony sodium tartrate; antimony dimercaptosuccinate; sodium antimonylgluconate, trivalent
- S[chistosoma] haematobium, Treatment Dodin, A.; Moreau, J.-P.; and Ratovondrahety, [1966 a] nitrothiazol (Ciba 32644)
- Schistosoma haematobium, Treatment Farid, Zoheir; Bassily, S.; Schulert, Arthur R.; and McConnell, Ellicott, 1966 a, 165-168
- Schistosoma haematobium, Treatment Forsyth, D.M., 1966 a, 1196 sodium antimony dimercapto-succinate
- Schistosoma haematobium, Treatment Forsyth, D. M., 1966 b, 172-181
- Schistosoma haematobium, Treatment Ambilhar
- Schistosoma haematobium, Treatment Forsyth, D. M.; and Rashid, C., 1967 b trichlorophone

- Schistosoma haematobium, Treatment sodium antimony tartrate Gelfand, M.; and Dawson, N. G., 1967 a [Schistosoma haematobium], Urinary tract reparative surgery El-Sadr, A. R.; and Tanagho, E. A., 1962 b
- Schistosoma haematobium, Treatment Ciba 32'644 Ba (niridazole ou Ambilhar), human trials Gentilini, M.; et al., 1967 a [Schistosoma haematobium], Urinary tract surgery Fawzi, R. M.; Badr, M. M.; and Safwat, M., 1962 a
- Schistosoma haematobium, Treatment stibocaptate lucanthone hydrochloride trichlorophone niridazole Forsyth, D.M.; and Rashid, C., 1967 a Zanzibar Schistosoma haematobium, Urinary tract school children Forsyth, D. M.; and MacDonald, G., 1966 b Zanzibar
- Schistosoma haematobium, Treatment Ambilhar, death to 17 mo. child Nicholson, N. G.; and McManon, J. E. 1966 a Mwanza General Hospital [Schistosoma haematobium], Urinary tract filling defects of bladder Gelfand, M.; and Gilles, H.M., 1966 a
- Schistosoma haematobium, Treatment CIBA 32,644-Ba Ruas, A.; and de Almeida Franco, L. T., 1966 a Schistosoma haematobium, Urinary Tract 2 cases, vesical Zuidema, P. J., 1967 a Netherlands
- Schistosoma haematobium, Treatment dehydroemetine dehydroemetine resinate, clinical trials Salem, H. H., [1966 a] Schistosoma hippopotami Thurston, 1963 Pitchford, R. J., 1966 a Africa
- Schistosoma haematobium, Treatment antimony uptake by eggs Schulert, A. R.; et al., 1966 a Schistosoma incognitum pathogenicity, dogs Tewari, H. C.; Dutt, S. C.; and Iyer, P. K. R., 1966 a
- Schistosoma haematobium, Treatment Astiban, mass treatment el-Sherif, A. F., [1966 a] Schistosoma indicum buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 743
- Schistosoma haematobium, Treatment Dipterex Shoeb, S. M.; et al., [1966 b] Schistosoma indicus Singh, N.N.; and Rande, B.P., 1967 a, fig. 7
- Schistosoma haematobium, Treatment effect of drugs on kidney function Talaat, M.; Habib, Y. A.; and Abdel-Meguid, M., 1962 a Schistosoma intercalatum epidemiology, clinical aspects, human, 50 cases Deschiens, R. E. A.; and Poirier, A., 1967 a Libreville, Gabon, W. Equatorial Africa
- [Schistosoma haematobium], Treatment Dipterex tartar emetic Talaat, S. M.; Amin, N.; and El Masry, B., 1966 a Schistosoma intercalatum Fisher, 1934 Pitchford, R. J., 1966 a Africa
- Schistosoma haematobium, Treatment Miracil D, Bantu community Walker, A.R.P., 1966 a Schistosoma japonicum review, popular Deckart, M., 1966 b, fig. 5,3
- Schistosoma haematobium, Treatment niridazole Wolfe, H. L., 1967 a Schistosoma japonicum buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 743
- Schistosoma haematobia, Treatment WHO report of chemotherapy of bilharziasis World Health Organization, 1966 a Schistosoma japonicum German contributions since 1930 Vogel, Hans¹, 1962 c, figs. 5-12
- Schistosoma haematobium, Urinary tract radiological manifestations Abu-Saif, N., 1962 a Schistosoma japonicum infraspecific variation Wright, C. A., 1962 a
- Schistosoma japonicum, Biochemistry sugars, metabolism Ho, Y.-H.; and Yang, H.-C., 1968 a
- Schistosoma japonicum, Biochemistry rabbits, erythrocyte enzyme activity Hsu, S.-O., 1968 b
- Schistosoma japonicum, Biochemistry Kurata, M.; Nakahara, Y.; and Serikawa, S., 1965 a

- [*Schistosoma japonicum*], Case reports acute, 4 cases Kurata, M.; Oda, T.; Nomori, M.; and Hayashida, H., 1964 a
- Schistosoma japonicum*, Cercaria tail-less cercariae mice (exper.) Moose, J. W.; Williams, J. E.; and Yamaguchi, S., 1965 a
- Schistosoma japonicum*, Cercaria water flow speed, release, migration, host infection action Su, T.-L.; and Yu, S.-C., 1968 a
- Schistosoma japonicum*, Cercaria distribution Yang, Y.-P.; et al., 1968 a lake areas, China
- Schistosoma japonicum*, Clinical aspects Elsdon-Dew, R.; and Bhagwadeen, S. B., 1966 a
- [*Schistosoma japonicum*], Complications hepatic coma complicating cirrhosis Fu, F. Y.; et al., 1965 a
- Schistosoma japonicum*, Complications ascites in hepatic cirrhosis Fu, F. Y.; et al., 1966 a
- Schistosoma japonica*, Complications disturbed liver function Sato, S.; and Sawada, T., 1964 b
- Schistosoma japonicum*, Complications carcinoma occurring after removal of schistosomal granuloma Tangchai, P.; and Poshayalakshana, P., 1968 a
- Schistosoma japonicum*, Control cementing ditches inhabited by Oncomelania nosophora Komiya, Y., 1965 d
- Schistosoma japonicum*, Control snail vector technique Komiya, Y., [1966 a] Japan
- [*Schistosoma japonicum*], Control Bayer73 and Sevin, field test against Oncomelania nosophora Komiya, Y.; Iijima, T.; and Sasaki, T., 1962 c
- Schistosoma japonicum*, Control of snail vector Watson, J. M.; et al., 1965 a
- Schistosoma japonicum*, Dermatitis rice fields Miyazato, T.; Murakami, S.; Hosokawa, S.; and Inoue, A., 1965 a Azuki, Yanai City
- Schistosoma japonicum*, Development in vitro Hsu, S.-O., 1968 a
- Schistosoma japonicum*, Diagnosis miracidia hatching test Dönges, J., 1967 c
- Schistosoma japonicum*, Diagnosis complement fixation, rhesus monkey Hsü, S. Y. L.; and Hsü, H. F., 1966 b
- Schistosoma japonicum*, Diagnosis indirect hemagglutination test (slide method) Huang, T. W.; Ti, T. F.; Cha, C. L.; and Hu, C. C., 1966 a
- Schistosoma japonicum*, Diagnosis skin test Ishizaki, T.; Iijima, T.; and Ito, Y., 1964 a
- Schistosoma japonica*, Diagnosis rectal biopsy Masuya, T.; et al., 1965 a
- Schistosoma japonica*, Diagnosis urine precipitin reaction Okabe, K., 1965 a
- Schistosoma japonicum*, Diagnosis immunodiagnosis Okabe, K.; Ono, N.; and Inokuchi, T., 1964 a
- Schistosoma japonicum*, Diagnosis rectal biopsy and mucosal curettage, Cebus monkeys Pellegrino, J.; Katz, N.; Oliveira, C. A.; and Okabe, K., 1965 a, 617-621
- Schistosom[a] japonicum*, Diagnosis antigen Sawada, T., 1965 a
- Schistosoma japonica*, Diagnosis miracidium immobilization test Yokogawa, M.; and Sano, M., 1966 a
- Schistosoma japonica*, Diagnosis circumoval precipitation test Yokogawa, M.; and Sano, M., 1966 b
- Schistosoma japonica*, Diagnosis circumoval precipitation test Yokogawa, M.; Sano, M.; and Araki, K., 1967 a, figs. 1-2
- Schistosoma japonicum*, Ecology relationship to epidemiology Hairston, N. G., 1962 a
- Schistosoma japonicum*, Eggs von Lichtenberg, F.; Smith, Hoeppli phenomenon, egg load correlation 1966 a
- Schistosoma japonicum*, Eggs acid-alcohol-fast substance Pellegrino, J.; Okabe, K.; and de Moura, M. F., 1966 a, fig. 1B
- Schistosoma japonicum*, Eggs ova embryonation Sugiura, S.; Sasaki, T.; Ono, R.; and Hosaka, Y., 1953 a
- Schistosoma japonicum*, Epidemiology relationship to ecology Hairston, N. G., 1962 a
- Schistosoma japonicum*, Epidemiology Olivier, L. J.; and Ansari, N., 1967 a
- Schistosoma japonicum*. Geographic distribution
- Schistosoma japonicum*, Chi-Mao, S. P., 1962 a control achievements

- Schistosoma japonicum, Laos Barbier, M., 1966 a
- Schistosoma japonicum, Taiwan Kuntz, R. E., 1965 a
ecology, reestablishment after floods
- Schistosoma japonicum, Thailand Desowitz, R. S.; et al, 1967 a
stool and skin test survey Mekong River, North-East Thailand
-
- Schistosoma japonicum, Immunity Capron, A.; et al, 1966 a
antigens and precipitins
- Schistosoma japonicum, Immunity Honda, T.; and Kurata, M., 1963 a
hypophyseal and acreno-cortical hormones
- Schistosoma japonicum, Immunity Hsü, H. F.; and Hsü, S. Y. L., 1966 a
reagin-like antibody in rhesus monkeys
- Schistosoma japonicum, Immunity Hsü, H. F.; Hsü, S. Y. L.; and Osborne, J. W., 1962 a
irradiated cercariae
- Schistosoma japonicum, Immunity Hsü, S. Y. L.; and Hsü, H. F., 1966 b
complement fixation, simian
- Schistosoma japonicum, Immunity Ishizaki, T.; Iijima, T.; and Ito, Y., 1965 c
antigen, intradermal reaction
- Schistosoma japonicum, Immunity Kagan, I. G., 1966 a
immunity mechanisms
- Schistosoma japonicum, Immunity Kurata, M.; Nakahara, Y.; and Serikawa, S., 1965 a
serum protein changes, rabbits
- Schistosoma japonicum, Immunity Ono, N.; Hirano, T.; and Okabe, K., 1964 a
antigen
- Schistosoma japonica, Immunity Ono, N.; and Okabe, K., 1965 a
agar double diffusion technique
- Schistosoma japonicum, Immunity Ono, N.; and Shiraishi, S., 1964 a
antibodies
- Schistosoma japonicum, Immunity Sato, S.; and Sawada, T., 1963 a
fluorescent antibody technique
- Schistosoma japonicum, Immunity Sato, S.; and Sawada, T., 1964 a
haemagglutination and fluorescent antibody tests
- Schistosoma japonicum, Immunity Shimizu, S.; Akusawa, M.; Tsuchiya, S.; and Ishizaki, T., 1965 a
intradermal reaction with peptide antigen, Yamamura's method
- Schistosoma japonicum, Immunity Tsuchiya, S.; and Akusawa, M., 1965 a
intradermal reaction with peptide antigen, Yamamura's method
- Schistosoma japonica, Immunity Yokogawa, M.; and Sano, M., 1966 a
miracidium immobilization test
- Schistosoma japonica, Immunity Yokogawa, M.; and Sano, M. 1966 b
- Schistosoma japonicum, Immunity Yokogawa, M.; Sano, M.; Iijima, T.; and Ito, Y., 1963 a
circumoval precipitation and complement fixation tests
- Schistosoma japonicum, Immunity Yokogawa, M.; Sano, M.; Tsuji, M.; and Inasaka, Y., 1963 a
circumoval precipitation and complement fixation tests
- Schistosoma japonicum, Intermediate hosts Hsü, S. Y. L.; and Hsü, H. F., 1965 a
Alilao race of Oncomelania formosana
- Schistosoma japonicum, Intermediate hosts Hsü, S. Y. L.; and Hsü, H. F., 1967 a
susceptibility of Oncomelania formosana, Alilao race
- Schistosoma japonicum, Intermediate hosts Komiya, Y., 1965 d
Oncomelania nosophora habitat cemented
- Schistosoma japonicum, Intermediate hosts Komiya, Y., [1966 a]
control technic, Oncomelania nosophora
- Schistosoma japonicum, Intermediate hosts Komiya, Y.; Iijima, T.; Ito, Y.; and Yamashita, H., 1964 a
Oncomelania nosophora, molluscicide ICI 24223
- [Schistosoma japonicum], Intermediate hosts Nakao, S., 1962 b
Oncomelania nosophora, shell permeability
- Schistosoma japonicum, Intermediate hosts Okamoto, K., 1963 c
reproductive organ degeneration, infected snails
- [Schistosoma japonicum], Intermediate hosts Okamoto, K.; and Mori, K., 1962 b
survival, crawling activity, infection rate, Oncomelania nosophora
- [Schistosoma japonicum], Intermediate hosts Su, T.-L., 1968 a
snail control, 5,2-dichloro-4-nitro-salicylic anilide
- Schistosoma japonicum, Intermediate hosts Tsuda, E., 1952 a
Oncomelania nosophora eradication, light and water
- Schistosoma japonicum, Intermediate hosts Watson, J. M.; et al., 1965 a
control of snail vector
- Schistosoma japonicum, Intermediate hosts World Health Organization, 1965 c
snail control

- Schistosoma [japonicum], Intermediate hosts behavior of Oncomelania nosophora, total darkness Yasuraoka, K., 1967 a
- [Schistosoma japonicum], Intermediate hosts Chinese water snails Yuan, H.-C., 1968 a
- Schistosoma japonicum, Life cycle Wright, C. A., 1967 b
- Schistosoma japonicum, Migration ectopic parasitism T'ang, C.-C.; and T'ang, C.-T., 1968 b
- Schistosoma jap[onicum], Miracidia vertical distribution of larvae Chao, T.-P.; Lai, F.-C.; Ch'en, K.-M.; and Lo, H.-C., 1968 a
- Schistosoma japonicum, Miracidia effect of immune serum Jamuar, M. P.; and Lewert, R. M., 1967 a, figs. 1-2
- Schistosoma jap[onicum], Miracidia larvae tropism T'ao, H.-C., 1968 a
- Schistosoma japonicum, Miscellaneous animals animal reservoirs, review Barretto, A. G., 1964 a
- Schistosoma japonicum, Miscellaneous animals Macaca mulatta (exper.) Moose, J. W.; Williams, J. E.; and Yoshimura, K., 1966 a, figs. 1-4
- Schistosoma japonicum, Miscellaneous animals Oncomelania nosophorum cattle dog Okoshi, S., 1958 a all from Japan
- Schistosoma japonicum, Morphology genital system Hu, H.-K.; Kao, P.-S.; and Huang, C.-M., 1968 a
- Schistosoma japonicum, Morphology ionization radiation Kung, C.-C.; Li, Y.-T.; Chou, Y.-C.; and Chang, C.-L., 1968 a
- Schistosoma japonicum, Pathology lung, X-ray studies Chou, K. C.; and Tsung, Y. S., 1966 a
- Schistosoma japonicum, Pathology Elsdon-Dew, R.; and Bhagwandin, S. B., 1966 a
- Schistosoma japonicum, Pathology disturbed liver function Kitajima, K.; Ninomiya, H.; and Kurata, Makoto, 1963 a
- Schistosoma japonicum, Pathology Hoeppli phenomenon, pathology von Lichtenberg, F.; Smith, J. H.; and Cheever, A. W., 1966 a
- Schistosoma japonicum, Pathology Miyake, M., 1967 a
- Schistosoma japonicum, Radiation ionization, morphology and development Kung, C.-C.; Li, Y.-T.; Chou, Y.-C.; and Chang, C.-L., 1968 a
- Schistosoma japonicum, Radiation radiological pathology, investigation methods Middlemiss, J. H., 1967 a
- Schistosoma japonicum, Spleen hepatosplenic, compared with *S. mansoni*, mice Moore, D. E.; and Warren, K. S., 1967 a, fig. 3
- Schistosoma japonicum, Strains susceptibility of Oncomelania formosana, Alilao race Hsü, S. Y. L.; and Hsü, H.F., 1967 a
- [Schistosoma japonicum], Strains Chinese water snails Yuan, H.-C., 1968 a
- Schistosoma japonicum, Survival vitamins, in vitro Hsu, S.-O., 1968 c
- Schistosoma japonicum, Technique Wheatley rapid staining method Büttner, A., 1964 a, pl., fig. 2
- Schistosoma japonicum, Technique floating cage for lab. animal exposure to schistosomes Dazo, B. C., 1965 a
- Schistosoma japonica, Treatment furapromidium (F30066) Chou, H. C.; Huang, F. M.; Chou, H. L.; and Wei, M. H., 1965 a
- Schistosoma japonicum, Treatment diphenyl sulphides, toxicity Liang, Y.-i.; et al., 1965 a
- Schistosoma japonicum, Treatment antimony, tartar emetic, sperm genesis Lin, H.-C.; Ch'en, F.; and Chang, C.-E., 1968 a
- Schistosoma japonicum, Treatment pararosaniline pamoate Pesigan, T. P.; et al., 1967 a Philippines
- Schistosoma japonica, Treatment WHO report of chemotherapy of bilharziasis World Health Organization, 1966 a
- Schistosoma leiperi Le Roux 1955 Pitchford, R. J., 1966 a, 203 Africa
- Schistosoma mansoni Coutinho Abath, E.; Magalhaes, A. (filho); and Jampolsky, R., 1965 a
- Schistosoma mansoni review, popular Deckart, M., 1966 b, figs. 2, 4, 5(1)
- Schistosoma mansoni Salmonella, evolution modified by Schistosoma mansoni Eyckmans, L., [1966 a]
- Schistosoma mansoni pancreatic and gall-bladder Higazi, A.-R. M.; and Ata, A. H. A., [1963 a]

- Schistosoma mansoni Lie Kian Joe, 1967 a
antagonism of sporocysts to *Paryphostomum segregatum*
rediae, snail
- Schistosoma mansoni Reijenga, T. W.; and van
review Asselt, W. P., 1968 a
- Schistosoma mansoni Simões Barbosa, F. A., 1966 a
epidemiology, clinical aspect, immunity, biochemistry,
haematology
- Schistosoma mansoni Wright, C. A., 1962 a
infraspecific variation
- Schistosoma mansoni, Ap- El-Faoumi, I. N., 1939 a
pendix
- Schistosoma mansoni, Soliman, L. A. M., 1966 a
Appendix
- Schistosoma mansoni, Bio- Amer, S. M.; Abdel-Daim,
chemistry M. H.; and Abdel-Tawab, G. A.,
metabolism, kynurenine,
1967 a
in liver homogenates of normal and infected mice
- Schistosoma mansoni, Bio- Conde-del Pino, E.; Pérez-
chemistry Vilar, M.; Cintrón-Rivera,
malic and lactic dehydro- A. A.; and Señeriz, R., 1966 a
genase, adult worms and cercariae
- [Schistosoma mansoni], Coutinho-Abath, E.; Barbosa,
Biochemistry J. M.; and Amaral, J. A.,
lipid metabolism 1965 a
- Schistosoma mansoni, Bio- Fripp, P. J., 1966 b
chemistry localization of β -glucuronidase
- Schistosoma mansoni, Bio- Ginger, G. D.; and Smithers,
chemistry S. R., 1967 a
lipids
- Schistosoma mansoni, Bio- Halton, D. W., 1967 a, fig. 9
chemistry phosphatase activity
- Schistosoma mansoni, Bio- Kloetzel, K., 1968 a
chemistry collagenaselike substance produced by eggs
- Schistosoma mansoni, Bio- Lewert, R. M.; and Dusanic,
chemistry D. G., 1961 a, figs. 1-5
alkaline phosphatase affected by diaminodibenzylalkane
- Schistosoma mansoni, Bio- Lewert, R. M.; and Para, B.
chemistry J., 1966 a, figs. 1-3
incorporation of carbon 14 in cercariae
- Schistosoma mansoni, Bio- Piva, N., 1966 a, figs. 1-4
chemistry tetracycline fluorescence,
egg histochemistry
- Schistosoma mansoni, Bio- Sadun, E. H.; and Williams,
chemistry J. S., 1966 a
mice, worm burden and
duration of infection
- Schistosoma mansoni, Bio- Senft, A. W., 1967 a
chemistry arginine metabolism by schistosomes
- Schistosoma mansoni, Bio- Smith, J. H.; and von Lichten-
chemistry berg, F., 1967 a, figs. 1-16
Hoeppli phenomenon
- Schistosoma mansoni, Bio- Stirewalt, M. A.; and Fregeau,
chemistry W. A., 1966 a
invasive enzymes in cer-
cariae, absent in schisto-
somes
- Schistosoma mansoni, Bio- Tarrant, M. E.; and O'Hare, J.
chemistry P., 1967 a
inactivation of lactate dehydrogenase by 4-iodoacetamido-
salicylic acid
- Schistosoma mansoni, Bio- Tran Van Ky, P.; Vaucelle, T.;
chemistry Capron, A.; and Biguet, J.,
ground adult, enzymic
activity types 1967 a
- Schistosoma mansoni, Bio- Wajdi, N. A., 1967 a
chemistry carbohydrate
- Schistosoma mansoni, Blood Gelfand, M., 1968 b
severe anemia Rhodesia
- Schistosoma mansoni, Blood Mahmood, A., 1966 a
blood loss, human chronic cases
- Schistosoma mansoni, Blood Nasser, S. S.; and Platt, B.
anaemia, iron depletion S., 1967 a
- Schistosoma mansoni, Blood Saad, E. A.; Coutinho, S. G.;
liver pathology and Barbosa, J. (filho); and
portal circulation hemo- Rodrigues da Silva, J., 1967 a
dynamics
- Schistosoma mansoni, Cancer Domingo, E. O.; and Warren,
inhibition of granuloma K. S., 1967 a, pl.
- Schistosoma mansoni, Cancer Domingo, E. O.; Warren, K. S.;
mice, increased incidence and Stenger, R. J., 1967 a
with carcinogen treatment
- Schistosoma mansoni, Cancer Martinez-Maldonado, M.; Girod,
liver cell carcinoma C. E.; Ramirez de Arellano,
G.; and Ramirez, E. A., 1965 a,
fig.
- Schistosoma mansoni, Cancer Warren, K. S.; Domingo, E.
delayed hypersensitivity O.; and Cowan, R. B. T.,
1967 a, 743, pls., figs. 1,
2 (center), 3-4
- Schistosoma mansoni, Cer- Dodin, A.; and Moreau, J.-P.,
caria 1966 a
inactive cercaria
- Schistosoma mansoni, Cer- Erickson, D. G., 1964 b
caria gamma irradiation of cer-
cariae of Schistosoma man-
soni, effect on host-par-
site relationships
- Schistosoma mansoni, Cer- Graefe, G.; Hohorst, W.; and
caria Dräger, H., 1967 a, figs. 1-2
forked tail, a rowing device
- Schistosoma mansoni, Cer- Lewert, R. M.; and Hopkins,
caria D. R., 1965 a, 616, fig. 1
cholinesterase activity
- Schistosoma mansoni, Cer- Olivier, L. J., 1966 a
caria continuous flow centrifuge

TREMATODA

- Schistosoma mansoni, Cercaria infectivity Olivier, L. J., 1966 b
- Schistosoma mansoni, Cercaria diurnal recovery pattern Pitchford, R. J.; and Visser, P. S., 1966 a, 519
- Schistosoma mansoni, Cercaria chaetotaxy Richard, J., 1968 a, fig. 1A
- Schistosoma mansoni, Cercaria chaetotaxy Richard, J., 1968 b, fig. 1(i), 2(1)
- Schistosoma mansoni, Cercaria invasive enzymes in cercariae, absent in schistosomes Stirewalt, M. A.; and Fregeau, W. A., 1966 a
- Schistosoma mansoni, Children boy and girl Forsyth, D. M.; and MacDonald, G., 1966 b
Zanzibar
- Schistosoma mansoni, Clinical aspects Andrade, Z. A.; and Cheever, A. W., 1967 a
Brazil
- Schistosoma mansoni, Clinical aspects Elsdon-Dew, R.; and Bhagwan-deen, S. B., 1966 a
- Schistosoma mansoni, Clinical aspects Farooq, M.; and Samaan, S. A., 1967 a
Egypt
- Schistosoma mansoni, Clinical aspects Kuz'min, I. L., 1966 a
Yemen
- Schistosoma mansoni, Control interference with capacity of miracidia to infect molluscan host, interposing insusceptible snails Chernin, E., 1968 a
- Schistosoma mansoni, Control transmission site determination Farooq, M., 1966 a
Egypt
- Schistosoma mansoni, Control molluscicides Farooq, M.; Hairston, N. G.; and Samaan, S. A., 1966 a
Egypt
- Schistosoma mansoni, Control western hemisphere Faust, E. C., 1962 b
- Schistosoma mansoni, Control chemosterilization Jackson, H.; Davies, P.; and Bock, M., 1968 a
- Schistosoma mansoni, Control effect on eggs and miracidia, sewage stabilization ponds Kawata, K.; and Krusé, C. W., 1966 a
- Schistosoma mansoni, Control prevention of severe clinical form Kloetzel, K., 1967 d
- Schistosoma mansoni, Control snail control only effective measure of reducing reproduction rate Paulini, E., 1966 a
- Schistosoma mansoni, Control effect of radiation on *Australorbis glaberratus* Perlowski-Szumlewiecz, A., 1967 a
- Schistosoma mansoni, Control molluscicides Pitchford, R. J., 1962 a
South Africa
- Schistosoma mansoni, Control schistosome metabolites el-Sherif, A. F., 1962 d
- Schistosoma mansoni, Control control of snail vector Watson, J. M.; et al., 1965 a
- Schistosoma mansoni, Control heavy metal ion uptake, snail host Yager, C. M.; and Harry, H. W., 1966 a
- Schistosoma mansoni, Culture in vitro cultivation Bell, D. R.; Koura, M.; and Gilles, H. M., 1967 a
- Schistosoma mansoni, Culture transplantation of larva from infected to uninfected snails Chernin, E., 1966 a, figs. 1-8
- Schistosoma mansoni, Culture effect of polyvinylchloride tubing Cowper, S. G., 1968 a
- Schistosoma mansoni, Culture monkey heart cell growth, in vitro Gutekunst, R. R.; Browne, H. G.; and Meyers, D. M., 1965 a, 194-202
- Schistosoma mansoni, Culture and Walters, M., 1965 a, fig. 8
- Schistosoma mansoni, Culture in vitro consumption of oxygen and glucose Kloetzel, K., 1966 a
- Schistosoma mansoni, Culture toxicity in vitro Otero, J. G., 1963 a
- Schistosoma mansoni, Diagnosis immunity, complement fixation Antunes, L. J.; and Pellegrino, J., 1966 a
- Schistosoma mansoni, Diagnosis human, heterophile antibodies Antunes, L. J.; and Pellegrino, J., 1967 a
- Schistosoma mansoni, Diagnosis intradermal test Ata, A. E.-H. A.; Bassaly, M.; El-Raziky, E.-S.; and El-Kaluby, A. H., 1967 a
- Schistosoma mansoni, Diagnosis fluorescent antibody, new technique Couderc, J.; Garin, J.-P.; Ambroise-Thomas, P.; and Pothier, M.-A., 1967 a, figs. 1-7
- Schistosoma mansoni, Diagnosis Cercarien-Hullen-Reaktion, native patients Dönges, J., 1967 a
West Africa
- Schistosoma mansoni, Diagnosis miracidia hatching test Dönges, J., 1967 c
- Schistosoma mansoni, Diagnosis intradermal test Gazzinelli, G.; Ramalho-Pinto, F. J.; Pellegrino, J.; and Pompeu Memoria, J. M., 1965 a

- Schistosoma mansoni, Diagnosis antigens of Schistosoma mansoni, Schistosoma japonicum, and *Trichinella spiralis* compared, skin test Kagan, I. G.; Kaiser, R. L.; and Kent, N., 1966 a
- Schistosoma mansoni, Diagnosis egg counts and intradermal test Klotzel, K.; and Rodrigues da Silva, J., 1967 a
- Schistosoma mansoni, Diagnosis mice Lengy, J.; and Meshulam, H., 1966 a
- Schistosoma mansoni, Diagnosis rectal biopsy, mice Régo, A. de M.; and de Paula Gomes, A., 1965 a, fig. 1
- Schistosoma mansoni, Diagnosis schistosome metabolites el-Sherif, A. F., 1962 d
- Schistosoma mansoni, Diagnosis rectal valve snips, hepatosplenomegaly Shoeb, S. M.; Basmy, K.; and Habib, M. A., [1966 b]
- Schistosoma mansoni, Diagnosis efficacy, intradermal test antigens, monkeys Stucki, W. P., 1968 a
- Schistosoma mansoni, Diet diet of host DeWitt, W. B., 1962 a
- Schistosoma mansoni, Ecology schistosome populations, measurement Bradley, D. J., 1967 b
- Schistosoma mansoni, Ecology Elsdon-Dew, R.; and Bhagwadeen, S. B., 1967 a
- Schistosoma mansoni, Eggs viability from exper. infected monkey Abdel-Ghani, A. F., 1962 b
- Schistosoma mansoni, Eggs egg recovery, autopsies Bhagwadeen, S. B.; and Elsdon-Dew, R., 1967 a
- Schistosoma mansoni, Eggs egg labelling with tritiated thymidine Bradley, D. J., 1968 a
- Schistosoma mansoni, Eggs concentration technique, tissue culture Browne, H. G.; Gutekunst, R. R.; and Thomas, J. I., 1962 a
- Schistosoma mansoni, Eggs egg counting, comparison of filtration and dilution techniques Cheever, A. W.; and Powers, K. G., 1968 a
- Macaca mulatta (exper.) Cercopithecus sabaeus (exper.)
- Schistosoma mansoni, Eggs granuloma suppressive drugs Domingo, E. O.; Cowan, R. B. T.; and Warren, K. S., 1967 a
- Schistosoma mansoni, Eggs egg-output, relation to epidemiology, pathology Jordan, P., 1967 a
- Schistosoma mansoni, Eggs quantitative oogram method Pompeu Memoria, J. M., Cebus apella macrocephalus 1966 a (exper.) Katz, N.; Pellegrino, J.; and
- Schistosoma mansoni, Eggs collagenase-like substance Kloetzel, K., 1968 a
- Schistosoma mansoni, Eggs acquired in adulthood Kloetzel, K.; and Rodrigues da Silva, J., 1967 a
- Schistosoma mansoni, Eggs significance of non-viable eggs, mice Lambert, C. R.; Striebel, H.; and Stauffer, P., 1966 a
- Schistosoma mansoni, Eggs host reactions, purified miracidia, egg shells, viable heat-killed eggs von Lichtenberg, F.; and Raslavicius, P., 1967 a
- Schistosoma mansoni, Eggs Hoeppli phenomenon, egg load correlation von Lichtenberg, F.; Smith, J. H.; and Cheever, A. W., 1966 a
- Schistosoma mansoni, Eggs daily egg output, rhesus monkeys Nelson, G. S.; and Saoud, M. F. A., 1966 a
- Schistosoma mansoni, Eggs oogram studies, Hycanthone, mice, hamsters, Cebus monkeys (exper.) Pellegrino, J.; Katz, N.; and Scherrer, J. F., 1967 a
- Schistosoma mansoni, Eggs acid-alcohol fast substance Pellegrino, J.; Okabe, K.; and de Moura, M. F., 1966 a, fig. 1A
- Schistosoma mansoni, Eggs tetracycline fluorescence, egg histochemistry Piva, N., 1966 a, figs. 1-4
- Schistosoma mansoni, Eggs Hoeppli phenomenon Smith, J. H.; and von Lichtenberg, F., 1967 a, figs. 1-16
- Schistosoma mansoni, Epidemiology Amador Guevara, J.; Céspedes Fonseca, R.; and Perera, A., 1964 a Costa Rica
- Schistosoma mansoni, Epidemiology fish ponds, relation to transmission Berrie, A. D., 1966 a East Africa
- Schistosoma mansoni, Epidemiology Farooq, M.; et al, 1966 a Egypt
- Schistosoma mansoni, Epidemiology Farooq, M.; et al, 1966 b Egypt
- Schistosoma mansoni, Epidemiology Farooq, M.; and Hairston, N. G., 1966 a Egypt
- Schistosoma mansoni, Epidemiology Farooq, M.; and Nielsen, J., 1966 a Egypt
- Schistosoma mansoni, Epidemiology Montestruc, E., 1958 b
- Schistosoma mansoni, Epidemiology Olivier, L. J.; and Ansari, N., 1967 a
- Schistosoma mansoni, Epidemiology Paulini, E., 1966 b
- Schistosoma mansoni, Epidemiology Pessoas, S. B.; and Pimentel de Amorim, J., 1962 a
- Australorbis glabratus camundongo
- Schistosoma mansoni, Experimental animals Pellegrino, J.; and Katz, N., 1967 a
- Cebus apella macrocephalus

- Schistosoma mansoni. Geographic distribution.
- Schistosoma mansoni Faust, E. C., 1962 b western hemisphere
- Schistosoma mansoni, Africa Foster, R., 1967 a human East Africa
- Schistosoma mansoni, Africa Foster, R., 1967 b worker efficiency East Africa
- Schistosoma mansoni, Africa Foster, R., 1967 c irrigated estate, incidence East Africa
- Schistosoma mansoni, Africa Gelfand, M., 1967 b clinical and pathological aspects
- Schistosoma mansoni, Africa Payet, M.; and Camain, R., 1967 a West Africa
- Schistosoma mansoni Sambon, Pitchford, R. J., 1966 a 1907, Africa
- Schistosoma mansoni, Brazil Alves Meira, J.; Behmer, O. A. 24 year old woman (liver) and Bloise, W., 1951 a State of Alagoas, Brasil
- Schistosoma mansoni, Brazil Andrade, A.; and Cheever, A. W., 1967 a clinical and pathological aspects
- Schistosoma mansoni, Brazil Artigas, P. de T.; Coutinho, J. de O.; and Rey, L., 1963 a 732 persons investigated Sao Paulo University (all from East and Northeast Brazil)
- Schistosoma mansoni, Brazil Cotta, E.; and Milward de Andrade, R., 1967 a historical review
- Schistosoma mansoni, Brazil Kloetzel, K., 1967 c mortality in chronic splenomegaly Gameleira (state of Pernambuco)
- Schistosoma mansoni, Brazil Kloetzel, K.; and Rodrigues da Silva, J., 1967 a acquired in adulthood
- Schistosoma mansoni, Brazil Paulini, E.; Dias, E. P.; and Fiuza, H., 1967 a Belo Horizonte
- Schistosoma mansoni, Brazil Simões Barbosa, F. A., 1966 a
- Schistosoma mansoni, Brazil Vinha, C.; de Souza Martins, M. R., 1967 a survey
- Schistosoma mansoni, Congo Davadie, J. A.; Degrémont, human intestinal parasites A.; and Pothier, M. A., [1966 a]
- Schistosoma mansoni, Congo McCullough, F. S., 1964 a potential snail hosts, distribution Brazzaville
- Schistosoma mansoni, Egypt Ayad, N., [1966 a] control
- Schistosoma mansoni, Egypt Farooq, M.; et al, 1966 a epidemiology
- Schistosoma mansoni. Geographic distribution.—Continued.
- Schistosoma mansoni, Egypt epidemiology Farooq, M.; et al, 1966 b
- Schistosoma mansoni, Egypt epidemiology Farooq, M.; and Hairston, N. G., 1966 a
- Schistosoma mansoni, Egypt epidemiology Farooq, M.; and Nielsen, J., 1966 a
- Schistosoma mansoni, Egypt assessment of severity Farooq, M.; Samaan, S. A.; and Nielsen, J., 1966 a
- Schistosoma mansoni, Egypt Saoud, M. F. A., 1966 a infectivity and pathogenicity of geographical strains
- Schistosoma mansoni, French Guiana Floch, H. A., [1966 a], 45 immigrants
- Schistosoma mansoni, Great Britain expatriates of Africa and the Caribbean, clinical aspects, diagnosis, serum protein changes
- Schistosoma mansoni, Kenya Sacoud, M. F. A., 1966 c, pl. I, figs. 4-5
- Schistosoma mansoni, Kenya cause of abdominal pain, humans Watson, W. C., 1968 a
- Schistosoma mansoni, Kenya cause of abdominal pain, human Watson, W. C.; Ferguson, J. C.; and Mackay, N., 1968 a Nairobi, Kenya
- Schistosoma mansoni, Madagascar temperature requirements of molluscs Bryggo, E. R., [1968 a], 435, 436, 437, 438, 439, 440, 441, map 2
- Schistosoma mansoni, Nigeria Wyatt, J. L.; and Wyatt, G. B., 1967 a Western Nigeria
- Schistosoma mansoni, Puerto Rico Saoud, M. F. A., 1966 a infectivity and pathogenicity of geographical strains
- Schistosoma mansoni, Rhodesia Clarke, V. de V., 1966 a
- Schistosoma mansoni, Sudan Hamad, B., 1968 a students
- Schistosoma mansoni, Sudan Khalil, H. M., 1967 a intradermal test Gezira, Sudan
- Schistosoma mansoni, Sweden Bengtsson, E.; and Pellegrino, J., 1966 a Swedish military personnel, returning from Congo
- Schistosoma mansoni, Tanzania Forsyth, D. M.; and Bradley, D. J., 1966 a
- Schistosoma mansoni, Tanzania McMahon, J. E.; and Kilala, C. P., 1966 a Ambilhar
- Schistosoma mansoni, Tanzania Saoud, M. F. A., 1966 a infectivity and pathogenicity of geographical strains
- Schistosoma mansoni, West Indies Lees, R. E. M., 1968 b St. Lucia 123 cases

- Schistosoma mansoni, Heart Vivani, P.; and Barbato, E. C. D., 1964 a
- Schistosoma mansoni, His- Vogel, Hans¹, 1962 c, fig. 2 tory German contributions since 1930
- Schistosoma mansoni, Immun- Bruce, J. I. (jr.); von Lichtenberg, F.; Schoenbechler, M. J.; and Hickman, R. L., 1966 a ity natural and acquired, splenectomy, rhesus monkeys
- Schistosoma mansoni, Im- Cancio, M.; de Sala, A. R.; Rodríguez-Molina, R.; and Toro-Goyco, E., 1965 a, figs. 1, 5, 11 munity circumoval precipitin test, quantitation
- Schistosoma mansoni, Immun- Capron, A.; et al, 1966 a ity antigens and precipitins
- Schistosoma mansoni, Im- Damian, R. T., 1963 b munity antigen analysis
- Schistosoma mansoni, Immun- Damian, R. T., 1966 a ity immunodiffusion analysis of antigens
- Schistosoma mansoni, Immunity Damian, R. T., 1967 a common antigens, white mouse
- Schistosoma mansoni, Immun- Dodin, A., 1966 a ity antigens
- Schistosoma mansoni, Immunity Dönges, J., 1966 c Posthodiplostomum brevicaudatum cercariae produces immunity in man
- Schistosoma mansoni, Immunity Dusanic, D. G.; and Lewert, R. M., 1966 a electrophoretic studies of antigen-antibody complexes
- Schistosoma mansoni, Immunity Kagan, I. G., 1966 a immunity mechanisms
- Schistosoma mansoni, Immunity Lees, R. E. M.; and Jordan, P., 1968 a transplacental transfer of antibodies in infants
- Schistosoma mansoni, Immunity von Lichtenberg, F., 1967 a mechanisms
- Schistosoma mansoni, Immunity Magalhães, A. (filho); de Barros Coelho, R.; and Voss, H., 1966 a immune allergic condition due to antigenic products of disintegrating worms, antimony
- Schistosoma mansoni, Immunity Montestruc, E., 1958 b
- Schistosoma mansoni, Immunity Moore, D. V., 1967 a fluorescent antibody studies, immunopathology
- Schistosoma mansoni, Immunity Smithers, S. R.; and Ogilvie, B. M., 1965 a reagin-like antibodies, rhesus monkeys and rats
- Schistosoma mansoni, Immun- Stucki, W. P., 1968 a ity efficacy, intradermal test antigens, monkeys
- Schistosoma mansoni, Immun- Toussaint, A. J., 1966 a ity soluble antigen fluorescent-antibody test
- Schistosoma mansoni, Inter- Artigas, P. T.; and Perez, M. Intermediate hosts Australorbis glabratu, in campus pond, not its native habitat, able to propagate Schistosoma mansoni
- Schistosoma mansoni, Inter- Benex, J., 1966 b mediate hosts organ culture of snails
- Schistosoma mansoni, Inter- Benex, J., 1967 b, figs. 1-6 mediate hosts specificity of miracidia, planorbid snails
- Schistosoma mansoni, Inter- Bryggo, E. R., [1968 a, 435, mediate hosts 436, 437, 438, 439, 440, 441, temperature requirements of molluscs map 2
- Schistosoma mansoni, Inter- Chernin, E., 1967 b mediate hosts behaviour of snails in thermal gradient
- Schistosoma mansoni, Inter- Chernin, E., 1968 a mediate hosts interference with capacity to infect molluscan host, interposing insusceptible snails
- Schistosoma mansoni, Inter- Chu, K. Y.; Bijan, H.; and mediate hosts Massoud, J., 1967 a Biomphalaria alexandrina, laboratory survival ability, out of water
- Schistosoma mansoni, Inter- Etges, F. J.; and Gresso, W., mediate hosts 1965 a, fig. 2 fecundity of Australorbis glabratu
- Schistosoma mansoni, Inter- Farooq, M.; Hairston, N. G.; mediate hosts and Samaan, S. A., 1966 a Egypt
- Schistosoma mansoni, Inter- Gilbertson, D. E., 1967 a mediate hosts proteins and amino acids of uninfected snail hemolymph
- Schistosoma mansoni, In- Gilbertson, D. E.; Etges, F. J.; and Ogle, J. D., 1967 a termediate hosts 4 geographic strains of Australorbis glabratu, amino acids
- Schistosoma mansoni, Inter- Harrison, A. D.; Nduku, W.; mediate hosts and Hooper, A. S. C., 1966 a high magnesium-to-calcium ratio on the egg laying rate
- Schistosoma mansoni, Inter- Kagan, I. G.; and Geiger, S. J., 1965 b mediate hosts susceptibility of 3 strains of Australorbis glabratu
- Schistosoma mansoni, Inter- Lie Kian Joe, 1966 a mediate hosts sporocyst and echinostome rediae antagonism in Australorbis glabratu
- Schistosoma mansoni, Inter- Milward de Andrade, R., mediate hosts 1965 a Australorbis glabratu Belo Horizonte, Minas Gerais

- Schistosoma mansoni, Intermediate hosts Australorbis glabratus Mourão Crespo, V.; Torres Verano, Ottoni; and Barbosa, J. A., 1965 a Capao Rico, Brasil
- Schistosoma mansoni, Intermediate hosts snail control only effective measure of reducing reproduction rate Paulini, E., 1966 a
- [Schistosoma] mansoni, Intermediate hosts Paulini, E., 1966 b
- Schistosoma mansoni, Intermediate hosts snail survey Perez, M. D.; and Sigueoka, C., 1966 a Sorocaba (Sorocabana region, Estado de São Paulo, Brasil)
- Schistosoma mansoni, Intermediate hosts Australorbis glabratus, susceptibility to radiation Perlowagora-Szumlewicz, A., 1966 a
- Schistosoma mansoni, Intermediate hosts control of Australorbis glabratus, radiation Perlowagora-Szumlewicz, A., 1967 a
- Schistosoma mansoni, Intermediate hosts temperature Purnell, R. E., 1966 c, 182-186
- Schistosoma mansoni, Intermediate hosts mass production Sandt, D. G.; Bruce, J. I. (jr.); and Radke, M. G., 1965 a
- Schistosoma mansoni, Intermediate hosts ecology, transmission Simões Barbosa, F. A., 1962 b North-Eastern Brazil
- Schistosoma mansoni, Intermediate hosts growth rate and reproduction of Biomphalaria pfeifferi Sturrock, B. M., 1966 a
- Schistosoma mansoni, Intermediate hosts penetration Wajdi, N. A., 1966 b
- Schistosoma mansoni, Intermediate hosts control of snail vector Watson, J. M.; et al., 1965 a
- Schistosoma mansoni, Intermediate hosts snail control World Health Organization, 1965 c
- Schistosoma mansoni, Intermediate hosts heavy metal ion uptake, snail host Yager, C. M.; and Harry, H. W., 1966 a
- Schistosoma mansoni, Intestine Arafah, M. A., [1963 a]
- Schistosoma mansoni, Intestine clinical aspects, treatment Bhagwadeen, S. B., 1967 a Durban, South Africa
- Schistosoma mansoni, Intestine clinico-pathological manifestations Couto, D. (jr.); et al., 1966 a
- Schistosoma mansoni, Intestine blood volume change, hepatosplenomegaly Saif, M., 1966 b
- Schistosoma mansoni, Intestine pathology Saleh, S. A.-H., [1963 a]
- Schistosoma mansoni, Life cycle Salem, H. H., 1962 a
- Schistosoma mansoni, Life cycle Wright, C. A., 1967 b
- Schistosoma mansoni, Liver woman, 24 years Alves Meira, J.; Behmer, O.A.; and Bloise, W., 1951 a State of Alagoas, Brasil
- Schistosoma mansoni, Liver hepatosplenomegaly Hess, W., 1961 a
- Schistosoma mansoni, Liver lesions produced by dead worms Menezes, H., 1967 a
- Schistosoma mansoni, Liver value of animal experimentation, pathogenesis Mousa, A. H.; et al., [1966 b]
- Schistosoma mansoni, Liver geographic pathology de Paola, D.; and Winslow, D. J., 1967 a
- Schistosoma mansoni, Liver Sicot, C.; Benhamou, J.-P.; and Fauvert, R., 1963 a
- Schistosoma mansoni, Liver electron microscopy Stenger, R. J.; Warren, K. S.; and Johnson, E. A., 1967 a, figs. 1, 2, 3, 4, 5, 6
- Schistosoma mansoni, Lung Brocard, H.; and Gallouédec, C., 1964 a
- [Schistosoma] mansoni, Lung pathology Chaves, E., 1965 b, figs. 1-4
- Schistosoma mansoni, Lung Gelfand, M., 1966 b
- Schistosoma mansoni, Lung lesions produced by dead worms Menezes, H., 1967 a
- Schistosoma mansoni, Lung gerbils and monkeys and rabbits (exper.) Ragab, M. M.; and Hashem, M., [1963 a]
- Schistosoma mansoni, Migration Wilks, N. E., 1963 b lung to liver
- Schistosoma mansoni, Miracidia Chernin, E., 1968 a interference with capacity to infect molluscan host, interposing insusceptible snails
- Schistosoma mansoni, Miracidia Kruger, S. P.; and Heitmann, J. P., 1967 a hatching technique
- Schistosoma mansoni, Miracidia MacInnis, A. J., 1965 a, figs. 11-18 chemical attractants
- Schistosoma mansoni, Miscellaneous animals Abdel-Ghani, A. F., 1962 b egg viability, exper. infected monkey
- Schistosoma mansoni, Miscellaneous animals Barreto, A. C., 1964 a animal reservoirs, review

- Schistosoma mansoni, Miscellaneous animals human Papio anubis Fenwick, A., 1966 a, 1400 all from Lake Manyara National Park, Tanzania
- Schistosoma mansoni, Miscellaneous animals Praomys (Mastomys) natalensis (exper.) Saccostomus campestris (exper.) Arvicathus niloticus " Aethomys chrysophilus " Tatera brantsi " Mystromys albicaudatus " Mus musculus " Cercopithecus aethiops " Gear, J. H. S., 1967 a
- Schistosoma mansoni, Miscellaneous animals Schistosoma mansoni, Mis- cellaneous animals Hoenpli phenomenon, pathology von Lichtenberg, F.; Smith J. H.; and Cheever, A. W., 1966 a
- Schistosoma mansoni, Miscellaneous animals daily egg output, rhesus monkeys Nelson, G. S.; and Saoud, M. F. A., 1966 a
- Schistosoma mansoni, Miscellaneous animals Otomys angoniensis Mastomys natalensis Dasymys incomitus dog Papio doguera Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a Kenya Machakos District and Lake Albert, East Africa
- Schistosoma mansoni, Miscellaneous animals rectal biopsy and mucosal curettage, Ce- bus monkeys Pellegrino, J.; Katz, N.; Oliveira, C. A.; and Okabe, K., 1965 a, 617-621
- Schistosoma mansoni, Miscellaneous animals Nectomys squamipes Oxymeterus angularis Holochilus sciureus Akodon a. arvicoloides Rattus r. frugivorus Zygodontomys pixuna Oryzomys subflavus Pimentel de Amorim, J., 1962 b all from Estado de Alagoas, Brasil
- Schistosoma mansoni, Miscellaneous animals (feces) Bos taurus Didelphis p. paraguayensis Cavea aperea Nectomys squamipes Halochilus sciureus Piva, N.; and Rubens Barros, P. C., 1966 a all from Sergipe, Brasil
- Schistosoma mansoni, Miscellaneous animals temperature, survival, hamsters Purnell, R. E., 1966 c, 182-186
- Schistosoma mansoni, Miscellaneous animals gerbils (exper.) (lungs) monkeys rabbits Ragab, M. M.; and Hashem, M., [1963 a]
- Schistosoma mansoni, Miscellaneous animals Cercopithecus sabaeus (exper.) Ritchie, L. S.; et al, 1967 a
- Schistosoma mansoni, Miscellaneous animals Pan satyrus (exper.) (liver, mesentery)
- Schistosoma mansoni, Miscellaneous animals Macaca mulatta (exper.) Macaca cynomolgus " Macaca speciosa " Cebus apella " Ateles geoffroyi " Papio anubis " Pan satyrus " Callithrix aurita " Saimiri sciureus " Tupaia sp.
- Schistosoma mansoni, Morphology cuticle Sadun, E. H.; et al., 1966 a, figs. 4-8
- Schistosoma mansoni, Morphology Lee, D. L., 1966 b, fig. 3
- Schistosoma mansoni, Morphology ultrastructure of tegument Morris, G. P.; and Threadgold, L. T., 1968 a, figs. 1-14
- Schistosoma mansoni, Morphology Salem, N. N., 1962 a
- Schistosoma mansoni, Morphology ultrastructure Silk, M. H., 1967 a
- Schistosoma mansoni, Murine kynurenine metabolism, mice kidneys Amer, S. M.; Abdel-Daim, M. H.; and Abdel-Tawab, G. A., 1968 a
- Schistosoma mansoni, Murine mating behavior in a mouse, mixed infections Armstrong, J. C., 1965 a, 605-616
- Schistosoma mansoni, Murine mouse response to schistosome sexual development and mating behaviour Armstrong, J. C., 1965 b
- Schistosoma mansoni, Murine effect of anaesthetics, white mouse Dickerson, G., 1965 c
- Schistosoma mansoni, Murine granulomatous response Domingo, E. O.; and Warren, K. S., 1968 a to eggs
- Schistosoma mansoni, Murine RNA cytochemistry, normal and bilharzial murine liver cells El Fiky, S. M.; and Bolous, M. N., [1966 a]
- Schistosoma mansoni, Murine egg and pigment production, white mouse Kloetzel, K., 1967 a
- Schistosoma mansoni, Murine significance of non-viable eggs, mice Lambert, G. R.; Striebel, H.; and Stauffer, P., 1966 a
- Schistosoma mansoni, Murine host reactions, purified miracidia, egg shells, viable heat-killed eggs von Lichtenberg, F.; and Raslavicius, P., 1967 a
- Schistosoma mansoni, Murine hepatosplenitis, compared with S. japonica, mice Moore, D. E.; and Warren, K. S., 1967 a, fig. 2

- Schistosoma mansoni, Murine high or low protein diet, hepatosplenic enlargement Nasser, S. S.; and Platt, B. S., 1967 b
- Schistosoma mansoni, Murine penetration and maturation, experimental conditions Stirewalt, M. A.; and Fregeau, W. A., 1965 a, 168-179
- Schistosoma mansoni, Murine Warren, K. S., 1967 a Puerto Rican, Brazilian, Egyptian and Tanzanian strains, comparison of cercariae ability to penetrate, mature and produce hepatosplenic disease, mice
- Schistosoma mansoni, Murine role of dietary carbohydrates and infection on liver lipid and collagen Zuckerman, A. J.; and MacDonald, I., 1964 a
- Schistosoma mansoni, Nervous system tegument, sensory structure Morris, G. P.; and Threadgold, L. T., 1967 a, figs. 1-3
- Schistosoma mansoni, Nutritive gut structure, digestion Halton, D. W., 1966 a
- Schistosoma mansoni, Pathology Andrade, Z. A.; and Cheever, A. W., 1967 a Brazil
- Schistosoma mansoni, Pathology pancreatic lesions Audebaud, G.; Destombes, P.; and Brygoo, E. R., [1966 a], pl. 10, figs. 3-4
- Schistosoma mansoni, Pathology Bogliolo, L., 1967 a
- Schistosoma mansoni, Pathology Elsdon-Dew, R.; and Bhagwadeen, S. B., 1966 a
- Schistosoma mansoni, Pathology ova digestion, 200 necropsies Elsdon-Dew, R.; and Bhagwadeen, S. B., 1967 a
- Schistosoma mansoni, Pathology fluorescent antibody studies, immunopathology Moore, D. V., 1967 a
- Schistosoma mansoni, Pathology value of animal experimentation Mousa, A. H.; et al, [1966 b]
- Schistosoma mansoni, Pathology liver, geographic de Paola, D.; and Winslow, D. J., 1967 a
- Schistosoma mansoni, Penetration experimental conditions, mice Stirewalt, M. A.; and Fregeau, W. A., 1965 a, 168-179
- Schistosoma mansoni, Penetration invasive enzymes in cercariae, absent in schistosomes Stirewalt, M. A.; and Fregeau, W. A., 1966 a
- Schistosoma mansoni, Penetration Wajdi, N., 1966 b, pls. I-II
- Schistosoma mansoni, Radiation Middlemiss, J. H., 1967 a radiological pathology, investigation methods
- Schistosoma mansoni, Radiation C¹⁴ L-proline uptake Senft, A. W.; Strunk, B. L.; Reynolds, G. T.; and Gates, C. S., 1967 a
- Schistosoma mansoni, Radiation L-proline-U-C¹⁴ uptake Strunk, B. L.; Reynolds, G. T.; and Senft, A. W., 1967 a
- Schistosoma mansoni, Resistance mechanical stress Kloetzel, K., 1967 b
- Schistosoma mansoni, Resistance mice resistant to X-irradiated cercariae Perlwagora-Szumlewick, A., 1964 d, figs. 2-4
- Schistosoma mansoni, Resistance natural resistance, Macaca mulatta Smithers, S. R.; and Terry, R. J., 1965 b
- Schistosoma mansoni, Resistance acquired resistance, albino rat Smithers, S. R.; and Terry, R. J., 1965 c
- Schistosoma mansoni, Resistance acquired resistance, rat and rhesus monkey Terry, R. J., 1965 a
- Schistosoma mansoni, Resistance monkeys, adult worm transfer Terry, R. J.; and Smithers, S. R., 1966 a
- Schistosoma mansoni, Spleen mortality in chronic splenomegaly Kloetzel, K., 1967 c Gameleira (state of Pernambuco, Brazil)
- Schistosoma mansoni, Spleen blood volume change, hepatosplenomegaly Saif, M., 1966 b
- Schistosoma mansoni, Strains Warren, K. S., 1967 a, pls. Puerto Rican, Brazilian, I-8 Egyptian and Tanzanian strains, comparison of cercariae ability to penetrate, mature and produce hepatosplenic disease, mice
- Schistosoma mansoni, Surgical aspects surgical recovery from portal blood Goldsmith, E. I.; Carvalho Lutz, F. F.; Prata, A.; and Kean, B. H., 1967 a, figs. 1-2
- Schistosoma mansoni, Technique device for recovery of cercariae Butler, J. M. (jr.); Ferguson, F. F.; and Palmer, J. R., 1967 a
- Schistosoma mansoni, Technique counting eggs in feces Cheever, A. W.; and Powers, K. G., 1968 a
- Schistosoma mansoni, Technique recovery from vertebrate host sites Foster, R.; Cheetham, B. L.; and Mesmer, E. T., 1968 a
- Schistosoma mansoni, Technique golden hamster infected through cheek pouch Pellegrino, J.; de Maria, M.; and Scherrera, J. F., 1965 a
- Schistosoma mansoni, Technique apparatus for removal from host Roth, A. A.; and Heidtke, H. E., 1966 a

- Schistosoma mansoni, Technique mass production Sandt, D. G.; Bruce, J. I. (jr.); and Radke, M. G., 1965 a
- Schistosoma mansoni, Technique infection technique, recovery Smithers, S. R.; and Terry, R. J., 1965 a
- Schistosoma mansoni, Treatment Ambilhar Abdalla, R. E.; Iskander, S.; and Haseeb, M. A., 1968 a Sudan
- Schistosoma mansoni, Treatment Abd-Rabbo, H.; and Montasir, M., 1967 a 2-dehydroemetine dihydrochloride
- [Schistosoma mansoni], Treatment Baranski, M. C.; and da Silva, A. F., 1967 a N(3-chloro-4-methylphenyl)-N-(4-T'-amilmphenoxy-hexamethilene) piperazine hydrochloride, ineffective
- Schistosoma mansoni, Treatment Barker, L. R.; Bueding, E.; and Timms, A. R., 1966 a
- Schistosoma mansoni, Treatment Bassaly, M., [1966 a] Dipterex as molluscicide, miracidicide, cercaricide
- Schistosoma mansoni, Treatment Berberian, D. A.; et al., 1967 a Hycanthone lucanthone hydrochloride, mice and hamsters
- Schistosoma mansoni, Treatment Berberian, D. A.; et al., 1967 b Hycanthone, hamsters and mice
- Schistosoma mansoni, Treatment Blanc, F.; and Nosny, Y., 1967 a
- Schistosoma mansoni, Treatment Bristow, N. W.; Lessel, B.; Richards, H. C.; and Williams, G.A.H., 1967 a 6-chloro-5- β -diethyl-amino-8-methylquinoline
- Schistosoma mansoni, Treatment Bueding, E.; Schiller, E. L.; and Bourgeois, J. G., 1967 a, fig. 1 (1-2), 2 (1-3), 3 (1-3) carbonium salts (TAC)
- Schistosoma mansoni, Treatment Bussolati, C.; et al., 1967 a ovulation inhibitors
- Schistosoma mansoni, Treatment Campbell, W. C.; and Cuckler, A. C., 1966 b antimony tartrate, mice phthalophos
- Schistosoma mansoni, Treatment Campbell, W. C.; and Cuckler, A. C., 1967 a nicarbazin, egg production inhibitor
- [Schistosoma] mansoni, Treatment Dodin, A.; Moreau, J.-P.; and Ratovondrahet, [1966 a] nitrothiazol (Ciba 32644)
- Schistosoma mansoni, Treatment Domingo, E. O.; Warren, K.S.; and Stenger, R. J., 1967 a mice, increased incidence with carcinogen treatment
- Schistosoma mansoni, Treatment Elslager, E. F.; et al., 1963 a (4-aminoalkylamino)-1-naphthylazo) heterocyclic compounds mice, Puerto Rican strain
- Schistosoma mansoni, Treatment Elslager, E. F.; et al., 1963 b 5-(4-(2-diethylaminoethylamino)-1-naphthylazo) uracil and 4-(aminoalkylamino)-1-naphthylazo) heterocyclic compounds
- Schistosoma mansoni, Treatment Elslager, E. F.; and Worth, D. F., 1963 a 5-(4-amino-1-naphthylazo) uracil; azo compounds
- Schistosoma mansoni, Treatment Fadl, A.; Hussein, M.; and Haseeb, M. A., 1967 a Ambilhar
- Schistosoma mansoni, Treatment Fisher, J.; et al., 1966 a TWSB, phosphate esters levels, monkeys
- Schistosoma mansoni, Treatment Galal, E. E.; and Faik, S. A., [1966 a] Dipterex, exper. animals
- Schistosoma mansoni, Treatment Gentilini, M.; et al., 1967 a Ciba 32'644 Ba (niridazole ou Ambilhar), human trials
- [Schistosoma mansoni], Treatment Gerulewicz, E.; and Prypcyan, Z., 1961 a Miracil D
- Schistosoma mansoni, Treatment Gergis, G. R.; Gergis, N. I.; Schulert, A. R.; and McConnell, E., 1966 a Astiban acid
- Schistosoma mansoni, Treatment Gergis, G. R.; Scott, P.; Iskandar, N. G.; and Schulert, A. R., [1966 a] Astiban uptake, exper. animals
- Schistosoma mansoni, Treatment Gergis, G. R.; Scott, P.; Iskandar, N. G.; and Schulert, A. R., [1966 b] Astiban Sb-124, oral trial, A. R., hamster
- Schistosoma mansoni, Treatment Hill, J.; Rust, M. A.; Pellegrino, J.; and Scherrer, J.F., 1966 a N-(isoPropyl)- β -(5-nitro-2-furyl)acrylamide, mice, oogram
- Schistosoma mansoni, Treatment Iskandar, N. G., [1966 a] ova absorption of antimony
- Schistosoma mansoni, Treatment Katz, N.; Pellegrino, J.; Oliveira, C. A.; and da Cunha, A. S., 1967 a A-16612, exper. chemo-therapy, mice, hamsters, Cebus monkeys
- Schistosoma mansoni, Treatment Kean, B. H.; and Goldsmith, E. I., 1967 a extracorporeal filtration, Papio cynocephalus
- Schistosoma mansoni, Treatment Khayyal, M. T., 1965 c Treatment dimercaprol
- Schistosoma mansoni, Treatment Lees, R.E.M., 1967 a lucanthone hydrochloride, reduced side effects
- Schistosoma mansoni, Treatment Lees, R. E. M., 1968 a lucanthone hydrochloride; prednisolone

- Schistosoma mansoni, Treatment McConnell, E., [1966 a] Schistosoma mansoni, Treatment Zaki, M. H.; de Ramos, S.; Shookhoff, H. B.; and Sternman, M. M., 1966 a
Astiban uptake, function of age and sex
- Schistosoma mansoni, Treatment McMahon, J. E.; and Kilala, C. P., 1966 a Schistosoma mansoni, Treatment Nelson, G. S.; Amin, M. A.; Teesdale, C.; and Saoud, M. F. A., 1967 a
Ambilhar Tanzania
- Schistosoma mansoni, Treatment Magalhães, A. (filho); de Barros Coelho, R.; and Voss, H., 1966 a Schistosoma margrebowiei [sic] heterologous immunity Pitchford, R. J., 1966 a
Treatment immune allergic condition due to antigenic products of disintegrating worms, antimony
- Schistosoma mansoni, Treatment Miller, J. P.; et al, 1966 a Schistosoma margrebowei Le Roux, 1933 Bhagwadeen, S. B.; and Elsdon-Dew, R., 1967 a
Abbott-16612, distribution and excretion
- Schistosoma mansoni, Treatment Monteiro, W.; Pellegrino, J.; and da Silva, M. L. H., 1968 a, fig. 1 Schistosoma mattheei egg recovery, autopsies Elsdon-Dew, R.; and Bhagwadeen, S. B., 1967 a
Treatment drug screening, oogram pattern
- Schistosoma mansoni, Treatment Mousa, A. H.; El Garem, A.; El Razeiki, E.-S. H.; and lucanthone hydrochloride, Abdel Latif, A., 1968 a Schistosoma mattheei digestion, ova, 200 necropsies
- Schistosoma mansoni, Treatment Pellegrino, J., 1965 a, 683-684 Schistosoma mattheei Praomys (Mastomys) natalensis (exper.) Gear, J. H. S., 1967 a
Treatment Amphotericin B Schistosoma mattheei Saccostomus campestris (exper.) "
- Schistosoma mansoni, Treatment Pellegrino, J.; Katz, N.; and Scherrer, J. F., 1967 a Schistosoma mattheei Arvicathus niloticus "
- Hycanthone^R, mice, hamsters, Schistosoma mattheei Aethomys chrysophilus "
- Cebus monkeys (exper.) Schistosoma mattheei Tatera brantsi "
- Schistosoma mansoni, Treatment Pellegrino, J.; Katz, N.; and Scherrer, J. F., 1967 b Schistosoma mattheei Mystromys albicaudatus "
- R. D. 12,869 Schistosoma mattheei Mus musculus "
- Schistosoma mansoni, Treatment Ruas, A.; and de Almeida Franco, L. T., 1966 a Schistosoma mattheei Cercopithecus aethiops "
- Treatment CIBA 32,644-Ba
- Schistosoma mansoni, Treatment Salem, H. H., [1966 a] Schistosoma mattheei miricidia hatching technique Kruger, S. P.; and Heitmann, L. P., 1967 a
Treatment dehydroemetine
- Schistosoma mansoni, Treatment Schulert, A. R., [1966 a] Schistosoma [sic] mattheei mouton (veines mésentériques et hépatique) Levrat, E., 1966 a, 28
Treatment exper. animals, tartar emetic and Astiban uptake Tchad
- Schistosoma mansoni, Treatment el-Sherif, A. F., [1966 a] Schistosoma mattheei heterologous immunity Nelson, G. S.; Amin, M. A.; Teesdale, C.; and Saoud, M. F. A., 1967 a
Treatment Astiban, mass treatment
- Schistosoma mansoni, Treatment Silva P.; and Prata, A. R., 1962 a Schistosoma mattheei Papio doguera
- Treatment 6.171 R. P. Bahia, Brazil Cercopithecus mitis
- [Schistosoma mansoni], Treatment Soares, M. A., 1962 a Schistosoma mattheei Veglia and Le Roux, 1929 Pitchford, R. J., 1966 a Africa
Treatment antimony
- Schistosoma mansoni, Treatment Standen, O. D., 1962 a Schistosoma mattheei diurnal recovery pattern of cercariae Pitchford, R. J.; and Visser, P. S., 1966 a, 519
Treatment 1:7-bis (p-aminophenoxy) heptane, mice, in vivo and in vivo/in vitro
- Schistosoma mansoni, Treatment Talaat, M.; Habib, Y. A.; and Abdel Meguid, M., [1966 a] Schistosoma nasale Rao, 1933 Dutt, S. C.; and Srivastava, H. D., 1968 a all from Uttar Pradesh
Treatment Miracil D, Fouadin, tartar emetic, kidney and liver functions
- Schistosoma mansoni, Treatment World Health Organization, 1966 a Schistosoma rodhaini localization of β -glucuronidase Fripp, P. J., 1966 b
Treatment WHO report of chemotherapy of bilharziasis
- Schistosoma rodhaini morphology Fripp, P. J., 1967 a, figs. 1-15
- Schistosoma rodhaini heterologous immunity Nelson, G. S.; Amin, M. A.; Teesdale, C.; and Saoud, M. F. A., 1967 a
- Schistosoma rodhaini Thallomys nigricauda Lophuromys flavopunctatus dogs Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a all from Kenya
- Schistosoma rodhaini Brumpt 1931 Pitchford, R. J., 1966 a Africa

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Schistosoma rodhaini diurnal recovery pattern of cercariae Pitchford, R. J.; and Visser, P. S., 1966 a, 519
- Schistosoma rodhaini cercaria chaetotaxy Richard, J., 1968 a, fig. 1B
- Schistosoma rodhaini chaetotaxy Richard, J., 1968 b, fig. 1(3), 2(2)
- Schistosoma rodhaini morphology Mastomys natalensis albino mice hamster Saoud, M. F. A., 1966 c, 1/7-154, figs. 1-20, pl. I, figs. 1-3 Kenya
- Schistosoma spindale biological control, Lebistes reticulatus as predator of cercariae Chedapan, C.; Kruatrachue, M.; and Harinasuta, C., 1966 a
- Schistosoma spindale Indoplanorbis exustus Ito, J.; Papasarathorn, T.; and Tongkoom, B., 1964 a Thailand
- Schistosoma spindale buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 743
- Schistosoma spindalis (Montgomery 1906) rats Niphadkar, S. M.; and Rao, S. R., 1966 a India
- Schistosoma spindalis (Montgomery, 1906) rats Niphadkar, S. M.; and Rao, S. R., 1966 b Bombay, India
- Schistosoma spindale Bandicota bengalensis (mesenter veins) Niphadkar, S. M.; and Rao, S. R., 1967 a Bombay, India
- Schistosoma spindale swimmer's itch Rao, K. H.; and Murty, A. S., 1968 a Kondakarla lake, Waltair
- Schistosoma venezuelensis (Brumpt, 1934) rats Niphadkar, S. M.; and Rao, S. R., 1966 b Bombay, India
- Schistosomatida nov. comb. ord. Merdivenci, A., 1966 b, 80
- Schistosomatidae not harmed by industrial pollution Chernogorenko-Bidulina, M.I., 1963 a Desna river
- Schistosomatidae key Cosgrove, G. E., 1966 a
- Schistosomatidae [sp.] [Sturna hirundo] Sergienko, M. I.; and Kharam-bura, Ia. I., 1963 a L'vovshchina
- Schistosomatinae nov. subfam. Schistosomatidae includes: Schistosoma Merdivenci, A., 1966 b, 80
- Schistosomatium douthitti mating behavior in a mouse, mixed infections Armstrong, J. C., 1965 a, 605-616
- Schistosomatium douthitti mouse response to schistosome sexual development and mating behaviour Armstrong, J. C., 1965 b
- Schistosomatium douthitti (Cort, 1914) Ondatra z. zibethica Beckett, J. V.; and Gallicchio, V., 1967 a, 1171 Portage County, Ohio
- Schistosomatium douthitti (in Wagner) oligomerization of unicellular organs, larva
- Schistosomatium douthitti MacInnis, A. J., 1965 a chemical attractants, miracidia
- Schistosomatium douthitti (Cort, 1914) Price, 1931 (mesenteric veins) Clethrionomys rutilus Swartz, L.G., 1966 a, 729-730 University of Alaska campus, College, Alaska
- Schistosomatium douthitti lung to liver migration Wilks, N. E., 1963 b
- Schistosomiasis opening address, symposium Elsdon-Dew, R., 1966 d
- Schistosomiasis animals as reservoirs Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a Africa
- Schistosomiasis concentration techniques, eggs Okabe, K.; Ono, N.; and Takao, Y., 1962 a
- Schistosomiasis miracidia behavior, osmotic pressure changes Okamoto, K.; and Mori, K., 1962 a
- Schistosomiasis invasive mechanisms of cercaria Stirewalt, M. A.; Walters, M.; and Wells, G., 1968 a
- Schistosomiasis bibliography Warren, K. S.; and Newell, V. A., 1967 a
- Schistosomiasis, Avian aquatic birds, nasal passages Bearup, A. J., 1957 b
- Schistosomiasis, Bovine Lwebandiza, T. S., 1966 a Tanzania
- Schistosomiasis, Canine Iijima, T.; Ito, Y.; Nakayama, S.; and Yamashita, H., 1963 a Yamanashi Prefecture
- Schistosomiasis, Host-parasite relationships Kendall, S.B., 1964 a
- Schistosomiasis, Human ocular Attiah, M. A-el-H., [1963 a]
- Schistosomiasis, Human serum polysaccharides El-Ghaffar, Y. A.; Abdel-Wahab, S.; and Shoeb, S. M., [1966 a]
- Schistosomiasis, Human cutaneous El-Mofti, M.A.-M.; and El-Zawahry, M., [1963 a]
- Schistosomiasis, Human endocrine aspects Ghalioungui, P.; and Shawarby, K., [1963 a]
- Schistosomiasis, Human clinical studies Ishizaki, T.; et al, 1963 d
- Schistosomiasis, Human stomach Kadry, S., [1963 a]

- Schistosomiasis, Human productivity of industrial worker Latif, M. A., 1962 a
- Schistosomiasis, Human basic problems Maegraith, B., 1962 a
- Schistosomiasis, Human symposium aims Mostofi, F. K., 1967 a
- Schistosomiasis, Human research needs Mostofi, F. K., 1967 b
- Schistosomiasis, Human hepatic blood flow determination Mousa, A. H.; El-Garem, A.; Saif, M.; and El-Abdin, A.Z., 1967 a
- Schistosomiasis, Human introduction, 1st international congress Salah el Din, M., 1962 b
- Schistosomiasis, Human acquired resistance Smithers, S. R., 1962 b
- Schistosomiasis, Human incubation period of acute cases Ts'ai, C. Y.; and Yi, W., 1966 a
- Schistosomiasis, Human review, case report Wright, G., 1962 a
- Schistosomiasis, Human, Blood clinico-haematological aspects Ali, A. M., 1962 a
- Schistosomiasis, Human, Blood clinico-haematological aspects Ata, A.-E-H A., [1963 a]
- Schistosomiasis, Human, Blood vascular lesions Attia, O. A., [1966 a]
- Schistosomiasis, Human, Blood portal hypertension, transoesophageal procedures Kamel, R.; and Hidayat, M.A., [1966 b]
- Schistosomiasis, Human, Blood incidence in ABO and Rh blood groups Katz, N.; Tavares, J.; and Abrantes, W. L., 1967 a
- Schistosomiasis, Human, Blood splenectomy, devascularization Khairy, M., [1966 a]
- Schistosomiasis, Human, Blood Kurata, M.; et al, 1965 a
- Schistosomiasis, Human, Can-Aboul-Nasr, A. L., 1962 a
cer Egypt
- Schistosomiasis, Human, Can-Abul-Fadl, M. A. M.; and cer Metwalli, O. M., 1962 a
B-glucuronidase activity in ova
- Schistosomiasis, Human, Can-El-Gazayerli, M., 1962 a
cer pathology, bladder
- Schistosomiasis, Human, Can-El-Gazayerli, M.; and Korai- cer tum, M., 1967 a
bladder cancer, pathogenesis
- Schistosomiasis, Human, Can-El-Sebai, I., 1962 a
cer bladder
- Schistosomiasis, Human, Can- Gelfand, M., 1967 a
cer bladder
- Schistosomiasis, Human, Can- Hashem, M., 1962 b
cer bladder, aetiology and pathogenesis
- Schistosomiasis, Human, Can- Ishak, K. G.; Le Golvan, P.C.; cer and El-Sebai, I., 1967 a
- Schistosomiasis, Human, Can- Karim, M., 1962 a
cer bladder, complicating pregnancy
- Schistosomiasis, Human, Can- Magid, A.; Mahfouz, M. M.; cer and Morgan, N. A., 1962 a
bladder, cystectomy, radium
- Schistosomiasis, Human, Can- Mahfouz, M. M.; and El-Deeb, A. A., 1962 a
urinary tract, radiotherapy
- Schistosomiasis, Human, Can- Motawei, A., 1962 a
cer bladder, irradiation
- Schistosomiasis, Human, Chil- Abd-El-Al, A.M.A., [1963 a]
dren antimony compounds, slow method
- Schistosomiasis, Human, Costa, A. de I., 1964 a
Clinical aspects muscles and nervous system
- Schistosomiasis, Human, El Mofty, A., 1962 a
Clinical aspects
- Schistosomiasis, Human, Com- Bassiouni, M., 1962 a
plications arthritis
- Schistosomiasis, Human, Com- El-Ghorab, M. M., 1962 a
plications ureteritis calcinosa
- Schistosomiasis, Human, El-Shinawy, E.-S. F., [1966 a]
Complications nephrocalcinosis
- Schistosomiasis, Human, Com- Gohar, M. A. H., 1962 a
plications urinary sepsis
- Schistosomiasis, Human, Abd-Rabbo, H., 1968 a
Control artificial plastic swimming pools
- Schistosomiasis, Human, Com- Abou-Gareeb, A. H., [1963 a]
trol Bulinus sp., prevention of influx, Aswan Dam, Egypt
- Schistosomiasis, Human, Com- Agamieh, M. M., [1963 a]
trol sanitation, engineering aspects
- Schistosomiasis, Human, Com- Ahmed, M. F., [1966 a]
trol snail control in irrigation canals
- Schistosomiasis, Human, Com- Ayad, N., 1962 a
trol value of snail control

- Schistosomiasis, Human, Geographic distribution--Continued
- Schistosomiasis, Human, Egypt Riad, N., 1962 a
ancient Egyptian disease
- Schistosomiasis, Human, Egypt Torky, A. R., [1966 a]
opening and closing speeches, 1. National Symposium Bilharziasis
- Schistosomiasis, Human, Egypt Wassef, I. M., [1963 b]
health education
- Schistosomiasis, Human, French Guiana Floch, H. A., [1966 a], 46-56
- Schistosomiasis, Human, India Abou Gareeb, A. H., 1962 a
- Schistosomiasis, Human, Iraq Baquir, H., 1965 a
evaluation of control program, 1963 to previous 5 years
- Schistosomiasis, Human, Iraq El-Gindy, M. S., 1967 a
Bulinus truncatus, biology, ecology, control
- Schistosomiasis, Human, Iraq El-Gindy, M. S.; Baquir, H.; de Moraes, T.; and Radhawy, I., A., 1967 a
Central Iraq
- Schistosomiasis, Human, Japan Yokogawa, M.; et al, 1964 a
Yamanashi Prefecture population survey, immunoserological diagnosis
- Schistosomiasis, Human, Rhodesia Clarke, V. de V., 1966 a
- Schistosomiasis, Human, Senegal Gretillat, S., 1966 b
- Schistosomiasis, Human, South Africa Bhagwadeen, S. B., 1967 a
intestinal, clinical pathological manifestations
- Schistosomiasis, Human, South Africa Pitchford, R. J., 1962 a
molluscicides
- Schistosomiasis, Human, Tanzania Forsyth, D. M.; and Bradley, D. J., 1966 a
- Schistosomiasis, Human, Heart Zaky, H. A.; et al, 1967 a
- Schistosomiasis, Human, History Kamal, H., 1962 a
- Schistosomiasis, Human, Immunity Dodin, A.; and Moreau, J.-P., 1966 a
inactive cercaria
- Schistosomiasis, Human, Immunity Ghanem, M. H., 1962 b
auto-immunity
- Schistosomiasis, Human, Immunity International Atomic Energy Agency, Vienna, 1964 a
radiation vaccines
- Schistosomiasis, Human, Immunity von Lichtenberg, F., 1967 a
mechanisms
- Schistosomiasis, Human, Immunity Ono, N.: and Hirano, T., 1967 a
- Schistosomiasis, Human, Immunity Sadun, E. H., 1967 a
immunodiagnosis
- Schistosomiasis, Human, Intermediate hosts Abou-Gareeb, A. H., [1963 a]
Bulinus sp., prevention of influx, Aswan Dam, Egypt
- Schistosomiasis, Human, Intermediate hosts Bertrand, D.; Tahiri-Zagret, M.; and Deschiens, R. E. A., [1962 a]
colorimetric assay of copper salts (molluscicides) in the field
- Schistosomiasis, Human, Intermediate hosts Chabaud, A. C.; Deschiens, R. E. A.; and Le Coroller, Y., [1966 a]
copper chloride, molluscicide
- Schistosomiasis, Human, Intermediate hosts Dawood, I.; Dazo, B. C.; and Farood, M., 1966 a
molluscicides Egypt
- Schistosomiasis, Human, Intermediate hosts Dazo, B. C., 1966 a
determining sites of transmission
- Schistosomiasis, Human, Intermediate hosts Dazo, B. C.; Hairston, N. G.; and Dawood, I. K., 1966 a
snail control Egypt
- Schistosomiasis, Human, Intermediate hosts Deschiens, R. E. A., 1966 b
control
- Schistosomiasis, Human, Intermediate hosts Deschiens, R. E. A., 1968 b
vector control
- Schistosomiasis, Human, Intermediate hosts Deschiens, R. E. A.; Brottes, H.; and Mvogo, L., 1966 a
Cameroun
- Schistosomiasis, Human, Intermediate hosts van Eeden, J. A., 1966 a
importance of snail in epidemiology
- Schistosomiasis, Human, Intermediate hosts El-Gindy, H. I., 1962 a
ecology of snail vectors
- Schistosomiasis, Human, Intermediate hosts El-Gindy, M. S., 1962 a
review of known snails, distribution, host-parasite relationship
- Schistosomiasis, Human, Intermediate hosts El-Gindy, M. S., 1967 a
Bulinus truncatus, biology, ecology, control
- Schistosomiasis, Human, Intermediate hosts Etges, F. J.; and Gilbertson, D. E., 1966 a
repellent action of molluscicides
- Schistosomiasis, Human, Intermediate hosts Harrison, A. D.; and Rattray, E. A., 1966 a
biological effects of mollusciciding natural waters
- Schistosomiasis, Human, Intermediate hosts Helmy, M. M., 1962 a
Egypt
- Nile irrigation control, increased snail breeding

- Schistosomiasis, Human, In- Hosaka, Y.; et al., 1962 a
termediate hosts
Oncomelania nosophora sex, molluscicide susceptibility
- Schistosomiasis, Human, Jobin, W. R., 1968 a
Intermediate hosts
molluscicide selecting
- Schistosomiasis, Human, Jobin, W. R.; and Unrau, G.
Intermediate hosts O., 1967 a
molluscicide testing, 28 compounds, Australorbis gla-
bratus
- Schistosomiasis, Human, In- McMullen, D. B., 1962 a
termediate hosts
habitat modifications of snails, water resource develop-
ment
- Schistosomiasis, Human, In- Meyling, A. H., 1966 a
termediate hosts
limiting factors in molluscicides
- Schistosomiasis, Human, In- Rifaat, M. A., [1963 a]
termediate hosts
physical and biological control
- Schistosomiasis, Human, In- Tahiri-Zagret, M., [1968 a]
termediate hosts
apparatus for chemical molluscicide assay
- Schistosomiasis, Human, Watson, J. M.; et al., 1965 a
Intermediate hosts
control of snail vector
- Schistosomiasis, Human, Webbe, G., 1962 b
Intermediate hosts
snail population studies
East Africa
- Schistosomiasis, Human, World Health Organization,
termediate hosts 1965 c
- Schistosomiasis, Human, World Health Organization,
Intermediate hosts 1967 b
- Schistosomiasis, Human, Wright, C. A.; and File, S.
Intermediate hosts K., 1966 a
enzymes
- Schistosomiasis, Human, Wright, C. A.; and Klein, J.,
Intermediate hosts 1966 a
serological technique, snail taxonomy
- Schistosomiasis, Human, In- Yasuraoka, K.; Hosaka, Y.;
termediate hosts Ogawa, K.; and Komiya, Y.,
Oncomelania nosophora, 1962 a
seasonal tolerance to sodium pentachlorophenate
- Schistosomiasis, Human, In- Pougeol, D.; and Ortole, L.,
testine 1964 a
biliary manifestations
- Schistosomiasis, Human, In- Sadek, A. M., [1966 b]
testine
surgery
- Schistosomiasis, Human, Li- Abd El Razzak, M., [1966 a]
ver
modified radioactive rose bengal test
- Schistosomiasis, Human, Li- Awny, A. Y., [1963 a]
ver
clinico-pathological changes
- Schistosomiasis, Human, Li- Badawi, H. S.; Nomeir, A. M.;
ver and Zaher, R. A., [1963 a]
bromsulphthalein retention
- Schistosomiasis, Human, Li- Chou, H. C.; Chou, H. L.; and
ver Ni, W. Y., 1965 a
hemorrhage management
- Schistosomiasis, Human, Li- El-Ghaffar, Y. A.; and Shoeb,
ver S. M., [1963 a]
ascites in cirrhosis
- Schistosomiasis, Human, Liver El-Mofty, A.; and Khattab, M.,
hepato-splenic [1963 a]
- Schistosomiasis, Human, Liver El-Saadani, A. M.; Moustafa,
ver colloidal phagocytosis, M.; El Gengehy, M. T.; and
reticuloendothelial system Fayez, M. A., 1968 a
- Schistosomiasis, Human, Liver El-Toraei, I., [1963 a]
ver surgical aspects of ascites
- Schistosomiasis, Human, Liver Elwi, A. M.; and Attia, O. M.,
ver [1963 a]
pathology
- Schistosomiasis, Human, Liver Fayez, M. A.; and El-Rooby,
ver A., [1963 a]
haemodynamics
- Schistosomiasis, Human, Liver Fikry, M. E., [1963 b]
ver digestive disturbances, fibrosis
- Schistosomiasis, Human, Liver Fikry, M. Essam; El-Sayed, M.;
ver and El-Dorry, K., [1966 a]
hepatic fibrosis, functional state of small intestine
- Schistosomiasis, Human, Liver Fikry, M.E.; El-Sayed, M.;
ver and El-Dorry, K., [1966 b]
treatment of ascites, hepatic fibrosis
- Schistosomiasis, Human, Liver Fikry, M. E.; Montasir, M.M.;
ver Salem, H. H.; and El-Dorry,
Fouad, effect on portal K., [1966 a]
hypertension
- Schistosomiasis, Human, Liver Ghanem, M. H.; Said, M.; and
ver Mowafi, A., [1966 a]
portal hypertension
- Schistosomiasis, Human, Liver Ghareeb, A. M., [1963 a]
ver adreno-gonadal function, periportal fibrosis
- Schistosomiasis, Human, Liver Hassab, M. A., [1963 a]
ver role of gall-bladder
- Schistosomiasis, Human, Liver Hassab, M. A., [1966 a]
ver fibrosis, oesophageal varices bleeding
- Schistosomiasis, Human, Liver Hassan, A. H.; and Enan, S.,
ver [1963 a]
cirrhosis, neuropsychiatry and electroencephalography
- Schistosomiasis, Human, Liver Ismail, A.A.A.; and Aziz, S.,
ver [1963 a]
chemicopathology
- Schistosomiasis, Human, Liver Khairy, M., [1963 a]
ver splenectomy

- Schistosomiasis, Human, Liver Kurata, M.; et al, 1965 a
- Schistosomiasis, Human, Liver ver Mostafa, A.G.; Guirgis, B.; and Mahfouz, M., [1966 a] fibrosis, radioisotope photoscanning
- Schistosomiasis, Human, Liver ver Mousa, A. H.; et al, [1966 c] portal haemodynamics
- Schistosomiasis, Human, Liver ver Mousa, A. H.; et al, [1966 d] portal haemodynamics, blood volume
- Schistosomiasis, Human, Liver ver Mousa, A. H.; et al, 1967 a clinico-pathological aspects
- Schistosomiasis, Human, Liver ver Nomeir, A.M.; and Badawi, H. S., [1963 a] blood flow, fibrosis
- Schistosomiasis, Human, Liver ver Sadek, A. M., [1966 a] fibrosis, hematemesis treatment
- Schistosomiasis, Human, Liver ver Saif, M.; et al, [1966 a] serum transaminases, cholinesterase
- Schistosomiasis, Human, Liver Sherif, M.; et al, [1966 a] hepatic fibrosis, surgery
- Schistosomiasis, Human, Liver ver Shoeb, S. M.; Basmy, K.; Habib, M. A.; and El-Serafy, S., [1966 a] hepatosplenomegaly
- Schistosomiasis, Human, Liver Souidan, M. Z. A., [1963 b] haemodynamic factors, hepatic fibrosis
- Schistosomiasis, Human, Liver Souidan, M. Z. A., [1966 a] portal hypertension
- Schistosomiasis, Human, Liver ver Zaky, A.; Loutfy, K. D.; and Salam, A., 1963 a tartar emetic treatment, prednisone for liver protection
- Schistosomiasis, Human, Lung Abdel-Latif, E.A., [1966 a] clinical, physiologic studies
- Schistosomiasis, Human, Lung Abd El Razzak, M., [1963 a] pulmonary circulation time
- Schistosomiasis, Human, Lung Badawi, H. S.; Nomeir, A.M.; electrocardiographic changes, right ventricular hypertrophy
- Schistosomiasis, Human, Lung bilharzial cor pulmonale Effat, S.; Ibrahim, M.; Gergis B.; and Higazi, A.-R M., [1963 a]
- Schistosomiasis, Human, Lung cardio-vascular, radiology El-Sayed, M.; and El-Deeb, A. A., [1963 a]
- Schistosomiasis, Human, Lung correlation of pulmonary angiography and haemodynamics Salah el Din, M.; Massoud, G. E.; Badawi, H. S.; and Effat, H., [1963 a]
- Schistosomiasis, Human, Lung Sami, A. A., [1963 a] review
- Schistosomiasis, Human, Lung Zaky, H. A.; et al, [1963 a] respiratory and haemodynamic changes
- Schistosomiasis, Human, Lung Zaky, H. A.; et al, 1967 a
- Schistosomiasis, Human, Nervous system El-Garem, A. A., [1963 a]
- Schistosomiasis, Human, Nervous system de Lima Costa, A., 1964 a
- Schistosomiasis, Human, Oesophagus Abu-Zikry, A.; Ibrahim, A.A.; Hammam, A. S.; and Moor, H., surgical aspects, bleeding varices [1963 a]
- Schistosomiasis, Human, Oesophagus Hussein, K. E.; and Rifaat, M. A. A., [1963 a] bleeding varices, emergency treatment
- Schistosomiasis, Human, Oesophagus Khalil, A.; and Fadali, A. M., [1963 a] bleeding oesophageal varices
- Schistosomiasis, Human, Pathology Abdallah, A., 1962 a review
- Schistosomiasis, Human, Pathology Abdel-Azim, A. El-B., 1962 b bilharzial ulcer of urinary bladder
- Schistosomiasis, Human, Pathology Abdin, F. H., [1963 a] cardio-pulmonary
- Schistosomiasis, Human, Pathology Badr, M. M.; Mahfouz, M.M.; and Hilaly, M., 1962 a renal functions, stenotic lesions, radioisotope studies
- Schistosomiasis, Human, Pathology El-Gazayerli, M., 1962 a cancer, urinary tract
- Schistosomiasis, Human, Pathology Elwi, A. M., 1967 a Egypt
- Schistosomiasis, Human, Pathology El-Zawahry, M., [1966 a] granuloma of skin
- Schistosomiasis, Human, Pathology Guindy, A., 1962 a vesico-ureteric reflux
- Schistosomiasis, Human, Pathology Hashem, M., 1962 a
- Schistosomiasis, Human, Pathology von Lichtenberg, F.; Smith, J. H.; and Cheever, A. W., Hoeppli phenomenon 1966 a
- Schistosomiasis, Human, Pathology Mokhless, A. S., 1962 b bilharzial seminal vesiculitis
- Schistosomiasis, Human, Pathology Saleh, S. A.-H., [1963 a] intestinal and pancreatic

- Schistosomiasis, Human, Path- Tanagho, E. A., 1962 b
ology
polyposis, urinary bladder
- Schistosomiasis, Human, Re- Mazhar, K.; and Shaaban, productive organs A. H., 1962 a
- Schistosomiasis, Human, Re- Toppozada, H. K., 1962 b productive organs lower female genital tract
- Schistosomiasis, Human, San- Tinniswood, W. W., 1962 a itation
- Schistosomiasis, Human, Abboud, M. A.; and El-Zawahry, Spleen K., [1963 a]
secondary hypersplenism
- Schistosomiasis, Human, Askar, O., [1963 a]
Spleen
portal hypertension
- Schistosomiasis, Human, Awny, A. Y., [1963 a]
Spleen
clinico-pathological changes
- Schistosomiasis, Human, Spleen El-Mofty, A.; and Khattab, M., hepto-splenic [1963 a]
- Schistosomiasis, Human, Spleen El-Saadani, A. M.; Moustafa, M.; El Gengehy, M. T.; and Fayed, M. A., 1968 a
colloidal phagocytosis, reticuloendothelial system
- Schistosomiasis, Human, Spleen Elwi, A. M.; and Attia, O.M., [1963 a]
pathology
- Schistosomiasis, Human, Spleen Fayed, M. A.; and El-Rooby, A., [1963 a]
haemodynamics
- Schistosomiasis, Human, Spleen Hassab, M. A. [1963 c]
bleeding, hypoprothrombinaemia, vitamin K
- Schistosomiasis, Human, Spleen Ismail, A.A.A.; and Aziz, S., [1963 a]
chemicopathology
- Schistosomiasis, Human, Spleen Khairy, M., [1966 a]
splenectomy, gastro-oesophageal devascularization
- Schistosomiasis, Human, Spleen Mousa, A. H.; et al., [1966 c]
portal haemodynamics
- Schistosomiasis, Human, Spleen Mousa, A. H.; et al., [1966 d]
portal haemodynamics, blood volume
- Schistosomiasis, Human, Spleen Mousa, A. H.; et al., 1967 a
clinico-pathological aspects
- Schistosomiasis, Human, Spleen Shoeb, S. M.; Basmy, K.; Habib, M.A.; and El-Serafy, S., [1966 a]
hepatosplenomegaly
- Schistosomiasis, Human, Sur- Abu-Zikry, A.; Ibrahim, A.A.; gical aspects Hammam, A. S.; and Mooro, H., [1963 a]
bleeding oesophageal varices
- Schistosomiasis, Human, Sur- Aldkary, S.; and Badawi, H.S., gical aspects [1963 a]
porta-caval shunt operation
- Schistosomiasis, Human, Sur- Askar, O., [1963 b]
gical aspects splenectomy
- Schistosomiasis, Human, Sur- El Din Behairy, G., [1963 a]
gical aspects ileal loop for absorption of ascitic fluid
- Schistosomiasis, Human, Sur- El-Sadr, A. R.; and Tanagho, gical aspects E. A., 1962 b
ureteric stricture, reparative surgery
- Schistosomiasis, Human, Sur- El-Toraei, I., [1963 a]
gical aspects ascites due to hepatic bilharziasis
- Schistosomiasis, Human, Sur- Fawzi, R. M.; Badr, M. M.; gical aspects and Safwat, M., 1962 a
urinary
- Schistosomiasis, Human, Sur- Hassab, M. A., [1963 b]
gical aspects splenectomy and left gastric vessels ligation
- Schistosomiasis, Human, Sur- Hidayat, M. A.; and Kamel, R., gical aspects [1963 a]
transoesophagogastric varices
- Schistosomiasis, Human, Sur- Ibrahim, H., [1963 a]
gical aspects portal hypertension
- Schistosomiasis, Human, Sur- Kenawi, M. M., [1963 a]
gical aspects hepato-lienal fibrosis
- Schistosomiasis, Human, Sur- Khairy, M., [1963 a]
gical aspects splenectomy, hepatic fibrosis
- Schistosomiasis, Human, Sur- Mehriz, I.: and El-Afifi, S. gical aspects M., [1963 a]
colon and rectum lesions
- Schistosomiasis, Human, Sur- Mohamed, H. A., [1963 a]
gical aspects anaesthetic management, portal hypertension
- Schistosomiasis, Human, Technique Bhagwandeen, S. B.; and Els-
Technique egg recovery, autopsies don-Dew, R., 1967 a
- Schistosomiasis, Human, Bradley, D. J., 1967 b
Technique measurement of schistosome populations
- Schistosomiasis, Human, Technique Hanna, A.A.Z., 1962 a
vesiculo-vasogram
- Schistosomiasis, Human, Technique Sellam, F.; El-Saadany, M.; Saif, M.; and El-Sherif, A.F., radioactive isotopes 1962 a
- Schistosomiasis, Human, Treatment Abdallah, A.; and Saif, M., 1962 a
sodium antimony dimercaptosuccinate labelled with antimony 124, tracer studies
- Schistosomiasis, Human, Treatment Abd-El-Al, A.M.A., [1963 a]
children, antimony compounds, slow method

- Schistosomiasis, Human, Treatment drugs used in addition to therapy, preparatory, amelioration, or for complications of disease Abdel-Wahab, M. F., [1963 a]
- Schistosomiasis, Human, Treatment antimony, disposition and distribution Abdel-Wahab, M. F.; Younan, E. A.; and Mostafa, H. F., [1966 a]
- Schistosomiasis, Human, Treatment sodium antimony dimercapto-succinate, mass treatment Arfaa, F.; Bijan, H.; and Panahandeh, A. 1966 a Iran
- Schistosomiasis, Human, Treatment tartrated sodium antimone; fudaine, toxicity Aslamazov, E. G.; Metel'skaya, O. A.; and Tumol'skaya, N. I., 1966 a
- Schistosomiasis, Human, Treatment antimonials Ata, A. El-H.A., [1963 b]
- Schistosomiasis, Human, Treatment Dipterex, effect on seminal fluid Awny, A. Y.; Shoeb, S.M.; Basmy, K.; and Hanna, S., [1966 a]
- Schistosomiasis, Human, Treatment lucanthone meclizine, slow oral therapy Bassaly, M.; El-Brolossy, A. W.; and Mousa, A. H., [1963 a]
- Schistosomiasis, Human, Treatment C.I.D. (G.A.T.) Galal, E. E.; et. al., [1966 a]
- Schistosomiasis, Human, Treatment radiological changes, bladder Lucas, A. O.; and Cockshott, W. P., 1966 a
- Schistosomiasis, Human, Treatment antimony concentration in blood and urine Mansour, M. M.; Rassoul, A. A.; and Schulert, A. R., 1967 a
- Schistosomiasis, Human, Treatment lucanthone hydrochloride best alternative to antimony Parrinello, A., 1966 a
- Schistosomiasis, Human, Treatment antimony, electrocardiographic changes, yemenites Rifaat, M. A.; Khalil, H. M.; and Woodruff, A. W., [1963 a]
- Schistosomiasis, Human, Treatment Astiban, urinary excretion rate Rosi, D.; Merola, A. J.; and Archer, S., 1967 a
- Schistosomiasis, Human, Treatment mirasan, N-(3-chloro-4-methyl-phenyl)-piperazine, hamsters and mice Saif, M., [1963 a]
- Schistosomiasis, Human, Treatment Miracil-D and M. and B. 2948 A, oral therapy
- Schistosomiasis, Human, Treatment antimony, organ distribution Saif, M.; Abdallah, A.; and Abdel-Fattah, F., [1966 a]
- Schistosomiasis, Human, Treatment antimony dimercapto-succinate Salem, H. H., [1963 b]
- Schistosomiasis, Human, Treatment Dipterex Shoeb, S. M.; et al., [1966 b]
- Schistosomiasis, Human, Treatment tartar emetic, side effects Souidan, M. Z. A., [1963 c]
- Schistosomiasis, Human, Treatment Miracil D, Bantu community Walker, A.R.P., 1966 a East Africa
- Schistosomiasis, Human, Treatment WHO report of chemotherapy of bilharziasis World Health Organization, 1966 a
- Schistosomiasis, Human, Urinary tract beta-glucuronidase activity Abdel-Tawab, G.A.; El-Zoghby, S. M.; and Price, J. M., [1966 a]
- Schistosomiasis, Human, Urinary tract urinary leucocyte, excretion, Africans Dukes, D. C.; MacDougall, B. R. D.; Orne-Gliemann, R. H.; and Davidson, L., 1967 a
- Schistosomiasis, Human, Urinary tract cancer, pathology El-Gazayerli, M., 1962 a
- Schistosomiasis, Human, Urinary tract bladder cancer El-Gazayerli, M.; and Koraitum, M., 1967 a
- Schistosomiasis, Human, Urinary tract carcinoma El-Kharadly, M. E. A., [1966 a]
- Schistosomiasis, Human, Urinary tract cancer, bladder El-Sebai, I., 1962 a
- Schistosomiasis, Human, Urinary tract clinical patterns Forsyth, D. M., 1967 a
- Schistosomiasis, Human, Urinary tract Gheita, A., [1966 a]
- Schistosomiasis, Human, Urinary tract Hashem, M., 1962 b
- Schistosomiasis, Human, Urinary tract bladder, aetiology and pathogenesis
- Schistosomiasis, Human, Urinary tract radiological changes after treatment Lucas, A. O.; and Cockshott, W. P., 1966 a
- Schistosomiasis, Human, Urinary tract bladder cancer, cystectomy, radium Magid, A.; Mahfouz, M. M.; and Morgan, N. A., 1962 a
- Schistosomiasis, Human, Urinary tract radiotherapy, cancer Mahfouz, M. M.; and El-Deeb, A. A., 1962 a
- Schistosomiasis, Human, Urinary tract clinicopathological aspects Makar, N., 1967 a
- Schistosomiasis, Human, Urinary tract cancer, bladder, irradiation Motawei, A., 1962 a
- Schistosomiasis, Human, Urinary tract Muhsen, J., 1966 a
- Schistosomiasis, Human, Urinary tract tincture of cantharides for fibrosis and calcification

- Schistosomiasis, Human, Urinary tract endoradiocinematography Noix, M.; Jaupitre, M.; Degremont, A.; and Noix, J.Y., 1967 a
- Schistosomiasis, Human, Urinary tract Powell, S. J.; Engelbrecht, H. E.; and Welchman, J. M., 1968 a, figs. 1a-1c Durban, South Africa
- Schistosomiasis, Human, Urinary tract treatment Zaher, M. F.; and Atala, A., 1967 a
- Schistosomiasis, Intermediate hosts respiratory physiology Alberts, L. E., 1966 a
- Schistosomiasis, Intermediate hosts distribution, frequency and biology of *Bulinus truncatus* Doby, J.-M.; Rault, B.; Deblock, S.; and Chabaud, A.-G., 1966 a Corse, France
- Schistosomiasis, Intermediate hosts predatory activity of *Helobdella triserialis* on *Biomphalaria glabrata* Gonçalves, M. da G. R.; and Pellegrino, J., 1967 a
- Schistosomiasis, Intermediate hosts collecting eggs of *Biomphalaria glabrata* Pellegrino, J.; and Goncalves, M. de G. R., 1965 a
- Schistosomiasis, Intermediate hosts temperature influence on vertical movement of *Bulinus (P.) globosus* Shiff, C. J., 1966 a
- Schistosomiasis, Miscellaneous animals wild animal schistosomes Ch'en, C.-H., 1968 a Tung-Hsi-Hu farm, Wu-Han Municipality
- Schistosomiasis, Miscellaneous animals gerbils, diet deficiency, evolution of bilharzial hepatic fibrosis Hashem, M.; and Fahmy, S. A., [1963 a]
- Schistosomiasis, Miscellaneous animals as reservoirs Nelson, G. S.; Teesdale, C.; and Highton, R. B., 1962 a Africa
- Schistosomiasis, Miscellaneous animals tartar emetic and astiban uptake Schulert, A. R., [1966 a]
- Schistosomiasis, Treatment drug-screening, review Abdallah, A., 1962 a
- Schistosomiasis, Treatment 4-aminocatechol; 4-amino-resorcinal, 1-(4-Dimethylamino-2-methoxyphenoxy)-5-phenylpentane N-oxide Collins, R. F.; and Davis, M., 1966 a
- Schizamphistomoides Stunkard, 1925 Agrawal, V., 1967 b, 430 Paramphistomidae, key to species
- Schizamphistomoides che lonei key Agrawal, V., 1967 b, 430
- Schizamphistomoides con strictus key Agrawal, V., 1967 b, 430
- Schizamphistomoides prescotti n. sp. (intestine) Hardella thurgi Agrawal, V., 1967 b, 427-430, figs. 1-2 Lucknow
- Schizamphistomoides resupinatus key Agrawal, V., 1967 b, 430
- Schizamphistomoides spinulosum key Agrawal, V., 1967 b, 430
- Schizamphistomoides spinulosum (Looss, 1901) Stunkard J. D., 1968 a, 6 1925 Syn.: *Amphistomum spinulosum* Looss, 1901 *Chelonia mydas* (small intestine) Ada, Ghana
- Schizamphistomoides tabascensis key Agrawal, V., 1967 b, 430
- Schwartzitrema dumbeli sp. nov. Anhinga melanogaster (intestine) Nath, O; and Gupta, A. N., 1964 a, 306-308, figs. Gyanpar, India
- Schwartzitrema nigericus R. Gupta, 1962 as syn. of Schwartzitrema pandubi (Pande, 1939) [n. comb.] Dubois, G., 1966 b, 120
- Schwartzitrema pandubi (Pande, 1939) [n. comb.] Dubois, G., 1966 b, 120, 121, fig. 3 Syns.: *Apatemon truonis* Dubois et Fain, 1956; Schwartzitrema nigericus R. Gupta, 1962
- Schwartzitrema seamsteri Chandler, 1951 Fregata magnificens rothschildi Dubois, G., 1966 a, 37-38, fig. 5 Texas
- Skrjabinopsolus [lapsus for: Skrjabinopsolus Ivanov] Komarova, T. I., 1964 a, 80
- Sellsitrema (Yamaguti, 1958) subgen. of Nilocotyle Swart, P. J., 1966 a, 73
- Shistosoma [lapsus for: Schistosoma] Levrat, E., 1966 a, 28
- Sinistroporus Stafford, 1904 Pritchard, M. H., 1966 a, 159 as syn. of Podocotyle (Dujardin, 1845)
- Skrjabinoeces Sudarikov subgen. of Haematoloechus, 49 key Odening, K., 1960 h, 19, 48, key to sp. and ssp.
- Skrjabinoeces sp. Rana ridibunda (lungs) Shevchenko, N. N., 1965 a, 25-26, fig. 4 Northern Donec (District of Charkov), Ukraine
- Skrjabinoeces donicus sp. nov. [nomen nudum] [Rana ridibunda] (lungs) Shevchenko, N. N., 1963 c, 293 Northern Donets, Khar'kovsk oblast
- Skrjabinoeces donicus sp. nov. Rana ridibunda (lungs) Shevchenko, N. N., 1965 a, 24-25, fig. 3 Northern Donec (District of Charkov), Ukraine

- Skrjabinoeces minimus sp. nov. [nomen nudum] [Rana ridibunda] (lungs) Shevchenko, N. N., 1963 a, 293 Northern Donets, Khar'kovsk oblast
- Skrjabinoeces minimus sp. nov. Rana ridibunda (lungs) Shevchenko, N. N., 1965 a, 22-23, fig. 2 Northern Donec (District of Charkov), Ukraine
- Skrjabinoeces similis Planorbis planorbis Butenko, Iu. V., 1967 a, 41, fig. 11 b South Kazakhstan
- Skrjabinoeces similis Looss, 1899 life cycle Dobrovols'kiy, A. A., [1966 a]
- Skrjabinoeces similis (Looss, 1899) Sudarikov, 1950 Rana ridibunda (lungs) Shevchenko, N. N., 1965 a, 20, 26 Northern Donec (District of Charkov), Ukraine
- Skrjabinoeces similis (Looss, 1899) Planorbis planorbis Smirnova, V. A.; and Ibrashova, S. I., 1967 a, 63-64, fig. 5 Western Kazakhstan
- Skrjabinomerus desmanae Sobolev, Maškov, V.; & Maškov, H., 1939 as syn. of ?Omphalometra desmanae Sobolev, Maskov & Maskov, 1939. Odening, K., 1960 h, 70
- Skrjabinomerus petrowi [sic] Savinov, 1951 Talpa europea (intestine) Merkusheva, I. V.; and Kraevskaya, L. I., [1966 a] Belorussia
- Skrjabinophyetus neomi Dimitrova et Genov, 1966 Neomys fodiens (small intestine) Genov, T.; and Dimitrova, E. A., 1966 a, 134, 146, 150, 151, 152, 156, 158 Bulgaria
- Skrjabinoplagiornis gen. nov. Plagiornidae; Plagiornchinae tod: S. vigisi sp. nov. Petrov, A. M.; and Merkusheva, I. V., 1963 a, 145, 146-147
- Skrjabinoplagiornis skrjabini (Kadenazii, 1960) nov. comb. Petrov, A. M.; and Merkusheva, I. V., 1963 a, 147
- Skrjabinoplagiornis vigisi gen. nov., sp. nov. (tod) Apodemus sylvaticus (liver) Petrov, A. M.; and Merkusheva, I. V., 1963 a, 145-146, 147, fig. 1 Zapadnaia Dvina river bank, Poltevo village, Sirotinsk region, Vitebsk oblast, Byelorussia
- Skrjabinopsolus Ivanov [lapsus as: Sckrabinopsolus] Komarova, T. I., 1964 a, 80
- Skrjabinopsolus Marits, N. M., 1963 c Moldavia
- Skrjabinopsolus acipenseris Acipenser ruthenus (crijevo) Čanković, M.; Kiškarolj, M.; and Ramadanović, R., 1968 a, fig. 2 Sava river
- Skrjabinopsolus acipenseris Ivanov, S. Ivanov [Acipenseridae] Ivanov, V. P., 1965 a Volga river
- Skrjabinopsolus [sic] acipenseris Ivanov, 1934 [Acipenser güttenstaedti] (intestine) Komarova, T. I., 1964 a, 80 Dnieper delta
- Skrjabinopsolus acipenseris Ivanov Acipenser ruthenus Margaritov, N. M., 1966 a, 159 Bulgarian sector of Donau river
- Skrjabinopsolus acipenseris Acipenser stellatus Markov, G. S.; Trusov, V. Z.; and Reshetnikova, A. V., 1963 a Volga river, Volgograd region
- Skrjabinopsolus acipenseris Acipenser güttenstaedti Markov, G. S.; Trusov, V. Z.; and Reshetnikova, A. V., 1963 b Volgograd region
- Skrjabinopsolus acipenseris (Molin) Acipenser güttenstaedti (intestine) Markov, G. S.; Trusov, V. Z.; and Reshetnikova, A. V., 1964 a Volgograd region
- Skrjabinopsolus manteri fine structure of photoreceptors of cercariae Pond, G. G.; and Cable, R. M., 1966 a, 483, 484, 491, 492, figs. 5, 15-16
- Skrjabinopsolus skrjabini Osmanov, 1940 Acipenser ruthenus Marits, N. M., 1963 a, 37-38, fig. 1 Moldavia (intestine)
- Skrjabinimus muris Matskási, I., 1967 a, figs. 1-2 Syn.: Platynosomum muris (Stscherbakova, 1942) Skrjabin, 1952. Apodemus flavicollis
- Skrjabinimus muris (Scherbakowa, 1942) Apodemus sylvaticus (bile ducts) Semenova, L. F.; and Iarulin, G. P., 1965 a Russia, Dagestan ASSR, Dakhadaevsk region
- Sobolephya oshmarini Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Morosov, 1952 (intestine) Bondarenko, S. K., 1965 a, Larus shistisagus 146-147, figs. 17-18 L. argentatus all from USSR, Kamchatka
- Sodalis spatulatus [sic] distribution Sprehn, C. E. W., 1967 a Europe
- Sodalis spatulatus [sic] (Rudolphi, 1819) +bird Wang, F.-C., 1968 a China
- Sonsinotrema tacapense distribution Sprehn, C. E. W., 1967 a Europe
- Sorexegliphe [lapsus ? as: Sorexeglyphe] Nadtochiy, E. V., 1965 a
- Sorexeglyphe [sic] diagnosis Nadtochiy, E. V., 1965 a Plagiornidae; Opisthioglyphinae

| | | | |
|---|--|---|--|
| Sorexegliphe kamtschatica nov. sp. | Nadtochiĭ, E. V., 1965 b, 202-203, fig. 2 Primorskii krai | Sphaeridiotrema globulus (Rud., 1819) [Anas platyrhynchos] | Belokbylenko, V. T., 1965 a Ural oblast |
| Sorexeglyphe [sic] oschmarini (Schaldibin, 1953) nov. comb. | Nadtochiĭ, E. V., 1965 a, 199, fig. 3 | Sphaeridiotrema globulus cyst structure, relationship to host specificity Flumenicola virens Anas platyrhynchos platyrhynchos (exper.) Anser albifrons " Gallus gallus domesticus " | Macy, R. W.; Berntzen, A. K.; and Benz, M., 1968 a, figs. 1-3 Tillamook River, Oregon |
| Sorexeglyphe [sic] sobolevi (Schaldibin, 1953) nov. comb. | Nadtochiĭ, E. V., 1965 a, 198, fig. 2 | Sphaeridiotrema globulus (Rud., 1819) (intestine) Anas acuta A. crecca A. strepera | Maksimova, A. P., 1967 a, 131 all from Western Kazakhstan |
| Sorexeglyphe suifunensis Sadowskaja, 1951 | Nadtochiĭ, E. V., 1965 a, 197, fig. 1 | Sphaeridiotrema globulus distribution | Sprehn, C. E. W., 1967 a Europe |
| Spelotrema carciini sensu Guyénot et coll., 1925 as syn. of Microphallus primas (Jaegerskioeld, 1909) | Deblock, S.; and Tran Van Ky, P., 1966 a, 44 | Sphaeridiotremae Yamaguti, 1958, emend. | Macy, R. W.; and Bell, W. D., 1968 a, 320 |
| Spelotrema claviforme distribution | Sprehn, C. E. W., 1967 a Europe | Sphaerostoma bramae (O. F. Müller, 1776) Rutilus rutilus | Belinisova, I. K., 1965 a Krasnooskol'skoe reservoir |
| Spelotrema excellens Nicoll 1907 as syn. of Microphallus similis (Jaegerskioeld, 1900) | Deblock, S.; and Tran Van Ky, P., 1966 a, 42 | Sphaerostomum bramae Cyprinus carpio (crijevo) | Canković, M.; Kiskarolj, M.; and Ramadanović, R., 1968 a, fig. 1 Sava river |
| Spelotrema excellens Nicoll 1907 (small intestine) Larus argentatus L. atricilla | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1966 a all from North Carolina | Sphaerostoma bramae Mill. cercaria Bithynia tentaculata | Chernogorenko-Bidulina, M.I., 1966 a, 38 upper Dnieper |
| Spelotrema excellens Nicoll, 1907 Larus argentatus | Threlfall, W., 1966 c, 8 Wales | Sphaerostoma bramae (O. F. Müller, 1776) Rutilus rutilus (intestine) | Ha, K., 1964 a Alol group of lakes (Pskov oblast) |
| Spelotrema magnipapillata Leonov, 1958 as syn. of Microphallus papillorobustus (Rankin, 1940) | Deblock, S.; and Tran Van Ky, P., 1966 a, 37 | Sphaerostoma bramae [Rutilus rutilus] [Blicca bjoerkna] [Leuciscus cephalus] [Vimba vimba] [Phoxinus phoxinus] | Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina |
| Spelotrema narii, n.sp. Canis aureus naria (small intestine) | Rao, B. V., 1965 a, 68, 77-80, fig. 8 Lakkavaram, Andhra Pradesh (India) | Sphaerostoma bramae Scardinius erythrophthalmus (alimentary canal) Abramis brama (alimentary canal) | Kane, M. B., 1966 a all from Ireland |
| Spelotrema papillorobustus Rankin, 1940 as syn. of Microphallus papillorobustus (Rankin, 1940) | Deblock, S.; and Tran Van Ky, P., 1966 a, 37 | Sphaerostoma bramae | Komarova, T. I., 1963 a Dnieper delta |
| Spelotrema pseudogonotyla Chen, 1944 as syn. of Microphallus papillorobustus (Rankin, 1940) | Deblock, S.; and Tran Van Ky, P., 1966 a, 37 | Sphaerostoma bramae (O. F. Müller, 1776) (intestine) [Rutilus rutilus] [Rutilus r. heckeli] [Abramis brama] [Blicca bjoerkna] [Abramis ballerus] [Leuciscus idus] [Pelecus cultratus] | Komarova, T. I., 1964 a, 80 all from Dnieper delta |
| Spelotrema pygmaeum distribution | Sprehn, C. E. W., 1967 a Europe | Sphaerostoma bramae seasonal distribution | Komarova, T. I., 1964 b Dnieper delta |
| Spelotrema simile (Jaegersk., 1900) Jaegersk., 1901 as syn. of Microphallus similis (Jaegerskioeld, 1900) | Deblock, S.; and Tran Van Ky, P., 1966 a, 42 | | |
| Spelotrema simile (Jägerskiöld, 1900) Looss, 1902 Larus argentatus | Threlfall, W., 1966 c, 9 Wales | | |

- Sphaerostoma bramae
+fish Kosareva, N. A., [1966 a]
reservoirs of Volgo-Don
Navigable Canal Honoring V.
I. Lenin
- Sphaerostoma bramae
Bithynia tentaculata Kuprianova-Shakhmatova, R.
A., 1965 a
USSR, central Povolzh'e
- Sphaerostoma bramae
(Mueller, 1776)
(intestine)
Abramis brama
Abramis sapo
Rutilus rutilus
Leuciscus cephalus
Scardinius erythrophthalmus Marits, N. M., 1963 a, 40
all from Moldavia
- Sphaerostoma bramae Pritchard, M. H., 1966 a, 164
"should be included in the genus Allopodocotyle"
- Sphaerostoma bramae Puidak, U., 1965 a, 555
Vimba vimba Estonian coastal waters
- Sphaerostomum bramae Sprehn, C. E. W., 1967 a
distribution Europe
- Sphaerostoma bramae Stranack, F. R., 1966 a
chub Hampshire rivers
- Sphaerostomum globiporum Molnár, K., 1963 a, 106
(Rud., 1802) Szidat, 1944 all from Hungary
Alburnus alburnus "szélhajtó
küisz"
Aspius aspius "ragadozó ön"
- Sphaerostomum maius Sprehn, C. E. W., 1967 a
distribution Europe
- Sphaerostomum minor Sprehn, C. E. W., 1967 a
distribution Europe
- Sphaerostomum salmonis Sprehn, C. E. W., 1967 a
distribution Europe
- Sphaerostomum. See Sphaerostoma.
- Sphairiotrema n. gen.
Microphallidae; Sphairiotreminae Deblock, S.; and Tran Van Ky,
P., 1966 a, 23, 30, 34-35
tod: S. prudhoei n. sp.
- Sphairiotrema prudhoei n. sp. (tod)
Charadrius hiaticula key Deblock, S.; and Tran Van Ky,
P., 1966 a, 23, 30-33, 35, 53,
figs. 3-4
Orkneys Island (Grande-Bretagne)
- Sphairiotreminae nov.
sub-fam.
Microphallidae, keys
includes: Sphairiotrema nov. gen.
- Spinometra Mehra, 1931 Dwivedi, M. P., 1965 c, 94,
emend. 95
Plagiorchiidae; Astiotrematinae
key to species
- Kosareva, N. A., [1966 a]
reservoirs of Volgo-Don
Navigable Canal Honoring V.
I. Lenin
- Kuprianova-Shakhmatova, R.
A., 1965 a
USSR, central Povolzh'e
- Marits, N. M., 1963 a, 40
all from Moldavia
- Pritchard, M. H., 1966 a, 164
"should be included in the genus Allopodocotyle"
- Puidak, U., 1965 a, 555
Estonian coastal waters
- Sprehn, C. E. W., 1967 a
Europe
- Sprehn, C. E. W., 1967 a
Hampshire rivers
- Molnár, K., 1963 a, 106
(Rud., 1802) Szidat, 1944 all from Hungary
Alburnus alburnus "szélhajtó
küisz"
Aspius aspius "ragadozó ön"
- Sprehn, C. E. W., 1967 a
Europe
- Deblock, S.; and Tran Van Ky,
P., 1966 a, 23, 30, 34-35
tod: S. prudhoei n. sp.
- Deblock, S.; and Tran Van Ky,
P., 1966 a, 23, 30-33, 35, 53,
figs. 3-4
Orkneys Island (Grande-Bretagne)
- Deblock, S.; and Tran Van Ky,
P., 1966 a, 23, 30, 35, 53
- Spinometra gangetica
Mehra, 1937
key
- Spinometra gigantica
sp. nov.
key
- Cyclemys ambionensis (duodenum, ileum)
- Spinometra kachugae
Mehra, 1931
key
- Spirhopalum [lapsus as: Spirhopalum]
- Spirhopalum [sic] polesia-
num distribution
- Spirhopalum [lapsus for: Spirhopalum]
- Spirorchid[ae sp.]
temperature, infection
rate and maturation time in
Chrysemys picta Goodchild, C. G.; and
Martin, V. L., 1966 a
- Spirorchid[ae sp.]
"spirorchid cercaria"
Helisoma anceps Holliman, R. B.; and Fisher,
J. E., 1968 a
Sinking Creek, Newport,
Virginia
- Spirorchidae
Ferrissia fragilis Smith, R. J., 1967 a, 288
Chelsea, Michigan
- Spirorchis
[lapsus for: Spiroxys
Schneider, 1866 (Nemato-
da)] Katalan-Gateeva, S.; and Di-
mitrova, G., 1961 a, 112 [For
complete author reference, see
Supplement 15]
- Spirorchis sp.
laboratory maintenance
Chrysemys picta Fried, B., 1965 d, 99
Menetus dilatatus buchanan-
sis (exper.)
- Spirorchis sp.
(lungs)
C. picta bellii (exper.)
Menetus dilatatus" Goodchild, C. G.; and Dennis,
E. S., 1967 a, figs. 1-18
Lullwater Lake, DeKalb
County, Georgia
- Spirorchis sp.
Chrysemys picta picta
J. E., 1968 a
Sinking Creek, Newport,
Virginia
- Spirorchis artericola (Ward
1921) Stunkard, 1925 Acholonu, A. D., 1968 a
Pseudemys scripta elegans Louisiana
- Spirorchis artericola
Chrysemys picta marginata Esch, G. W.; and Gibbons,
J. W., 1967 a, 819
Wintergreen Lake, Kalamazoo
County, Michigan

- Spirorchis scripta* Holliman, R. B.; and Fisher, J. E., 1968 a, figs. 1-9
Stunkard, 1923 emend.
life cycle, description
Chrysemys picta picta Sinking Creek, Newport,
(nat. and exper.) Virginia
Helisoma anceps
- Sprostonia* Bychowsky, 1957, Holliman, R. B.; and Fisher, J. E., 1968 a, figs. 1-9
emend Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 376-377
Capsalidae; Trochopodinae
- Sprostonia longiphallus* Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 377-381,
new species 382, 383, figs. 11-16
Epinephelus tauvina Gladstone, Queensland
(gills)
- Squalonchocotyle antarctica* Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 359
Hughes, 1928 as syn. of *Erpocotyle antarctica* (Hughes, 1928) Price, 1942.
- Squalonchocotyle callorhynchi* Dillon, W. A.; and Hargis, W. J. (jr.), 1968 a, 360
Manter, 1955 as syn. of *Erpocotyle callorhynchi* (Manter, 1955)
Yamaguti, 1963.
- Squamodiscus longipenis* Paling, J. E., 1966 a, 377
Yamaguti 1934
as syn. of *Diplectanum longipenis* (Yamaguti) Price
- Squamodiscus secundus* Paling, J. E., 1966 a, 377
as syn. of *Diplectanum secundus* Tripathi
- Steganoderma formosum* Mamaev, Iu. L., 1965 a, 178
Stafford, 1904 (intestine) all from Bering Sea
Sebastodes alutus
S. aleutianus
Atherestes evermanni
A. stomaia
Reinhardtius hippoglossoides matsuurae
Hippoglossus hippoglossus stenolepis
- Stellantchasmus amplicae-* Komiya, Y.; and Suzuki, N.
calis 1966 a, pp. 208-214
Mugil cephalus
- Stellantchasmus falcatus* Komiya, Y.; and Suzuki, N.
Mugil cephalus 1966 a, pp. 208-214
Lisa menada
Acanthogobius flavimanus
- Stellantochasmus farcatus* Weng, T. W., 1959 a
[sic] Onji et Nishio, 1916 Inland Sea of Japan
- Stellantchasmus formosanus* Komiya, Y.; and Suzuki, N.
Mugil cephalus 1966 a, pp. 208-214
- Stellantochasmus*. See *Stellantchasmus*.
- Stenacron* Mamaev, Iu. L., 1965 a, 178
[lapsus for: Stenakron]
- Stenakron* Mamaev, Iu. L., 1965 a, 178
[lapsus as: Stenacron]
- Stenakron Stafford, 1904,* Zhukov, E. V., 1963 a, 99
nom. nud.
as syn. of *Rhodotrema* Odhner, 1911
- Stenacron [sic] vetustum* Mamaev, Iu. L., 1965 a, 178
Stafford, 1904 Bering Sea
Syn.: *Rhodotrema quadrilobata* Basikalova, 1932
Hippoglossoides elassodon (intestine)
- Stenakron vetustum* Stafford, 1904, nom. nud. Zhukov, E. V., 1963 a, 99
as syn. of *Rhodotrema problematica* Issaitschikoff, 1928
- Stenopera* (Manter, 1933) Fritchard, M. H., 1966 b, key to species 198
- Stenopera boseli* Fritchard, M. H., 1966 b, (Nagaty, 1956) n. comb. 188, 189, 197, 198, 200, key figs. 17-18
Syn.: *Helicometra boseli* Nagaty, 1956. (intestine) all from Hawaii
Holocentrus lacteoguttatus
H. xantherythrus
Naso unicornis
- Stenopera equilata* Fritchard, M. H., 1966 b, Manter, 1933 198
key
- Stenopera nasae* Fritchard, M. H., 1966 b, (Nagaty and Abdel Aal, 1962) 198
n. comb. key
Syn.: *Helicometra nasae* Nagaty and Abdel Aal, 1962.
- Stenopera pterois* Fritchard, M. H., 1966 b, N. K. Gupta, 1956 198
key
- Stenopera rectisaccus* Fritchard, M. H., 1966 b, Fischthal and Kuntz, 1964 198
key
- Stephanoprora* sp. Ehrhardt, W. R.; Harkema, R.; (small intestine) and Miller, G. C., 1966 a
Larus argentatus all from North Carolina
L. atricilla
- Stephanoprora pseudoechinatus* (Olsson, 1876) Ehrhardt, W. R.; Harkema, R.; (small intestine) and Miller, G. C., 1966 a
Larus argentatus all from North Carolina
L. atricilla
- Stephanoprora pseudoechinata* (Olsson, 1876) Threlfall, W., 1968 b
(small intestine) Newfoundland, Canada
Larus marinus
- Stephanoproraoides lawi* Smith, H. J.; and Archibald, Price, 1934 R. McG., 1967 a, 660
Castor canadensis (small intestine) Nova Scotia
- Stephanoproraoides markewitschi* L. Sharpilo et V. Sharpilo, L. D., 1961 a, 204
Sharpilo, 1959 Ukraine
Ondatra zibethica

- Stephanostomum* sp. larvae Kovaleva, A. A., 1965 a
Trachurus mediterraneus Black Sea; Azov Sea
ponticus (gill cavity)
- Stephanostomum* sp. Naidenova, N. N., 1965 a
 (muscles) all from Black Sea
- Gobius melanostomus*
G. batrachocephalus
- Stephanostomum* sp. larvae Nikolaeva, V. M., 1963 a, 402
Sprattus s. phalericus Black Sea
 (branchial cavity)
- Stephanostomum* sp. Oshmarin, P. G., 1965 c, 214-
 metacercaria 215, fig. 2
Scienidae gen. sp. North Vietnam
 (crystalline body of the eye)
- Stephanostomum baccatum* Mamaev, Iu. L., 1965 a, 178
 (Nicoll, 1907) all from Bering Sea
Sebastodes introniger (intestine)
Anoplopoma fimbria "
Reinhardtius hippoglossoides matsuurae (larvae, under
 skin, fins)
Hippoglossoides elassodon (larvae, under skin, fins)
- Stephanostomum baccatum* Zhukov, E. V., 1963 a, 101
 (Nicoll, 1907) Chukotsk Peninsula
Platessa quadrituberculata (mesentery of pyloric caeca)
- Stephanostomum bicoronatum* larvae Nikolaeva, V. M., 1963 b, 442
Spicara smaris (branchial cavity) Crimean and Caucasus coasts,
 Black Sea
- Stephanostomum caducum* (Looss, 1901)
 re-description Onos mustelus (intestine)
- Stephanostomum caducum* (Looss, 1901)
 Onos mustelus (intestine)
- Stephanostomum cesticillum* (Mollin, 1858) Looss, 1899
 larvae Trachurus mediterraneus
ponticus (muscles of branchial cavity, pharynx, esophagus)
- Stephanostomum fistulariae* (Yamaguti, 1940)
Fistularia petimba (intestine)
- Stephanostomum pristes* (Deslongchamps, 1824) Looss 1899 larvae
Engraulis encrasicholus
ponticus (gills)
- Steringophorus furciger* (Olson, 1868) (intestine)
Sebastodes aleutianus
Anoplopoma fimbria
Atherestes evermanni
Reinhardtius hippoglossoides matsuurae
Hippoglossoides elassodon
- Kovaleva, A. A., 1965 a
 Black Sea; Azov Sea
- Naidenova, N. N., 1965 a
 all from Black Sea
- Nikolaeva, V. M., 1963 a, 402
 Black Sea
- Oshmarin, P. G., 1965 c, 214-
 215, fig. 2
 North Vietnam
- Mamaev, Iu. L., 1965 a, 178
 all from Bering Sea
- Sterrhurus inimici Yamaguti, 1934
 (stomach, intestines)
Trichurus haumela
Pterois lunulata
Plectropomus leopardus
- Sterrhurus monticelli (Linton, 1898)
Rachycentron canadum (stomach)
Pseudosciaena crocea (stomach)
- Stichorchis subtriquetrum (Rudolphi, 1814) Fischoeder 1901
 [Castor fiber]
- Stichorchis subtriquetrum Rud., 1814 [Castor fiber]
- Stichorchis subtriquetrum [Castor fiber]
- Stichorchis subtriquetrum Rudolphi, 1814 [Castor fiber]
- Stichorchis subtriquetrum distribution
- Stictodora fuscum Mugil cephalus
Acanthogobius flavimanus
- Stictodora lari Yamaguti, 1939 (intestine)
Larus shistisagus
- Stictodora morosovi nov.sp. Larus melanocephalus (intestine)
- Stictodora perpendiculum Mugil cephalus
Acanthogobius flavimanus
- Stictodora sawakinensis Looss, 1899 (intestine)
Larus shistisagus
L. canus
- Stomachicola magna (Manter, 1931)
Paralichthys lethostigma (stomach and small intestine)
- Zhukov, E. V., 1963 a, 99
 as syn. of *Felldistomum furcigerum* (Olsson, 1868)
- Ku, C.-T.; and Shen, C.-W., 1968 b
 all from Hainan Island and Tsingtao
- Ku, C.-T.; and Shen, C.-W., 1968 b
 Hainan Island
- Shen-Chia-Men, Chou-Shan Islands
- Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a
 Salt Lake Valley, Utah
- Ondatra zibethicus osoyoosensis
- Kolbin, L. V.; and Karasev, N. F., 1965 a
 Berezinsk game reserve
- Romashov, V. A.; and Safonov, V. G., 1965 a
 Byelorussia
- Smith, H. J.; and Archibald, R. McG., 1967 a, 660
 Nova Scotia
- Sprehn, C. E. W., 1967 a
 Europe
- Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
- Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 146, fig. 16
 USSR, Kamchatka
- Leonov, V. A., (1957 a), 50-52, fig. 4
 Tendrovskii Bay
- Komiya, Y.; and Suzuki, N. 1966 a, pp. 208-214
- Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a
 all from USSR, Kamchatka
- Corkum, K. C., 1966 b, 49
 Barataria Bay, Louisiana

| | | | |
|---|--|---|---|
| Stomachicola muraenesocis Yamaguti, 1934 Muraenesox cinereus (stomach) | Reid, W. A.; Coil, W. H.; and Kuntz, R. E., 1966 a, 43-44 Formosan waters | Strigea [sp.] Radix auricularia | Chibichenko, N. T., 1966 b, 67 lake Issyk-kul |
| Stomylotrema Looss, 1900 key to species | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, pp. 124-126 | Strigea (?) sp., larva A. Plegadis falcinellus | Dubinin, V. B., 1938 a, 150 Astrakhan game reserve |
| Stomylotrema bijugum Braun, 1901 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Strigea (?) sp., larva B. Plegadis falcinellus | Dubinin, V. B., 1938 a, 150-151 Astrakhan game reserve |
| Stomylotrema chabaudi Richard, 1963 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Strigea bivolucrus (Das, 1952) Yamaguti, 1958 as syn. of Strigea nephronis Vidyarthi, 1937. | Dubois, G., 1966 a, 30 |
| Stomylotrema fastosum Braun, 1901 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 126 | Strigea bursigera Linton, 1928 <u>nec</u> Brandes, 1888 as syn. of Cardiocephalus medioconiger Dubois et Vigueras, 1949. | Dubois, G., 1966 a, 34 |
| Stomylotrema gratiosus Travassos, 1922 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 126 | Strigea caluri Dubois, 1962 Pharomachrus mocino | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands |
| Stomylotrema perpastum Braun, 1902 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 124 | Strigea caryophylla (Diesing, 1850) Mathias, 1925 Syn.: Holostomum eustemma Brandes, 1888. | Dubois, G., 1966 a, 29, 51, 52 |
| Stomylotrema pictum Kreplin, 1837 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Strigea egretta Yang Fu-Hsi, 1962 as syn. of Apharyngostrikea ramai (Verma, 1936) Vidyarthi, 1937. | Dubois, G., 1966 a, 21 |
| Stomylotrema pictum distribution | Sprehn, C. E. W., 1967 a Europe | Strigea elegans Chandler and Rausch, 1947 Bubo virginianus Strix varia Accipiter striatus velox | Dubois, G., 1967 b, 694-695 |
| Stomylotrema rotunda Tubangui 1928 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Chandler and Rausch, 1947 life history Natrix sipedon N. erythrogaster (exper.) chicks Otus asio Menetus dilatus buchanensis Rana catesbeiana R. pipiens Ambystoma opacum | Chippewa, Ontario Agincourt, Ontario Stony Creek, Ontario |
| Stomylotrema spasski Sobolev, 1946 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 126 | Miller, G. C.; Harkema, R.; and Harris, A. H., 1965 c | North Carolina " " |
| Stomylotrema tagax Braun, 1901 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Strigea elegans Chandler and Rausch, 1947 Aegolius funereus (small intestine) | Threlfall, W., 1968 c Newfoundland, Canada |
| Stomylotrema travassosi Mehra, 1938 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | Strigea falconis Szidat, 1928 Accipiter striatus velox Accipiter gentilis atricapillus Circus cyaneus hudsonicus Accipiter striatus perobscurus Accipiter gentilis Buteo buteo Falco tinnunculus | Dubois, G., 1967 b, 695 |
| Stomylotrema ucremium n. sp. key Icterus galbula (intestino grueso) | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, pp. 123-124, 126, 130, 131, fig. 1 Centro de Alajuela, Costa Rica | Algonquin Park, Ontario; and Middlesex Co., Ontario Algonquin Park, Ontario | Bradford, Ontario Mont Gaspé (southeastern Alaska) Alaska (Eagle River) Pays-Bas |
| Stomylotrema vachoni Richard, 1963 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | " " | " " |
| Stomylotrema vicarium Braun, 1900 key | Brenes Madrigal, R. R.; Arroyo Sancho, G.; and Muñoz, G., 1966 a, p. 125 | | |

- Strigea falconis host diet Feizullaev, N. A., 1963 c Dubinin, V. B., 1938 a, 144-149, figs. 8; 10 (I-IV)
Azerbaidzhan Plegadis falcinellus Astrakhan game reserve
- Strigea falconis Scidat, 1928 Oshmarin, P. G., 1965 b Dubois, G., 1966 a, 19, 30-32,
Accipiter nisus Burait ASSR (Vidyarthi, 1937) comb. nov. 51, 52, fig. 3
Syns.: *Pseudostrigea sarcogyponis* Vidyarthi, 1937;
Apatemon sarcogyponis (Vidyarthi) Bhalerao, 1942; A.
(*Pseudostrigea*) *sarcogyponis* (Vidyarthi) Dubois, 1953.
Sarcogyps calvus India
- Strigea falconis Szidat, 1928 (small intestine) Ryzhova, A. A.; and Nevostrueva, L. S., 1965 a Chernobai, V. F., 1965 a
[*Aquila* sp.] all from Belovezhskaia pushcha Dubois, G., 1966 a, 19, 30-32,
Buteo buteo] Leningrad oblast (Vidyarthi, 1937) comb. nov. 51, 52, fig. 3
[*Circaetus* sp.]
- Strigea falconis Szidat, 1929 Smogorzhevskaia, L. A., Dubois, G., 1966 a, 19, 30-32,
Phalacrocorax aristotelis Krymskaiia oblast (Vidyarthi, 1937) comb. nov. 51, 52, fig. 3
desmarestii Payr. (subdermal tissue of breast, neck and leg) Ryzhova, A. A.; and Nevostrueva, L. S., 1965 a
Leningrad oblast (Vidyarthi, 1937) comb. nov. 51, 52, fig. 3
- Strigea falconispalumbi Odening, K., 1965 h Khotenovskii, I. A., 1963 a
life cycle Mitteleuropa Leningrad oblast
- Natrix natrix*
Planorbis planorbis
P. carinatus (exper.)
Planorbarius cornutus (exper.)
Anisus vortex (exper.)
A. leucostomus"
Segmentina nitida"
Buteo buteo"
Falco tinnunculus"
+Hühner
+Meerschweinchen
- Strigea falconispalumbi Odening, K., 1967 a, figs. Odening, K., 1966 b
life cycle 6-14 Berlin area
- R. temporaria*
R. esculenta
Planorbis planorbis (exper.)
Rana arvalis
R. temporaria
R. esculenta
- Strigea sphaerula Odening, K., 1967 a, figs. 30-39
- Rana arvalis*
R. temporaria
R. esculenta
- Strigea sphaerula Odening, K., 1967 a, figs. 30-39
- Rana arvalis*
R. temporaria
R. esculenta
- Strigea sphaerula Sharpilo, V. P., 1963 a
Odeneing, K., 1967 a, figs. 30-39 Ukraine
- Natrix natrix* Shevchenko, N. N., 1963 b
Severskii Donets valley
- Strigea sphaerula [sic] Sprehn, C. E. W., 1967 a
distribution Europe
- Strigea sphaerula (Rudolfphi, 1803) Vol'skis, G. I., [1967 a]
Corvus corone (intestine) Latvian SSR
- Strigea strigis (Schrank, 1788) Dubois, G., 1967 b, 697
Abildgaard, 1790 Bunnik (Pays-Bas)
- Falco tinnunculus (intestine)
- Strigea strigis (Schrank, 1788) Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
Abilgaard, 1790 Asio flammeus (duodemum) USSR, Kamchatka
- Strigea nephronis Dubois, G., 1966 a, 30, 51 Odening, K., 1966 c
Vidyarthi, 1937 all from Berlin area
- Syns.: *Apotorhynchus bivolucrus* Das, 1952; *Strigea bivolucrus* (Das, 1952) Yamaguti, 1958.
- Strigea nephronis Vidyarathi, 1937 Gupta, N. K., 1967 a, 305, 307-309, fig. 2
- Pseudogyps bengalensis Hoshiarpur (Punjab), India
- (intestines)
- Strigea orientalis Gupta, N. K., 1967 a, 305-307, fig. 1
- Vidyarathi, 1937 Hoshiarpur (Punjab), India
- Astur badius (intestine)

| | | | |
|--|--|---|--|
| Strigea strigis life cycle (all exper.) | Odening, K., 1967 a, figs. 18-26 | Strigeidae [spp.] Criodrilus lacuum Eisenilla tetaedre f. typica Allolobophora longa | Kosinova, V. G., 1965 a all from Krasnodar krai |
| Planorbis planorbis | | [Strigeidae sp.] strigeoid Larson, O. M., 1964 a metacercariae | |
| Rana arvalis | | Ictalurus melas "black bull- Minnesota and North Dakota head" (eye) | |
| R. temporaria | | Lymnaea stagnalis jugularis | " |
| Natrix natrix | | | |
| Rana esculenta | | | |
| Maus | | | |
| Meerschweinchen | | | |
| Igeln | | | |
| Strix aluco | | | |
| Anisus leucostomus | | | |
| A. vortex | | | |
| Strigea strigis (Schrank, 1788) (small intestine) [Asio otus otus] | Ryzhova, A. A.; and Nevostru- eva, L. S., 1965 a Belovezhskaia pushcha | Strigeidae sp. | Payne, R. R., 1967 a Anas discors |
| Strigea strigis | Sharpilo, V. P., 1963 a Ukraine | | Crescent Lake Nat. Wildlife, Refuge, Garden Co., Nebraska |
| Strigea strigis Natrix natrix | Shevchenko, N. N., 1963 b Severskii Donets valley | Strigeidida biology and ontogeny | Sudarikov, V. E., 1965 b |
| Strigea strigis distribution | Sprehn, C. E. W., 1967 a Europe | Strigeidida geographical peculiarities of distribution | Sudarikov, V. E., 1965 c |
| Strigea vandenbroekae n. sp. Dubois, G., 1966 a, 19, 27- Pernis apivorus (duodenum) 29, 51, 52, fig. 2 Losser, Netherlands | Dubois, G., 1966 a, 19 as syn. of Strigeoidea Dubois, 1964 ex Railliet, 1919. | Strigeidida metacercaria Dollfus, 1950 | Fischthal, J. H.; and Thomas, J. D., 1968 a, 13 Psammophis sibilans (viscera and mesenteries) |
| Strigeata La Rue, 1926 | Dubois, G., 1966 a, 19 | Strigeines Dubois, 1936 | Dubois, G., 1966 a, 19 as syn. of Strigeoinea Dubois, 1964 ex Railliet, 1919. |
| Syn.: Strigeida Poche, 1926 | | Strigeoidea Railliet, 1919 | Dubois, G., 1966 a, 19 Syn.: Strigeides Dubois, 1936 |
| Strigeatoidea La Rue, 1926 | Dubois, G., 1966 a, 19 et 1957 ex parte | Strigeoidea [sp.] | Smith, R. J., 1967 a, 288 Ferrissia fragilis F. parallela |
| as syn. of Strigeida (La Rue, 1926) Odening, 1960 nom. et char. emend. | | Tubangui, 1933 | Chelsea, Michigan Douglas Lake, Michigan |
| Strigeida (La Rue, 1926) | Dubois, G., 1966 a, 19 Odening, 1960 nom. et char. emend. | Naja naja (kidney, small intestine) | Fischthal, J. H.; and Kumtz, R. E., 1967 a, 107-109 Zamboanga, Mindanao Island, Philippines |
| Syn.: Strigeatoidea La Rue, 1926 et 1957 ex parte. | | Synaptobothrium caudi- porum (Rud, 1819) | Kovaleva, A. A., 1965 a Black Sea |
| Strigeida Poche, 1926 | Dubois, G., 1966 a, 19 as syn. of Strigeata La Rue, 1926. | Trachurus mediterraneus ponticus (stomach) | |
| Strigeidae not harmed by industrial pollution | Chernogorenko-Bidulina, M.I., 1963 a Desna river | Synaptobothrium caudiporum (Rudolphi, 1819) Linstow, 1904 | Nikolaeva, V. M., 1963 a, 409 Black Sea |
| Strigeidae sp. [Salvelinus alpinus] | Diarova, G. S., 1967 a Alma-Ata pond fisheries | Trachurus mediterraneus ponticus (stomach) | |
| Strigeidae gen. sp. ultrastructure of sporocyst cuticle, feeding method | Ginetsinskaya, T. A.; Mashan- skii, V. F.; and Dobrovols'kiii, A. A., 1966 a | | |

- Tamerlania zarudnyi Skrjabin, 1924
Chlidonias nigra nigra Ch. leucoptera
- Tamerlania zarudnyi Skr., 1924
Turdus pilaris (ureters)
- Tamerlania zarudnyi Skrjabin, 1924 (kidneys)
Turdus ruficollis
Emberiza citrinella
- Tamerlania zarudnyi Oschmarin, 1952
Turdus viscevorus
T. merula
Sturnus vulgaris
Garrulus glandarius
- Tamerlania zarudnyi Skrjabin, 1924 (intestine)
[Ciconia nigra]
[Parus major]
- Tamerlania zarudnyi Skrjabin, 1924
Colleus monedula (kidneys)
- Tanaisia [lapsus as: Tanaizia]
- Tanaisia elliptica Neslobinsky, 1926
Pica pica
- Tanaisia fedtschenkoi Skrjabin, 1924
Capella gallinago gallinago
- Tanaisia fedtschenkoi [sic] Skrjabin, 1924
Plegadis falcinellus
- Tanaisia fedtschenkoi Skrjabin, 1924 (kidneys)
Larus argentatus
L. atricilla
- Tanaisia fedtschenkoi [Larus ridibundus]
- Tanaisia [sic] fedtschenkoi Skrjabin, 1924 (kidneys)
Motacilla cinerea
M. flava
- Tanaisia fedtschenkoi Skrjabin, 1924
variation (Nieren)
Larus minutus
Chlidonias nigra
C. leucoptera
Charadrius dubius
- Tanaisia fedtschenkoi Skr., 1924
Larus canus
Tetrastes bonasia
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Khotenovskii, I. A., 1963 a,
fig. 6
Leningrad oblast
- Makarenko, V. K., 1965 a, 164
all from USSR, central Urals
- Paspalev, G.V.; and Zhelfaz-kova-Paspaleva, A., 1963 a,
200
all from Southwest Bulgaria
- Ryzhova, A. A.; and Nevostrueva, L. S., 1965 a
all from Belovezhskaya pushcha
- Vol'skis, G. I., [1967 a]
Latvian SSR
- Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a
- Paspalev, G.V.; and Zhelfaz-kova-Paspaleva, A., 1963 a,
200
Southwest Bulgaria
- Akhumian, K. S., 1966 a
Armenian SSR
- Dubinin, V. B., 1938 a, 141,
142-143
Astrakhan game reserve
- Ehrhardt, W. R.; Harkema, R.;
and Miller, G. C., 1966 a
all from North Carolina
- Kibakin, V. V., 1965 a
Gasan-Kuliisk game reserve
- Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a
all from USSR, Kamchatka
- Macko, J. K., 1965 d, figs.
1-65
all from Chmelnica, Bardejov
- Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Tanaisia fedtschenkoi Skrjabin, 1924
Larus canus (kidney)
L. ridibundus "
- Tanaisia macrorchis Yamaguti et Asada, 1942
Rastratula benghalensis (Mechel's diverticulum)
- Tanaizia [lapsus for: Tanaisia]
[lungs]
- Teloporia aspidonectes (MacCallum, 1917)
Trionyx spinifera
Rana catesbeiana (lungs)
- Telorchis sp.
Chrysemys picta marginata
- Telorchis sp. juv.
Vipera berus
- Telorchis assula
Natrix natrix
- Telorchis bonnerensis intraspecific variation
Ambystoma tigrinum (nat. and exper.)
A. maculatum (exper.)
A. macrodactylum "
Pseudemys scripta elegans (exper.)
Chrysemys picta belli "
Chelydra serpentina "
- Telorchis bonnerensis Waitz, 1960
temperature effect on growth and development
Ambystoma tigrinum (small intestine)
Physa gyrina (exper.)
- Telorchis clemmydis Chelonia
- Telorchis corti Stunkard, 1915
Pseudemys scripta elegans
Trionyx muticus
- Telorchis medius Stunkard, 1915
Pseudemys scripta elegans
Kinosternon subrubrum hippocrepis
- Telorchis parvus Eremias arguta
- Telorchis parvus distribution
- Telorchis poirieri distribution
- Telorchis schelkownikowi S. et P. distribution
- Sergeeva, T. P.; and Krasnolobova, T. A., 1963 a
all from Tuva
- Ku, C.-T.; and Li, M.-M., 1968 a
Pai-Yang-Tien, China
- Leonov, V. A.; Belogurov, O. I.; Tsimbaluk, A. K.; and Sinichkin, Z. N., 1965 a
- Esch, G. W.; and Kocan, R., 1966 a
Gull Lake, Kalamazoo County, Michigan
Wintergreen Lake, Michigan
- Esch, G. W.; and Gibbons, J. W., 1967 a, 819
Wintergreen Lake, Kalamazoo County, Michigan
- Shevchenko, N. N., 1963 b
Severskii Donets valley
- Shevchenko, N. N., 1963 b
Severskii Donets valley
- Watertor, J. L., 1967 a, figs. 1-10
Iowa
- Watertor, J. L., 1968 a
temperature effect on growth and development
Ambystoma tigrinum (small intestine)
Physa gyrina (exper.)
- Watertor, J. L., 1968 a
Nanking, China
- Acholonu, A. D., 1968 a
Louisiana, all from
- Acholonu, A. D., 1968 a
Louisiana, all from
- Acholonu, A. D., 1968 a
Louisiana, all from
- Shevchenko, N. N., 1963 b
Severskii Donets valley
- Sprehn, C. E. W., 1967 a
Europe
- Sprehn, C. E. W., 1967 a
Europe
- Sprehn, C. E. W., 1967 a
Europe

| | | | |
|--|---|--|---|
| Telorchis solivagus Eremias arguta | Shevchenko, N. N., 1963 b Severskii Donets valley | Tetracotyle sp. Blicca bjoerckna [sic] (ovaries) | Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin |
| Telorchis stossichi Eremias arguta | Shevchenko, N. N., 1963 b Severskii Donets valley | Tetracotyle sp. Etheostoma exile Etheostoma nigrum (cranial cavity, all from) | Larson, O. R., 1966 a all from Itasca Park, Minnesota |
| Telorchis stossichi distribution | Sprehn, C. E. W., 1967 a Europe | Tetracotyle sp. (brain) Gobius melanostomus G. niger G. batrachcephalus | Naldenova, N. N., 1965 a, 173 all from Black Sea |
| Tergestia agnustomi Manter, 1954 Pleurobrachia pileus (pharynx) | Boyle, M. S., 1966 a, pl. 1, figs. 2-3 New Zealand | Tetracotyle sp. larvae Trachurus mediterraneus ponticus (brain) | Nikolaeva, V. M., 1963 a, 405 Black Sea |
| Tergestia laticollis (Rud., 1819) Stossich, 1899 Trachurus mediterraneus ponticus (stomach) | Nikolaeva, V. M., 1963 a, 414 Black Sea | Tetracotyle sp. larvae Spicara smaris (brain) | Nikolaeva, V. M., 1963 b, 442 Crimean and Caucasus coasts, Black Sea |
| Tergestia laticollis (Rud. 1819) Stossich, 1899 Crenilabrus tinca C. cinerea Diplodus annularis | Sey, O., 1968 a, fig. 6 all from waters around Split, Yugoslavia | Tetracotyle sp. [Coregonus lavaretus marae- nooides] | Razmashkin, D. A., 1963 a Pskovsk-Chudsk reservoir |
| Tetracheilos ascaphi Anderson and Pratt, 1964 (small intestine) Ascaphus truei Pisidium idahoense Rhyacophila grandis | Anderson, G. A., 1964 a all from Western Oregon | Tetracotyle sp. Coregonus lavaretus marae- nooides (kidneys, air bladder, pericardial sac) | Razmashkin, D. A., 1964 a Chudskoe lake |
| Tetracladium sternae Kulashkova, 1950 (rectum) Sterna hirundo | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a USSR, Kamchatka | Tetracotyle sp. (pericardial cavity, pericardium, renal peri- toneum) Salvelinus fontinalis Salmo salar | Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1919-1920, fig. 8 all from Newfoundland |
| Tetracladium sternae Kulac- kova, 1952 Sterna hirundo (intestine) | Sergeeva, T. P.; and Krasno- lobova, T. A., 1963 a Tuva | Tetracotyle sp. [Larus ridibundus] | Sergienko, M. I.; and Khar- amburg, Ia. I., 1963 a L'govshchina |
| Tetracotyle biology, metacercaria | Komiya, Y., 1965 e | Tetracotyle ardeae (Matare, 1910) | Dubinin, V. B., 1938 a, 151- 152 Syns.: Distoma (nepolo- vozrelye) [sp.] (Wedl, 1857); Distomum capsulare (Diesing, 1858; Solov'ev, 1912); Agamodistomum capsulare (Diesing, Stossich, 1892) Plegadis falcinellus |
| Tetracotyle metacercaria Lymnaea peregr Theodoxus fluviatilis | Bradley, D. J., 1967 s, 282 Flatford, Suffolk, Great Britain | Tetracotyle cobitidis (Linstow, 1890) | Ergens, R., 1965 c, 155 Fluss Osoblahe (Oder Gebiet) Nemachilus barbatulus (dutina tělní) |
| Tetracotyle or Metacer- caria Q [sp.] Lymnaea peregr | Bradley, D. J., 1967 a, 285, pl. D, fig. 22 Flatford, Suffolk, Great Britain | Tetracotyle intermedia Hughes, 1928 | Platonova, T. A., 1963 a USSR, Lake Sevan Salmo ishchan (body cavity principally near heart) |
| Tetracotyle sp. +insectivores | Davydov, O. N., 1963 a Ukraine | Tetracotyle intermedia Hughes, 1928 | Razmashkin, D. A., 1963 a as syn. of Cotylurus erraticus (Rudolphi, 1809) |
| Tetracotyle sp. larvae Perca fluviatilis (eye) | Ha, K., 1964 a Altai group of lakes (Pskov oblast) | Tetracotyle intermedia Coregonus lavaretus marae- nooides | Razmashkin, D. A., 1964 a Chudskoe lake |
| Tetracotyle sp. Perca fluviatilis (heart) | Kane, M. B., 1966 a Ireland | Tetracotyle intermedia Hughes, 1928 meta cercaria [Larus ridibundus] (exper.) | Razmashkin, D. A., 1964 b, fig. 1 |
| Tetracotyle sp. I Lymnaea stagnalis Galba palustris | Kiselienė, V. K., 1966 a all from Lithuanian SSR | | |
| Tetracotyle sp. II Galba palustris | Kiselienė, V. K., 1966 a Lithuanian SSR | | |
| Tetracotyle sp. III Coretus corneus | Kiselienė, V. K., 1966 a Lithuanian SSR | | |

- Tetracotyle intermedia Hughes, 1928 Zhukov, E. V., 1963 a, 106-107, fig. 4 all from Chukotsk Peninsula
Coregonus sardinella (gills, mesentery, pericardium)
Cottus kaganowskii (mesentery)
Dallia pectoralis (intestine)
- Tetracotyle percae-fluvialis Linstow, 1856 Belinskova, L. K., 1965 a Krasnooskol'skoe reservoir
Perca fluviatilis
- Tetracotyle percae-fluviatilis (Linstow, 1856) glycogen and fat storage Ginetsinskaia, T. A.; and Uspenskaia, Z. I., 1965 a, fig. 3b
- Tetracotyle percae-fluviatilis Kane, M. B., 1966 a Ireland
Perca fluviatilis (swim bladder)
- Tetracotyle percae-fluvialis Linstow, 1856 Komarova, T. I., 1964 a, 81 Dnieper delta
[*Perca fluviatilis*] (wall of swim bladder)
- Tetracotyle percae fluvialis (mesentery) Kosareva, N. A., [1966 a] reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin, all from
Rutilus rutilus
Alburnus alburnus
Blicca bjoerkena [sic]
- Tetracotyle percae-fluvialis (Linstow, 1856) Diesing, 1858 Marits, N. M., 1963 a, 43 Moldavia
Perca fluviatilis (wall of air bladder, kidneys)
- Tetracotyle percae-fluviatilis Rauckis, E., 1968 a, 85
as syn. of *Cotylurus platycephalus* (Greplin, 1825)
- Tetracotyle sogdiana [Salvelinus alpinus] Kaletskaia, S. L., 1965 a Zapadnaia Dvina
- Tetracotyle variegata (Greplin, 1825) Chaplina, O. M.; and Antsishkina, L. M., 1961 a
[*Syngnathus nigrolineatus*]
[*Gasterosteus aculeatus*]
[*Cobitis taenia*] all from small rivers of Northern Azov
- Tetracotyle variegata Creplin, 1825 Komarova, T. I., 1961 a, 253 all from Central Dnieper
Aspius aspius
Perca fluviatilis
Lucioperca lucioperca
Acerina cernua
A. acerina
Esox lucius
- Tetracotyle variegata [Abramis sapo]
[Leuciscus idus]
[Blicca bjoerkna]
[Lucioperca lucioperca]
[Lucioperca volgensis]
[Acerina cernua] Koval, V. P., 1963 b all from lower region, Kakhovsk reservoir
- Tetracotyle variegata Krotas, R. A., 1963 b Neman river
- Tetrancistrum emend. Young, P. C., 1967 b, 1016, includes: *T. sigani*; *T. fusiforme* comb. n.; *T. lutiani*; *T. nasonis* sp. n.; *T. nebulosi* sp. n.; *T. oraminii* sp. n.
- Tetrancistrum fusiforme (Yamaguti, 1953) comb. n. Syns.: *Pseudohaliotrema* (*Pseudohaliotrematoides*) *fusiforme* Yamaguti, 1953; *Pseudohaliotrematoides fusiforme* (Yamaguti, 1953) Yamaguti, 1963.
Siganus lineatus Green and Heron Islands, Queensland, Australia
Acanthurus xanthopterus Green Island, Queensland, Australia
- Tetrancistrum longiphallus (MacCallum, 1915) correction for *T. spirophallus* (MacCallum, 1915) of Young, 1967 b as syn. of *Pseudohaliotrema longiphallus* (MacCallum, 1915)
- Tetrancistrum nasonis sp. n. Young, P. C., 1967 b, 1016, 1017-1019, figs. 1-6
Naso annulatus (gills) Heron Island, Queensland, Australia
- Tetrancistrum nebulosus sp. n. Young, P. C., 1967 b, 1016, 1019, 1020, 1021, figs. 7-12
Siganus nebulosus Moreton Bay, Queensland, Australia
S. oramin Heron Island, Queensland, Australia
S. sp. Noumea, New Caledonia
- Tetrancistrum oraminii sp. n. Young, P. C., 1967 b, 1016, 1020, 1021, figs. 13-18
Siganus oramin (gills) Heron Island, Queensland, Australia
- Tetrancistrum spirophallus (MacCallum, 1915) corrected to *T. longiphallus* in Young, 1968 a as syn. of *Pseudohaliotrema longiphallus* (MacCallum, 1915) comb. n.
- Tetraonchoides Bychowsky, 1951 key to species Tetraonchoididae Bykovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 158-159
- Tetraonchoides japonicus Bychowsky, 1951 key Bykovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 160, 161, fig. 10B, D
- Tetraonchoides paradoxus Bychowsky, 1951 key Bykovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 160, 162, fig. 11
- Tetraonchoididae Bychowsky 1951 key to genera includes: *Pseudotetraonchoides* gen. n.; *Tetraonchoides* Bychowsky, 1951; *Pavlovskioides* gen. n.; *Paratetraonchoides* gen. n. Bykovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 140, 159-160
- Tetraonchus Diesing, 1858 Prost, M., 1966 a, 14, 18, 22, 23
Tetraonchidae
- Tetraonchus borealis Thymallus arcticus Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a Tuva ASSR

| | | | |
|--|--|--|---|
| Tetraonchus borealis (Ojsson, 1893) | Zitňan, R., 1965 a River Hron | Tetraonchus monenteron Esox lucius | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a Tuva ASSR |
| Tetraonchus monenteron Diesing, 1858 Esox lucius | Belinišova, L. K., 1965 a Krasnoškol'skoe reservoir | Tetraonchus monenteron distribution | Sprehn, C. E. W., 1967 a Europe |
| Tetraonchus monenteron | Bykhovskii, B. E.; Gusev, A. V.; and Nagibina, L. F., 1965 a, 161, fig. 10G | Tetraonchus monenteron (Wagener, 1857) Diesing, 1858 Esox lucius (Kiemenblattchen) | Zitňan, R., 1965 a River Hron |
| Tetraonchus monenteron (Wagener, 1857) Diesing, 1858 [<i>Rutilus rutilus</i> <i>heckeli</i>] [<i>Scardinius erythrophthalminus</i>] | Chaplina, O. M.; and Antsishkin, I. M., 1961 a all from small rivers of Northern Azov | Tetraster n. g. (type genus) Cylindrorchidae; Tetra-sterinae n. subfam | Oshmarin, P. G., 1965 a, 99, 100, 101, 102, 107 mt: <i>T. siamensis</i> n. g., n. sp. |
| Tetraonchus monenteron (Wagener, 1857) Esox lucius [sic] (gills) | Ha, K., 1964 a Alol group of lakes (Pskov oblast) | Tetraster siamensis n. g., n. sp. (mt) <i>Arius</i> sp. (air bladder) | Oshmarin, P. G., 1965 a, 99-100, 101, 107, figs. 1-2 Siam Gulf, South China Sea |
| Tetraonchus monenteron [<i>Esox lucius</i>] | Kaletskaia, S. L., 1965 a Zapadnaya Dvina | Tetrasterinae n. subfam. Cylindrorchidae | Oshmarin, P. G., 1965 a, 102 type genus: <i>Tetraster</i> n. g. |
| Tetraonchus monenteron adhesive mechanism, Esox lucius (gills) | Kearn, G. C., 1966 a, figs. 1-2, 3(A) | Timonia n. gen. Monorchidae; Lasiotocinae | Bartoli, P.; and Prevot, G., 1966 a, 397, 410, 411 tod: <i>T. mediterranea</i> n. sp. |
| Tetraonchus monenteron (Wag- oner, 1857) Diesing, 1858 Esox lucius | Komarova, T. I., 1961 a, 253 Central Dnieper | Timonia mediterranea n. sp. (tod) | Bartoli, P.; and Prevot, G., 1966 a, 397, 406-410, 411, Mullus barbatus (caecums pylorques) all from Golfe de Marseille |
| Tetraonchus monenteron | Komarova, T. I., 1963 a Dnieper delta | Tormopsolus echenei sp.n. Echeneis naucrates (intes- time, stomach) | Parukhin, A. M., 1966 b, 1463-1464, fig. 2 Tonkin gulf |
| Tetraonchus monenteron (Diesing, 1857) [<i>Esox lucius</i>] | Komarova, T. I., 1964 a, 84 Dnieper delta | Trachaeophilus [lapsus for: Tracheophilus] | Kibakin, V. V., 1965 a |
| Tetraonchus monenteron seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | Trachaeophilus sisowi Skrjabin, 1913 <i>Aythya fuligula</i> | Kibakin, V. V., 1965 a [lapsus as: Trachaeophilus] |
| Tetraonchus monenteron Diesing, 1850 [<i>Esox lucius</i>] | Komarova, T. I., 1966 a, 63 Dnieper estuary | Trachaeophilus [sic] cymium [<i>Anas platyrhynchos</i>] [<i>Anas crecca</i>] | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands |
| Tetraonchus monenteron [<i>Esox lucius</i>] | Liubarskaiia, O. D., 1963 a Kuibyshev reservoir | Tracheophilus sisowi Anas platyrhynchos Anas acuta <i>A. clypeata</i> Netta rufina Nyroca ferina | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Tetraonchus monenteron chemistry and evolution, sclerites | Lyons, K. M., 1966 a | Tracheophilus sisowi Skrjabin, 1913 Nyroca fuligula (trachea, pharynx) <i>Anas acuta</i> (trachea, pharynx) | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan |
| Tetraonchus monenteron (Wagener, 1857) Diesing, 1858 Esox lucius | Molnár, K., 1963 a, 106 Hungary | | |
| Tetraonchus monenteron (Wagener, 1857b), Diesing, 1858 Esox lucius | Prost, M., 1966 a, 14, 18, 22, 23 Polsce | | |
| Tetraonchus monenteron [<i>Esox lucius</i>] | Semenova, N. N., 1967 a Moskov oblast | | |

- Tracheophilus sisowi Skrjabin, 1913 Maksimova, A. P., 1967 a, 130 all from Western Kazakhstan
- Anas acuta
A. querquedula
A. clypeata
Netta rufina
Anas crecca
Anas platyrhynchos
A. stepera
- Tracheophilus sisowi Skrjabin, 1913 Olteanu, G.; and Stoican, E., 1963 b, 228 Romania
- Tracheophilus sisovi [sic] Skr., 1913 Oshmarin, P. G., 1965 b Buriat ASSR
- Anas platyrhynchos
- Tracheophilus sisowi [Anas platyrhynchos] Shevtsov, A. A., 1963 c Ukraine
- Tracheophilus sisowi acirratus n. var.
Anas acuta (trachea) Jain, S. P., 1966 a, 142-147, fig. Gyanpur, Varanasi (India)
- Tremajoannes Saoud, 1964, emend. Cain, G. D., 1966 a, 354
- Lecithodendriidae
- Tremajoannes buckleyi Saoud, 1964 Cain, G. D., 1966 a, 354 Carlsbad Caverns, New Mexico
- Tadarida brasiliensis mexicana Myotis velifer Texas
- Trematoda metacercaria of fishes, review Bykhouvskaia, I. E. (Pavlovskia); and Petrushevskii, G. K., 1963 b USSR
- Trematoda egg-shell formation, histochemistry Coil, W. H., 1968 a
- Trematoda lower incidence of trematode larvae in white-banded *Velacumantus australis* than unbanded, cercariae Ewers, W. H.; and Rose, C. R., 1966 a
- Trematoda determining the time of dehelminthization, ovine Gagarin, V. G., 1963 a Kirgiz
- Trematoda evolution Ginetsinskaiia, T. A., [1966 a]
- Trematoda stored glycogen and lipids Ginetsinskaiia, T. A.; and Besedina, V. V., 1965 a
- Trematoda tissue ultrastructure of parthenita and larvae Ginetsinskaiia, T. A.; Dobrovolskii, A. A.; and Mashanskii, V. F., 1965 a
- Trematoda hydrocarbon methane series, halogen derivatives metalorganic aromatic compounds benzol derivatives Grigor'ian, Z. S., 1965 a
- Trematoda immunity mechanisms Kagan, I. G., 1966 a
- Trematoda Kendall, S. B., 1964 a factors influencing the development and behaviour of trematodes in their molluscan hosts
- Trematoda Khotenovskii, I. A., 1966 a staining total preparations
- Trematoda anthelmintics, review Lämmler, G., 1968 a
- Trematoda Peters, L. E. (jr.), 1966 a epidermal cell patterns, digenetic trematode miracidia
- Trematoda Price, E. W., 1965 a, figs. key to poultry-parasitic families, species description, poultry, treatment
- Trematoda Ryzhikov, K. M., 1967 a keys, domestic waterfowl
- Trematoda Sato, M.; et al., 1965 a electron microscopy on oocytogenesis, lung flukes
- Trematoda Senadhira, M. A. P., 1967 a check list of trematode parasites and their hosts Ceylon
- Trematoda Stunkard, H. W., 1967 c evolution
- Trematoda, Control Mindel, N. V., 1964 a molluscicidal properties of chlorophos
- Trematoda, Control Nagano, K., 1963 a control by snail castration
- Trematoda, Intermediate Cheng, T. C., 1968 a hosts compatibility of miracidia and molluscs
- Trematoda, Intermediate Odening, K., [1964 k] hosts role of molluscs in specificity and phylogeny
- Trematoda, Intermediate Rothschild, M., 1962 a hosts changes of behavior in intermediate hosts
- Trematoda gen. sp. Allamuratov, B. K., 1965 b fish South-Surkhanskoe reservoirs
- Trematoda [a sp.] Pipistrellus nanus (intestin) Anciaux de Faveaux, M., 1965 a, 28 Elisabethville
- Trematoda gen. sp. Pica pica Chernobai, V. F., 1965 a Volgograd oblast
- Trematoda [a sp.] "fluke" Sigmodon hispidus Childs, H. E. (jr.); and Gosgrove, G. E., 1966 a, fig. 12 Tennessee
- Trematoda [sp.] Somateria mollissima Garden, E. A.; Rayski, C.; and Thom, V. M., 1964 a, 285 Ythan estuary, Aberdeenshire
- Trematoda [sp.] Larus argentatus Guildal, J. A., 1968 a, 61 South Harbour of Copenhagen

| | | | |
|---|---|---|--|
| Trematod[a sp.] Dendrocoelopsis piri-formis | Holmquist, C., 1967 a Northern Alaska | Tremiorchis ranarum (Mehra et Negi, 1926) Rana tigrina (intestine) | Agrawal, V., 1966 e, 87-89, fig. 4 Lucknow, India |
| Trematoda sp. Hemibarbus barbus Rhodeus ocelatus [sic] | Kamegai, S.; et al., 1964 c all from Kanto district | Triacanthinella gen. nov. Dactylogyridae; Ancyrocephalinae | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 148, 150, 153, 154, 158, figs. 2, 4 tod: T. principale sp. nov. |
| Trematoda sp. Bithynia leachi | Kiseliene, V. K., 1966 a Lithuanian SSR | Triacanthinella aspera sp. nov. Triacanthus brevirostris (gills) | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 155-156, fig. 6a-e Indian Ocean, Columbo, Ceylon |
| Trematoda larva sp. (musculature) [Rutilus rutilus heckeli] [Blicca bjoerkna] [Abramis brama] [Clupeonella] [Acipenser gildenstaedti] | Komarova, T. I., 1964 a, 83 all from Dnieper delta | Triacanthinella gracile sp. nov. Triacanthus brevirostris (gills) | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 155, 156, fig. 7a-e Indian Ocean, Columbo, Ceylon |
| Trematoda larva sp. (muscles) [Rutilus rutilus heckeli] [Blicca bjoerkna] [Abramis brama] [Pelecus cultratus] [Lucioperca lucioperca] | Komarova, T. I., 1964 b, 92, 94, 96, 99, 101 all from Dnieper delta | Triacanthinella longipenis sp. nov. Triacanthus brevirostris (gills) | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 156-157, fig. 8a-e Indian Ocean, Columbo, Ceylon |
| Trematoda gen. sp. (larvae) (musculature) [Rutilus r. heckeli] [Mesogobius batrachocephalus] | Komarova, T. I., 1966 a, 62 all from Dnieper estuary | Triacanthinella principale sp. nov. (tod) Triacanthus brevirostris (gills) | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 149, 154-155, figs. 1, 5a-e Yellow Sea, Shantung |
| Trematoda [spp.] Anisus virticulus A. spirorbis A. septemgyratus Anodontota anatina Anodontota piscinalis Sphaerium corneum | Kupriianova-Shakhmatova, R. A., 1965 a all from USSR, central Povolzh'e | Triacanthinella tripathii sp. nov. Triacanthus strigilifer (gills) | Bykhovskii, B. E.; and Nagibina, L. F., 1968 a, 151, 157-158, figs. 3a-b, 9a-e South China Sea, Siam Gulf, Thailand coast |
| Trematoda gen. spp. [Esox lucius] [Perca fluviatilis] | Liubarskaya, O. D., 1963 a all from Kuibyshev reservoir | Trianchoratus n. gen. Dactylogyridae; Ancyrocephalinae | Price, C. E.; and Berry, W.S., 1966 a, 201, 203 tod: T. acleithrium sp. n. |
| Trematoda [sp.] Coregonus hoyi (intestinal tract) | Lundahl, W. S.; and Hoeberling, J., 1967 a Thunder Bay, Lake Huron, Michigan | Trianchoratus Price and Berry, 1966 Dactylogyridae, Heteroncholeidinae n. subfam | Price, C. E., [1967 c] |
| Trematoda gen. sp. larvae Trachurus mediterraneus ponticus (intestine) | Nikolaeva, V. M., 1963 a, 405 Black Sea | Trianchoratus acleithrium gen. n., sp. n. (tod) Helostoma rudolfi (gills) | Price, C. E.; and Berry, W.S., 1966 a, 201-203, figs. 1-8 Sumatra, Borneo, Java, Malaya, Thailand |
| Trematod[a sp.] Egretta garzetta (intestine) | Ramalingam, K., [1961 e] | Trichobilcharzia [lapsus for: Trichobilharzia] | Kupriianova-Shakhmatova, R. A., 1965 a, 111 |
| Trematoda [sp.] Pleuronectes platessa (intestines) | Rost, H.; and Soot-Ryen, T., 1952 a Tromsø, Norway | Trichobilchazia [lapsus for: Trichobilharzia] | Kupriianova-Shakhmatova, R. A., 1965 a, 112 |
| Trematoda [sp.], metacercaria Branchiostoma lanceolatum (surface) | Zaika, V. E., 1966 a, 768-769, figs. 1a-b, 2a-b Black Sea, in region of Sevastopol | Trichobilharzia [lapsus as: Trichobilcharzia and Trichobilchazia] | Kupriianova-Shakhmatova, R. A., 1965 a, 111, 112 |
| Trematoidea larva gen. sp. (muscles) [Abramis brama] [Leuciscus idus] [Vimba vimba] [Leuciscus cephalus] [Acerina cernua] [Melletes papilio] | Koval, V. P., 1963 b all from lower region, Kakhovsk reservoir | Trichobilharzia or Giganbilharzia [sp.] grackles (intestinal wall) | Farley, J., 1967 b Lake Ainslie, Cape Breton Island |

- Trichobilharzia* [sp.]
human dermatitis
ducks (exper.) Landmann, H.; Thai, D. D.; Ngoan, T. V.; and Nga, V. B., 1961 a, fig. 5
Viet Nam
- Trichobilharzia filiformis*
Cygnus olor (veines des organes abdominaux) Bouvier, G.; and Horning, B., 1965 a, 16
Switzerland
- Trichobilharzia kowalewskii*
(Ejmont, 1929) (blood)
Anas crecca
A. clypeata
A. querquedula Maksimova, A. P., 1967 a, 126-127
all from Western Kazakhstan
- Trichobilharzia maegraithi* sp. nov.
Lymnaea rubiginosa Kruatrachue, M.; Bhaibulaya, N.; Chedsaporn, C.; and Harin-asuta, C., 1966 a, 950
Kalasin Province, North-east Thailand
- Trichobilharzia ocellata* human Berezantsev, Iu. A.; and Kurochkin, Iu. V., 1966 a, fig. 1
USSR
- Trichobilharzia ocellata* dermatitis, human Berezantsev, I. A.; and Kurocikin, Iu. V., 1966 b
Volga delta
- Trichobilharzia ocellata* (La Val., 1854)
Lymnaea stagnalis
Radix ovata
Planorbis planorbis Butenko, Iu. V., 1967 a, 31
all from South Kazakhstan
- Trichobilharzia ocellata* (La Valette 1855) Brumpt, 1931
Planorbis planorbis Kiseliene, V. K., 1966 a
Lithuanian SSR
- Trichobilharzia* [sic] ocellata
P. 112 as *Trichobilharzia* [sic] ocellata
Lymnaea stagnalis
Galba palustris Kupriianova-Shakhmatova, R. A., 1965 a
all from USSR, central Povolzh'e
- Trichobilharzia ocellata* (La Valette, 1854)
rată Olteanu, G.; and Stoican, E., 1963 b, 230
Romania
- Trichobilharzia ocellata* (La Val., 1854)
Radix pereger Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 60-61,
fig. 3
Western Kazakhstan
- Trichobilharzia ocellata* distribution Sprehn, C. E. W., 1967 a
Europe
- Trichobilharzia physellae* rice field dermatitis Miyazato, T.; Murakami, S.; Hosokawa, S.; and Inoue, ..., 1965 a
Asuki, Yanai City
- Trichobilharzia stagnicola* Talbot Lymnaea emarginata Farley, J., 1967 b
Lakes Naguadavik and Topia, New Brunswick;
Lakes Mush-a-Mush and Ainslie, Nova Scotia
- Trichobilharzia szidati* swimmer's itch Deckart, M., 1966 a, figs. 1, 3-5
- Trichobilharzia szidati* distribution Triganodistomum Simer, 1929
as syn. of *Lissorchis*.
- Triganodistomum* sp. *Catostomus commersoni* Triganodistomum attenuatum Mueller and Van Cleave, 1932
morphological variation *Catostomus commersoni*
- Triganodistomum* attenuatum Mueller and Van Cleave, 1932
Catostomus commersoni
- Triganodistomum* attenuatum Mueller and Van Cleave, 1932
Catostomus commersoni (intestine)
- Triganodistomum* mutabile Cort, 1918
as syn. of *Lissorchis mutabile* (Cort, 1918) comb. n.
- Trigonotrema* alatum Goto et Ozaki, 1929
Latilus japonicus (intestine)
- Trochopella* Euzet and Trilles (1962)
as syn. of *Trochopus Diesing*, 1850.
- Trochopinae* Price, 1936
as syn. of *Trochopodinae* (Price, 1936) Sproston, 1946, emend.
- Trochopodinae* (Price, 1936) Sproston, 1946, emend.
Capsalidae
Syns.: *Trochopinae* Price, 1936; *Megalocotylinae* Bychowsky, 1957.
- Trochopus* Diesing, 1850
Syns.: *Trochopella* Euzet and Trilles (1962); *Placunella* Beneden and Hesse, 1863.
- Trochopus* hobo Yamaguti, 1942
Chelidonichthys kumu (gills)
- Trochopus* plectropomi sp. n.
Plectropomus maculatus (gills)
- Troglotrema* acutum (Leuckart, 1842)
- Sprehn, C. E. W., 1967 a
Europe
- Smith, R. J., 1968 a, 283
- Fried, B.; Kitchen, J. G. III; and Koplin, R. S., 1965 a, 95
Bushkill Creek, Northampton County, Pennsylvania
- Fried, B.; and Kitchen, J. G. III, 1965 a; 1966 a, fig. 1, pl. 1, figs. 1-6
Bushkill Creek, Northampton County, Pennsylvania
- Fried, B.; Kitchen, J. G. III; and Koplin, R. S., 1965 a, 95
Bushkill Creek, Northampton County, Pennsylvania
- Voth, D. R.; and Larson, O. R., 1968 a, 219
Goose River, North Dakota
- Smith, R. J., 1968 a, 283
- Oshmarin, P. G., 1965 c, 217-218, fig. 4
North Vietnam
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 371
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 370
(Price, 1936) Sproston, 1946, emend.
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 370-371
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 370-371
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 371
- Lawler, A. R.; and Hargis, W. J. (jr.), 1968 a, 371-376, figs. 1-10
Australia; Lakes Entrance, Victoria
- Young, P. C., 1967 a, 1008, 1012, 1013, 1014, figs. 15-20
Heron Island, Queensland, Australia
- Prokopic, J., 1965 a, 209
Czechoslovakia

| | | | |
|---|--|---|--|
| Troglotrema acutum distribution | Sprehn, C. E. W., 1967 a Europe | Tylodelphis [sic] excavata distribution | Sprehn, C. E. W., 1967 a Europe |
| Troglotrema srebarni sp. nov. Ondatra zibethica (intestine, duodenum) | Genov, T., 1964 a, 99-101, 110 112-113, 114-115, fig. 1 Srebarna, Siliстра District, Bulgaria | Tylodelphys excavata host specificity Ciconia ciconia Accipiter gentilis Falco tinnunculus Athene noctua Coloeus monedula | Vojtkova, L.; and Vojtek, J., 1965 a, 305-313, fig. 1 |
| Tubulovesicula lindbergi (Layman, 1930) Hippoglossus hippoglossus Coryphaenoides sp. Atherestes evermanni | Mamaev, Iu. L., 1965 a all from Bering Sea stomolepis (stomach, intestine) | Tylodelphis [sic] gavia (Guberlet, 1922) Gavia stellata (duodenum, small intestine) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S.K., 1965 a, 141 |
| Tubulovesicula marsupialia sp. nov. (stomach) Saurida tumbil | Oshmarin, P. G., 1965 c, 229- 230, fig. 13 North Vietnam | Typhlocoelinae Harrah, 1922 | Dubois, G., 1965 a, 422-424 |
| Tubulovesicula muraenesocis Yamaguti, 1934 (stomach, intestines) Gymnothorax undulatus Trachinocephalus myops | Ku, C.-T.; and Shen, C.-W., 1968 a all from San-Ya, Hainan Island | Typhlocoelinae gen. sp. Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR |
| Tubulovesicula muraenesocis Yamaguti, 1934 (intestine) Trachinocephalus sp. | Oshmarin, P. G., 1965 c, 231, fig. 14 North Vietnam | Typhlocoelium [lapsus for: Typhlocoelum] | Maksimova, A. P., [1966 b] |
| Tumaclinostomum Van der Kuyp, 1953 unwarranted genus | Ukoli, F. M. A., 1966 c, 233 | Typhlocoelium [lapsus as: Typhlocoelium] | Maksimova, A. P., [1966 b] |
| Tylodelphis. See Tylodelphys. | | Typhlocoelum cucumerinum [Nyroca ferina] | Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve |
| Tylodelphys clavata host diet | Feizullayev, N. A., 1963 c Azerbaijan | Typhlocoelum cucumerinum Anas clypeata Nyroca nyrocae | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Tylodelphis [sic] clavata Diesing (eye) Rutilus rutilus Perca fluviatilis Abramis brama Blicca björkna | Huculsk, F., 1965 a, 285 all from Kozłowa Góra reservoir | Typhlocoelium [sic] cucu- merinum (Rud., 1809) Anas querquedula (trachea) Nyroca ferina N. fuligula Anas clypeata | Maksimova, A. P., [1966 b] all from Karaganda oblast, Kazakhstan |
| Tylodelphis [sic] clavata (Nordmann, 1832) Diesing, 1850 Limnaea stagnalis | Kiselienė, V. K., 1966 a Lithuanian SSR | Typhlocoelum cucumerinum (Rud., 1809) Anas acuta A. clypeata A. querquedula A. crecca Nyroca marila | Maksimova, A. P., 1967 a, 130 all from Western Kazakhstan |
| Tylodelphys clavata [Larus ridibundus] | Sergienko, M. I.; and Khar- ambura, Ia. I., 1963 a L'vovshchina | Typhlocoelum cucumerinum americanus de Macko (1960, 1961-62) (nec Manter et Williams 1928) as syn. of Typhlocoelum sisowi (Skrjabin) | Dubois, G., 1965 a, 425 Sprehn, C. E. W., 1967 a |
| Tylodelphis [sic] clavata distribution | Sprehn, C. E. W., 1967 a Europe | Typhlocoelum cymbium distribution | Europe |
| Tylodelphis [sic] conifera (Mehlis, 1946) Colymbus griseigena (small intestine) | Leonov, V. A.; Belogurov, O. I.; Shagvalieva, N. M.; and Bondarenko, S. K., 1965 a, 141 USSR, Kamchatka | Typhlocoelum obovale distribution | Sprehn, C. E. W., 1967 a Europe |
| Tylodelphis [sic] excavata (mozog) Rana esculenta | Kožák, A., 1966 a, 606, 608 Košic, CSSR | Typhlocoelum sisowi (Skrjabin) | Dubois, G., 1965 a, 424, 425 Syn.: Typhlocoelum cucumerinum americanus de Macko (1960, 1961-62) (nec Manter et Williams, 1928) |
| Tylodelphys excavata (Rud., 1803) (small intestine) [Ciconia ciconia] [Aquila sp.] | Ryzhova, A. A.; and Nevostrue- va, L. S., 1965 a all from USSR, Belovezhskaya pushcha | Typhlocoelum sissowi [sic] duck (trachea and bronchi) | Mohiuddin, S. G.; and Lone, M. M., 1967 a, 494 Nylore, Hyderabad (A.P.), India |

- Udonella Johnston, 1935 van der Land, J., 1967 a, 79
- Udonella caligorum Johnston van der Land, J., 1967 a, 74-
1835 78, 79, 80, figs. 23-29
Caligus curtus (carapace Trondheimsfjord, Norway
and genital segments)
- Udonella papillifera n. sp. van der Land, J., 1967 a, 67-
Ceratocolax euthynni 74, 77, 80, figs. 1-22
(carapax, genital segments, Gulf of Guinea, off Abidjan,
egg strings) Ivory Coast
- Udonellida Ivanov, 1952 van der Land, J., 1967 a, 79
subclass of Monogenea
- Unilatus gen. n. Mizelle, J. D.; and Kritsky,
Dactylogyridae, Ancyro-
cephalinae D. C., 1967 c, 1113
tod: *U. unilatus* sp. n.
- Unilatus unilatus gen. n., Mizelle, J. D.; and Kritsky,
sp. n. (tod) D. C., 1967 c, 1113-1114,
Plecostomus sp. (gills) figs. 1-8
Amazon River Basin, Brazil,
S. A.
- Uniserialis breviserialis Stunkard, H. W., 1967 b, 266,
n. sp. (*bursa Fabricius*) 267, 268, 269, 273, 275,
chicks (exper.) pl. 1, fig. 1; pl. 2, figs. 3-7
ducklings, domestic (exper.) Woods Hole, Massachusetts
Hydrobia salsa
- Unitubulotestis sardae Hsu, K. C., 1968 a
(MacCallum and MacCallum,
1916) Guanabara Bay, Brazil
Sarda sarda (gills)
- Uraxine chura Unnithan, Unnithan, R. V., 1965 b
1957 Trivandrum
Euthynnus affinis (gills)
- Urocleidus acer Mueller, McGraw, J. L., (jr.): and
1936 Allison, T. C., 1967 a
Lepomis macrochirus Little River system, Texas
- Urocleidus acuminatus McGraw, J. L., (jr.): and
(Mizelle, 1936) Mizelle and Allison, T. C., 1967 a
Hughes, 1938 Little River system, Texas
Lepomis megalotis
- Urocleidus aequidens n. sp. Price, C. E.; and Schlueter,
Aequidens maroni (gills) E. A., 1967 a, pp. 23-24,
figs. 9-16 British Guiana
- Urocleidus aequidens n. sp. Price, C. E.; and Schlueter,
Aequidens maroni (gills) E. A., 1967 b, 23-24, figs.
9-16 British Guiana
- Urocleidus attenuatus McGraw, J. L., (jr.): and
Mizelle, 1941 Allison, T. C., 1967 a
Lepomis cyanellus all from Little River sys-
Lepomis macrochirus tem, Texas
- Urocleidus chaenobryttus Nowlin, W. J.; Price, C. E.;
Mizelle and Seamster, 1939 and Schlueter, E. A., 1967 a
Chaenobryttus coronarius Texas
- Urocleidus cyanellus McGraw, J. L., (jr.): and
(Mizelle, 1938) Mizelle Allison, T. C., 1967 a
and Hughes, 1938 all from Little River sys-
Lepomis cyanellus tem, Texas
Lepomis megalotis
- Urocleidus dispar (Mueller, McGraw, J. L., (jr.): and
1936) Mueller, 1937 Allison, T. C., 1967 a
Lepomis cyanellus all from Little River sys-
Lepomis megalotis tem, Texas
Lepomis macrochirus
Micropterus salmoides
- Urocleidus dispar (Muller, Molnar, K., 1963 a, 105
1936) Hungary
Lepomis gibbosus "naphal"
- Urocleidus dispar (Mueller, Zitnan, R., 1965 a
1936) River Hron
Lepomis gibbosus (Kiemenblättchen)
- Urocleidus ferox Mueller, Crane, J. W.; and Mizelle,
1934 J. D., 1968 a
Lepomis macrochirus Sacramento Co., California
- Urocleidus ferox Mueller, McGraw, J. L., (jr.): and
1934 Allison, T. C., 1967 a
Lepomis macrochirus Little River System, Texas
- Urocleidus flieri n. sp. Putz, R. E.; and Hoffman,
Centrarchus macropterus G. L., 1966 b, 46-48,
(gill filaments) figs. 1-6
White Marsh Swamp, Columbus
County, North Carolina
- Urocleidus grandis McGraw, J. L., (jr.): and
Mueller and Seamster, 1939 Allison, T. C., 1967 a
Lepomis cyanellus all from Little River sys-
Lepomis megalotis tem, Texas
- Urocleidus helicis Nowlin, W. J.; Price, C. E.;
(Mueller, 1936) Mizelle and Schlueter, E. A., 1967 a
and Hughes, 1938 Texas
Micropterus salmoides
- Urocleidus principalis McGraw, J. L., (jr.): and
(Mizelle, 1936) Mizelle Allison, T. C., 1967 a
and Hughes, 1938 Little River system, Texas
Lepomis macrochirus
- Urocleidus seculus Mizelle, Nowlin, W. J.; Price, C. E.;
Mizelle and Arcadi, 1945 and Schlueter, E. A., 1967 a
Gambusia affinis affinis Texas
- Urocleidus seculus Mizelle Price, C. E., 1966 a
and Arcadi, 1945 300 from *Gambusia a. af-*
finis (gills)
- Urocleidus siluri Mizelle Prost, M., 1966 a, 13
et Hughes, 1938 as syn. of *Ancylodiscoides siluri* (Zandt, 1924),
Yamaguti, 1937
- Urocleidus similis Molnar, K., 1963 a, 105
(Miller, 1936) Hungary
Lepomis gibbosus "naphal"
- Urocleidus similis Zitnan, R., 1965 a
(Mueller, 1936) River Hron
River Hron
Lepomis gibbosus (Kiemenblättchen)
- Urocleidus torquatus Mizelle and Cronin, 1943 McGraw, J. L., (jr.): and
Lepomis megalotis Allison, T. C., 1967 a
Lepomis macrochirus all from Little River sys-
tem, Texas

- Urogonimus certhiae* Lewis, P. D. (jr.), 1967 a
(McIntosh, 1927) Kagan, 1952 Grove Lake Recreation Area,
life cycle Nebraska
Cionella lubrica (digestive glands)
chickens (exper.) (cloaca)
- Urogonimus insignis* Dubinin, V. B., 1938 a, 143
(Looss, 1899; Soloviev, 1912)
as syn. of *Leucocloridium insigne* (Looss, 1899)
- Urotocus inflatocoelum* sp. nov. (rectum) Leonov, V. A.; and Tsimbaliuk, A. K., 1965 a, 159-161, figs. 1-2
Phyloscopus borealis USSR, Kamchatka, Elizovskii region, Nachiki village
- Urotocus inflatocoelum* Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
Phyloscopus borealis (cloaca) USSR, Kamchatka
- Urotocus rossitensis* [sic] (Muhling, 1898) Leonov, V. A.; Belogurov, O. I.; Tsimbaliuk, A. K.; and Sinichkin, Z. N., 1965 a
Emberiza aureola (bursa of Fabricius) USSR, Kamchatka
- Uotrema scabridum* Braun Myotis bocagei (intestin) Anciaux de Faveaux, M., 1965 a, 28
Katanga, Republic of Congo
- Uotrema scabridum* Myotis grisescens (intestine) Nickel, P. A.; and Hansen, M. F., 1967 a, 482
Kansas
- Uterovesiculurus hamati* Ku, C.-T.; and Shen, C.-W., 1968 a
(Yamaguti, 1934) Skrjabin et Guschanskaja, 1954 San-Ya, Hainan Island
Lutianus fulviflamma (stomach)
- Uvitellina adelpha* Dubois, G., 1965 a, 417
(Johnston) Bychov.-Pavlov., 1953
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina indica* Dubois, G., 1965 a, 417
Siddiqi et Jairajpuri, 1962
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rudolfi, 1819)
- Wardius zibethicus* Anderson, D. R.; and Beaudoin, R. L., 1966 a, 72
Ondatra zibethicus Centre and Lycoming Counties, Pennsylvania
- Wardius zibethicus* Barker, 1915 Murrell, K. D., 1965 a, 600-604, figs. 1-5
Ondatra zibethica (cecum) all from Alanson, Emmet County, Michigan
Heliosoma antrosa
- Uvitellina keri* Yamaguti, 1933 Dubois, G., 1965 a, 417
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina macroisophaga* Hannun et Wilson, 1934 Dubois, G., 1965 a, 417
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina magniembria* Witenberg, 1923 Dubois, G., 1965 a, 417
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina pseudocotylea* Witenberg, 1923 Dubois, G., 1965 a, 417
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina pseudocotylea* Wit, 1923 Wang, H.-O., 1968 a
birds abdominal cavity Yin-Ch'uan Municipality, China
- Uvitellina tageri* Yamaguti, 1933 Dubois, G., 1965 a, 417
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rud., 1819)
- Uvitellina vanelli* (Rud.) Dubois, G., 1965 a, 417
Macko, 1959
as syn. of *Cyclocoelum (Haematotrephus) vanelli* (Rudolfi, 1819)
- Uvulider* [lapsus for: *Uvulifer*] Sailov, D. I., 1963 a, 258
- Uvulifer* [lapsus as: *Uvulider*] Sailov, D. I., 1963 a, 258
- Uvulifer ambloplitis* Ambloplites rupestris (integument, fins) Larson, O. R., 1966 a
Itasca Park, Minnesota
- Uvulider* [sic] *denticulatus* [Alcedo atthis] Sailov, D. I., 1963 a
Azerbaijan
- Watsonius* Watsonius
Paramphistomidae, key Cosgrove, G. E., 1966 a, fig. 24

- Xenopharynx Nicoll, 1912 Agrawal, V., 1966 a, 140
key to species
- Xenopharynx biliphaga Srivastava, 1954 Agrawal, V., 1966 h, 138-140, 149, figs. 12-17
key Lucknow, India
Tropidonotus piscator (gall bladder)
- Xenopharynx piscator Bhalerao, 1926 Agrawal, V., 1966 h, 140
key
- Xenopharynx pyriformis Simha, 1958 Agrawal, V., 1966 h, 140
key
- Xenopharynx solus Nicoll, 1912 Agrawal, V., 1966 h, 140
key
- Xiphidiocercaria [sp.] Lymnaea peregrina Bithynia tentaculata Lymnaea stagnalis Bradley, D. J., 1967 a, 282
Flatford, Suffolk, Great Britain, all from
- Xiphidiocercaria sp. I. Ginetzinskaja, 1959 Lymnaea stagnalis Butenko, Iu. V., 1967 a, 41, fig. 11v
South Kazakhstan
- Xiphidiocercaria sp. I Lymnaea stagnalis Butenko, Iu. V., 1967 a, 43, fig. 12b, v, g, d
South Kazakhstan
- Xiphidiocercaria sp. II Lymnaea stagnalis Butenko, Iu. V., 1967 a, 43-44, fig. 13
South Kazakhstan
- Xiphidiocercaria V Ginetzinskaja Radix ovata Chernogorenko-Bidulina, M.I., 1966 a, 31-32, fig. 3
upper Dnieper
- Xiphidiocercaria sp. I Lithoglyphus naticoides Chernogorenko-Bidulina, M.I., 1966 a, 32, fig. 4
upper Dnieper
- Xiphidiocercaria sp. II Lithoglyphus naticoides Chernogorenko-Bidulina, M.I., 1966 a, 32, fig. 4
upper Dnieper
- Xiphidiocercaria sp. I Coretes corneus Planorbis planorbis Kiseliene, V. K., 1966 a
all from Lithuanian SSR
- Xiphidiocercaria I Odening, 1962 Bithynia tentaculata Kiseliene, V. K., 1966 a
Lithuanian SSR
- Xiphidiocercaria sp. II Bithynia tentaculata Kiseliene, V. K., 1966 a
Lithuanian SSR
- Xiphidiocercaria 6 Odening, 1962 Galba palustris Kiseliene, V. K., 1966 a
Lithuanian SSR
- Xiphidiocercaria I Ginetzinskaja, 1959 Lymnaea stagnalis Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 64, 65
Western Kazakhstan
- Xiphidiocercaria IV (?) Ginetzinskaja, 1959 Lymnaea stagnalis Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 64, 65-66, fig. 6
Western Kazakhstan
- Xiphidiocercaria kazachstanica n. sp. Lymnaea stagnalis Coretes corneus Smirnova, V. A.; and Ibrash-eva, S. I., 1967 a, 70, fig. 9
all from Western Kazakhstan
- Zalophotrema hepaticum Stunkard & Alvey, 1929 "sea-lion" Jansen, J. (jr.); and van den Broek, E., 1966 a
zoological garden, Netherlands
- Zonorchis [sp.] Peromyscus lecopus (intestine) Litchford, R. G.; and Litchford, K. C., 1967 a
Blackbeard Island, Georgia
- Zonorchis goliath Travassos 1945 (bile ducts) Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 187
Saguinus geoffroyi all from Panama
Aotus trivirgatus
- Zonorchis macrorchis sp. n. (bile ducts) Faust, E. C., 1966 b, 335, 339, 340, figs. 6, 6a
Chloris sinica sinica all from Peking, China
Anthus spinolella blakistoni
- Zonorchis multivitellatus sp. n. Faust, E. C., 1966 b, 335, 339, 340, fig. 7
Anthus sp. (bile ducts) Peking, China
- Zonorchis petiolatus (Railliet, 1900) Denton and Byrd, 1951 Faust, E. C., 1966 b, 338-339, 340, fig. 5
Peking, China
Turdus r. ruficollis (bile ducts)
- Zoogonidae Smith, R. J., 1968 a, 285
- Zoogonoides viviparus (Olsson) Solea solea (rectum) El Maghraby, A. M.; and Perkins, E. J., 1956 a, 486
Whitstable, England
- Zoogonoides viviparus (Olsson, 1868) Odhner, 1902 Kareius bicoloratus (intestine) Ichihara, A., et al., 1966 a
Tokyo Bay
- Zygocotyle lunata Bacha, W. J. (jr.), 1966 a
eggs, viability, mono-metacercarial infections, rats (exper.)
- Zygocotyle lunata (Diesing, 1830) Branta canadensis (caecum) Threlfall, W., 1968 c
Newfoundland, Canada

| | | | |
|---|---|--|---|
| Abothriinae gen. sp. (intestine) | Mamaev, Iu. L., 1965 a, 180-181, fig. 2, A-1 Bering Sea | Acanthobothrium coronatum sensu Beauchamp (1905) incertae sedis | Goldstein, R. J., 1967 a, 468 |
| Abothrium gadi Van Beneden, 1871 | Zhukov, E. V., 1963 a, 113 Chukotk Peninsula | Acanthobothrium coronatum (Rudolphi, 1819) van Beneden, 1849 key | Goldstein, R. J., 1967 a, 459-460, 469, 479, 481, figs. 97-101, 149 |
| Cadus morhua macrocephalus | (pyloric caeca, intestine) | | |
| Acanthobothrium van Beneden, 1849, emend. Goldstein, 1964 taxonomy and synonymy key to species | Goldstein, R. J., 1967 a, 456, 468-469 | Acanthobothrium coronatum sensu Joyeux and Baer (1936) | Goldstein, R. J., 1967 a, 468, 483, figs. 181-182 |
| Acanthobothrium sp. sensu Baer and Euzet (1962) incertae sedis | Goldstein, R. J., 1967 a, 468, 475, figs. 19-20 | Acanthobothrium coronatum nerve cells | Rees, F. G., 1966 a, figs. 1-4, pl. 1, figs. 1-4, pl. 2, figs. 1-4. |
| Acanthobothrium sp. chemistry of spines and hooks | Lyons, K. M., 1966 a | Acanthobothrium coronatum (Rud.) morphology <i>Scyliorhinus stellaris</i> (spiral valve) | Rees, F. G.; and Williams, H. H., 1965 a, figs. 2-43, pl. I, figs. 1-5, pl. II, figs. 3-6, pl. III, figs. 2-4 Cardigan Bay; Plymouth |
| Acanthobothrium aetiobatis (Shipley, 1900) Yamaguti key | Goldstein, R. J., 1967 a, 457, 475, 477, 478, figs. 21-22, 63, 67 | Acanthobothrium coronatum morphology | Rees, F. G.; and Williams, H. H., 1965 b |
| Acanthobothrium australis Robinson, 1965 key | Goldstein, R. J., 1967 a, 457-458, 469 | Acanthobothrium crassicolle Wedl, 1855 key | Goldstein, R. J., 1967 a, 460, 469, 476-483, figs. 31, 32, 65, 66, 78-80, 102-104, 139, 140, 155-157, 183, 187, 188 |
| Acanthobothrium batailloni Euzet, 1956 key | Goldstein, R. J., 1967 a, 458, 469 | Acanthobothrium crassicolle var. magnum sensu Euzet (1956) as syn. of <i>Acanthobothrium magnum</i> (Euzet, 1956) comb. n. | Goldstein, R. J., 1967 a, 463 |
| Acanthobothrium benedeni Loennberg, 1889 key | Goldstein, R. J., 1967 a, 458-459, 469, 477, 483, figs. 64, 186 | Acanthobothrium dasybati Yamaguti, 1934 key | Goldstein, R. J., 1967 a, 460-461, 469, 482, figs. 171, 172 |
| Acanthobothrium bengalense Baer and Euzet, 1962 key | Goldstein, R. J., 1967 a, 459, 469, 475, figs. 24-25 | Acanthobothrium dujardini van Beneden, 1849 key | Goldstein, R. J., 1967 a, 461, 469, 479, 480, 481, figs. 89-91, 141-142, 154 |
| Acanthobothrium brachyacanthum Riser, 1955 key | Goldstein, R. J., 1967 a, 459, 469, 480, figs. 133-135 | Acanthobothrium dujardini sensu Joyeux and Baer (1936) incertae sedis | Goldstein, R. J., 1967 a, 468, 483, fig. 185 |
| Acanthobothrium brevissime Linton, 1908 key | Goldstein, R. J., 1967 a, 459, 469, 475, 477, figs. 14-17, 62, 68 | Acanthobothrium dujardini sensu Southwell (1927) incertae sedis | Goldstein, R. J., 1967 a, 468 |
| Acanthobothrium cestracii Yamaguti, 1934 name emend. 1959 for: <i>Acanthobothrium cestraciontis</i> Yamaguti (1934) key | Goldstein, R. J., 1967 a, 459, 469, 475, figs. 3-10 | Acanthobothrium filicolle var. benedeni sensu Baer and Euzet (1962) incertae sedis | Goldstein, R. J., 1967 a, 468 |
| Acanthobothrium cestraciontis Yamaguti (1934) name emended to: <i>Acanthobothrium cestracii</i> Yamaguti, 1934 (1959) | Goldstein, R. J., 1967 a, 459 | Acanthobothrium filicolle var. filicolle sensu Beau- champ (1905) incertae sedis | Goldstein, R. J., 1967 a, 468 |
| Acanthobothrium confusum Baer and Euzet, 1962 incertae sedis | Goldstein, R. J., 1967 a, 468, 475, fig. 28 | | |

- Acanthobothrium filicolle* Goldstein, R. J., 1967 a,
var. *filicolle* sensu Euzet 467
Euzet (1956)
as syn. of *Acanthobothrium zschorkei* Baer, 1948
- Acanthobothrium filicolle* Goldstein, R. J., 1967 a,
var. *palum* sensu Euzet 468
(1956)
incertae sedis
- Acanthobothrium floridensis* Goldstein, R. J., 1967 a,
Goldstein, 1964 461, 469
key
- Acanthobothrium fogeli* Goldstein, R. J., 1967 a,
Goldstein, 1964 461, 469
key
- Acanthobothrium gracile* Yamaguti, 1952 Goldstein, R. J., 1967 a,
key 461, 469, 482, figs. 169, 170
- Acanthobothrium grandiceps* Yamaguti, 1952 Goldstein, R. J., 1967 a, 462
as syn. of *Acanthobothrium ijimae* Yoshida, 1917
- Acanthobothrium harpago* (Euzet, 1953) Yamaguti, 1959 Goldstein, R. J., 1967 a,
1959 468, 477, figs. 61
incertae sedis
- Acanthobothrium heterodonti* Drummond, 1937 Goldstein, R. J., 1967 a.
key 461, 469, 477, figs. 58-60
- Acanthobothrium hispidum* N. W. Riser 1955 Dollfus, R. P. F., 1967 a,
Tigriopus fulvus (exper.) 173
- Acanthobothrium hispidum* Riser, 1955 Goldstein, R. J., 1967 a,
key 461-462, 469, 480, figs. 128-
132
- Acanthobothrium holorhini* Alexander, 1953 Goldstein, R. J., 1967 a,
key 462, 469, 476, figs. 42-44
- Acanthobothrium ijimae* Yoshida, 1917 Goldstein, R. J., 1967 a,
key 462, 469, 475, 482, 483,
figs. 1-2, 173-175
Syn.: *Acanthobothrium grandiceps* Yamaguti, 1952
- Acanthobothrium ijimae* sensu Southwell (1927) Goldstein, R. J., 1967 a,
incertae sedis 468
- Acanthobothrium indicum* Subhapradha, 1955 Goldstein, R. J., 1967 a,
key 462, 469, 480, figs. 120-123
- Acanthobothrium intermedium* Ferrenoud, 1931 Goldstein, R. J., 1967 a,
key 462-463, 469, 480, fig. 114
- Acanthobothrium intermedium* sensu Joyeux and Baer (1936)
incertae sedis Goldstein, R. J., 1967 a,
468
- Acanthobothrium latum* Yamaguti, 1952 Goldstein, R. J., 1967 a,
key 463, 469, 482, figs. 167-168
- Acanthobothrium lilium* Baer and Euzet, 1962 Goldstein, R. J., 1967 a,
key 463, 469, 475, 476, figs. 23,
30
- Acanthobothrium maculatum* Riser, 1955 Goldstein, R. J., 1967 a,
key 463, 469, 480, figs. 136-138
- Acanthobothrium magnum* (Euzet, 1956) comb. n. Goldstein, R. J., 1967 a,
key 455, 463, 469
Syn.: *Acanthobothrium crassicolle* var. *magnum* sensu Euzet (1956)
- Acanthobothrium mathiasii* Euzet, 1956 Goldstein, R. J., 1967 a,
key 463, 469, 478, figs. 86-88
- Acanthobothrium micracantha* Yamaguti, 1952 Goldstein, R. J., 1967 a,
key 463-464, 469, 482, figs. 165-
166
- Acanthobothrium microcephalum* Alexander, 1953 Goldstein, R. J., 1967 a,
key 464, 469, 476, figs. 39-41
- Acanthobothrium musculosum* (Baer, 1948) Yamaguti, 1959 Goldstein, R. J., 1967 a,
incertae sedis 468, 482, figs. 158-160
- Acanthobothrium parviuncinatum* Young, 1954 Goldstein, R. J., 1967 a,
key 464, 469, 478, figs. 75-77
- Acanthobothrium paulum* sensu Baer (1948) Goldstein, R. J., 1967 a,
incertae sedis 468, 481, figs. 146-148
- Acanthobothrium pearsoni* Williams, 1962 Goldstein, R. J., 1967 a,
key 464, 469, 477, figs. 48-57
- Acanthobothrium rajaebatis* (Rudolphi, 1809) Euzet, 1956 Goldstein, R. J., 1967 a,
key 464, 469, 479, figs. 105-107
- Acanthobothrium rhinobati* Alexander, 1953 Goldstein, R. J., 1967 a,
key 464-465, 469, 476, figs. 33-35
- Acanthobothrium rhynchobatidis* Subhapradha, 1955 Goldstein, R. J., 1967 a,
key 465, 469, 480, figs. 115-119

| | | | |
|---|--|--|--|
| <i>Acanthobothrium robustum</i> Alexander, 1953 key | Goldstein, R. J., 1967 a, 465, 469, 476, figs. 36-38 | <i>Acanthotaeniinae</i> Frese, 1963 Ophiotaeniidae key to genera includes: <i>Kapsulotaenia</i> gen. nov.; <i>Rostellotaenia</i> gen. nov.; <i>Acanthotaenia</i> | Freze, V. I., 1963 a, 154-155 |
| <i>Acanthobothrium semnovesculum</i> Verma, 1928 key | Goldstein, R. J., 1967 a, 465, 469, 480, figs. 108-113 | <i>Acanthotaeniinae</i> Frese, 1963 Ophiotaeniidae key | Freze, V. I., 1965 c, 50, 58 |
| <i>Acanthobothrium septentrionale</i> Baer and Euzet, 1962 key | Goldstein, R. J., 1967 a, 465, 469, 475, 478, 483, figs. 18, 29, 71-74, 176, 177 | <i>Alloptychobothrium</i> n. g. Ptychobothriidae | Yamaguti, S., 1968 a, pp. 21, 30, 32, 34, figs. 6A-D tod: <i>A. spilonotopteri</i> n. sp. |
| <i>Acanthobothrium southwelli</i> Subhapradha, 1955 key | Goldstein, R. J., 1967 a, 466, 469, 480, figs. 124-127 | <i>Alloptychobothrium</i> spilon- optopteri n. g., n. sp. (tod) <i>Cyphelurus spilonotopterus</i> (small intestine) | Yamaguti, S., 1968 a, pp. 21, 30, 32-34, figs. 6A-D Hawaii |
| <i>Acanthobothrium tortum</i> Linton, 1916 key | Goldstein, R. J., 1967 a, 466, 469, 475, figs. 26, 27 | <i>Alveococciosis</i> distribution | Asadov, S. M.; and Sadykhov, I. A., 1965 b Azerbaijan |
| <i>Acanthobothrium triacis</i> Yamaguti, 1952 key | Goldstein, R. J., 1967 a, 466, 469, 482, figs. 161-164 | <i>Alveococciosis</i> surgical treatment | Bregadze, I. L., 1963 a |
| <i>Acanthobothrium tsingtaense</i> Tseng, 1933 incertae sedis | Goldstein, R. J., 1967 a, 468 | <i>Alveococciosis</i> thymol ester palmitic acid, human | Bregadze, I. L.; and Shil'nikov, L. I., [1966 a] |
| <i>Acanthobothrium typicum</i> Olsson, 1870 incertae sedis | Goldstein, R. J., 1967 a, 468 | <i>Alveococciosis</i> human and animal | Genis, D. E., 1965 a Kzyl-Orda oblast |
| <i>Acanthobothrium uncinatum</i> (Rudolphi, 1819) Zschokke, 1888 incertae sedis | Goldstein, R. J., 1967 a, 468 | <i>Alveococciosis</i> transmission to man | Lokhmanenko, V. A., 1966 a |
| <i>Acanthobothrium unilateralis</i> Alexander, 1953 key | Goldstein, R. J., 1967 a, 466, 469, 476, figs. 45-47 | <i>Alveococciosis</i> antigens, specificity and activity | Poletaeva, O. G., 1965 a |
| <i>Acanthobothrium urogymni</i> (Hornell, 1912) Baer key | Goldstein, R. J., 1967 a, 466, 469, 478, 483, figs. 69, 70, 178-180 | <i>Alveococciosis</i> endemic focus and role of dog in spread of disease | Ramazanov, V. T., 1963 b Alma-Ata oblast |
| <i>Acanthobothrium wedli</i> Robinson, 1959 key | Goldstein, R. J., 1967 a, 466-467, 469, 483, figs. 189- 194 | <i>Alveococciosis</i> human (liver, lungs) | Tumol'skaiia, N. I.; and Lit- vinov, S. K., 1966 a |
| <i>Acanthobothrium woodsholei</i> Baer, 1948 key | Goldstein, R. J., 1967 a, 467, 469, 481, figs. 152, 153 | <i>Alveococciosis</i> canine, epizootiology | Valiullin, S. M., 1966 a Bashkir ASSR |
| <i>Acanthobothrium zschorkei</i> Baer, 1948 key Syn.: <i>Acanthobothrium filicolle</i> var. <i>filicolle</i> sensu Euzet (1956) | Goldstein, R. J., 1967 a, 467, 469, 478, 479, 481, figs. 81-85, 92, 93, 150, 151 | <i>Alveococcus multilocularis</i> (Leuckart, 1863) Dzhumadilov, Sh. D., 1966 a, 138, figs. 1-3 Kirgiz | Gorina, N. S., 1963 a "livestock not part of life cycle" |
| <i>Acanthotaenia</i> Linstow, 1903 <i>Acanthotaeniinae</i> | Freze, V. I., 1963 a, 154, 155 | | |

- Alveococcus multilocularis Gubanov, N. M., 1964 a, 21
 (Leuckart, 1863) Abuladze, all from Yakutia
 1959
 (small intestine, duodenum of all)
- Alopex lagopus
 [Fox]
 [Vulpes fulva]
 Canis familiaris
- Alveococcus multilocularis Ivanov, I. V., 1965 b, figs.
 2-3
 morphological changes of liver, rodents
- Alveococcus multilocularis Kadenatsii, A. N., 1965 a
 Omsk lesostep
 [Ondatra zibethica]
- Alveococcus multilocularis Kozlov, D. P.; Ovsjukova, N. I.; and Radkevich, Zh. P., 1963 a
 [Alopex lagopus]
 Chukotsk peninsula
- Alveococcus multilocularis Kurashvili, B. E.; and Gurchiani, K. R., 1965 a, 183-189, figs. 2-7
 livestock not part of life cycle
- Alveococcus multilocularis Lukashenko, N. P., 1963 b,
 Sigmodon hispidus (exper.) figs. 1-5
 Mus musculus "
 [Mouse] "
 Lagurus lagurus "
 Clethrionomys rutilus (exper.)
 C. glareolus "
 Microtus subterraneus "
 M. oeconomus "
 Ellotis talpinus "
- Alveococcus multilocularis Lukashenko, N. P., 1963 c
 epidemiology and epizootiology
- Alveococcus multilocularis Lukashenko, N. P., 1966 a
 (Leuckart, 1863) Abuladze, 1959
 development of larvocysts
 Sigmodon hispidus (exper.)
 Microtus oeconomus "
 M. subterraneus "
 Clethrionomys rufocanus (exper.)
 C. glareolus (exper.)
 Ondatra zibethica (exper.)
 mice (exper.)
 man
 Lagurus lagurus (exper.)
- Alveococcus multilocularis Lukashenko, N. P.; and Brzheski, V. V., 1965 a
 (Leuckart, 1863) Abuladze, 1959
 development of sexually mature form in dogs and cats
- Alveococcus multilocularis Lukashenko, N. P.; Smirnova, Z. M.; Zolotarevskii, V. B.; and Ufimtseva, A. G., 1967 a, pl., figs. 1-6
 histochemistry
- Alveococcus multilocularis Luzhkov, A. D., 1963 c
 Alopex lagopus
 Yamal peninsula
- Alveococcus multilocularis, (Leuckart, 1863)
 (larva)
 [Rangifer tarandus]
- Alveococcus multilocularis Nadtochi, E. V.; Tsimbaluk, A. K.; and Surkov, V. S., 1966 a
 Southern Sakhalin
 " "
 " "
 " "
 " "
 Southern Sakhalin; Karagin and Bering islands
 " "
 Karagin and Bering islands
- Alveococcus multilocularis Romanov, I. V., 1964 b
 Vulpes vulpes (small intestine)
- Alveococcus multilocularis Sadykov, V. M., 1963 a
 (small intestine of all)
 [Canis familiaris]
 [Vulpes vulpes]
- Alveococcus multilocularis Sadykov, V. M., 1963 b
 [Canis familiaris]
 [Vulpes vulpes]
- Alveococcus multilocularis Safronov, M. G., 1966 a, 12-14, figs. 1-4
 (Leuckart, 1863) Abuladze, 1959
 all from Yakutia
 [Canis familiaris] (small intestine)
 [Alopex lagopus] "
 [Fox] "
- Alveococcus multilocularis Tokobaev, M. M.; and Erkulov, K. E., 1966 b, 19
 (Leuckart, 1863)
 Ochotona roylei macrotis (liver)
- Alveococcus multilocularis Tsimbaluk, A. K., 1965 b
 (Leuckart, 1863)
 Alopex lagopus beringensis
- Amoebotaenia Hassan, Z., 1966 a
 [lapsus for: Amoebotaenia]
- Amoebotaenia Hassan, Z., 1966 a
 [lapsus as: Amoebotaenia]
- Amoebotaenia sp. Chibichenko, N. T., 1966 a, 44
 [Tringa totanus]
 Kirgiz
- Amoebotaenia cuneata Akhumian, K. S., 1966 a
 Coturnix coturnix Armenian SSR
- Amoebotaenia lumbrici (Villot, 1883) Joyeux et Baer, 1939
 Merkusheva, I. V., 1965 a, fig. 1
 Byelorussia
 Apodemus agrarius (small intestine)
- Amoebotaenia lumbrici (Villot, 1833) Spasskii, A. A.; and Merkusheva, I. V., 1967 a, 565, fig. 1

- Amoebotaenia [sic]
sphenoides
fowl (intestine)
Hassan, Z. A., 1966 a
Comilla, Pakistan
- Amoebotaenia sphenoides
domestic fowl (gastro-
intestinal tract)
Islam, A. W. M. S.; and
Shaikh, H., 1967 a
Mymensingh District, East
Pakistan
- Amoebotaenia sphaenoides
[sic]
Allolobophora longa
Eisenia foetida
Kosinova, V. G., 1965 a
all from Krasnodar krai
- Amoebotaenia sphenoides
bunamidine hydroxynaph-
thoate, poultry
McGulloch, B.; and Kasimbala,
S., 1967 a
- Amoebotaenia sphenoides
duck (small intestine)
Mohiuddin, S. G.; and Lone,
M. M., 1967 a, 494
Nylore, Hyderabad (A.P.),
India
- Amoebotaenia sphenoides
Dendrobaena octaedra (exper.)
[*Gallus gallus*]
Bimastus tenuis
B. parvus
Romanenko, P. T., 1963 a
Railliet, 1892
life cycle
Bimastus tenuis (exper.)
Bimastus parvus
Dendrobaena octaedra (exper.)
Moniligastridae gen. sp. "
Romanenko, P. T., 1965 a,
figs. 1-27
- Amoebotaenia sphenoides
(Railliet, 1892)
pathogenicity, chickens
Romanenko, P. T., [1966 a]
- Amoebotaenia zonifera
(Johnston, 1912)
Tringa totanus totanus
Akhumian, K. S., 1966 a
Armenian SSR
- Amphilina foliacea
Acipenser ruthenus
(tjelesma Šupljina)
Canković, M.; Kiškarolj, M.;
and Ramadanović, R., 1968 a
Sava river
- Amphilina foliacea
(Rud.)
[Acipenseridae]
Ivanov, V. P., 1965 a
Volga river
- Amphilina foliacea (Rud.,
1819)
[Acipenser güldenstädti] (body cavity)
Komarova, T. I., 1964 a, 85
Dnieper delta
- Amphilina foliacea
chemistry of spines and hooks
Lyons, K. M., 1966 a
- Amphilina foliacea (Rud.)
Acipenser ruthenus
Margaritov, N. M., 1966 a,
159
Bulgarian sector of Donau
river
- Amphilina foliacea
Acipenser stellatus
Markov, G. S.; Trusov, V. Z.;
and Reshetnikova, A. V.,
1963 a
Volga river, Volgograd re-
gion
- Amphilina foliacea
Acipenser güldenstädti
Markov, G. S.; Trusov, V. Z.;
and Reshetnikova, A. V.,
1963 b
Volgograd region
- Amphilina foliacea (Rud.)
Acipenser güldenstädti
(body cavity)
Markov, G. S.; Trusov, V. Z.;
and Reshetnikova, A. V.,
1964 a
Volgograd region
- Amphilinidea
Cercomermorphae
Price, C. F., 1967 g
- Anaplocephala
[lapsus for: Anoplocephala]
Smith, J. P., 1967 a
- Anatinella spinulosa
(Dubinina, 1953)
[*Cygnus olor*]
[*Tadorna ferruginea*]
[*Netta rufina*]
Chibichenko, N. T., 1966 a, 39
all from Kirgiz
- Anatinella spinulosa
(Dubinina, 1953)
Spasskiĭ, A. A.; and Reznik,
V. N., 1963 a, 88
Syn.: *Drepanidotaenia spinulosa* Dubinina, 1953
- Anchistrocephalus micro-
cephalus
composition, crystalli-
zation patterns of calcareous corpuscles
von Brand, T.; Nylen, M. U.;
Martin, G. N.; and Church-
well, F. K., 1967 a
- Anchistrocephalus micro-
cephalus
Mola mola
Robinson, E. S., 1966 b,
fig. 1
- Ancistrocephalus [sic]
microcephalus
Mola mola (intestine)
Threlfall, W., 1967 a, 171
Newfoundland
- Ancistrocephalus. See Anchistrocephalus.
- Andrya sp.
Oryctolagus cuniculus (in-
testin gréle)
Bernard, J., 1965 d
file de Zembra
- Andrya sp.
Ondatra zibethicus oso-
yoosensis
Grundmann, A. W., and Tsai,
Yuan-Hwang, 1967 a
Salt Lake Valley, Utah
- Andrya (Aprostataandrya)
caucasica (Kirschblatt,
1938)
Apodemus [spp.]
Clethrionomys glareolus
Wahl, E., 1967 a, fig. 4
all from Val de l'Allondon
(Geneva)

- Andrya macrocephala
Ondatra zibethicus
Anderson, D. R.; and Beau-
din, R. L., 1966 a, 72
Centre County, Pennsylvania
- Andrya macrocephala
Microtus montanus
(small intestine)
Kinsella, J. M., 1967 a, 271
western Montana
- Andrya primordialis
Phenacomys intermedius
(small intestine)
Kinsella, J. M., 1967 a, 271
western Montana
- Andrya rhopalocephala
(Riem, 1881)
Lepus europaeus (Darmkanal)
Edelényi, B., 1965 a, fig. 7
Bükk-Gebirge, Gebiet
Jazygien, Hungary
- Andrya rhopalocephala
(Rielm, 1881) Railliet, 1893
Lepus europaeus (intestine)
Panchev, Ia., 1963 b, 206
- Angularella chelidonariae Spasskii, A. A.; and Spasskaja,
(Spasskaja, 1957) n. comb. L. P., 1966 a, 11
Syns.: Anomotaenia chelidonariae Spasskaja, 1959;
Pseudanomotaenia chelidonariae (Spasskaja, 1957) Mathe-
vossian, 1963
- Angularella taiwanensis Spasskii, A. A.; and Spasskaja,
Yamaguti, 1940 ia. L. P., 1966 a
as syn. of Vitta taiwanensis (Yamaguti, 1940) Spasskii et
Spasskaja, 1959
- Anomaliporus Matevosian, E. M., 1965 a
[lapsus for: Anomaloporus]
- Anomaloporus Matevosian, E. M., 1965 a
[lapsus as: Anomaliporus]
- Anomaliporus [sic] Voge Matevosian, E. M., 1965 a, 152
et Davis, 1953
Orthoskrabiniinae nov. sub fam.
- Anomotaenia [lapsus for: Anomataenia] Grundmann, A. W.; and Tsai,
Y.-H., 1967 a
- Anomotaenia [lapsus as: Anomataenia] Grundmann, A. W.; and Tsai,
Y.-H., 1967 a
- Anomotaenia heterogeneity Spasskii, A. A., 1966 a;
Dilepididae 1966 b; 1966 c
- Anomotaenia sp. [Charadrius dubius]
[Totanus hypoleucus]
[Charadrius mongolus]
Chibichenko, N. T., 1966 a, 44
all from Kirgiz
- Anomotaenia sp. Kawano, K., 1964 c, 38
[Alauda arvensis japonica]
- Anomotaenia sp. I.
Aegithalos caudatus
(small intestine)
Paspalev, G. V.; and Zhelia-
zкова-Paspaleva, A., 1965 a
Bulgaria
- Anomotaenia sp. II.
Anas platyrhynchos
(small intestine)
- Anomotaenia anthusi (Spas-
skaja, 1959) Mathevossian,
1963
". . . should be regarded as belonging to an independent
genus"
- Anomotaenia arionis (Siebold, 1850) Threlfall, W., 1968 c
all from Newfoundland,
(ant. small intestine of all) Canada
Actitis macularia
Totanus melanoleucus
- Anomotaenia chelidonariae Spasskii, A. A.; and Spasskaja,
Spasskaja, 1959
as syn. of Angularella chelidonariae (Spasskaja, 1957)
n. comb.
- Anomotaenia ciliata Anas acuta Maksimova, A. P., 1966 a
South Kazakhstan
- Anomotaenia ciliata [Anas platyrhynchos] Shevtsov, A. A., 1963 c
Ukraine
- Anomotaenia ciliata [Anas platyrhynchos] Shevtsov, A. A., 1963 d
steppe zone, Ukrainian SSR
- Anomotaenia ciliata Fuhrmann, 1913 Spasskii, A. A., 1966 a;
to Platyscolex 1966 b; 1966 c
- Anomotaenia citrus (Krabbe, 1869). Fuhrmann,
1908 Chibichenko, N. T., 1966 a, 43
[Capella gallinago]
[Totanus hypoleucus]
[Terekia cinerea]
all from Kirgiz
- Anomotaenia clavigera (Krabbe, 1869) Cohn, 1900 Chibichenko, N. T., 1966 a, 43
[Tringa totanus] Kirgiz
- Anomotaenia constricta (Molin, 1858) Daiia, G. G., 1965 a
[Sturnus vulgaris] Latvian SSR
- Anomotaenia constricta Corvus brachyrhynchos Jones, J. (jr.), 1968 a, 26
(intestine) Ohio
- Anomotaenia constricta (Molin, 1858) Todd, K. S. (jr.); Ernst, J.
Pica pica hudsonia V.; and Hammond, D. M.,
(intestine) 1967 a
Logan, Cache Co., Utah
- Anomotaenia constricta (Molin, 1858)
Pica pica hudsonia (small
intestine) Todd, K. S. (jr.); and Wor-
ley, D. E., 1967 a, 365
Bozeman, Gallatin County,
Montana

| | | | |
|--|---|--|--|
| Anomotaenia discoidea (Van Beneden, 1868) | Paspalev, G. V.; and Zhelia- zkova-Paspaleva, A., 1965 a Bulgaria | Anomotaenia microrhyncha | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Anomotaenia fieldingi (Maplestone et Southwell, 1923) Mathevossian, 1963 as syn. of Cracticotaenia fieldingi (Mapl. et South.., 1923) n. comb. | Spasskii, A. A., 1966 a, 1485; 1966 b, 1485; 1966 c, 555 | Anomotaenia musculosa Fuhr- mann, 1896 | Vol'skis, G. I., 1968 a Lithuania |
| Anomotaenia globulus Tringa totanus totanus | Akhumian, K. S., 1966 a Armenian SSR | Anomotaenia nycticoracis (Yamaguti, 1935) Mathevoss- ian, 1963 as syn. of Parvitaenia nycticoracis (Yam.) Yamaguti, 1959 | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Anomotaenia laevigata (Rud., 1819) [Numenius arquata] | Chibichenko, N. T., 1966 a, 44 Kirgiz | Anomotaenia nymphaea [sic] (Schrank, 1790) Calidris maritima coesi | Tsimbaluk, A. K., [1966 a] Komandorskie Islands |
| Anomotaenia larina (Krabbe, 1869) Larus marinus | Threlfall, W., 1968 b Newfoundland, Canada | Anomotaenia ovolucionata [sic] (Linstow, 1877) [Hirundo rustica] | Daiia, G. G., 1965 a Latvian SSR |
| Anomotaenia macracantha Charadrius alexandrinus alexandrinus | Akhumian, K. S., 1966 a Armenian SSR | Anomotaenia ovolaciniata (Linstow, 1877) Fuhrm., 1908 = Vitta parvirostris (Krabbe, 1868) Baer, 1959 | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Anomotaenia macracantha (Fuhrmann, 1907) [Vanellus vanellus] | Chibichenko, N. T., 1966 a, 43 Kirgiz | Anomotaenia ovolaciniata (Linstow) Fuhrmann, 1908 as syn. of Vitta parvirostris (Krabbe, 1869) Baer, 1959 | Spasskii, A. A.; and Spasska- ia, L. P., 1966 a |
| Anomotaenia magnivesicula (Johri, 1953) Sandeman, 1959 | Spasskii, A. A., 1966 a; 1966 b; 1966 c to Thaparea | Anomotaenia passerina (Fuhrman, 1907) Lopez- Neyra, 1952 Passer domesticus caucasicus | Akhumian, K. S., 1966 a Armenian SSR |
| Anomotaenia micracan- tha Larus argentatus | Guildal, J. A., 1968 a, 61, 65 South Harbour of Copenhagen | Anomotaenia praecox Joyeux et Timon David, 1934, nec Krabbe, 1882 as syn. of Vitta parvirostris (Krabbe, 1869) Baer, 1959 | Spasskii, A. A.; and Spasska- ia, L. P., 1966 a |
| Anomotaenia micracantha (Krabbe, 1869) Larus argentatus | Threlfall, W., 1966 c, 13 Wales | Anomotaenia riparia Dubinina, 1953 [Riparia riparia] [Delichon urbica] | Daiia, G. G., 1965 a all from Latvian SSR |
| Anomotaenia micracantha (Krabbe, 1869) Larus marinus Rissa tridactyla Larus hyperboreus | Threlfall, W., 1968 b all from Newfoundland, Canada | Anomotaenia riparia Dubi- nina, 1953 to Vitta | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Anomotaenia microphallos (Krabbe, 1869) Fuhrmann, 1908 [Vanellus vanellus] | Chibichenko, N. T., 1966 a, 44 Kirgiz | Anomotaenia riparia Dubinina, 1953 as syn. of Vitta riparia Spasskii and Spasskaia n. comb. | Spasskii, A. A.; and Spasska- ia, L. P., 1966 a |
| Anomotaenia microphallos (sensu Clerc, 1902) | Spasskii, A. A., 1966 a; 1966 b; 1966 c | Anomotaenia rustica Neslo- binsky, 1911 to Vitta | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Anomotaenia microphallos (Krabbe, 1869) Vanellus vanellus | Vol'skis, G. I., 1968 a Lithuania | Anomotaenia rustica Neslobinsky, 1911 as syn. of Vitta rustica (Neslobinsky, 1911) Baer, 1957 | Spasskii, A. A.; and Spasskaia, L. P., 1966 a |
| Anomotaenia microrhyncha (Krabbe, 1869) Cohn, 1900 [Calidris testacea] [Totanus hypoleucus] | Chibichenko, N. T., 1966 a, 43 all from Kirgiz | Anomotaenia stentorea Vanellus vanellus | Akhumian, K. S., 1966 a Armenian SSR |

- Anomotaenia stentorea (Fröhlich, 1802) Chibichenko, N. T., 1966 a, 44
Fuhrmann, all from Kirgiz
1908
[*Vanellus vanellus*]
[*Tringa totanus*]
- Anomotaenia stentorea (Frolich, 1802) Vol'skis, G. I., 1968 a
Vanellus vanellus Lithuania
- Anomotaenia subterranea Cholodkowsky, 1906 Spasskii, A. A., 1966 a;
as syn. of Prochoanotaenia classiscolea (Linstow, 1890)
n. comb.
- Anomataenia [sic] telescopica Barker & Andrews, 1915 Grundmann, A. W., and Tsai,
Ondatra zibethicus oscyoo-sensis Yuan-Hwang, 1967 a
Salt Lake Valley, Utah
- Anomotaenia unicoronata Clerc, 1911 Rysavy, B., 1965 b, 258
as syn. of Choanotaenia unicoronata (Fuhrmann, 1932)
- Anomotaenia verulamii Mettrik, 1958 Paspalev, C. V.; and Zheliazkova-Paspaleva, A., 1965 a
Turdus ericetorum (intestine)
T. viscivorus Bulgaria
- Anonchotaenia Cohn, 1900 Matevosian, E. M., 1965 a, 153
(type)
Anonchotaeniidae nov. fam.
- Anonchotaenia sp. Dubinina, 1953 Matevosian, E. M., 1965 a,
155
"...Dubinina's cestode belongs to the species *A. globata*"
- Anonchotaenia sp. Emberiza calandra (small intestine) Paspalev, C. V.; and Zheliazkova-Paspaleva, A., 1965 a
Bulgaria
- Anonchotaenia conica Fuhrmann, 1908 Oshmarin, P. G., 1965 b
Nucifraga caryocatactes Buriat ASSR
- Anonchotaenia globata (Linstow, 1879) Matevosian, E. M., 1965 a,
155
"Anonchotaenia sp. of Dubinina, 1953, belongs to the species *A. globata*"
- Anonchotaenia globata (Linstow, 1879) Paspalev, C. V.; and Zheliazkova-Paspaleva, A., 1965 a
Sitta europea (small intestine)
Emberiza cirlus (small intestine) all from Bulgaria
- Anonchotaenia mexicana Voge and Davis, 1953 Wallace, J. H.; and Olsen, O. W., 1966 a
Agelaius phoeniceus (small intestine) Colorado
- Anonchotaeniidae nov. fam. Matevosian, E. M., 1965 a, 153
Paruterinoidea Mathevoossian, 1962
includes: Anonchotaenia Cohn, 1900 (type); Zosteropcola Johnston, 1912
- Anoptyphus Thysanosomatinae, key Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374
- Anophryocephalus anophrys Baylis, 1922 Cystophora cristata (duodenum) Deliamure, S. L.; and Treshchev, V. V., 1966 a, 1867
Greenland Sea
- Anophryocephalus anophrys Baylis, 1922 +*Phoca hispida* (Darm) Sprehn, C. E. W., 1966 a, 174
- Anoplocephala [lapsus as: Anaplocephala] Smith, J. P., 1967 a
- Anoplocephala diminuta Zumpt, F. K. E., 1965 b
- Anoplocephala gigantea Zumpt, F. K. E., 1965 b
- Anoplocephala latissima Zumpt, F. K. E., 1965 b
- Anoplocephala magna (Abildgaard, 1789) horse (intestine) Dacorso, P. (filho): Lange-negger, J.; and Guimaraes, J. H., 1961 a, fig. 2, pl., fig. 9 Brasil
- Anaplocephala [sic] magna [Equis caballus] Smith, J. P., 1967 a
- Anoplocephala perfoliata (Goeze, 1782) saddle horse mules (intestine) Dacorso, P. (filho): Lange-negger, J.; and Guimaraes, J. H., 1961 a, fig. 1, pls., figs. 5-8 Brasil
- Anoplocephala perfoliata horse Kim, Jyong Hi, (1958 a); 1958 b Korea
- Anoplocephala perfoliata Platynothrus peltifer Hermanniella granulata Fremaeus oblongus Parachipteria punctata Ceratozetes bulanovae Trichoribates incisellus Galumna dimorpha Urubambates schachtachtinskoi Zygribatula terricola Z. microporosa Scheloribates laevigatus S. latipes Liebstadia similis Kuliev, K. A., 1963 a
Azerbaijan, all from
- Anoplocephala perfoliata (Goeze, 1782) horse (intestine) Noda, R.; and Katae, H., 1963 a

- Anoplocephala perfoliata Safronov, M. G., 1966 a, 16
(Goeze, 1782) E. Blanchard, Yakutia
1848
[*Equus caballus*] (large intestine)
- Anoplocephala perfoliata Vartic, N.; Trica, Z.; and
Bubulin, equine Precup, O., 1967 a
- Anoplocephala vulgaris Zumpt, F. K. E., 200, fig. 10
- Anoplocephalata Rajski, A., 1959 a
oribatid intermediate hosts, review
- Anoplocephalidae morphology, chromatographic investigations Martinez Gomez, F. de P., 1966 a
- Anoplocephalid[ae] host-parasite relationships, valleys and mountains Warnock, R. G., 1963 a
Utah
- Anoplocephalidae sp. Rangifer tarandus caragassi Kadenatsli, A. N., 1963 d
Khabarovsk krai
- Anthobothrium Williams, H. H., 1966 a,
230, 231, fig. 21
- Anthobothrium tortum Sprehn, G. E. W., 1966 a, 174
v. Linstow, 1904
+*Erignathus barbatus* (Magen)
- Aploparaksis. See also Haploparaxis.
- Aploparaksis sp. Spasskii, A. A., 1965 b
Tringa nebularia USSR, Kamchatka
- Aploparaksis andrei, n. sp. Spasskii, A. A., 1965 b, 304-305, 306, figs. 1-2
Tringa nebularia
T. glareola
T. incana juv.
all from USSR, Kamchatka
- Aploparaksis baeri Spasskii, A. A.; and Dao Van-Schiller, 1951
as syn. of *Wardium fusa* (Krabbe, 1869) Spassky, 1961
- Aploparaksis birulai Linstow, 1905
Nyroca marila Maksimova, A. P., 1967 a, 137-138, fig. 9
Western Kazakhstan
- Aploparaksis brachyphallos (Krabbe, 1869)
[*Capella gallinago*] Chibichenko, N. T., 1966 a, 41
Kirgiz
- Aploparaksis brachyphallos (Krabbe, 1869)
Limicola falcinellus
Calidris alpina
Tringa glareola Spasskii, A. A., 1965 b, 307
all from USSR, Kamchatka
- Aploparaksis brachyphallos (Krabbe, 1869)
Calidris maritima coesi Tsimbaliuk, A. K., [1966 a]
Komandorskie Islands
- Aploparaksis crassirostris (Krabbe, 1869) Clerc, 1903
[*Charadrius mongolus*] Chibichenko, N. T., 1966 a, 41
Kirgiz
- Aploparaksis crassirostris Krabbe, 1869
[*Capella gallinago*] Oshmarin, P. G., 1965 b
Buriat ASSR
- Aploparaksis crassirostris (Krabbe, 1869) Clerc, 1903
Calidris alpina
C. minuta Spasskii, A. A., 1965 b, 307
all from USSR, Kamchatka
- Aploparaksis crassirostris (Krabbe, 1869)
Calidris maritima coesi Tsimbaliuk, A. K., [1966 a]
Komandorskie Islands
- Aploparaksis diagonalis Spassky et Bobova, 1961
Tringa incana Spasskii, A. A., 1965 b, 307
USSR, Kamchatka
- Aploparaksis dujardini (Krabbe, 1869)
Sturnus vulgaris vulgaris (duodenum and anterior ileum)
Turdus musicus musicus James, B. L.; and Llewellyn, L. C., 1967 a
all from the island of Skomer off Wales
- Aploparaksis dujardini (Krabbe, 1869) (intestine)
Passer montanus
Sturnus vulgaris Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
all from Bulgaria
- Aploparaksis dujardini (Krabbe, 1863) Clerc, 1903
Sturnus vulgaris Stoimenov, K. A.; and Trifonov, T., 1965 a
Bourgas district, Bulgaria
- Aploparaksis filiformis Spassky, 1963
Arenaria interpres Spasskii, A. A., 1965 b
USSR, Kamchatka
- Aploparaksis filum (Goeze, 1782) Clerc, 1903
[*Capella gallinago*]
[*Calidris alpina*] Chibichenko, N. T., 1966 a, 41
all from Kirgiz
- Aploparaksis filum (Goeze, 1782) Clerc, 1903
[*Capella gallinago*] Spasskii, A. A., 1965 b
USSR, Kamchatka
- Aploparaksis furcigera Anas p. platyrhynchos
Podiceps caspicus Akhumian, K. S., 1966 a
all from Armenian SSR
- Aploparaksis furcigera (Rud., 1819) Fuhrmann, 1926
[*Anas platyrhynchos*]
[*Tadorna ferruginea*]
[*Anas strepera*]
[*Nyroca fuligula*] Chibichenko, N. T., 1966 a, 41
all from Kirgiz

- Aploparaksis furcigera
Lumbirculus variegatus
[Vanellus vanellus]
[Ardea cinerea]
[Mergus serrator]
[Anas platyrhynchos]
[Sterna hirundo]
- Aploparaksis furcigera
Rudolphi, 1819
Lumbirculus variegatus
[Anas platyrhynchos]
(intestine) (exper.)
- Aploparaksis furcigera
[Nyroca ferina]
[Anas crecca]
[Podiceps cristatus]
[Podiceps nigricollis]
- Aploparaksis furcigera
Anas acuta
Nyroca ferina
- Aploparaksis furcigera
(Rud., 1819)
Nyroca ferina
Anas platyrhynchos
A. acuta
A. crecca
A. querquedula
- Aploparaxis [sic] furcigera (Rudolphi, 1819)
[Anas platyrhynchos]
[Anser anser]
- Aploparaksis furcigera (Rud., 1819)
Anas platyrhynchos
A. penelope
- Aploparaxis [sic] furcigera [Anas platyrhynchos]
- Aploparaksis furcigera (Rudolphi, 1819)
Anas acuta
A. crecca
A. platyrhynchos
A. platyrhynchos dom.
A. strepera
Mergus merganser
Nyroca marila
- Aploparaksis furcigera (Rudolphi, 1819) Fuhrmann, 1926
Nyroca marila
Anas crecca
A. platyrhynchos
- Aploparaksis groenlandica (Krabbe, 1869) Baer, 1956
Nyroca marila
- Aploparaksis hirsuta (Krabbe, 1882)
Calidris maritima coesi
- Chibichenko, N. T., 1966 b, 68
all from lake Isslyk-kul
- Demshin, N. I., 1965 e, figs. 1-11
USSR, Primor'e, southeast shore of Lake Khanik
- Kibakin, V. V., 1965 a
all from Gasan-Kuliisk game reserve
- Maksimova, A. P., 1966 a
all from South Kazakhstan
- Maksimova, A. P., 1967 a, 138
all from Western Kazakhstan
- Nikulin, T. G., 1965 a
all from Byelorussia
- Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Shevtsov, A. A., 1963 d
steppe zone, Ukrainian SSR
- Spasskii, A. A., 1965 b
all from USSR, Kamchatka
- Spasskaiia, L. P.; and Spasskii, A. A., 1964 a, 10
all from Kamchatka Pacific seacoast
- Spasskaiia, L. P.; and Spasskii, A. A., 1964 a, 10-12, figs. 1-2
Kamchatka Pacific Seacoast
- Tsimbaliuk, A. K., [1966 a]
Komandorskie Islands
- Aploparaksis larina
Sterna hirundo hirundo
Larus argentatus
- Aploparaksis larina
[Larus ridibundus]
[Larus canus]
- Aploparaksis larina (Fuhrmann, 1921)
Larus ridibundus
- Aploparaksis leonovi
Spassky, 1961
Calidris minuta
Limicola falcinellus
Numenius madagascariensis
- Aploparaksis occidentalis sp. nov.
Limnodromus griseus
scolopaceus
- Aploparaksis orientalis
Spassky et Bobova, 1961
Capella gallinago
- Aploparaksis oschmarini
Spassky et Bobova, 1961
Tringa glareola
Tringa incana
- Aploparaksis parafilum
Calidris alpina alpina
Capella gallinago gallinago
C. media
- Aploparaksis penetrans
Capella media
- Aploparaksis picae sp. n.
Pica pica hudsonia
(small intestine)
- Aploparaksis picae
Todd, 1967
Pica pica hudsonia (small intestine)
- Aploparaksis rauschi stricata Spassky, 1961
Calidris alpina
Capella gallinago
Limicola falcinellus
- Aploparaksis secessivus
Gubanov et Mamaev, 1960
Tringa incana
Calidris minuta
- Aploparaksis secessivus
Gubanov et Mamaev, 1960
Calidris maritima coesi
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Kibakin, V. V., 1965 a
all from Gasan-Kuliisk game reserve
- Vol'skis, G. I., 1968 a
Lithuania
- Spasskii, A. A., 1965 b, 308
all from USSR, Kamchatka
- Prudhoe, S.; and Manger, B. R., 1967 a, 546-549, figs. 6-7
Rockport, Texas
- Spasskii, A. A., 1965 b, 310
USSR, Kamchatka
- Spasskii, A. A., 1965 b, 309
all from USSR, Kamchatka
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Akhumian, K. S., 1966 a
Armenian SSR
- Todd, K. S. (jr.), 1967 a, 350-351, figs. 1-3
Bozeman, Gallatin County, Montana
- Todd, K. S. (jr.); and Worley, D. E., 1967 a, 365
Bozeman, Gallatin County, Montana
- Spasskii, A. A., 1965 b, 309
all from USSR, Kamchatka
- Spasskii, A. A., 1965 b
all from USSR, Kamchatka
- Tsimbaliuk, A. K., [1966 a]
Komandorskie Islands

- Apl. paraksis skrjabini Vol'skis, G. I., 1968 a Kennedy, C. R., 1965 a, 444,
Spassky 1945 Lithuania Wisniewski, 1928 449-450
Gerrulus glandarius key
- Aploparaxis. See Aploparaksis.
- Aporina delafondi Akhumian, K. S., 1966 a Archigetes cryptobothrius Kennedy, C. R., 1965 b, 18p
Columba livia neglecta all from Armenian SSR for limnodrili (Yamaguti)
Streptopelia turtur turtur egg hatching
- Aprostandria Cubanov, N. M., 1964 a Archigetes iowensis Kennedy, C. R., 1965 a, 444,
[lapsus for: Aprostatandrya] Calentine, 1962 449-450
key
- Aprostatandrya Cubanov, N. M., 1964 a Archigetes limnodrili Kennedy, C. R., 1965 a, 442,
[lapsus as: Aprostandria] (Yamaguti, 1934) comb. nov. 444, 447-449, fig. 1
key
Syns.: *Glaridacris limnodrili* Yamaguti, 1934; *Brachyurus gobii* Szidat, 1938; *Glaridacris gobii* Yamaguti, 1959
- Aprostatandrya sp. Andrejko, A. F., 1963 a, 12 Archigetes limnodrili Lyons, K. M., 1966 a
Spalax leucodon Moldavia chemistry of spines
(small intestine) and hooks
- Aprostatandrya (A.) macrocephala (Douthitt, 1915) Andrejko, A. F.; Pinchuk, Calentine, R. L.; and DeLong,
(small intestine of all) L. M.; and Skvortsov, V. G., B. L., 1966 a, figs. 1-8
Arvicola terrestris 1963 b, 30 all from River Falls,
Ondatra zibethica Cyprinus carpio (intestine) Wisconsin
- Aprostatandrya (A.) macrocephala (Douthitt, 1915) Genov, T., 1964 a, 101-102 Archigetes sieboldi Kennedy, C. R., 1965 a, 444,
Spassky, 1951 Srebarna, Silistra District, Leuckart, 1878 445-446, figs. 2-4
Ondatra zibethica (small intestine) Bulgaria key
Syns.: *Archigetes appendiculatus* Mrázek, 1897; *Biacetabulum sieboldi* Szidat, 1937; *Biacetabulum appendiculatum* Janiszewska, 1950
- Aprostandria [sic] (A.) macrocephala (Douthitt, 1915) Cubanov, N. M., 1964 a, 23 Archigetes limnodrili Kennedy, C. R., 1965 c, figs.
Spassky, 1949 Yakutia (coelom, testes sac of all) 1-5
Ondatra zibethica (small intestine) Limnodrilus hoffmeisteri Shropshire Union Canal;
key to species (nat. and exper.) River Thames
Syns.: *brachyurus* Szidat, 1938; *Paraglaridacris* L. claparedeanus (nat. and River Thames
Janiszewska, 1950 exper.) L. cervix (nat. and exper.) " "
- Aprostatandrya macrocephala Tenora, F., 1965 c, 70, 72, Armadolepis spasskyi Tenora, F., 1965 b, 300
Apodemus flavicollis 73 rodents Kirgiz all from Slavec, Ardovo,
Apodemus sylvaticus Czechoslovakia (small intestine) Silica, Ziariska dolina
Valley, Czechoslovakia
- Aprostatandrya macrocephala Tokobaev. M. M., 1965 a Armadoskrjabinia medici Akhumian, K. S., 1966 a
rodents Kirgiz Pelecanus crispus Armenian SSR
- Archigetes Leuckart, Kennedy, C. R., 1965 a, 442- Ascometra Cholodkowsky, Artiukh, E. S. K., 1965 a
1878 444 1912
key to species Idiogenidae, key
- Syns.: *brachyurus* Szidat, 1938; *Paraglaridacris* Janiszewska, 1950
- Archigetes appendiculatus Janiszewska, J., 1968 a Ascotaenia Srivastava, V. C.; and Ca-
mixed infection with *Zygocystis limnodrili* n. sp. Thysanosomatinae, key poor, V. N., 1966 a, 374
Limnodrilus hoffmeisteri Odra River near Wołow, Galea spixii (duodenum)
lower Silesia
- Archigetes appendiculatus Kennedy, C. R., 1965 a, 444 Atriotaenia (Ershovia) Quentin, J.-C., 1967 a, 595-
latus Mrázek, 1897 as syn. of *Archigetes sieboldi* Leuckart, 1878 baltazardi n. sp. 602, figs. 1A-E, 2A-B
key Galea spixii (duodenum) Brésil
- Archigetes appendiculatus Rybicka, K., 1966 b, fig. 12 Atriotaenia (Ershovia) incisa (Railliet, 1899) Andrejko, A. F.; and Pin-
embryogenesis Kennedy, C. R., 1965 a, 444, chuk, L. M., 1963 a, figs. 1-2
446-447, 448, fig. 5 Spassky, 1951 central Moldavia
- Archigetes brachyurus Kennedy, C. R., 1965 a, 444, Mrázek, 1908 key Meles meles
- Syns.: *Brachyurus brachyurus* Szidat, 1938; *Paraglarida-*
rus silesiacus Janiszewska, 1950; *Glaridacris brachyu-*
rus Yamaguti, 1959

- Atriotaenia incisa (Railliet, 1899) (tenke strevo of all) Meles meles Putorius putorius Prokopic, J., 1965 a, 214 all from Czechoslovakia
- Australiolepis [sp.] Capella gallinago gallinago Sawada, I.; and Iijima, T., 1964 b Yamanashi Prefecture, Japan
- Avitellina Thysanomatinae, key Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374
- Avitellina [lapsus as: Avitellinada] Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a
- Avitellina arctica Kolmakov, 1938 Rangifer tarandus (small intestine) Gubanov, N. M., 1964 a, 24 Yakutia
- Avitellina arctica Kolmakov, 1938 [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170 Russia
- Avitellina arctica Kolmakov, 1938 [Rangifer tarandus] (small intestine) Safronov, M. G., 1966 a, 16-17 Yakutia
- Avitellina arctica Kolmakov, 1938 [Rangifer tarandus] Semenova, N. S., 1965 a Russia, Taimyr National Okrug
- Avitellina centripunctata 14.015 R.P., sheep Graber, M., 1967 e
- Avitellina centripunctata (Rivolta, 1874) dromadaire (intestin grêle) Tchad Graber, M.; Tabo, R.; and Service, J., 1967 a, 230, 241
- Avitellina centripunctata (Rivolta, 1874) Gough, 1911 Rangifer tarandus (small intestine) Gubanov, N. M., 1964 a, 24 Yakutia
- Avitellina centripunctata Bitin-S Guilhon, J.; and Graber, M., 1967 a
- Avitellina centripunctata mouton (intestin) Levrat, E., 1966 a, 28 Tchad
- Avitellina centripunctata Martínez Gomez, F. de P., morphology, chromatograph- ic investigations
- Avitellina centripunctata Mohan, R. N., 1968 a, 745 buffaloes, review, geographic distribution
- Avitellina centripunctata Popov, A. T.; and Bankov, D. T., 1959 a Stanoarsenite and stano- chloride + nicotine sulphate, ovine
- Avitellinada [sic] centri- punctata cattle (small intestine) Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China
- Avitellina centripunctata [Ovis aries] Zgordan, E. S.; and Frukhtman, E. A., 1965 a Moldavia
- Avitellina lahorea Mohan, R. N., 1968 a, 745 buffaloes, review, geographic distribution
- Avitellina pygargi (Cholodkowsky, 1902) Capreolus capreolus pugargus (small intestine) Gubanov, N. M., 1964 a, 24 Yakutia
- Avitellina woodlandi 14.015 R.P., sheep Graber, M., 1967 e
- Avitellina woodlandi dromadaire (intestin grêle) Service, J., 1967 a, 230, 241 Tchad
- Avitellina woodlandi Bitin-S Guilhon, J.; and Graber, M., 1967 a
- Avitellina woodlandi Bhalerao, 1936 mouton (intestin) Levrat, E., 1966 a, 28 Tchad
- Avitellinada [lapsus for: Avitellina] Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a
- Avitellinosis, Ovine Goderdzishvili, G. I., 1963 c manganese arsenate and calcium arsenate
- Avitellinosis, Ovine Shakiev, E. Sh., 1965 a longevity

| | | | |
|---|--|--|--|
| Baerietta diana embryogenesis | Rybicka, K., 1966 b, fig. 2C-K, 13-14 | Batrachotaenia noeii (Wolffhügel, 1948) comb. nov. | Freze, V. I., 1965 c, 55 |
| Bancroftiella forma <i>Tringa totanus totanus</i> | Akhumian, K. S., 1966 a Armenian SSR | Batrachotaenia olor (Ingles, 1936) comb. nov. key | Freze, V. I., 1965 c, 56 |
| Bathybothrium rectangulum (Bloch, 1782) Barbus barbus (strove) | Ergens, R., 1965 c, 155 Fluss Osoblaha (Oder Gebiet) | Batrachotaenia ranaceae (Yamaguti, 1938) comb. nov. key | Freze, V. I., 1965 c, 55, 56 |
| Bathybothrium rectangulum life cycle, review | Kulakiv'ska, O. P., 1963 b | Batrachotaenia ranarum (Iwata et Matuda, 1938) comb. nov. | Freze, V. I., 1965 c, 55 |
| Bathybothrium rectangulum Barbus [sp.] (intestine) Macrocyclops albidus Acanthocyclops viridis | Kulakiv'ska, O. P., 1964 b, 11, 12, 13 western oblasts of Ukraine, all from | Batrachotaenia saphena (Osler, 1931) comb. nov. key | Freze, V. I., 1965 c, 56 |
| Batrachotaenia Rudin, 1917 Ophiotaeiniidae; Ophio- taeninae key; key to species | Freze, V. I., 1965 c, 51, 52, 55-56 | Batrachotaenia schultzei (Hungerbühler, 1910) Rudin, 1917 key | Freze, V. I., 1965 c, 55, 56 |
| Batrachotaenia alternans (Riser, 1942) key | Freze, V. I., 1965 c, 56 | Batrachotaenia tigrina (Woodland, 1925) comb. nov. key | Freze, V. I., 1965 c, 56 |
| Batrachotaenia amphiumae (Zeliff, 1932) comb. nov. key | Freze, V. I., 1965 c, 56 | Bertiella [sp.] baboons | Kalter, S. S.; Kuntz, R. E.; Al-Doory, Y.; and Katzberg, A. A., 1966 a East Africa |
| Batrachotaenia bonariensis (Szidat et Soria, 1954) comb. nov. key | Freze, V. I., 1965 c, 56 | Bertiella sp. [monkeys] | Movchan, A. T., [1966 a] Sukhumi nursery (originally from Vietnam) |
| Batrachotaenia bufonis (Viguera, 1942) comb. nov. | Freze, V. I., 1965 c, 55 | Bertiella sp. British boy, aged 6 (feces) | Thompson, C. D.; Jellard, C. H.; and Buckley, J. J. C., 1967 a, 1 fig. Great Britain (had lived in Aden, 2 previous years) |
| Batrachotaenia ceratophrios (Parodi et Wida- kowitch, 1916) comb. nov. | Freze, V. I., 1965 c, 55 | Bertiella mucronata Alouatta caraya | Pope, B. L., 1966 a Bella Vista, Province de Corrientes, Argentina |
| Batrachotaenia crypto- branchi (La Rue, 1914) comb. nov. key | Freze, V. I., 1965 c, 56 | Bertiella studeri composition, crystallization patterns of calcareous corpuscles | von Brand, T.; Nylen, M. U.; Martin, G. N.; and Churchwell, F. K., 1967 a |
| Batrachotaenia fularoides [sic] (La Rue, 1909) Rudin, 1917 key | Freze, V. I., 1965 c, 56 | Bertiella studeri man | Fogh, S.; and Seaton, D. R., 1967 a Yemen |
| Batrachotaenia gracilis (Jone, Cheng, Gillespie, 1958) comb. nov. key | Freze, V. I., 1965 c, 56 | Bertiella studeri (Blanchard, 1891) Anthropopithecus troglodytes | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands |
| Batrachotaenia hernandezii (Flores-Baroetta, 1955) comb. nov. key | Freze, V. I., 1965 c, 56 | Biacetabulum appendiculatum Janiszewska, 1950 as syn. of Archigetes sieboldi Leuckart, 1878 | Kennedy, C. R., 1965 a, 444 |
| Batrachotaenia hylae (Johnston, 1912) Rudin, 1917 key | Freze, V. I., 1965 c, 56 | Biacetabulum appendiculatum Barbus [sp.] (intestine) [Cyprinus carpio] | Kulakiv'ska, O. P., 1964 b, 11, 13 western oblasts, Ukraine |
| Batrachotaenia lonnbergi (Fuhrmann, 1895) Rudin, 1917 key | Freze, V. I., 1965 c, 56 | Biacetabulum appendiculatum Limnodrilus udekemianus L. claparedeanus L. hoffmeisteri Tubifex tubifex | Kupchinskaja, O. S., 1963 a |
| Batrachotaenia magna (Hannum, 1925) comb. nov. key | Freze, V. I., 1965 c, 56 | | |

| | | | |
|--|---|---|--|
| Biacetabulum sieboldi Szidat, 1937 as syn. of Archigetes sieboldi Leuckart, 1878 | Kennedy, C. R., 1965 a, 444 | Bothridium pithonis de Blainville, 1824 Python reticulatus (intestines) | Balasingam, E., 1964 d, 115-116, fig. 5 (purchased Sago Lane market Chinatown, Singapore) |
| Biglandatrium biglandarium Spasskaja, 1961 [Columbus arcticus!] | Chibichenko, N. T., 1966 a, 42 Kirgiz | Bothrimonus intermedius Cooper, 1917 as syn. of Diplocotyle olrikii Krabbe, 1874 | Zhukov, E. V., 1963 a, 107 |
| Bisaccanthes bisaccata (Fuhrmann, 1906) Spassky et Spasskaja, 1954 [Anas platyrhynchos] | Chibichenko, N. T., 1966 a, 40 Kirgiz | Bothriocephaliasis kamala | Kanaev, A. I., 1964 a |
| Bisaccanthes bisaccata Anas strepera A. crecca | Maksimova, A. P., 1966 a all from South Kazakhstan | Bothriocephaliasis Filixan, fish | Klenov, A. P., 1964 a |
| Bisaccanthes bisaccata (Fuhrmann, 1906) Spassky et Spasskaja, 1954 Anas penelope | Maksimova, A. P., 1967 a, 138 Western Kazakhstan | Bothriocephaliasis phenothiazine Filixan, white amur | Klenov, A. P., 1968 a |
| Biuterina Fuhrmann, 1902; Neyraia Joyeuz et T.-David, 1934 Biuterinidae; Biuterininae | Matevosian, E. M., 1965 a, 153 | Bothriocephalus juv. larvae Pleurogrammus azonus (intestine) Hexagrammus octogrammus (intestine) | Baeva, O. M., 1965 a Sea of Japan |
| Biuterina meggitti Singh, 1959, preoccupied by Paruterina meggitti Johri 1931 [comb. with Biuterina indicated, not made] renamed: B. singhi nov. nom. | Matevosian, E. M., 1965 a, 154-155 | Bothriocephalus sp. (intestine of all) Chaenobrytus gulosus Lepomis cyanellus | Edwards, S. R.; and Nahhas, F. M., 1968 a, 255 all from Sacramento-San Joaquin Delta |
| Biuterina rectangula Fuhrmann, 1908 Coracias garrulus (intestine) | Rysavy, B., 1965 b, 259-260, fig. 6 Tekovské Lužany (Slovakia, CSSR) | Bothriocephalus sp. Gadus callarias (stomach) | Studnicka, M., 1965 a, 284 Gdansk Bay, Baltic Sea |
| Biuterina singhi nov. nom. for: Biuterina meggitti Singh, 1959, preoccupied | Matevosian, E. M., 1965 a, 154-155 | Bothriocephalus acheilognathii Yamaguti, 1934? Oryzias latipes (intestine) | Fukui, T., 1964 a, figs. 1-3 |
| Biuterina triangula Krabbe, 1869 Parus lugubris (small intestine) | Paspalev, G. V.; and Zheilazkova-Paspaleva, A., 1965 a Bulgaria | Bothriocephalus carangis n. sp. Caranx helvolus (intestine) Carangoides ferdau " | Yamaguti, S., 1968 a, pp. 21, 26-28, figs. 3A-E all from Hawaii |
| Biuterina triangula (Krabbe 1869) Fuhrmann, 1908 Syn.: Taenia triangula Krabbe, 1869 Acrocephalus scirpaeus (posterior part small intestine) | Rysavy, B., 1965 b, 260, fig. 7 Ledenice (south Moravia, CSSR) | Bothriocephalus claviceps Anguilla anguilla (pylorus region); Anguilla anguilla | Kane, M. B., 1966 a Ireland |
| Biuterinidae (Meggitt, 1927) nov. comb. | Matevosian, E. M., 1965 a, 153 | Bothriocephalus cuspidatus Stizostedion vitreum Perca flavescens (intestine) | Larson, O. R., 1966 a Itasca Park, Minnesota |
| Paruterinoidea Mathevossian, 1962 includes: Biuterininae Meggitt, 1927; Orthoskrjabininae nov. sub fam. | Matevosian, E. M., 1965 a, 153 | Bothriocephalus cuspidatus (Cooper) Stizostedion v. vitreum | Wolfert, D. R.; Applegate, V. C.; and Allison, L. N., 1967 a, 113, fig. 2 |
| Biuterininae Meggitt, 1927 Biuterinidae includes: Biuterina Fuhrmann, 1902; Neyraia Joyeuz et T.-David, 1934 | Matevosian, E. M., 1965 a, 153 | Bothriocephalus gowkongensis fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| Bothridium ornatum | Frank, W., 1965 a, figs. 3-4, 6-9 | Bothriocephalus gowkongensis [Ctenopharyngodon idella] | Bauer, O. N.; Babaev, B.; and Strelkov, Iu. A., 1963 a Amur river |
| | | Bothriocephalus gowkongensis [Cyprinus carpio] | Diarova, G. S., 1967 a Alma-Ata pond fisheries |
| | | Bothriocephalus gowkongensis [Cyprinus carpio] | Iskov, M. P., 1963 a Kakhovsk reservoir |

- | | | |
|---|--|--|
| Bothrioccephalus gawkongensis [sic] life cycle, review | Kulakiv'ska, O. P., 1963 b | |
| Bothrioccephalus gowkongensis | Kulakiv'ska, O. P., 1964 b, 14 | |
| Bothrioccephalus gowkongensis (tube digestif) <i>Cyprinus carpio</i> <i>C. idella</i> | Roman-Chiriac, E.; and Diaconu, I., 1966 a all from Lac de Tei. | |
| Bothrioccephalus gowkongensis phenothiazine | Shcherban, N. P., 1961 a, fig. a | |
| Bothrioccephalus gowkongensis | Shcherban, N. P.; Monchenko, V. I.; and Shovkoplias, M. N., 1963 a | |
| Mesocyclops leuckarti (exper.) (body cavity) <i>M. crassus</i> (exper.) (body cavity) Acanthocyclops vernalis (exper.) (body cavity) <i>A. bicuspidatus</i> (exper.) (body cavity) <i>Cyprinus carpio</i> | Ukrainsk SSR | |
| Bothrioccephalus manubriiformis Linton, 1889 | Yamaguti, S., 1968 a, figs. 4A-B | |
| Makaira audax | (intestine) | |
| Istiophorus orientalis | " | |
| Istiopax orientalis | " | |
| Tetrapterus angustirostris | " | |
| Xiphias gladius | " | |
| Bothrioccephalus phoxini sp. n. | Molnár, K., 1968 a, 83-85, fig. 1 | |
| Phoxinus phoxinus (intestine) | near the Lake Balaton | |
| Bothrioccephalus scorpii | Davey, J. T.; and Peachey, J. E., 1968 a, pls. I-II, figs. A-B | |
| Rhombus maximus "turbot" | North sea, Irish Sea, waters around Plymouth | |
| Rhombus laevis "brill" | Irish Sea, Dieppe market in France | |
| | | Bothrioccephalus scorpii (Miller, 1776) (intestine) Sebastodes alutus <i>S. introniger</i> <i>S. aleutianus</i> <i>Atherestes evermanni</i> <i>Reinhardtius hippoglossoides matsuurae</i> |
| | | Bothrioccephalus scorpii Müller, 1776 Onos mustelus (intestine) |
| | | Bothrioccephalus scorpii (Miller, 1776) Onos mustelus (intestine, pyloric caeca) |
| | | Bothrioccephalus scorpii (Miller, 1776) Zhukov, E. V., 1963 a, ll2 Clupea harengus pallasi (pyloric caeca) Hexagrammos stelleri (pyloric caeca) |
| | | Bothrioccephalus tu-midulus Rudolphi, 1819 wrongly allocated to Echeneibothrium |
| | | Brachyurus Szidat, 1938 as syn. of Archigetes Leuckart, 1878 |
| | | Brachyurus brachyurus Szidat, 1938 as syn. of Archigetes brachyurus Mrázek, 1908 |
| | | Brachyurus gobii Szidat, 1938 as syn. of Archigetes limnodrilus (Yamaguti, 1934) comb. nov. |
| | | Bucerolepis n. gen. Dilepidinae |
| | | Spasski, A. A.; and Spasski, J. A., 1968 a tod: <i>B. bycanistis</i> (Mahon, 1954) n. comb. |
| | | Bucerolepis bycanistis (Mahon, 1954) n. comb. J. A., 1968 a (tod) syn.: <i>Dilepis bycanistis</i> Mahon, 1954 <i>Bycanistes sh. sharpei</i> |
| | | Mamaev, Iu. L., 1965 a, 182 all from Bering Sea |
| | | Srivastava, L. P., 1966 a Mumbles Head, Swansea |
| | | Srivastava, L. P., 1966 d, 472, 473, figs. 9-11 Mumbles Head, Swansea |
| | | Zhukov, E. V., 1963 a, ll2 all from Chukotsk Peninsula |
| | | Williams, H. H., 1966 a, 255 |
| | | Kennedy, C. R., 1965 a, 442 |
| | | Kennedy, C. R., 1965 a, 446 |
| | | Kennedy, C. R., 1965 a, 447 |

- Caballinema longicapsulatum* Abuladze, 1937 [Equus caballus] (large intestine) Safronov, M. G., 1966 a, 23-27. figs. 5-10 Yakutia
- Calliobothrium verticillatum* ornithine transcarbamylase and arginase activity Campbell, J. W.; and Lee, T. W., 1963 a
- Calliobothrium verticillatum* ultrastructure of muscle *Mustelus canis* Lumsden, R. D.; and Byram, J. E. III, 1967 a Woods Hole, Massachusetts
- Capsulotaenia* gen. nov. [lapsus for: *Kapsulotaenia* gen. nov.] Freze, V. I., 1963 a, 155
- Caryophylaeidae*. See *Caryophyllaeidae*.
- Caryophyllaeidae* [sp.] *Catostomus commersoni* Fried, B.; Kitchen, J. G. III; and Koplin, R. S., 1965 a, 95 Bushkill Creek, Northampton County, Pennsylvania
- Caryophylaeidae* [sic] *g. sp.* *Cobitis bulgarica* Margaritov, N. M., 1966 a, 159 Bulgarian sector of Donau river
- Caryophylaeide* [lapsus for *Caryophylaeidae*] Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a
- Caryophylleidae* [lapsus as: *Caryophylleidae*] Koval, V. P., 1963 b, 449
- Caryophylleidae* [lapsus as *Caryophylleidae*] Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a
- Caryophylleidae* sp. *Rutilus rutilus* (intestine) Kane, M. B., 1966 a Ireland
- Caryophyllaeidae fennica* (Schneider, 1902) [strevro, žaludek] *Gobio gobio* *Leuciscus cephalus* *L. leuciscus* (Schneider, 1902) [Alburnus alburnus] [Leuciscus idus] [Leuciscus cephalus] [Leuciscus leuciscus] [Chondrostoma nasus] [Gobio gobio] [Salvelinus alpinus] Ergens, R., 1965 c, 155 all from Fluss Osoblahe (Oder Gebiet)
- Caryophyllaeidae fennica* [Albumus alburnus] [Leuciscus idus] [Leuciscus cephalus] [Leuciscus leuciscus] [Chondrostoma nasus] [Gobio gobio] [Salvelinus alpinus] Kane, M. B., 1966 a Ireland
- Caryophyllaeidae fennica* (Schneider 1902) *Rutilus rutilus* (intestine) Kane, M. B., 1966 a, 214 Ireland
- Caryophyllaeidae fennica* (intestine of all) [Rutilus rutilus] [Abramis brama] [Scardinius erythrophthalmus] [Blicca bjoerkna] [Abramis ballerus] [Rutilus r. heckeli] Komarova, T. I., 1964 a, 86 all from Dnieper delta
- Caryophyllaeidae fennica* seasonal distribution Komarova, T. I., 1964 b Dnieper delta
- Caryophyllaeides fennica* (Schneider, 1902) [Abramis brama] Komarova, T. I., 1966 a, 64 Dnieper estuary
- Caryophylleides* [sic] *fennica* [Abramis sapa] Koval, V. P., 1963 b Kakhovsk reservoir, lower region
- Caryophyllaeides fennica* *Barbus* [sp.] (intestine) Kulakiv'ska, O. P., 1964 b, 11 western oblasts, Ukraine
- Caryophyllaeides fennica* (Schneider) *Barbus barbus* *Lucioperca lucioperca* Margaritov, N. M., 1966 a, 159 all from Bulgarian sector of Donau river
- Caryophyllaeides fennica* *dace* Stranack, F. R., 1966 a Hampshire rivers
- Caryophyllaeide fennica* [sic] *Coregonus lavaretus* *pidshiana* (intestine) Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a Russia, Tuva ASSR
- Caryophyllaeides fennica* (Schneider, 1902) *Leuciscus idus* (intestine) Wyrzykowska, B., 1964 a, 154, 159 Zegrzynski Reservoir
- [*Caryophyllaeus*] *Caryophylleaosis* [*Varicorhinus capoëta heratensis*] Akopian, V. D.; and Arutiunian, A. L., 1966 a lake Sevan
- [*Caryophyllaeus*] *Caryophylleaosis* [*kamala*] Kanaev, A. I., 1964 a
- Caryophylleus* Shcherban, N. P., 1961 a, fig. b
- Caryophylleus* sp. *Abramis brama* (intestine) Kane, M. B., 1966 a Ireland
- Caryophylleus* sp. [*Alburnus alburnus*] Koval, V. P., 1963 b lower region, Kakhovsk reservoir
- Caryophylleus* sp. No. 1 *Leuciscus idus* Oshmarin, P. G., 1965 b Buriat ASSR
- Caryophylleus* sp. no. 2 *Carassius carassius* Oshmarin, P. G., 1965 b Buriat ASSR
- Caryophylleus armeniacus* Cholodkovski, 1915 as syn. of *Khavia armeniaca* (Cholodkovski, 1915) Platonova, T. A., 1963 a, 210
- Caryophylleus brachycollis* *Barbus* [sp.] (intestine) [*Cyprinus carpio*] *Limnodrilus hoffmeisteri* Kulukiv'ska, O. P., 1964 b, 11, 12, 13 western oblasts, Ukraine, all from
- Caryophylleus brachycollis* *Psammoryctes albicola* *Tubifex tubifex* Kupchinskaiia, O. S., 1963 a all from Dniester; western Bug

| | | | |
|---|---|---|--|
| <i>Caryophyllaeus catostomi</i> (Woodland, 1923) as syn. of <i>Glaridacris catostomi</i> Cooper, 1920 | Mackiewicz, J. S., 1965 b, 554 | <i>Caryophyllaeus laticeps</i> Pallas <i>Blicca björkna</i> (alimentary canal) | Huculak, F., 1965 a, 285 Kozłowa Gora reservoir |
| <i>Caryophyllaeus fimbriiceps</i> fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | <i>Caryophyllaeus laticeps</i> [<i>Abramis brama</i>] | Kaletskaia, S. L., 1965 a Zapadnaya Dvina |
| <i>Caryophyllaeus fimbriiceps</i> Annenkova, 1919 <i>Cyprinus carpio</i> | Belinisova, L. K., 1965 a Krasnooskol'skoe reservoir | <i>Caryophyllaeus laticeps</i> (Pallas 1781) <i>Abramis brama</i> (intestine) | Kane, M. E., 1966 a, 214 Ireland |
| <i>Caryophyllaeus fimbriiceps</i> [<i>Cyprinus carpio</i>] | Iurpalova, N. M.; and Maslen- nikova, E. I., 1964 a Moldavia | <i>Caryophyllaeus laticeps</i> (Pallas, 1781) population biology <i>Leuciscus leuciscus</i> | Kennedy, C. R., 1968 a River Avon, Hampshire |
| <i>Caryophyllaeus fimbriiceps</i> Annenkova-Chlopina, 1919 (intestine of all) [<i>Cyprinus carpio</i>] [<i>Abramis brama</i>] | Komarova, T. I., 1964 a, 86 all from Dnieper delta | <i>Caryophyllaeus laticeps</i> (Pal., 1781) (intestine of all) [<i>Rutilus r. heckelii</i>] [<i>Vimba vimba</i>] [<i>Rutilus rutilus</i>] [<i>Abramis brama</i>] [<i>Blicca bjoerkna</i>] [<i>Scardinius erythrophthalmus</i>] [<i>Carassius carassius</i>] [<i>Aspius aspius</i>] [<i>Abramis sapo</i>] [<i>Tinca tinca</i>] | Komarova, T. I., 1964 a, 85-86 all from Dnieper delta |
| <i>Caryophyllaeus fimbriiceps</i> seasonal distribution | Komarova, T. I., 1964 b Dnieper delta | <i>Caryophyllaeus laticeps</i> seasonal distribution | Komarova, T. I., 1964 b, Dnieper delta |
| <i>Caryophyllaeus fimbriiceps</i> [<i>Cyprinus carpio</i>] <i>Tubifex tubifex</i> <i>Psammorictes albicola</i> | Kulakiv'ska, O. P., 1964 b, 13, 14 all from western oblasts, Ukraine | <i>Caryophyllaeus laticeps</i> (P. 1781) (intestine of all) [<i>Rutilus r. heckelii</i>] [<i>Blicca bjoerkna</i>] [<i>Abramis brama</i>] [<i>Vimba vimba</i>] | Komarova, T. I., 1966 a, 64 all from Dnieper estuary |
| <i>Caryophyllaeus fimbriiceps</i> Ilyodrilus Psammoryctes Tubifex | Kupchinskaya, O. S., 1963 a | <i>Caryophyllaeus laticeps</i> [<i>Abramis brama</i>] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| <i>Caryophyllaeus fimbriiceps</i> [<i>Cyprinus carpio</i>] | Poliakov, M. G.; and Ivasik. V. M., 1963 a Lvovsk oblast | <i>Caryophyllaeus laticeps</i> [<i>Abramis brama</i>] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| <i>Caryophyllaeus fimbriiceps</i> (Armenkova-Chlopina, 1919) (intestine of all) [<i>Abramis brama</i>] [<i>Rutilus rutilus</i>] | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs | <i>Caryophyllaeus laticeps</i> [<i>Abramis brama</i>] | Koval, V. P., 1963 b lower region, Kakhovsk reservoir |
| <i>Caryophyllaeus laticeps</i> Pal., 1781 <i>Abramis brama</i> <i>Blicca bjoerkna</i> <i>Lucioperca lucioperca</i> | Belinisova, L. K., 1965 a all from Krasnooskol'skoe reservoir | <i>Caryophyllaeus laticeps</i> Barbus [sp.] (intestine) [<i>Cyprinus carpio</i>] <i>Tubifex tubifex</i> | Kulakiv'ska, O. P., 1964 b, 11, 12, 13 western oblasts of Ukraine, all from |
| <i>Caryophyllaeus laticeps</i> (crijevo) <i>Cyprinus carpio</i> <i>Barbus barbus</i> <i>Abramis brama</i> | Canković, M.; Kiškarolj, M.; and Ramadanović, R., 1968 a, fig. 3 all from Sava river | <i>Caryophyllaeus laticeps</i> Psammoryctes albicola <i>Tubifex tubifex</i> | Kupchinskaya, O. S., 1963 a Dniester; western Bug, all from |
| <i>Caryophyllaeus laticeps</i> | Christensen, N. O., 1966 a, fig. 37 | <i>Caryophyllaeus laticeps</i> (Pallas) Barbus barbus | Margaritov, N. M., 1966 a, 159 Bulgarian sector of Donau river |
| <i>Caryophyllaeus laticeps</i> [<i>Abramis brama</i>] | Gavrilitsa, L. A., 1964 a Dnestrov estuary | <i>Caryophyllaeus laticeps</i> Vimba vimba | Puidak, U., 1965 a, 555 Estonian coastal waters |
| <i>Caryophyllaeus laticeps</i> (Pallas, 1781) glycogen and fat storage | Giretsinskaya, T. A.; and Uspenskaya, Z. I., 1965 a. figs. 4a | <i>Caryophyllaeus laticeps</i> dace | Stranack, F. R., 1966 a Hampshire rivers |

- Caryophyllaeus laticeps* (Pallas, 1781) (intestine of all) [Blicca bjoerkna] [*Carassius carassius*] [*Abramus brama*] [*Rutilus rutilus*] Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs
- Caryophyllaeus laticeps* (Pallas, 1781) (intestine of all) *Abramus brama* *Tinca tinca* *Leuciscus idus* Wyrzykowska, R., 1964 a, 154, 158-159 all from Zegrzynski Reservoir
- Caryophylleides* [lapsus for: *Caryophyllaeides*] Koval, V. P., 1963 b, 449
- Catanotaenia* [lapsus for: *Catenotaenia*] Merdivenci, A., 1966 b
- Catanotaenia* [lapsus as: *Catanotaenia*] Merdivenci, A., 1966 b
- Catanotaenia* [sic] Janicki, Merdivenci, A., 1966 b, 82 1902
Catanotaeniidae; Catanotaeniinae nov. comb.
- Catanotaenia* sp. *Parker, J. C.*, 1968 a
Sciurus carolinensis Montgomery County, Virginia
pennsylvanicus (small intestine)
- Catanotaenia cricetorum* Davlatov, N., 1967 a
Kirschenblatt, 1949 Karakalpak ASSR
[Allactaga elater] (small intestine)
- Catanotaenia cricetorum* Tenora, F., 1965 c, 70, 72
Apodemus flavicollis Czechoslovakia
- Catanotaenia dendritica* (Goeze, 1782) Janicki, 1904 *Arzamasov, I. T.*; *Dyl'ko, N. I.*; *Merkusheva, I. V.*; and *Petrovskii, Iu. T.*, 1966 a, 832 Belorussia
Sciurus vulgaris (small intestine)
- Catanotaenia dendritica* Kinsella, J. M., 1967 a, 271 Clethrionomys gapperi (small intestine) western Montana
- Catanotaenia dendritica* rodents Tokobaev, M. M., 1965 a Kirgiz
- Catanotaenia kirgizica* [sic] rodents Tokobaev, M. M., 1965 a Kirgiz
- Catanotaenia lindsayi* McIntosh, 1941 Frandsen, J. C.; and Grundmann, A. W., 1961 b, 393 Perognathus formosus all from Lake Bonneville incolatus Basin, Utah Peromyscus maniculatus sonoriensis
- Catanotaenia lobata* Baer, 1925 Wahl, E., 1967 a, 148 as syn. of *Skrjabinotaenia lobata* (Baer, 1925) n. comb.
- Catanotaenia psilla* [sic] Oshima, T.; Kagei, N.; and influence on *Toxocara canis* larval behavior in mice Kihata, M., 1964 a
- Catenotaenia pusilla* (Goeze, Semenova, L. F.; and Tarulin, 1782) (small intestine) Apodemus sylvaticus Mus musculus
- Catenotaenia pusilla* (Goeze, 1782) Janicki, 1904 Mus musculus Clethrionomys glareolus
- Catenotaenia pusilla* Mus musculus Sharpilo, L. D., 1961 a, 204 Ukraine
- Catenotaenia pusilla* Mus musculus Sharpilo, L. D., 1963 a right-bank steppes, Ukrainian SSR
- Catenotaenia pusilla* (Goeze, 1782) Swiderski, Z., 1968 b, pl. 1, figs. 1-2 micromere degeneration, embryonic development
- Catenotaenia pusilla* Apodemus flavicollis Apodemus sylvaticus Tenora, F., 1965 c, 70, 72, 73 Czechoslovakia
- Catenotaenia pussilla* [sic] Tokobaev, M. M., 1965 a rodents Kirgiz
- Catenotaenia rhombomidis* Schulz et Landa, 1934 Babaev, Ia., 1966 a Spermophilopsis leptodactylus (small intestine)
- Catenotaenia rhombomydis* [sic] Schulz et Landa, 1934 Davlatov, N., 1967 a Karakalpak ASSR [Rhombomys opimus] (small intestine)
- Catonaeniinae* [i. e. *Catonaeniinae*] nov. comb. Merdivenci, A., 1966 b Catanotaeniidae Spassky, 1950
- Caulobothrium opisthorchis* Riser, 1955 Williams, H. H., 1966 a, 255 wrongly allocated to *Echeneibothrium*
- Caulobothrium tetrascapium* Riser, 1955 Williams, H. H., 1966 a, 255 wrongly allocated to *Echeneibothrium*
- Cephalobothrium aetobatidis* Shipley et Hornell, 1906 Yamaguti, S., 1968 a, figs. 7A-D *Aetobatis narinari* (spiral valve) Hawaii
- Cephalochlamys namaquensis* Klapperstück, J., 1966 a developmental cycle, description of film HF 126 Deutsch. Zentralinst. Lehrmittel, Berlin
- Cephalochlamys namaquensis* (Cohn, 1906) Thurston, J. P., 1967 a, 187-199, figs. 1-11 morphology and life cycle *Xenopus muelleri* Western Uganda; Kenya; and Western Nigeria
- Xenopus laevis* Thermocyclops infrequens Rhodesia; South Africa Kajansi, Kampala, Uganda
- Cestoda* Coil, W. H., 1968 b tapeworm development, egg membrane histochemistry

- Cestoda stored glycogen and lipids Ginetsinskaia, T. A.; and Besedina, V. V., 1965 a
- Cestoda ananthelmintics, review Keeling, J. E. D., 1968 a
- Cestoda saponin, in vitro Komantsev, N. N., et al., 1963 a
- Cestoda microelements in bone marrow, parasitized dogs Krasozova, E. I., 1963 a
- Cestoda rapid method of staining Krok, B. E., 1967 a
- Cestoda life cycles, review Kulakiv'ska, O. P., 1963 b
- Cestoda embryogenesis, review Rybicka, K., 1966 b
- Cestoda keys, domestic waterfowl Ryzhikov, K. M., 1967 a
- Cestoda glands in rostellum, chicken tapeworms Sawada, I., 1965 c
- Cestoda check list of parasites and hosts Senadhira, M. A. P., 1967 b Ceylon
- Cestoda importance of bladder in *Cysticercus* development Slais, J., 1966 b
- Cestoda physiology, *Echinococcus granulosus* Smyth, J. D., 1967 a
- Cestoda keys to poultry-parasitic families and genera, description of species, illus., diagnosis, treatment Wehr, E. E., 1965 b
- Cestoda mechanisms of immunity Weirman, C. J., 1966 a
- [Cestoda sp.] beef tapeworm oncopheres survival on soil surface Babaeva, R. I., 1966 a Samarkand
- Cestoda [sp.] *Cnemidophorus tigris* (musculature near the spine of the abdominal cavity, abdominal musculature, esophagus) Babero, B. B., and Matthias, D., 1967 a, 177 Clark County, Nevada
- Cestod[a sp.] *Apodemus sylvaticus* Bernard, J., 1967 a Tunisie
- Cestoda gen. sp. 1 +insectivores Davydov, O. N., 1963 a Ukraine
- Cestoda gen. sp. 2 +insectivores Davydov, O. N., 1963 a Ukraine
- Cestoda gen. sp. 3 +insectivores Davydov, O. N., 1963 a Ukraine
- Cestoda gen. sp. 4 +insectivores Davydov, O. N., 1963 a Ukraine
- Cestoda [sp.] *Somateria mollissima* Garden, E. A.; Rayski, C.; and Thom, V. M., 1964 a, 285 Ythan estuary, Aberdeenshire
- Cestoda [sp.] *Larus argentatus* Guildal, J. A., 1968 a, 61 South Harbour of Copenhagen
- Cestoda [sp.] fowl (intestine) Hassar, Z. A., 1966 a Comilla, Pakistan
- Cestoda larva *Chaeturcitis hexanema* Ichihara, A., 1963 a Bay of Tokyo
- Cestoda [sp.] *Apogon lineatus* Ichihara, A., 1963 a Bay of Tokyo
- [Cestoda sp.] +[Aves] Kawano, K., 1964 c, 38
- Cestoda gen. spp. [*Esox lucius*] [*Perca fluviatilis*] Liubarskaiia, O. D., 1963 a all from Kuibyshev reservoir
- [Cestoda sp.] tapeworms poultry Lwebandiza, T. S., 1966 b, 15 Tanzania
- Cestod[a spp.] *Natrix grahami* Nouvel, J.; Chauvier, G.; and Strazielle, L., 1968 a
- Cestod[a sp.] *Mydaus marchei* Schmidt, G. E.; and Kuntz, R. E., 1968 a, 373 Terabanon Concepcion, Palawan, P. I.
- [Cestoda sp.] *Abramis brama* Sokolov, A. N., 1965 a Volga river, Kozlovka village, Chuvashskaiia ASSR
- Cestod[a sp.] *Citellus variegatus grammurus* (small intestine) Stock, A. D., 1961 a, 93 Navajo Reservoir Basin,
- Cestod[a sp.] "unidentified immature cestode" *Cebus capucinus* (small intestine) Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 190 Panama
- Cestod[a sp.] *Larus dominicanus* Travassos, L. P.; Teixeira de Freitas, J. F.; Machado de Mendonça, J.; and de Oliveira Rodrigues, H., 1960 a Cabo Frio. Estado do Rio de Janeiro
- Cestodiasis determining the time of dehelminthization, ovine Gagarin, V. G., 1963 a Kirgiz

- Cestodiasis Miretskii, O. Ia., 1963 a
purgative salts, deformed
strobila, feline
- Cestodiasis Mitskevich, V. Iu., 1964 b
[*Rangifer tarandus*], review
- Cestodiasis Romanovskii, A. B., 1964 a
dichlorphen; kamala; Filixan; bithionol, ducks
- Cestoidea evolution Stunkard, H. W., 1967 c
- Chapmania Monticelli, 1893 Artiukh, E. S. K., 1965 a
Idiogenidae, key
- Cheanotaenia Hassan, Z., 1966 a
[lapsus for: Choanotaenia]
- Choanofuhrmannia Lopez- Spasskii, A. A., 1966 a;
Neyra, 1943 1966 b; 1966 c
as syn. of Icterotaenia Railliet et Henry, 1909
- Choanofuhrmannia unicoro- Rysavy, B., 1965 b, 258
nata Lopez-Neyra, 1935
as syn. of Choanotaenia unicornata (Fuhrmann, 1932)
- Choanotaenia Hassan, Z., 1966 a
[lapsus as: Cheanotaenia]
- Choanotaenia sp. Chibichenko, N. T., 1966 a, 43
[Terekia cinerea]
[Totanus hypoleucus]
- Choanotaenia sp. A. Dubinin, V. B., 1938 a, 157-
Plegadis falcinellus 158
Astrakhan game reserve
- Choanotaenia sp. B. Dubinin, V. B., 1938 a, 158
Plegadis falcinellus Astrakhan game reserve
- Choanotaenia sp. Ehrhardt, W. R.; Harkema, R.;
Larus atricilla (small
intestine) and Miller, G. C., 1967 a, 133
Beaufort, North Carolina
- Choanotaenia or Raillietina Harper, G. R.; Klataske, R.
[sp.] D.; Robel, R. J.; and Hansen,
Tympanuchus cupido pinna- M. F., 1967 a
atus (viscera) Kansas
- Choanotaenia sp. Kawano, K., 1964 c, 38
[Capella gallinago]
- Choanotaenia sp. I. Paspalev, G. V.; and Zhelia-
Dryobates medius zkova-Paspaleva, A., 1965 a
(intestine) Bulgaria
- Choanotaenia sp. II. Paspalev, G. V.; and Zhelia-
Passer montanus zkova-Paspaleva, A., 1965 a
(intestine) Bulgaria
- Choanotacnia [sp.] Sovetnikov, V. M., 1963 b
[*Gallus gallus*] Orenburg oblast
- Choanotaenia angolensis Mettrick, 1960
Spasskii, A. A., 1966 a;
1966 b
- Choanotaenia anthusi Spasskaja, 1958
as syn. of Sobolevitaenia 299
anthusi n. comb.
- Choanotaenia corvi Joyeux, Rysavy, B., 1965 b, 258
Baer et Martin, 1937
as syn. of Choanotaenia unicornata (Fuhrmann, 1932)
- Choanotaenia crassiscolex (Linst.) Spasskii, A. A., 1966 a;
Joyeux et Baer, 1936 1966 b; 1966 c
as syn. of Prochoanotaenia crassiscolex (Linstow, 1890)
n. comb.
- Choanotaenia crassiscolex (v. Linstow, 1930) Wahl, E., 1967 a, p. 174
Sorex araneus Val de l'Allondon (Geneva)
- Choanotaenia crateriformis (Goeze, 1782) Dalia, G. G., 1965 a
[Dryobates major] Latvian SSR
- Choanotaenia crateriformis Goeze, 1782 Paspalev, G. V.; and Zhelia-
Jynx torquilla (small zkova-Paspaleva, A., 1965 a
intestine) Bulgaria
- Choanotaenia infundibulum Akhumian, K. S., 1966 a
Alectoris graeca caucasica all from Armenian SSR
Coturnix coturnix
Columba livia
- Choanotaenia infundibulum Dement'eva, S. P., 1964 a
[*Gallus gallus*] Moldova Sozialiste, Ko-
tovsk region
- Choanotaenia infundibulum Dodbiba, A., 1966 a
(Bloch, 1779) Albania
Gallus gallus domesticus (intestine)
- Choanotaenia infundibulum Graber, M., 1967 e
14.015 R.P., chicks
- Choanotaenia infundibulum Guilhon, J.; and Graber, M.,
Bitin-S 1967 a
- Choanotaenia [sic] Hassan, Z. A., 1966 a
infundibulum Comilla, Pakistan
fowl (intestine)
- Choanotaenia infundibulum Lungu, T.; Milla. C.; and
Yomesan, hens Barbarosa, E., 1965 a
- Choanotaenia infundibulum Mohiuddin, S. G.; and Lone,
duck (small intestine) M. M., 1967 a, 494
Nylore, Hyderabad (A.P.), India
- Choanotaenia infundibulum Olteanu, G.; and Stoican, E.,
(Bloch, 1779) Railliet, 1896 1963 b, 225
păsări Romania

| | | | |
|--|--|---|---|
| Choanotaenia infundibulum [<i>Gallus gallus</i>] | Shumilo, R. P.; and Dement'eva, S. P., 1963 a central Moldavia | Choanotaenia parina (Fuhrmann, 1907) Passer montanus (small intestine) Parus major (small intestine) | Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a all from Bulgaria |
| Choanotaenia infundibulum (Bloch, 1779) [<i>Gallus gallus</i>] (small intestine) | Skutar, I. G., [1964 b], 198 Moldavian SSR | Choanotaenia parvirostris (Krabbe) Cohn, 1899 as syn. of <i>Vitta parvirostris</i> (Krabbe, 1869) Baer, 1959 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a Baer, 1959 |
| Choanotaenia infundibulum [<i>Gallus gallus</i>] | Sovetnikov, V. M., 1963 a Orenburg oblast | Choanotaenia passerina (Fuhrmann 1908) Passer domesticus | Gräfner, G., 1962 a, 237 |
| Choanotaenia infundibulum (Bloch, 1779) <i>Meleagris gallopavo silvestris</i> | Vasilev, I. D.; and Kamburov, P., 1965 a Bulgaria | Choanotaenia passerina [<i>Passer</i>] | Kawano, K., 1964 c, 38 |
| Choanotaenia iola <i>Turdus migratorius</i> (small intestine) | Slater, R. L., 1967 a, 194 Northern Colorado | Choanotaenia passerina (Fuhrmann, 1907) Parus major (small intestine) | Paspalev, G. V., and Zheliazkova-Paspaleva, A., 1965 a Bulgaria |
| Choanotaenia iola Lincicome, 1939 <i>Agelaius phoeniceus</i> (small intestine) | Wallace, J. H.; and Olsen, O. W., 1966 a Colorado | Choanotaenia porosa <i>Larus argentatus armenicus</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Choanotaenia larimarina Elce, 1962 <i>Larus marinus</i> | Threlfall, W., 1968 b Newfoundland, Canada | Choanotaenia porosa (Rid., 1810) [<i>Larus ridibundus</i>] | Chibichenko, N. T., 1966 a, 43 Kirgiz |
| Choanotaenia megacantha <i>Tringa hypoleucos</i> | Akhumian, K. S., 1966 a Armenian SSR | Choanotaenia porosa [<i>Larus ridibundus</i>] [<i>Larus canus</i>] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Choanotaenia musculosa (Fuhrmann, 1896) Railliet, 1896 <i>Sturnus vulgaris vulgaris</i> | Ballard, N. B.; and Olsen, O. W., 1966 a Fort Collins, Colorado | Choanotaenia porosa (Rid., 1810) [<i>Larus ridibundus</i>] [<i>Larus genei</i>] | Smogorzhevskia, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a all from Turkmen |
| Choanotaenia musculosa (Fuhrmann, 1896) <i>Sturnus vulgaris vulgaris</i> (anterior or posterior ileum) | James, B. L.; and Llewellyn, L. C., 1967 a all off the island of Skomer off Wales | Choanotaenia riccii Fuhrmann & Baer, 1944 <i>Spenorhynchus abdimii</i> | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands |
| Choanotaenia musculosa (Fuhrmann, 1896) <i>Sturnus vulgaris</i> (small intestine) | Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria | Choanotaenia rostrata (Fuhrmann, 1918) | Spasskii, A. A., 1966 a; 1966 b |
| Choanotaenia musculosa (Fuhrmann, 1896) <i>Sturnus vulgaris</i> (small intestine) | Threlfall, W., 1968 c Newfoundland, Canada | Choanotaenia sternina (Krabbe, 1869) Cohn, 1899 as syn. of <i>Choanotaenia sternina</i> (Krabbe, 1869) Mathewossian, 1963 | Rysavy, B., 1965 b, 258 |
| Choanotaenia mutabilis (Linton, 1927) Meggitt, 1933 <i>Nycticorax nycticorax</i> | Roman-Chiriac, E., 1965 a, 150 Danube delta, Romania | Choanotaenia sternina (Krabbe, 1869) Mathewossian, 1963 Syns.: <i>Taenia sternina</i> Krabbe, 1869; <i>Choanotaenia sternina</i> (Krabbe, 1869) Cohn, 1899; <i>Icterotaenia sternina</i> (Krabbe, 1869) Baer, 1925; <i>Parioteraenia sternina</i> (Krabbe, 1869) Fuhrmann, 1932 <i>Sterna hirundo</i> (small intestine) Luznice (south Bohemia, CSSR) | Rysavy, B., 1965 b, 258-259, fig. 5 |
| Choanotaenia nymphaea (Schank, 1790) | Spasskii, A. A., 1966 a; 1966 b | Choanotaenia unicoronata (Fuhrmann, 1908) (intestine) | Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a all from Bulgaria |
| Choanotaenia nymphaea angolensis Mettrick, 1960 [error in translation for <i>C. nymphaea</i> (Schank, 1790) and <i>Choanotaenia angolensis</i> Mettrick, 1960] | Spaskii, A. A., 1966 c, 555 | Oenanthe oenanthe <i>Turdus viscivorus</i> <i>Turdus merula</i> | |

- Choanotaenia unicoronata* (Fuhrmann, 1932) Rysavy, B., 1965 b, 258, fig. 4
Syns.: *Monopylidium unicoronata* Fuhrmann, 1908; *Anomotaenia unicoronata* Clerc, 1911; *Choanofuhrmannia unicoronata* Lopez-Neyra, 1935; *Choanotaenia corvi* Joyeux, Baer et Martin, 1937; *Turdus merula* (small intestine (posterior end)) Prague (CSSR)
- Cisticercus*. See *Cysticercus*.
- Cittotaenia* sp. Franklin, J.; Simmons, M. L.; and Cosgrove, G. E., 1966 a
Sylvilagus floridanus Rago, Kansas
- Cittotaenia denticulata* (Rudolphi, 1804) Edelényi, B., 1965 a, fig. 8 Hungary
Lepus europaeus (Darmkanal)
- Cittotaenia dratschinskii* Romanowitsch, 1915 Mitskevich, V. Iu., 1965 a, 170
[*Rangifer tarandus*] Russia
- Cittotaenia pectinata* Goeze, 1782 Katiyar, J. C.; and Pande, B. P., 1965 a, 22
Lepus ruficaudatus all from India
- Cittotaenia pectinata* Lindauer, R., 1965 a, figs. 1-2
- Cittotaenia praecoquis* (Stiles, 1895) Stiles and Hassall, 1896 Frandsen, J. C.; and Grundmann, A. W., 1961 b, 392
[*Thomomys talpoides*] Lake Bonneville Basin, Utah
- Cladogynia* Baer, 1937 Spasskiy, A. A.; and Spasskaya, L. P., 1968 a, 1295
Hymenocoeliini
- Cladotaenia* sp. (larval) Ondatra zibethicus osoyoensis Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a
Salt Lake Valley, Utah
- Cladotaenia cerci* [sic] Yamaguti, 1935 Frandsen, J. C.; and Grundmann, A. W., 1961 b, 393
[*Peromyscus maniculatus sonoriensis*] Lake Bonneville Basin, Utah
- Cladotaenia cylindracea* (Bloch, 1782) Oshmarin, P. G., 1965 b
[*Circus cyaneus*] Buriat ASSR
- Cladotaenia cylindracea* (larv.) Apodemus flavicollis Apodemus microps Tenora, F., 1965 c, 70, 72, 73
Czechoslovakia
- Cladotaenia cylindracea* (Bloch, 1782) Vol'skis, G. I., 1968 a
[*Circus aeruginosus*] Lithuania
- Cladotaenia globifera* (Batsch., 1786) Cohn, 1901 Genov, T.; and Dimitrova, E. A., 1966 a, 142, 145, 148, 149, 150, 152, 157, 158
[*Sorex araneus* (liver)] all from Bulgaria
[*Crocidura leucodon* (liver)]
[*C. suaveolens*]"
- Cloacotaenia Wolffhügel*, 1938 Spasskiy, A. A.; and Spasskaya, L. P., 1968 a, 1296
Syn.: *Lallum Johri*, 1960
- Cloacotaenia megalops* (Creplin, 1829) [Anas platyrhynchos]
[Anas acuta]
[Anas querquedula]
- Cloacotaenia megalops* (Creplin, 1829) [Anas platyrhynchos]
[Anas clypeata]
[Anas crecca]
- Cloacotaenia megalops* Anas platyrhynchos Anser anser Anas strepera A. acuta A. clypeata A. crecca Nyroca nyrocae Oxyura leucocephala
- Cloacotaenia megalops* (Creplin, 1829) Anas crecca A. acuta A. clypeata A. strepera A. platyrhynchos Nyroca ferina Anas querquedula Nyroca marila
- Cloacotaenia megalops* (Creplin, 1829) Anas platyrhynchos
- Cloacotaenia megalops* [Anas platyrhynchos]
- Cloacotaenia megalops* (Nitzsch in Creplin, 1829) Wolffhügel, 1938
Syn.: *Lallum magniparuterina* Johri, 1960
- Cloacotaenia megalops* (Nitzsch in Creplin, 1829) Nyroca ferina
- Coenurosis* meat inspection Oshmarin, P. G., 1965 b
Buriat ASSR
- Coenurosis* control, ovine Shevtsov, A. A., 1963 c
Ukraine
- Coenurosis* epizootiology, ovine first report in human Spasskiy, A. A.; and Spasskaya, L. P., 1968 a, 1296
Syn.: *Lallum magniparuterina* Johri, 1960
- Coenurosis* arecoline hydrobromide; sanitation, ovine Vol'skis, G. I., 1968 a
Lithuania
- Coenurosis* Carbocholine + arecoline, ovine Aiupov, Kh. V.; and Valiullin, S. M., 1966 a
Bashkir ASSR
- Coenurosis* prophylaxis, ovine Ermolova, E. N., 1965 a
Chimkent oblast
- Coenurosis* epizootiology, ovine first report in human Irgashev, I. Kh.; and Sadykov, V. M., 1965 b
Uzbekistan
- Coenurosis* arecoline hydrobromide; sanitation, ovine Kadyrov, N. T., 1963 a
Kurgal'dzhin region, Tselinograd oblast
- Coenurosis* Carbocholine + arecoline, ovine Kadyrov, N. T., 1965 a
Tselinograd oblast
- Coenurosis* prophylaxis, ovine Khazipov, R. A., 1965 a

- Coenurosis potassium iodide, ovine Kviàtkovskii, V. N.; and Al'mukhametov, A. A., 1966 a
- Coenurosis distribution, ovine Olteanu, G., 1963 b
Romania
- Coenurosis geographical distribution, livestock Popova, Z. G.; Korzh, K. P.; and Makeev, V. F., 1965 a
USSR, Zaporoze oblast
- Coenurosis livestock, control Shul'ts, R.E.S.; and Bondareva, V. I., 1958 a
Kazakhstan
- Coenurosis control, ovine Shumakovich, E. E., 1958 c
U. S. S. R.
- Coenurosis eradication Sorokin, V.. I., [1966 a]
Bashkir ASSR
- Coenurosis control, ovine Stepanian, S. G.; and Agaronian, A. M., 1967 a
- Coenurosis wild and domestic animals hydrochloric arecholin Sulimov, A. D., 1963 a
Tuvinsk ASSR
- [Coenurus sp.] kyste de cénure Nguyen-Van-Ai, [1961 b], 134
all from Viet Nam
- Ancistrodon rhodostoma Hydrophiidae
- Coenurus cerebralis retinographic diagnosis, sheep Bagedda, G.; and Lepori, S., [1964 a]
- Coenurus cerebralis arterioencephalographic studies Loverci, L.; and Lepori, S., [1964 a]
- Coenurus cerebralis buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 745
- C[oenurus] cerebralis clinical aspects Panasiuk, D. I., 1965 a
- Coenurus cerebralis epizootiology, ovine Paskal'skaia, M. Iu., 1963 a
Kulundinskaia zone, Novosibirsk oblast
- Coenurus cerebralis "gid" bullock, treated by craniotomy Prasad, M. C.; and Srivastava, S. N., 1967 a
- Coenurus cerebralis sheep Ureche, I., 1966 a
- Coenurus cerebralis abattoir survey Verster, A. J. M., 1966 a
Republic of South Africa
- Columbia n.g. Anoplocephalidae, Thysanosomatinae, key Srivastava, V. C.; and Kapoor, V. N., 1966 a, 371-374, figs. 1-4
tod: C. allahabadi n.g., n.sp.
- Columbia allahabadi n.g., n.sp. (tod) Columbia livia "Indian pigeon" (intestines) Srivastava, V. C.; and Kapoor, V. N., 1966 a, 371-374, figs. 1-4
Allahabad, U. P. India
- Confluaria podicipina Szymanski, 1905 [correction for Dubini-nolepis podicipina Szymanski, 1905]
[Podiceps cristatus] Chibichenko, N. T., 1966 a, 42
corrigenda for p. 42, following p. 152
- Confluaria podicipina Szymanski, 1905--Continued [P. griseigena]
[P. nigricollis]
[Colymbus auritus]
- Corallobothrium sp. Ictalurus melas (intestine)
- Corallobothrium fimbriatum Essex, 1927 (intestine of all)
Ictalurus catus I. punctatus
- Corallobothrium fimbriatum Noturus gyrinus (intestine)
- Corallobothrium giganteum Essex, 1927 Ictalurus catus (intestine)
- Cordicephalus fasciatus (Krabbé, 1865)
Phoca hispida (Darm)
- Cordicephalus phocarus (Fabricius, 1780)
(Darm)
Odobenus rosmarus
Phoca vitulina
P. hispida
P. groenlandica
Erignathus barbatus
Monachus albiventer
Cystophora cristata
- Coronacanthus anacetabulata Soltys, 1954 Sorex araneus Neomys fodiens Crocidura leucodon (all, small intestine)
- Coronacanthus polyacantha (Baer, 1931) Spassky, 1954 Neomys anomalus N. fodiens
- Cotugnia crassa mixed infections
- Cotugnia cuneata nervosa Columba livia neglecta Streptopelia turtur turtur
- Cotugnia fleari Streptopelia turtur turtur
- Cotugnia joyeuxi Streptopelia turtur turtur
- Cotugnia polyacantha Streptopelia turtur turtur
- Cotugnia taiwanensis Streptopelia turtur turtur
- Cracticotaenia n. gen. p. 1485 as Cractirotaenia
- Gribichenko, N. T., 1966 a--Continued all from Kirgiz
- Voth, D. R.; and Larson, O. R., 1968 a, 220
Goose River, North Dakota
- Edwards, S. R.; and Nahhas, F. M., 1968 a, 254
all from Sacramento-San Joaquin Delta
- Larson, O. R., 1966 a
Itasca Park, Minnesota
- Sprehn, C. E. W., 1966 a, 175
- Sprehn, C. E. W., 1966 a, 175
- Genov, T.; and Dimitrova, E. A., 1966 a, 135-136, 146, 148, 150, 152, 157, 158, fig. 2
all from Bulgaria
- Sharpilo, L. D., 1964 a, 212
all from Ukraine
- Kasimov, G. B., 1965 b
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Akhumian, K. S., 1966 a
Armenian SSR
- Akhumian, K. S., 1966 a
Armenian SSR
- Akhumian, K. S., 1966 a
- Akhumian, K. S., 1966 a
Armenian SSR

- Cracticotaenia fieldingi (Mapl. et South., 1923) n. comb. (tod) Syn.: *Monopylidium fieldingi* Mapl. et South., 1923; *Anomotaenia fieldingi* (Maplestone et Southwell, 1923) Mathevossian, 1963 p. 1485 and p. 555 as *Cractirotaenia*
- Cractirotaenia* n. gen. p. 1485 as *Cracticotaenia* Spasskii, A. A., 1966 a, 1485; 1966 b, 1485; 1966 c, 555 tod: *Cracticotaenia fieldingi* (Mapl. et South., 1923) n. comb.
- Crepidobothrium Monticelli*, 1900 Ophioetaenidae; Ophioetaeniinae key; key to species
- Crepidobothrium breve* (MacCallum, 1921) Yamaguti, 1959 species inquirendae Freze, V. I., 1965 c, 51, 57
- Crepidobothrium dollfusi* sp. nov. key Syn: *Crepidobothrium gerrardii* var. minus Dollfus, 1932 Freze, V. I., 1965 c, 57
- Crepidobothrium gerrardii* (Baird, 1860) Monticelli, 1900 key Freze, V. I., 1965 c, 57 var. minus Dollfus, 1932 as syn. of *Crepidobothrium dollfusi* sp. nov. Freze, V. I., 1965 c, 57
- Crepidobothrium lachesis* (MacCallum, 1921) Yamaguti, 1959 species inquirendae Freze, V. I., 1965 c, 57
- Ctenotaenia asiatica* (in lit.) rodents Tokobaev, M. M., 1965 a Kirgiz
- Ctenotaenia asiatica* Tokabajev et Erkulov nov. sp. Marmota caudata (small intestine) Tokobaev, M. M., and Erkulov, K. E., 1966 a, 6, 7, 8, figs 4, 5 Kirgiz
- Ctenotaenia citelli* (Kir-schenblatt, 1947) *Citellus suslicus* Arzamasov, I. T.; Dyl'ko, N. I.; Merkusheva, I. V.; and Petrovskii, Iu. T., 1966 a, 833 Belorussia
- Ctenotaenia citelli* (Kir-schenblatt, 1939) Spassky, 1951 *Citellus suslicus* Sharpilo, L. D., 1961 a, 204 Ukraine
- Cucurbilepis* nov. gen. Hymenolepididae Sadovskaya, N. P., 1965 a, 295, 296 tod: *C. skrjabini* n.g. n. sp.
- Cucurbilepis* nov. gen., nov. sp. (tod) *Sorex* sp. (intestine) Sadovskaya, N. P., 1965 a, 295-296, fig. 4 USSR, Primorskii krai
- Culcitella* Fuhrmann, 1906 Paruterinidae; Paruterininae Matevosian, E. M., 1965 a, 153
- Cyathocephalus* sp. *Lota lota* (pyloric appendages)
- Cyathocephalus truncatus* Pallas, 1781 *Salmo trutta* (pyloric caeca) *Gammarus pulex*
- Cyathocephalus truncatus* Coregonus hoyi (intestinal tract)
- Cyathocephalus truncatus* (Pallas, 1781) *Coregonus lavaretus*
- Cyathocephalus truncatus* Leuciscus idus *Esox lucius*
- Cyathocephalus truncatus* (Pallas, 1781) *Pungitius pungitius* (intestine)
- Cyclophyllidea* embryonic envelopes
- Cyclophyllidea* embryogenesis
- Cyclorchida omalancristrotus* host diet
- Cyclusteria capito* (Rudolphi, 1819) Syn.: *Taenia capito* (Rud., 1819; Krabbe, 1869; Fuhrmann, 1899)
- Cylindrotaenia americana* Jewell, 1916 (small intestine of all) *Bufo woodhousei fowleri* *Rana catesbeiana*
- Cylindrotaenia americana* Jewell (1916) *Bufo microscaphus* *Hyla arenicolor*
- Cysticercoïd* sp. *Pterostichus madidus* (exper.) *Carabus hortensis* (exper.)
- Cysticercosis*
- Cysticercosis* meat inspection
- Cysticercosis*, Bovine
- Cysticercosis*, Bovine inspection procedures
- Cysticercosis*, Bovine incidence in sedentary and nomadic cattle
- Sulimov, A. D.; Galkin, M. F.; and Tsumentseva, G. I., 1965 a Russia, Tuva, ASSR
- Awachie, J. B. E., 1966 a, 1-10, pl. I, figs. 1-4 all from North Wales
- Lundahl, W. S.; and Hoeberling, J., 1967 a Thunder Bay, Lake Huron, Michigan
- Oshmarin, P. G., 1965 b Buriat ASSR
- Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a all from Tuva ASSR
- Zhukov, E. V., 1963 a, 111 Chukotsk Peninsula
- Rybicka, K., 1965 b
- Rybicka, K., 1966 b, fig. 19, 33B
- Feizullaev, N. A., 1963 c Azerbaijan
- Dubinin, V. B., 1938 a, 160-161 Astrakhan game reserve
- Campbell, R. A., 1968 a all from Pocahontas State Park, Virginia
- Parry, J. E.; and Grundmann, A. W., 1965 a all from Utah
- Mourad, A. R., 1967 a, 380, fig. 3
- Araujo, W. de A., 1962 a
- Polikarov, A. A.; and Kolobolozki, C. W., 1959 b
- Bergmann, G.; and Retzlaff, N., 1966 a
- Dewhurst, L. W.; Cramer, J. D.; and Sheldon, J. J., 1967 a
- Graber, M.; and Tabo, R., 1968 a Chad

- Cysticercosis, Bovine immunodiagnosis Kosminkov, N. E., 1963 a
- Cysticercosis, Bovine economic losses Koudela, K., 1966 b
Czechoslovakia
- Cysticercosis, Bovine study, 1955-1964 Koudela, K., 1966 c
Czechoslovakia
- Cysticercosis, Bovine *Taenia saginata*, viability of eggs, sewage Liebmann, H., 1966 a
- Cysticercosis, Bovine Mamedov, A. K., 1965 a
Azerbaijan SSR
- Cysticercosis, Bovine frequency, abattoir de Masellis, G., 1961 a
Salerno, Italy
- Cysticercosis, Bovine slaughter-houses Plaschke, W.; and Kramm, D., 1966 a
Berlin
- Cysticercosis, Bovine economic importance of parasites Soares da Costa, A.; and Caldeira Brant, P., [1965 a]
- Cysticercosis, Bovine meat inspection Takács, J.; et al, 1967 a
Hungary
- Cysticercosis, Bovine control Tasselli, E., 1965 a
provincia di Foggia
- Cysticercosis, Human frequency, length of infestation, development, Japan Asada, J.; et al, 1959 c
- Cysticercosis, Human subcutaneous Chitchang, S., 1966 a
Thailand
- Cysticercosis, Human mouth cysts da Costa, J. G., 1965 a
- Cysticercosis, Human, Brain surgical aspects Coraddu, M.; Guiata, D.; and Nurchi, R., 1965 a
- Cysticercosis, Human, Brain Dural Obiols, F., 1953 a
- Cysticercosis, Human, Brain meningitis Lupulescu, I. I.; and Paulian, V., 1938 a
- Cysticercosis, Human, Brain pathological study, 4 autopsied cases Reddy, D. J.; and Murty, V. R., 1968 a
Andhra Pradesh, South India
- Cysticercosis, Human, Brain cause of paraplegia Singh, A.; Aggarwal, N. D.; Malhotra, K. C.; and Puri, D. S., 1966 a
- Cysticercosis, Human, Brain Slais, J., 1965 a
- Cysticercosis, Human, Brain 3 cases Tantajumroon, T.; and Thitasut, P., 1966 a
Chiangmai Univ.
- Cysticercosis, Human, Brain de Vergueiro Forjaz, S.; and Martinez, M., 1961 b; 1961 c
- Cysticercosis, Human, Case reports 4 cases (subcuteaneous) Bolio C., A.; Zavala V., J.; and Biagi Filizola, F., 1966 a
- Cysticercosis, Human, Case reports Mujica S., G., 1961 a
Venezuela
- Cysticercosis, Human, Complications epilepsy Powell, S. J.; Proctor, E. M.; Wilmet, A. J.; and MacLeod, I. N., 1966 a, 152-158
Africa
- Cysticercosis, Human, Diagnosis morphopathology Brătianu, S.; Wasserman, L.; Dobrescu, G.; and Cordun, G., 1964 a
- Cysticercosis, Human, Diagnosis serological Proctor, E. M.; Powell, S. J.; and Elsdon-Dew, R., 1966 a, 146-151
- Cysticercosis, Human, Eye de Buen, S., 1963 a
- Cysticercosis, Human, Eye surgical removal from vitreous Raverdino, E., 1965 a
- Cysticercosis, Human, Eye treated by photocoagulation Rocha, H.; and Galvao, P. G., 1963 a
- Cysticercosis, Human, Muscles asymptomatic di Simone, Aurelio; and Budillon, G., 1966 a
- Cysticercosis, Human, Nervous system Pinto Pupo, P., 1964 a
- Cysticercosis, Human, Nervous system x-ray study Santin, G.; and Vargas S., J., 1966 a
- Cysticercosis, Ovine thyroid gland function Boiakhchian, Zh. A., 1967 a, figs. a, b, v, g, d, e
- Cysticercosis, Ovine sheep Mantovani, A.; and Restani, R., 1966 b, 107
Marsica (Abruces, Central Italy)
- Cysticercosis, Swine case reports Masuda, K.; and Fuse, K., 1965 a, 299-301
- Cysticercosis, Swine immunity, serology Proctor, E. M.; and Elsdon-Dew, R., 1966 a
- [Cysticercus] control, bovine Fomin, A. I.; and Tutik, S. K., 1966 a
- Cysticercus *Bufo microscaphus*
Hyla arenicolor
Rana pipiens Parry, J. E.; and Grundmann, A. W., 1965 a
all from Utah
- Cysticercus importance of bladder in development Slais, J., 1966 b, figs. 1-2, 4A
- Cysticer[us sp.] *Apodemus sylvaticus* Bernard, J., 1967 a
Tunisie
- Cysticercus sp. *Ovis canadensis* (liver) Capelle, K., J., 1966 a, 620
Montana
- Cysticercus sp. *Plegadis falcinellus* Dubinin, V. B., 1938 a, 160
Astrakhan game reserve
- Cysticercus sp. *Coregonus lavaretus maraenoides* (air bladder) Razmashkin, D. A., 1964 a
Chudskoe lake

- Cysticercus spp. Sharpilo, V. P., 1963 a
Ukraine
- Cysticerc[us sp.] Stock, A. D., 1961 a, 92
Sylvilagus audubonii warreni Navajo Reservoir Basin
(tissue around lower digestive tract, liver)
- Cysticercus bovis viability, trypanblue stain Ceretto, F.; and Arru, E., 1968 a
- Cyst[icercus] bovis incidence, serology, cattle Ceretto, F.; and Panizza, D., 1968 a, 761
Alessandria, Italy
- Cysticercus bovis excretory system Deiana, S.; and Arru, E., 1968 a, figs. 1-2
- Cysticercus bovis cattle Fewster, G. E., 1967 a
Victoria and Tasmania
- Cysticercus bovis incidence in sedentary and nomadic cattle Graber, M.; and Tabo, R., 1968 a
Kanem (W. Chad)
- Cysticercus bovis dromadaire (muscle) Graber, M.; Tabo, R.; and Service, J., 1967 a, 240, 241
Tchad
- Cysticercus bovis longevity, bovine van den Heever, L. W., 1967 a
- Cysticercus bovis allergic diagnosis Kosminkov, N. E., 1965 a
- Cysticercus bovis distribution in muscles Kosminkov, N. E., 1965 b
- Cysticercus bovis death of cysts, intermediate host age Koudela, K., 1967 a
- Cysticercus bovis immunodiagnosis Kovalev, N. E.; Magomedbekov, U. A.; and Adil'khanova, T. Kh., 1965 a
- Cysticercus bovis immunodiagnosis, agglutination test Leikina, E. S., et al., 1966 a
- Cysticercus bovis mouton (muscles) Levrat, E., 1966 a, 28
Tchad
- Cysticercus bovis buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 745
- Cysticercus bovis immunodiagnosis, antigens Mosina, S. K., 1963 a
- Cysticercus bovis antigen, immunodiagnosis Mosina, S. K., 1965 a
- Cysticercus bovis antigens, specificity and activity Poletaeva, O. G., 1965 a
- Cysticerc[us] bovis treatment Prokopenko, L. I., 1966 a
Russia
- Cysticercus bovis meat inspection Romboli, B.; del Bono, G.; Pellegrini, N.; and Pierotti, P., 1965 a
- Cysticercus bovis histopathology of lesions, cattle Romboli, B.; del Bono, G.; Pierotti, P.; and Pellegrini, N., 1965 a
- Cysticercus bovis luminescent method, diagnosis Rud, V. N.; Rud, I. A.; and Shekhovtsov, V. S., 1967 a
- Cysticercus bovis distribution and epizootiology Schilze, U., [1964 a]
Frankfort/Oder
- Cysticercus bovis (*Taenia saginata*) bovine (masseter muscle) Shortridge, E. H., 1965 a
New Zealand
- Cysticercus bovis morphogenesis Slais, J., 1966 a, figs. 8, 9B, 12A-E
- Cysticercus bovis importance of bladder in cysticercus development Slais, J., 1966 b, 707
- Cysticercus bovis immunity, cattle Urquhart, G. M., 1965 b
East Africa
- Cysticercus bovis abattoir survey Verster, A. J. M., 1966 a
Republic of South Africa
- Cysticercus cellulosae mineralogical composition variation of calcareous corpuscles von Brand, T.; Scott, D. B.; Nylen, M. U.; and Pugh, M. H., 1965 a
- Cyst[icercus] cellulosae incidence, serology, cattle Ceretto, F.; and Panizza, D., 1968 a, 761
Alessandria, Italy
- Cysticercus cellulosae *Sus domesticus* Costa, H. M. de A., 1965 d
Estado da Bahia, Brazil
- Cysticercus cellulosae human Dang-Vu-Ny; et al., 1960 a
R.D. Viet Nam
- Cysticercus [sic] cellulosae Dueñas Giler, P., 1966 a
- Cysticercus cellulosae (*Taenia solium*) serological test, humans Elsdon-Dew, R., 1967 b
- Cysticercus cellulosae dogs Hernández D., J.; Guerrero Ramirez, J.; Tabacchi N., L.; and Guerrero Diaz, C. A., 1967 a, figs. 1-3
Lima, Perú
- Cysticercus cellulosae *Sus scrofa domesticus* (masseter muscles) de Jesus, Z.; and Waramontri, J., 1961 a, 15
Thailand
- Cysticercus cellulosae [*Sus scrofa*] Mamedov, R. G., [1966 a]
Azerbaijan
- Cysticercus cellulosae ultraviolet light as an aid in meat inspection Mazzotti, L., 1966 a
- Cysticercus cellulosae black light as an aid in meat inspection Mazzotti, L.; Valencia, J. M.; and Alvarado, J. C., 1966 a
- Cysticercus cellulosae temperature, effect on parasites de Mello Malheiro, D.; et al., 1966 a, pls. 21-22, figs. 1-8
- Cysticercus cellulosae cytochemistry, morphology Pavlova, L. I., 1965 a

| | | | |
|---|--|--|--|
| Cysticercus cellulosae +hombre (myocardium) | Potenza, L.; and Vogelsang, E. G., 1943 a Venezuela | Cysticercus gryporhynchus cheilancristrotaus Pseudoscaphirhynchus kaufmanni | Osmanov, S. O., 1965 c |
| Cysticercus cellulosa luminescent method, diag- nosis | Rud, V. N.; Rud, I. A.; and Shekhovtsov, V. S., 1967 a | Cysticercus gryporhynchus pusillum Pseudoscaphirhynchus kaufmanni | Osmanov, S. O., 1965 c |
| Cysticercus cellulosae | Slais, J., 1965 a | Cysticercus inermis cattle | Koudela, K., 1966 c Czechoslovakia |
| Cysticercus cellulosae morphogenesis | Slais, J., 1966 a, figs. 1A-D, 2E-F, 3, 4A-B, 5A-F, 9A, 11A-F | Cysticercus pisiformis Oryctolagus cuniculus | Arru, E.; Deiana, S.; and Nuvole, A., 1968 a Sardegna, Italy |
| Cysticercus cellulosae importance of bladder in cysticercus development | Slais, J., 1966 b, 707 | Cysticercus pisiformis immunity, rabbits | Bachmann, P. A., 1964 a |
| Cysticercus cellulosae import disease | Smit, A. M.; and Rijpstra, A. C., 1967 a Netherlands | Cysticercus pisiformis viability, trypanblue stain | Ceretto, F.; and Arru, E., 1968 a |
| Cysticercus cellulosae intradermal reaction | Tintareanu, J.; Solomon, P.; and Hacig, A., 1965 b | Cysticercus pisiformis lepre [hare] (fegato) | Montroni, L., 1965 b, 1 pl., 1 fig.; 1 pl., microphotos 1-1 13 |
| Cysticercus cellulosae antigen, reaction in 211 carriers of intestinal parasites | Tintareanu, J.; Solomon, P.; Hacig, A.; and Silard, R., 1966 a | Cysticercus pisiformis immunodiagnosis, antigens | Mosina, S. K., 1963 b |
| Cysticercus cellulosae abattoir survey | Verster, A. J. M., 1966 a Republic of South Africa | [Cysticercus pisiformis] rabbits, losses | Samsonov, A. V.; and Valetka, I. I., 1963 a Donets oblast |
| Cysticercus cellulosae rhesus monkey (brain) | Vickers, J. H.; and Penner, L. R., 1968 a, figs. 1-4 Pearl River, New York | Cysticercus pisiformis (Tae- nia pisiformis) dogs hares | Trifonov, T.; and Meshkov, S., 1964 a all from Burgas district, Bulgaria |
| Cysticercus crassiceps importance of bladder in cysticercus development | Slais, J., 1966 b, 707 | Cysticercus racemosus importance of bladder in cysticercus development | Slais, J., 1966 b, 712, fig. 4B |
| Cysticercus dilepidis Cyprinus carpio | Kolesnikova, M. N., 1963 b Syr-Darya river, lower channel | Cysticercus tenuicollis Ovis canadensis | Becklund, W. W.; and Senger, C. M., 1967 a, 160 Alaska; District of Columbia (Nat. Zool. Park); Montana |
| Cysticercus dilepis [sic] unilateralis | Osmanov, S. O., 1965 c Pseudoscaphirhynchus kaufmanni | [Cysticercus tenuicollis] epidemiology, control, swine | Chebotarev, R. S., 1968 a |
| Cysticercus dromedarii dromadaire (muscle) | Graber, M.; Tabo, R.; and Service, J., 1967 a, 240, 241 Tchad | Cysticercus tenuicollis Sus domesticus | Costa, H. M. de A., 1965 d Estado da Bahia, Brazil |
| Cysticercus fasciolaris chemistry of spines and hooks | Lyons, K. M., 1966 a | Cysticercus tenuicollis forme larvaire de Taenia hydatigen ovins porcs | Doby, J. M.; and Chiché, G., 1966 a, 386 France |
| Cysticercus fasciolaris Rattus rattus norvegicus (foie) | Nguyễn-Van-Ai, [1961 b], 133 Viet Nam | Cysticercus tenuicollis dromadaire (cavité péri- tonéale) | Graber, M.; Tabo, R.; and Service, J., 1967 a, 240, 241 Tchad |
| Cysticercus fasciolaris mouse strains, susceptibility | Orihara, M., 1962 b | Cysticercus tenuicollis hepatitis | Giralp, N., 1967 a |
| Cysticercus fasciolaris histochemistry | Orihara, M., 1963 a | Cysticercus tenuicollis [Ovis orientalis ?] (mesentery) | Guseinov, A. N.; and Asadova, S. S., 1966 a Azerbaijan |
| Cysticercus fasciolaris Rudolphi, 1808 host specificity | Rao, B. V.; and Anantaraman, M., 1966 a, 167 | Cysticercus tenuicollis Capra sibirica | Hilgenfeld, M., 1966 a Tierpark Berlin-Friedrichs- felde |
| Cysticercus fasciolaris rat | Volkova, N. S.; and Omelaeva, R. N., 1963 a Lugansk city | | |

- Cysticercus tenuicollis*
goats Howkins, A. B., 1966 c
 Eastern New South Wales
- Cysticercus tenuicollis*
goats Huang, J. K.; Kuo, T. S.;
 and Lin, T. C., 1958 a
 Taiwan
- Cysticercus tenuicollis*
swine Huang, J. K.; Liao, S. C.;
 and Kao, K. Y., 1958 a
 Taiwan
- Cysticercus tenuicollis* Ru-
dolphi, 1819 Jansen, J. (jr.); and van
 den Broek, E., 1966 a
 zoological garden, Nether-
 lands
- Cysticercus tenuicollis*
Sus scrofa domesticus
(visceral organs) de Jesus, Z.; and Waramontri,
 J., 1961 a, 16
 Thailand
- Cysticercus tenuicollis*
[*Capra hircus*] Kadenatsii, A. N.; and Birili-
 lia, Ia. A., 1963 a
 Khabarovsk krai
- Cysticercus tenuicollis*
mouton (séreuses) Levrat, F., 1966 a, 28
 Tchad
- Cysticercus tenuicollis*
[*Sus scrofa*] Mamedov, R. G., [1966 a]
 Azerbaidzhan
- Cysticercus tenuicollis*
[*Ovis aries*] Cysticercus tenuicollis
[*Bos taurus*] Mirolubov, M. G., 1963 b
[*Alces alces*] all from Tartar ASSR
- Cysticercus tenuicollis*
buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 745
- Cysticercus tenuicollis*
epizootiology, ovine Paskal'skaiia, M. Iu., 1963 a
 Kulundinskaiia zone, Novo-
 sibirsk oblast
- Cysticercus tenuicollis*
biological studies,
development, host specificity Rao, B. V.; and Anantaraman,
 M., 1966 a, 161-163, 166-167
- Cysticercus tenuicollis*
[*Sus scrofa*] Shapolatov, Zh. Sh., 1963 a
 Samarkand oblast, Uzbeki-
 stan
- Cysticercus tenuicollis*
importance of bladder in
cysticercus development Slais, J., 1966 b, 707
- Cysticercus tenuicollis*
[*Ovis aries*] (abdominal cavity) Smith, J. P., 1967 a
- Cysticercus tenuicollis*
pigs (peritoneal cavity) Wu, S. C.; Yen, W. C.; and
 Shen, S. S., 1955 a, 374
 southwestern China

| | | | |
|--|---|--|---|
| Davainea andrei | Akhumian, K. S., 1966 a | Dichoanotaenia globulus (Wedl, 1855) Lopez-Neyra, 1944 | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Perdix perdix canescens | Armenian SSR | | |
| Davainea meleagridis | Kasimov, G. B., 1965 b | Dichoanotaenia skrjabini (Gynezinskaja et Naumow, 1958) n. comb. | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| mixed infections | | | |
| Davainea proglottina (Davaine, 1860) | Olteanu, G.; and Stoican, E., 1963 b, 225 | Dichoanotaenia stentorea (Froelich, 1802) n. comb. | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| garni | Romania | | |
| Davainea proglottina | Rybicka, K., 1966 b, fig. 30 | Dicranotaenia [lapsus as: Dicrotaenia] | Kiseliene, V. K., 1966 a |
| embryogenesis | | | |
| Davainea proglottina | Savchenko, M. E., 1963 b | Dicranotaenia sp. | Maksimova, A. P., 1966 a |
| Agromimax agrestis | all from Dnepropetrovsk oblast | Tadorna tadorna | South Kazakhstan |
| Limax cinereus | | | |
| Davainea proglottina | Siegmund, O.; and von Bilow, V., 1960 a | Dicranotaenia sp. I. Phylloscopus collybitta (intestine) | Paspalev, G. V.; and Zhelia- zkova-Paspaleva, A., 1965 a Bulgaria |
| hygromycine B, chicks, | | | |
| limited value | | Dicranotaenia sp. II. Parus major (small intes- tine) | Paspalev, G. V.; and Zhelia- zkova-Paspaleva, A., 1965 a Bulgaria |
| Davainea tetroensis | Dick, T. A.; and Burt, M.D.B., 1967 a | Dicranotaenia (Dicr.) aequabilis (Rud.) Lopez- Neyra, 1942 | Spasskii, A. A.; and Dao Van- T'en, 1963 a, 4 |
| Fuhrmann, 1919 | New Brunswick, Canada | as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954 | |
| Bonasa umbellus (small intestine) | | | |
| Davainea tetroensis | Oshmarin, P. G., 1965 b | Dicranotaenia aequabilis (Rud.) Railliet, 1893, Yamaguti, 1959 | Spasskii, A. A.; and Dao Van- T'en, 1963 a, 4 |
| Fuhrmann, 1919 | Buriat ASSR | as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954 | |
| Tetrastes bonasia | | | |
| Davaineida nov. comb. | Merdivenci, A., 1966 b, 83 | Dicranotaenia carioca Magalhaes, 1898 | Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a all from Sofia |
| Davaineinae emend. | Bar tel, M. H., 1964 a | Limosa limosa | |
| Deblocktaenia Odening, 1963 | Freze, V. I., 1965 c, 51, 52, 56 | Lymnocryptes minimus | |
| Ophioptaeniidae; Ophioptaeninae key | | | |
| Deblocktaenia ventosalo- culata (Deblock. Rose et Broussart, 1962) Odening, 1963 | Freze, V. I., 1965 c, 57 | Dicranotaenia carioca hen | Kim, Jyong Hi, (1958 a); 1958 b Korea |
| Deltokeras Meggitt, 1907 | Matevosian, E. M., 1965 a, 153 | Dicranotaenia carioca [Gallus gallus] | Sovetnikov, V. M., 1963 a Orenburg oblast |
| Paruterinidae; Paruterininae | | | |
| Deltokeras cholodkovskii | Matevosian, E. M., 1965 a, (Skrjabin, 1914) [nov. comb] 154 | Dicranotaenia carioca +[Gallus gallus] | Sovetnikov, V. M., 1963 b Orenburg oblast |
| Dendrometra Jordano et D.- Ungria 1956 | Matevosian, E. M., 1965 a, 153 | Dicranotaenia (Dicr.) clan- destina (Krabbe) Lopez- Neyra, 1942 | Spasskii, A. A.; and Dao Van- T'en, 1963 a, 5 |
| Rhabdometriinae | | as syn. of Wardium clandestina (Krabbe, 1869) Spassky et Spasskaja, 1954 | |
| Dibothriocephalus sp. | Sandeman, I. M.; and Pippy, (stomach, intestine, body wall, free in body cavity and muscles) | Dicranotaenia clandestina (Krabbe) Yamaguti, 1959 | Spasskii, A. A.; and Dao Van- (Krabbe) Yamaguti, 1959 |
| Salvelinus fontinalis | J. H. C., 1967 a, 1922-1924 all from Newfoundland | as syn. of Wardium clandestina (Krabbe, 1869) Spassky et Spasskaja, 1954 | T'en, 1963 a, 5 |
| Salmo salar | | | |
| S. gairdneri | | | |
| S. trutta | | | |
| Dibothriocephalus latus | Sprehn, C. E. W., 1966 a, 175 | Dicranotaenia collaris (small intestine of all) | Spasskii, A. A.; and Dao Van- (Krabbe) Yamaguti, 1959 |
| (Linnaeus, 1758) (Darm) | | Anas platyrhynchos | |
| Phoca vitulina | | Nyroca fuligula | |
| Erignathus barbatus | | N. ferina | |
| Dichoanotaenia Lopez-Neyra, 1944 | Spasskii, A. A., 1966 a; 1966 b; 1966 c | Dicranotaenia collaris | Churina, N. V., 1963 a all from Srednii Ural |
| valid genus | | turpentine | |
| Dichoanotaenia citrus | Spasskii, A. A., 1966 a; | Dicranotaenia collaris | Kharchenko, O. N., 1963 a |
| (Krabbe. 1869) L.-N., 1944 | 1966 b; 1966 c | turpentine | |
| Dichoanotaenia clavigera | Spasskii, A. A., 1966 a; | D[icranotaenia] collaris | Kovalenko, I. E.; and Kal'- |
| (Kr.) L.-N., 1944 | 1966 b; 1966 c | carbon tetrachloride | chenko, A. A., 1965 a |
| Dichoanotaenia filovata | Spasskii, A. A., 1966 a; | phenothiazine | |
| (Clark. 1952) n. comb. | 1966 b; 1966 c | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Dicranotaenia collaris
Mesocyclops leuckarti
(exper.)
[*Anas platyrhynchos*]
[*Anser anser*]
- Dicranotaenia collaris
(exper. in all)
[*Anas platyrhynchos*]
Mesocyclops leuckarti
- Dicranotaenia collaris
(Batsch, 1786)
[*Anas platyrhynchos*]
[*Anser anser*]
- Dicranotaenia collaris
(Batsch, 1786)
räta
gisca
- Dicranotaenia collaris
[*Anser anser*]
[*Anas platyrhynchos*]
- Dicranotaenia coronula
Podiceps caspicus
Anas platyrhynchos platyrhynchos
Anas acuta acuta
- Dicranotaenia coronula
(DuJ., 1845) Railliet,
1892
[*Mergus serrator*]
[*Anas platyrhynchos*]
[*Netta rufina*]
- Dicranotaenia coronula
(small intestine of all)
Nyroca fuligula
Clangula clangula
- Dicranotaenia coronula
intermediate hosts
- Dicranotaenia coronula
turpentine
- Dicranotaenia coronula
[*Fulica atra*]
[*Anas crecca*]
[*Anas penelope*]
- Dicranozia [sic] coronula
(Dujardin, 1845)
Radix ovata
- Dicranotaenia coronula
Radix ovata
- Dicranotaenia coronula
[*Anas platyrhynchos*]
- Dicranotaenia coronula
(Dujardin, 1845) Railliet,
1829
Anas acuta
Nyroca marila
N. fuligula
Anas platyrhynchos
A. querquedula
[*Nyroca ferina*]
- Lesin'sh, K. P.; and Kliavin'sh, Ia. R., 1966 a
all from Latvian SSR
- Lesin'sh, K.P.; and Murniece, R., 1963 a
- Nikulin, T. G., 1965 a
all from Byelorussia
- Olteanu, G.; and Stoican, E.,
1963 b, 230, 235-236
all from Romania
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Palim[p]estov, M. A., 1963 a
Iagotinsk poultry farms
- Rysavy, B., 1962 d
- Shevtsov, A. A., 1961 a, 227
all from Ukraine
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Chibichenko, N. T., 1966 a, 40
all from Kirgiz
- Churina, N. V., 1963 a
all from Srednii Ural
- Dobrokhotova, O. V., 1967 a
Southern Kazakhstan
- Kharchenko, O. N., 1963 a
- Kibakin, V. V., 1965 a
all from Gasan-Kuliisk game reserve
- Kiselienė, V. K., 1966 a
Lithuanian SSR
- Kotel'nikov, G. A., 1963 b
SSSR
- Lesin'sh, K. P.; and Kliavin'sh, Ia. R., 1966 a
Latvian SSR
- Maksimova, A. P., 1966 a
South Kazakhstan
- Maksimova, A. P., 1967 a, 138
all from Western Kazakhstan
- Dicranotaenia coronula
(Dujardin, 1845) Railliet,
1845
räta
gisca
- Dicranotaenia coronula
(Dujardin, 1845)
Cyclops strenuous
Limnaea peregra ovata (exper.) (hepatopankreas)
Enten (exper.)
- Dicranotaenia coronula
[*Anser anser*]
[*Anas platyrhynchos*]
- Dicranotaenia coronula
[*Anas platyrhynchos*]
[*Anser anser*]
- Dicranotaenia coronula
[*Anas platyrhynchos*]
[*Anser anser*]
- Dicranotaenia coronula
[*Anser anser*]
- Dicranotaenia coronula
(Dujardin, 1845) Railliet,
1892
Anas crecca
Nyroca marila
Mergus serrator
- Dicranotaenia coronula
(Dujardin, 1845)
Anas platyrhynchos
- Dicranotaenia crenata
(Goeze, 1782)
Dryobates major (intestine)
- Dicranotaenia creplini
(Krabbe, 1869) Stosich,
1898, Yamaguti, 1959
as syn. of Wardium creplini (Krabbe, 1869) Spassky et
Spasskaja, 1954
- Dicranotaenia (Dicr.) creplini (Krabbe, 1869)
Lopez-Neyra, 1942
as syn. of Wardium creplini (Krabbe, 1869) Spassky et
Spasskaja, 1954
- Dicranotaenia flamingo
host diet
- Dicranotaenia fryei (Mayhew, 1925) Yamaguti, 1959
as syn. of Wardium fusa (Krabbe, 1869) Spassky, 1961
- Dicranotaenia (Dicranolepis) fryei (Mayhew, 1925) Lopez-Neyra, 1942
as syn. of Wardium fusa (Krabbe, 1869) Spassky, 1961
- Nikulin, T. G., 1965 a
all from Byelorussia
- Olteanu, G.; and Stoican, E.,
1963 b, 230, 235-236
all from Romania
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Palim[p]estov, M. A., 1963 a
Iagotinsk poultry farms
- Rysavy, B., 1962 d
- Shevtsov, A. A., 1961 a, 227
all from Ukraine
- Shevtsov, A. A., 1963 b
Volynskaia oblast
- Shevtsov, A. A., 1963 c
all from Ukraine
- Shevtsov, A. A., 1966 b
Ukrainian SSR
- Spasskaja, L. P.; and Spasskii, A. A., 1964 a, 11
all from Kamchatka Pacific seacoast
- Vol'skis, G. I., 1968 a
Lithuania
- Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
Bulgaria
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
- Dicranotaenia creplini (Krabbe, 1869) Spassky et
Spasskaja, 1954
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
- Feizullaev, N. A., 1963 c
Azerbaijan
- Dicranotaenia fryei (Mayhew, 1925) Yamaguti, 1959
as syn. of Wardium fusa (Krabbe, 1869) Spassky, 1961
- Dicranotaenia (Dicranolepis) fryei (Mayhew, 1925) Lopez-Neyra, 1942
as syn. of Wardium fusa (Krabbe, 1869) Spassky, 1961

- Dicranotaenia (Dicranotaenia) himantopodis (Krabbe) Lopez-Neyra, 1942
as syn. of Wardium himantopodis (Krabbe, 1869) Spassky et Spasskaja, 1954
- Dicranotaenia himantopodis (Krabbe) Yamaguti, 1959
as syn. of Wardium himantopodis (Krabbe, 1869) Spassky et Spasskaja, 1954
- Dicranotaenia intraversa [sic] (Mayhem, 1925)
rata
- Dicranotaenia liguides [sic]
host diet
- Dicranotaenia musculosa (Clerc, 1902) Yamaguti, 1959
as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954
- Dicranotaenia (Dicr.) musculosa (Clerc, 1902) Lopez-Neyra, 1942
as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954
- Dicranotaenia neoarctica (Davies, 1938)
Larus argentatus (small intestine)
L. articilla
- Dicranotaenia octacantha (Krabbe, 1869)
(small intestine of all)
Anas platyrhynchos
Nyroca fuligula
- Dicranotaenia orientalis (Krabbe, 1882) (intestine)
Oenanthe oenanthe
Turdus viscivorus
- Dicranotaenia (Dicr.) pingi (Tseng, 1932) Lopez-Neyra, 1942
as syn. of Wardium creplini (Krabbe, 1869) Spassky et Spasskaja, 1954
- Dicranotaenia pingi (Tseng, 1932) Lopez-Neyra, 1959
as syn. of Wardium creplini (Krabbe, 1869) Spassky et Spasskaja, 1954
- Dicranotaenia pseudocornuta Mathewossian, 1945
[Anas platyrhynchos]
- Dicranotaenia (Dicranotaenia) recurvirostrae (Krabbe) Lopez-Neyra, 1942
as syn. of Wardium recurvirostrae (Krabbe, 1869) Spassky et Spasskaja, 1954
- Dicranotaenia recurvirostra (Krabbe) Yamaguti, 1959
as syn. of Wardium recurvirostrae (Krabbe, 1869) Spassky et Spasskaja, 1954
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
- Olteanu, G.; and Stoican, E., 1963 b, 230
Romania
- Feizullaev, N. A., 1963 c
Azerbaijan
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
- Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
- Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1967 a, 133
all from Beaufort, North Carolina
- Churina, N. V., 1963 a
all from Srednii Ural
- Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
all from Bulgaria
- Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
Bulgaria
- Dicranotaenia (Dicranotaenia) recurvirostrodes (Meggitt, 1927) Lopez-Neyra, 1954
as syn. of Wardium recurvirostrodes (Meggitt, 1927) Spassky et Spasskaja, 1954
- Dicranotaenia sacciperium (Mayhew, 1935)
Anas platyrhynchos
- Dicranotaenia serpentulus (Schrank, 1788) (intestine)
Sturnus vulgaris
Turdus viscivorus
Pica pica
Turdus merula
- Dicranotaenia stylosa (Rudolphi, 1809)
Pica pica (intestine)
- Dicranotaenia tenuirostris [Anser anser]
- Dicranotaenia tenuirostris (Rudolphi, 1819)
gisca
- Dicranotaenia tenuirostris (Rudolphi, 1819)
Cyclops stremus (exper.)
C. albidus "
C. serrulatus "
Acanthocyclops viridis (exper.)
Anser anser "
- Dicrotaenia [lapsus for: Dicranotaenia]
- Digamma alternans as syn. of Ligula intestinalis
- Digamma alternans (Rud., 1810)
Carassius carassius
Sarcocheilichthys variegatus
- Digamma interrupta survival of plerocercoids in water Baianov, M. G.; and Sharislava, Kh. Kh., [1966 a]
- Digamma interrupta Komarova, T. I., 1963 b
Dneprovsk estuary
- Digamma interrupta (Rud., 1810)
[Abramis brama] (body cavity) Komarova, T. I., 1964 a, 86
Dnieper delta
- Digamma interrupta seasonal distribution Komarova, T. I., 1964 b
Dnieper delta
- Digamma interrupta (Rud., 1810)
(body cavity of all)
[Abramis brama]
[Rutilus r. heckeli] Komarova, T. I., 1966 a, 65
all from Dnieper estuary
- Digamma interrupta [Abramis brama]
[Varicorhinus capoëtus heratensis] Mikailov, T. K., 1963 b
all from Mingechaur reservoir
- Digamma interrupta Molnár, K., 1966 d

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Digramma interrupta* (Rudolphi, 1810)
Phalacrocorax carbo
P. pygmaeus
Pelecanus onocrotalus
Podiceps cristatus
Ardea cinerea
- Digramma interrupta* (Rudolphi, 1810)
 (body cavity of all)
 [Abramis brama]
 [Rutilus rutilus]
- Digramma nemachili* fish
- Digramma nemachili* Dubinina, 1957
 [Mergus albellus]
- Dilepidata nov. comb.*
- Dilepidida nov. comb.*
 includes subord. *Dilepidata nov. comb.*
- Dilepididae gen. sp.*
Nyroca ferina (small intestine)
- Dilepididae gen. sp.*
 [Ardeola ralloides]
- Dilepidoidea Mathevossian*, 1962 [i.e. 1963]
 Hymenolepidata
- Dilepis* revised
- Dilepis* sp.
 +[Aves]
- Dilepis* sp.
Turdus viscivorus (intestine)
- Dilepis* sp. Spasskaja, 1957
 as syn. of *D. spasskayae* perisorei [n. var.]
- Dilepis brachyarthra* Cholodkovsky, 1906
Turdus musicus musicus (anterior ileum)
- Dilepis brachyarthra* Cholodkovsky, 1906
Turdus merula (intestine)
T. viscivorus"
Sturnus vulgaris"
Passer montanus"
Turdus ericetorum
- Dilepis bycanistis* Mahon, 1954
 as syn. of *Bucerolepis bycanistis* (Mahon, 1954) n. comb.
- Dilepis macroosphincter* Fuhrmann, 1909
 [Ardeola ralloides]
- Roman-Chiriac*, E., 1965 a, 143, 144, 146, 147
 all from Danube delta, Romania
- Vasil'kov*, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a
 all from Moskov area reservoirs
- Allamuratov*, B. K., 1965 b
 South-Surkhanskoe reservoirs
- Smogorzhevskaja*, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a
 Turkmen
- Merdivenci*, A., 1966 b, 83
- Merdivenci*, A., 1966 b, 83
- Churina*, N. V., 1963 a
 Srednii Ural
- Smogorzhevskaja*, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a
 Turkmen
- Matevosian*, E. M., 1963 a, 149
- Spasskij*, A. A.; and Spasskij, J. A., 1968 a
 tropics of Africa
- Kawano*, K., 1964 c, 38
- Paspalev*, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
 Bulgaria
- Birová-Volosinovičová*, V., 1967 a, 828, 839
- James*, B. L.; and Llewellyn, L. C., 1967 a
 all from the island of Skomer off Wales
- Dilepis undula* (Schrank, 1788)
Turdus ericetorum
philemos
Turdus merula merula
Turdus pilaris
Turdus viscivorus viscivorus
Turdus musicus musicus
Sturnus vulgaris vulgaris (small intestine)
- Dilepis undula* (Schrank, 1788)
Talpa europea
- Dilepis undula* (Schrank, 1788) (intestine)
Turdus merula
T. viscivorus
Corvus cornix
Passer montanus
Sturnus vulgaris
Anas platyrhynchos
Turdus ericetorum
- Dilepis undula* Turdus migratorius (small intestine)
- Dilepis undula* (Schrank, 1788)
Sturnus vulgaris
- Dilepis undula* (Schrank, 1788)
Turdus migratorius (small intestine)
- Dilepis undula* (Schrank, 1788)
Pica pica hudsonia (small intestine)
- Dilepis undula* (Schrank, 1788)
Sturnus vulgaris
- Dilepis unilaterialis*, cysticercus fish
- Roman-Chiriac*, E., 1965 a, 149
 Danube delta, Romania
- Dilepis? spasskayae* n. sp. 143, 144, 146, 147
 all from Danube delta, Romania
- Garrulus glandarius* (intestine)
- Dilepis spasskayae peri-* sorei [n. var.] 1967 a, 829
 Syn.: *Dilepis* sp. *Spasskaja*, 1957
- Dilepis spasskayae spass-* kayae [n. var.] 1967 a, 823-830, figs. 1-4
Garrulus glandarius (intes- time), Slowakei, (CSSR)
- Dilepis undula* *Sturnus vulgaris* Akhumian, K. S., 1966 a
 Armenian SSR
- Dilepus undula* *Turdus migratorius* Baker, J. B.; and Hamon, J. H., 1968 a
 Marion County, Indiana
- Dilepis undula* (Schrank, 1788) *Pica pica* Chernobai, V. F., 1965 a
 Volgograd oblast
- Dilepis undula* (Schrank, 1788) *[Turdus pilaris]* *[Turdus merula]* Daia, G. G., 1965 a
 all from Latvian SSR
- Dilepis undula* (Schrank, 1788) James, B. L.; and Llewellyn, L. C., 1967 a
 all from the island of Skomer off Wales
- Dilepis undula* (Schrank, 1788) Merkusheva, I. V.; and Kraevskaja, L. I., [1966 a], fig. 1 Belorussia
- Dilepis undula* (Schrank, 1788) Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a
 all from Bulgaria
- Dilepis undula* (Schrank, 1788) Slater, R. L., 1967 a, 194 Northern Colorado
- Dilepis undula* (Schrank, 1788) Stoimenov, K. A.; and Trifonov, T., 1965 a
 Bourgas district, Bulgaria
- Dilepis undula* (Schrank, 1788) Threlfall, W., 1968 c
 Newfoundland, Canada
- Dilepis undula* (Schrank, 1788) *Turdus migratorius* (small intestine)
- Dilepis undula* (Schrank, 1788) Todd, K. S. (jr.); and Worley, D. E., 1967 a, 365 Bozeman, Gallatin County, Montana
- Dilepis undula* (Schrank, 1788) Vol'skis, G. I., 1968 a
 Lithuania
- Dilepis unilaterialis*, cysticercus fish Allamuratov, B. K., 1965 b
 South-Surkhanskoe reservoirs

| | | | |
|--|---|--|---|
| Dilepis unilateralis (Rudolphi, 1819) Ardea cinerea | Roman-Chiriac, E., 1965 a, 147 Danube delta, Romania | Diorchis inflata [Anas crecca] [Fulica atra] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Dilepis urceus (Wedl, 1855) Fuhrmann, 1908 Syns.: <i>Taenia urceus</i> (Wedl, 1855) Krabbe, 1869; <i>T. capito</i> (Dujardin, 1845) <i>Plegadis falcinellus</i> | Dubinin, V. B., 1938 a, 153, 155 Astrakhan game reserve | Diorchis inflata (Rudolphi, 1819) Gallinula chloropus (črevo) | Macko, J. K., 1967 a, 855 Czechoslovakia (CSSR) |
| Diochetos phrynosomatis Harwood, 1932 Phrynosoma p. platyrhinos (small intestines) | Babero, B. B.: and Kay, F. R., 1967 a, 169, 172-173, figs. 7-8 Nevada | Diorchis inflata embryogenesis | Rybicka, K., 1966 b, fig. 150 |
| Diorchis sp. [Charadrius alexandrinus] | Kawano, K., 1964 c, 38 | Diorchis inflata (?) (Rudolphi, 1819) Clerc, 1903 Nyroca marila | Spasskaia, L. P.; and Spass- kii, A. A., 1964 a, 12-13, figs. 3-4 Kamchatka Pacific seacoast |
| Diorchis sp. Gallinula chloropus (črevo) | Macko, J. K., 1967 a, 855 Czechoslovakia (CSSR) | Diorchis nyrocae Anas angustirostris | Akhumian, K. S., 1966 a Armenian SSR |
| Diorchis acuminata Tadorna ferruginea | Akhumian, K. S., 1966 a Armenian SSR | Diorchis nyrocae Jama- guti, 1935 [Anas platyrhynchos] | Belokobyleko, V. T., 1965 a Ural oblast |
| Diorchis acuminata Anas crecca (small intes- tine) | Churina, N. V., 1963 a Sredni Ural | Diorchis nyrocae Jama- guti, 1935 [Anas querquedula] [Anas crecca] [Anas strepera] [Anas platyrhynchos] [Nyroca fuligula] | Chibichenko, N. T., 1966 a, 41 all from Kirgiz |
| Diorchis americanum (Ransom, 1909) Gallinula chloropus (intestine) | Paspalev, G. V.; and Zheila- zkova-Paspaleva, A., 1965 a Bulgaria | Diorchis nyrocae Yamaguti, 1935 Nyroca fuligula (small intestine) | Churina, N. V., 1963 a Sredni Ural |
| Diorchis brevis Gallinula chloropus (črevo) | Macko, J. K., 1967 a | Diorchis nyrocae [Nyroca marila] | Kawano, K., 1964 c, 38 |
| Diorchis bulbodes May- hew, 1929 [Tadorna ferruginea] [Capella solitaria] | Chibichenko, N. T., 1966 a, 41 all from Kirgiz | Diorchis nyrocae [Anas crecca] [Nyroca ferina] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Diorchis chalcophapsi Johri 1939 as syn. of <i>Hymenocoelia chalcophapsi</i> (Johri, 1939) n. comb. | Spasskii, A. A.; and Spasska- ia, L. P., 1968 a, 1296 | Diorchis nyrocae Anas clypeata A. crecca | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Diorchis danutae Czap- linski, 1956 [Netta rufina] | Chibichenko, N. T., 1966 a, 41 Kirgiz | Diorchis nyrocae Yama- guti, 1935 Anas querquedula A. clypeata Nyroca ferina Anas crecca A. platyrhynchos A. acuta A. penelope | Maksimova, A. P., 1967 a, 139 all from Western Kazakhstan |
| Diorchis danutae Oxyura leucocephala | Maksimova, A. P., 1966 a South Kazakhstan | Diorchis nyrocae [Anas platyrhynchos] | Shevtsov, A. A., 1963 c Ukraine |
| Diorchis endacantha Anas clypeata | Maksimova, A. P., 1966 a South Kazakhstan | Diorchis nyrocae Yama- guti, 1935 Nyroca ferina | Vol'skis, G. I., 1968 a Lithuania |
| Diorchis endacantha (Dubinina, 1953) Spassky, 1961 Nyroca marila Anas clypeata A. strepera | Maksimova, A. P., 1967 a, 138- 139 all from Western Kazakhstan | Diorchis ransomi Schulz, 1940 [Anas platyrhynchos] [Netta rufina] | Chibichenko, N. T., 1966 a, 41 all from Kirgiz |
| Diorchis formosensis Sugimoto, 1934 [Anas platyrhynchos] | Nikulin, T. G., 1965 a Byelorussia | Diorchis ransoni [sic] [Anas platyrhynchos] [Anas crecca] [Nyroca ferina] [Anas penelope] [Fulica atra] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Diorchis inflata Fulica atra atra | Akhumian, K. S., 1966 a Armenian SSR | Diorchis ransomi Schultz, 1940 Gallinula chloropus (črevo) | Macko, J. K., 1967 a, 855 Czechoslovakia (CSSR) |
| Diorchis inflata (Rud., 1819) Clerc, 1903 [Anas querquedula] [Gallinula chloropus] | Chibichenko, N. T., 1966 a, 41 all from Kirgiz | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Diorchis ransomi
Anser anser
Tadorna tadorna
Anas acuta
A. penelope
A. crecca
Netta rufina
Oxyura leucocephala
Nyroca ferina
- Diorchis ransomi
Schultz, 1940
Nyroca ferina
N. marila
Anas clypeata
Nyroca fuligula
Anas platyrhynchos
- Diorchis ransomi
Schulz, 1940
Fulica atra
- Diorchis ransomi
embryogenesis
- Diorchis ransomi Schultz,
1940
Nyroca marila
Anas crecca
- Diorchis ransomi Schultz,
1940
Nyroca ferina
- Diorchis skrjabini
Udinzew, 1937
[*Anas platyrhynchos*]
[*Anser anser*]
- Diorchis skrjabini Udinzew,
1937
Anas platyrhynchos
- Diorchis sobolevi Spasskaja,
1950
Fulica atra
- Diorchis spasskajae
[*Anas clypeata*]
- Diorchis spinata Mayhew,
1929
[*Anas platyrhynchos*]
[*Anas strepera*]
- Diorchis spinata Mayhew,
1929
Anas crecca
- Diorchis stefanskii,
Czaplinski, 1956
[*Anas platyrhynchos*]
- Diorchis stefanskii
Anas platyrhynchos
Casarca ferruginea
Anas acuta
- Diorchis stefanskii Czap-
linski, 1956
Anas acuta
Nyroca ferina
Anas platyrhynchos
A. clypeata
A. querquedula
- Diorchis stefanskii
Czaplinski, 1956
[*Anas platyrhynchos*]
[*Anser anser*]
- Maksimova, A. P., 1966 a
all from South Kazakhstan
- Maksimova, A. P., 1967 a, 139
all from Western Kazakhstan
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Rybicka, K., 1966 b, fig. 23
- Spasskaja, L. P.; and Spass-
kii, A. A., 1964 a, 13
all from Kamchatka Pacific
seacoast
- Vol'skis, G. I., 1968 a
Lithuania
- Nikulin, T. G., 1965 a
all from Byelorussia
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Vol'skis, G. I., 1968 a
Lithuania
- Kibakin, V. V., 1965 a
Gasan-Kuliisk game reserve
- Chibichenko, N. T., 1966 a, 41
all from Kirgiz
- Maksimova, A. P., 1967 a, 139
Western Kazakhstan
- Belokobyleko, V. T., 1965 a
Ural oblast
- Maksimova, A. P., 1966 a
all from South Kazakhstan
- Maksimova, A. P., 1967 a, 139
all from Western Kazakhstan
- Nikulin, T. G., 1965 a
all from Byelorussia
- Diorchis (Diorchis) ste-
fanskii Czaplinski, 1956
gisca
- Diorchis ctefanskiim [i.e.
stefanskii] Czaplinski, 1956
[*Anas platyrhynchos*]
[*Anser anser*]
- Diorchis stefanskii
[*Anas platyrhynchos*]
- Diorchis stefanskii
[*Anser anser*]
- Diorchis stefanskii
[*Anas platyrhynchos*]
[*Anser anser*]
- Diphyllobothriasis
- Diphyllobothriasis
epidemiology, fish
- Diphyllobothriasis
[*Esox lucius*]
[*Perca fluviatilis*]
[*Acerina cernua*]
[*Silurus glanis*]
[*Lucioperca volvensis*]
[*Lucioperca lucioperca*]
[*Lota lota*]
- Diphyllobothriasis
role of fish, epidemiology
- Diphyllobothriasis
epidemiology
- Diphyllobothriasis
arecoline, Felidae and
Ursidae
- Diphyllobothriasis
foci, fish
- Diphyllobothriasis
epidemiology
- Diphyllobothriasis
potential foci
- Diphyllobothriasis
Copepoda in water reser-
voirs
- Diphyllobothriasis, Human
movable clinic
- Diphyllobothriasis, Human
camala
- Diphyllobothriasis, Human
male fern extract; acri-
chicine
- Diphyllobothriasis,
Human
acriquine plus male
fern extract
- Olteanu, G.; and Stoican, E.,
1963 b, 236
Romania
- Shevtsov, A. A., 1963 c
all from Ukraine
- Shevtsov, A. A., 1963 d
steppe zone, Ukrainian SSR
- Shevtsov, A. A., 1966 b
Ukrainian SSR
- Smogorzhevskaja, L. A.; and
Iskova, N. I., 1963 a
all from Ukrainian SSR
- Gofman-Kadoshnikov, P. B.;
Chizhova, T. P.; and Artamo-
shin, A. S., 1967 a
Uglich Water Basin
- Kozminskaja, I. F., 1965 a
Moskov oblast
- Krasovskaja, N. N.; and Mukhi-
na, V. N., 1965 a
all from Russia, Tartar
Republic
- Ladygina, A. S., [1966 a]
Plesetsk region, Arkhangel
oblast
- Listratova, V. N.; and Reshet-
nikova, A. V., 1965 a
Volgograd oblast
- Miroliubov, M. G., 1963 a
Kazan zoopark
- Romanov, I. V.; et al, 1963 a
Kuibyshev reservoir
- Sliusarev, A. A., 1963 b
Donets oblast
- Spudis, V. K., 1966 a
Tsimilian reservoir
- Tochilova, T. L.; and Rozen-
berg, A. I., 1967 a
Arkhangelsk oblast
- Abdullaev, A. M.; Kosmynin,
A. P.; and Batuev, S. B.,
1966 a
- Beliakova, M. I.; and
Dorofeeva, O. G., 1966 a
- Bulycheva, N. A., 1963 a
Taborinsk region, Sverdlov
oblast
- Gamaiunova, T. A., 1966 a

- Diphyllobothriata nov. comb. Merdivenci, A., 1966 b, 81
subord. of Diphyllobothrida
- Diphyllobothrida nov. comb. order Merdivenci, A., 1966 b, 81
- Diphyllobothriinae nov. comb. Merdivenci, A., 1966 b, 81
Diphyllobothriidae includes: Diphyllobothrium; Ligula
- Diphyllobothrioidea nov. comb. superfam. Merdivenci, A., 1966 b, 81
Diphyllobothrida; Diphyllobothriata
- Diphyllobothrium Diphyllobothriidae; Diphyllobothriinae nov. comb. Merdivenci, A., 1966 b, 81
- Diphyllobothrium sp. Salmo gairdneri Oncorhynchus kisutch Salvelinus fontinalis Becker, C. D.; and Brunson, W. D., 1967 a all from Goodwin, Shoecraft and Silver Lakes, Washington transferred from natural to experimental host Gasterosteus aculeatus (body cavity) Salmo trutta (exper.) Bråten, T., 1966 a, 660, 663
- Diphyllobothrium [sp.] Salmo solidus (exper.) Bråten, T., 1966 b
- Diphyllobothrium sp. effect of low temperature on survival of eggs and plerocercoids Chefranova, Iu. A.; and Us-tinovich, M. A., 1963 a
- Diphyllobothrium [sp.] Felis domestica Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang
- Diphyllobothrium sp. Globicephala melaena (intestine) Cowan, D. F., 1967 a
- Diphyllobothrium spp. dogs Ho, C. C., 1965 a, 197 Taipei area
- Diphyllobothrium sp. Perca fluviatilis Salmo salar Kane, M. B., 1966 a all from Ireland
- Diphyllobothrium sp. a Esox lucius (muscle) Kane, M. B., 1966 a Ireland
- Diphyllobothrium sp. b Salmo trutta (encysted on alimentary tract) Kane, M. B., 1966 a Ireland
- Diphyllobothrium sp. [Allopex lagopus] [Canis familiaris] [Vulpes vulpes] Kozlov, D. P.; Ovsjukova, N. I.; and Radkevich, Zh. P., 1963 a all from Chukotsk peninsula
- Diphyllobothrium sp. Coregonus hoyi (intestinal tract) Lundahl, W. S.; and Hoeberling, J., 1967 a Thunder Bay, Lake Huron, Michigan
- Diphyllobothrium sp. Alopec lagopus Luzhkov, A. D., 1963 c Yamal peninsula
- Diphyllobothrium sp. larva Brachymystax lenok Coregonus lavaretus Oshmarin, P. G., 1965 b all from Buriat ASSR
- Diphyllobothrium sp. "C" Coregonus lavaretus marae-noides (stomach, muscular mucosa, rectum) Razmashkin, D. A., 1964 a Chudskoe lake
- Diphyllobothrium sp., pl. Thymallus arcticus Lota lota Rutulus rutilus lacustris Spasski, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR
- Diphyllobothrium (Spirometra) [sp.] Wirth, W. A.; and Farrow, C. C., 1961 a woman (subcutaneous nodules) Virginia
- Diphyllobothrium sp. I. Salvelinus malma (mesentery) Zhukov, E. V., 1963 a, 116, fig. 10 all from Chukotsk Peninsula Coregonus sardinella (mesentery) Thymallus arcticus (adipose tissue, mesentery) Cottus kaganowskii (mesentery)
- Diphyllobothrium sp. II. larvae Eleotris gracilis (mesentery of pyloric caeca) Zhukov, E. V., 1963 a, 116, fig. 11 Chukotsk Peninsula
- Diphyllobothrium cordatum Pagophoca groenlandica Deliamure, S. L.; and Alekseev, E. V., 1963 a Jan Mayen Island; Newfoundland
- Diphyllobothrium cordatum embryogenesis Rybicka, K., 1966 b, fig. 31
- Diphyllobothrium dallii Rausch, 1956 larvae Salvelinus malma (abdominal cavity) Dallia pectoralis (abdominal cavity) Zhukov, E. V., 1963 a, 113, fig. 9 all from Chukotsk Peninsula
- Diphyllobothrium dendriticum (larva) Salmo trutta Aderoumu, E. A., 1966 a Llyn Tegid (Bala Lake)
- Diphyllobothrium dendriticum (stomach, esophagus) [Coregonus peled] [Coregonus sp.] Gofman-Kadoshnikov, P. B.; Chizhova, T. P.; Ustinovich, M. A.; and Khodakova, V. I., 1963 a Essei lake Essei lake and Nizhnei Tun-guski
- Diphyllobothrium dendriticum colchicine, DNA synthesis Gustafsson, M. K. S., 1968 a
- Diphyllobothrium dendriticum Gasterosteus aculeatus Salmo trutta (stomach serosa) Salmo gairdnerii (stomach serosa) Kane, M. B., 1966 a all from Ireland
- Diphyllobothrium dendriticum use of antigenic structure in refining of taxonomic position Kravtsov, E. G., 1966 a
- Diphyllobothrium dendriticum use of antigenic structure in refining of taxonomic position Kravtsov, E. G., 1966 b; 1966 c
- Diphyllobothrium dendriticum (Nitzsch, 1924) Larus canus Oshmarin, P. G., 1965 b Buriat ASSR

- Diphyllobothrium dendriticum (Nitzsch, 1824)
no decline in occurrence
Salmo trutta
Salvelinus alpinus peri-sii
- Diphyllobothrium dendriticum Nitzsch, 1824
Larus canus
- Diphyllobothrium dendriticum
Syn.: *D. norvegicum* Vik 1957
Coregonus albula
C. lavaretus
- Diphyllobothrium ditremum (larva)
Salmo trutta
- Diphyllobothrium ditremus Creplin, 1825
(small intestine of all)
Alopex lagopus (exper.)
Canis familiaris"
Gavia adamsii"
G. stellata"
G. arctica"
Stercorarius pomarinus (exper.)
Coregonus nasus"
- Diphyllobothrium ditremens [sic] Kane, M. B., 1966 a, 214 Ireland
Salmo trutta (stomach)
- Diphyllobothrium ditremum (Creplin, 1825)
decline in occurrence
Salmo trutta
Salvelinus alpinus peri-sii
- Diphyllobothrium ditremum (Creplin, 1825) Lühe, 1910
Nyroca marila
Mergus serrator
- Diphyllobothrium ditremum Creplin, 1825
Colymbus areticus
Esox lucius
Lota lota
Perca fluviatilis
- Diphyllobothrium erinacei transmissible from animal to man Imaizumi, K., 1967 a, 103
- Diphyllobothrium erinacei (Radolfi, 1819) (Sparganum mansoni (Cobbold, 1882)) human (ophthalmic region) Tanaka, H.; et al., 1967 a, photo. 2, figs. 1-2 Japan
- Diphyllobothrium erinacei europaei (Rud., 1819) human Brygoo, E. R.; and Catala, P., 1962 a Madagascar
- D[iphyllobothrium] latum phenasal, human Abdullaev, A. M., 1966 a
- Diphyllobothrium latum [Acerina cernua]
- Diphyllobothrium latum blood alterations, helminth infections Baker, N. F.; and Douglas, J. R., 1966 a
- Powell, A. M.; and Chubb, J. C. 1966 a
- Tochilova, T. L.; and Rozenberg, A. I., 1967 a Arkhangelsk oblast
- Wikgren, Bo-J. P., 1964 b, figs. 1B, 2, 4A-B all from Joensuu area
- Aderonumu, E. A., 1966 a Llyn Tegid (Bala Lake)
- Gubanov, N. M., 1964 a, 15, fig. 4
- Kane, M. B., 1966 a, 214 Ireland
- Powell, A. M.; and Chubb, J. C., 1966 a
- Spasskaia, L. P.; and Spasski, A. A., 1964 a, 10 all from Kamchatka Pacific seacoast
- Tochilova, T. L.; and Rozenberg, A. I., 1967 a all from Arkhangelsk oblast
- Imaizumi, K., 1967 a, 103
- Tanaka, H.; et al., 1967 a, photo. 2, figs. 1-2 Japan
- Brygoo, E. R.; and Catala, P., 1962 a Madagascar
- Abdullaev, A. M., 1966 a
- Arro, I. V., 1967 a Latvian SSR
- Baker, N. F.; and Douglas, J. R., 1966 a
- Diphyllobothrium latum perros (feces)
- Diphyllobothrium latum eggs
- Diphyllobothrium latum [Perca fluviatilis]
[Acerina cernua]
- Diphyllobothrium latum (Linneus, 1758)
[Canis familiaris]
- Diphyllobothrium latum Cyclops sp.
Esox lucius
human
- Diphyllobothrium latum human
- Diphyllobothrium latum differentiating from eggs of *Nanophyetus schikhobalowi* fig. B
- Diphyllobothrium latum human
- Diphyllobothrium latum [Esox lucius]
[Perca fluviatilis]
- Diphyllobothrium latum [Esox lucius]
[Lota lota]
[Perca fluviatilis]
- Diphyllobothrium latum eggs, diagnosis
- Diphyllobothrium latum (L., 1758)
(small intestine of all)
[Vulpes fulva]
[Fox]
- Diphyllobothrium latum (L.) Arctodiaptomus denticornis
- Diphyllobothrium latum dog
- [Diphyllobothrium latum] shirokii lentets
[Esox lucius]
[Perca fluviatilis]
[Acerina cernua]
[Lucioperca lucioperca]
[Homo sapiens]
- Diphyllobothrium latum dog
- Barriga, O. O.; and Jaramillo, S., 1966 a Castro, Chile
- Biziuliavichius, S.K., 1965 e
- Brikule, V.; Viliuma, A.; Viliuma, E.; and Grapmane, L., 1967 a western Dvina, Latvian SSR
- Chebotarev, R. S.; Zaskind, L. N.; Seraiia, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs
- Dranga-Boingeanu, A.; Marinov, R.; and Smolinski, M., 1966 a all from Danube delta
- Ekstam, M., 1964 b
- Filimonova, L. V., [1966 a], fig. B
- Garcia Ocampo, N.; Padrón Lizardo, O.; and d'Almaral, D., 1961 a, figs. 1-4 Nirgua, Estado Yaracuy, Venezuela
- Gofman-Kadoshnikov, P. B.; Chizhova, T. P.; and Artamoshin, A. S., 1966 a all from Ivan'kov reservoir (Moskov sea)
- Gofman-Kadoshnikov, P. B.; Chizhova, T. P.; Ustinovich, M. A.; and Khodakova, V. I., 1963 a all from Enisei river, Nizhnei Tunguski and Essei lake (Evenkiiskii national okrug)
- Gould, S. E.; Hinerman, D. L.; Batsakis, J. G.; and Beamer, P. R., 1963 d, fig. 6
- Gubanov, N. M., 1964 a, 14 all from Yakutia
- Guttowa, A., 1966 a (exper.)
- Iadevaja, R.; and Medda, A., 1962 a Cagliari municipality, Sardinia
- Khamidullin, R. I.; and Mukhametov, R. Iu., [1966 a] all from Kuibyshevsk region of TASSR
- Kim, Jyong Hi, (1958 a); 1958 b Korea

| | | | |
|--|---|---|--|
| [Diphyllobothrium latum] fish, local reservoirs | Kondrat'eva, G. P.; and Peš- kre, E. A., 1961 a | Diphyllobothrium latum (Linne, 1758) [<i>Esox lucius</i>] (liver) | Vasil'kov, G. V.; Kamenskii, I. V.; Biriúkova, L. P.; and Ponomareva, E. V., 1965 a Moskov area reservoir |
| Diphyllobothrium latum | Kravtsov, E. G., 1966 a use of antigenic structure in refining of taxonomic position | Diphyllobothrium latum L. mitotic activity in plero- ceroids | Wikgren, Bo-J. P., 1964 a, figs. 1, 4-6 |
| Diphyllobothrium latum | Kravtsov, E. G., 1966 b; use of antigenic structure in refining of taxonomic position | Diphyllobothrium latum | Wikgren, Bo-J. P., 1964 b, fig. 5 Joensuu area |
| Diphyllobothrium latum [<i>Esox lucius</i>] [<i>Lota lota</i>] | Krotas, R. A., 1963 b all from Neman river | Diphyllobothrium mansoni pig dog | Kim, Jyong Hi, (1958 a); 1958 b all from Korea |
| Diphyllobothrium latum | Lupascu, G.; et al., 1961 b transmission to man by vegetables | Diphyllobothrium mansoni dogs | Tanaka, H.; Ohshima, S.; and Inami, Y., 1966 a Toda-machi area, Japan |
| Diphyllobothrium latum [Sus scrofa] | Mamedov, R. G., [1966 a] Azerbaidzhan | Diphyllobothrium micro- cordiceps sp. nov. plerocercoid as <i>Sparganum</i> <i>Salmo irideus</i> <i>S. salar sebago</i> <i>Salvelinus fontinalis</i> <i>Larus marinus dominicanus</i> (intestino) | Szidat, L.; and Soria, M. F., 1957 a, 1-22, pls. 1-4 all from Lake Nahuel Huapi, Argentina |
| Diphyllobothrium latum trace metals, tapeworm and host blood | Markkanen, T. K.; and Vuopala, U., 1965 a | Diphyllobothrium norvegicum (abdomen) <i>Cyclops strenuus</i> <i>Mesocyclops leuckarti</i> | Halvorsen, O., 1967 a |
| Diphyllobothrium latum aborre gaddu lake | Nilsson, O., 1966 a all from Mälaren Lake, Sweden | Diphyllobothrium norvegicum Vik 1957 As syn. of <i>D. dendriticum</i> | Wikgren, Bo-J. P., 1964 b |
| [Diphyllobothrium latum] shirokogo lentetsa | Pigulevskij, S. V.; and Mite- nev, V. K., [1966 a], figs. 1-4 cytomorphological changes, plerocercoids exposed to ultrasonic vibrations | Diphyllobothrium osmeri [<i>Coregonus albula</i>] | Gofman-Kadoshnikov, P. B.; Chizhova, T. P.; Ustinovich, M. A.; and Khodakova, V. I., 1963 a Enisei river |
| Diphyllobothrium latum fish consumption | Poliakov, A. A.; and Kolobozki, C. W., 1959 b | Diphyllobothrium osmeri <i>Coregonus sardinella</i> <i>maris--albi</i> <i>Osmerus eperlanus</i> <i>Coregonus peled</i> | Tochilova, T. L.; and Rozen- berg, A. I., 1967 a all from Arkhangelsk oblast |
| [Diphyllobothrium latum] shirokogo lentetsa | Reshetnikova, A. V., [1966 a] all from Volgograd reservoir [<i>Esox lucius</i>] (gonads, mesentery, internal organs, body musculature) [<i>Perca fluviatilis</i>] (body musculature, liver) | Diphyllobothrium osmeri <i>Coregonus albula</i> <i>Osmerus eperlanus</i> | Wikgren, Bo-J. P., 1964 b, 17, figs. 1A, 3, 4C-D all from Joensuu area |
| Diphyllobothrium latum <i>Vulpes vulpes</i> (intestine) | Romanov, I. V., 1964 b Gorky oblast | Diphyllobothrium schistochi- lus <i>Pagophoca groenlandica</i> | Deliamure, S. L.; and Alek- seev, E. V., 1963 a Jan Mayen Island; Newfound- land |
| Diphyllobothrium latum embryogenesis | Rybicka, K., 1966 b, figs. 5, 20G-H, 26 | Diphyllobothrium sebago eggs, hatching <i>Salmo salar</i> <i>Larus argentatus</i> (exper.) | Meyer, M. C., 1967 a Moosehookmeguntic Lake, Maine |
| Diphyllobothrium latum (L., 1758) | Safronov, M. G., 1966 a, 10 Yakutia [<i>Canis familiaris</i>] (small intestine) | Diphyllobothrium sebago egg output | Meyer, M. C.; and Valleau, W. G., 1967 a |
| Diphyllobothrium latum heat resistance | Salminen, K.; and Reinius, L., 1967 a | Diphyllobothrium sebago Salmo salar | Meyer, M. C.; and Vik, R., 1968 a Rangeley, Moosehookmeguntic and Sebago Lakes, Maine |
| Diphyllobothrium latum [<i>Esox lucius</i>] | Semenova, N. N., 1967 a Moskov oblast | Salvelinus fontinalis | Rangeley and Moosehookmegun- tic Lakes, Maine " |
| Diphyllobothrium latum acriquine, human and prophylaxis | Shamlian, N. P., 1966 a Lovozersk raion, Murmansk oblast | Osmerus mordax | " |
| Diphyllobothrium latum perch ruff | Tallqvist, J., 1965 a all from S. E. Finland | Diphyllobothrium sebago (Ward, 1910) <i>Larus marinus</i> | Threlfall, W., 1968 b Newfoundland, Canada |
| Diphyllobothrium latum Cucurbita sp. (anthelmin- tic action) | Tareeva, A. I.; and Pavlova, A. M., 1965 a | | |
| Diphyllobothrium latum survival in dead perch | Tiainen, O. A., 1966 c | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Diphyllothorium stemma-
cephalum
morphology
Lagenorhynchus obliquidens
- Diplacanthus angulata* Volz, 1899
As syn. of *Variolepis crenata* (Goeze, 1782)
- Diplocotyle sp.*
Gammarus zaddachi zaddachi
Esk estuary
- Diplocotyle coharens* [sic] Linstow, 1903
as syn. of *D. olrikii* Krabbe, 1874
- Diplocotyle nylandica* (Schneider, 1902)
as syn. of *D. olrikii* Krabbe, 1874
- Diplocotyle olrikii* Krabbe, 1874
syns.: *D. coharens* Linstow, 1903; *D. nylandica* (Schneider, 1902); *Bothrimonus intermedius* Cooper, 1917
Salvelinus malma all from Chukotsk Peninsula (pyloric caeca, intestine)
- Gadus morhua macrocephalus* (intestine)
Eleginus gracilis (intestine)
Pholis dolichogaster (intestine)
Hexagrammos stelleri (intestine)
Mellettes papilio (intestine)
Myoxocephalus polycanthocephalus (intestine)
M. axillaris (intestine)
M. verrucosus (pyloric caeca, intestine)
M. platicephalus (intestine)
Enophrys diceraus (intestine)
Blepsrys bilobus (intestine)
Podothecus acipenserinus (pyloric caeca, intestine)
Liparis gibbus (pyloric caeca)
Platessa quadriruberculata (intestine)
Pleuronectes stellatus (intestine)
- Diplogonoporus balaenopterae* Iwata, M., 1965 a
Lönnberg, 1892
comparative morphology with *D. grandis*
- Diplogonoporus grandis* Iwata, M., 1965 a
comparative morphology with *D. balaenopterae*
- Diplogonoporus grandis* human Kamo, H.; and Hatushika, R., 1964 a Japan
- Diplogonoporus tetrapterus* (Siebold, 1948)
Cystophora cristata (small intestine)
- Diplophallus taglei* n. sp. *Lagidium peruanum* (small intestine)
- Diplopasthe laevis* (Bloch, 1782) Jacobi, 1897
Netta rufina
- Diplopasthe laevis* [*Nyroca ferina*] [*Anas penelope*]
- Diplopasthe laevis* *Anas strepera*
Netta rufina
Nyroca ferina
N. nyrocae
- Diplopasthe laevis* (Bloch, 1782)
Nyroca ferina
- Hatushika, R.; and Iwata, M., 1965 a
- Prokopic, J., 1967 b
- Stark, G. T. C., 1965 a, 416-420
- Zhukov, E. V., 1963 a, 107
- Zhukov, E. V., 1963 a, 107, 108, 109-111, fig. 6
- Parona, 1886
- Felis libyca (intestin grêle)
- Felis libyca
- Parona, 1886
- Felis libyca (intestin grêle)
- Felis libyca
- Parona, 1886
- Felis catus dom.
- [lapsus as: *Dipyllidium*]
- spp. dogs
- Dipylidium caninum* (L., 1758) [*Canis familiaris*] (small intestine) [*C. lupus*] (small intestine)
- Dipylidium caninum* dogs
- Dipylidium caninum* perros (feces)
- Dipylidium caninum* chat (intestin grêle)
- Dipylidium caninum* L., 1782 [*Canis familiaris*]
- Dipylidium caninum* influence on dog kidney maintenance of manganese, titanium and copper
- Dipylidium caninum* (Linné, 1758) [*Canis familiaris*] [*Felis catus*]
- Dipylidium caninum* *Felis domestica*
- Dipylidium caninum* dogs *Otocephalides canis*
- Dipylidium caninum* effect of extracts on dog kidney function
- Dipylidium caninum* cats (rectal contents)
- Diplopasthe laevis (Bloch, 1782)
Nyroca ferina
- Oshmarin, P. G., 1965 b Buriat ASSR
- Rysavy, B., 1962 d Sudmahren
- Sharpilo, L. D., 1961 a, 204 Ukraine
- Bernard, J., 1964 a forest region of Cap Bon, Tunisie
- Bernard, J., 1967 a Tunisie
- Bernard, J.; Ben Osman, F.; and Juminer, B., 1964 a, 54 Tunis
- Prokopic, J., 1965 a, 213, figs. 2d-e Czechoslovakia
- Lyons, K. M., 1966 a, 71
- Ho, C. C., 1965 a, 197 Taipei area
- Abbasov, M. T., [1966 a] Nakhichevan ASSR, all from
- Awan, M. A. Q., 1964 a Lahore, Pakistan
- Barriga, O. O.; and Jaramillo, S., 1966 a Castro, Chile
- Bernard, J.; Ben Osman, F.; and Juminer, B., 1964 a, 53, 54 Tunis
- Bernard, J.; Ben Osman, F.; and Juminer, B., 1967 a, 7 Tunis
- Beskhlbynyi, A. I., 1963 a
- Chebotarev, R. S.; Zaskind, L. N.; Serafà, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs
- Chin, Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang
- Cooper, J. E., 1968 a, 44 all from Tanzania
- Dovgan, Z. V., 1963 a
- Dubey, J. P., 1966 a

- Dipylidium caninum Dubey, J. P., 1966 b
in cats infected with Toxoplasma gondii
- Dipylidium caninum Fedosova, E. E., 1963 a
microelement maintenance in canine testes
- Dipylidium caninum Goodchild, C. G.; and Dennis,
E. S., 1966 a
nitrogen and amino acid analyses
- Dipylidium caninum (small intestine)
Canis familiaris
Gubanov, N. M., 1964 a, 21
Yakutia
- Dipylidium caninum Iadevaias, R.; and Medda, A.,
1962 a
Cagliari municipality,
Sardinia
- Dipylidium caninum transmissible from animal
to man Imaizumi, K., 1967 a, pp. 102-
103
- Dipylidium caninum dog Kim, Jyong Hi, (1958 a); 1958 b
Korea
- Dipylidium caninum Felis catus Langenegger, J.; and Lanzieri,
P. D., [1965 a], 87
Rio de Janeiro
- Dipylidium caninum cuticle Lee, D. L., 1966 b, fig. 8
- Dipylidium caninum infant Link K., A.; and Cassorla L.,
E., 1966 a
Chile
- Dipylidium caninum [Felis catus]
[Canis familiaris] Litvishko, N. T.; and Adamets,
I. I., 1963 a
all from Kharkov and en-
virons
- Dipyllidium [sic] caninum Lyons, K. M., 1966 a
chemistry of spines
and hooks
- Dipylidium caninum dogs Mastrangelo, P., 1966 a
Naples, Italy
- Dipylidium caninum epidemiology, role of
dog hairs, muzzle and paws Matov, K. P.; and Kolev, G.,
1965 a
- Dipylidium caninum pathognomonic changes within intestinal wall Mel'nikova, A. S., 1966 a
- Dipylidium [caninum] diagnosis Mendheim, H.; and von Papen,
G., 1967 a
- Dipylidium caninum dog (intestine) Niculescu, A.; Lungu, T.;
Purcherea, A.; and Milla, C.,
[1967 a]
Bucharest, Romania
- Dipylidium caninum eggs Pegg, E. J.; and Shephard, F.
A., 1966 a, pls., figs. 14-16
- Dipylidium caninum fine structure, histo-
chemistry, eggs Pence, D. B., 1967 a,
figs. 1-19
- Dipylidium caninum (Linné, 1758)
(tenke strevo of all)
Canis familiaris Prokopic, J., 1965 a, 212
all from Czechoslovakia
- Dipylidium caninum embryogenesis Rybicka, K., 1966 b, fig. 11A,
21-22, 27
- Dipylidium caninum cats de Rycke, P. H., 1968 a
Gent, Belgium
- Dipylidium caninum (L.,
1758)
[Canis familiaris] (small intestine) Safronov, M. G., 1966 a, 15
Yakutia
- Dipylidium caninum [Canis familiaris]
(small intestine) Shimalov, V. T., 1965 b, 266
Byelorussia
- Dipylidium caninum [Canis familiaris] Smith, J. P., 1967 a
- Dipylidium caninum [Canis familiaris] Stoimenov, K. A., 1959 a
Kolarograd district, Bul-
garia
- Dipylidium caninum dogs Styles, T. J., 1967 a
Mexico City
- Dipylidium caninum dogs Tanaka, H.; Ohshima, S.; and
Inami, Y., 1966 a
Toda-machi area, Japan
- Dipylidium caninum larva negative in dog
fleas Tongson, M. S.; and de Vera,
L., 1967 a
Philippines
- Dipylidium caninum [Felis catus]
[Canis familiaris] Volkova, N. S.; and Omelaeva,
R. N., 1963 a
all from Lugansk city
- Dipylidium caninum, Treat- Bradley, R. E., 1966 c
ment bismuth salt of p-glycolylaminophenylarsonic acid;
and phenylene 1,4-diisothiocyanate
- Dipylidium caninum, Treat- Burrows, R. B.; and Lillis,
ment W. G., 1966 a
benamide hydrochloride, cats
- Dipylidium caninum, Treat- Colglazier, M. L.; Enzie,
ment F. D.; and Burtner, R. H.
(jr.), 1966 a
- Dipylidium caninum, Treat- Grenat, R., 1961 a
ment Mepacrine
- Dipylidium caninum, Treat- Güralp, N., 1967 c
ment Yomesan
- Dipylidium caninum, Treat- Güralp, N.; and Tigin, Y.,
ment (1966 a), 262
Yomesan, dogs and cats
- Dipylidium caninum, Treat- Howes, H. L. (jr.); and
ment Lynch, J. E., 1967 a
pyrantel tartrate, ineffective
- Dipylidium caninum, Treat- Hromatka, Lore; Kutzer,
ment Erich.; and Stettner, W.,
Scolaban 1966 a
- Dipylidium caninum, Treat- Tareeva, A. I.; and Pavlova,
ment A. M., 1965 a
Cucurbita sp. (anthelmintic action)
- Dipylidium caninum, Treat- Weissenburg, H., 1968 a
ment dogs, not influenced by Citarin

- Dipylidium chyseri [sic]
[*Felis catus*] Volkova, N. S.; and Omelaeva,
R. N., 1963 a
Lugansk city
- Dipylidium sexcoronatum Fitzsimmons, W. M., 1966 e,
von Ratz, 1900 401, 403
dogs Malawi
cats
- Dipylidium sexcoronatum Prokopic, J., 1965 a, 212-213,
(Ratz, 1900) figs. 2a-b
(tenke strevo)
Felis catus dom. Czechoslovakia
- Dipyllidium Lyons, K. M., 1966 a
[lapsus for: Dipylidium]
- Discobothrium Williams, H. H., 1966 a,
230, 231, fig. 18
- Discobothrium fallax Williams, H. H., 1966 a, 230,
Beneden, 1870 231, 236, 237, 238, 245, 250,
Syn.: *Echeneilobothrium*
fallax of Williams, 1958b figs. 1, 26a-d, 33, 34, 39,
pro parte 40, 67, 69, 70, pl. 2, fig.
1
- Distoichometra bufonis Campbell, R. A., 1968 a
Dickey, 1921 Pocahontas State Park,
Bufo woodhouseii fowleri Virginia
(small intestine)
- Distoichometra kozloffii Parry, J. E.; and Grundmann,
Douglas (1958) A. W., 1965 a
Bufo microscaphus Utah
- Distoichometra kozloffii Rybicka, K., 1966 b, fig. 2A-B
embryogenesis
- Drepanidotaenia. See Drepanidotaenia.
- Drepanidotaenia Railliet Prestwood, A. K.; and Reid,
key to species W. M., 1966 a, 433, 435
- Drepanidotaenia Railliet, Spasskiĭ, A. A.; and Reznik,
1892 V. N., 1963 a, 84
revision
- Drepanidotaenia Stoican, E.; Negru, D.; Fro-
geese, carbon tetra-
chloride, bromhydric are-
coline, piperazine adipate munda, V.; and Georgescu, L.,
1963 a
- Drepanidotaenia aequabilis Spasskiĭ, A. A.; and Dao
(Rud.) Cohn, 1901 Van-T'en, 1963 a, 4
as syn. of *Wardium aequabilis* (Rudolphi, 1810) Spassky et
Spasskaja, 1954
- Drepanidotaenia aporalis Spasskiĭ, A. A.; and Reznik,
Tscherbovitch, 1945 V. N., 1963 a
As syn. of *Laricanthus lateralis* (Mayhew, 1925) Spassky,
1962
- Drepanidotaenia aporalis Spasskiĭ, A. A.; and Reznik,
Tscherbovitch, 1945 V. N., 1963 a, 87
As syn. of Drepanidotaenia lateralis (Mayhew, 1925)
Spassky, 1962
- Drepanidotaenia barrowensis Prestwood, A. K.; and Reid,
key W. M., 1966 a, 435
- Drepanidotaenia barrowensis Spasskiĭ, A. A.; and Reznik,
(Schiller, 1952) Yamaguti, V. N., 1963 a, 88
1959
- Drepanidotaenia bilateralis Prestwood, A. K.; and Reid,
key W. M., 1966 a, 435
- Drepanidotaenia bilateralis Spasskiĭ, A. A.; and Reznik,
(Linstow, 1905) Lopez- V. N., 1963 a, 87
Neyra, 1942
Syn.: *Hymenolepis bilateralis* Linstow, 1905
- Drepanidotaenia bisacculina Prestwood, A. K.; and Reid,
key W. M., 1966 a, 435
- Drepanidotaenia bisacculina Spasskiĭ, A. A.; and Reznik,
Szpotanska, 1931 V. N., 1963 a, 87
- Drepanidotaenia curiosa Prestwood, A. K.; and Reid,
key W. M., 1966 a, 435
- Drepanidotaenia (?) curiosa Spasskiĭ, A. A.; and Reznik,
Szpotanska, 1931 Yamaguti, V. N., 1963 a, 88
1959
- Drepanidotaenia elongata Prestwood, A. K.; and Reid,
key W. M., 1966 a, 435
- Drepanidotaenia elongata Spasskiĭ, A. A.; and Reznik,
(Fuhrmann, 1906) Lopez- V. N., 1963 a, 87
Neyra, 1942
- Drepanidotaenia lan- Akhunian, K. S., 1966 a
ceolata Armenian SSR
Anser anser
- Drepanidotaenia lanceolata Andrievskaia, N. Iu., 1963 a
[*Anser anser*] all from Odessa oblast
[*Anas platyrhynchos*]
- Drepanidotaenia lanceolata Belokobylenko, V. T., 1965 a
(Bloch, 1782) Ural oblast
[*Anas platyrhynchos*]
- Drepanidotaenia lanceolata Chibichenko, N. T., 1966 a, 40
(Bloch, 1782) Kirgiz
[*Anas platyrhynchos*]
- Drepanidotaenia lanceolata Churina, N. V., 1963 a
(small intestine of all) all from Srednii Ural
Anas platyrhynchos
[*Anser anser*]
- Drepanidotaenia lanceolata Dobrokhotova, O. V., 1965 a
Mesocyclops oithonoides all from Southern Kazakhstan
Acanthocyclops viridis
Eucyclops serrulatus
Cyclops strenuus
- Drepanidotaenia lanceolata Dobrokhotova, O. V., 1967 a
intermediate hosts Southern Kazakhstan
- Drepanidotaenia lanceolata Georgiev, B.; and Denev, I.,
[*Anser anser*] 1959 b district of Tarnovo, Bulgaria
- Drepanidotaenia lanceolata Kotel'nikov, G. A., 1963 b
Radix auricularia SSSR
- Drepanidotaenia lanceolata Kuznetsov, V. G., 1965 a
(Bloch, 1782) chlorophos-phenothiazine, ducks

| | | | |
|---|--|--|--|
| Drepanidotaenia lanceolata | Lesin'sh, K. P., 1966 a survival of eggs in exterior environment | Drepanidotaenia lobata (Szpotanska, 1931) Skrjabin et Mathevossian, 1945 Syn.: Drepanidotaenia lanceolata v. lobata Szpotanska, 1931 | Spasskii, A. A.; and Reznik, V. N., 1963 a, 88 |
| Drepanidotaenia lanceolata [Anser anser] | Lesin'sh, K. P.; and Kliavins', Ia. R., 1966 a Latvian SSR | Drepanidotaenia musculosa Spasskii, A. A.; and Dao Clerc, 1902 as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954 | Van-T'en, 1963 a, 4 |
| Drepanidotaenia [sic] lanceolata | Maksimova, A. P., 1966 a South Kazakhstan | Drepanidotaenia nyrocae key Spasskii, A. A.; and Reid, W. M., 1966 a, 435 | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 |
| Drepanidotaenia lanceolata (Bloch, 1782) | Maksimova, A. P., 1967 a, 139 Western Kazakhstan | Drepanidotaenia nyrocae (Yamaguti, 1935) Spasskii, A. A.; and Reznik, V. N., 1963 a, 88 | Spasskii, A. A.; and Reznik, V. N., 1963 a, 88 |
| Drepanidotaenia lanceolata (Bloch) | Monchenko, V. I., 1961 c, 298-302 Mesocyclops leucarti (exper.) Cyclops vicinus (exper.) Acanthocyclops vernalis (exper.) | Drepanidotaenia philactes (Schiller, 1951) Yamaguti, 1959 key Prestwood, A. K.; and Reid, W. M., 1966 a, 433 | Prestwood, A. K.; and Reid, W. M., 1966 a, 433 |
| Drepanidotaenia lanceolata (Bloch, 1782) | Nikulin, T. G., 1965 a all from Byelorussia | Drepanidotaenia przewalskii Skrjabin, 1914 [Anas platyrhynchos] Belokobyleenko, V. T., 1965 a Ural oblast | Belokobyleenko, V. T., 1965 a Ural oblast |
| [Anas platyrhynchos] [Anser anser] | | Drepanidotaenia przewalskii (Skrjabin, 1914) (small intestine of all) Anas platyrhynchos Nyroca fuligula Anas strepera A. crecca Somateria mollissima Churina, N. V., 1963 a all from Sredni Ural | Churina, N. V., 1963 a all from Sredni Ural |
| Drepanidotaenia lanceolata (Bloch, 1782) | Olteanu, G.; and Stoican, E., 1963 b, 231, 235 all from Romania | Drepanidotaenia przewalskii (Skrjabin, 1914) Cygnus olor Kazlauskas, J., 1968 a Zuvintas Lake | Kazlauskas, J., 1968 a Zuvintas Lake |
| răță giscă | | Drepanidotaenia przewalskii Radix auricularia Kotel'nikov, G. A., 1963 b SSSR | Kotel'nikov, G. A., 1963 b SSSR |
| Drepanidotaenia lanceolata key | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 | Drepanidotaenia przewalskii Skrjabin, 1914 Anser anser Maksimova, A. P., 1967 a, 139-140 all from Western Kazakhstan | Maksimova, A. P., 1967 a, 139-140 all from Western Kazakhstan |
| Drepanidotaenia lanceolata embryogenesis | Rybicka, K., 1966 b, fig. 11B | Drepanidotaenia przewalskii (Skrjabin, 1914) [Anas platyrhynchos] Nikulin, T. G., 1965 a all from Byelorussia | Nikulin, T. G., 1965 a all from Byelorussia |
| Drepanidotaenia lanceolata [Anser anser] | Shevtsov, A. A., 1961 a, 227 Ukraine | Drepanidotaenia przewalskii (Skrjabin, 1914) giscă Olteanu, G.; and Stoican, E., 1963 b, 235 Romania | Olteanu, G.; and Stoican, E., 1963 b, 235 Romania |
| Drepanidotaenia lanceolata [Anser anser] | Shevtsov, A. A., 1963 b Volynskaia oblast | Drepanidotaenia przewalskii key Prestwood, A. K.; and Reid, W. M., 1966 a | Prestwood, A. K.; and Reid, W. M., 1966 a |
| Drepanidotaenia lanceolata [Anas platyrhynchos] | Shevtsov, A. A., 1963 c all from Ukraine | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1961 a, 227 Ukraine | Shevtsov, A. A., 1961 a, 227 Ukraine |
| [Anser anser] | | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1963 b Volynskaia oblast | Shevtsov, A. A., 1963 b Volynskaia oblast |
| Drepanidotaenia lanceolata [Anser anser] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR | Drepanidotaenia przewalskii [Anas platyrhynchos] [Anser anser] Shevtsov, A. A., 1963 c all from Ukraine | Nikulin, T. G., 1965 a all from Byelorussia |
| Drepanidotaenia lanceolata [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Drepanidotaenia przewalskii (Skrjabin, 1914) giscă Olteanu, G.; and Stoican, E., 1963 b, 235 Romania | Olteanu, G.; and Stoican, E., 1963 b, 235 Romania |
| Drepanidotaenia lanceolata | Smogorzhevskaiia, L. A.; and Iskova, N. I., 1963 a Ukrainian SSR | Drepanidotaenia przewalskii key Prestwood, A. K.; and Reid, W. M., 1966 a | Prestwood, A. K.; and Reid, W. M., 1966 a |
| (Bloch, 1782) Railliet, 1892 | V. N., 1963 a, 88 | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1961 a, 227 Ukraine | Shevtsov, A. A., 1961 a, 227 Ukraine |
| Drepanidotaenia lanceolata v. lobata Szpotanska, 1931 | Spasskii, A. A.; and Reznik, V. N., 1963 a | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1963 b Volynskaia oblast | Shevtsov, A. A., 1963 b Volynskaia oblast |
| As syn. of Drepanidotaenia lobata (Szpotanska, 1931) | | Drepanidotaenia przewalskii [Anas platyrhynchos] [Anser anser] Shevtsov, A. A., 1963 c all from Ukraine | Nikulin, T. G., 1965 a all from Byelorussia |
| Skrjabin et Mathevossian, 1945 | | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1966 b Ukrainian SSR | Olteanu, G.; and Stoican, E., 1963 b, 235 Romania |
| Drepanidotaenia lateralis key | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 | Drepanidotaenia przewalskii [Anas platyrhynchos] [Anser anser] Shevtsov, A. A., 1966 b Ukrainian SSR | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 |
| Drepanidotaenia lateralis (Mayhew, 1925) | Spasskii, A. A.; and Reznik, V. N., 1963 a, 87 | Drepanidotaenia przewalskii [Anser anser] Shevtsov, A. A., 1966 b Ukrainian SSR | Shevtsov, A. A., 1966 b Ukrainian SSR |
| Syn.: Drepanidotaenia aporalis Tscherbovitch, 1945 | | Drepanidotaenia rapida key Prestwood, A. K.; and Reid, W. M., 1966 a, 435 | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 |
| Drepanidotaenia lobata key | Prestwood, A. K.; and Reid, W. M., 1966 a, 435 | | |

- Drepanidotaenia (?) rapida Spasskii, A. A.; and Reznik, (Szpotanska, 1931) Yamaguti, V. N., 1963 a, 88-89
1959
- Drepanidotaenia recurvirostrae (Krabbe) Cohn, 1900 T'en, 1963 a, 6
as syn. of Wardium recurvirostrae (Krabbe, 1869) Spassky et Spasskaja, 1954
- Drepanidotaenia signachiana key Prestwood, A. K.; and Reid, W. M., 1966 a, 435
- Drepanidotaenia signachiana Kurashvili, 1950 Spasskii, A. A.; and Reznik, V. N., 1963 a, 88
- Drepanidotaenia sinuosa (Railliet, 1893; Stiles, 1896)
as syn. of Hymenolepis collaris (Batsch, 1786)
- Drepanidotaenia spinulosa Dubinin, V. B., 1938 a, 159
Dubinina, 1953 V. N., 1963 a, 88
as syn. of Anatinella spinulosa (Dubinina, 1953)
- Drepanidotaenia watsoni sp. n. key Prestwood, A. K.; and Reid, W. M., 1966 a, 432, 433, 434,
Meleagris gallopavo (small intestine) 435, 436, figs. 1-8
Grant County, Arkansas
- Drepanidotaeniasis epizootiology, domestic geese Okorokov, V. I., 1963 a
Cheliabinsk oblast
- Dubininolepis furcifera (Krabbe, 1869)
[*Podiceps cristatus*]
[*Colymbus caspicus*]
- Dubininolepis furcifera (Krabbe, 1889)
Podiceps cristatus
- Dubininolepis furcifera (Krabbe, 1869)
Podiceps griseigena
P. nigricollis
- Dubininolepis podicipina Szymanski, 1905
[corrected to *Confluaria* in corrigenda following p. 152]
- Dubininolepis podicipina (Szymanski, 1905)
Podiceps cristatus
- Dubininolepis podicipina (Krabbe, 1869)
Podiceps griseigena
P. nigricollis
- Duthiersia expansa Perrier, 1873
Varanus salvator (small intestine)
Varanus sp. (intestine)
- Smogorzhevskaja, L. A.; Kor-niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a
all from Turkmen
- Vol'skis, G. I., 1968 a
Lithuania
- Zhatkanbaeva, D., 1965 a
all from Southern and Central Kazakhstan
- Akhumian, K. S., 1966 a
Armenian SSR
- Ghibichenko, N. T., 1966 a, 42
- Vol'skis, G. I., 1968 a
Lithuania
- Zhatkanbaeva, D., 1965 a
all from Southern and Central Kazakhstan
- Balasingam, E., 1964 d, 112-114, fig. 4
(purchased Sago Lane market Chinatown, Singapore)
Selangor, Federation of Malaya

- Echeneibothrium
key to species Williams, H. H., 1966 a, 229, 230, 231, 254-255, 257-279, figs. 19-20
- Echeneibothrium sp. Dollfus, R. P. F., 1967 a, 176, 177, figs. 37-38
- Echeneibothrium sp.
chemistry of spines
and hooks Lyons, K. M., 1966 a
- Echeneibothrium sp.
"most closely agree with
the description of *E. myzorhynchum*"
Venerupis staminea Sparks, A. K.; and Chew, K.K., 1966 a, fig. 2
Bird Island in Humboldt
Bay, California
- Echeneibothrium sp.
key Williams, H. H., 1966 a, 238, 248, 255, figs. 32, 35-38,
pl. 1, figs. 1-2
Plymouth
- Echeneibothrium sp.
key Williams, H. H., 1966 a, 250, 255
Syn.: *Echeneibothrium variabile* of Tseng, 1933
- Echeneibothrium (?) sp.
key Williams, H. H., 1966 a, 250,
255
Syn.: *Phormobothrium affine* of Alexander, 1963
- Echeneibothrium (?) sp.
Raja radiata Williams, H. H., 1966 a, 248, 249, figs. 84, 85
- Echeneibothrium sp.
key Williams, H. H., 1966 a, 230, 231, 244-245, 249, 253,
255, 260, 262, 263, figs.
9, 82, 83, 88, 94, 96
west coast of Scotland
- Echeneibothrium sp.
Raja naevus Williams, H. H., 1966 a,
230, 231, 236, 237, 238,
240, 241, 242, 245, 248, 255,
261, 262, figs. 3, 43-45, 73-
74
- Echeneibothrium sp.
key Williams, H. H., 1966 a,
230, 231, 236, 237, 240, 241,
242, 245, 262, 263, figs. 5,
24a-d, 39, 43-46, 53, 54,
55-57, 58, 60, 61-63, 64,
101, pl. 2, figs. 2-3
Plymouth
- Echeneibothrium sp.
key Williams, H. H., 1966 a,
238, 242, 248, 255, figs.
37, 59
- Echeneibothrium sp.
"previously identified
as *E. dubium* by other
workers including Euzet, 1959"
key Williams, H. H., 1966 a, 244,
248, 255, 262, 263, figs. 80,
81, 99
Raja oxyrhynchus
- Echeneibothrium affine Williams, H. H., 1966 a, 243
Olsson, 1876, of Williams (1958)
as syn. of *Echeneibothrium elongatum* sp. nov.
- Echeneibothrium beauchampi Euzet, 1959
as syn. of *E. variabile* Beneden, 1849 "possibly"
Williams, H. H., 1966 a, 231
- Echeneibothrium bifidum Yamaguti, 1952
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 256
- Echeneibothrium bilobatum Young, 1955
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 256
- Echeneibothrium ceylonicum Shipley & Hornell, 1906
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 255
- Echeneibothrium demeusiae Euzet, 1959
key Williams, H. H., 1966 a, 237, 254
Sete, France
- Echeneibothrium dolichocephalum Riser, 1955
key Williams, H. H., 1966 a, 239, 254
Raja rhina
Monterey Bay, California
- Echeneibothrium dubium Beneden, 1858
key Williams, H. H., 1966 a, 230, 231, 241-243, 253, 255,
figs. 7, 89
Raja batis
west coast of Scotland
- Echeneibothrium dubium from *Raja oxyrhynchus*
of other workers including Euzet, 1959
as syn. of *Echeneibothrium* sp. [figs. 80-81 labelled
E. dubium instead of *Echeneibothrium* sp.]
Williams, H. H., 1966 a, 248,
249, figs. 80-81
- Echeneibothrium elongatum sp. nov.
key Williams, H. H., 1966 a, 230, 231, 243-244, 253, 255,
262, 263, figs. 10, 87, 100
Syn.: *Echeneibothrium affine* of Olson, 1876, of
Raja circularis
west coast of Scotland
- Echeneibothrium fallax of Williams, 1958 pro parte
Williams, H. H., 1966 a, 250
as syn. of *Discobothrium fallax* Beneden, 1870
- Echeneibothrium fallax of Williams (1958) pro parte
Williams, H. H., 1966 a, 231
as syn. of *Echeneibothrium variable* Beneden, 1849
- Echeneibothrium filamentosum Subhapradha, 1955
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 256
- Echeneibothrium gracile Zschokke, 1888
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 255
- Echeneibothrium hornelli Young, 1956
as syn. of (?) *Echeneibothrium javanicum*
Williams, H. H., 1966 a, 250
- Echeneibothrium hui Tseng, 1933
wrongly allocated to *Echeneibothrium*
Williams, H. H., 1966 a, 256

- Echeneibothrium (?) *jeveni-* Williams, H. H., 1966 a, 250
sum (Shipley and Hornell,
1906; E. hornelli Young, 1956)
- Syns.: *Tiarobothrium jevenianum* Shipley and Hornell,
1906; *E. hornelli* Young, 1956
- Echeneibothrium *sacratum* Williams, H. H., 1966 a, 250-251, 255
key Monteray Bay, California
- Raja montereyensis*
- Echeneibothrium *maculatum* Williams, H. H., 1966 a, 250, 251, 253, 254, 254, 254,
key 264, figs. 4, 42, 47, 103
- Rhinebothrium montagui*
- Echeneibothrium *minimum* Sparks, A. K.; and Cheu, K.K.,
Holothirus californicus 1966 a, 255, 256
Humboldt Bay, California
- Echeneibothrium *minimum* Williams, H. H., 1966 a,
Beneden, 1850 255
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *minutum* Williams, H. H., 1966 a,
sp. nov. 250, 251, 253, 254, 254,
key 255, figs. 6, 71, 72
Raja batis North Sea
- Echeneibothrium *major-* Williams, H. H., 1966 a,
chidum Young, 1934 256
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *myor-* Williams, H. H., 1966 a,
byzantium Hart, 1936 257-259, 255
key Puget Sound, Washington
- Raja binoculata*
- Echeneibothrium *ostorhynchus* Williams, H. H., 1966 a,
Kroger, 1955 259, 264
key Monteray Bay, California
- Raja montereyensis*
- Echeneibothrium *oligo-* Williams, H. H., 1966 a,
testiculae Subramanian, 256
1959
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *rhabdoti* Williams, H. H., 1966 a,
Yamaguti, 1960 256
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *tobijei* Williams, H. H., 1966 a,
Yamaguti, 1934 256
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *trifida* Williams, H. H., 1966 a,
Shipley & Hornell, 1906 256
1906
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *trygonis* Williams, H. H., 1966 a,
Shipley & Hornell, 1906 256
wrongly allocated to *Echeneibothrium*
- Echeneibothrium *temi-* Williams, H. H., 1966 a, 246
dulum of Williams, 1958
as syn. of *Echeneibothrium* sp.
- Echeneibothrium vari- Williams, H. H., 1966 a, 250
able of Tseng, 1953
as syn. of *Echeneibothrium* sp.
- Echeneibothrium *variable* Williams, H. H., 1966 a, 250, 251-252, 254, 255, 257, 260,
Beneden, 1849 261, 265, 264, 259, 261,
key 263, figs. 2, 258-4, 27-31,
fallax of Williams 41, 48-52, 65, 66, 68, pl.
(1959) 104-114
Echeneibothrium beau- champi Euzet, 1959 "possibly"
Raja clavata (spiral valve) Plymouth
- Echeneibothrium *vermetae* Williams, H. H., 1966 a,
Euzet, 1956 237, 254
key Woods Hole, Massachusetts
- Raja erinacea*
- Echeneibothrium *verti-* Williams, H. H., 1966 a,
culatum Subapartha, 256
1955
wrongly allocated to *Echeneibothrium*
- Echinococcosis. [See also Alveococcosis]
- Echinococcosis meat inspection Alupov, Kh. V.; and Valiullin,
meat inspection S. M., 1966 a
 Bashkir ASSR
- Echinococcosis aqueous iodine in vitro Jalayer, T.; and Askari, I.,
1966 a
- Echinococcosis meat inspection Poliskov, A. A.; and Kolobko-
lova, C. W., 1959 b
- Echinococcosis susceptibility of animals Valiullin, S. M., 1966 b
- Echinococcosis Yamashita, J. J., et al., 1966 a,
265-278
- Echinococcosis, Bovine Bacanini, F., 1966 a
statistical survey Rana and Setta Rivers area,
Bologna
- Echinococcosis, Bovine Dob, J. M.; and Chiché, G.,
liver and lung 1966 a
France
- Echinococcosis, Bovine Gill, H. S.; and Ree, B. V.,
buffalo; endogenous 1968 a
daughter cyst formation
- Echinococcosis, Bovine Ienai, L., 1966 a
chemical composition of hydatid fluid; human diagnosis
- Echinococcosis, Bovine Lukina, A. P., 1963 a
distribution Poltavsk oblast
- Echinococcosis, Bovine Mamedov, A. K., 1965 a
Azerbaijan SSR
- Echinococcosis, Bovine Panaitescu, D., 1966 b
fluorescent microscopy
- Echinococcosis, Bovine Rodriguez Rebollo, M., 1966
not found with *Salmonella*

| | | |
|---|---|---|
| Echinococcosis, Bovine sternum | Sofletea, I.; Olteanu, M.; and Schram, G., 1966 a, fig. 1 | <u>Echinococcosis, Geographic distribution.</u> -- Continued. |
| Echinococcosis, Bovine diagnosis, complement fixation reaction | Vartic, N., 1966 a | Echinococcosis, Iran human |
| Echinococcosis, Bovine | Verster, A. J. M.; and Collins, M., 1966 a South Africa | Echinococcosis, Iran human |
| Echinococcosis, Canine control, sanitation at abattoirs and slaughterhouses | Bramble, A. J., 1967 a | Echinococcosis, Iran human |
| Echinococcosis, Canine epidemiology, role of hairs, muzzle and paws | Matov, K. P.; and Kolev, G., 1965 a | Echinococcosis, Italy human, control |
| Echinococcosis, Canine hydrobromic arecholin | Sadykov, V. M., 1963 c | Echinococcosis, Italy human |
| Echinococcosis, Canine eradication | Sadykov, V. M., [1966 a] Andizhan, Uzbekistan | Echinococcosis, Peru human |
| Echinococcosis, Canine filixan; arecoline | Valiullin, S. M., 1965 a | Echinococcosis, Russia human |
| Echinococcosis, Canine epizootiology | Valiullin, S. M., 1966 a Bashkir ASSR | Echinococcosis, Russia human |
| Echinococcosis, Canine filixan; arecoline | Valiullin, S. M., 1966 c | Echinococcosis, Russia human |
| Echinococcosis, Canine | Verster, A. J. M.; and Collins, M., 1966 a South Africa | Echinococcosis, Russia human |
| Echinococcosis, Fur animals wild | Troitskaya, A. A., 1963 a | Echinococcosis, Russia human, epidemiology |
| <u>Echinococcosis, Geographic distribution</u> | | Echinococcosis, Russia livestock |
| Echinococcosis, Argentina human, national problem | Holgado Rivas, D. E., 1966 a | Echinococcosis, Russia human, eradication and diagnosis |
| Echinococcosis, Australia human | Austen, K. J., 1967 a | Echinococcosis, South Africa human |
| Echinococcosis, Australia human | Beard, T. C., 1967 a | Echinococcosis, Spain human |
| Echinococcosis, Australia human | Fitzpatrick, S. C., 1967 a | Echinococcosis, Tasmania human |
| Echinococcosis, Costa Rica human | Amador Guevara, J.; Céspedes Fonseca, R.; and Perera, A., 1964 a | Meldrum, G. K.; and McConnell, J. D., 1968 a |
| Echinococcosis, Ecuador human | Moggia, J. B., 1966 a | Echinococcosis, Turkey human |
| Echinococcosis, France alveolar, human, 3 cases | Coudert, J.; Despeignes, J.; Ambroise-Thomas, P.; and Battesti, M. R., [1966 a] Jura | Echinococcosis, United States human |
| Echinococcosis, Iceland human, eradicated | Beard, T. C., 1967 a | Echinococcosis, Human veriform process |
| | | Abbasov, B. Kh., 1964 a |

- Echinococcosis, Human, Abdomen Alonso-Alegre, A.; Martinez Prudencio, P.; and Obregon Icaza, J. L., 1961 a
- Echinococcosis, Human, Abdomen Greene, E., 1913 a
- Echinococcosis, Human, Biliary tract Anastasia, H. C., 1935 a Uruguay
- Echinococcosis, Human, Biliary tract Catalano, M., 1964 a
- Echinococcosis, Human, Biliary tract Daccak, M.; Hakki, Z.; and Adi, A. S., 1964 a
- Echinococcosis, Human, Biliary tract diagnosis Dupuy, R.; Vallin, J.; and Pagniez, G., 1961 a
- Echinococcosis, Human, Biliary tract Testa, G., 1962 a
- Echinococcosis, Human, Bone vertebra Borne, G.; and Hamidou, B., 1967 a
- Echinococcosis, Human, Bone vertebra Ghossein, A.; and Raffoui, W., 1961 a
- Echinococcosis, Human, Bone vertebra Lesure, J., 1962 a
- Echinococcosis, Human, Bone sacrum Lowy, M., 1967 a
- Echinococcosis, Human, Bone vertebra Pedovani, P.; and Rougerie, J., 1962 a
- Echinococcosis, Human, Bone Sanchez de Vega, D., 1963 a
- Echinococcosis, Human, Brain Kondrat'ev, V. P., 1965 a
- Echinococcosis, Human, Breast Corey L., F., 1913 a
- Echinococcosis, Human, Case reports bronchiae, fistulas Bruguier, R.; Borne, G.; and Fitchev, N., [1968 a]
- Echinococcosis, Human, Complications malignancy Haddad, F. S.; Haddad, F.S.; and Haddad, S. I., 1963 a
- Echinococcosis, Human, Complications gastric hemorrhage Resines, A.; and Ruiz, G²., 1965 a
- Echinococcosis, Human, Complications cyst rupture Schiller, C. F., 1966 a
- Echinococcosis, Human, Complications infantilism Sulis, E.; and Medda, A., 1962 a
- Echinococcosis, Human, Control Bramble, A. J., 1967 a
- sanitation at abattoirs and slaughterhouses
- Echinococcosis, Human, Control Domingo, P., 1963 a
- Echinococcosis, Human, Control Floris, M.; Muntoni, S.; Boero, A.; and Corona, M., 1964 a
- Sardegna
- Echinococcosis, Human, Control Minchev, N.; Pischiiski, G.; and Bachev, K., 1959 b
- Stankedimitrovska okoliia, Bulgaria
- Echinococcosis, Human, Control cities Sadykov, V. M., 1963 c
- Echinococcosis, Human, Control Snewin, W. F., 1967 a
- Echinococcosis, Human, Control Tomov, V.; and Komandarev, S. K., 1964 a, figs. 1-8
- enzyme "papain" lyses scolices
- Echinococcosis, Human, Cysts mouth da Costa, J. G., 1965 a
- Echinococcosis, Human, Diagnosis Echinococcosis, Human, Diag- nosis Avramov, E.; and Anćev, N., 1962 a
- Echinococcosis, Human, Diagnosis Costin, E., 1966 a
- indirect haemagglutination test
- Echinococcosis, Human, Diagnosis Fischman, A., 1965 a, 497-500
- value of latex and complement fixation tests
- Echinococcosis, Human, Diagnosis Fischman, A.; and Allen, J. L., 1967 a
- hydatid latex agglutination with scolex and crude polysaccharide antigens
- Echinococcosis, Human, Diagnosis Ghandi-Yazdi, S.; Bonellos, C. N.; and Romanos, A. N., 1964 a
- Echinococcosis, Human, Diagnosis González Castro, J., 1968 a
- serodiagnosis
- Echinococcosis, Human, Diagnosis González Castro, J., 1968 b
- bentonite flocculation test
- Echinococcosis, Human, Diagnosis Gräfe, H. H., 1964 a
- immunity, serology
- Echinococcosis, Human, Diagnosis Iancu, L., 1966 a
- chemical composition of hydatid fluid
- Echinococcosis, Human, Diagnosis Katsilambros, L., 1963 a
- reaction of Casoni
- Echinococcosis, Human, Diagnosis Lur'e, A. M., 1965 a
- differential roentgeno-diagnosis, tuberculosis, cancer
- Echinococcosis, Human, Diagnosis Mamedzade, S. A.; and Rakhamina, M. V., 1964 a
- errors in diagnosis and their prevention
- Echinococcosis, Human, Diagnosis Mirdamadi, H.; and Seadatza-deh, H., 1968 a
- skin test, antigen of *Echinococcus granulosus* scolices
- Echinococcosis, Human, Diagnosis Orihara, M., 1965 a
- tannic acid hemagglutination test

- Echinococcosis, Human, Diagnoses
lung cancer complications
A., 1964 a
- Echinococcosis, Human, Diagnosis
Pinos Marsell, T. A.; Figue-
rola Duran, J.; and Monserrat
Font, J., 1952 a
- Echinococcosis, Human, Epidemiology
role of dog hairs, muzzle and paws
1965 a
- Echinococcosis, Human, Epidemiology
can domestic cat be source of infection?
Merdivencı, A., 1966 a
- Echinococcosis, Human, Epidemiology
Sliusarev, A. A., 1963 b
Donets oblast
- Echinococcosis, Human, Eye
Aragon, I. R.; and Molina,
A. C., 1956 a
- Echinococcosis, Human, Heart
Arevalo Prieto, J.; Otaduy
Larrea, C.; and Iriarte Ezcur-
dia, M. M., 1965 a
- Echinococcosis, Human, Heart
Madinaveitia, J. M., 1956 a
- Echinococcosis, Human, Heart
Sulis, E.; Scuro, L. A.; and
Medda, A., 1962 a
- Echinococcosis, Human, Heart
Vivani, P.; and Barbato, E. C.
D., 1964 a
- Echinococcosis, Human, Intestine
gastric hemorrhage
Resines, A.; and Ruiz, G.,
1965 a
- Echinococcosis, Human, Intestine
colon
Riachi, E.; and Phares, A.,
1961 a
- Echinococcosis, Human, Kidney
Ghaem-Maghami, P., 1963 a
- Echinococcosis, Human, Kidney
Henry, J. D.; et al., 1966 a
- Echinococcosis, Human, Kidney
Hernandez, A.; and Satorre,
B., 1964 a
- Echinococcosis, Human, Kidney
Lavié, F. D., 1948 a
- Echinococcosis, Human, Kidney
Raffii, P.; and Dutz, W.,
1967 a
- Echinococcosis, Human, Kidney
Zabludovich, S.; Acebal, E.;
and Mainetti, J. M., 1965 a
- Echinococcosis, Human, Liver
surgical treatment
Alivisatos, C.N.; and Sarris,
M.C., 1961 a
- Echinococcosis, Human, Liver
Andreu Kern, F., 1963 a
- Echinococcosis, Human, Liver
Avlamis, G.; Romanos, A. N.;
Pitsinis, D.; and Printzis,
Ch., 1963 a
- Echinococcosis, Human, Liver
Bourgeon, R.; and Guntz, M.,
1960 a
- Echinococcosis, Human, Liver
Cendan Alfonzo, J. E., 1963 a
- Echinococcosis, Human, Liver
Cirenei, A., 1965 a
- Echinococcosis, Human, Liver
Couinaud, C.; Sultan, R.;
Modaressi, H.; and Malamud,
S., 1961 a
- Echinococcosis, Human, Liver
D'Alessandro Bacigalupo, A.;
Lega, J.; and Vera, M. A.,
1966 a
Colombia
- Echinococcosis, Human, Liver
Durantez, A.; Aguirre, M.;
Garcia Torres, J.A.; and
Sanz Martin, J. F., 1965 a
- Echinococcosis, Human, Liver
Gallego, M.; Zamarro, J. M.;
Cubillo, J.; and San Martin,
P., 1964 a
- Echinococcosis, Human, Liver
Ghandi-Yazdi, S.; Bonello, C. N.;
and Romanos, A. N., 1964 a
- Echinococcosis, Human, Liver
Giemes Diaz, F., 1965 a
- Echinococcosis, Human, Liver
Guillemin, G.; Dubois, J.; and
Braillon, G., 1965 a
- Echinococcosis, Human, Liver
Karageorgis, B. P.; and Milin-
gos, Sp., 1963 a
- Echinococcosis, Human, Liver
Lagrot, F.; Coriat, P.; Apap,
C.; and Touboul, R., 1961 b
- Echinococcosis, Human, Liver
Lambert, R.; Pasquier, J.;
and Moulinier, B., 1966 a
- Echinococcosis, Human, Liver
Liaras, H., 1966 a
- Echinococcosis, Human, Liver
Lopez-Gibert, J., 1965 a
- Echinococcosis, Human, Liver
Macias Castro, I.; et al.,
1965 a
- Echinococcosis, Human, Liver
Martin Cobo, F.; and de la
Torre Fernandez, J. M., 1963 a
- Echinococcosis, Human, Liver
Martinez Bueno, C., 1966 a
- Echinococcosis, Human, Liver
Mencia y Garcia, B.; and
Fernandez-Calzada, L., 1952 a
- Echinococcosis, Human, Liver
Mirzoev, F. I., 1963 a
- Echinococcosis, Human, Liver
Nocito, F. J., 1948 a
pseudochernia of lung
- Echinococcosis, Human, Liver
Rosa, F.; and Fontan, W.,
1965 a
- Echinococcosis, Human, Liver
Royo Montañés, M., 1965 a

- Echinococcosis, Human, Liver "regulated" major hepatectomies Ryncki, P. V., 1965 a
- Echinococcosis, Human, Liver operation of choice Sadigh, M., 1963 a
- Echinococcosis, Human, Liver Schapiro, R. H.; and Jones, W. A., 1966 a
- Echinococcosis, Human, Liver 41 years after disease, onset Sanchez de Vega, D., 1965 a
- Echinococcosis, Human, Liver Stucke, K., 1965 a
- Echinococcosis, Human, Liver Tountas, C.; Kiriakou, K.; Karagounis, D.; and Blatzas, G., 1963 a
- Echinococcosis, Human, Liver Tumol'skaya, N. I.; and Potekaeva, M. A., 1966 a
- Echinococcosis, Human, Liver alveolar Zerega Pendola, F., 1965 a
- Echinococcosis, Human, Liver case report Zhavoronkov, A. A., 1962 a
- Echinococcosis, Human, Lung surgical treatment Alivisatos, C. N.; Romanos, A. N.; Avlamis, G.; and Bonellos, C. N., 1963 a
- Echinococcosis, Human, Lung x-ray diagnosis Avramov, E.; and Ančev, N., 1962 a
- Echinococcosis, Human, Lung Brocard, H., 1964 a
- Echinococcosis, Human, Lung Gendan Alfonzo, J. E., 1963 a
- Echinococcosis, Human, Lung Conti, A.; and Spena, A., 1965 a
- Echinococcosis, Human, Lung Galy, P., 1964 a
- Echinococcosis, Human, Lung Gurbanaliev, I. G.; and Ospov, R. G., 1965 a
- Echinococcosis, Human, Lung Hankins, J.; and Dutz, W., 1966 a
- Echinococcosis, Human, Lung treatment problems Kavazarakis, N.; and Sfougaris, C., 1963 a
- Echinococcosis, Human, Lung Lorenzo Fernandez, T.; and Pursell Mengíez, A., 1944 a
- Echinococcosis, Human, Lung Mencía y García, B.; and Fernández-Calzada, L., 1952 a
- Echinococcosis, Human, Lung Ortega, J.; and Lesobre, R., 1964 a
- Echinococcosis, Human, Lung Panaitescu, D., 1965 b
- Echinococcosis, Human, Lung complicated with cancer Picciocchi, A.; and Revignas, A., 1964 a
- Echinococcosis, Human, Lung Rosa, E., 1964 a
- Echinococcosis, Human, Lung Royo Montañés, M., 1965 a
- Echinococcosis, Human, Lung pleura Rzaev, N. M.; and Gurbana-liev, I. G., 1967 a
- Echinococcosis, Human, Lung radical and conservative treatment Serrano Muñoz, F.; and García Vázquez, P., 1965 a
- Echinococcosis, Human, Lung Tountas, C.; Kiriakou, K.; Oeconomopoulos, A.; and Karapistolis, E., 1963 a
- Echinococcosis, Human, Lung Tzovaru, S.; Podeanu, G.; and Zamani, I., 1939 a
- Echinococcosis, Human, Lung surgical aspects Vaccarezza, O. A., 1948 c
- Echinococcosis, Human, Lung Zamorano, G.; Reed V., E.; Bórquez G., H.; and Lermandá, V., 1950 a
- Echinococcosis, Human, Miscellaneous body locations retroperitoneal space Assouad, I., 1964 a
- Echinococcosis, Human, Miscellaneous body locations 2 cases (intestine, tongue) Fialho, A., 1943 a
- Echinococcosis, Human, Miscellaneous body locations spermatic cord Hakami, 1963 a
- Echinococcosis, Human, Miscellaneous body locations omentum, fistulized in bladder Mantonico-Santoro, M., 1965 a
- Echinococcosis, Human, Muscle Atanasiu, I.; and Nicolau, C., 1938 a
- Echinococcosis, Human, Muscle Papadia, F.; and Fattovich, G. (jr.), 1965 a
- Echinococcosis, Human, Pancreas Roldan, L. A.; Mayer, H. F.; and Rodriguez, M., 1960 a
- Echinococcosis, Human, Pelvis Seriakova, E. L.; and Suchkov, V. B., 1962 a
- Echinococcosis, Human, Peritoneum Romero Aguirre, F., 1913 a
- Echinococcosis, Human, Reproductive organs inguinoscrotal Lockhart, J.; and Cassinelli, J. F., 1965 a
- Echinococcosis, Human, Spine Alivisatos, C. N., 1963 a
- Echinococcosis, Human, Spine Orioli, F. L.; and Girado, M., 1964 a
- Echinococcosis, Human, Spleen two case reports Akhverdiev, G. G., 1961 a
- Echinococcosis, Human, Spleen arab housewife Babero, B. B.; and Kaisi, A., 1965 a, fig. 1 Iraq
- Echinococcosis, Human, Spleen Bargareche, J., 1962 a

- Echinococcosis, Human, Spleen Bruguier, R.; Bourcet, G.; and Pitchev, N., 1967 a
- Echinococcosis, Human, Spleen surgical treatment Kayabali, I., 1963 a
- Echinococcosis, Human, Spleen Strat, V., 1964 a
- Echinococcosis, Human, Stomach Moro Campan, E., 1965 a
- Echinococcosis, Human, Surgical aspects hydatid cyst spoon
- Echinococcosis, Human, Surgical aspects
- Echinococcosis, Human, Surgical aspects aqueous iodine
- Echinococcosis, Human, Surgical aspects case reports
- Echinococcosis, Human, Surgical aspects
- Echinococcosis, Human, Surgical aspects
- Echinococcosis, Human, Thorax Beretervide, J. J., 1931 a
- Echinococcosis, Human, Thorax Brunner, A., 1950 a
- Echinococcosis, Human, Thorax chest wall
- Echinococcosis, Human, Thorax Reed V., E.; Borquez G., H.; and Capstick L., L., 1955 a
- Echinococcosis, Human, Thorax Serrano Munoz, F.; and Garcia Vazquez, P., 1965 a
- Echinococcosis, Human, Thyroid gland A., 1966 a
- Echinococcosis, Human, Thyroid gland Shalkeas, G. D.; and Sechas, M. N., 1957 a, 178-179
- Echinococcosis, Human, Urinary tract bladder Brea, L. M.; and Herrem, R. G., 1964 a
- Echinococcosis, Livestock distribution Marchenko, G. P., 1963 a
- Echinococcosis, Livestock domestic animals Marchenko, G. P., 1965 a
- Echinococcosis, Livestock control Shultz, R.E.S.; and Bondareva V.I., 1958 a
- Echinococcosis, Livestock epidemiology Zhilin, A. D., 1965 a
- Echinococcosis, Miscellaneous animals epizootiology
- Echinococcosis, Miscellaneous animals
- Echinococcosis, Miscellaneous animals desert zone, humans and animals
- Echinococcosis, Murine thiabendazole ineffective cotton rats --
- Echinococcosis, Ovine immunodiagnosis, allergic skin test
- Echinococcosis, Ovine control
- Echinococcosis, Ovine serum antihydrol groups
- Echinococcosis, Ovine epidemiology, distribution
- Echinococcosis, Ovine arecoline hydrobromide; sanitization
- Echinococcosis, Ovine carbococholine + arecoline
- Echinococcosis, Ovine distribution
- Echinococcosis, Ovine abattoir statistics
- Echinococcosis, Ovine immunity, acquired
- Echinococcosis, Simian
- Echinococcosis, Swine epidemiology, control
- Echinococcosis, Swine Sus domesticus
- Echinococcosis, Transmission animal to man
- Echinococcosis, Transmission simual to man
- Echinococcus Nemeth, I., 1962 b, figs. 1-3
- Echinococcus Rudolphi, 1820 Rausch, R. L., 1967 a
- review of valid species

Oshenian, A. G., 1965 a

Armenian SSR

Chowdhury, A. B., 1966 a

Genis, D. E., 1965 a

Kyzyl-Orda oblast, South

Kazakhstan

Beal, C. B.; and Markell, E.

K., 1966 a

Chukov, L. S.; Borovskii,

V. A.; and Bochekalov, A. N.

1965 a

Ermolova, E. N., 1965 a

Chimkent oblast

Gevondian, V. S., 1965 a

serum antihydrol groups

Hawkins, A. B., 1966 a

N. South Wales

Kadyrov, N. T., 1963 a

Kurgal'zhin region, Tselinograd oblast

Lukina, A. P., 1963 a

Foltavak oblast

Mantovani, A.; and Restani,

R., 1966 b, 107

Marche (Abruzzi, Central

Italy)

Olteanu, G., 1963 b

Romania

Popov, A. T., 1964 b

Bulgaria

Vibe, P. P., 1963 a

Myers, B. J.; Kuntz, R. E.;

and Vice, T. E., 1965 b

Chebotarev, R. S., 1968 a

Costa, H. M. de A., 1965 d

Estado da Bahia, Brazil

Gasperini, U., 1967 a

Lokmanenko, V. A., 1966 a;

fig. 16a, b, v

Nemeth, I., 1962 b, figs. 1-3

transmission by dogs

Rausch, R. L., 1967 a

review of valid species

onset

- Echinococcus [sp.]
Equus asinus
65
London (Zoological Park)
- Echinococcus sp.
Georychus capensis
(internal muscular wall of
abdominal cavity, liver)
de Graaff, G., 1964 a, 116
Cape Town
- Echinococcus alveolaris
epidemiology
Hasselmann, C. M., 1966 a
- Echinococcus granulosus
mixed infections
Abbasov, M. T., 1965 b
- Echinococcus granulosus
(small intestine)
[Canis familiaris]
[C. lupus]
Abbasov, M. T., [1966 a]
all from Nakhichevan ASSR
- Echinococcus granulosus
tricarboxylic acid cycle
reactions in scolices
Asadov, S. M.; and Sadykhov,
I. A., 1965 b
Azerbaijan
- Echinococcus granulosus
control, humans, dogs
Austen, K. J., 1967 a
Western Australia
- Echinococcus granulosus
eradicated in Iceland
Beard, T. C., 1967 a
- Echinococcus granulosus
epidemiology
Ben Osman, F., 1965 a
Tunisie
- Echinococcus granulosus
Batsch, 1786
Canis familiaris
Bernard, J.; Ben Osman, F.;
and Juminer, B., 1967 a, 7
Tunis
- Echinococcus granulosus
Bonakdarpour, A., 1967 a
- Echinococcus granulosus
dog, massive infection
Brack, M.; and Lamina, J.,
1968 a, figs. 1-3
- Echinococcus granulosus
metabolism of radioactive
fumaric acid
Bryant, C.; and Morseth, D.
J., 1968 a
- Echinococcus granulosus
(Batsch, 1786)
[Canis familiaris]
Chebotarev, R. S.; Zaskind,
L. N.; Seraia, V. G.; and
Pavlova, L. F., 1961 a, 189
Kiev and environs
- Echinococcus granulosus
Papio cynocephalus
Crosby, W. M.; Ivey, M. H.;
Shaffer, W. L.; and Holmes,
D. D., 1968 a
East Coast (Univ. Okla. Med.
Center)
- Echinococcus granulosus
Myocastor coypus
Cross, J. H. (jr.); and
Thomas, R. M., 1966 a, fig. 2
Buffalo, New York zoo
(shipped to Jacksonville,
Florida zoo, then to Little
Rock, Arkansas zoo)
- Echinococcus granulosus
Danilevicius, E., 1963 a
- Echinococcus granulosus
Hereford cow (brain)
Dent, C. H. R., 1966 a
Southern Tablelands
New South Wales
- Echinococcus granulosus
Mangalitsa swine
Dimitrova, E. A., 1964 a
Bulgaria
- Fiennes, R. N. T.-W., 1964 a,
65
- Echinococcus granulosus
isolation of 2 antigenic
fractions
Ejden, J.; and Gonzalez Perez,
M. A., 1967 a
- Echinococcus granulosus
(Batsch, 1786)
antigens, immunodiagnosis
Evranova, V. G.; and Tashina,
G. I., 1965 a
- Echinococcus granulosus
electrophoretic picture
of blood serum proteins, sheep
Fitzsimmons, W. M., 1966 e,
401
- Echinococcus granulosus
dogs, exper.
Gallo, C., [1964 a]
- Echinococcus granulosus
epidemiology
Geller, I. Yu., 1965 a
Nikolaev oblast
- Echinococcus granulosus
immune response to hexacanth embryos, specificity
Gemmill, M. A., 1966 a
- Echinococcus granulosus
sheep, attempts to control
New Zealand
Gemmell, M. A., 1966 b
- Echinococcus granulosus
histochemistry, buffaloes
Gill, H. S.; and Rao, B. V.,
1967 a
- Echinococcus granulosus
dromadaire (foie)
Graber, M.; Tabo, R.; and
Service, J., 1967 a, 239, 241
Tchad
- Echinococcus granulosus
host specificity not de-
termined by factor in bile
van Grembergen, G.; and van
de Vijver, G., 1967 a
- Echinococcus granulesus[sic]
(Batsch, 1786)
Canis familiaris (small intestine)
Gubanov, N. M., 1964 a, 21
Yakutia
- Echinococcus granulosus
epidemiology
Hasselman, C. M., 1966 a
- Echinococcus granulosus
survey, dogs
Hoghoughi, N.; and Jalayer, T.,
1967 a
Shiraz, Iran
- Echinococcus granulosus
sheep, epidemiology,
distribution
Howkins, A. B., 1966 a
N. South Wales
- Echinococcus granulosus
not found in Macropodidae
Howkins, A. B., 1966 b
Tasmania
- Echinococcus granulosus
Macropus cangaru
Howkins, A. B., 1966 c
Eastern New South Wales
- Echinococcus granulosus
epidemiology
Macaca mulatta (exper.)
Hutchison, W. F., 1966 a
- Echinococcus granulosus
serologic studies,
antibodies in swine
Hutchison, W. F., 1967 a
Mississippi
- Echinococcus granulosus
dog
Iadevaiā, R.; and Medda, A.,
1962 a
Cagliari municipality,
Sardinia
- Echinococcus granulosus
(Batsch, 1786)
Capreolus capreolus L. (liver)
Ianchev, Ia., 1965 a
Bulgaria

| | | | |
|--|---|---|---|
| Echinococcus granulosus transmissible from animal to man | Imaizumi, K., 1967 a, p. 103 | Echinococcus granulosus, (Batsch, 1780) larva [Rangifer tarandus] | Mitskevich, V. Iu., 1965 a, 170 Russia |
| Echinococcus granulosus Batsch, 1786 (Larva) Equus asinus | Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Nether- lands | Echinococcus granulosus rat tolerance to antigens | Moriarty, K. M., 1966 a |
| Echinococcus granulosus (Batsch, 1786) Bubalus bubalis Sus scrofa domesticus (omentum) | de Jesus, Z.; and Waramontri, J., 1961 a, 16 all from Thailand | Echinococcus granulosus antibodies responsible for hemagglutinating and comple- ment-fixing activity, human | Moriarty, K. M., 1968 a |
| Echinococcus granulosus (larvae) [Ovis aries] | Kadenatsii, A. N.; and Burikova, Iu. N., 1963 a Omsk forest steppe | Echinococcus granulosus fine structure, tegument | Morseth, D. J., 1966 b, figs. 4 (inset), 8 |
| Echinococcus granulosus Giraffa camelopardalis (kidney, liver, lung) | Kelly, J. D.; Boray, J. C.; and Dixon, R. T., 1968 a Taronga Park Zoological Gardens, [Australia], from South Africa 21 years ago | Echinococcus granulosus fine structure, hydatid cyst and protoscolex | Morseth, D. J., 1967 a, figs. 1-19 |
| Echinococcus granulosus cattle pig | Kim, Jyong Hi, (1958 a); 1958 b all from Korea | Echinococcus granulosus fine structure, nervous system | Morseth, D. J., 1967 b, figs. 1-10 |
| Echinococcus granulosus (Batsch, 1786) [Castor fiber] | Kolbin, L. V.; and Karasev, N. F., 1965 a Berezinsk game reserve | Echinococcus granulosus preservation and irra- diation, pigs | Movsesijan, M.; Sokolic, A.; and Mladenovic, Z., 1967 a |
| Echinococcus granulosus [Canis familiaris] | Kozlov, D. P.; Ovsukova, N. I.; and Radkevich, Zh. P., 1963 a Chukotk peninsula | Echinococcus granulosus Colobus polykomos | Myers, B. J.; Kuntz, R. E.; and Vice, T. E., 1965 b Tanganyika (San Antonio zool. |
| Echinococcus granulosus +cat (peritoneal cavity) | McDonald, F. E.; and Campbell, A. R., 1963 b New Zealand | Echinococcus granulosus dogs | Nardi, E.; and Puccini, V., 1967 a Bari, Campobasso, Foggia e Matera, provinces of Italy |
| Echinococcus granulosus X-ray diagnosis, liver | McNulty, J. G., 1968 a | Echinococcus granulosus [Sus scrofa] | Nazarova, N. S., 1965 a Belovezhsk forest |
| Echinococcus granulosus [Sus scrofa] | Mamedov, R. G., [1966 a] Azerbaijan | Echinococcus granulosus larvae [Sus scrofa] | Novikova, R. A., 1965 a Moldavia |
| Echinococcus granulosus specific hosts: dog, wolf, jackal, hyena, dingo non-specific hosts: fox, cat | Matov, K. P., 1966 a | Echinococcus granulosus cysts, cows | Ohshima, K.; et al., 1967 a Morioka City, Japan, imported from Australia and New Zealand |
| Echinococcus granulosus certain problems | Matov, K. P., 1966 b, 805- 812 | Echinococcus granulosus control | Olteanu, G.; and Hodogorea, I., 1963 a Romania |
| Echinococcus granulosus Vulpes vulpes crucigera (exper., as terminal host) | Matov, K. P.; and Ianchev, I., 1965 b | Echinococcus granulosus survival of eggs in external environment | Orekhov, M. D.; Stepanov, D. F.; and Khangel'dyev, A., 1965 a |
| Echinococcus granulosus epidemiology, role of dog hairs, muzzle and paws | Matov, K. P.; and Kolev, G., 1965 a | E[chinococcus] granulosus technique, stains, "vital" staining of scolices | Panaitescu, D., 1966 a |
| Echinococcus granulosus human, control | Meldrum, G. K.; and McConnell, J. D., 1968 a | Echinococcus granulosus malformation of protosco- lex | Panaitescu, D., 1968 b, figs. 1-3 |
| Echinococcus granulosus antigens | Miggiano, V.C.; Ferrari, S.; and Ingrao, F., 1966 a | Echinococcus granulosus development | Panaitescu, D., 1968 c, figs. 1-2 |
| Echinococcus granulosus scolices antigen used for skin test | Mirdamadi, H.; and Saadatzadeh, H., 1968 a | Echinococcus granulosus histochemistry of scolices | Panaitescu, D.; and Bona, C., 1965 b |
| Echinococcus granulosus [Alces alces] [Ovis aries] [Bos taurus] | Miroliubov, M. G., 1963 b all from Tartar ASSR | Echinococcus granulosus epizootiology, ovine | Paskal'skaja, M. Iu., 1963 a Kulundinskaja zone, Novo- sibirsk oblast |
| | | E[chinococcus] granulosus antigens, specificity and activity | Poletaeva, O. G., 1965 a |

- Echinococcosis granulosus
Mandrillus leucophaeus Powers, R.; Price, R. A.;
Houk, R. P.; and Mattlin,
R. H., 1966 a, 902-905,
figs. 1-5
Memphis, Tennessee
(died Memphis, Tennessee)
- Echinococcus granulosus (Bloch, 1780) Prokopic, J., 1965 a, 212
Czechoslovakia
- Echinococcus granulosus exper., infection of dogs by way of breathing organs Provenzale, L.; Medda, A.;
and Picciocchi, A., 1968 a
- Echinococcus granulosus Raffii, P.; and Dutz, W.,
1967 a
- Echinococcus granulosus Indian buffalo Vulpes bengalensis (exper.) Rao, B. V., 1968 a
India
- Echinococcus granulosus Rausch, R. L., 1967 a
recognized subspecies, review
- Echinococcus granulosus ecology and distribution Rausch, R. L., 1967 b
- Echinococcus granulosus heart infection of livestock by larvae Rybaltovskii, O. V., 1965 a
- Echinococcus granulosus [Canis familiaris] (small intestine)
[Vulpes vulpes] (small intestine) Sadykov, V. M., 1963 a
all from Uzbekistan
- Echinococcus granulosus [Canis familiaris]
[Vulpes vulpes] Sadykov, V. M., 1963 b
all from Uzbekistan
- Echinococcus granulosus (Batsch, 1786)
(small intestine)
[Canis familiaris]
[Rangifer tarandus]
[Bos taurus] Safronov, M. G., 1966 a, 12
all from Yakutia
- Echinococcus granulosus [Sus scrofa] Shapolatov, Zh. Sh., 1963 a
Samarkand oblast, Uzbekistan
- Echinococcus granulosus geographic distribution, throughout the world Simić, C. P., 1964 a
- Echinococcus granulosus physiologic, culture from protoscolex to strobila Smyth, J. D., 1967 a, figs.
1, 4-8
- Echinococcus granulosus in vitro egg production Smyth, J. D.; and Howkins, A. B., 1966 a
- Echinococcus granulosus in vitro factors controlling cystic or strobilar stages Smyth, J. D.; Howkins, A. B.;
and Barton, M., 1966 a, figs.
1-2
- Echinococcus granulosus [Sus scrofa] Spasskii, A. A.; and Andreiko, A. F., 1963 a
Moldavia
- Echinococcus granulosus (Batsch, 1786) larvae [Sus scrofa] Spasskii, A. A.; Andreiko, A. F.; and Poletaeva, V. A.,
1963 a, 4
Moldavia
- Echinococcus granulosus [Canis familiaris] Stojimenov, K. A., 1959 a
Kolarograd district, Bulgaria
- Echinococcus granulosus dogs Styles, T. J., 1967 a
Mexico City
- Echinococcus granulosus larva [Ovis aries] Trach, V. N., 1964 a, 192
steppe regions, Ukraine
- Echinococcus granulosus abattoir survey Verster, A. J. M., 1966 a
Republic of South Africa
- Echinococcus granulosus dogs (intestine) Ward, J. W., 1965 b, 552-553
lower Mississippi region
- Echinococcus granulosus technique for scolices collections dog (intestine) Wilkerhauser, T.; Žuković, M.;
and Markovic, N., 1967 a,
figs. 1-2
- Echinococcus granulosus ovine, bovine, caprine, canine, porcine, human, alpacas Zapatel, J.; Guerrero Diaz, C. A.; and Escalante, J.,
1962 a
all from Peru
- Echinococcus granulosus alveolar, in a patient Zerega Pendola, F., 1965 a
Guayaquil
- Echinococcus granulosis (larvae) [Ovis aries]
[Bos taurus] Zgardan, E. S.; et al, 1966 a
all from Moldavia
- Echinococcus granulosus (Batsch, 1786) larvae [Ovis aries]
[Bos taurus] Zgardan, E. S.; and Frukhman, E. A., 1965 a
all from Moldavia
- Echinococcus granulosus, Treatment Yomesan, dogs Cordero del Campillo, M.;
Ramírez Fernández, A. P.;
Aller Gancedo, B.; and
Martínez Fernández, A.,
1964 a
- Echinococcus granulosus, Treatment bunamidine hydrochloride Forbes, L. S., 1966 a
- Echinococcus granulosus, Treatment bunamidine hydrochloride, dogs Gemmell, M. A.; and Shearer, G. C., 1968 a
- Echinococcus granulosus, Treatment chlorure de bunamidine Guilhon, J. C.; Simić, C. P.;
Savin, Z.; and Bordjochki, A.,
1967 a
- Echinococcus granulosus, Treatment Yomesan, dogs Güralp, N.; and Tiğin, Y.,
(1966 a), 262
- Echinococcus granulosus, Treatment niclosamid, in vitro Lamy, L., [1966 a]
- Echinococcus granulosus, Treatment chemical ovacides Laws, G. F., 1967 a
- Echinococcus granulosus, Treatment Yomesan, dogs (exper.) Merdivenci, A., 1968 a
- Echinococcus granulosus, Treatment Yomesan, dogs Merdivenci, A., 1968 b

- Echinococcus granulosus*, Plant, J. W., 1967 a, fig.
Treatment
arecoline hydrobromide; bunamidine hydrochloride
- Echinococcus granulosus*, Popov, A. T., 1965 a
Treatment
hexachlorophène, dog
- Echinococcus multilocularis* Beal, C. B.; and Markell, E.
thiabendazole ineffective, K., 1966 a
cotton rats
- Echinococcus multilocularis* Bonakdarpour, A., 1967 a
- Echinococcus multilocularis* Galaugher, W., 1966 a, 767
embedding cysts
- Echinococcus multilocularis* Hnatiuk, J. M., 1966 a, 493
Leuckart, 1863
Saskatoon, Saskatchewan
Microtus pennsylvanicus (liver)
- Echinococcus multilocularis* Kagan, I. G.; Norman, L.;
Leuckart, 1863
and Leiby, P. D., 1965 a
Vulpes vulpes
North Dakota
Sigmodon hispidus (exper.)
Meriones unguiculatus (exper.)
(peritoneal cavity)
- Echinococcus multilocularis* Leiby, P. D.; and Nickel,
Leuckart, 1863
M. P., 1968 a
Vulpes vulpes (feces)
Agomus spp.
Harpalus sp.
Peromyscus maniculatus (exper.)
- Echinococcus multilocularis* Lubinsky, G. A., 1967 a
accelerated growth, vegetatively propagated
- Echinococcus multilocularis* Lubinsky, G. A., 1968 a, 29-
laris Leuck., 1863
30, pls. I-III
serial transfer of acephalic cysts in cotton rats
- Echinococcus multilocularis* Lubinsky, G. A.; and Galaugher,
abnormality of scoleces W., 1966 a, 767-768, pl. 1
- Echinococcus multilocularis* Lubinsky, G. A.; and Galaugher,
growth, inhibited by W., 1967 a
cyclophasmide
- Echinococcus multilocularis* Mohan, R. N., 1968 a, 745
buffaloes, review, geographic distribution
- Echinococcus multilocularis* Ohbayashi, M.; and Doi, R.,
experimental intrahepatic 1963 a
inoculation of scolices
- Echinococcus multilocularis* Ohbayashi, M.; and Sakamoto,
sex resistance in uniform T., 1964 a
strains of mouse
- Echinococcus multilocularis* Ohbayashi, M.; and Sakamoto,
sex differences in re- T., 1966 a, 65-70, pl.
sistance to larvae, mice
- Echinococcus multilocularis* Orihara, M., 1967 a
antigen, cystic fluid
- Echinococcus multilocularis* Orihara, M.; and Ohbayashi,
Meriones unguiculatus M., 1967 a
(heart) (exper.)
- Echinococcus multilocularis* Rausch, R. L., 1967 a
recognized subspecies, review
- Echinococcus multilocularis* Rausch, R. L., 1967 b
ecology and distribution
- Echinococcus multilocularis* Sakamoto, T.; and Kotani, T.,
1967 a
porous membrane culture
chamber
- Echinococcus multilocularis* Sakamoto, T.; Yamashita, J.;
Ohbayashi, M., 1967 a, pls. I-III, figs. 1-18
tissue cultured germinal
cells
- Echinococcus multilocularis* Sakamoto, T.; Yamashita, J.;
Ohbayashi, M.; and Orihara,
M., 1965 a, pls. I-III, figs.
1-20
in vitro
- Echinococcus multilocularis* Senk, L.; and Brglez, J.,
1966 a
cattle (liver, lungs)
- Echinococcus multilocularis* Simić, C. P., 1964 a
geographic distribution
Southern Germany; Bavaria
Austria; Switzerland; toundra
zone of European USSR;
Western and Eastern Siberia;
Behring Strait; islands of
Far-East, sporadic in France
- Echinococcus multilocularis* Stanger, N.E.; and Lubinsky,
vegetative strain and dom- G. A., 1966 a, 494
estic herbivores
- Echinococcus multilocularis* Yamashita, J.; Ohbayashi, M.;
Sakamoto, T.; and Orihara,
M., 1962 b
scolex vesicular develop-
ment
- Echinococcus oligarthrus* Thatcher, V. E.; and Sousa,
Diesing, 1863 O. E., 1966 a, 405, figs.
valid species 1-9, 11-14, 16-20, pl. IX,
Felis concolor figs. 24, 26-31
Felis yagouaroundi north of Gatun Lake in
(small intestine) central Panama
- Echinococcus oligarthrus* Thatcher, V. E.; and Sousa,
"probably" O. E., 1966 a, 406, 414, 415,
Nasua narica (exper.) figs. 7, 9-15, pl. IX, fig.
human 25
Panama
- Echinococcus oligarthrus* Thatcher, V. E.; and Sousa,
(Diesing, 1863) O. E., 1967 a, figs. 1-2
Felis onca (small
intestine) Achiote, Colon Province,
Republic of Panama
- Echinococcus polymorphus* Levrat, E., 1966 a, 28
mouton (foie) Tchad
- Echinocotyle* sp. Chibichenko, N. T., 1966 a, 40
[*Calidris temminckii*] all from Kirgiz
[*Charadrius mongolus*]
- Echinocotyle clerici* Maksimova, A. P., 1966 a
Anas strepera all from South Kazakhstan
A. clypeata
- Echinocotyle clerici* Maksimova, A. P., 1967 a, 140
Mathevossian et Krotov,
1914 all from Western Kazakhstan
- Echinocotyle clerici* Maksimova, A. P., 1967 a, 140
Anas querquedula all from Western Kazakhstan
- A. clypeata*
- A. strepera*
- Echinocotyle clerici* Rysavy, B., 1962 d
Acanthocyclops viridis SüdMahren

- Echinocotyle rosseteri
Anas strepera Maksimova, A. P., 1966 a
South Kazakhstan
- Echinocotyle rosseteri
Blanchard, 1891
Anas querquedula
A. crecca
A. acuta Maksimova, A. P., 1967 a, 140
all from Western Kazakhstan
- Echinocotyle ryjikovi
Anas clypeata Maksimova, A. P., 1966 a
South Kazakhstan
- Echinocotyle ryjikovi
Iygis, 1962
Anas clypeata Maksimova, A. P., 1967 a, 140-
141, fig. 10
Western Kazakhstan
- Echinocotyle skrjabini
Mathevoessian et Krotov, 1949
Anas crecca Maksimova, A. P., 1967 a, 140
Western Kazakhstan
- Echinocotyle tenuis Clerc, 1906
Philomachus pugnax Gabraschanski, P.; Donchev,
S.; and Kamburov, P., 1967 a
Sofia
- Echinocotyle uralensis
Clerc, 1902
Calidris maritima coesi Tsimbaluk, A. K., [1966 a]
Komandorskie Islands
- Echinolepis carioca
Coturnix coturnix
Streptopelia turtur turtur Akhunian, K. S., 1966 a
all from Armenian SSR
- Echinolepis carioca
[Gallus gallus] Dement'eva, S. P., 1964 a
Moldova Sozialiste, Kotovsk region
- Echinolepis carioca
[Gallus gallus] Shumilo, R. P.; and Dement'-
eva, S. P., 1963 a
central Moldavia
- Echinolepis carioca
(Magalhaes, 1898)
[Gallus gallus] (small intestine) Skutar, I. G., [1964 b], 198
Moldavian SSR
- Echinophallus japonicus Yamaguti, 1934
Psenopsis anomala (stomach,
pyloric appendage, intestine) Ichihara, A.; et al., 1965 a,
2, 3, 7, 10, fig. 4
Sagami Bay, Japan
- Echinophallus japonicus Psenopsis anomala Ichihara, A.; et al., 1965 c
Bay of Sagami
- Echinoproboscilepis gen.
nov.
Hymenolepididae Sadovskaya, N. P., 1965 a, 290,
291-292
tod: E. kedroviensis n.g.,
n. sp.
- Echinoproboscilepis kedro-
viensis nov. gen., nov. sp. (tod)
Sorex macropygmaeus (intestine) Sadovskaya, N. P., 1965 a
290-291, fig. 1
USSR, Primorskii krai
- Electrotaenia Nybelin, 1942 Freze, V. I., 1963 a, 153
Gangesiinae
key Artiukh, E. S. K., 1965 a
- Ersinogenes Spasskaja, 1961
Idiogenidae, key Kane, M. B., 1966 a, 207,
208
all from Ireland
- Eubothrium sp.
Scardinus erythroph-
thalmus
Cyprinus carpio Maksimova, A. P., 1966 a
South Kazakhstan
- Eubothrium acipenserinum
Cholodkovsky
[Acipenseridae] Cholodkovsky
Acipenser stellatus
- Eubothrium acipenserinum
Cholodkovsky
Acipenser gildenstaedti
- Eubothrium acipenserinum
Cholodkovsky
Acipenser gildenstaedti
(intestine)
- Eubothrium crassum
Salmo trutta
- Eubothrium crassum
Esox lucius (pylorus)
Perca fluviatilis (pyloric caecae and intestine)
Salmo salar (pyloric caecae)
Salmo trutta (pyloric caecae)
Salmo gairdnerii (pyloric caecae)
Abramis brama
- Eubothrium crassum Lyons, K. M., 1966 a
chemistry of spines and hooks
- Eubothrium crassum Bloch, 1779
Salmo salar (pyloric region of the intestine) Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1921
Newfoundland
- Eubothrium crassum Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a
Hucho taimen
Brachymystax lenok all from Tuva ASSR
- Eubothrium crassum Zhukov, E. V., 1963 a, 112
(Bloch, 1779) fig. 7
Clupea harengus pallasi all from Chukotsk Peninsula
(pyloric caeca, intestine)
Salvelinus malma (pyloric caeca, intestine)
Salvelinus malma subsp. (pyloric caeca)
Myoxocephalus platiceps (intestine)
Thymallus arcticus (intestine)
Dallia pectoralis (intestine)
Pungitius pungitius (intestine)
Cottus kaganowskii (intestine)
- Eubothrium oncorhynchii Sokolov, A. N., 1965 a
(Wardle, 1932) Volga river, Kozlovka
Lota lota village, Chuvashskaya ASSR
- Eubothrium rugosum Rybicka, K., 1966 b, fig. 20A-F
embryogenesis
- Eubothrium rugosum Sulimov, A. D.; Galkin, M. F.;
(Batsch, 1786) and Tsiumentseva, G. I., 1965 a
Lota lota (intestine) Russia, Tuva, ASSR
- Eubothrium salvelini Rybicka, K., 1966 b, fig. 10
embryogenesis
- Eubothrium salvelini Sandeman, I. M.; and Pippy, J. H. C., 1967 a, 1920
Schrank, 1790 all from Newfoundland
(intestine of all)
Salvelinus fontinalis
Salmo salar
S. trutta
S. gairdneri

| | | | |
|--------------------------|--------------------------------|---------------------------------------|---|
| Fimbriaria sp. | Oshmarin, P. G., 1965 b | Fimbriaria fasciolaris | Kotel'nikov, G. A., 1965 a |
| Anas platyrhynchos | Buriat ASSR | (Pallas, 1781) | all from Russia |
| Fimbriaria [sp.] | Palim[p]sestov, M. A., 1963 a | development in host | |
| [Anas platyrhynchos] | Iagotinsk poultry farms | Acanthocyclops vernalis | |
| Fimbriaria amurensis | Kotel'nikov, G. A., 1965 a | Cyclops strenuus | |
| Kotel'nikov, 1960 | all from Amur Basin, Russia | C. vicinus | |
| Eucyclops serrulatus | | Eucyclops serrulatus | |
| Mesocyclops crassus | | Mesocyclops leuckarti | |
| M. leuckarti | | Diaptomus sp. | |
| Sinodiaptomus sarsi | | Physocypria fadeevi | |
| Heterocypris incongruens | | Cypridae gen. sp. | |
| Fimbriaria fasciolaris | Akhumian, K. S., 1966 a | Gammarus lacustris | |
| Tadorna ferruginea | Armenian SSR | Pontogammarus obesus | |
| Fimbriaria fasciolaris | Andyshova, M. M., 1963 a | Gammarus sp. | |
| domestic waterfowl | Andizhan oblast | Cleon dipterum | |
| Fimbriaria fasciolaris | Belokobylevko, V. T., 1965 a | [Anas platyrhynchos] (exper.) | |
| (Pallas, 1781) | Ural oblast | Fibriaria fasciolaris | Lesin'sh, K. P., 1966 a |
| [Anas platyrhynchos] | | survival of eggs in | |
| | | exterior environment | |
| Fimbriaria fasciolaris | Bouvier, G.; and Horning, B., | Fimbriaria fasciolaris | Lesin'sh, K. P.; and Kliavinskaia, Ia. R., 1966 a |
| Cygnus olor (intestine | 1965 a, 16 | [Anas platyrhynchos] | Latvian SSR |
| grisea) | Switzerland | | |
| Fimbriaria fasciolaris | Chibichenko, N. T., 1966 a, 41 | Fimbriaria fasciolaris | Maksimova, A. P., 1966 a |
| (Pallas, 1781) | all from Kirgiz | Anas platyrhynchos | all from South Kazakhstan |
| [Anas platyrhynchos] | | A. acuta | |
| [Mergus serrator] | | A. clypeata | |
| [Tadorna ferruginea] | | Nyroca ferina | |
| [Netta rufina] | | | |
| Fimbriaria fasciolaris | Chibichenko, N. T., 1966 b, | Fimbriaria fasciolaris | Maksimova, A. P., 1967 a, 141 |
| Acanthocyclops viridis | 68 | (Pallas, 1781) | all from Western Kazakhstan |
| Macrocylops albidus | all from lake Issyk-kul | Anas acuta | |
| [Vanelius vanellus] | | Nyroca ferina | |
| [Ardea cinerea] | | Anas penelope | |
| [Mergus serrator] | | A. platyrhynchos | |
| [Anas platyrhynchos] | | A. querquedula | |
| [Sterna hirundo] | | Nyroca marila | |
| Gammastrus lacustris | | N. fuligula | |
| | | Anas crecca | |
| | | A. strepera | |
| Fimbriaria fasciolaris | Churina, N. V., 1963 a | Fimbriaria fasciolaris | Nazarenko, M. Ia.; Liashenko, V. M.; Poidimienko, T. M.; and Kovalenko, I. I., 1965 a |
| (small intestine of all) | all from Srednii Ural | Filixan | |
| Anas platyrhynchos | | Fimbriaria fasciolaris | Nikulin, T. G., 1965 a |
| Nyroca fuligula | | (Pallas, 1781) | all from Byelorussia |
| Fimbriaria fasciolaris | Dobrokhотова, O. V., 1965 a | [Anas platyrhynchos] | |
| Macrocylops albidus | all from Southern Kazakhstan | [Anser anser] | |
| Mesocyclops oithonoides | | Fimbriaria fasciolaris | Olteanu, G.; and Stoican, E., 1963 b, 230-231, 236 |
| M. leuckarti | | (Pallas, 1781) | all from Romania |
| M. crassus | | raja | |
| Acanthocyclops viridis | | giscă | |
| A. gigas | | Fimbriaria fasciolaris | Oshmarin, P. G., 1965 b |
| Eucyclops serrulatus | Dremkova, P. P.; and Podgor- | (Pallas, 1781) | Buriat ASSR |
| Cyclops strenuus | nova, G. P., 1963 a | Anas platyrhynchos | |
| Fimbriaria fasciolaris | Volgograd oblast | Fimbriaria fasciolaris | Podgornova, G. P., 1965 a |
| intermediate hosts | | (Pallas, 1781) | prophylaxis by isolated rearing of ducklings |
| | Dobrokhотова, O. V., 1967 a | | |
| | Southern Kazakhstan | Fimbriaria fasciolaris | Shevtsov, A. A., 1961 a, 227 |
| | | [Anser anser] | all from Ukraine |
| Fimbriaria fasciolaris | Dremkova, P. P.; and Podgor- | [Anas platyrhynchos] | |
| [Anas platyrhynchos] | nova, G. P., 1963 a | | |
| | Volgograd oblast | Fimbriaria fasciolaris | Shevtsov, A. A., 1963 c |
| Fimbriaria fasciolaris | Egizbaeva, Kh. I., 1965 a | [Anas platyrhynchos] | all from Ukraine |
| chlorophos, ducks | | [Anser anser] | |
| Fimbriaria fasciolaris | Garkavi, B. I.; and Poluektov, | Fimbriaria fasciolaris | Shevtsov, A. A., 1963 d |
| (Pallas) | V. Sh., 1968 a, 49 | Gammarellus (Pontogammarus) maeoticus | Black Sea coast, Ukraine |
| Phenasol, ducks | | Fimbriaria fasciolaris | Shevtsov, A. A., 1966 b |
| | | [Anser anser] | Ukrainian SSR |

- Fimbriaria fasciolaris (Pallas, 1781) Froelich, 1802
Anas falcata
Anas strepera
Nyroca marila
Mergus serrator
Anas platyrhynchos
- Fimbriaria kubanika sp. n. development in host
Mesocyclops leuckarti
M. crassus
Cyclops sp.
Diaptomus mirus
Arctodiaptomus dentifer
Cypridae gen. sp.
- Fimbriarioides [lapsus as: Fimbrioides]
- Fimbriarioides intermedia (Fuhrmann, 1913)
[*Netta rufina*]
- Fimbriarioides intermedia
Tadorna tadorna
Anas strepera
Netta rufina
- Fimbrioides [sic] intermedia (Fuhrmann, 1913)
[*Anas platyrhynchos*]
- Spasskaià, L. P.; and Spasski, A. A., 1964 a all from Kamchatka Pacific seacoast
- Kotel'nikov, G. A., 1965 a, pp. 136, 139-141 all from Northern Caucasus, Kuban region and Ukraine, SSSR
- Nikulin, T. G., 1965 a
- Chibichenko, N. T., 1966 a, 42 Kirgiz
- Maksimova, A. P., 1966 a all from South Kazakhstan
- Nikulin, T. G., 1965 a Byelorussia
- Fimbrioides [lapsus for: Fimbrioides]
Mikulin, T. G., 1965 a
- Spasskii, A. A.; and Spasskaja, 1954 Hymenocoeliini
- Flamingolepis flamingo Phoenicopterus ruber
- Fosser Honess, 1937 Taeniidae redescription
- Fosser Honess, 1937 pre-occupied renamed: Monordotaenia nom. nov.
- Fosser angertrudae Honess, 1937 as syn. of Fosser taxidiensis (Skinker 1935) n. comb.
- Fosser angertrudae Honess, 1937 as syn. of Monordotaenia taxidiensis (Skinker, 1935) n. comb.
- Fosser taxidiensis (Skinker, 1935) n. comb. (type) 158
Syns.: *Taenia taxidiensis* Skinker, 1935; *Fosser angertrudae* Honess, 1937
Taxidea taxus (small intestine)
- Keppner, E. J., 1967 a, 157-158 Type: *Fosser taxidiensis*
- Little, J. W., 1967 a
- Keppner, E. J., 1967 a, 157-158
- Little, J. W., 1967 a
- Wyoming

- Gangessa Woodland, 1924
Gangesiinae key
- Gangesiinae Mola, 1929 key to genera
Proteocephalidae
includes: *Electrotaenia*; *Silurotaenia*; *Vermaia*; *Ganglesia*
- Gastrotaenia sp. Romanova et Ryjikov, 1958 [*Cygnus olor*]
- Gastrotaenia dogieli Gynezinskaja, 1944 [*Netta rufina*]
- Gastrotaenia dogieli Anas platyrhynchos
A. clypeata
A. crecca
Netta rufina
Nyroca ferina
Nyroca nyrocae
- Freze, V. I., 1963 a, 154
- Freze, V. I., 1963 a, 152-154
- Chibichenko, N. T., 1966 a, 42 Kirgiz
- Chibichenko, N. T., 1966 a, 42 Kirgiz
- Maksimova, A. P., 1966 a all from South Kazakhstan
- Gastrotaenia dogieli (Ginetzinskaja, 1944)
Anas acuta
Nyroca ferina
Anas clypeata
A. platyrhynchos
A. querquedula
A. crecca
A. strepera
- Gilquinia squali Fabricius 1794 description of plero-cercoid
Gadus merlangus (eyes)
- Glaridacris sp. *Catostomus commersoni* (intestine)
- Glaridacris brachyurus Yamaguti, 1959 as syn. of *Archigetes brachyurus* Mrázek, 1908
- Glaridacris brachyurus Barbus [sp.] (intestine)
- Mackenzie, K., 1965 a, figs. 1-13 North Sea
- Voth, D. R.; and Larson, O. R., 1968 a, 220 Goose River, North Dakota
- Kennedy, C. R., 1965 a, 446
- Kulakiv'ska, O. P., 1964 b, 11, 13 western oblasts, Ukraine

| | | | |
|--|--|--|---|
| <i>Glaridacris brachyurus</i> | Kupchinskaiia, O. S., 1963 a | <i>Gryporhynchus Nordmann,</i> 1832 [lapsus as <i>Oryporhynchus</i>] | Feizullaev, N. A., 1963 c, 102 |
| <i>Limnodrilus udekemianus</i> | | | |
| <i>L. claparedeanus</i> | | | |
| <i>L. hoffmeisteri</i> | | | |
| <i>Glaridacris catostomi</i> larval development | Calentine, R. L., 1967 a, 418, 419-420 422, 423, 424, fig. 6 | <i>Gryporhynchus cheilanoris-</i> <i>trotus</i> [sic], cysticercus fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| <i>Glaridacris catostomi</i> Cooper, 1920 redescription syn.: <i>Caryophyllaeus</i> <i>catostomi</i> (Woodland, 1923) <i>Catostomus commersoni</i> (intestinal mucosa) | Mackiewicz, J. S., 1965 b, 554-560, figs. 1-14 Alaska, Canada, Colorado, Connecticut, Maine, Mass- achusetts, Michigan, Pennsylvania, South Dakota, Virginia, Wisconsin, Calif- ornia | <i>Gryporhynchus dilepis</i> [<i>Cyprinus carpio</i>] | Akherov, A. Kh., 1960 d lakes of Kelifskii Uzboi |
| <i>Glaridacris confusa</i> larval development | Calentine, R. L.; and Williams, D. D., 1967 a, fig. 1 | <i>Gryporhynchus pusillum</i> , cysticercus fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs |
| <i>Ictiobus bubalus</i> | St. Croix River, Lakeland, Minnesota | <i>Oryporhynchus</i> [sic] <i>pusill-</i> <i>us</i> host diet | Feizullaev, N. A., 1963 c Azerbaijdzhani |
| <i>I. cyprinellus</i> | | | |
| <i>Carpoides</i> spp. | | | |
| <i>Tubifex templetoni</i> (exper.) | | | |
| <i>Dero digitata</i> | " | <i>Gryporhynchus pusillus</i> Nordmann, 1832 | Oshmarin, P. G., 1965 b Buriat ASSR |
| <i>Nais communis</i> | " | <i>Ardea cinerea</i> | |
| <i>Stylaria lacustris</i> | " | <i>Gryporhynchus pusillus</i> Nordmann, 1832 | Roman-Chiriac, E., 1965 a, 147, 150 |
| <i>Uncinaria uncinata</i> | " | <i>Ardea cinerea</i> <i>Nycticorax nycticorax</i> <i>Ardeola ralloides</i> | all from Danube delta, Romania |
| <i>Glaridacris gobii</i> Yamaguti, 1959 as syn. of <i>Archigetes limnodrili</i> (Yamaguti, 1934) comb. nov. | Kennedy, C. R., 1965 a, 447 | <i>Gryporhynchus tetrorchis</i> Hill, 1941 [<i>Ardea cinerea</i>] | Chibichenko, N. T., 1966 a, 42 Kirgiz |
| <i>Glaridacris gobii</i> , "very similar to" <i>Limnodrilus hoffmeisteri</i> | Kupchinskaiia, O. S., 1963 a Fishery pond "Rudniki" | <i>Gyrocoelia paradox</i> (Linstow, 1906) [<i>Charadrius alexandrinus</i>] [<i>Charadrius mongolus</i>] | Chibichenko, N. T., 1966 a, 44 all from Kirgiz |
| <i>Glaridacris limnodrili</i> Yamaguti, 1934 as syn. of <i>Archigetes limnodrili</i> (Yamaguti, 1934) comb. nov. | Kennedy, C. R., 1965 a, 447 | <i>Gyrocoelia skribabini</i> <i>Charadrius dubinus curo-</i> <i>nicus</i> <i>C. alexandrinus alexandrinus</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| <i>Grillotia erinaceus</i> | Bennett, B.R., 1958 a, 3 pls., figs. 2-6 | <i>Gyrocotyle fimbriata</i> chemistry of spines and hooks | Lyons, K. M., 1966 a |
| <i>Hippoglossus hippoglossus</i> | North Sea | <i>Gyrocotyle rugosa</i> chemistry of spines and hooks | Lyons, K. M., 1966 a |
| <i>Squalus acanthias</i> | deep water west of Shetlands | | |
| <i>Raia batis</i> (spiral valve) | Rockall Bank and North-west Scottish grounds | | |
| <i>R. oxyrhynchus</i> | " | | |
| <i>R. circularis</i> | " | | |
| <i>R. clavata</i> | " | | |
| <i>Grillotia erinacea</i> | Lyons, K. M., 1966 a chemistry of spines and hooks | <i>Gyrocotyle urna</i> mode of attachment <i>Chimaera monstrosa</i> (intestinal mucosa) | Halvorsen, O.; and Williams, H. H., 1968 a, figs. 3-18, 20-22 Oslo Fjord, Norway |
| <i>Grillotia erinacea</i> (V. Beneden, 1850) (body cavity, stomach wall) | Mamaev, Iu. L., 1965 a, 180 all from Bering Sea | <i>Gyrocotyle urna</i> chemistry of spines and hooks | Lyons, K. M., 1966 a |
| <i>Sebastodes introniger</i> | | | |
| <i>S. aleutianus</i> | | | |
| <i>Coryphaenoides</i> sp. | | | |
| <i>Atherestes evermanni</i> | | | |
| <i>A. stomias</i> | | | |
| <i>Reinhardtius hippoglossoides matsuurae</i> | | | |

- Hamatolepis teresoides** Akhumian, K. S., 1966 a
Anser anser Armenian SSR
- Hamatolepis teresoides** Chibichenko, N. T., 1966 a, 39
(Fuhrmann, 1906) all from Kirgiz
(intestine)
[*Anas strepera*]
[*Anas platyrhynchos*]
- Hamatolepis teresoides** Maksimova, A. P., 1966 a
Anas platyrhynchos all from South Kazakhstan
A. crecca
A. strepera
Netta rufina
- Hamatolepis teresoides** Maksimova, A. P., 1967 a, 141
(Fuhrmann, 1906) Western Kazakhstan
Anas strepera (caecum)
- Haploparaxis.** [See also Aploparaksis]
- Haploparaxis sp.** Kawano, K., 1964 c, 38
+[Aves]
- Haploparaksis elisae** Threlfall, W., 1968 c
(Skrjabin, 1914) Newfoundland, Canada
Passerella iliaca (ant. small intestine)
- Haploparaksis filum** Threlfall, W., 1968 c
(Goetz, 1782) all from Newfoundland,
Capella gallinago (small Canada
intestine)
Totanus melanoleucus (small intestine)
- Haploparaxis haldemani** Spasskii, A. A.; and Dao Van-
(Schiller, 1951) Yamaguti, T'en, 1963 a, 5
1959
as syn. of *Wardium haldemani* (Schiller, 1951) Spassky,
1961
- Haploparaxis japonensis** Kawano, K., 1964 c, 38
[*Anas poecilorhyncha*]
[*Anas platyrhyncha*]
- Hepatotaenia festiva** Howkins, A. B., 1966 b
Macropus macropus Tasmania
tasmaniensis (hepatic and bile ducts)
- Hepatoxyton trichiuri** Bennett, B. R., 1958 a, 28
(Holten)
Hippoglossus hippoglossus North Sea
- Hepatoxyton trichiuri** Kane, M. B., 1966 a
Salmo salar (stomach) Ireland
- Hispanolepis gwiletica** Akhumian, K. S., 1966 a
Tetraogallus caspius Armenian SSR
tauricus
- Hunterella nodulosa** Calentine, R. L., 1967 a,
larval development 418, 420, 421, 422, 423, 424,
fig. 5
- Hydatigera** taxonomy Esch, G. W.; and Self, J. T.,
1965 a, 932, 933
- Hydatigera krepkogorski** Davlatov, N., 1967 a
Schulz et Landa, 1934 all from Karakalpak ASSR
(larvae)
[*Rhombomys opimus*] (abdominal cavity)
[*Meriones tamariscinus*] "
[*Meriones libycus*] "
- Hydatigera taeniaeformis** Anderson, D. R.; and Beau-
doin, R. L., 1966 a, 72
Ondatra zibethicus Centre and Lycoming
Counties, Pennsylvania
- Hydatigera taeniaeformis** Andreiko, A. F.; Pinchuk,
Batsch, 1786 L. M.; and Skvortsov, V. G.,
Arvicola terrestris 1963 b, 30
(liver) Moldavian SSR
- Hydatigera taeniaeformis** Burrows, R. B.; and Lillis,
bunamide hydrochloride, W. G., 1966 a
cats
- Hydatigera taeniaeformis** Chan, T.-C.; and Ch'en, C.-H.,
Batsch 1968 a
Cricetulus barbensis all from China
Rattus norvegicus
R. flavipectus
Mus musculus
Apodemus agrarius
- Hydatigera taeniaeformis** Chebotarev, R. S.; Zaskind,
(Batsch, 1786) L. N.; Seraia, V. G.; and
[*Felis catus*] Pavlova, L. F., 1961 a, 189
Kiev and environs
- Hydatigera taeniaeformis** Childs, H. E. (jr.); and
Sigmoidon hispidus Cosgrove, G. E., 1966 a,
(liver) fig. 11 Tennessee
- Hydatigera taeniaeformis** Davlatov, N., 1967 a
(Batsch, 1786) (larvae) all from Karakalpak ASSR
[*Cricetulus migratorius*] (liver)
[*Meriones tamariscinus*] (liver)
[*Rhombomys opimus*] "
[*Meriones meridianus*] "
- Hydatigera taeniaeformis** Esch, G. W.; and Self, J. T.,
Batsch, 1786 1965 a
as syn. of *Taenia taeniaeformis*
- Hydatigera taeniaeformis** Genov, T., 1964 a, 102
Batsch, 1785, larva Srebarna, Silistra District,
Ondatra zibethica Bulgaria
(liver)
- Hydatigera taeniaeformis** Gubanov, N. M., 1964 a, 19
(Batsch, 1786) Yakutia
- Hydatigera taeniaeformis** Litvishko, N. T.; and Adamets,
[*Felis catus*] I. I., 1963 a
Kharkov and environs

| | | | |
|--|---|--|--|
| Hydatigera taeniaeformis (Batsch, 1786) (tenke strevo) <i>Felis catus dom.</i> | Prokopic, J., 1965 a, 212 Czechoslovakia | Hymenocoelia serrata (Fuhr- mann, 1906) n. comb. Syns.: Hymenolepis serrata Fuhr., 1906; <i>H. rugosa</i> Clerc, 1906 | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1296 |
| Hydatigera taeniaeformis oncosphere hepatitis | Rep'ev, P. G., 1965 a | Hymenocoeliini (Capoor et Srivastava, 1966) includes: Hymenocoelia Capoor et Srivastava; Cladogynia Baer, 1937; Flamingolepis Spassky et Spasskaja, 1954; Octacanthus Spassky et Spasskaja, 1954; Retinometra Spas- sky, 1955; Sobolevicanthus Spassky et Spasskaja, 1954 | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1296 |
| Hydatigera taeniaeformis (Batsch, 1786)(liver sur- face) <i>Apodemus sylvaticus</i> <i>Rattus norvegicus</i> | Semenova, L. F.; and Larulin, G. P., 1965 a all from Russia, Dagestan ASSR | Hymenocoelinae Capoor et Srivastava, 1966 Hymenolepididae | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1295 |
| Hydatigera taeniaeformis (Batsch., 1786) larvae <i>Rattus norvegicus</i> <i>Mus musculus</i> | Sharpilo, L. D., 1961 a, 204 Ukraine | Hymenolepiasis naphthamon, human | Agamaliev, T. S., 1964 a |
| Hydatigera taeniaeformis, larvae <i>Rattus norvegicus</i> <i>Mus musculus</i> | Sharpilo, L. D., 1963 a all from right-bank steppes, Ukrainian SSR | Hymenolepiasis human | Bruskin, B. R.; Zelenova, I. G.; and Slavina, N. F., 1965 a Tashtagol region, Kemerovo oblast |
| Hydatigera taeniaeformis Cucurbita sp. (anthelmin- tic action) | Tareeva, A. I.; and Pavlova, A. M., 1965 a | Hymenolepiasis butadiion, human | Denisov, K. A., 1963 a |
| Hydatigera taeniaeformis (larv.) <i>Apodemus flavicollis</i> <i>Apodemus sylvaticus</i> <i>Apodemus microps</i> <i>Apodemus agrarius</i> | Tenora, F., 1965 c, 70, 71, 72, 73 Czechoslovakia | Hymenolepiasis epidemiology and control, human | Denisov, K. A., 1963 b Donbassa settlement |
| Hydatigera taeniaeformis- formis rodents | Tokobaev, M. M., 1965 a Kirgiz | Hymenolepiasis epidemiological interrelationship with ascariasis, human | Denisov, K. A., 1963 c |
| Hydatigera taeniaeformis paromomycin sulfate, cats | Waitz, J. A.; McClay, P.; and Thompson, P. E., 1966 a | Hymenolepiasis chronic dysentery, prophylaxis, day nurseries | Denisov, K. A., 1963 d |
| Hydatigera taeniae- formis cockroaches as ova transmitters | Young, P. L., 1961 a | Hymenolepiasis prophylaxis, geese | Kazlauskas, J., 1963 a |
| Hymenocoelia Capoor et Sri- vastava, 1966 Hymenolepididae; Hymenocoelinæ Hymenocoeliini | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1295 | Hymenolepiasis biological control, poultry | Kotel'nikov, G. A., 1965 b |
| Hymenocoelia chalcophapsi (Johri, 1939) n. comb. Syns.: <i>Diorchis chalcophapsi</i> Johri, 1939 | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1296 | Hymenolepiasis piperazine, human | Krakovskii, E. N.; and Muk- voz, L. G., 1966 a |
| Hymenocoelia chauhani Capoor et Srivastava, 1966 | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1295 | Hymenolepiasis effects of diathermy on mucous membrane of small intestine, mice | Miretskii, O. Ia.; Anikina, V. V.; Pashkova, V. S.; and Kil'- kinov, G. I., 1966 a |
| Hymenocoelia joyeuxi (Fuhr- mann, 1932) n. comb. Syns.: <i>Weinlandia</i> sp. Joyeux et Houdeimer, 1927; <i>Hymeno-</i> <i>lepis joyeuxi</i> Fuhrmann, 1932 | Spasskiĭ, A. A.; and Spasska- ia, L. P., 1968 a, 1296 | Hymenolepiasis intra-intestinal autore- invasion | Miretskii, O. Ia.; and Mesh- man, M. D., 1963 a |
| | | Hymenolepiasis effect of hydrocortisone on immunity, mice | Miretskii, O. Ia.; Meshman, M. D.; and Tikhomirova, N. I., [1966 a] |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Hymenolepiasis control, human Pod'iapol'skaia, V. P., 1963 a
Russia
- Hymenolepiasis human, epidemiology Rukhova, A. M.; Logvinova, Z.; and Zubchuk, M., [1966 a] Moldavia
- Hymenolepiasis control, human Sergiev, P. G.; Shul'man, E. S.; and Abramova, I. G., 1966 a Russia
- Hymenolepiasis improvement of sanitary conditions, children's institutions Starodubova, T. F., 1963 a
- Hymenolepiasis intestinal microflora of children with chronic dysentery Sverchkova, E. L.; Dotsenko, T. K.; Kramar, V. S.; and Pevtsov, L. I., 1963 a
- Hymenolepididae sp. Anas discors Payne, R. R., 1967 a
Crescent Lake Nat. Wildlife Refuge, Garden Co., Nebraska
- Hymenolepidida nov. comb. Merdivenci, A., 1966 b, 82
- Hymenolepidid[ae] host parasite relations Avery, R. A., 1965 a
- Hymenolepididae reservoir parasitism Kotel'nikov, G. A., 1963 b
- Hymenolepididae includes: Hymenocoelinae Spasskii, A. A.; and Spasskaya, L. P., 1968 a, 1295
- Hymenolepididae [sp.] parasitic castration Boeckella propinqua Bayly, I. A. E., 1963 a
- Hymenolepididae gen. sp. Eucyclops serrulatus Cyclops strenuus Dobrokhотова, О. В., 1965 a
all from Southern Kazakhstan
- Hymenolepididae [spp.] Amphipoda Talynskaia, N. S.; and Medvetskii, V. T., 1963 a, 107
upper Dniester river
- Hymenolepididae g. spp. Citellus undulatus Anas platyrhynchos A. clypeata Nyroca ferina Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Hymenolepididae [sp.] [Anas platyrhynchos] Podgornova, G. P., 1963 a
Volgograd oblast
- Hymenolepididae gen. sp. [Chlidonias hybrida] Smogorzhevskaya, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen
- Hymenolepidoidea Spasski, 1951 Hymenolepidata Matevosian, E. M., 1963 a, 149
- Hymenolepis sp. (small intestine) Peromyscus maniculatus P. eremicus Babero, B. B.; and Matthias, D., 1967 b, 260
all from Washoe Co., Nevada
- Hymenolepis sp. Turdus migratorius Baker, J. B.; and Hamon, J. H., 1968 a Marion County, Indiana
- Hymenolepis sp. eggs Biziuliavichius, S. K., 1965 e
- Hymenolepis spp. Acanthocyclops viridis Macrocylops albidus Lumbriculus variegatus Chibichenko, N. T., 1966 b, 68
all from lake Isslyk-kul
- Hymenolepis sp. [Cricetulus migratorius] (small intestine) Davlatov, N., 1967 a Karakalpak ASSR
- Hymenolepis sp. +insectivores Davydov, O. N., 1963 a Ukraine
- Hymenolepis sp. Meriones persicus (intestin) Dollfus, R.-P. F., 1965 a, 65-67, figs. 9-11
Akinlou, Iran
- Hymenolepis sp. Plegadis falcinellus Dubinin, V. B., 1938 a, 161
Astrakhan game reserve
- Hymenolepis sp. Philomachus pugnax Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a Sofia
- Hymenolepis sp. Weinland, 1858 Cygnus olor (gastro-intestinal tract) Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22
Essex, England
- Hymenolepis sp. [Ondatra zibethica] Kadenatsii, A. N., 1965 a Omsk lesostep
- Hymenolepis sp. Garrulus glandarius (intestine) Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria
- Hymenolepis sp. Blabera sp. (intestine) Pérez Reyes, R., 1964 a Colotlipa, Gro., Mexico

| | | | |
|--|--|--|--|
| Hymenolepis sp. | Semenova, L. F.; and Iarulin, G. P., 1965 a Apodemus sylvaticus Microtus arvalis Mesocricetus raddei Arvicola terrestris | Hymenolepis anseris Skrjabin et Mathewossian, 1942 [Anser anser] | Nikulin, T. G., 1965 a Byelorussia |
| Hymenolepis sp. | Threlfall, W., 1968 c Passerella iliaca (small intestine) | Hymenolepis arguei Pomeroy and Burt, 1964 (small intestine of all) Larus argentatus L. atricilla | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1967 a, 133 Hatteras, North Carolina Beaufort, North Carolina |
| Hymenolepis sp. | Todd, K. S. (jr.); and Worley, D. E., 1967 a, 365 Pica pica hudsonia (small intestine) | Hymenolepis asymmetrica transported in digestive tract of migratory animals | Bejsovec, J., 1965 a, 83 |
| Hymenolepis aequabilis (small intestine of all) | Churina, N. V., 1963 a Anas platyrhynchos Nyroca fuligula Clangula clangula Nyroca ferina | Hymenolepis asymmetrica [sic] | Wahl, E., 1967 a, fig. 9 |
| Hymenolepis aequabilis (Rud.) Railliet, 1899 as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4 | Hymenolepis bilateralis Linstow, 1905 As syn. of Drepanidotaenia bilateralis (Linstow, 1905) Lopez-Neyra, 1942 | Spasskii, A. A.; and Reznik, V. N., 1963 a, 87 |
| Hymenolepis (H.) alaskensis n. sp. | Deblock, S.; and Rausch, R. L., 1967 a, 303-307, pls. 1-2, figs. 1-8 Haematopus bachmani | Hymenolepis bisaccata Nyroca fuligula (small intestine) | Churina, N. V., 1963 a Srednii Ural |
| Hymenolepis ampla | Wahl, E., 1967 a, fig. 10 | Hymenolepis californicus Young, 1950 as syn. of Wardium fusa (Krabbe, 1869) Spassky, 1961 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4 |
| Hymenolepis anatina Cygnus olor (intestin grêle) | Bouvier, G.; and Horning, B., 1965 a, 16 Switzerland | Hymenolepis cancaniana [sic] Polonio, 1860 Calidris alpina Tringa totanus | Gabraschanski, P.; Donchev, S.; and Kamburov, P., 1967 a all from Sofia |
| Hymenolepis anatina (small intestine of all) | Churina, N. V., 1963 a all from Srednii Ural | Hymenolepis cantaniana (Polonio, 1860) gâini | Olteanu, G.; and Stoican, E., 1963 b, 225 Romania |
| Hymenolepis anatina Anas platyrhynchos Nyroca fuligula Clangula clangula A. strepera | Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22 Essex, England | Hymenolepis cantaniana (Polonio, 1860) M[eleagris] gallopavo (duodenum) | Vasilev, I. D., 1964 a, 9, 24 Bulgaria |
| Hymenolepis anatina Krabbe, 1869 Cygnus olor (gastro-intestinal tract) | Kharchenko, O. N., 1963 a | Hymenolepis cantaniana (Polonio, 1860) Meleagris gallopavo silvestris | Vasilev, I. D.; and Kamburov, P., 1965 a Bulgaria |
| Hymenolepis anatina turpentine | Nikulin, T. G., 1965 a Byelorussia | Hymenolepis capellae Baer, 1940 Limnodromus griseus scolopaceus | Prudhoe, S.; and Manger, B. R., 1967 a, 539-542, figs. 1-2 Rockport, Texas |
| Hymenolepis anatina (Krabbe, 1869) [Anas platyrhynchos] | Olteanu, G.; and Stoican, E., 1963 b, 230 Romania | Hymenolepis carioca 14.015 R.P., chicks | Graber, M., 1967 e |
| Hymenolepis anatina (Krabbe, 1869) rată | Hymenolepis carioca Bitin-S | Hymenolepis carioca Bitin-S | Guilhon, J.; and Gruber, M., 1967 a |

- Hymenolepis carioca
domestic fowl (gastro-intestinal tract) Islam, A. W. M. S.; and Shaikh, H., 1967 a
Mymensingh District, East Pakistan
- Hymenolepis carioca
(Magalhies, 1898)
pasare Olteanu, G.; and Stoican, E., 1963 b, 225
Romania
- Hymenolepis carioca
control and treatment Widenhorn, O., 1965 a
- Hymenolepis charadrii Kawano, K., 1964 c, 38
[Charadrius alexandrinus]
[Pluvialis apricarius fulvus]
- Hymenolepis charadrii Threlfall, W., 1966 c, 14
Yamaguti, 1935 Wales
Larus argentatus
- Hymenolepis cirrosa Guildal, J. A., 1968 a, 61,
Larus argentatus 66
South Harbour of Copenhagen
- Hymenolepis cirrosa Threlfall, W., 1968 b
(Krabbe, 1869) Newfoundland, Canada
Larus marinus
- Hymenolepis citelli Campbell, J. W.; and Lee, T.
McLeod, 1933 ornithine transcarbamylase and arginase activity W., 1963 a
- Hymenolepis citelli Collin, W. K., 1968 a,
McLeod, 1933 figs. 1-14
electron microscope studies, muscle and hook systems
- Hymenolepis citelli Crook, J. R., 1964 a
(McLeod, 1914) all from Bonneville Basin,
ecological distribution, Utah
role of intermediate host,
Ceuthophilus utahensis
Peromyscus maniculatus spp.
- Hymenolepis citelli Frandsen, J. C.; and Grundmann, A. W., 1961 b, 393
McLeod, 1933 Peromyscus maniculatus all from Lake Bonneville
sonoriensis Basin, Utah
Thomomys talpoides wasatchensis
T. umbrinus albicaudatus
T. u. stansburyi
- Hymenolepis citelli Grundmann, A. W.; and Crook, J. R., 1965 a
(McLeod, 1933) (exper.) Ceuthophilus utahensis
Peromyscus maniculatus (P. m. sonoriensis)
P. m. rufinus
- Hymenolepis citelli Guss, V. M.; and Grundmann, A. W., 1968 a
experimental infection of rodents
Tenebrio molitor
- Hymenolepis citelli lipids Harrington, G. W., 1965 a
- Hymenolepis citelli glycogenesis and glucose uptake Read, C. P. (jr.), 1967 a
- Hymenolepis citelli cuticle, enzymes, electron microscopy Rothman, A. H. (jr.), 1966 a, figs. 1-8
- Hymenolepis citelli mechanisms of immunity Weinmann, C. J., 1966 a
- Hymenolepis clandestina (Krabbe, 1869) Railliet, 1899
as syn. of Wardium clandestina (Krabbe, 1869) Spassky et Spasskaja, 1954
- Hymenolepis collaris (Batsch, 1786); Fuhrmann 1908 Dubinin, V. B., 1938 a, 159-160
Syns.: Taenia collaris (Batsch, 1876); T. sinuosa (Zeder, 1803; Krabbe, 1869; Khlodkovskii, N., 1912); Lepidotria sinuosa (Weinland, 1858); Drepanidotaenia sinuosa (Railliet, 1893; Stiles, 1896); Hymenolepis sinuosa (Railliet, 1899; Skrjabin, 1914; Cohn, 1901); Taenia bairdii (Krefft, 1871; Johnston, 1912); Weinlandia collaris (Mayhew, 1925)
Plegadis falcinellus Astrakhan game reserve
- Hymenolepis collaris Batsch (1786) Rysavy, B., 1962 d
life cycle all from Sudmähren
Limnaea peregra ovata Enten
- Hymenolepis compressa Nyroca fuligula (small intestine) Churina, N. V., 1963 a
Srednii Ural
- Hymenolepis compressa (Linton, 1892) Nikulin, T. G., 1965 a
[Anas platyrhynchos] Byelorussia
- Hymenolepis compressa Cyclops strenuus Rysavy, B., 1962 d
Limnaea peregra ovata (Hepatopankreas) (exper.)
Enten (exper.)
- Hymenolepis corvi Corvus brachyrhynchos Jones, J. (jr.), 1968 a, 26
(intestine) Ohio
- Hymenolepis (Drepanido-taenia) creplini (Krabbe, 1869) Cohn, 1901
as syn. of Wardium creplini (Krabbe, 1869) Spassky et Spasskaja, 1954
- Hymenolepis diminuta culture, axenic Berntzen, A. K., 1966 a

| | | | |
|--|--|--|---|
| Hymenolepis diminuta sex of rats a factor in infestation | Brock, H. R. (jr.), 1967 a | Hymenolepis diminuta protoplasmic component of epidermal gland | Ogren, R. E., 1967 a |
| Hymenolepis diminuta Ephestia sp. | Dohi, S., 1959 a, pl. 1, figs. 3-6; pl. 2, figs. 1-6; pl. 3, figs. 1-4 Japan | Hymenolepis diminuta acetic acid-orcein method of demonstrating Hymenolepis diminuta oncospheres in cellular pattern | Ogren, R. E., 1967 b |
| Hymenolepis diminuta (intestine of all) Rattus norvegicus R. rattus | Floch, H. A.; Courdurier, J.- B.-E.; and Jacobi, J. C., 1966 a all from French Guiana | Hymenolepis diminuta embryonic cells in oncospheres | Ogren, R. E., 1968 a |
| Hymenolepis diminuta 5 cases, human | Ghermann, I.; and Juvara, A.- M., 1964 a Rumania | Hymenolepis diminuta human (feces) | Ratliff, C. R.; and Donaldson, L., 1965 a Alabama |
| Hymenolepis diminuta eggs, diagnosis | Gould, S. E.; Hinerman, D. L.; Batsakis, J. G.; and Beamer, P. R., 1963 d, fig. 7 | Hymenolepis diminuta nutrition | Read, C. P. (jr.), 1966 a, 106, fig. 1 |
| Hymenolepis diminutus host specificity not de- termined by factor in bile | vans Grembergen G.; and van de Vijver, G., 1967 a | Hymenolepis diminuta effect of Trypanosoma lewisi on development, white rats | Read, C. P. (jr.), 1967 b |
| Hymenolepis diminuta methionine flux with environment | Hopkins, C. A.; and Callow, L. L., 1965 a | Hymenolepis diminuta development in superin- fections +Tribolium confusum +rats (exper.) | Roberts, L. S.; and Mong, F. N., 1968 a |
| Hymenolepis diminuta gnotobiotic hosts Tenebrio molitor (nat. and exper.) rats, white (exper.) Tribolium confusum (exper.) | Houser, B. B.; and Burns, W. C., 1968 a | Hymenolepis diminuta embryogenesis | Rybicka, K., 1966 a |
| Hymenolepis diminuta growth dynamics of radiation-induced strain | Hutchins, C. P., 1964 a | Hymenolepis diminuta embryogenesis | Rybicka, K., 1966 b, figs. 24-25, 28, 32 |
| Hymenolepis diminuta successive generations radiation | Job, P. S., 1963 a | Hymenolepis diminuta embryogenesis, glycogen distribution | Rybicka, K., 1967 a, figs. 1-13 |
| Hymenolepis diminuta microtubules in peripheral cytoplasm of spermatozoa | Lumsden, R. D., 1965 b | Hymenolepis diminuta in vitro cultivation | Schiller, E. L., 1965 b, 516- 518 |
| Hymenolepis diminuta ultrastructure of muscle, rats | Lumsden, R. D.; and Byram, J. E. III, 1967 a, figs. 2, 5, 6-11, 15 | Hymenolepis diminuta (Rud., 1819) Rattus norvegicus (small intestine) | Semenova, L. F.; and Tarulin, G. P., 1965 a Russia, Dagestan ASSR, Makhachkala |
| Hymenolepis diminuta (Rudolphi, 1819) in vitro studies | Lumsden, R. D.; and Harring- ton, G. W., 1966 a | Hymenolepis diminuta (Rud., 1819) Rattus norvegicus Clethrionomys glareolus | Sharpilo, L. D., 1961 a, 204 Ukraine, all from |
| Hymenolepis diminuta [monkeys] | Movchan, A. T., [1966 a] Sukhumi nursery (originally from Vietnam) | Hymenolepis diminuta Rattus norvegicus | Sharpilo, L. D., 1963 a right-bank steppes, Ukrainian SSR |
| Hymenolepis diminuta Rattus rattus norvegicus (intestin) | Nguyễn-Van-Ai, [1961 b], 133 Viet Nam | | |

INDEX-CATALOGUE OF MEDICAL AND VETERINARY ZOOLOGY

- Hymenolepis diminuta potential helminth infection, humans, from laboratory animals Stone, W.B.; and Manwell, R. D., 1966 a, fig. D
- Hymenolepis diminuta (Rud., 1819) Eliomys quercina (small intestine) Tenora, F., 1965 b, 299 Domica, Czechoslovakia
- Hymenolepis diminuta Apodemus flavicollis Apodemus sylvaticus Apodemus microps Apodemus agrarius Tenora, F., 1965 c, 70, 72, 73 Czechoslovakia, all from
- Hymenolepis diminuta rodents Tokobaev, M. M., 1965 a Kirgiz
- Hymenolepis diminuta rat Volkova, N. S.; and Omelaeva, R. N., 1963 a Lugansk city
- Hymenolepis diminuta mechanisms of immunity Weinmann, C. J., 1966 a
- Hymenolepis diminuta cockroaches as ova transmitters Young, P. L., 1961 a
- Hymenolepis diminuta, Bio-chemistry absorption of acetate and butyrate, rats Arme. C.; and Read, C. P. (jr.), 1968 a
- Hymenolepis diminuta, Bio-chemistry urea formation and urea cycle enzymes Campbell, J. W., 1963 b
- Hymenolepis diminuta, Bio-chemistry ornithine transcarbamylase and arginase activity Campbell, J. W.; and Lee, T. W., 1963 a
- Hymenolepis diminuta, Bio-chemistry lipids Ginger, G. D.; and Fairbairn, D., 1966 a
- Hymenolepis diminuta, Bio-chemistry lipids, major origins Ginger, G. D.; and Fairbairn, B., 1966 b
- Hymenolepis diminuta, Bio-chemistry dietary lipid depletion of rats Goodchild, C. G.; and Cramer, A. L., 1966 a
- Hymenolepis diminuta, Bio-chemistry nitrogen and amino acid analyses Goodchild, C. G.; and Dennis, E. S., 1966 a
- Hymenolepis diminuta, Bio-chemistry acetylcholinesterase Graff, D. J.; and Read, C. P. (jr.), 1967 a
- Hymenolepis diminuta, Bio-chemistry lipids Harrington, G. W., 1965 a
- Hymenolepis diminuta, Bio-chemistry dietary amino acids, growth Hopkins, C. A., 1966 a
- Hymenolepis diminuta, Bio-chemistry Huffman, J. L., 1964 a
- Hymenolepis diminuta, Bio-chemistry Jacobsen, N. S.; and Fairbairn, D., 1967 a lipid metabolism, biosynthesis and interconversion of fatty acids
- Hymenolepis diminuta, Bio-chemistry proline pool Kilejian, A., 1966 a
- Hymenolepis diminuta, Bio-chemistry permeation of L-proline Kilejian, A., 1966 b
- Hymenolepis diminuta, Bio-chemistry lipids, rats Kilejian, A.; Ginger, C. D.; and Fairbairn, D., 1968 a
- Hymenolepis diminuta, Bio-chemistry macromolecular structure of glycogen Lumsden, R. D., 1965 c, 501-515, figs. 5-6, 11, 13, 14, 16-19
- Hymenolepis diminuta, Bio-chemistry hydrolysis of phosphate esters Lumsden, R. D.; Gonzalez, G.; Mills, R. R.; and Viles, J. M., 1968 a, figs. 2-9
- Hymenolepis diminuta, Bio-chemistry effect of zein diets on nitrogen content and host liver protein nitrogen Mettrick, D. F., 1967 a
- Hymenolepis diminuta, Bio-chemistry protein metabolism Mettrick, D. F.; and Munro, H. N., 1965 a
- Hymenolepis diminuta, Bio-chemistry effect on cysticercoids of host exposure to thio-TEPA Mettrick, D. F.; and Parnell, J. R., 1967 a
- Hymenolepis diminuta, Bio-chemistry relationship between sedimentation coefficient distribution and glycogen level Orrell, S. A.; Bueding, E.; and Colucci, A. V., 1966 a
- Hymenolepis diminuta, Bio-chemistry crowding effect and host dietary carbohydrate Roberts, L. S., 1966 b

- Hymenolepis diminuta, Bio-chemistry effects of host dietary changes rat (exper.) Roberts, L. S.; and Platzer, E. G., 1967 a, figs. 3-4
- Hymenolepis diminuta, Bio-chemistry glycogenesis and glucose uptake Read, C. P. (jr.), 1967 a
- Hymenolepis diminuta, Bio-chemistry oncospHERE, protein-hydrolyzing endopeptidase Zwilling R., 1968 a, pls. between pp. 288-289, figs. 1-2
- Hymenolepis diminute, Treatment vistannyl Chowdhury, A. B., 1965 a, 75
- Hymenolepis diminuta, Treatment Atebrine; dichlorophen; Yomesan Strufe, R.; and Gönnert, R., 1967 a
- Hymenolepis diminuta, Treatment paromomycin sulfate, rats Waitz, J. A.; McClay, P.; and Thompson, P. E., 1966 a
- Hymenolepis ductilis Larus argentatus Guildal, J. A., 1968 a, 61, 66 South Harbour of Copenhagen
- Hymenolepis ductilis Linton, 1927 Larus argentatus Threlfall, W., 1966 c, 14 Wales
- Hymenolepis ductilis Linton, 1927 Larus marinus Threlfall, W., 1968 b Newfoundland, Canada
- Hymenolepis evaginata Barker and Andrews, 1915 Ondatra z. zibethica Beckett, J. V.; and Gallicchio, V., 1967 a, 1171 Portage County, Ohio
- Hymenolepis evaginata Barker & Andrews, 1915 Ondatra zibethicus oso-yosensis Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah
- Hymenolepis evaginata Wahl, E., 1967 a, p. 157
- Hymenolepis farciminoSA (Goeze, 1782) Sturmus vulgaris vulgaris (mid-ileum) James, B. L.; and Llewellyn, L. C., 1967 a all off the island of Skomer off Wales
- Hymenolepis farciminoSA (Goeze, 1782) Sturmus vulgaris (small intestine) Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria
- Hymenolepis farciminoSA Turdus migratorius (small intestine) Slater, R. L., 1967 a, 194 Northern Colorado
- Hymenolepis farciminoSA (Goeze, 1782) Sturmus vulgaris (small intestine) Threlfall, W., 1968 c Newfoundland, Canada
- Hymenolepis farciminoSA (Goeze, 1782) Pica pica hudsonia (intestine) Todd, K. S. (jr.); Ernst, J. V.; and Hammond, D. M., 1967 a Logan, Cache Co., Utah
- Hymenolepis fasciculata [Anas platyrhynchos] Lesin'sh, K. P.; and Kliavin-sh, Ia. R., 1966 a Latvian SSR
- Hymenolepis fraterna dibutyl lead acetate; tributyle lead acetate; tetrabutyle lead acetate Gras, G.; and Un, S., 1965 a
- Hymenolepis fraterna effect of extracts on rat diuresis Gumeniuk, T. G., 1963 a
- Hymenolepis fraterna pathology of host intestine, rats and mice Kil'kinov, G. I., 1963 a
- Hymenolepis fraterna immunity, vitamin supplements, mice Lukshina, R. G., 1963 a
- Hymenolepis fraterna Wahl, E., 1967 a, fig. 7
- Hymenolepis furcata (Stieda, 1862) Crocidura russula Wahl, E., 1967 a, p. 174 Val de l'Allondon (Geneva)
- Hymenolepis furcifera (Krabbe, 1882) Podiceps ruficollis (intestine) Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria
- Hymenolepis furcifera (Krabbe, 1869) Podiceps cristatus Roman-Chiriac, E., 1965 a, 146 Danube delta, Romania
- Hymenolepis gertschi Macy, 1947 Tadarida brasiliensis mexicana (small intestine) Cain, G. D., 1966 a, 355, 356, fig. 7 Carlsbad Caverns, New Mexico
- Hymenolepis globirostris Wahl, E., 1967 a, p. 157
- Hymenolepis globosoides (Soltys, 1953) Neomys fodiens Wahl, E., 1967 a, p. 174 Val de l'Allondon (Geneva)

- Hymenolepis gracilis (small intestine of all) Churina, N. V., 1963 a
Anas platyrhynchos
Nyroca ferina all from Srednii Ural
- Hymenolepis gracilis [Anas platyrhynchos] Dremkova, P. P.; and Podgornova, G. P., 1963 a
Volgograd oblast
- Hymenolepis gracilis turpentine Kharchenko, O. N., 1963 a
- Hymenolepis gracilis carbon tetrachloride phenothiazine Kovalenko, I. E.; and Kal'chenko, A. A., 1965 a
- Hymenolepis gracilis [Anas platyrhynchos] Lesin'sh, K. P.; and Kliavin'sh, Ia. R., 1966 a
Latvian SSR
- Hymenolepis gracilis (Zeder, 1803) Nikulin, T. G., 1965 a
[Anas platyrhynchos]
[Anser anser] all from Byelorussia
- Hymenolepis himantopodis (Krabbe) Fuhrmann, 1906 Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
as syn. of Wardium himantopodis (Krabbe, 1869) Spassky et al.
- Hymenolepis horrida Linstow, 1901 Arzamasov, I. T.; Dyl'ko, N. I.; Merkusheva, I. V.; and Petrovskii, Iu. T., 1966 a, 832
Sciurus vulgaris (small intestine) Belorussia
- Hymenolepis horrida (von Linstow, 1901) Frandsen, J. C.; and Grundmann, A. W., 1961 b, 393
Thomomys talpoides wasatchensis Lake Bonneville Basin, Utah
- Hymenolepis horridae (Linstow, 1901) Gubanov, N. M., 1964 a, 25
(small intestine of all) all from Yakutia
- Sciurus vulgaris
- Eutamias sibiricus
- Ondatra zibethica
- Clethrionomys rufocaninus
- Microtus gregalis
- M. oeconomus [sic]
- Lemmus obensis
- Aschizomys lemninus
- Apodemus speciosus
- Clethrionomys rutilus
- Hymenolepis horrida (small intestine of all) Kinsella, J. M., 1967 a, 271
Clethrionomys gapperi
Microtus longicaudus
M. pennsylvanicus all from western Montana
- Hymenolepis horrida (von Linstow, 1901) Kinsella, J. M., 1968 a
(small intestine) western Montana
- Zapus princeps (small intestine)
- Hymenolepis integra (Hamann, 1891) Wahl, E., 1967 a, p. 174
Neomys fodiens Val de l'Allondon (Geneva)
- Hymenolepis joyeuxi Fuhrmann, 1932 Spasskii, A. A.; and Spasskaya, L. P., 1968 a, 1296
as syn. of Hymenocoelia joyeuxi (Fuhrmann, 1932) n. comb.
- Hymenolepis limnodromi sp. nov. Prudhoe, S.; and Manger, B. R., 1967 a, 542-546, figs. 3-5
Limnodromus griseus scolopaceus Rockport, Texas
- Hymenolepis lobulata Mayhew, 1925 Threlfall, W., 1968 c
Newfoundland, Canada
Podilymbus podiceps (small intestine)
- Hymenolepis medici (Stossich, 1890) Roman-Chiriac, E., 1965 a, 144
Pelecanus onocrotalus Danube delta, Romania
- Hymenolepis megaloon Linstow, 1901 Arzamasov, I. T.; Dyl'ko, N. I.; Merkusheva, I. V.; and Petrovskii, Iu. T., 1966 a, 834
Citellus suslicus Belorussia
- Hymenolepis megaloon (Linstow, 1901) Cubanov, N. M., 1964 a, 25
Yakutia
Citellus undulatus (small intestine)
- Hymenolepis megaloon rodents Tokobaev, M. M., 1965 a
Kirgiz
- Hymenolepis megalops [Anas pocilorhyncha] Kawano, K., 1964 c, 38
- Hymenolepis megalops [Anas platyrhynchos] Lesin'sh, K. P.; and Kliavin'sh, Ia. R., 1966 a
Latvian SSR
- Hymenolepis megalops (Creplin, 1829) Nikulin, T. G., 1965 a
[Anas platyrhynchos] Byelorussia
- Hymenolepis megalops ducks (intestinal canal) Prasad, H.; and Srivastava, C. P., 1968 a, fig. 2, pl. facing p. 393, 1 fig.
Bihar State, India
- Hymenolepis microcephala (Rudolphi, 1819) Dubinin, V. B., 1938 a, 155-157
1906
Syns.: Taenia microcephala (Rud., 1819; Krabbe, 1869); Taenia multiformis (Creplin, 1829; Krabbe, 1864; Cohn, 1904); Taenia leptoptili (von Linstow, 1901)
Plegadis falcinellus Astrakhan game reserve
- Hymenolepis microstoma effect on bile duct of mouse Bogitsh, B. J., 1966 b, pls. I-II, figs. 1-8

- Hymenolepis microstoma succinic dehydrogenase distribution Bogitsh, B. J.; and Nunally, D. A., 1966 a, pls. 1-2, figs. 1-8,
- Hymenolepis microstoma oncosphere hatching Collings, S. B.; and Hutchins, C. P., 1965 a
- Hymenolepis microstoma effect on *Tribolium confusum* populations Dowell, F. H.; and Jones, A. W., 1966 a
- Hymenolepis microstoma biochemistry, parasite Huffman, J. L., 1964 a
- Hymenolepis microstoma concurrent infection with *Fasciola hepatica*, effect Lang, B. Z., 1967 b
- Hymenolepis microstoma (Dujardin, 1845) ecology, preliminary studies Litchford, R. G., 1967 a taurocholate, effect on glucose utilization
- Hymenolepis microstoma (Dujardin, 1845) chromosomal spread technique Proffitt, M. R., 1966 a chromosomes, using mammalian spread technique
- Hymenolepis microstoma (Duj., 1845) *Strongyllopsalis mathurinii* *Mus musculus* (vias biliares e duodeno) (exper.) Rêgo, A. A., 1965 a, figs. 1-14 Rio de Janeiro, Estado de Guanabara, Brasil (cavidad geral)
- Hymenolepis microstoma in vitro culture de Rycke, P. H.; and Berntzen, A. K., 1967 a
- Hymenolepis microstoma mice, immunity Tan, B. D., 1966 b
- Hymenolepis microstoma longevity in laboratory mouse Tan, B. D., 1968 a
- Hymenolepis microstoma X-ray, abnormalities, recovery Tan, B. D.; and Jones, A. W., 1966 a, figs. 2, 3, 4
- Hymenolepis microstoma (Dujardin, 1845) *Apodemus flavicollis* *Apodemus sylvaticus* *Tenebrio molitor* (exper.) *Gryllus domesticus* (exper.) *Blatta germanica* (exper.) hamster (duodenum) (exper.) Wahl, E., 1967 a, figs. 5-6, 8 Val de l'Allondon, Geneva "
- Hymenolepis murina rat Volkova, N. S.; and Omelaeva, R. N., 1963 a Lugansk city
- Hymenolepis muris-sylvatici (Rudolphi, 1819) As syn. of *Variolepis crenata* (Goeze, 1782) Prokopic, J., 1967 b
- Hymenolepis musculosa (Clerc, 1902) Fuhrmann, 1906 as syn. of *Wardium aequabilis* (Rudolphi, 1810) Spassky et Spasskaja, 1954
- Hymenolepis (H.) nana life history in humans Alonso Fiel, R.; et al., 1966 a figs. 1-10
- Hymenolepis nana [Mus musculus] (mesenteric lymphatic nodes) (exper.) Astaf'ev, B. A., 1966 a, 93-97, figs. 1-4
- Hymenolepis nana migration of eggs and larval stages, white mice Astaf'ev, B. A., 1966 b, figs. 1-6
- Hymenolepis nana [Mus musculus] (exper.) Astaf'ev, B. A., 1966 c
- Hymenolepis nana intraintestinal auto-superinvasion Astaf'ev, B. A., 1967 a
- Hymenolepis nana (Siebold, 1852) hatching oncospheres Astaf'ev, B. A.; and Mironova, I. V., 1965 a
- Hymenolepis nana perros (feces) Barriga, O. O.; and Jaramillo, S., 1966 a Castro, Chile
- Hymenolepis nana Indians and Anglo-Americans (intestine) Becker, D. A., 1966 a Winnebago and Omaha reservations, Nebraska
- Hymenolepis nana culture, axenic Berntzen, A. K., 1966 a
- Hymenolepis nana vector, lice Ch'en, K.-C., 1968 a
- Hymenolepis nana immunogenicity of esterases Coleman, R. M.; Venuta, F. X.; and Fimian, W. J. (jr.), 1967 a, fig. 1
- Hymenolepis nana culture, effect of polyvinylchloride tubing Cowper, S. G., 1968 a
- Hymenolepis nana Siebold, 1852 European child Fitzsimmons, W. M., 1966 e, 401 Malawi
- Hymenolepis nana immunity transfer, spleen cells Friedberg, W.; Neas, B. R.; Faulkner, D. N.; and Friedberg, M. H., 1967 a

- Hymenolepis nana Gasanov, M. V.; Efendiev, S. S.; and Kurbanova, F. A., 1964 a Bakinsk Bay
- Hymenolepis nana eggs, diagnosis Gould, S. E.; Hinerman, D. L.; Batsakis, J. G.; and Beamer, P. R., 1963 d, fig. 3
- Hymenolepis nana autoinfection in white mouse Heyneman, D., 1961 b
- Hymenolepis nana biochemistry, parasite Huffman, J. L., 1964 a
- Hymenolepis nana pathology of host intestine, rats and mice Kil'kinov, G. I., 1963 a
- Hymenolepis nana direct and indirect infection through intermediate host, Plodia interpunctella Miyachi, K., 1959 b
- Hymenolepis nana control, human Nazirov, M. R.; and Glashkina, T. P., 1964 a
- Hymenolepis nana loss of immunity after x-irradiation Neas, B. R.; Friedberg, W.; and Self, J. T., 1966 a
- Hymenolepis nana antigen used in treating taeniasis Nitzulescu, V.; and Gherman, I., [1966 a]
- Hymenolepis nana influence on Toxocara canis, larval behavior in mice Oshima, T.; Kagei, N.; and Kihata, M., 1964 a
- Hymenolepis nana embryogenesis Rybicka, K., 1966 b, fig. 3
- Hymenolepis nana in vitro cultivation Sinha, D. P.; and Hopkins, C. A., 1967 a
- Hymenolepis nana effect on Aspicularis tetraptera infection Stahl, W., 1966 b
- Hymenolepis nana potential helminth infection, humans, from laboratory animals Stone, W. B.; and Manwell, R. D., 1966 a, fig. C
- Hymenolepis nana Tarasov, V. V.; and Shub, L. M., 1966 a Mexico
- Hymenolepis nana recovery and counting technique Theodorides, V. J.; and Actor, P., 1967 a
- Hymenolepis nana Vinha, C., 1965 a Brasil
- Hymenolepis nana bacterial endotoxin and host resistance Weinmann, C. J., 1965 a, 560
- Hymenolepis nana mechanisms of immunity Weinmann, C. J., 1966 a
- Hymenolepis nana, Treatment Abu Senna, H. O., 1966 a effect of alcopar, D-L-cycloserine and atebrine upon transaminases activity
- Hymenolepis nana, Treatment Aguilar, F. J.; and Cifuentes, C. A., 1962 a trichlorophenol; piperazine
- Hymenolepis nana, Treatment Aguilar, F. J.; and Cifuentes, C. A., 1964 a thiabendazole
- Hymenolepis (H.) nana, Treatment Argudín Romero, J. M.; and Otero Domínguez, R., 1966 a chloronitrophenil-chlorosalicilamide
- Hymenolepis nana, Treatment Baiandina, D. G., 1965 b Dryopteris austriaca and phenasal; Phenasal and Dryopteris austriaca, white mice
- Hymenolepis nana, Treatment Baiandina, D. G.; Medunetskaya, E. B.; Manevich, M. E.; and Smirnova, K. I., 1966 a phenasal, human
- Hymenolepis nana, Treatment Canedo Acosta, J., 1964 a GS-1339
- Hymenolepis nana, Treatment Chowdhury, A. B., 1965 a, 75 vistannyl
- Hymenolepis nana, Treatment Edelweiss, E. L.; and Vieira, N-(2'-chloro-4'-nitrophenol)-5 chlorosalicylamide
- Hymenolepis nana, Treatment Grinenko, N. V.; and Namitokov, A. A., 1966 a Acrquinine + pumpkin seed decoction
- Hymenolepis nana, Treatment Grunberg, E.; and Cleeland, R., 1967 a, fig. 1 Ro 2-9009, mice (exper.)
- Hymenolepis nana, Treatment Howes, H. L. (jr.); and Lynch, J. E., 1967 a pyrantel tartrate, ineffective

| | | | |
|--|---|---|---|
| Hymenolepis nana, Treatment piperazine | King, V. M.; and Cosgrove, G. E., 1963 a | Hymenolepis paracompressa Czaplinski, 1956 <i>Anas platyrhynchos</i> (small intestine) <i>Nyroca fuligula</i> (small intestine) | Churina, N. V., 1963 a all from Srednii Ural |
| Hymenolepis nana, Treatment reduced toxicity of acriquine and aminoacriquine when combined with male fern extract | Lebedeva, M. N., 1966 a | Hymenolepis paracompressa [<i>Anas platyrhynchos</i>] | Dremkova, P. P.; and Podgor- nova, G. P., 1963 a Volgograd oblast |
| Hymenolepis nana, Treatment Nitrodan | McGuire, W. C.; O'Neill, R. C.; and Brody, G., 1966 a | Hymenolepis paracompressa <i>Radix auricularia</i> <i>Radix ovata</i> <i>Galba palustris</i> <i>Limnaea stagnalis</i> <i>Planorbis planorbis</i> | Kotel'nikov, G. A., 1963 b all from SSSR |
| Hymenolepis nana, Treatment Yomesan | Otero Dominguez, R.; et al, 1966 a | Hymenolepis paracompressa carbon tetrachloride phenothiazine | Kovalenko, I. E.; and Kal'- chenko, A. A., 1965 a |
| Hymenolepis nana, Treatment GS-1339, humans | Salas Chapa, C., 1964 a | Hymenolepis paracompressa Czaplinski, 1956 [<i>Anas platyrhynchos</i>] | Nikulin, T. G., 1965 a Byelorussia |
| Hymenolepis nana, Treatment thiabendazole | Salem, H. H.; Hayatee, Z. G.; Awanees, A. M.; and Al-Allaf, G., 1968 a | Hymenolepis paracompressa Czaplinsky, 1956 rată | Olteanu, G.; and Stoican, E., 1963 b, 230 Romania |
| Hymenolepis nana, Treatment carbamate derivatives tested in vivo | Sanz, F.; Jurado, R.; Moral, A.; and Relimpio, A., 1966 a | Hymenolepis paracompressa Czaplinski (1956) <i>Limnaea peregra ovata</i> | Rysavy, B., 1962 d Südmähren |
| Hymenolepis nana, Treatment paramomycin sulfate, mice | Waitz, J. A.; McClay, P.; and Thompson, P. E., 1966 a | Hymenolepis paramicrosoma Gasowska, 1931 (small intestine of all) <i>Anas platyrhynchos</i> <i>Nyroca fuligula</i> | Churina, N. V., 1963 a all from Srednii Ural |
| Hymenolepis nana, Treatment Bitin | Zaitzu, Y., 1962 a | Hymenolepis paramicrosoma Yasowska | Dremkova, P. P.; and Podgor- nova, G. P., 1963 a Volgograd oblast |
| Hymenolepis nana var. fraterna | Cavier, R.; and Léger, N., 1965 c, photos 1-7 evolution in intermediate hosts <i>Periplaneta americana</i> (exper.) <i>Leucophaea moderae</i> | Hymenolepis paramicrosoma Radix auricularia R. ovata <i>Limnaea stagnalis</i> <i>Galba palustris</i> | Kotel'nikov, G. A., 1963 b all from SSSR |
| Hymenolepis nana var. fraterna | Cavier, R.; and Léger, N., 1966 a Mepacrine, evolutionary cycle stages | Hymenolepis paramicrosoma Gasowska, 1931 [<i>Anas platyrhynchos</i>] | Nikulin, T. G., 1965 a Byelorussia |
| Hymenolepis nana fraterna | Gras, G.; and Un, S., 1967 a diochlorophène; Yomesan; dibutyle lead diacetate | Hymenolepis parvuncinata Meggitt, 1927 <i>Pelecanus onocrotalus</i> | Roman-Chiriac, E., 1965 a, 144 Danube delta, Romania |
| Hymenolepis octocoronata (Linstow, 1829) Meggitt, 1924 | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah | Hymenolepis passeris (Gmelin 1790) <i>Passer domesticus</i> | Gräfner, G., 1962 a, 237 |
| Hymenolepis ondatrae Rider & Macy, 1947 | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah | Hymenolepis philactes Schiller, 1951 As syn. of <i>Parabisacanthes philactes</i> (Schiller, 1951) Spassky et Resnik, n. comb. | Spasski, A. A.; and Reznik, V. N., 1963 a, 89 |
| Hymenolepis oregonensis Neiland & Senger, 1952 | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah | | |
| Ondatra zibethicus osoyoosensis | | | |

- Hymenolepis pistillum (Dujardin, 1843) Crocidura russula Sorex araneus Wahl, E., 1967 a, p. 174 all from Val de l'Allondon (Geneva)
- Hymenolepis podicipina Szymanski, 1905 Podiceps cristatus Roman-Chiriac, E., 1965 a, 146 Danube delta, Romania
- Hymenolepis recurvirostra (Krabbe) as syn. of Wardium recurvirostrae (Krabbe, 1869) Spassky et Spasskaja, 1954 Spasskii, A. A.; and Dao Van-T'en, 1963 a, 6
- Hymenolepis (s.l.) retracta (?) Linstow, 1906 Nyroca marila Spasskaiia, L. P.; and Spasskii, A. A., 1964 a, 13-15, figs. 5-7 Kamchatka Pacific seacoast
- Hymenolepis rugosa Clerc, 1906 as syn. of Sobolevianthus serrata (Fuhrmann, 1906) Yamaguti, 1959 Rysavy, B., 1965 b, 257
- Hymenolepis rugosa Clerc, 1906 as syn. of Hymenocoelia serrata (Fuhrmann, 1906) n.comb. Spasskii, A. A.; and Spasskaiia, L. P., 1968 a, 1296
- Hymenolepis scalaris (Dujardin, 1845) Sorex minutus Wahl, E., 1967 a, p. 174 Val de l'Allondon (Geneva)
- Hymenolepis serpentulus (Schrank, 1788) Sturnus vulgaris vulgaris Turdus pilaris (anterior ileum) Turdus viscivorus viscivorus (anterior ileum) Turdus musicus musicus (anterior ileum) James, B. L.; and Llewellyn, L. C., 1967 a all from the island of (posterior ileum) Skomer off Wales
- Hymenolepis serpentulus Corvus brachyrhynchos (intestine) Jones, J. (jr.): 1968 a Ohio
- Hymenolepis serrata Fuhr., 1906 as syn. of Hymenocoelia serrata (Fuhrmann, 1906) n.comb. Spasskii, A. A.; and Spasskaiia, L. P., 1968 a, 1296
- Hymenolepis setigera (small intestine of all) Anas platyrhynchos Nyroca fuligula Churina, N. V., 1963 a all from Srednii Ural
- Hymenolepis setigera, Froelich, 1789 [Anas platyrhynchos] [Anser anser] Georgiev, B.; and Denev, I., 1959 b all from district of Tirkovo, Bulgaria
- Hymenolepis setigera (Frollich, 1789) chlorophos-phenothiazine, ducks Kuznetsov, V. G., 1965 a
- Hymenolepis setigera (small intestine of all) Cyclops strenuus Mesocyclops leuckarti Dicranotaenia collaris Eucyclops serrulatus Radix ovata Galba palustris Limnaea stagnalis Coretes corneus [Anas platyrhynchos] Hymenolepis setigera (Anas platyrhynchos) (exper.) Radix ovata Galba palustris Limnaea stagnalis Coretes corneus
- Hymenolepis setigera (Froelich, 1789) [Anas platyrhynchos] [Anser anser]
- Hymenolepis sinuosa (Railliet, 1899; Skrjabin, 1914; Cohn, 1901) as syn. of Hymenolepis collaris (Batsch, 1786) Dubinin, V. B., 1938 a, 159
- Hymenolepis skrjabini Mathevoossian, 1945 Anas strepera (small intestine) Churina, N. V., 1963 a Srednii Ural
- Hymenolepis spiralibursata Czaplinski (1956) life cycle Limnaea peregra ovata L. stagnalis Enten Rysavy, B., 1962 d all from Sudmähren
- Hymenolepis stefanskii Zarnowski, 1954 Sorex minutus Wahl, E., 1967 a, p. 174 Val de l'Allondon
- Hymenolepis stellorae Debllok, Biguet et Capron, 1960 as syn. of Wardium stellorae (Deblock, Biguet et Capron, 1960) Spassky, 1963 Spasskii, A. A.; and Dao Van-T'en, 1963 a, 6
- Hymenolepis straminea Wahl, E., 1967 a, p. 157, fig. 11
- Hymenolepis stylosa (Rudolphi, 1808) Pica pica hudsonia (small intestine) Todd, K. S. (jr.); and Worley, D. E., 1967 a, 365 Bozeman, Gallatin County, Montana
- Hymenolepis sulcata (Linstow, 1879) Glis glis (small intestine) Tenora, F., 1965 b, 299-300 Barazdalas, Czechoslovakia
- Hymenolepis uncinispinosa Wahl, E., 1967 a, p. 157

- Hymenolepis variabilis* Jones, J. (jr.), 1968 a
Corvus brachyrhynchos Ohio
 (intestine)
- Hymenolepis villosa* Olteanu, G.; and Stoican, E.,
 (Bloch, 1782) 1963 b, 225
 găini Romania
- Hymenolepis (H.) villosocirrus n. sp.* Deblock, S.; and Rausch, R.
Limosa haemastica L., 1967 a, 307-310, pls. 3-4,
 figs. 9-15 Anchorage, Alaska (Etats-Unis d'Amérique)
- Hymenosphenacanthus bulbocirrosus* Pfeiffer, 1960 Czapliński, B., 1965 a, 38
 as syn. of *Retinometra bulbocirrosa* (Pfeiffer, 1960)
 comb. n.
- Hymenosphenacanthus lintoni* Ehrhardt, W. B.; Harkema, R.;
 Lopez-Neyra, 1958 and Miller, G. C., 1967 a, 133
 (small intestine) all from Beaufort, North
Larus argentatus Carolina
L. atricilla
- Hymenosphenacanthus longicirrosa* (Fuhrmann, 1906) Oshmarin, P. G., 1965 b
Anas platyrhynchos Buriat ASSR
- Hymenosphenacanthus pit-talugai* (Lopez-Neyra, 1932) Maksimova, A. P., 1967 a, 141
 Yamaguti, 1959 Western Kazakhstan
Nyroca ferina (intestine)

- Icterotaenia Railliet et Henry, 1909 Spasskii, A. A., 1966 a; 1966 b; 1966 c
Ssns: Choanofuhrmannia Lopez-Neyra, 1943; Pseudanomo-taenia Mathevossian, 1963
- Icterotaenia binzui (Yamaguti, 1956) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia borealis (Krabbe, 1869) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia brevis (Clerc 1902) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia caledonica (Fuhrmann, 1918) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia constricta (Molin, 1858) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia dubininae (Mathevossian, 1963) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia galbulae (Gmelin, 1790) Railliet et Henry, 1909 Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Icterotaenia parvirostris (Krabbe) Baer, 1925 as syn. of *Vitta parvirostris* (Krabbe, 1869) Baer, 1959 Spasskii, A. A.; and Spasskia, L. P., 1966 a
- Icterotaenia sternina (Krabbe, 1869) Baer, 1925 as syn. of *Choanotaenia sternina* (Krabbe, 1869) Mathevossian, 1963 Rysavy, B., 1965 b, 258
- Icterotaenia unicoronata (Fuhrm., 1908) n. comb. Spasskii, A. A., 1966 a; 1966 b; 1966 c
- Idiogenes Krabbe, 1867 Idiogenidae, key Artiukh, E. S. K., 1965 a
- Idiogenes otidis Otis tetrax orientalis Akhumian, K. S., 1966 a Armenian SSR
- Iidiogenidae Mola, 1929 key to genera includes: Idiogenes Krabbe, 1867; Ascometra Cholodkovsky, 1912; Chapmania Monticelli, 1893; Schistometra Cholodkovsky, 1912; Ersinogenes Spasskaja, 1961; Sphyronchotaenia Ransom, 1911
- Inermicapsifer madagascariensis Cryptomys sp. (colon) de Graaff, G., 1964 a, 116, 123 Shingwedzi, Kruger National Park
- Inermiphyllidium pulvinatum ornithine transcarbamylase and arginase activity Campbell, J. W.; and Lee, T. W., 1963 a
- Infula burhini Burt, 1939 [Himantopus himantopus] Chibichenko, N. T., 1966 a, 44 Kirgiz
- Insectivorepis yosidae n. sp. Rhinolophus ferrumequinum (small intestine) Sawada, I., 1967 a, pl. 2, figs. 1-5 Hidaosaka, Gifu Prefecture, Japan
- Insinuotaenia spasskii nov. sp. (small intestine) Andreiko, A. F.; and Lien, Yin, 1963 a, 12-19, figs. lab, 2-3, 4a-b, 5a-b, 6a-b Kebezan settlement, Gorno-Altaï oblast, Altaï krai Baraboi village, Ryshkanks region, Moldavian SSR
- Mustela nivalis Putorius eversmanni
- Isoglaridacris key to species Fredrickson, L. H.; and Ulmer, M. J., 1967 a, 445
- Isoglaridacris bulbocirrus key Fredrickson, L. H.; and Ulmer, M. J., 1967 a, 445
- Isoglaridacris folius n. sp. Moxostoma erythrurum (intestine) Fredrickson, L. H.; and Ulmer, M. J., 1967 a, 444, 445, 450, 452-457, 460, 461, pls. III-IV, figs. 13-23 Iowa
- Isoglaridacris longus n. sp. Moxostoma macrolepidotum (intestine) Fredrickson, L. H.; and Ulmer, M. J., 1967 a, 444, 445, 446-452, 453, 454, 455, 456, 457, 458, 459, pls. I-II, figs. 1-12 Iowa

- Joyeuxiella echinorhynchoi-* Abbasov, M. T., [1966 a]
des (Sonsino, 1889) Nakhichevan ASSR
[*Vulpes vulpes*] (small intestine)
- Joyeuxiella echinorhyn-* Dollfus, R.-P. F., 1965 a,
choides (Sonsino, 1889) 75, 76, 77, figs. 23-26
sensu Witenberg 1932 Akinlou, Iran
Coluber najadum (péritoine)
- Joyeuxiella echinorhyn-* Dollfus, R.-P. F., 1965 a,
choides (Sonsino, 1889) 72, 73, figs. 18-20
Vulpes vulpes (intestin Akinlou, Iran
(jejumum-iléon))
- Joyeuxiella echinorhyn-* Mimioglu, M. M.; Güralp, N.;
choides Tolgay, N.; and Sayın, F.,
Vulpes vulpes 1965 a, 182, 190, fig. 15
Turkey
- Kapsulotaenia* gen. nov. Freze, V. I., 1963 a, 154, 155
Acanthotaeniinae; key tod: K. sandgroundi n. comb.
[p. 155 lapsus as: *Capsulotaenia* gen. nov.]
- Kapsulotaenia saccifera* Freze, V. I., 1963 a, 155
(Ratz, 1900) n. comb.
as *R. saccifera* (Ratz, 1900) n. comb.
- Kapsulotaenia sandgroundi* Freze, V. I., 1963 a, 155
(Carter, 1943) n. comb. (tod)
- Kapsulotaenia tidswelli* Freze, V. I., 1963 a, 155
(Johnston, 1909) n. comb.
as *R. tidswelli* (Johnston, 1909) n. comb.
- Kapsulotaenia varia* (Bed- Freze, V. I., 1963 a, 155
dard, 1913) n. comb.
as *R. varia* (Beddard, 1913) n. comb.
- Khavia*. See *Khavia*
- Khavia* Kanaev, A. I., 1964 a
Kamala
- Khavia armeniaca* (Cholod- Bogdanova, E. A., 1965 a
kovskii, 1915) lake Sevan
[*Varicorhinus*]
- Khavia armeniaca* Platonova, T. A., 1963 a, 210-
(Cholodkovski, 1915) 211, figs. 1-3
syn.: *Caryophyllaeus armeniacus* Cholodkovski, 1915
Varicorhinus capoeta sevangi USSR, Lake Sevan
(intestine)
- Khavia rossittensis* (Szidat, Komarova, T. I., 1964 a, 86
1937) Dnieper delta
[*Carassius carassius*] (intestine)
- Khavia sinensis* Diarova, G. S., 1967 a
[*Cyprinus carpio*] Alma-Ata pond fisheries
- Khavia* [sic] *sinensis* Kulakiv'ska, O. P., 1963 b
life cycle, review
- Khavia* [sic] *sinensis* Hsti, Kulakiv'ska, O. P., 1963 c
1935 Soviet Union
biology and geographical distribution
- Joyeuxiella pasqualei* Diamare, 1893
chat (intestin grêle)
- Joyeuxiella pasqualei* Diamare, 1893
Canis familiaris
- Joyeuxiella pasqualei* Yomesan, dogs and cats
- Joyeuxiella pasqualei* dog
- Joyeuxiella pasqualei* (Diamare, 1893)
(tenke strevo)
Felis catus dom.
- Khavia* [sic] *sinensis* Kulakiv'ska, O. P., 1964 b,
[*Cyprinus carpio*] 13, 14
Tubifex tubifex all from western oblasts,
Limnodrilus udekemianus Ukraine
Limnodrilus hoffmeisteri
Iliodrilus hammoniensis
- Khavia* [sic] *sinensis* Kupchinskaya, O. S., 1963 a
Ilyodrilus
Psammoryctes
Tubifex
- Khavia* sinensis Hsti, Pribyslavsky, J.; Jilek, J.;
1935 and Lucký, Z., 1965 a, 5-6,
Cyprinus carpio fig. 1
(intestine) Stausees Knínička, ČSSR
- Khavia* [sic] *sinensis* Sukhoverkhov, F. M., 1966 a
mustard cake, carp
- Khawiasi*. See *Khavia*
- Kowalewskiella cingu-* Akhumian, K. S., 1966 a
lifera Armenia SSR
Tringa totanus totanus
- Kowalewskiella cingulifera* Chibichenko, N. T., 1966 a, 44
(Krabbe, 1869) Lopez-Neyra, 1952
[*Capella gallinago*]
[*Tringa totanus*]
[*Totanus hypoleucus*]
- Kowalewskiella lobipluviae* Akhumian, K. S., 1966 a
(Burt, 1940) Armenia SSR
Otis tetrax orientalis
- Kowalewskius parrula* [sic] Garkavi, B. I.; and Poluektov,
Kowalewski V. Sh., 1968 a, 49
Phenacostes, ducks
- Kowalewskius parvus* Oshmarin, P. G., 1965 b
(Kowalewski, 1904) Buriat ASSR
Anas platyrhynchos

- Lacistorhynchus tenuis Campbell, J. W.; and Lee, T. W., 1963 a ornithine transcarbamylase and arginase activity
- Lacistorhynchus tenuis (P. J. Van Beneden 1958) Dollfus, R. P. F., 1967 a, 173 *Tigriopus fulvus* (exper.)
- Lacistorhynchus tenuis Lumsden, R. D., 1965 c, 501- macromolecular structure of glycogen 515, figs. 9, 12
- Lacistorhynchus tenuis (V. Beneden, 1858) Lumsden, R. D., 1966 a, figs. 1-7 fine structure of cells, metabolism of glycogen
- Lacistorhynchus tenuis (v. Beneden, 1858) Lumsden, R. D., 1967 a, pls., figs. 1-18 ultrastructure of mitochondria
- Mustelus canis* (spiral valve) Woods Hole, Massachusetts
- Lacistorhynchus tenuis (v. Beneden, 1858) Lumsden, R. D.; and Byram, J. E. III, 1967 a, figs. 3-4, 16-17 Woods Hole, Massachusetts ultrastructure of muscle
- Mustelus canis*
- Lacistorhynchus tenuis nutrition Read, C. P. (ir.), 1966 a 107, fig. 2
- Lallum Johri, 1960 Matevosian, E. M., 1965 a, 153 Rhabdometriinae
- Lallum Johri, 1960 as syn. of Cloacotaenia Wolffhügel, 1938 Spasskii, A. A.; and Spasskaiia, L. P., 1968 a, 1296
- Lallum magniparuterina Johri, 1960 as syn. of Cloacotaenia megalops (Nitzsch in Creplin, 1829) Wolffhügel, 1938 Spasskii, A. A.; and Spasskaiia, L. P., 1968 a, 1296
- Laricanthus lateralis* (Mayhew, 1925) Spassky, 1962 Spasskii, A. A.; and Reznik, V. N., 1963 a, 87-88
- Syn: *Drepanidotaenia aporalis* Tscherbovitch, 1945
- Lateriporus clerici Chlidonias nigra nigra Terekia cinerea Akhumian, K. S., 1966 a all from Armenian SSR
- Lateriporus clerici (Johnson) Fuhrmann, 1932 Chlidonias nigra nigra Terekia cinerea Chibichenko, N. T., 1966 a, 43 all from Kirgiz [Anas strepera] [Larus ridibundus] [Podiceps griseigena]
- Lateriporus clerici [Larus ridibundus] Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve
- Lateriporus clerici (Jonston, 1912) [Larus ridibundus] Smogorzhevskaiia, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen
- Lateriporus clerici (Jonston, 1912) Larus ridibundus
- Lateriporus karajasicus Ardea purpurea purpurea
- Lateriporus karajasicus [Ardea alba] [Ardea cinerea]
- Lateriporus machadiensis [sic] (Joyeux, 1936) Ardea purpurea (intestine)
- Lateriporus skrjabini Mathevossian, 1946 [Nyroca fuligula]
- Lateriporus teres (Krabbe, 1869) [Nyroca fuligula]
- Lateriporus teres (Krabbe, 1869) Threlfall, W., 1968 c Newfoundland, Canada Somateria mollissima (duodenum and small intestine)
- Lepidotriias sinuosa (Weinland, 1858) as syn. of Hymenolepis collaris (Batsch, 1786) Dubinin, V. B., 1938 a, 159
- Leptotaenia ischnorhyncha (Lühe, 1898) Phoenicopterus ruber ruber
- Liga sp. [Terekia cinerea] [Charadrius mongolus]
- Liga gallinulæ (Beneden, 1858) Dollfus, 1934 Gallinula chloropus (črevo)
- Ligula host gonad development suppressed
- Ligula
- Ligula [sp.] [Varicorhinus capoëta heratensis]
- Ligula [sp.] Phoxinus phoxinus
- Ligula sp. [Phalacrocorax carbo]
- Vol'skis, G. I., 1968 a Lithuania
- Akhumian, K. S., 1966 a Armenianian SSR
- Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve
- Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria
- Chibichenko, N. T., 1966 a, 43 Kirgiz
- Chibichenko, N. T., 1966 a, 43 Kirgiz
- Threlfall, W., 1968 c Newfoundland, Canada Somateria mollissima (duodenum and small intestine)
- Jansen, J. (jr.); and van den Broek, E., 1966 a zoological garden, Netherlands
- Chibichenko, N. T., 1966 a, 44 all from Kirgiz
- Macko, J. K., 1967 a, 957 Czechoslovakia (ČSSR)
- Arme, C.; and Owen, R. W., 1965 a
- Merdivenci, A., 1966 b, 81 Diphyllobothriidae; Diphyllobothriinae nov. comb.
- Akopian, V.D.; and Arutiunian, A. L., 1966 a lake Sevan
- Owen, R. W.; and Arme, C., 1965 a
- Smogorzhevskaiia, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a Turkmen

| | | | |
|--|---|--|--|
| Ligula alternans | Dubinina, V. N., 1966 a as syn. of <i>Ligula intestinalis</i> | Ligula intestinalis | Dubinina, M. N., 1966 a Syn.: <i>Digamma alternans</i> : <i>Ligula alternans</i> |
| Ligula avium (Bloch, 1782) | Dubinin, V. B., 1938 a, 158 as syn. of <i>Ligula intestinalis</i> (Linne) | Ligula intestinalis | Ergens, R., 1965 c, 155 Fluss Osoblahe (Oder Gebiet) |
| Ligula columbi (Zeder, 1803) | Chibichenko, N. T., 1966 a, 44 [<i>Podiceps cristatus</i>] Kirgiz | Leuciscus cephalus (dutina tělní) | |
| Ligula columbi Zeder, 1803 | Roman-Chiriac, E., 1965 a, <i>Podiceps cristatus</i> <i>Egretta garzetta</i> 146, 149 all from Danube delta, Romania | Ligula intestinalis | Gavrilitsa, L. A., 1964 a Dnistrov estuary |
| Ligula columbi Zeder, 1803 | Smogorzhevskaja, L. A.; Kor- niushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a [<i>Podiceps cristatus</i>] [<i>Colymbus caspicus</i>] all from Turkmen | Ligula intestinalis Linné Rutilus rutilus (body cavity) | Huculak, F., 1965 a, 285 Kozłowa Góra reservoir |
| Ligula columbi Zeder, 1608 | Vol'skis, G. I., 1968 a Linné, 1758 <i>Podiceps cristatus</i> | Ligula intestinalis [<i>Larus ridibundus</i>] [<i>Larus canus</i>] [<i>Phalacrocorax pygmaeus</i>] [<i>Ardea alba</i>] | Kane, M. B., 1966 a Ireland |
| Ligula interrupta (=Di- gramma interrupta) | Dubinina, M. N., 1966 a | Ligula intestinalis | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve |
| Ligula intestinalis Larus argentatus armen- icus | Akhumian, K. S., 1966 a all from Armenian SSR | Ligula intestinalis | Komarova, T. I., 1963 b Dneprovsk estuary |
| Chlidonias hybrida | | Ligula intestinalis | Komarova, T. I., 1964 a, 86 Dnieper delta |
| Phalacrocorax carbo | | Ligula intestinalis | Komarova, T. I., 1964 b Dnieper delta |
| Ligula intestinalis fish | Allamuratov, B. K., 1965 b South-Surkhanskoe reservoirs | Ligula intestinalis (L., 1758) | Komarova, T. I., 1966 a, 65 all from Dnieper estuary |
| Ligula intestinalis | Arme, C., 1966 a, figs. 1-6 histochemical and biochemical studies on enzymes | [<i>Abramis brama</i>] (body cavity) [<i>Neogobius fluviatilis</i>] (body cavity) | |
| Ligula intestinalis Rutilus rutilus | Arme, C.; and Owen, R. W., 1968 a | Ligula intestinalis | Kosareva, N. A., [1966 a] all from reservoirs of Vol- go-Don Navigable Canal Honoring V. I. Lenin |
| Scardinius erythrophthal- mus | all from Great Britain | [<i>Alburnus alburnus</i>] [<i>Blicca bjoerkna</i> [sic] | |
| Gobio gobio | | Ligula intestinalis | |
| Abramis brama | | [<i>Alburnus alburnus</i>] | |
| Phoxinus phoxinus | | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | |
| Leuciscus leuciscus | | Ligula intestinalis | Krotas, R. A., 1963 b Neman river |
| Ligula intestinalis Linne, 1758 | Belinissova, L. K., 1965 a all from Krasnoyarsk' skoe reservoir | (Linne, 1758) Mergus albellus | Maksimova, A. P., 1967 a, 150 Western Kazakhstan |
| Silurus glanis | | Ligula intestinalis | |
| Blicca bjoerkna | | [<i>Varicorhinus capoëtus</i>] heratensis] | Mikhailov, T. K., 1963 b all from Mingechaur reser- voir |
| Rutilus rutilus | | | |
| Scardinius erythrophthalmus | | | |
| Ligula intestinalis (L. 1758) | Bogdanova, E. A., 1965 a [<i>Varicorhinus</i>] lake Sevan | | |
| Ligula intestinalis | von Brand, T.; Nylen, M. U.; composition, crystalli- zation patterns of calcareous corpuscles | | |
| Syn.: <i>Ligula uniserialis</i> (Rudolphi, 1819); <i>Ligula</i> <i>avium</i> (Bloch, 1782) | Dubinin, V. B., 1938 a, 158- 159 Astrakhan game reserve | | |
| Plegadis falcinellus | | | |

- Ligula intestinalis* Molnár, K., 1966 d
- Ligula intestinalis* (Linne, 1758) Nikulin, T. G., 1965 a
[*Anas platyrhynchos*] Byelorussia /
- Ligula intestinalis* Scardinius erythrophthalmus (body cavity) Orr, T. S. C., 1966 a
Ravensthorpe Reservoir, Northamptonshire
- Ligula intestinalis* Rutilus rutilus "roach" Phoxinus phoxinus "minnow" Orr, T. S. C., 1967 a
Hogganfield Loch, near Glasgow, Scotland Milngavie reservoir, near Glasgow, Scotland
- Ligula intestinalis* geographic distribution, specificity, host list Phoxinus phoxinus Orr, T. S. C., 1967 b
Scotland
- Ligula intestinalis* (L., 1758) Larus canus Phalacrocorax carbo Mergus merganser Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Ligula intestinalis* Rutilus rutilus Scardinius erythrophthalmus Abramis brama Gobio gobio Leuciscus leuciscus Owen, R. W.; and Arme, C., 1965 a
all from Britain
- Ligula intestinalis* Linne, 1758 Platonova, T. A., 1963 a
- Ligula intestinalis* Perca fluviatilis Rutilus rutilus Puidak, U., 1965 a, 554
all from Estonian coastal waters
- Ligula intestinalis* (Linné, 1758) Phalacrocorax carbo P. pygmaeus Pelecanus onocrotalus Podiceps cristatus Ardea purpurea Nycticorax nycticorax Roman-Chiriac, E., 1965 a, 143, 144, 145, 147, 150
all from Danube delta, Romania
- Ligula intestinalis* [*Carassius carassius*] (abdominal cavity) Sedinkin, A. N., 1965 a
USSR, Chelyabinsk oblast
- Ligula intestinalis* (Linne, 1758) [Hydroprogne tschegerava] [*Sterna hirundo*] [*Sterna albifrons*] [*Gelocheilidon nilotica*] [*Larus ridibundus*] [*Larus argentatus*] [*Phalacrocorax carbo*] [*Phalacrocorax pygmaeus*] [*Podiceps cristatus*] [*Mergus albellus*]
- Ligula intestinalis* (L., 1758) *Leuciscus idus* (abdominal cavity)
- Ligula intestinalis* (Linne, 1758) (body cavity of all) [Abramis brama] [Rutilus rutilus] Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a
all from Moskov area reservoirs
- Ligula pavlovskii* Dubinina, 1959 Kakacheva-Avramova, D., 1966 c
Karaagach River, Bulgaria
- Neogobius melanostomus* (body cavity)
- Ligula pavlovskii* Dubinina, 1959 Shubaev, E. E., 1965 a
Gobius kessleri all from Russia, Aktar Liman G. melanostomus Columbus cristatus (exper.) Phalacrocorax carbo " Ardea purpurea " Larus ridibundus " Eucyclops sp. " Cyclops strenuus " Acanthocyclops sp. "
- Ligula uniserialis* (Rudolphi, 1819) Dubinin, V. B., 1938 a, 158
as syn. of *Ligula intestinalis* (Linné)
- Ligulidae* morphology, life cycle, evolution Dubinina, M. N., 1966 b, 261 pp.
- Limnolepis amphitricha* (Rudolphi, 1819) Tsimbaliuk, A. K., [1966 a]
Calidris maritima coesi Komandorskie Islands
- Limnolepis (?) transfuga* n. sp. Spasskiy, A. A.; and Merkushova, I. V., 1967 a, 564,
Syn.: *Wardium pseudofusa* 565, 566-568, fig 2(1-7)
Merkusheva, 1965 nec all from Byelorussia
Skrjabin et Mathevossian, 1942, 1945
Arvicola terrestris (small intestine)
Micromys oeconomus " "

| | | | |
|---|--|--|---|
| Macrobothriotaenia n. g. Ophiotaeiniidae; Ophio- taeniinae key | Freze, V. I., 1965 c, 51, 52, 57 tod: M. picta (Meggitt, 1927) comb. nov. | Mesocestoides sp. Bufo americanus B. cognatus | James, H. A.; and Ulmer, M.J.; 1967 a central, southeastern, and northwestern Iowa; south- eastern South Dakota Iowa; southeastern South Dakota; and supply houses, Wisconsin; Minnesota |
| Macrobothriotaenia picta (Meggitt, 1927) comb. nov. (tod) | Freze, V. I., 1965 c, 52, 57 | Rana pipiens | |
| Mathevotaenia dissymmetrica (in lit.) [nomen nudum] rodents | Tokobaev, M. M., 1965 a Kirgiz | Mesocestoides sp. Alopex lagopus | Luzhkov, A. D., 1963 c Yamal peninsula |
| Mathevotaenia dissym- metrica Tokabajev et Erkulov nov. sp. <i>Microtis arvalis</i> (small intestine) | Tokobaev, M. M.; and Erkulov, K. E., 1966 a, 9-11, fig. 6 Kirgiz | Mesocestoides [spp.] Canis latrans | Smith, J. P., 1967 b Zapata County, Texas |
| Mathevotaenia ichneumontis (Baer, 1924) (tenke strevo) <i>Putorius putorius</i> | Prokopic, J., 1965 a, 214 Czechoslovakia | Mesocestoides sp. (imago) rodents | Tokobaev, M. M., 1965 a Kirgiz |
| Mathevotaenia symmetrica (Baylis, 1927) Akhumian, 1946 <i>Mus musculus</i> | Sharpilo, L. D., 1961 a, 204 Akhumian, 1946 Ukraine | Mesocestoides sp. (larvae) rodents | Tokobaev, M. M., 1965 a Kirgiz |
| Mathevotaenia symmetrica (Baylis, 1927) Akhumian, 1946 <i>Mus musculus</i> (small intestine) | Sharpilo, L. D., 1964 a, 211 Ukraine | Mesocestoides sp. vulture, in vitro <i>Spilogale putorius ambarvalis</i> (exper.) (feces) | Voge, M., 1967 a, figs. 1-7 |
| Mathevotaenia symmetrica rodents | Tokobaev, M. M., 1965 a Kirgiz | Mesocestoides ambiguus Vaillant, 1863 <i>Felis libyca</i> (intestin) | Bernard, Jean, 1964 a forest region of Cap Bon, Tunisie |
| Mayhewia [lapsus as: Meyhewia] | Prokopic, J., 1967 b | Mesocestoides carnivorico- lus Grundmann, 1956 <i>Peromyscus maniculatus</i> <i>sonoriensis</i> <i>P. crinitus pergracilis</i> | Frandsen, J. C.; and Grund- mann, A. W., 1961 b, 393 all from Lake Bonneville Basin, Utah |
| Meyhewia crenatae [sic] Yama- guti, 1959 as syn. of <i>Variolepis crenata</i> (Goeze, 1782) | Prokopic, J., 1967 b | Mesocestoides corti composition, crystalli- zation patterns of calcareous corpuscles | von Brand, T.; Nylen, M. U.; Martin, G. N.; and Church- well, F. K., 1967 a |
| Mesocestoides Mesocestoidinae nov. subfam. | Merdivenci, A., 1966 b, 83 | Mesocestoides corti studies on nervous system | Hart, J.L., 1967 a, figs. 2- 10 |
| Mesocestoides culture, Cestoda, tetrathyridia | Voge, M.; and Coulombe, L. S., 1966 a | Mesocestoides lineatus (Goeze, 1782) [<i>Canis familiaris</i>] (small intestine) | Abbasov, M. T., [1966 a] Nakhichevan ASSR |
| Mesocestoides in vitro culture | Voge, M.; and Seidel, J. S., 1968 a, figs. 1-4 | Mesocestoides lineatus (Boeze, 1782) <i>Spermophilopsis leptodactylus</i> (body cavity, liver) | Babaev, Ia., 1966 a Turkmen SSR |
| Mesocestoides sp., larvae <i>Felis libyca</i> (cavité générale) | Bernard, J., 1964 a forest region of Cap Bon, Tunisie | Mesocestoides lineatus Goeze, 1782 chat (intestin grêle) | Bernard, J.; Ben Osman, F.; and Juminer, B., 1964 a, 53, 54 Tunis |
| Mesocestoides sp. "probablement <i>M. ambiguus</i> " <i>Felis libyca</i> (intestin) | Bernard, J., 1967 a Tunisie | | |
| Mesocestoides sp. child, 5 year old | Gleason, N. N.; and Healy, G. R., 1967 a Mexico, Missouri | | |

- Mesocestoides lineatus
Goeze, 1782
Canis familiaris
Bernard, J.; Ben Osman, F.;
and Juminer, B., 1967 a, 7
Tunis
- Mesocestoides lineatus
(Goeze 1782)
Canis lupus (intestin)
Vulpes vulpes"
Dollfus, R.-P. F., 1965 a,
67-69, 70, figs. 12-14
all from Akinlou, Iran
- Mesocestoides lineatus
Goeze, 1782, larva
Ondatra zibethica
(body cavity)
Genov, T., 1964 a, 103
Srebarna, Silistra District,
Bulgaria
- Mesocestoides lineatus
(Goeze, 1782)
(small intestine)
Alopex lagopus
[*Vulpes fulva*]
[fox]
Martes zibellina
Gubanov, N. M., 1964 a, 22
all from Yakutia
- Mesocestoides lineatus
Scolabian
Hromatka, Lore; Kutzer,
Erich.; and Stettner, W.,
1966 a
- Mesocestoides lineatus
dog
Iadevaiia, R.; and Medda, A.,
1962 a
Cagliari municipality,
Sardinia
- Mesocestoides lineatus
human
Ito, J.; Honda, J.; and Ishiguro, M., 1962 b
Japan
- Mesocestoides lineatus
dog
Kim, Jyong Hi, (1958 a); 1958 b
Korea
- Mesocestoides lineatus
[*Vulpes vulpes*]
[*Alopex lagopus*]
Kozlov, D. P.; Ovsiiukova, N.
I.; and Radkevich, Zh. P.,
1963 a
all from Chukotk peninsula
- Mesocestoides lineatus
[*Canis familiaris*]
Litvishko, N. T.; and Adamets,
I. I., 1963 a
Kharkov and environs
- Mesocestoides lineatus
Vulpes vulpes
Alopex lagopus
Mimoglu, M. M.; Güralp, N.;
Tolgay, N.; and Sayin, F.,
1965 a, 182
all from Turkey
- Mesocestoides lineatus
(Goeze, 1782)
Canis vulpes
Mustela altaica
Oshmarin, P. G., 1965 b
all from Buriat ASSR
- Mesocestoides lineatus
(Goeze, 1782)
(tenke strevo)
Vulpes vulpes
Putorius putorius
Meles meles
Felis catus dom.
Prokopic, J., 1965 a, 214
all from Czechoslovakia
- Mesocestoides lineatus
Vulpes vulpes (intestine)
Romanov, I. V., 1964 b
Gorky oblast
- Mesocestoides lineatus
(Goeze, 1782)
[*Canis familiaris*] (small intestine)
Safronov, M. G., 1966 a, 15
Yakutia
- Mesocestoides lineata
(Goeze, 1782)
Apodemus sylvaticus
(abdominal cavity)
Semenova, L. F.; and Tarulin,
G. P., 1965 a
Russia, Dagestan ASSR,
Dakhadaevsk region
- Mesocestoides lineatus
Sharpilo, V. P., 1963 a
Ukraine
- Mesocestoides lineatus
[*Mustela martes*]
Siarzhanin, Iu. I., 1965 a
Belorussia
- Mesocestoides lineatus
[*Canis familiaris*]
Stoimenov, K. A., 1959 a
Kolarovgrad district, Bulgaria
- Mesocestoides lineatus
(Goeze, 1782)
Vulpes vulpes crucigera
Stoimenov, K. A.; Bratanov,
V.; and Trifonov, T., 1965 a
Bulgaria
- Mesocestoides lineatus
man
Tanaka, H.; et al., 1967 b
fig. 1, A-E, photo 1, A-F
Musashi-machi, Iruma-gun,
Saitama Prefecture,
Japan
- Mesocestoides lineatus
chien (intestine)
Veltsos, A. G., 1962 a
Greece
- Mesocestoides lineatus
[*Felis catus*]
[*Canis familiaris*]
Volkova, N. S.; and Omelaeva,
R. N., 1963 a
all from Lugansk city
- Mesocestoides litteratus
dog
Iadevaiia, R.; and Medda, A.,
1962 a
Cagliari municipality,
Sardinia
- Mesocestoides litteratus
(Batsch, 1786)
găina (pulmon)
Olteanu, G.; and Stoican, E.,
1963 b, 226
Romania
- Mesocestoides variabilis
Mephitis macroura
Little, J. W., 1966 a
central Mexico
- Mesocestoides variabilis
Mephitis mephitis
(intestine)
Verts, B. J., 1967 a, 134
Northwestern Illinois
- Mesocestoidinae nov.comb., nov. subfam.
Mesocestoididae
includes: Mesocestoides; Metroliasthes
Merdivenci, A., 1966 b, 83
- Metabothricephalus n. g.
Parabothricephalidae
Yamaguti, S., 1968 a, pp. 21,
29-30, figs. 5A-E
tod: *M. menpachi* n. sp.

| | | | |
|--|--|--|--|
| Metabothrioccephalus men-pachi n. g., n. sp. (tod) | Yamaguti, S., 1968 a, pp. 21, 29-30, 31, figs. 5A-E all from Hawaii | Microsomacanthus compressa (Linton, 1892) Lopez-Neyra, 1942 [Nyroca fuligula] (intestine) | Chibichenko, N. T., 1966 a, 39 Kirgiz |
| Myripristis argyromus (intestine) | | | |
| M. berndti (intestine) | | | |
| M. chrysereis " | | | |
| Metroliasthes Ransom, 1900 | Matevosian, E. M., 1965 a, 153 Orthoskrjabininae nov. sub fam. | Microsomacanthus compressa (Linton, 1892) Cygnus olor | Kazlauskas, J., 1968 a Zuvintas Lake |
| Metroliasthes Ransom, 1900 | Merdivenci, A., 1966 b, 83 Mesocestoidinae nov. subfam. | Microsomacanthus compressa (Linton, 1892) Radix ovata Galba palustris G. palustris corvus Valvata cristata Planorbis planorbis Anisus spirorbis Limnaea stagnalis | Kiselienė, V. K., 1966 a all from Lithuanian SSR |
| Metroliasthes ? [sp.] | Harper, G. R.; Klataiske, R. D.; Robel, R. J.; and Hansen, M. F., 1967 a Kansas | Microsomacanthus compressa (Linton, 1892) Anas platyrhynchos A. strepera | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Tympanuchus cupido pinna-tus (viscera) | | | |
| Metroliasthes lucida domestic fowl (gastro-intestinal tract) | Islam, A. W. M. S.; and ShaiKh, H., 1967 a Mymensingh District, East Pakistan | Microsomacanthus compressa (Linton, 1892) Nyroca marila Anas acuta A. strepera A. clypeata A. crecca A. platyrhynchos | Maksimova, A. P., 1967 a, 141-142 all from Western Kazakhstan |
| Meyhewia | Prokopic, J., 1967 b [lapsus for: Mayhewia] | Microsomacanthus compressa (Linton, 1892) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR |
| Microsomacanthus | Garkavi, B. L.; and Poluektov, V. Sh., 1968 a | Microsomacanthus compressa (Linton, 1892) [Anser anser] | Shevtsov, A. A., 1963 c all from Ukraine |
| [lapsus as: Microsomocan-hus] | | | |
| Microsomacanthus sp. | Kiselienė, V. K., 1966 a all from Lithuanian SSR | Microsomacanthus compressa (Linton, 1892) Anas platyrhynchos | Vol'skis, G. I., 1968 a Lithuania |
| Radix ovata | | | |
| Galba palustris | | | |
| Microsomacanthus sp. | Macko, J. K., 1967 a, 855, 856, figs. 1-2 Gallinula chloropus (crevo) | Microsomacanthus compressa (Tseng-Shen, 1932) Lopez-Neyra, 1942 [Anas acuta] [Nyroca fuligula] | Chibichenko, N. T., 1966 a, 39 all from Kirgiz |
| Gallinula chloropus (crevo) | Czechoslovakia (CSSR) | | |
| Microsomacanthus sp. I | Maksimova, A. P., 1966 a Anas acuta | Microsomacanthus compressa (Tseng-Shen, 1932) Lopez-Neyra, 1942 [Anas platyrhynchos] | |
| Anas acuta | | | |
| Microsomacanthus abortiva (Linstow, 1904) | Oshmarin, P. G., 1965 b Anas platyrhynchos | Microsomacanthus compressa (Tseng-Shen, 1932) Lopez-Neyra, 1942 [Anas acuta] [Nyroca fuligula] | |
| Anas platyrhynchos | | | |
| Microsomacanthus abortiva [Anas platyrhynchos] | Shevtsov, A. A., 1963 c Ukraine | Microsomacanthus fausti (Tseng-Shen, 1932) Lopez-Neyra, 1942 Anas acuta A. platyrhynchos A. penelope A. crecca A. clypeata Nyroca ferina | Maksimova, A. P., 1966 a all from South Kazakhstan |
| (Linstow, 1904) | | | |
| 1942 | | | |
| Microsomacanthus abortiva (Kowalewski, 1904) Lopez-Neyra, 1942 | Spasskaia, L. P.; and Spass-kii, A. A., 1964 a, 15 Kamchatka Pacific Seacoast | Microsomacanthus fausti (Tseng-Shen, 1932) Lopez-Neyra, 1942 Anas acuta A. platyrhynchos A. penelope A. crecca A. clypeata Nyroca ferina | Maksimova, A. P., 1967 a, 142 all from Western Kazakhstan |
| Spasskaia, L. P.; and Spass-kii, A. A., 1964 a, 15 | | | |
| Kamchatka Pacific seacoast | | | |
| Microsomacanthus arcuata (Kowalewski, 1904) Spassky et Spasskaia, 1954 | Spasskaia, L. P.; and Spass-kii, A. A., 1964 a, 15,17,18 Kamchatka Pacific seacoast | Microsomacanthus fausti (Tseng-Shen, 1932) Lopez-Neyra, 1942 Anas acuta A. platyrhynchos A. penelope A. crecca A. clypeata Nyroca ferina | Maksimova, A. P., 1967 a, 142 all from Western Kazakhstan |
| Nyroca (= Aythya) marila | | | |
| Microsomacanthus collaris [Anas platyrhynchos] | Palim[p]estov, M. A., 1963 a Tagotinsk poultry farms | | |

| | | | |
|---|---|---|--|
| <i>Microsomacanthus fausti</i> (Tseng, 1932) Lopez-Neyra, 1942 <i>Mergus serrator</i> | <i>Spasskaiia</i> , L. P.; and Spass- kii, A. A., 1964 a, 15 Kamchatka Pacific seacoast | <i>Microsomacanthus paracom- pressa</i> intermediate hosts | Dobrokhotova, O. V., 1967 a Southern Kazakhstan |
| <i>Microsomacanthus formosa</i> (Dubinina, 1953) Spasskaiia et Spasskii, 1961 <i>Anas acuta</i> | <i>Spasskaiia</i> , L. P.; and Spass- kii, A. A., 1964 a, 15 Kamchatka Pacific seacoast | <i>Microsomocanthus</i> <i>parocompressa</i> [sic] Czaplin- ski Phenasol, ducks | Garkavi, B. I.; and Poluektov, V. Sh., 1968 a, 49 |
| <i>Microsomacanthus hop- kinsi</i> <i>Anas platyrhynchos</i> | <i>Maksimova</i> , A. P., 1966 a South Kazakhstan | <i>Microsomacanthus para- compressa</i> (Czaplinski, 1956) <i>Limnaea stagnalis</i> <i>Radix ovata</i> | Kiseliene, V. K., 1966 a all from Lithuanian SSR |
| <i>Microsomacanthus hopkinsi</i> (Schiller, 1951) <i>Anas platyrhynchos</i> <i>A. penelope</i> <i>A. acuta</i> <i>A. querquedula</i> <i>A. strepera</i> | <i>Maksimova</i> , A. P., 1967 a, 142, 143, 144, fig. 11 all from Western Kazakhstan | <i>Microsomacanthus paracom- pressa</i> (Czaplinski, 1956) Spassky et Spasskaja, 1961 <i>Anas platyrhynchos</i> <i>A. clypeata</i> <i>A. acuta</i> | <i>Maksimova</i> , A. P., 1967 a, 144 all from Western Kazakhstan |
| <i>Microsomacanthus microsoma</i> <i>Limnaea stagnalis</i> | <i>Alekseev</i> , V. M., 1963 d Lake Khanka | <i>Microsomacanthus para- compressa</i> Filixan | Nazarenko, M. Ia.; Liashenko, V. M.; Poidimenko, T. M.; and Kovalenko, I. I., 1965 a |
| <i>Microsomacanthus microsoma</i> [<i>Anas platyrhynchos</i>] | <i>Shevtsov</i> , A. A., 1963 c Ukraine | <i>Microsomacanthus para- compressa</i> (Czaplinski, 1956) prophylaxis by isolated rearing of ducklings | Podgornova, G. P., 1965 a |
| <i>Microsomacanthus microsoma</i> (Creplin, 1829) Lopez-Neyra, 1942 <i>Anas acuta</i> <i>Nyroca marila</i> | <i>Spasskaiia</i> , L. P.; and Spass- kii, A. A., 1964 a all from Kamchatka Pacific seacoast | <i>Microsomacanthus paracom- pressa</i> [<i>Anas platyrhynchos</i>] [<i>Anser anser</i>] | <i>Shevtsov</i> , A. A., 1963 c all from Ukraine |
| <i>Microsomacanthus pachy- cephala</i> (Linstow, 1872) <i>Anas platyrhynchos</i> <i>A. acuta</i> | <i>Maksimova</i> , A. P., 1967 a, 144 all from Western Kazakhstan | <i>Microsomacanthus para- microsoma</i> Gasowska, 1931 [<i>Anas platyrhynchos</i>] | Belokobilenko, V. T., 1965 a Ural oblast |
| <i>Microsomacanthus pachy- cephala</i> (Linstow, 1782) [<i>Anas platyrhynchos</i>] <i>Diaptomus vulgaris</i> (exper.) | <i>Skryl'kov</i> , A. I., 1965 a South Ural | <i>Microsomacanthus para- microsoma</i> Macrocylops albidus Mesocyclops oithonoides M. leuckarti M. crassus Acanthocyclops viridis A. gigas Eucyclops serrulatus Cyclops strenuus | Dobrokhotova, O. V., 1965 a all from Southern Kazakhstan |
| <i>Microsomacanthus para- compressa</i> (Czaplinski, 1956) [<i>Anas platyrhynchos</i>] | <i>Belokobilenko</i> , V. T., 1965 a Ural oblast | <i>Microsomacanthus para- microsoma</i> intermediate hosts | Dobrokhotova, O. V., 1967 a Southern Kazakhstan |
| <i>Microsomacanthus para- compressa</i> | <i>Chibichenko</i> , N. T., 1966 b, 68 all from lake Isslyk-kul | <i>Microsomacanthus para- microsoma</i> chlorophos, ducks | Egizbaeva, Kh. I., 1965 a |
| <i>Acanthocyclops viridis</i> <i>Macrocylops albidus</i> [<i>Vanellus vanellus</i>] [<i>Ardea cinerea</i>] [<i>Mergus serrator</i>] [<i>Anas platyrhynchos</i>] [<i>Sterna hirundo</i>] | Dobrokhotova, O. V., 1965 a all from Southern Kazakhstan | <i>Microsomacanthus para- microsoma</i> (Gasowska, 1932) <i>Anas platyrhynchos</i> <i>A. strepera</i> <i>A. acuta</i> <i>A. crecca</i> <i>Nyroca ferina</i> <i>Anas penelope</i> | Maksimova, A. P., 1967 a, 144 all from Western Kazakhstan |
| <i>Microsomacanthus para- compressa</i> <i>Macrocylops albidus</i> <i>Mesocyclops oithonoides</i> <i>Acanthocyclops viridis</i> <i>A. gigas</i> | | | |

| | | | |
|--|---|---|--|
| Microsomacanthus paramicrosoma Filixan | Nazarenko, M. Ia.; Liashenko, V. M.; Poidimenko, T. M.; and Kovalenko, I. I., 1965 a | Microsomacanthus villoso-ides (Yamaguti, 1959) Spassky, 1961 Nyroca marila N. fuligula | Maksimova, A. P., 1967 a, 145 all from Western Kazakhstan |
| Microsomacanthus paramicrosoma (Gasowska, 1931) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR | Microsomocanthus [lapsus for: Microsomacanthus] | Garkavi, B. I.; and Poluektov, V. Sh., 1968 a |
| Microsomacanthus paramicrosoma (Gasowska, 1931) prophylaxis by isolated rearing of ducklings | Podgornova, G. P., 1965 a | Milticeps [lapsus for: Multiceps] | Zgardan, E. S., and Frukhman, E. A., 1965 a |
| Microsomacanthus paramicrosoma [Anas platyrhynchos] | Shevtsov, A. A., 1963 c Ukraine | Mixolepis [lapsus for: Myxolepis] | Shevtsov, A. A., 1963 c |
| Microsomacanthus paramicrosoma [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | Mogheia Thysanosomatinae, key | Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374 |
| Microsomacanthus paramicrosoma Gasowska, 1931 Mergus serrator Anas acuta Nyroca (= Aythya) marila | Spasskaja, L.P.; and Spasskii, A. A., 1964 a, 16 all from Kamchatka Pacific seacoast | Moniesia [lapsus for: Moniezia Blanchard, 1891] | Trach, V. N., 1961 d, 175 |
| Microsomacanthus parvula (Kowalewski, 1904) [Anas platyrhynchos] | Belokobylevko, V. T., 1965 a Ural oblast | Moniezia seasonal dynamics, ovine | Afonina, Iu. A., 1967 a copper sulphate-phenothiazine salt, lambs |
| Microsomacanthus parvula [Anas platyrhynchos] | Shevtsov, A. A., 1963 c Ukraine | Moniezia Blanchard, 1891 [lapsus as: Moniesia] | Radke, W.; Gräfner, G.; and Neetzw, E. W., 1967 a |
| Microsomacanthus rangdonensis, n. sp. Anas platyrhynchos dom. (intestine) Ixobrychus sp. (small intestine) | Spasskii, A. A.; Dang-Van-Ngu; and Iurpalova, N. M., 1963 a, 80-83, figs. 6, 7, 8 all from Rang-Dong, Viet Nam | Moniezia [sp.] Scheloribates laevigatus Punctoribates punctum Trichoribates incisellus T. bovis | Fitminaviciute, I. S., 1966 a all from Lithuanian SSR |
| Microsomacanthus skrjabini sp. nov. Histrionicus histrionicus (=Clangula histrionica) | Spasskaja, L. P., 1963 a, 163-166, figs. 1-2 Penzhinskaja region | Moniezia sp. distribution, cattle | Jovov, K., 1966 b Northeastern Bosnia |
| Microsomacanthus spirali-bursata intermediate hosts | Dobrokhotova, O. V., 1967 a Southern Kazakhstan | Moniezia sp. 1 Scheloribates laevigatus [Rangifer tarandus] | Semenova, N. S., [1966 a] all from Taimyr |
| Microsomacanthus spiralicirrata Tadorna tadorna Anas crecca | Maksimova, A. P., 1966 a all from South Kazakhstan | Moniezia sp. 2 Scheloribates laevigatus Oribatula tibialis Eremaeus eueremaeus Furcoribula furcelata Galumna rossica [Rangifer tarandus] | Semenova, N. S., [1966 a] all from Taimyr |
| Microsomacanthus spiralicirrata Maksimova, 1963 Anas acuta A. crecca | Maksimova, A. P., 1967 a, 144 all from Western Kazakhstan | Moniezia spp. [Bos taurus] | Smith, J. P., 1967 a |
| Microsomacanthus tuvensis Spasskaja et Spassky, 1961 Nyroca marila | Maksimova, A. P., 1967 a, 145 Western Kazakhstan | Moniesia [sic] sp. [Ovis aries] | Trach, V. N., 1961 d, 175 Ukraine forest-steppe |
| | | Moniezia sp. [Ovis aries] | Trach, V. N., 1964 a, 192 steppe regions, Ukraine |

- Moniezia alba [Bos taurus] Egorov, Iu. G., 1965 a
Byelorussia
- Moniezia (Baeriezia) baeri Cubanov, N. M., 1964 a, 23
Skrjabin, 1931 all from Yakutia
(small intestine)
- Rangifer tarandus
- Moschus moschiferus
- Moniezia (Baer[iezia]) baeri [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170
Russia
- Moniezia (Baeriezia) baeri Safronov, M. G., 1966 a, 16
Skrjabin, 1931 Yakutia
[Rangifer tarandus] (small intestine)
- Moniezia (Blanchariezia) baeri Skrjabin, 1931 [Rangifer tarandus] Semenova, N. S., 1965 a
Russia, Taimyr National Okrug
- Moniezia baeri Scheloribates laevigatus [Rangifer tarandus] Semenova, N. S., [1966 a]
all from Taimyr
- Moniezia benedeni goat Abdul Qadir, A. N. M., 1967 b
East Pakistan
- Moniezia benedeni intermediate hosts Balogh, J.; Kassai, T.; and Mahunka, S., 1965 b, figs. 9-12
Hungary pastures
- Moniezia benedeni Ovis canadensis Becklund, W. W.; and Senger, C. M., 1967 a, 160
Colorado
- Moniezia benedeni transported in digestive tract of migratory animals Bejsovec, J., 1965 a, 84, 85
- Moniezia benedeni abnormality Cordero del Campillo, M., 1964 a, fig. 1
- Moniezia benedeni (Moniez, 1879) PAS negative cuticle Dimitrova, E. A., 1964 b, pl. 2, figs. 3-6
- Moniezia benedeni 14.015 R.P., sheep Gruber, M., 1967 e
- Moniezia benedeni dromadaire (intestin grêle) Gruber, M.; Tabo, R., and Service, J., 1967 a, 230, 241
Tchad
- Moniezia (Blanchariezia) benedeni (Moniez, 1879) Blanchard, 1891 (small intestine)
Ovis nivicola
Alces alces Cubanov, N. M., 1964 a, 22
all from Yakutia
- Moniezia (Blanshariezia[sic]) benedeni (Moniez, 1879) Blanshard [sic], 1891 Capreolus capreolus L. (small intestine)
- Moniezia benedeni Kadenatsii, A. N., 1963 d
Rangifer tarandus caragassi Khabarovsk krai
- Moniezia benedeni [Ovis aries] Kadenatsii, A. N.; and Buri-kova, Iu. N., 1963 a
Omsk forest steppe
- Moniezia benedeni cattle sheep and [or] goat Kim, Jyong Hi, (1958 a); 1958 b,
all from Korea
- Moniezia benedeni control Kortan, L. J., 1967 a
- Moniezia benedeni cattle Kuil, H., 1965 a
Surinam
- Moniezia benedeni differentiation from M. expansa Kuznetsov, M. I., 1965 b,
fig. 2
- Moniezia benedeni development in oribatid mites Kuznetsov, M. I., [1966 a]
- Moniezia benedeni maintenance of oribatid mites for study of cestodes Kuznetsov, M. I.; and Chulkova, V. G., 1965 a
- Moniezia benedeni [Bos taurus] Lavrov, L. I., 1965 a
Southern Kazakhstan
- Moniezia benedeni mouton (intestin) Levrat, E., 1966 a, 28
Tchad
- Moniezia benedeni morphology, chromatographic investigations Martinez Gomez, F. de P., 1966 a, figs. 2, 12
- Moniezia (Blanchariezia) benedeni [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170
Russia
- Moniezia benedeni buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 745
- Moniezia benedeni copper sulphate Niculescu, A.; et al., [1967 a]
- Moniezia (Blanchariezia) benedeni (Rud., 1810) Blanchard, 1891 Capreolus capreolus (small intestine)
- Moniezia benedeni epizootiology, ovine Paskal'skaia, M. Iu., 1963 a
Kulundinskaya zone, Novosibirsk oblast

| | | | |
|--|---|---|---|
| Moniezia benedeni jagniat (lamb) | Patyk, S., 1965 a, 24 Poland | Moniezia expansa sheep | Charles, G., 1966 a Australia |
| Moniezia benedeni cholinesterase | Poliakova, O. I., 1965 a | Moniezia expansa (Rud., 1810) PAS positive cuticle | Dimitrova, E. A., 1964 b, pl. 1, figs. 1-3; pl. 2, figs. 1-2 |
| M[oniezia] benedeni stanoarsenite and stano- chloride + nicotine sulphate, ovine | Popov, A. T.; and Bankov, D. T., 1959 a | Moniezia expansa localization of Moniezia expansa antigens | Duwe, A. E., 1967 a |
| Moniezia (Blanchariezia) benedeni (Moniez, 1879) Blanchard, 1891 (small intestine) [Bos taurus] [Rangifer tarandus] [Ovis aries] | Safronov, M. G., 1966 a, 15- 16 all from Yakutia | Moniezia expansa dromadaire (intestin grêle) | Graber, M.; Tabo, R.; and Service, J., 1967 a, 228, 241 Tchad |
| Moniezia benedeni diagnosis and control | Sellers, K. C., 1968 a Great Britain | Moniezia (M.) expansa (Rudolphi, 1810) Blanchard, 1891 Alces alces (small intestine) | Gubanov, N. M., 1964 a, 22 Yakutia |
| Moniezia benedeni (Moni- ez, 1879) [Ovis aries] | Shlychkov, M. I., 1965 b Kuibyshevskoi oblast | Moniezia expansa cuticle, electron micros- copy and histochemistry | Howells, R. E., 1965 a |
| Moniezia benedeni +Rehwild und Damwild | Siefke, A., 1966 a Europe | Moniezia expansa cattle goats | Huang, J. K.; Kuo, T. S.; and Lin, T. C., 1958 a all from Taiwan |
| Moniezia benedeni [Capra hircus] | Smirnova, M. N.; and Klenin, I. I., 1965 a Orenburg oblast | Moniezia expansa [Ovis aries] | Kadenatsii, A. N.; and Bur- kova, Iu. N., 1963 a Omsk forest steppe |
| Moniezia (B.) benedeni sheep (small intestine) | Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China | Moniezia expansa cattle sheep and [or] goat | Kim, Jyong Hi, (1958 a); 1958 b all from Korea |
| Moniezia benedeni [Bos taurus] krupnogo rogatogo skota [Ovis aries] ovets | Zgardan, E. S.; et al, 1966 a all from Moldavia | Moniezia expansa control | Kortan, L. J., 1967 a |
| Moniezia benedeni (Moniez, 1879) [Ovis aries] [Bos taurus] | Zgardan, E. S.; and Frukhtman, E. A., 1965 a all from Moldavia | Moniezia expansa differentiation from M. benedeni | Kuznetsov, M. I., 1965 b, fig. 1 |
| Moniezia benedeni (Moniez, 1879) [Ovis aries] (digestive tract) | Zhidkov, A. E., 1965 a Omsk oblast | Moniezia expansa development in oribatid mites | Kuznetsov, M. I., [1966 a] |
| Moniezia denticulata morphology, chromatogra- phic investigations | Martinez Gomez, F. de P., 1966 a, figs. 3, 13 | M[oniezia] expansa maintenance of oribatid mites for study of cestodes | Kuznetsov, M. I.; and Chul- kova, V. G., 1965 a |
| Moniezia expansa goat | Abdul Qadir, A. N. M., 1967 b East Pakistan | Moniezia expansa [Bos taurus] | Lavrov, L. I., 1965 a Southern Kazakhstan |
| Moniezia expansa cribatid mites, inter- mediate hosts | Baloghi, J.; Kassai, T.; and Mahunka, S., 1965 b, figs. 9- 12 Hungary pastures | Moniezia expansa mouton (intestin) | Levrat, E., 1966 a, 28 Tchad |
| Moniezia expansa transported in digestive tract of migratory animals | Bejšovec, J., 1965 a, 84, 85 | Moniezia expansa | Lindauer, R., 1965 a, figs. 3-4 |

- Moniezia expansa sheep Mantovani, A.; and Restani, R., 1966 b, 103, 104, 107, 108, 109, 110 Marsica (Abruces, Central Italy)
- Moniezia expansa morphology, chromatographic investigations Martinez Gomez, F. de P., 1966 a, figs. 1, 11
- Moniezia (M.) expansa (Rud., 1810) [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170 Russia
- Moniezia expansa buffaloes, review, geographic distribution Mohan, R. N., 1968 a, 745
- Moniezia expansa epizootiology, ovine Paskal'skaiia, M. Iu., 1963 a Kulundinskaiia zone, Novosibirsk oblast
- Moniezia expansa jagniat (lamb) Patyk, S., 1965 a, 24 Poland
- Moniezia expansa complete host list Rajski, A., 1959 a, figs. 2-4
- Moniezia expansa embryogenesis Rybicka, K., 1966 b, figs. 15B, 16-17
- Moniezia expansa Odocoileus virginianus (small intestine) Samuel, W. M.; and Beaudoin, R. L., 1966 b Pennsylvania
- Moniezia expansa diagnosis and control Sellers, K. C., 1968 a Great Britain
- Moniezia expansa (Rudolphi, 1810) [Ovis aries] Shlychkov, M. I., 1965 b Kuibyshevskoi oblast
- Moniezia expansa [Capra hircus] Smirnova, M. N.; and Klenin, I. I., 1965 a Orenburg oblast
- Moniezia expansa overwinter survival or pastures Smith, H. J.; and Archibald, R. McG., 1965 b Maritime Province, Canada
- Moniezia expansa oestrous activity, sheep, worms and fly-strike Smith, I. D., 1968 a
- Moniezia expansa (Rud., 1810) spermatozoa fine structure Swiderski, Z., 1968 a, pls. 1-VII, figs. 1-10
- Moniezia (M.) expansa cattle (small intestine) Wu, S. C., Yen, W. C.; and Shen, S. S., 1955 a, 374 southwestern China
- Moniezia expansa [Ovis aries] [Bos taurus] Zgordan, E. S.; et al, 1966 a all from Moldavia
- Moniezia expansa (Rudolfi, 1810) [Ovis aries] Zgordan, E. S.; and Frukhtman, E. A., 1965 a Moldavia
- Moniezia expansa (Rud., 1810) [Ovis aries] (digestive tract) Zhidkov, A. E., 1965 a Omsk oblast
- Moniezia expansa, Biochemistry oxidase systems Cheah, K. S., 1967 b
- Moniezia expansa, Biochemistry enzymes Cheah, K. S., 1967 c
- Moniezia expansa, Biochemistry 108, 109, 110 Marsica (Abruces, Central Italy)
- Moniezia expansa, Biochemistry 1966 a, pl., fig. 2 succinoxidase and NADH oxidase systems
- Moniezia expansa, Biochemistry 1966 a, figs. 1, 11 nitrogen and amino acid analyses
- Moniezia expansa, Biochemistry 1965 a, 170 cholinesterase
- Moniezia expansa, Biochemistry enzymes related to 4-aminobutyrate metabolism
- Moniezia expansa, Treatment N:N-di-n-butyl-4-hydroxynaphthoate, sheep
- Moniezia expansa, Treatment diphenethane-7C
- Moniezia expansa, Treatment 14.015 R.P., sheep
- Moniezia expansa, Treatment Bitin-S
- Moniezia expansa, Treatment Bitin-S
- Moniezia expansa, Treatment copper sulphate
- M[oniezia] expansa, Treatment stanoarsenite and stanochloride + nicotine sulphate, ovine
- Moniezia expansa, Treatment male fern lead arsenate buffalo calves
- Moniezia (M.) rangiferina Kolmakow, 1938 [Rangifer tarandus]
- Moniezia (Moniezia) rangiferina Kolmakow, 1938 [Rangifer tarandus]
- Moniezia trigonophora morphology, chromatographic investigations
- Monieziasis bovine Arnastauskienė, T. V., 1966 a Lithuanian SSR
- Monieziasis thiabendazole + niclosamide, bovine Daynes, P., 1967 a
- Monieziasis intermediate hosts Eitminaviciūtė, I. S., 1963 a
- Monieziasis Yomesan, Vermitin, reindeer Kuznetsov, N. G., 1967 a
- Monieziasis bovine Mamedov, A. K., 1965 a Azerbaidzhan SSR
- Monieziasis, Ovine Filixan Aiupov, Kh. V.; Valibullin, S. M.; and Upornikov, M. V., 1963 a
- Goodchild, C. G.; and Dennis, E. S., 1966 a
- Poliakova, O. I., 1965 a
- Sanchez Rasero, F.; Monteliva, M.; and Mayor, F., 1968 a
- Czipri, D. A.; Nunns, V. J.; and Shearer, G. C., 1968 a
- Givens, R. L.; Morrison, S. R.; Garrett, W. N.; and Hight, W. B., 1968 a
- Graber, M., 1967 e
- Guilhon, J.C.; and Gruber, M., 1967 a
- Guilhon, J.C.; and Gruber, M., 1967 c
- Niculescu, A.; et al, [1967 a]
- Popov, A. T.; and Bankov, D. T., 1959 a
- Rao, P.V.R.; Rao, K. V. S.; and Das, C. G., 1967 a, 889-892
- Mitskevich, V. Iu., 1965 a, 170 Russia
- Semenova, N. S., 1965 a Russia, Taimyr National Okrug
- Martinez Gomez, F. de P., 1966 a, figs. 4, 14
- Arnastauskienė, T. V., 1966 a Lithuania SSR
- Eitminaviciūtė, I. S., 1963 a
- Kuznetsov, N. G., 1967 a
- Mamedov, A. K., 1965 a Azerbaidzhan SSR
- Aiupov, Kh. V.; Valibullin, S. M.; and Upornikov, M. V., 1963 a

- Monieziasis, Ovine Arnastauskiene, T. V., 1966 a
Lithuanian SSR
- Monieziasis, Ovine Chubabria, I. T., 1958 a
tin arsenate
- Monieziasis, Ovine Eliseev, K. M.; and Atachkin,
copper sulfate
Zh. A., 1965 a
tin arsenate
- Monieziasis, Ovine Martins, H. (jr.), 1964 b
Difentano-70
- Monieziasis, Ovine Nekipelova, R. A.; and Gutov-
copper-phenothiazine-salt skii, V. I., 1963 a
mixture
- Monieziasis, Ovine Olteanu, G., 1963 b
distribution Romania
- Monieziasis, Ovine Romanov, V. M.; Golubev, M.F.;
carbonic acid, lambs Epel'dimov, L. S.; and Skrip-
nik, G. I., 1965 a
- Monieziasis, Ovine Shtun, F. A., 1963 a
artificial pasture for eradication
- Monobothrioides woodlandi Mackiewicz, J. S.; and
sp. nov. Beverley-Burton, M., 1967 a,
Clarias mellandi 125-128, figs. 1-6
(intestine) Lake Chali, Zambia (north-
ern Rhodesia) Africa
- Monobothrium hunteri Calentine, R. L., 1967 a,
larval development 418, 421-422, 423, 424,
figs. 1-3, 7-8
- Monobothrium ingens Calentine, R. L., 1967 a,
larval development 418, 422, 423, 424, fig. 4
- Monoecocestus [lapsus as: Monoecoces- Boero, J. J.; and de Boeh-
tus] Boeringer, I. K., 1967 b
- Monoecocestus [sic] hydro- Boero, J. J.; and de Boeh-
choeri Boeringer, I. K., 1967 b, 162,
Hydrochoerus hydrochoeris 167, figs. 3-6
Myocastor coypus all from Argentina
- Monoecocestus parcitesti- Rego, A. A., 1960 b, 67-68
culatus sp. n. all from Rio de Janeiro,
(intestino delgado of all) Estado da Guanabara, Brazil
- Cavia porcellus C. aperea
- Monoecocestus [lapsus for: Monoecoces- Boero, J. J.; and de Boeh-
tus] Boeringer, I. K., 1967 b
- Monopylidium exiguum (Du- Spasskii, A. A., 1966 a;
jardin, 1845) n. comb. 1966 b; 1966 c
- Monopylidium fieldingi Spasskii, A. A., 1966 a, 1485;
Mapl. et South., 1923 1966 b, 1485; 1966 c, 555
as syn. of Cracticotaenia fieldingi (Mapl. et South.,
1923) n. comb.
- Monopylidium musculosum Spasskii, A. A., 1966 a;
(Fuhrm., 1896) Fuhrm., 1899 1966 b; 1966 c
- Monopylidium unicoronata Rysavy, B., 1965 b, 258
Fuhrmann, 1908
as syn. of Choanotaenia unicoronata (Fuhrmann, 1932)
- Monordotaenia nom. nov. Little, J. W., 1967 a
for: Fosser Honess, 1937, preoccupied
- Monordotaenia taxidiensis Little, J. W., 1967 a, 67
(Skinker, 1935) n. comb.
Syn: Fosser angertrudae Honess, 1937.
- Arnastauskiene, T. V., 1966 a
Lithuanian SSR
- Chubabria, I. T., 1958 a
- Eliseev, K. M.; and Atachkin,
Zh. A., 1965 a
- Martins, H. (jr.), 1964 b
- Nekipelova, R. A.; and Gutov-
skii, V. I., 1963 a
- Olteanu, G., 1963 b
Romania
- Romanov, V. M.; Golubev, M.F.;
Epel'dimov, L. S.; and Skrip-
nik, G. I., 1965 a
- Shtun, F. A., 1963 a
- Mackiewicz, J. S.; and
Beverley-Burton, M., 1967 a,
125-128, figs. 1-6
Lake Chali, Zambia (north-
ern Rhodesia) Africa
- Calentine, R. L., 1967 a,
418, 421-422, 423, 424,
figs. 1-3, 7-8
- Calentine, R. L., 1967 a,
418, 422, 423, 424, fig. 4
- Boero, J. J.; and de Boeh-
ringer, I. K., 1967 b
- Boero, J. J.; and de Boeh-
ringer, I. K., 1967 b, 162,
167, figs. 3-6
all from Argentina
- Rego, A. A., 1960 b, 67-68
all from Rio de Janeiro,
(intestino delgado of all) Estado da Guanabara, Brazil
- Boero, J. J.; and de Boeh-
ringer, I. K., 1967 b
- Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Spasskii, A. A., 1966 a, 1485;
1966 b, 1485; 1966 c, 555
- Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Rysavy, B., 1965 b, 258
- Little, J. W., 1967 a
- Little, J. W., 1967 a, 67
- Mosgovoyia pectinata
transported in digestive tract of migratory animals
- Mosgovoyia pectinata
(Goeze, 1782) Spassky, 1951
(small intestine)
Lepus timidus
Citellus undulatus
- Mosgovoyia pectinata
(Goeze, 1782) Spassky, 1951
Lepus europaeus (intestine)
- Mosgovoyia pectinata
(Goeze, 1782)
Lepus timidus
- Mosgovoyia pectinata
(Goeze, 1782)
(intestine)
Lepus (Proelagus) tolai
- Multiceps taxonomy
- Multiceps [lapsus as: Milticeps]
- Multiceps sp. man
- Multiceps sp. man (faeces)
- Multiceps [sp.]
Lepus californicus texianus
(tissue along lower digestive tract)
- Multiceps [sp.]
coenurus, 14 cases
- Multiceps sp.
Felis (Lynx) canadensis
(small intestine)
- Multiceps endothoracicus
Kirschenblatt 1948
Meriones libycus
M. l. erythrourus
M. persicus
M. tristrami
- Multiceps gaigeri
Hall, 1916
mouton (conjonctif intermusculaire)
- Multiceps gaigeri Hall, 1916
host specificity
goat (thigh muscles)
- Multiceps glomeratus
man
- Multiceps longihamatus n.
sp. man (faeces)
- Multiceps macracantha
man
- Multiceps multiceps
mixed infections
- Bejsovec, J., 1965 a, 84, 85
Gabanov, N. M., 1964 a, 23
all from Yakutia
- Fanchev, Ia., 1963 b, 206
- Oshmarin, P. G., 1965 b
Buriat ASSR
- Tokobaev, M. M.; and Ermakov,
K. E., 1966 b, 18
Kirgiz
- Esch, G. W.; and Self, J. T.,
1965 a, 932, 933
- Zgarden, E. S.; and Fruhman,
E. A., 1965 a
- Morishita, K.; and Sawada, I.,
1965 a
- Morishita, K.; and Sawada, I.,
1966 a, fig 1 (lower), pl.,
figs. 5-7
Naha City, Okinawa
- Stock, A. D., 1961 a, 92
Navajo Reservoir Basin
- Templeton, A. C., 1968 a,
fig. 1-2
Uganda
- van Zyll de Jong, C. G.,
1966 a, 500, 502, figs. 3, 4
Canada
- Dollfus, R.-P. F.,
1965 a, 61-64, figs. 1-8
all from Iran
- Levrat, E., 1966 a, 28
Tchad
- Rao, B. V.; and Anantaraman,
M., 1966 a, 167-169, figs. 3-
4
Madras
- Morishita, K.; and Sawada, I.,
1965 a
- Morishita, K.; and Sawada, I.,
1966 a, fig. 1 (upper), 2,
pl., figs. 1-4
Mie Prefecture, Japan
- Morishita, K.; and Sawada, I.,
1965 a
- Abbasov, M. T., 1965 b

- Multiceps multiceps (Leske 1780) [Canis familiaris] (small intestine) Abbasov, M. T., [1966 a] Nakhichevan ASSR
- Multiceps multiceps perros (feces) Barriga, O. O.; and Jaramillo, S., 1966 a Castro, Chile
- Multiceps multiceps (Leske, 1780) as syn. of *Taenia multiceps* Esch, G. W.; and Self, J. T., 1965 a, 932
- Multiceps multiceps [Canis familiaris] [Vulpes vulpes] Irgashev, I. Kh.; and Sadykov, V. M., 1965 b all from Uzbekistan
- Multiceps multiceps (larvae) [Ovis aries] Kadenatsii, A. N.; and Burikova, T. N., 1963 a Omsk forest steppe
- Multiceps multiceps dog Kim, Jyong Hi, (1958 a); 1958 b Korea
- Multiceps multiceps epidemiology, role of dog hairs, muzzle and paws Matov, K. P.; and Kolev, G., 1965 a
- Multiceps multiceps, (Leske, 1780) (larva) [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170 Russia
- Multiceps multiceps man Morishita, K.; and Sawada, I.. 1965 a
- Multiceps multiceps control Olteanu, Gh.; and Hodorogea, I., 1963 a Romania
- Multiceps multiceps (Leske, 1780) (tenke strevo) Canis familiaris Felis catus Prokopic, J., 1965 a, 212, pl. 1, fig. 3 all from Czechoslovakia
- Multiceps multiceps heart infection of live-stock by larvae Rybaltovskii, O. V., 1965 a
- Multiceps multiceps epizootiology and control, ovine Shumakovitch, E. E., 1966 a
- Multiceps multiceps [Canis familiaris] Stoimenov, K. A., 1959 a Kolarovgrad district, Bulgaria
- Multiceps multiceps larva [Ovis aries] Trach, V. N., 1964 a, 192 steppe regions, Ukraine
- Multiceps multiceps [Vulpes vulpes] [Nyctereutes procyonoides] Troitskaia, A. A., 1963 a all from Tartar ASSR
- Multiceps multiceps (larvae) [Ovis aries] ovets [Bos taurus] krupnogo rogatogo skota Zgardan, E. S.; et al, 1966 a all from Moldavia
- Multiceps [sic] multiceps (Leske, 1780) larvae [Ovis aries] [Bos taurus] Zgardan, E. S.; and Frukhman, E. A., 1965 a all from Moldavia
- Multiceps serialis (Gervais 1847) [Canis familiaris] (small intestine) Abbasov, M. T., [1966 a] Nakhichevan ASSR
- Multiceps serialis Gervais, 1847 Canis familiaris Bernard, J.; Ben Osman, F.; and Juminer, B., 1967 a, 7 Tunis
- Multiceps serialis (Coenurus serialis) Macropus giganteus Dunsmore, J. D.; and Howkins, A. B., 1968 a Australia
- Multiceps serialis carbohydrate metabolism Esch, G. W., 1963 a
- Multiceps serialis man Morishita, K.; and Sawada, I., 1965 a
- Multiceps serialis (Gervais, 1847) Lepus (Proelagus) tolai Kirgiz (subcutaneous tissue, intermuscular connective tissue) Tokobaev, M. M.; and Erkulov, K. E., 1966 b, 19
- Multicuterina Mathevossian, 1948 Orthoskrjabininae nov. sub fam. Matevosian, E. M., 1965 a, 153
- Multicuterina spasskyi n.sp. Dendrocopos major Oriolus oriolus (small intestine) Rysavy, B., 1965 b, 261-262, fig. 8 all from Lednice (south Moravia, CSSR), Vojetin (north Bohemia, CSSR)
- Myxacanthus collaris (Batsch, 1786) Anas platyrhynchos Oshmarin, P. G., 1965 b Buriat ASSR
- Myxolepis [lapsus as: Mixolepis] Shevtsov, A. A., 1963 c
- Mixolepis [sic] collaris [Anas platyrhynchos] Shevtsov, A. A., 1963 c Ukraine
- Mixolepis [sic] collaris [Anser anser] Shevtsov, A. A., 1966 b Ukrainian SSR

| | | | |
|--|---|--|---|
| Nadejdolepis [lapsus for: Nadejdolepis] | Tsimbaliuk, A. K., [1966 a] | Neoliga Singh, 1952 valid genus | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Nadejdolepis [lapsus as: Nadejdolepis] | Tsimbaliuk, A. K., [1966 a] | Neoliga depressa (Siebold, 1836) Spassky et Spasskaja, 1959 | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Nadejdolepis ansa n. sp. Charadrius mongolus (small intestine) | Spasskii, A. A.; and Turpanlova, M. M., 1968 a, 249-252, 257, figs. 1-2 Anadyr Lowland, USSR | Neoliga macropterygis (Hub- scher, 1937) n. comb. | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| Nadejdolepis guschanskoi (Krotov, 1952) Spassky et Spasskaja, 1954 biometrics Calidris minuta (small intestine) | Spasskii, A. A.; and Turpanlova, M. M., 1968 a, figs. 3-4 Anadyr Lowland, USSR | Notopentorchis Burt, 1938 Paruterinidae; Paruterininae | Matevosian, E. M., 1965 a, 153 |
| Nadejdolepis lauriei Davies, 1939 Larus argentatus (small intestine) | Ehrhardt, W. R.; Harkema, R.; and Miller, G. C., 1967 a, 133 Beaufort, North Carolina | Notopentorchis Burt, 1938 Paruterinidae | Spasskii, A. A., 1966 d, 57-61 |
| Nadeidolepis [sic] lauriei (Davies, 1939) Calidris maritima coesi | Tsimbaliuk, A. K., [1966 a] Komandorskie Islands | includes: Notopentorchis javanica (Huebscher, 1937) Baer, 1959; N. bovieni (Huebscher, 1937) Baer, 1959; N. induncula (Spassky, 1946) Spassky Spasskaja, 1959; N. isonciphora (Dollfus, 1958) n. comb. | |
| Nadejdolepis parantidulans biometrics Calidris alpina (small intestine) | Spasskii, A. A.; and Turpanlova, M. M., 1968 a, figs. 5-6 Anadyr Lowland, USSR | Notopentorchis bovieni (Huebscher, 1937) Baer, 1959 Syn.: Paruterina bovieni Huebscher, 1937 | Spasskii, A. A., 1966 d, 59, 60 |
| Nematoparataenia paradoxo Anas p. platyrhynchos | Akhumian, K. S., 1966 a Armenian SSR | Notopentorchis collo-caliae Burt, 1938 as syn. of Notopentorchis javanica (Huebscher, 1937) Baer, 1959 | Spasskii, A. A., 1966 d, 60 |
| Nematoparataenia southwelli Führmann, 1933 Cygnus olor (intestine) | Jennings, A. R.; Soulsby, E. J. L.; and Wainwright, C. B., 1961 a, 22 Essex, England | Notopentorchis iduncula (Spassky, 1946) Spasskaya, 1959 Syn.: Paruterina iduncula Spassky, 1946 | Spasskii, A. A., 1966 d, 58, 59, 60 |
| Nematotaenia dispar (Goeze, 1782) Bufo persicus (intestin) Varanus griseus " | Dollfus, R.-P. F., 1965 a, 84-86, fig. 30 Kamalabad, Iran Ghom, Téhéran | Notopentorchis isonciphora (Dollfus, 1958) n. comb. Syn.: Paruterina isonciphora Dollfus, 1958 | Spasskii, A. A., 1966 d, 58, 60 |
| Nematotaenia dispar (Goeze, 1782) Lühe, 1910 Rana ridibunda (small intestine) R. viridis " | Osikovski, E., 1965 a all from Kirdjali district, Bulgaria | Notopentorchis javanica (Huebscher, 1937) Baer, 1959 Syn.: Paruterina javanica Huebscher, 1937; Notopentorchis collo-caliae Burt, 1938; Sphaeruterina caffrapi Mokhehle, 1951; Notopentorchis micropus Sing, 1952 | Spasskii, A. A., 1966 d, 57, 58, 60, 61 |
| Neobothriocephalus gen. n. Parabothriocephalidae | Mateo, E.; and Bullock, W. L., 1966 a, 1070, 1073 tod: N. aspinosus sp. n. | Notopentorchis micropus Sing, 1952 as syn. of Notopentorchis javanica (Huebscher, 1937) Baer, 1959 | Spasskii, A. A., 1966 d, 60 |
| Neobothriocephalus aspinosus gen. n. and sp. n. (tod) Neptomenus crassus (intestine) | Mateo, E.; and Bullock, W. L., 1966 a, 1070-1073, figs. 1-7 Callao, Peru | Nybelinia [spp.] plankton and marine invertebrates | Dollfus, R. P. F., 1967 a, 163, 164-167, 168, figs. 18-21 |
| Neogryporhynchus cheilan-cristrotus host diet | Feizullaev, N. A., 1963 c Azerbaijan | Nybelinia surmenicola Okada, 1929, larva Pleurogrammus azonus (body cavity, stomach wall) P. monopterigius | Baeva, O. M., 1965 a Sea of Japan |
| | | Nybelinia surmenicola Okada, 1929 larvae Melletes papilio (stomach wall) Myoxocephalus verrucosus (stomach wall) Pleuronectes stellatus (stomach wall, mesentery) | Zhukov, E. V., 1963 a, 113 all from Chukotsk Peninsula |

- Octacanthus Spassky et
Spasskaja, 1954
Hymenocoeliini
- Octopetalum gutterae
mixed infections
- Octopetalum longicirrosa
mixed infections
- Onchobothrium pseudo-
uncinatum
ornithine transcarbamylase and arginase activity
- Onchobothrium uncinatum
sensu Doze (1925)
incertae sedis
- Ochoristica sp.
Zamenis rhodorhachis
(intestin)
Malpolon monspessulanus insignitus (intestin)
- Ochoristica bivitello-
bata Loewen, 1940
Cnemidophorus tigris
- Ochoristica crotalicola
Alexander and Alexander, 1957
as syn. of *O. osheroffi* Meggitt, 1934
- Ochoristica mephitis
Mephitis mephitis
(intestine)
- Ochoristica osheroffi
Meggitt, 1934
Syn.: *O. crotalicola* Alexander and Alexander, 1957
- Ochoristica osheroffi
Meggitt, 1934
Crotalus viridis (small intestine)
- Ochoristica osheroffi
Meggitt, 1934
life history
Crotalus viridis
Tribolium confusum (exper.)
Conozoa wallula"
Melanoplus bivittatus"
- Ochoristica sobolevi
(Spassky)
[*Lacerta*] (intestine)
- Ochoristica tuberculata
(Rudolfi, 1819) var.
Varanus griseus (intestin)
- Ochoristica tuberculata
(Rud.)
[*Lacerta agilis*] (intes-
tine)
[*Lacerta*] (intestine)
- Ophioctaenia La Rue, 1911
Ophioctaeniidae; Ophioctaeniae, key
key to species
- Ophioctaenia adiposa
Rudin, 1917
key
- Ophioctaenia ankistrodon-
tis [sic] (Harwood 1933) Wardle
and McLeod, 1952
key
- SpasskiI, A. A.; and Spasskaja, L. P., 1968 a, 1296
- Kasimov, G. B., 1965 b
- Kasimov, G. B., 1965 b
- Campbell, J. W.; and Lee, T. W., 1963 a
- Goldstein, R. J., 1967 a, 468
- Babero, B. B., and Matthias, D., 1967 a, 177
- Clark County, Nevada
- Widmer, E. A., 1966 a
- Vertz, B. J., 1967 a, 134
Northwestern Illinois
- Widmer, E. A., 1966 a
- Widmer, E. A., 1967 a
Weld Co., Colorado
- Widmer, E. A.; and Olsen, O. W., 1967 a, figs. 1-13
Weld Co., Colorado
- Markov, G. S.; Lukina, G. P.;
Markova, L. I.; and Mozgina,
A. A., 1964 a
Northern Caucasus
- Dollfus, R.-P. F., 1965 a,
79, 82-83, figs. 28-29
Ghom, Teheran
- Markov, G. S.; Lukina, G. P.;
Markova, L. I.; and Mozgina,
A. A., 1964 a
all from Northern Caucasus
- Freze, V. I., 1965 c, 51-55
53
- Freze, V. I., 1965 c, 54
- Freze, V. I., 1965 c, 55
- Vigueras, 1934
key
- Ophioctaenia calmettei
(Barrois, 1898) La Rue,
1911
key
- Ophioctaenia congolensis
Southwell and Lake, 1939
key
- Ophioctaenia crotaphopeltis
Sandground, 1928
- Ophioctaenia dubinini Frese, 1963
key
- Ophioctaenia elapoidea Sandground, 1928
key
- Ophioctaenia europaea
Odening, 1963
key
- Ophioctaenia faranciae
(MacCallum, 1921) Hilmy, 1936
key
- Ophioctaenia filaroides
(Lafue)
end organs are exocrine glands
- Ophioctaenia fima (Meggitt,
1927) Hilmy 1936
key
- Ophioctaenia flava Rudin,
1917
key
- Ophioctaenia gabonica
(Beddard, 1913) Rudin,
1917
key
- Ophioctaenia gallardi
(Johnston, 1911) comb. nov.
key
- Ophioctaenia grandis
La Rue, 1911
key
- Ophioctaenia hyalina
Rudin, 1917
key
- Ophioctaenia indica Johri,
1955
key
- Ophioctaenia indica Johri,
1955
Naja naja (intestine)
- Ophioctaenia japonensis
(Yamaguti, 1935)
key
- Ophioctaenia jarara Fuhrmann, 1927
key
- Ophioctaenia kuantanensis Hsu, 1956
key
- Freze, V. I., 1965 c, 53
- Freze, V. I., 1965 c, 54
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 53
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 54
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 54
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 54
- Wood, D. E., 1965 b, 541-544
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 53
- Freze, V. I., 1965 c, 54
- Saleh, M.; and Ahmed, Z.,
1965 b
West Pakistan
- Freze, V. I., 1965 c, 55
- Freze, V. I., 1965 c, 53
- Freze, V. I., 1965 c, 54

- Ophioctaenia macrobothria* Freze, V. I., 1965 c, 55
Rudin, 1917
key
- Ophioctaenia marenzelleri* Freze, V. I., 1965 c, 53
(Barrois, 1898) La Rue, 1911
key
- Ophioctaenia mjöbergi* (Nybelin, 1917) Freze, V. I., 1965 c, 53
Wardle and McLeod, 1952
key
- Ophioctaenia najae* (Beddard, 1913) Yamaguti, 1959
Freze, V. I., 1965 c, 54
key
- Ophioctaenia nankingensis* Hsu, 1935
Freze, V. I., 1965 c, 53
key
- Ophioctaenia nattereri* (Parona, 1901) La Rue, 1911
Freze, V. I., 1965 c, 55
key
- Ophioctaenia nybelini* Hilmy, 1936
Freze, V. I., 1965 c, 55
key
- Ophioctaenia ophiodes* Mettrick, 1960
Freze, V. I., 1965 c, 55
key
- Ophioctaenia perspicua* La Rue, 1911
Freze, V. I., 1965 c, 54
key
- Ophioctaenia phillipsi* (Burt, 1937) Wardle and McLeod, 1952
Freze, V. I., 1965 c, 53
key
- Ophioctaenia punica* (Cholodkovsky, 1908) La Rue, 1911 sensu Southwell and Adler, 1933
as syn. of *Ophioctaenia southwelli* sp. nov.
Freze, V. I., 1965 c, 52, 53
- Ophioctaenia racemosa* (Rud.) (Rudolfi, 1819) La Rue, 1911
Freze, V. I., 1965 c, 55
key
- Ophioctaenia racemosa* (Rud.) [Natrix natrix] (small intestine) Markov, G. S.; Lukina, G. P.; Markova, L. I.; and Mozgina, A. A., 1964 a
Northern Caucasus
Freze, V. I., 1965 c, 55
- Ophioctaenia rhabdophidis* (Burt, 1937) Wardle and McLeod, 1952
key
Freze, V. I., 1965 c, 55
- Ophioctaenia russelli* Beddard, 1913
Vipera russelli (intestine) Saleh, M.; and Ahmed, Z., 1965 b
West Pakistan
- Ophioctaenia san-bernardinensis* Rudin, 1917
key
Freze, V. I., 1965 c, 55
- Ophioctaenia southwelli* sp. nov.
key
Syn.: *Ophioctaenia punica* (Cholodkovsky, 1908) La Rue, 1911 sensu Southwell and Adler, 1933
Freze, V. I., 1965 c, 53
- Ophioctaenia spasskyi* Freze, V. I., 1965 c, 54
1963
key
- Ophioctaenia theileri* Rudin, 1917
key
- Ophioctaenia trimeresuri* (Parona, 1898) La Rue, 1911
key
- Ophioctaenia viperis* (Beddard, 1913), Rudin, 1917
key
- Ophioctaenia zschorkei* Rudin, 1917
key
- Ophiocteniidae* Freze, 1963
key to subfamilies
- Ophiocteniinae* Freze, 1963
Ophiocteniidae, key;
key to genera
- Ophryocotyle oligoorchis* Belogurov, O. I.; and Zueva, L. S., 1967 a, pp. 1000-1002, (duodenum, rectum, appendix)
Squatarola squatarola L.
Arenaria interpres L.
Terekia cinerea
Charadrius mongolus
- Ophryocotyle proteus* Friis, 1870
Larus atricilla (small intestine)
- Ophryocotyle proteus* Friis 1869
Calidris maritima coesi
- Orlovilepis megalops* (Greplin, 1829)
rată
- Orthoskrjabinia* Spassky, 1947 (type)
Orthoskrjabininae nov. subfam.
- Orthoskrjabinia rostellata* Corvus brachyrhynchos (intestine)
- Orthoskrjabinia transcaucasica* (Bauer, 1941)
nov. comb.
- Orthoskrjabininae* nov. subfam.
- Biuterinidae*
includes: *Orthoskrjabinia* Spassky, 1947(type); *Anomaliporus* Voge et Davis, 1953; *Metroliasthes* Ransom, 1900; *Multiterina* Mathevosian, 1948
- Orygmatobothrium dohrnii* ornithine transcarbamylase and arginase activity Campbell, J. W.; and Lee, T. W., 1963 a
- Oryporhynchus* [lapsus for *Gryporhynchus*] Nordmann, 1832 Feizullaev, N. A., 1963 c, 102
- Oschmarenia* (Chandleria) wallacei (Chandler, 1952) Little, J. W., 1966 a
Mephitis macroura central Mexico

- Pancerina sp.
[*Lacerta*] (intestine) Markov, G. S.; Lukina, G. P.;
Markova, L. I.; and Mozgina,
A. A., 1964 a
Northern Caucasus
- Panuwa Burt, 1940 Spasskii, A. A., 1966 a;
valid genus 1966 b; 1966 c
- Panuwa chandleri (Moghe,
1925) Yamaguti, 1959 Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Panuwa lobivanelli Burt,
1940 Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Panuwa tsengi (Sandeman,
1959) n. comb. Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Parabisacanthes Maksimova,
1963 Spasskii, A. A.; and Reznik,
V. N., 1963 a, 89
- Parabisacanthes bisaccu-
lina (Szpotanska, 1931)
Maksimova, 1963 Spasskii, A. A.; and Reznik,
V. N., 1963 a, 89
- Parabisacanthes cygni
Maksimova, 1963 Spasskii, A. A.; and Reznik,
V. N., 1963 a, 89
- Parabisacanthes philactes
(Schiller, 1951)
Cygnus olor Kazlauskas, J., 1968 a
Zuvintas Lake
- Parabisacanthes philactes
(Schiller, 1951)
Cygnus olor (intestine) Maksimova, A. P., 1967 a, 145
Western Kazakhstan
- Parabisacanthes philactes
(Schiller, 1951) Spassky
et Resnik, n. comb.
p. 89, as P. philactes
Syn.: *Hymenolepis* philactes Schiller, 1951 Ichihara, A.; et al, 1965 a,
3, 7, 10, figs. 5-6
Psenopsis anomala (esoph-
ageal pouch, stomach, intestine)
Sagami Bay, Japan
- Parabothriocephalus gracil-
is Yamaguti, 1934 Ichihara, A.; et al, 1965 c
Bay of Sagami
- Psenopis anomala
Psenopis anomala Margaritov, N. M., 1964 a
Bulgaria
- Paracaryophyllaeus dubini-
nae Kulakowskaja, 1961
Cobitis taenia Spasskii, A. A.; and Spasska-
ia, L. P., 1966 a
as syn. of *Vitta parvirostris* (Krabbe, 1869) Baer, 1959
- Paradilepis scolecina
Phalacrocorax carbo
Terekia cinerea
- Paradilepis scolecina,
cysticercus
fish
- Paradilepis scolecina,
cysticercus
Pseudoscaphirhynchus kaufmanni
- Paradilepis scolecina
(Rudolphi, 1819)
Phalacrocorax carbo
P. pygmaeus
- Paradilepis scolecina
(Rud., 1819)
[*Phalacrocorax carbo*]
- Paraglaridacris
Janiszewska, 1950
as syn. of *Archigetes*
Leuckart, 1878
- Paraglaridacris silesi-
acus Janiszewska, 1950
as syn. of *Archigetes*
brachyurus Mrázek, 1908
- Paranoplocephala
[lapsus as *Paranoplo-
cephale*]
- Paranoplocephala brevis
Kirschenblatt, 1938
Clethrionomys glareolus (intestin grêle)
- Paranoplocephala dentata
Apodemus flavicollis
Apodemus sylvaticus
- Paranoplocephala dentata
rodents
- Paranoplocephala dentata
Galli Valerio, 1905
nomen nudum
- Paranoplocephala indicata
n. sp.
Tapirus indicus (small
intestine)
- Paranoplocephala infrequens
(Douthitt, 1915)
Thomomys talpoides
- Paranoplocephala infrequens
(small intestine)
Microtus longicaudus
M. montanus
M. pennsylvanicus
- Akhumian, K. S., 1966 a
all from Armenian SSR
- Allamuratov, B. K., 1965 b
South-Surkhanskoe reservoirs
- Osmanov, S. O., 1965 c
- Roman-Chiriac, E., 1965 a,
143
all from Danube delta,
Romania
- Smogorzhevskaya, L. A.; Kor-
niushin, V. V.; Iskova, N. I.;
and Eminov, A., 1965 a
Turkmen
- Kennedy, C. R., 1965 a, 442
- Kennedy, C. R., 1965 a, 446
- Semenova, L. F.; and Iarulin,
G. P., 1965 a
- Wahl, E., 1967 a, fig. 3
Val de l'Allondon, Geneva
- Tenora, F., 1965 c, 70; 72,
73
Czechoslovakia
- Tokobaev, M. M., 1965 a
Kirgiz
- Wahl, E., 1967 a, 151
- Sawada, I.; and Papasarathorn,
T., 1966 a, 125-128, figs. 1-6
Thailand
- Frandsen, J. C.; and Grund-
mann, A. W., 1961 b, 392
Lake Bonneville Basin, Utah
- Kinsella, J. M., 1967 a, 271
all from western Montana

| | | | |
|---|---|--|--|
| Paranoplocephala mamillana (Mehlis, 1831) saddle horse mule (intestine) | Dacorso, P. (filho); Lange- negger, J.; and Guimaraes, J. H., 1961 a, fig. 3, pl., fig. 10 Brasil | Paranybelinia n. gen. | Dollfus, R. P. F., 1966 e, 2613, 2614, 2615 mt: <i>P. otobothrioides</i> n. sp. |
| Paranoplocephala mamillana (Mehlis, 1831) horse (intestine) | Noda, R.; and Katae, H., 1963 a | Paranybelinia otobothrioi- des n. gen., n. sp. (mt) | Dollfus, R. P. F., 1966 e, 2613, 2614, 2615, figs. 2, 3 |
| Paranoplocephala mamillana, (Mehlis, 1831) Baer, 1927 [<i>Equus caballus</i>] (small intestine) | Safronov, M. G., 1966 a, 16 Yakutia | Paranybelinia otobothrioi- des R. Ph. Dollfus 1966 plankton and marine invertebrates | Dollfus, R. P. F., 1967 a, 169-170, 171, figs. 27-31 |
| Paranoplocephala mamillana [sic] Bubulin, equine | Vartic, N.; Trica, Z.; and Precup, O., 1967 a | Paratriotaenia gen. n. "not assigned to a higher taxonomic category" | Stunkard, H. W., 1965 d, 545, 550, 996 ted: <i>P. oedipomidatis</i> Stunkard, 1965 |
| Paranoplocephala omphalodes (Herm., 1783), Lühe, 1910 <i>Arvicola terrestris</i> | Andreiko, A. F.; Pinchuk, L. M.; and Skvortsov, V. G., 1963 b, 30 Moldavian SSR | Paratriotaenia oedipomi- datus gen. et sp.n. (tsd) <i>Oedipomidas oedipus</i> | Stunkard, H. W., 1965 d, 545- 551, figs. 1-5; 996 New Orleans, Louisiana, Tulane University primate colony, from South America |
| Paranoplocephala ompha- lodes (Hermann, 1783) Lühe, 1910 <i>Arvicola terrestris</i> (small intestine) | Gubanov, N. M., 1964 a, 24 Yakutia | Paricterotaenia sp. <i>Capella gallinago</i> (small intestine) | Threlfall, W., 1968 c Newfoundland, Canada |
| Paranoplocephale [sic] omphalodes (Hermann, 1783) (small intestine of all) <i>Apodemus sylvaticus</i> <i>Micromys arvalis</i> | Semenova, L. F.; and Iarulin, G. P., 1965 a all from Russia, Dagestan ASSR, Dakhadaevsk region | Paricterotaenia paradoxa (Rudolphi, 1802) <i>Allolobophora caliginosa</i> f. <i>trapezoides</i> (body cavity) | Genov, T., 1964 b, fig. 1 Pazardzhishk okrug, Bulgaria |
| Paranoplocephala ompha- lodes rodents | Tokobaev, M. M., 1965 a Kirgiz | Paricterotaenia paradoxa (Rudolphi, 1802) <i>Turdus musicus musicus</i> (posterior ileum or rectum) | James, B. L.; and Llewellyn, L. C., 1967 a all from the island of Skomer off Wales |
| Paranoplocephala omphalo- des (Hermann, 1783) Lühe, 1910 <i>Clethrionomys glareolus</i> | Wahl, E., 1967 a, pp. 149-150 Val de l'Allondon (Geneva) | Paricterotaenia parviro- stris (Krabbe) Fuhrmann, 1932 as syn. of <i>Vitta parvirostris</i> (Krabbe, 1869) Baer, 1959 | Spasskii, A. A.; and Spasska- ia, L. P., 1966 a |
| Paranoplocephala ryjikovi rodents | Tokobaev, M. M., 1965 a Kirgiz | Paricterotaenia porosa <i>Larus argentatus</i> | Guildal, J. A., 1968 a, 61, 65 South Harbour of Copenhagen |
| Paranoplocephala trans- versaria rodents | Tokobaev, M. M., 1965 a Kirgiz | Paricterotaenia porosa (Rud., 1810) <i>Larus ridibundus</i> | Rădulescu, I.; and Lustin, L., 1967 a, fig. 5 Romania |
| Paranoplocephala variabilis (Douthitt, 1915) <i>Thomomys talpoides</i> | Frandsen, J. C.; and Grund- mann, A. W., 1961 b, 393 Lake Bonneville Basin, Utah | Paricterotaenia porosa embryogenesis | Rybicka, K., 1966 b, fig. 15A |
| Paranoplocephala variabilis <i>Micromys pennsylvanicus</i> (small intestine) | Kinsella, J. M., 1967 a, 271 western Montana | Paricterotaenia porosa (Rud., 1810) <i>Larus ridibundus</i> | Sergienko, M. I.; and Khar- ambura, Ia. I., 1963 a L'govshchina |
| Paranoplocephale [lapsus for Paranoplo- cephala] | Semenova, L. F.; and Iarulin, G. P., 1965 a | | |

- Paricterotaenia porosa Threlfall, W., 1966 c, 13
Rudolphi, 1810 Wales
- Paricterotaenia ransomi Threlfall, W., 1966 c, 13
(Linton, 1927) Wales
(small intestine)
- Larus argentatus L. atricilla
- Nags Head, North Carolina
Harker's Island, Beaufort,
North Carolina
- Paricterotaenia sternina Rysavy, B., 1965 b, 258
(Krabbe, 1869) Fuhrmann, 1932
as syn. of Choanotaenia sternina (Krabbe, 1869) Mathe-
wossian, 1963
- Paruterina Fuhrmann, 1906 Matevosian, E. M., 1965 a, 153
Paruterinidae; Paruteri-
ninae
- Paruterina bovieni Hueb- Spasskii, A. A., 1966 d, 60
scher, 1937
as syn. of Notopentorchis bovieni (Huebscher, 1937)
Baer, 1959
- Paruterina candelabria (Goeze, 1781) Fuhrmann, 1906 Frandsen, J. C.; and Grund-
mann, A. W., 1961 b, 393
Peromyscus maniculatus all from Lake Bonneville
sonoriensis Basin, Utah
P. truei nevadensis
Thomomys umbrinus aureiventris
- Paruterina candelabria (Goeze, 1782) Threlfall, W., 1968 c
Nyctea scandiaca (small intestine)
Aegolius funereus (small intestine)
- all from Newfoundland, Canada
- Paruterina iduncula Spassky, A. A., 1966 d, 60
1946
as syn. of Notopentorchis iduncula (Spassky, 1946) Spas-
sky Spasskaja, 1959
- Paruterina isonciphora Spasskii, A. A., 1966 d, 60
Dollfus, 1958
as syn. of Notopentorchis isonciphora (Dollfus, 1958)
n. comb.
- Paruterina javanica Huebs- Spasskii, A. A., 1966 d, 60
cher, 1937
as syn. of Notopentorchis javanica (Huebscher, 1937)
Baer, 1959
- Paruterina meggitti Johri Matevosian, E. M., 1965 a, 154
1931
to Biuterina [comb. indicated, not made]
- Paruterina morgani Rausch Matevosian, E. M., 1965 a, 154
et Schiller, 1949
to Biuterina [comb. indicated, not made]
- Paruterina purpurata (Duj., 1845)
Lanius senator (small intestine)
- Paruterinida nov. comb. Merdivencci, A., 1966 b, 83
- Paruterinidae (Mola, 1929) Matevosian, E. M., 1965 a, 153
Skrjabin, 1940
Paruterinoidea Mathevossian,
1962
includes: Paruterininae Fuhrmann, 1907; Rhabdometriinae
Mathevossian, 1965
- Paruterinidata nov. comb. Merdivencci, A., 1966 b, 83
- Paruterininae Fuhrmann, 1907 Matevosian, E. M., 1965 a, 153
Paruterinidae
includes: Paruterina Fuhrmann, 1906; Culcitella Fuhrmann,
1906; Deltokeras Meggitt, 1907; Notopentorchis Burt,
1938; Sphaerutelina Johnston, 1914
- Paruterinoidea Mathevossian Matevosian, E. M., 1963 a,
1962 149
Hymenolepidata
- Paruterinoidea Mathevossian, 1962 Matevosian, E. M., 1965 a, 153
Hymenolepidata
includes: Paruterinidae (Mola, 1929) Skrjabin, 1940 (type);
Biuterinidae (Meggitt, 1927) nov. comb.; Anonchotaeniidae
nov. fam.
- Parvitaenia nycticoracis Spasskii, A. A., 1966 a;
(Yam.) Yamaguti, 1959 1966 b; 1966 c
Syn.: Anomotaenia nycticoracis (Yamaguti, 1935) Mathe-
vossian, 1963
- Passerilepis (?) mega- Spasskii, A. A.; Dang-Van-
cantha, n. sp. Ngu; and Turpalova, N. M.,
Tringa sp. (intestine) 1963 a, 75-77, fig. 1-2
Rang-Dong, Vietnam
- Passerilepis occidentalis, Spasskii, A. A.; Dang-Van-
n. sp. Ngu; and Turpalova, N. M.,
(small intestine) 1963 a, 77-80, figs. 3, 4, 5
Acridotheses cristatellus all from Hanoi, Thak-ha-
A. grandis region (Yen-Bai), Rang-Dong,
Viet Nam
- Passerilepis passeris Gubanov, N. M., 1964 a, 25
(Gmelin, 1790) Spassky, 1954
Yakutia
Citellus undulatus (small intestine)
- Passerilepis serpentulus Akhumian, K. S., 1966 a
(Schrank, 1788) Armenian SSR
Calidris ruficollis minutus
- Passerilepis stylosa Chernobai, V. F., 1965 a
(Rud., 1809) Volgograd oblast
Pica pica

- Pelichnibothrium sp.
Salmo gairdnerii
(intestine) Edwards, S. R.; and Nahhas,
F. M., 1968 a, 255
Sacramento-San Joaquin
Delta
- Pelichnibothrium sp.
Salmo salar (posterior
intestine) Sandeman, I. M.; and Pippy,
J. H. C., 1967 a, 1921, fig. 9
Newfoundland
- Phormobothrium affine
of Alexander, 1963
as syn. of (?) *Echeneibothrium*
sp. Williams, H. H., 1966 a
- Phyllobothrium sp.
Globicephala melaena (subserosal,
blubber) Cowan, D. F., 1967 a
- Phyllobothrium sp.
Callionymus fragris Ichihara, A., 1963 a
Bay of Tokyo
- Phyllobothrium sp. larva
(intestine) Mamaev, Iu. L., 1965 a
all from Bering Sea
Reinhardtius hippoglossoides matsuurae
Coryphaenoides sp.
- Phyllobothrium caudatum
Tschokke et Heitz, 1914 Baeva, O. M., 1965 a
Pleurogrammus azonus
(intestine) Sea of Japan
- Phyllobothrium foliatum
ornithine transcarba-
mylase and arginase activity Campbell, J. W.; and Lee, T.
W., 1963 a
- Phyllobothrium foliatum
Linton, 1890
ultrastructure of muscle
Mustelus canis Lumsden, R. D.; and Byram, J.
E. III, 1967 a, figs. 1, 12-14
Woods Hole, Massachusetts
- Platyscolex ciliata (Fuhr-
mann, 1913) Spasskaia, 1962
Anas crecca
A. platyrhynchos Spasskaia, L. P.; and Spass-
kii, A. A., 1964 a, 16
all from Kamchatka Pacific
seacoast
- [Platyscolex] ciliata
(Fuhrman, 1913) Spasskaia,
1962 Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Plerocercoid sp. I.
Myoxocephalus verrucosus
(intestine) Zhukov, E. V., 1963 a, 116
fig. 12
Chukotsk Peninsula
- Plicatobothrium n. gen.
Ptychobothriidae Cable, R. M.; and Michaelis,
M. B., 1967 a, 15
tod: *P. cypseluri* n. sp.
- Plicatobothrium cypseluri
n. gen., n. sp. (tod)
Cypselurus bahiensis
(intestine) Cable, R. M.; and Michaelis,
M. B., 1967 a, 15-17, 18,
figs. 1-7
Curaçao, Netherlands Antilles
- Polycephalus multiceps
Yomesan, dogs Giralp, N.; and Tiğin, Y.,
1966 a, 262
- Polycercus lumbrici Scott, J. S., 1965 b
evagination of cysticercoid, pepsin in gastric juice,
pancreatin in pancreatic juice
- Porogymnia paronai Kasimov, G. B., 1965 b
mixed infections
- Prispocephalus sp. larva Baeva, O. M., 1965 b, fig. 4
Cololabis saira (body
cavity, liver, mesentery) Pacific Ocean
- Prochoanotaenia Meggitt,
1924 Spasskii, A. A., 1966 a;
1966 b; 1966 c
Syn.: Rodentotaenia Mathevossian, 1963 n. syn.
- Prochoanotaenia crassisco- Spasskii, A. A., 1966 a;
lex (Linstow, 1890) n. comb. 1966 b; 1966 c
Syns.: Choanotaenia crassiscolex (Linst.) Joyeux et
Baer, 1936; Rodentotaenia crassiscolex (Linst.) Mathe-
vossian, 1963; Anomotaenia subterranea Cholodkovsky, 1906
- Progamotaenia sp.
Setonix brachyurus (bile duct) Gibb, D. G. A.; Kakulas,
B. A.; Perret, D. H.; and Jenkyn, D. J., 1966 a
Rottnest Island, Australia
- Proteocephalata Freze, V. I., 1963 a
convergent development of proboscis
- Proteocephalata Freze, V. I., 1965 b
phylogeny
- Proteocephalid Hopkins, S. H., 1966 a
Dorosoma (D.) cepedianum Lake Texoma, Oklahoma
- Proteocephalidae Rybicka, K., 1966 b, fig. 18B
embryogenesis
- Proteocephalus Oshmarin, P. G., 1965 b, 210
[lapsus as: *Protocephalus*] Edwards, S. R.; and Nahhas,
F. M., 1968 a, 254-255
Sacramento-San Joaquin
Delta
- Proteocephalus [sp.] Akopian, V.D.; and Arutunian,
A. L., 1966 a
lake Sevan
- Proteocephalus sp.
Ictalurus catus (intestine) Edwards, S. R.; and Nahhas,
F. M., 1968 a, 254-255
Sacramento-San Joaquin
Delta
- Proteocephalus [sp.] Holmquist, C., 1967 a, fig.
Dendrocoelopsis piri- 8, 1 pl., fig. 9a-e
formis (mesenchyme tissue)

| | | | |
|--|--|---|---|
| Protocephalus [sp.] | Jarecka, L.; and Duby, J.-M., 1965 a, figs. 1-4; photo 1-4. | Protocephalus spp. | Spasskii, A. A.; Rottman, V. A.; and Trofimenko, V. Ia., 1965 a, 107. |
| Cyclops s. stremnis (exper.) | Lac Leman | Bryocamptus leucok | all from Tuva ASSR |
| C. abyssorum (exper.) | | Koregonus lavaretus | |
| Coregonus fera (intestin) | | piscesianus | |
| Protocephalus sp. | Kaletskaia, S. L., 1965 a | Thymallus arcticus | |
| [Butilus rutillus] | all from Zapadnaia Dvina | Esox lucius | |
| [Salvelinus alpinus] | | Leuciscus idus | |
| Protocephalus sp. | Kane, M. B., 1966 a, 208, 212, | Protocephalus [sp.] | Stranack, F. R., 1966 a, all from Hampshire rivers |
| Gasterosteus aculeatus (intestine) | Ireland | club | |
| | | dace | |
| Protocephalus sp. | Kosareva, N. A., [1966 a] | Protocephalus sp. | Voth, D. R.; and Larson, O. R., 1968 a, 220 |
| Alburnus alburnus (intestine) | reservoirs of Volgo-Don Navigable Canal Honoring V. I. Lenin | Esox lucius | all from Goose River, North Dakota |
| Protocephalus spp. | Larson, O. R., 1966 a | Percis flavescens | |
| Stizostedion vitreum | Itasca Park, Minnesota | Pimephales promelas | |
| Percis flavescens (intestine) | | Semotilus atromaculatus | |
| Protocephalus spp. | Lidukarskai, O. D., 1963 a | Protocephalus sp. | Williams, M. O.; and Chaytor, D. E. B., 1966 a, 572 |
| [Buteo buteo] | all from Kulyshhev Reserv- | (plerocercoid) | all from Bush water, Hastings, Freetown peninsula, Sierra Leone |
| [Percis fluviatilis] | | Epiplatys senegalensis | |
| [Butilus rutillus] | | (liver) | |
| Protocephalus sp. | Lundahl, W. S.; and Hoeber- | E. sexfasciatus (silver) | |
| Coregonus hoyi (intestinal tract) | ling, J., 1967 a | Protocephalus ambiguum | Wilson, K. A.; and Ronald, E., 1967 a, Great Lakes region |
| | Thawer Bay, Lake Huron, Michigan | (Dujardin, 1845) | |
| | | Pygostomus punctatus | Willemsen, J. J., 1967 a |
| | | Oxygaster stremnis (exper.) | Netherlands |
| Protocephalus [sic] sp. no. 2 | Oshmarin, P. G., 1965 b | Protocephalus ambloplitis | Willemsen, J. J., 1967 b, 2 figs. |
| Thymallus arcticus | Buriat ASSR | Lepisosteus spatula | Castro, and McDaniel, B., 1967 a, 190 |
| | | L. productus | all from south Texas |
| L. osseus | | L. osseus | |
| Protocephalus [sic] sp. no. 11 | Oshmarin, P. G., 1965 b | Protocephalus ambloplitis | McGraw, J. L., (jr.); and Allison, T. C., 1967 a |
| Coregonus l. lavaretus | all from Buriat ASSR | (plerocercoids) Leidy, 1887 | all from Little River system, Texas |
| Leuciscus idus | | Percis flavescens | |
| Butilus rutillus | | (liver) | |
| Protocephalus sp. | Oshmarin, S. O., 1965 c | Protocephalus ambloplitis | Larson, O. R., 1966 a, Itasca Park, Minnesota |
| Pseudoscorpifirynchus kaufmanni | | (plerocercoids) Cooper, 1921 | |
| | | Salvelinus malma (pyloric caeca, intestine) | |
| Protocephalus sp. | Raznashkin, D. A., 1964 | Micropterus salmoides | |
| Coregonus lavaretus marcescoides (intestine) | Chitinskoe lake | Fomoxis annularis | |
| Protocephalus sp. | Semenova, N. N., 1967 a | Protocephalus cornutus | Puidak, U., 1965 a, 555 |
| [Esox lucius] | Moskov oblast | Gasterosteus aculeatus | Estonian coastal waters |

oir

| | | | |
|---|---|---|---|
| Proteocephalus cernuae (Gmelin, 1790) | Willemse, J. J., 1967 a Netherlands | Proteocephalus macrocephalus (Creplin 1825) | Doby, J.-M.; and Jarecka, L., 1966 a, figs. 1-11 |
| Acerina cernua | | Anguilla anguilla (= A. vulgaris) | Loire (région de Nantes et Saint-Nazaire) |
| Cyclops strenuus (exper.) | | Eucyclops serrulatus (exper.) | |
| Proteocephalus chologasteri sp. n. | Whittaker, F. H.; and Hill, L. G., 1968 a, 15-18, figs. 1-3 | Mesocyclops leuckarti " | |
| Chologaster agassizi (small intestine, pyloric caeca) | Warren County, Kentucky | Cyclops s. strenuus " | |
| Proteocephalus dubius La Rue, 1911 | Přibyslavský, J.; Jílek, J.; and Lucký, Z., 1965 a, 6, fig. 2 | Cyclops sp. (forme de strenuus ?) (exper.) | |
| Acerina cernua (intestine) | Stausees Knínička, ČSSR | C. abyssorum (exper.) | |
| Proteocephalus dobios [sic] (La Rue, 1911) | Sokolov, A. N., 1965 a Volga river, Kozlovka village, Chuvashskia ASSR | Acanthocyclops vernalis (exper.) | |
| Jsox [i.e. Esox] lucius | | Diacyclops bicuspidatus " | |
| Proteocephalus esocis Schneider, 1905 [Esox lucius] (intestine) | Komarova, T. I., 1964 a, 86 Dnieper delta | Diaptomus castor " | |
| Proteocephalus exiguum Brachymystax lenok | Spasskii, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a Tuva ASSR | Proteocephalus macrocephalus (Creplin, 1825) | Willemse, J. J., 1967 a Netherlands |
| Proteocephalus exiguum La Rue, 1911 | Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a Coregonus lavaretus pidshi- Russia, Tuva, ASSR ana (intestine) | Anguilla anguilla | |
| Proteocephalus filicollis (Rudolphi, 1802) | Willemse, J. J., 1967 a Netherlands | Cyclops strenuus (exper.) | |
| Gasterosteus aculeatus | | Proteocephalus neglectus | Aderounmu, E. A., 1966 a Chirk Hatchery, [Wales] |
| Proteocephalus fluviatilis Bangham | Fischer, H., 1968 a, figs. 1- 4, pl. I, figs. 5-13 | Proteocephalus neglectus | Platonova, T. A., 1963 a USSR, Lake Sevan |
| Micropterus dolomieu | Lake Opeongo in Algonquin Park, Ontario | La Rue, 1911 | |
| Cyclops bicuspidatus (exper.) | | Salmo ishchan (intestine) | |
| Tropocyclops prasinus " | | Proteocephalus ocellatus | Willemse, J. J., 1967 a Netherlands |
| Cyclops vernalis " | | (Rudolphi, 1802) | |
| C. scutifer " | | Perca fluviatilis | |
| Proteocephalus gobiorum Dogiel et Bychowsky, 1939 | Komarova, T. I., 1966 a, 65 Dnieper estuary | Proteocephalus osculatus | Belinišova, L. K., 1965 a Krasnooskol'skoe reservoir |
| [Mesogobius batrachocephalus] (intestine) | | Goeze, 1782 | |
| Proteocephalus longicollis Perca fluviatilis (intestine) | Přibyslavský, J.; Jílek, J.; and Lucký, Z., 1965 a, 7, fig. 3 | Silurus glanis | |
| Coregonus lavaretus | Stausees Knínička, ČSSR | Proteocephalus osculatus | Canković, M.; Kiskarolj, M.; and Ramadanović, R., 1968 a Sava river |
| Proteocephalus longicollis | | Silurus glanis (crijevo) | |
| Coregonus lavaretus | | P[roteocephalus] osculatus | Komarova, T. I., 1963 a Dnieper delta |
| Proteocephalus osculatus (Goeze, 1782) | | Proteocephalus osculatus | Komarova, T. I., 1964 a, 86 all from Dnieper delta |
| [Silurus glanis] (intestine) | | [Silurus glanis] (intestine) | |
| [Pelecus cultratus] " | | Proteocephalus osculatus | |
| Proteocephalus osculatus (Goeze, 1782) | | (Goeze, 1782) | Komarova, T. I., 1966 a, 65 Dnieper estuary |
| [Silurus glanis] (intestine) | | [Silurus glanis] (intestine) | |
| P[elecus cultratus] " | | Proteocephalus osculatus | |
| Proteocephalus osculatus [Silurus glanis] | | Koval, V. P., 1963 b lower region, Kakhovsk reservoir | |
| Proteocephalus osculatus life cycle, review | | Kulakiv'ska, O. P., 1963 b | |
| Proteocephalus osculatus Estonian coastal waters | | | |

- Proteocephalus osculatus Lucky, Z., 1966 a
Silurus glanis
- Proteocephalus osculatus Mikailov, T. K., 1963 b
 [Silurus glanis] Mingechar reservoir
- Proteocephalus percae Belinisova, L. K., 1965 a
 O. F. Muller, 1780 Krasnooskol'skoe reservoir
Perca fluviatilis
- Proteocephalus percae Ha, K., 1964 a
 (Miller, 1780) Alol group of lakes (Pskov oblast)
Perca fluviatilis (intestine)
- Proteocephalus percae (O. F. Miller, 1789) Komarova, T. I., 1961 a, 254
Perca fluviatilis (intestine)
- Proteocephalus percae (Miller, 1780) Komarova, T. I., 1964 a, 86
 [Perca fluviatilis] (intestine) Dnieper delta
- Protocephalus [sic] percae Oshmarin, P. G., 1965 b
 (Miller, 1780) Buriat ASSR
Perca fluviatilis
- Proteocephalus percae Puidak, U., 1965 a, 554
Perca fluviatilis Estonian coastal waters
- Proteocephalus percae Spasskii, A. A.; Roitman, V. A.; and Trofimenco, V. Ia., 1965 a
Perca fluviatilis Tuva ASSR
- Proteocephalus percae (Miller, 1780) Sulimov, A. D.; Galkin, M. F.; and Tumentseva, G. I., 1965 a
Perca fluviatilis (intestine) Russia, Tuva, ASSR
- Proteocephalus percae (Miller, 1780) Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a
 (intestine) Moskov area reservoir
Perca fluviatilis
- Proteocephalus pinguis Larson, O. R., 1966 a
Esox lucius Itasca Park, Minnesota
 (intestine)
- Proteocephalus pinguis LaRue, 1911 Voth, D. R.; and Larson, O. R., 1968 a, 220
Esox lucius (intestine) Goose River, North Dakota
- Proteocephalus pollanici Threadgold, L. T., 1965 a, fig. 1, pl. 1, figs. 1-2, pl. 2, figs. 1-4, pl. 3
 tegument, electron microscopy
Coregonus pollan (alimentary canal) Lough Neagh, Northern Ireland
- Proteocephalus tetrastomus (Rudolphi, 1810) Willemse, J. J., 1967 a
Osmorus eperlanus
Cyclops strenuus (exper.)
- Proteocephalus tetrastomus Willemse, J. J., 1967 b, 1 fig.
- Proteocephalus torulosus [Salvelinus alpinus] Diarova, G. S., 1967 a
 Alma-Ata pond fisheries
- Proteocephalus torulosus (Batsch, 1780) Ergens, R., 1965 c, 155
Leuciscus leuciscus (strevo)
- Proteocephalus torulosus Batsch, 1786 Komarova, T. I., 1961 a, 254
Aspius aspius (intestine) Central Dnieper
- Proteocephalus torulosus (Batsch, 1786) Komarova, T. I., 1964 a, 86
 [Vimba vimba]
 [Abramis brama]
 [Blicca bjoerkna]
 [Pelecus cultratus]
 [Tinca tinca]
 [Aspius aspius]
 [Perca fluviatilis]
 all from Dnieper delta
- Proteocephalus torulosus seasonal distribution Komarova, T. I., 1964 b
 Dnieper delta
- Proteocephalus torulosus (Batsch, 1786) Komarova, T. I., 1966 a, 65
 [Caspiolosa sp.]
 [Abramis brama]
 [Pelecus cultratus]
 [Mesogobius batrachocephalus]
 all from Dnieper estuary
- Proteocephalus torulosus Kosareva, N. A., [1966 a]
Alburnus alburnus (intestine)
 Navigable Canal Honoring V. I. Lenin
- Proteocephalus torulosus Leuciscus idus Puidak, U., 1965 a, 554
 Puidak, U., 1965 a, 554
 Estonian coastal waters
- Proteocephalus torulosus [sic] Sulimov, A. D.; Galkin, M. F.; Batsch, 1786 and Tumentseva, G. I., 1965 a
Leuciscus idus (intestine) Russia, Tuva, ASSR
- Protocephalus Oshmarin, P. G., 1965 b, 210
 [lapsus for: Proteocephalus]
- Protogynella pauciova Oswald, 1955 Levin, N. L., 1966 a
Blarina brevicauda Champaign Co., Illinois
- Pseudanomotaenia Chernobai, V. F., 1965 a
 [lapsus for: Pseudanomotaenia]

- Pseudanomotaenia Chernobai, V. F., 1965 a
[lapsus as: Pseudanomataenia]
- Pseudanomotaenia Mathevosian, 1963 Spasskii, A. A., 1966 a;
1966 b; 1966 c
as syn. of Icterotaenia Railliet et Henry, 1909
- Pseudanomotaenia chelidonariae (Spasskaja, 1957) Spasskii, A. A.; and Spasskaja,
Mathevossian, 1963 L. P., 1966 a, 11
as syn. of *Angularella chelidonariae* (Spasskaja, 1957)
n. comb.
- Pseudanomataenia [sic] constricta (Molin, 1859) Chernobai, V. F., 1965 a
Volgograd oblast
Pica pica
- Pseudanomotaenia microcantha (Krabbe, 1869) Chibichenko, N. T., 1966 a, 43
[*Colymbus arcticus*] Kirgiz
- Pseudanomotaenia pyriformis (Wedl, 1855) Chibichenko, N. T., 1966 a, 43
[*Crex crex*]
- Pseudanomotaenia rustica (Neslobinsky, 1911) Mathevossian, 1963 Spasskii, A. A.; and Spasskaja,
as syn. of *Vitta rustica* (Neslobinsky, 1911) Baer, 1957 L. P., 1966 a
- Pseudanthobothrium Williams, H. H., 1966 a,
230, 231, fig. 22
- Pseudanthobothrium sp. Williams, H. H., 1966 a, 247,
Raja linea 254, figs. 75-79
Icelandic waters
- Pseudanthobothrium hansenii Baer, 1956 Williams, H. H., 1966 a, 230,
231, 252, 258, 260, 262, 263,
265, figs. 8, 86, 90-93, 95,
97, 98, 102
- Pseudeubothriodes n. g. Yamaguti, S., 1968 a, pp. 21,
Amphicotylidae, Amphicotylinae 24, 26
tod: *P. lepidocybii* n. sp.
- Pseudeubothriodes lepidocybii n. g., n. sp. (tod) Yamaguti, S., 1968 a, pp. 21,
Lepidocybium flavobrunneum (intestine) 24-26, figs. 2A-C
Hawaii
- Pseudeubothrium n. g. Yamaguti, S., 1968 a, pp. 21-
Amphicotylidae, Amphicotylinae 22, 24
tod: *P. xiphiaios* n. sp.
- Pseudeubothrium xiphiaios Yamaguti, S., 1968 a, pp. 21-
n. g., n. sp. (tod) 24, fig. 1A-H
Xiphias gladius (intestine) Hawaii
- Pseudonybelinia n. gen. Dollfus, R. P. F., 1966 e,
2613, 2614, 2615
mt: *Pseudonybelinia odontacantha* n. sp.
- Pseudonybelinia odontacantha n. gen., n. sp. (mt) Dollfus, R. P. F., 1966 e,
2613, 2614, 2615, figs. 1, 4
- Pseudonybelinia odontacantha R. Ph. Dollfus 1966 Dollfus, R. P. F., 1967 a,
plankton and marine invertebrates 167-169, figs. 22-26
- Pseudophyllidea embryogenesis Rybicka, K., 1966 b, fig. 18A,
33A
- Ptychobothrium sp. Cable, R. M.; and Michaelis,
Strongylura timuca M. B., 1967 a, 17, 18
(intestine) Jamaica
- Pyramicocephalus anthrocephalus (Fabricius, 1780) Sprehn, C. E. W., 1966 a, 175
Gadus ogas
Phoca hispida (Darm)
+*Erignathus barbatus*"
+*Cystophora cristata*"
- Pyramicocephalus phocarum Zhukov, E. V., 1963 a, 113
(Fabricius, 1780) larvae all from Chukotsk Peninsula
Eleginus gracilis (abdominal cavity)
Melletes papilio (mesentery)
Myoxocephalus axillaris (mesentery)
M. verrucosus (liver tissue, mesentery)

- Raillietina Niphadkar, S. M.; and Rao, S.
[lapsus for: Raillietina] R., 1966 a
- Raillietina emend. Bartel, M. H., 1964 a
- Raillietina Niphadkar, S.M.; and Rao, S.
R., 1966 a
- Raillietina dichlorophen, poultry Panda, N. C., 1967 a
- Raillietina Homomycin, growth inhibitor of Raillietina, fowl Sawada, I., 1966 b
- Raillietina preparation V, poultry Shirinov, N. M., 1965 a
- Raillietina phenothiazine, arecoline, piperazine-adipinat mixture; chickens Sovetnikov, V. M., 1963 c
- Raillietina epizootiology, turkeys Taranenko, I. L., 1965 a
Odessa oblast
- Raillietina sp. chickens (ceca) Manuel, M. F.; and Talens, E. O., [1967 a], 108
Philippines
- Raillietina sp. human (enfant) Ngvén-Van-Ai, [1960 a], 105
Viet Nam
- Raillietina sp. Parus major (intestine) Pasparev, G. V.; and Zheilazkova-Paspaleva, A., 1965 a
Bulgaria
- Raillietina sp. embryogenesis Rybicka, K., 1966 b, fig. 7
- Raillietina spp. ants as intermediate and definitive hosts, review Svadzhian, P. K.; and Frolkova, L. V., [1966 b]
- Raillietina (Raillietina) sp. Meleagris gallopavo silvestris Vasilev, I. D.; and Kamburov, P., 1965 a
Bulgaria
- Raillietina anatina (Fuhrmann, 1909) rată Olteanu, G.; and Stoican, E., 1963 b, 231
Romania
- Raillietina (R.) apivori sp. nov. Permis apivorus (small intestine) Makarenko, V. K., 1963 a, 160-162, fig. 1
Perm oblast, Chusovsk region, Chusovoi city
- Raillietina (Skrjabinia) boliviari Alectoris graeca caucasica Coturnix coturnix Akhumian, K. S., 1966 a
all from Armenian SSR
- Raillietina (R) carneo-striabilata n. sp. (first half of the jejunum) turkey pheasant wild turkey Vasiliev, I. D., 1967 a, 855-858, figs. 1-2
all from Bulgaria
- Raillietina (R) carpophagi Columba livia neglecta Akhumian, K. S., 1966 a
Armenian SSR
- Raillietina (Skrjabinia) caucasica sp. n. Tetramorium caespitum (abdominal cavity) Meleagris gallopavo (small intestine) (exper.) Gallus gallus dom. (small intestine) (exper.) Petrochenko, V. I.; and Kireev, N. A., 1966 a, 1491-1493, figs. 1-2
SSSR (Stavropol kraï)
- Raillietina caucasica seasonal distribution Tetramorium caespitum Kireev, N. A., 1965 b
Georgiev region, Stavropol' sk krai
- Raillietina caucasica Yomesan; dichlorophen; hexachlorophen, turkeys Kireev, N. A., 1966 a
- Raillietina [sic] (R.) celebensis (Janicki 1902) rats Raillietina (Raillietina) celebensis (Janicki, 1902) rats Niphadkar, S.M.; and Rao, S. R., 1966 a
India
- Raillietina (Skrjabinia) cesticillus Alectoris graeca caucasica Perdix perdix canescens Niphadkar, S. M.; and Rao, S. R., 1966 b
Bombay, India
- Raillietina cesticillus economic importance of parasites Bobero H.; and Reid, W. M., 1967 a
- Raillietina cesticillus composition, crystallization patterns of calcareous corpuscles von Brand, T.; Nylen, M. U.; Martin, G. N.; and Churchwell, F. K., 1967 a
- Raillietina cesticillus [Gallus gallus] Dement'eva, S. P., 1964 a
Moldova Sozialiste, Kotovsk region
- Raillietina (Skrjabinia) cesticillus (Molin, 1858) Gallus gallus domesticus (intestine) Dodbiba, A., 1966 a
Albania
- Raillietina cesticillus [sic] [Gallus gallus] Georgiev, B.; and Denev, I., 1959 b
district of Tirnovo, Bulgaria
- Raillietina cesticillus nitrogen and amino acid analyses Goodchild, C. G.; and Dennis, E. S., 1966 a
- Raillietina cesticillus domestic fowl (gastro-intestinal tract) Islam, A. W. M. S.; and Shaikh, H., 1967 a
Mymensingh District, East Pakistan
- Raillietina cesticillus hen Kim, Jyong Hi, (1958 a); 1958 b
Korea
- Raillietina cesticillus chickens (intestines) Manuel, M. F.; and Talens, E. O., [1967 a], 108, 111, pl. 2, figs. 5-6
Philippines
- Raillietina cesticillus (Molin, 1858) găini Olteanu, G.; and Stoican, E., 1963 b, 226
Romania
- Raillietina cesticillus (Molin, 1858) Gallus gallus Oshmarin, P.G., 1965 b
Buriat ASSR
- Raillietina cesticillus poultry Epierus pulicarius Reid, W. M.; Kemp, R. L.; and Prestwood, A. K., 1964 a, fig. 3
all from Georgia
- Raillietina cesticillus embryogenesis Rybicka, K., 1966 b, fig. 29
- Raillietina cesticillus Alphitophagus bifasciatus Sato, K.; Hasegawa, I.; and Gotoh, J., 1966 a, 1 pl., figs. 2-4

| | | | |
|--|--|---|---|
| Raillietina cesticillus [<i>Gallus gallus</i>] | Shumilo, R. P.; and Dement'eva, S. P., 1963 a central Moldavia | Raillietina (Paroniella) compacta Clerc, 1906 <i>Oriolus oriolus</i> (small intestine) | Rysavy, B., 1965 b, 255-256, fig. 1 Tekovske Luzany (Slovakia, CSSR) |
| Raillietina cesticillus domestic fowl | Singh, P. P.; and Pande, B. P., 1968 a India | Raillietina (Fuhrmannetta) crassula <i>Streptopelia turtur turtur</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Raillietina cesticillus (Molin, 1858) [<i>Gallus gallus</i>] (small intestine) | Skutar, I. G., [1964 b], 198 Moldavian SSR | Raillietina (Skrjabinia) cryptocolyte <i>Coturnix coturnix</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Raillietina cesticillus [<i>Gallus gallus</i>] | Sovetnikov, V. M., 1963 b Orenburg oblast | Raillietina (Raillietina) demerariensis (Daniels 1895) J. A. (jr.), 1968 a, 189-190 <i>Alouatta villosa</i> (small intestine) | Thatcher, V. E.; and Porter, Panama |
| Raillietina cesticillus Molin, 1858 <i>Perdix perdix</i> | Stoimenov, K. A.; and Trifonov, T., 1964 a eastern Bulgaria | Raillietina (R.) echinobothrida thrida <i>Alectoris graeca caucasica</i> <i>Perdix perdix</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| Raillietina cesticillus control and treatment | Widenhorn, O., 1965 a | Raillietina echinobothrida piperazine, hexachlorophene, fowl | Bratanov, V., 1966 a, 841-845 |
| Raillietina cesticillus, Treatment Yomesan | Boisvenue, R. J.; and Hendrix, J. C., 1965 a, 519-522 | Raillietina echinobothrida [Gallus gallus] Dement'eva, S. P., 1964 a Moldova Sozialiste, Kotovsk region | Dement'eva, S. P., 1964 a Moldova Sozialiste, Kotovsk region |
| Raillietina cesticillus, Treatment 14.015 R.P., chicks | Graber, M., 1967 e | Raillietina (R.) echinobothrida (Megnin, 1881) [sic] Gallus gallus domesticus (intestine) | Dodbiba, A., 1966 a Albania |
| Raillietina cesticillus, Treatment dibutyl lead acetate; tributyle lead acetate; tetrabutyle lead acetate | Gras, G.; and Un, S., 1965 a | Raillietina echinobothrida [sic] Megnin, 1880 [Gallus gallus] [<i>Anas platyrhynchos</i>] [<i>Meleagris gallopavo</i>] | Georgiev, B.; and Denev, I., 1959 b all from district of Tirnova Bulgaria |
| Raillietina cesticillus, Treatment Bitin-S | Guilhon, J.; and Gruber, M., 1967 a | Raillietina echinobothrida 14.015 R.P., chicks | Gruber, M., 1967 e |
| Raillietina cesticillus, Treatment Yomesan; dichlorophen; hexachlorophen, turkeys | Kireev, N. A., 1966 a | Raillietina echinobothrida fowl (intestine) | Hassan, Z. A., 1966 a Comilla, Pakistan |
| Raillietina cesticillus, Treatment bunamidine hydroxynaphthoate, poultry | McCulloch, B.; and Kasimbala, S., 1967 a | Raillietina echinobothrida domestic fowl (gastro-intestinal tract) | Islam, A. W. M. S.; and Shaikh, H., 1967 a Mymensingh District, East Pakistan |
| Raillietina cesticillus, Treatment Homomycin | Sato, K.; Hasegawa, I.; and Gotoh, J., 1967 a | Raillietina echinobothrida hen | Kim, Jyong Hi, (1958 a); 1958 b Korea |
| Raillietina cesticillus, Treatment Homomycin | Sawada, I., 1965 d | Raillietina echinobothrida Yomesan, hens | Lungu, T.; Milla, C.; and Barbarosa, E., 1965 a |
| Raillietina (Skrjabinia) circumvallata (Krabbe, 1896) ant intermediate hosts, review | Svadzhian, P. K.; and Frolkova, L. V., 1966 a | Raillietina echinobothrida bunamidine hydroxynaphthoate, poultry | McCulloch, B.; and Kasimbala, S., 1967 a |
| Raillietina (Skrjabinia) circumvallata (Krabbe, 1869) <i>Meleagris gallopavo silvestris</i> | Vasilev, I. D.; and Kamburov, P., 1965 a Bulgaria | Raillietina echinobothrida chickens (intestines) | Manuel, M. F.; and Talens, E. O., [1967 a], 108, 110, pl. 1, figs. 1-2 Philippines |
| Raillietina (Skrjabinia) circumvallata [sic] var. sibirica Fedjuschin, 1953 as syn. of Raillietina (S.) fedjuschini sp. nova | Skutar, I. G., [1964 b], 194 | Raillietina (Raillietina) echinobothrida [sic] (Megnin 1881) gäini | Olteanu, G.; and Stoican, E., 1963 b, 226 Romania |
| Raillietina (Skrjabinia) circumvallata var. sibirica Fedjushin, 1953 | Svadzhian, P. K.; and Frolkova, L. V., 1966 a | Raillietina echinobothrida <i>Tetramorium caespitum</i> | Savchenko, M. E., 1963 b Dnepropetrovsk oblast |
| Raillietina compacta (Clerc, 1906) (intestine) <i>Turdus viscivorus</i> | Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria | Raillietina echinobothrida [Gallus gallus] Shumilo, R. P.; and Dement'eva, S. P., 1963 a central Moldavia | Shumilo, R. P.; and Dement'eva, S. P., 1963 a central Moldavia |

- Raillietina echinobothrida (Megnin, 1881) [Gallus gallus] kur, tsypliat (small intestine) Skutar, I. G., [1964 b], 198 Moldavian SSR
- Raillietina echinobothrida [Gallus gallus] Sovetnikov, V. M., 1963 a Orenburg oblast
- Raillietina echinobothrida +[Gallus gallus] Sovetnikov, V. M., 1963 b Orenburg oblast
- Raillietina echinobothrida Megnin, 1880 Perdix perdix perdix Stoimenov, K. A.; and Trifonov, T., 1964 a eastern Bulgaria
- Raillietina echinobothrida (Megnin, 1881) ant intermediate hosts, review Svdzhian, P. K.; and Frolkova, L. V., 1966 a
- Raillietina echinobothrida control and treatment Widenhorn, O., 1965 a
- Raillietina (R.) erschovi n. sp. Streptopelia orientalis (small intestine) Movsesian, S. O., [1966 a], 162-165, fig. 1 Kirgizskaya SSR (Arkit)
- Raillietina (Skrjabinia) fedjuschini sp. nova Syn.: Raillietina (Skrjabinia) circumvalata var. sibirica Fedjuschin, 1953 [Gallus gallus] (small intestine) Skutar, I. G., [1964 b], 194-196, 198, 199, 205, 206, 207, 208 Moldavian SSR
- Raillietina (Skrjabinia) fedjushini [sic] Skutar, 1963 ant intermediate hosts, review Svdzhian, P. K.; and Frolkova, L. V., 1966 a
- Raillietina (R.) friedbergeri Alectoris graeca caucasica Coturnix coturnix Akhumian, K. S., 1966 a all from Armenian SSR
- Raillietina frontina (Duj., 1845) (intestine) Dryobates syriacus Dryobates major Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a all from Bulgaria
- Raillietina (R.) fuhrmani [sic] Columba livia neglecta Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (R.) gendrei Columba livia neglecta Akhumian, K. S., 1966 a Armenian SSR
- Raillietina georgiensis Reid and Nugara, 1961 ant intermediate hosts, review Svdzhian, P. K.; and Frolkova, L. V., 1966 a
- Raillietina (R.) globirostris Alectoris graeca caucasica Columba livia neglecta Akhumian, K. S., 1966 a all from Armenian SSR
- Raillietina (R.) graeca Alectoris graeca caucasica Columba livia neglecta Akhumian, K. S., 1966 a all from Armenian SSR
- Raillietina kashiwarensis latomycin, chickens Sawada, I., 1962 e
- Raillietina (Paroniella) kashiwarensis Sawada, 1953 ant intermediate hosts, review Svdzhian, P. K.; and Frolkova, L. V., 1966 a
- Raillietina (R.) kirghizica n. sp. Columba livia (small intestine) Movsesian, S. O., [1966 a], 165-167, fig. 2 Kirgizskaya SSR (Arkit)
- Raillietina (R.) korkei Streptopelia turtur turtur Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (Fuhrmannetta) laticanalitis Coturnix coturnix Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (Raillietina) loeweni n. sp. Bartel, M. H., 1964 a, 3888 all from Western Kansas Lepus californicus melanotis Pheidole sitarches campestris (abdomen) P. bicarinata (abdomen)
- Raillietina (R.) loeweni Bartel, M. H., 1965 a, 800-805, figs. 1-5 Pheidole sitarches campestris (exper.) (hemocoel of gaster) P. bicarinata (exper.) (hemocoel of gaster)
- Raillietina (R.) loeweni rabbits (exper.) Bartel, M. H.; and Hansen, M. F., 1967 a
- Raillietina longicollis (Molin, 1858) găini Olteanu, G.; and Stoican, E., 1963 b, 226 Romania
- Raillietina (R.) micracantha Streptopelia turtur turtur Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (Paroniella) numida Kasimov, G. B., 1965 b mixed infections
- Raillietina (R.) osipovi [sic] Pterocles orientalis Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (Raillietina) pilci Yamaguti, 1935 Dendrocyclus major (small intestine) Rysavy, B., 1965 b, 256-257, fig. 2 Květná (White Carpathian Mountains, CSSR)
- Raillietina (Raillietina) pintneri mixed infections Kasimov, G. B., 1965 b
- Raillietina (Fuhrmannetta) pluriuncinata Coturnix coturnix Akhumian, K. S., 1966 a Armenian SSR
- Raillietina sartica Skrjabin, 1914 Phylloscopus collybita (small intestine) Paspalev, G. V.; and Zheliazkova-Paspaleva, A., 1965 a Bulgaria
- Raillietina (Skrjabinia) sibirica Coturnix coturnix Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (R.) skrjabini Tschertkova et Petrov, 1959 Perdix perdix canescens Akhumian, K. S., 1966 a Armenian SSR
- Raillietina (R.) tetragona Alectoris graeca caucasica Perdix perdix canescens Coturnix coturnix Akhumian, K. S., 1966 a all from Armenian SSR
- Raillietina tetragona Bratanov, V., 1966 a, 841-845 piperazine, hexachlorophene, fowl

| | | | |
|---|---|---|--|
| Raillietina tetragona [<i>Gallus gallus</i>] | Dement'eva, S. P., 1964 a Moldova Sozialiste, Kotovsk region | Raillietina (R.) weissi <i>Columba livia neglecta</i> <i>Streptopelia turtur turtur</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| Raillietina tetragona 14.015 R.P., chicks | Graber, M., 1967 e | Retinometra Spassky, 1955 <i>Hymenocoeliini</i> | Spasskii, A. A.; and Spasska- ia, L. P., 1968 a, 1296 |
| Raillietina tetragona Bitin-S | Guilhon, J.; and Gruber, M., 1967 a | Retinometra bulbocirrosa (Pfeiffer, 1960) comb. n. Syn.: <i>Hymenophenacanthus</i> <i>bulbocirrosus</i> Pfeiffer, 1960. | Czaplinski, B., 1965 a, 38, 39 |
| Raillietina tetragona fowl (intestine) | Hassan, Z. A., 1966 a Comilla, Pakistan | Retinometra fasciculata Ransom, 1909 [<i>Anas platyrhynchos</i>] | Beloobylenko, V. T., 1965 a Ural oblast |
| Raillietina tetragona domestic fowl (gastro- intestinal tract) | Islam, A. W. M. S.; and Shaikh, H., 1967 a Mymensingh District, East Pakistan | Retinometra fasciculata <i>Anser anser</i> | Maksimova, A. P., 1966 a South Kazakhstan |
| Raillietina tetragona hen | Kim, Jyong Hi, (1958 a); 1958b Korea | Retinometra fasciculata (Ransom, 1909) <i>Anser anser</i> (intestine) | Maksimova, A. P., 1967 a, 145 Western Kazakhstan |
| Raillietina tetragona Yomesan, hens | Lungu, T.; Milla, C.; and Barbarosa, E., 1965 a | Retinometra fasciculata [<i>Anser anser</i>] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR |
| Raillietina tetragona bumamidine hydroxynaph- thoate, poultry | McGulloch, B.; and Kasimbala, S., 1967 a | Retinometra giranensis <i>Anas p. platyrhynchos</i> <i>A. strepera</i> | Akhumian, K. S., 1966 a all from Armenian SSR |
| Raillietina tetragona chickens (intestines) | Manuel, M. F.; and Talens, E. O., [1967 a], 108, 110, pl. 1, figs. 3-4 Philippines | Retinometra giranensis (Sugimoto, 1934) <i>Anas querquedula</i> <i>Nyroca marila</i> <i>Anas crecca</i> <i>A. clypeata</i> | Maksimova, A. P., 1967 a, 145 all from Western Kazakhstan |
| Raillietina (Raillietina) tetragona (Molin, 1858) gäini | Olteanu, G.; and Stoican, E., 1963 b, 226 Romania | Retinometra giranensis (Sugimoto, 1934) Spasskii, 1963 <i>Anas crecca</i> | Spasskai, L. P.; and Spass- kii, A. A., 1964 a, 16 Kamchatka Pacific seacoast |
| Raillietina tetragona [<i>Gallus gallus</i>] | Shumilo, R. P.; and Dement'- eva, S. P., 1963 a central Moldavia | Retinometra guberiana sp. n. <i>Cygnus olor</i> (duodenum and jejunum) | Czaplinski, B., 1965 a, 35- 38, 39, figs. 1a-f, 2a-i Guber lake, Palatinat of Olsztyn |
| Raillietina tetragona domestic fowl | Singh, P. P.; and Pande, B. P., 1968 a India | Retinometra longicirrosa (Fuhrmann, 1906) <i>Anser anser</i> | Akhumian, K. S., 1966 a Armenian SSR |
| Raillietina tetragona (Molin, 1858) [<i>Gallus gallus</i>] (small intestine) | Skutar, I. G., [1964 b], 198 Moldavian SSR | Retinometra longicirrosa [<i>Anser anser</i>] | Shevtsov, A. A., 1963 c Ukraine |
| Raillietina tetragona (Mo- lin), 1858 ant intermediate hosts, review | Svadzhian, P. K.; and Frol- kova, L. V., 1966 a | Retinometra longicirrosae [<i>Anser anser</i>] | Shevtsov, A. A., 1963 d steppe zone, Ukrainian SSR |
| Raillietina tetragona control and treatment | Widenhorn, O., 1965 a | Retinometra longicirrosa [<i>Anser anser</i>] | Shevtsov, A. A., 1966 b Ukrainian SSR |
| Raillietina (Paroniella) urogalli <i>Ixobrychus minutus</i> | Akhumian, K. S., 1966 a Armenian SSR | Retinometra longistylosa Tsen-Shen, 1932 [<i>Eulabeia indica</i>] | Chibichenko, N. T., 1966 a, 40 Kirgiz |
| Raillietina (Paroniella) urogalli (Modeer, 1790) ant intermediate hosts, review | Svadzhian, P. K.; and Frol- kova, L. V., 1966 a | Retinometra longistylosa <i>Anser anser</i> | Maksimova, A. P., 1966 a South Kazakhstan |
| Raillietina urogalli (Modeer, 1790) <i>Lagopus lagopus</i> (small intestine) | Threlfall, W., 1968 c Newfoundland, Canada | Retinometra longistylosa- losa (Tseng-Shen, 1932) <i>Anser fabalis</i> <i>Anser anser</i> | Maksimova, A. P., 1967 a, 145- 146, 147, fig. 12 all from Western Kazakhstan |
| Raillietina volzi chickens (intestines) | Manuel, M. F.; and Talens, E. O., [1967 a], 108, 111, pl. 2, figs. 7-8 Philippines | Retinometra longivaginata Fuhrmann, 1906 [<i>Eulabeia indica</i>] | Chibichenko, N. T., 1966 a, 40 Kirgiz |
| Raillietina volzi (Fuhrmann, 1905) [<i>Gallus gallus</i>] (small intestine) | Skutar, I. G., [1964 b], 198 Moldavian SSR | Retinometra macracanthos <i>Anas acuta</i> <i>Nyroca marila</i> <i>N. ferina</i> | Maksimova, A. P., 1967 a, 147 all from Western Kazakhstan |

- Retinometra macrocephala* Akhumian, K. S., 1966 a
Larus argentatus armenicus all from Armenian SSR
Anas platyrhynchos platyrhynchos
- Retinometra oxyuri* Maksimova, A. P., 1966 a
Oxyura leucocephala South Kazakhstan
- Retinometra serrata* Akhumian, K. S., 1966 a
 (Fuhrmann, 1906)
Streptopelia t. turtur
- Rhabdometra Cholodik*, 1906 Matevosian, E. M., 1965 a, 153
 Rhabdometriinae
- Rhabdometra dogieli* Akhumian, K. S., 1966 a
Alectoris graeca caucasica Armenian SSR
- Rhabdometra nigromaculata* Akhumian, K. S., 1966 a
Alectoris graeca caucasica all from Armenian SSR
Coturnix coturnix
- Rhabdometra nigropunctata* Akhumian, K. S., 1966 a
Alectoris graeca caucasica all from Armenian SSR
Coturnix coturnix
- Rhabdometra numida* Kasimov, G. B., 1965 b
 mixed infections
- Rhabdometra tomica* Oshmarin, P. G., 1965 b
 Cholodkowsky, 1906 Buriat ASSR
Tetrastes bonasia
- Rhabdometra tomica kirikowi* Akhumian, K. S., 1966 a
 [sic] all from Armenian SSR
Lyrurus mlokosiewiczi
Alectoris graeca caucasica
- Rhabdometriinae Mathevosian, E. M., 1965 a, 153
 1965
 Paruterinidae
 includes: *Rhabdometra Cholodik*, 1906; *Dendrometra Jordano* et D.,—Ungria 1956, *Lallum Johri*, 1960
- Rhabdotobothrium dollfusi* Williams, H. H., 1966 a,
 Euzet, 1953 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium* Williams, H. H., 1966 a,
 230, 231, fig. 23
- Rhinebothrium burgeri* Williams, H. H., 1966 a,
 Baer, 1948 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium cancellatum* Linton, 1890 Williams, H. H., 1966 a,
 wrongly allocated to 256
Echeneibothrium
- Rhinebothrium flexile* Williams, H. H., 1966 a,
 Linton, 1890 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium longicolle* Williams, H. H., 1966 a,
 Linton, 1890 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium maccallumi* Williams, H. H., 1966 a,
 Linton, 1924 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium palombi* Williams, H. H., 1966 a,
 Baer, 1948 256
 wrongly allocated to
Echeneibothrium
- Rhinebothrium rankini* Baer, 1948
 wrongly allocated to
Echeneibothrium
- Rhinebothrium shipleyi* Southwell, 1911
 wrongly allocated to
Echeneibothrium
- Rhynchobothrium*. See *Rhynchobothrius*.
- Rhynchobothrium sp.* Threlfall, W., 1967 a, 171
Mola mola (intestine wall) Newfoundland
- Rodentolepis erinacei* Gmel. Davydov, O. N., 1963 a
 +insectivores Ukraine
- Rodentolepis erinacei* (Gmelin, 1789) Spassky, 1954 Genov, T.; and Dimitrova, E.
Erinaceus roumanicus A., 1966 a, 136, 144, 150, 152,
 (small intestine) 157, 158 Bulgaria
- Rodentolepis erinacei* (Gmelin, 1789) Merkusheva, I. V., 1966 a
Erinaceus europaeus Byelorussia
- Rodentolepis merionis* (in lit.) Tokobaev, M. M., 1965 a
 rodents Kirgiz
- Rodentolepis merionis* Tokobaev, M. M., and Erkulov,
 Tokobaev et Erkulov nov. sp. K. F., 1966 a, 11-14, fig. 7
Merionis tamariscinus Kirgiz
 (small intestine)
- Rodentolepis microstoma* (Du- Sharpilo, L. D., 1961 a, 204
 jard., 1845) Spassky, 1954 Ukraine
Apodemus flavicollis
- Rodentolepis microstoma* (Du- Sharpilo, L. D., 1964 a, 212
 jardin, 1845) Spassky, 1954 Ukraine
Apodemus flavicollis] Andreiko, A. F., 1963 a, 12
Rodentolepis straminea (Goeze, 1782) Spassky, 1954 Moldavia
Spalax leucodon (small intestine)
- Rodentolepis straminea* (Goeze, 1782) Spassky, 1954 Sharpilo, L. D., 1961 a, 204
Rattus norvegicus Ukraine
Cricetus migratorius
- Rodentolepis straminea* Mus musculus Sharpilo, L. D., 1963 a
 Andreiko, A. F., 1963 a right-bank steppes,
Rodentolepis straminea Cricetus migratorius Ukrainian SSR
- Rodentolepis straminea* Apodemus agrarius Tenora, F., 1965 c, 70, 72,
Apodemus flavicollis 73 Czechoslovakia
- Rodentolepis straminea* Apodemus sylvaticus Spasskii, A. A., 1966 a;
Apodemus sylvaticus 1966 b; 1966 c
- Rodentolepis taruiensis* n. sp. Sawada, I., 1967 b, 177-179,
Rhinolophus cornutus figs. 1-5 Tarui, Gifu Prefecture,
 (small intestine) Japan
- Rodentotaenia Mathevossian,* Spasskii, A. A., 1966 a;
 1963 as syn. of *Prochoanotaenia* Meggitt, 1924
- Rodentotaenia* sp. Panin, V. Ia., 1967 b, 13-15
Agriolimax agrestis all from Southern Altai,
Bradybaena fruticum Kazakhstan
Cochlicopa lubrica
C. lubricella
Euconulus fulvus
Perpolita petronella

- Rodentotaenia sp.—— Continued.
Succinea altaica
S. granulosa
Vitrina ruglosa
Zenobiella nordenskioldi
- Rodentotaenia crassiscolex (Linstow, 1890) Matevossian 1963 (intestine)
Sorex araneus
Neomys anomalus
Crocidura leucodon
C. suaveolens
- Rodentotaenia crassiscolex (Linstow, 1890) Mathevossian, all from Ukraine 1962
Neomys fodiens
Sorex araneus
S. minutus
- Rodentotaenia crassiscolex (Linst.) Mathevossian, 1963 1966 b; 1966 c as syn. of *Prochoanotaenia classiscolelex* (Linstow, 1890) n. comb.
- Panin, V. Ia., 1967 b.—— Continued.
- Genov, T.; and Dimitrova, E. A., 1966 a, 142, 144, 150, 152, 157, 158 Bulgaria
- Genov, T., 1966 a, 140-142, 145, 147, 148, 150, 152, 157, 158 all from Bulgaria
- Sharpilo, L. D., 1964 a, 212
- Rostellotaenia gen. nov.
Acanthotaeniinae
 key
- Rostellotaenia beddardi (Woodland, 1925) n. comb.
- Rostellotaenia nilotica (Beddard, 1913) n. comb.
 (tod)
- Rostellotaenia woodlandi (Moghe, 1926) n. comb.
- Freze, V. I., 1963 a, 155
 tod: *R. nilotica* n. comb.
- Freze, V. I., 1963 a, 155
- Freze, V. I., 1963 a, 155
- Freze, V. I., 1963 a, 155

- Sacciuterina sp.
(Spassky, 1941)
Tringa hypoleucus
- Sacciuterina paradoxa
(Rudolphi, 1802) Mathevos-
sian, 1963
Eisenia rosea (body cavity)
- Sacciuterina paradoxa
(Rudolphi, 1802) Mathevos-
sian, 1963
variation of morphological characters
- Sacciuterina parvirostris
[sic] (Krabbe, 1869)
Calidris alpina alpina
- Sacciuterina parvirostris
(Krabbe) Mathevoossian, 1963
as sym. of *Vitta parvirostris* (Krabbe, 1869) Baer, 1959
- Sacciuterina stellifera
(Krabbe 1869)
Tringa hypoleucus
- Sacciuterina stellifera
(Krabbe, 1869) Mathevoossian,
1963 (body cavity)
Eisenia nordenskioldi
- Schistocephalus embryogenesis
- Schistocephalus dimorphus
Greplin, 1829
as syn. of Sch. solidus (Miller, 1776)
- Schistocephalus gasterostei
(Fabricius, 1780)
as syn. of Sch. solidus (Miller, 1776)
- Schistocephalus nemachili
Dubinina, 1959
[*Hydroprogne tschegrawa*]
[*Chlidonias hybrida*]
- Schistocephalus nemachili
Dubinina, 1959
as syn. of Schistocephalus solidus (Miller, 1776)
- Schistocephalus pungitii
Dubinina, 1959
Anas strepera
Clangula clangula
Mergus serrator
- Schistocephalus pungitii M.
Dubinina, 1959
as syn. of Sch. solidus (Miller, 1776)
- Schistocephalus rhynchich-
thydis Diesing, 1863
as syn. of Sch. solidus (Miller, 1776)
- Schistocephalus solidus
(Müller, 1776)
pathological effects
Gasterosteus aculeatus
(body cavity)
- Akhumian, K. S., 1966 a
Armenian SSR
- Demshin, N. I., 1965 c, fig. 1
(1-2)
USSR, Primorskii krai,
Aurovka of Amuchino region
- Demshin, N. I., 1965 d, figs.
1, A-B, 4, A-B, 5
- Akhumian, K. S., 1966 a
Armenian SSR
- Spasskiy, A. A.; and Spasska-
ia, L. P., 1966 a
USSR, Primorskii krai,
shore of Daubikhe River near
Kornilovka and shore near
Santakhez
- Rybicka, K., 1966 b, fig. 8
- Zhukov, E. V., 1963 a, 113
- Demshin, N. I., 1965 c, fig. 2,
(1-4)
USSR, Primorskii krai,
shore of Daubikhe River near
Kornilovka and shore near
Santakhez
- Zhukov, E. V., 1963 a, 113
- Smogorzhevskaiia, L. A.; Kor-
niushin, V. V.; Iskova, N. I.,
and Eminov, A., 1965 a
all from Turkmen
- Zhukov, E. V., 1963 a, 113
- Smogorzhevskaiia, L. A.; Kor-
niushin, V. V.; Iskova, N. I.,
and Eminov, A., 1965 a
all from Kamchatka Pacific
seacoast
- Zhukov, E. V., 1963 a, 113
- Arme, C.; and Owen, R. W.,
1967 a, pl. 1, figs. 1, 3,
pl. 2, figs. 5-7, 9
Farnley, Leeds
- Schistocephalus solidus
host specificity, trans-
fers
Pungitius pungitius (exper.)
- Schistocephalus solidus
host specificity, surgical
transfer of plerocercoids
Gasterosteus aculeatus (exper.)
Pungitius pungitius (exper.)
- Schistocephalus solidus
fine structure, tegument
- Schistocephalus solidus
pH, oxygen consumption
- Schistocephalus solidus
(O. F. Müller, 1776)
Gasterosteus aculeatus
- Schistocephalus solidus
plerocercoid growth in
vitro
- Schistocephalus solidus
Gasterosteus aculeatus
(intestine)
Pygosteus pungitius
Salmo trutta (stomach)
[*Salmo irideus*] rainbow trout (stomach)
- Schistocephalus solidus
cuticle
- Schistocephalus solidus
histochemical develop-
ment of cuticle
- Schistocephalus solidus
Gasterosteus aculeatus
Pungitius pungitius
- Schistocephalus solidus
(Müller, 1776)
Ardea cinerea
Phalacrocorax pygmaeus
Nycticorax nycticorax
- Schistocephalus solidus
embryogenesis
- Schistocephalus solidus
Creplin, 1829
Salvelinus fontinalis
(stomach)
- Schistocephalus solidus
(Müller, 1776)
[*Gelochelidon nilotica*]
[*Phalacrocorax carbo*]
[*Phalacrocorax pygmaeus*]
[*Mergus albellus*]
- Schistocephalus solidus
(Mueller, 1776)
+*Phoca vitulina*
- Schistocephalus solidus
(Muller, 1776)
Gasterosteus aculeatus,
mass die-off
(body cavity)
- Schistocephalus solidus
(Miller, 1776) larvae
Zhukov, E. V., 1963 a, 113,
114-116
Syns.: Sch. gasterostei (Fabricius, 1780); Sch. dimor-
phus Creplin, 1829; Sch. rhynchichthys Diesing, 1863;
- Bråten, T., 1966 a, 657, pl.,
figs. 1-2
- Bråten, T., 1966 b
- Charles, C. H.; and Bråten,
T., 1965 a
- Davies, P. S.; and Walkey,
M., 1965 a
- Haitlinger, R.; and Wolaniska,
L., 1965 a, fig. 1
Siecino lake, Pomerania
- Hopkins, C. A.; and Sinha,
D. P., 1965 a
- Kane, M. B., 1966 a, 208,
215
all from Ireland
- Lee, D. L., 1966 b, fig. 9
- Morris, G. P.; and Finnegan,
C. V., 1968 a, fig. 1-2, pl.
I, figs. 3-4
- Puidak, U., 1965 a, 555
all from Estonian coastal
waters
- Roman-Chiriac, E., 1965 a,
143, 147, 150
all from Danube delta,
Romania
- Rybicka, K., 1966 b, fig. 9
- Sandeman, I. M.; and Pippy,
J. H. C., 1967 a, 1922
Newfoundland
- Smogorzhevskaiia, L. A.; Kor-
niushin, V. V.; Iskova, N. I.,
and Eminov, A., 1965 a
all from Turkmen
- Sprehn, C. E. W., 1966 a, 175
- Threlfall, W., 1968 a, 105,
106
Ocean Pond, St. John's,
Newfoundland
- Zhukov, E. V., 1963 a, 113,

- Schistocephalus solidus.— Zhukov, E. V., 1963 a.— Continued.
Sch. memachili Dubinina, 1959; *Sch. pungitii* M. Dubinina, 1959
Pungitius pungitius all from Chukotsk Peninsula (abdominal cavity)
Cottus kaganowskii (abdominal cavity)
- Schistometra Cholodkovsky, Artiukh, E. S. K., 1965 a
1912
Idiogenidae, key
- Schistotaenia macrocirus Threlfall, W., 1968 c
Chandler, 1948 Newfoundland, Canada
Podilymbus podiceps (ant. small intestine)
- Schistotaenia macrorhyncha Zhatkanbaeva, D., 1965 a
(Rudolphi, 1810) Southern and Central Kazakhstan
Podiceps nigricollis
- Schizorchis altaica Gubanov, N. M., 1964 a, 23
Gvosdev, 1951 Yakutia
Ochotona alpina (small intestine)
- Schizorchis altaica Gvozdev, E. V.; and Ovodov, N. D., 1966 a, 27-28
Ochotona alpina Eastern Siberia
- Schizorchis altaica Tokobaev, M. M.; and Erkulov, K. E., 1966 b, 18
(G. small intestine)
Ochotona rufila
O. roylei macrotis
- Scolex pleuronectis Baeva, O. M., 1965 a
Pleurogrammus monopterigius Avacha Bay, USSR (gall bladder)
- Scolex pleuronectis Baeva, O. M., 1965 b
Miller, 1778 Pacific Ocean
Cololabis saira (intestine)
- Scolex pleuronectis El Maghraby, A. M.; and Perkins, E. J., 1956 a, 486 Müller
Solea solea (intestine)
- Scolex pleuronectis [sic] Ichihara, A.; et al, 1964 b Beryx splenedens
Bay of Sagami, Japan
- Scolex pleuronectis Kovaleva, A. A., 1965 a Müller, 1788
Trachurus mediterraneus Azov Sea; Black Sea ponticus (intestine)
- Scolex pleuronectis Miller, Mamaev, Iu. L., 1965 a, 180 1788 (intestine, gall bladder) all from Bering Sea
Sebastodes alutus
S. introniger
S. aleutianus
Anoplopoma fimbria
Coryphaenoides sp.
Atherestes evermanni
A. stomias
Reinhardtius hippoglossoides matsuurae
Hippoglossus hippoglossus stenolepis
Theragra chalcogramma
- Scolex pleuronectis Naidenova, N. N., 1965 a, 173 (intestine)
Gobius melanostomus
G. niger
G. batrachoccephalus
- Scolex pleuronectis Müller Nikolaeva, V. M., 1963 a, 416 1788
Trachurus mediterraneus
ponticus (stomach, intestine)
- Scolex pleuronectis Müller, 1788 Srivastava, L. P., 1966 a
Onos mustelus (intestine)
- Scolex pleuronectis Müller, 1788 Srivastava, L. P., 1966 d, 473, 474, figs. 12-13
Onos mustelus (intestine, pyloric caeca)
- Scolex pleuronectis Müller, 1788 Zhukov, E. V., 1963 a, 113, 114, fig. 8
Clupea harengus pallasi all from Chukotsk Peninsula (pyloric caeca, intestine)
Salvelinus malma (pyloric caeca, intestine)
Osmerus eperlanus dentex (intestine)
Mallotus villosus socialis (intestine)
Gadus morhua macrocephalus (intestine)
Ammodytes hexapterus hexapterus (intestine)
Hexagrammos stelleri (intestine)
Melletes papilio (intestine)
Gymnacanthus tricuspid (intestine)
Myoxocephalus polyacanthocephalus (intestine)
M. verrucosus (pyloric caeca, intestine)
M. platicephalus (intestine)
Blepsis bilobus (intestine)
Podothecus acipenserinus (intestine)
Liparis gibbus (intestine)
Pleuronectes stellatus (intestine)
- Senga Dollfus Fernando, C.H.; and Furtado, J.I., 1964 a, 58-59
key to species
- Senga sp. (Southwill, 1913) Fernando, C.H.; and Furtado, J.I., 1964 a, 59
key
- Senga sp. T'ang, C.-C.; and Lin, H.-M., 1968 a
Monopterus albus (intestines)
Mesocyclops leuckarti (exper.) Fukien Province, China
Thermocyclops hyalinus "
- Senga besnardi Dollfus Fernando, C.H.; and Furtado, J.I., 1964 a, 58
1934
key
- Senga filiformis sp. nov. Fernando, C.H.; and Furtado, J.I., 1964 a, 45, 49, 50, 53-56, 57, 59, figs. 17-21
Channa micropeltes (intestine) (purchased in Singapore)
? Palembang, Sumatra
- Senga lucknowensis Johri Fernando, C.H.; and Furtado, J.I., 1964 a, 59
1956
key
- Senga malayana sp. nov. Fernando, C.H.; and Furtado, J.I., 1964 a, 45-48, 49, 50, 57, 59, figs. 1-10
Channa striata (small intestine)
Batu Berendam, Malacca
- Senga ophicephaliana Fernando, C.H.; and Furtado, J.I., 1964 a, 59
Tseng 1933
key
- Senga parva sp. nov. Fernando, C.H.; and Furtado, J.I., 1964 a, 45, 49, 50, 51-53, 58, figs. 11-16
Channa micropeltes (intestine) (purchased in Singapore)
Palembang, Sumatra (?Malaya)

- Senga pycnomera (Woodland 1924)
key Fernando, C.H.; and Furtado, J.I., 1964 a, 58
- Shipleya inermis Fuhrmann, 1908 sex distribution (muscosa posterior to gizzard) Limnodromus scolopaceus L. griseus Silurotaenia Nybelin, 1942 Gangesinae key Silurotaenia siluri Silurus glanis (crijevo) Silurus siluri Silurus glanis Silurotaenia siluri (Batsch, 1786) Silurus glanis Silurotaenia siluri Pseudoscaphirhynchus kaufmanni Sinuterilepis nov. gen. Hymenolepididae Simuterilepis diglobovary gen. nov., sp. nov. lapsus on p. 294 as: S. spasskyi n. sp. Sorex macropygmaeus (intestine) Sorex sp. (intestine) Simuterilepis spasskyi nov. gen., nov. sp. (tod) (intestine) Sorex macropygmaeus Skrjabinoparaksis tatianae Krotov, 1949 [Anas clypeata] Skrjabinoparaksis tatianae Anas clypeata Skrjabinoparaksis tati-anae Krotov, 1949 Anas clypeata Skrjabinotaenia lobata (Baer, 1925) (small intestine) Apodemus sylvaticus Skrjabinotaenia lobata (Baer, 1925) Spassky, 1951 Apodemus flavicollis A. sylvaticus Skrjabinotaenia lobata (Baer, 1925) [Apodemus flavicollis] [Apodemus sylvaticus] Skrjabinotaenia lobata (Baer, 1925) Semenova, L. F.; and farulin, G. P., 1965 a Russia, Dagestan ASSR, Dakhaevsk region Sharpilo, L.D., 1961 a, 204 Ukraine Sharpilo, L.D., 1964 a, 211-212 all from Ukraine Tenora, F., 1965 c, 70, 72, 73 Czechoslovakia
- Self, J. T.; and Pipkin, J. S., 1966 a Cheyenne Bottoms Wildlife Refuge, Great Bend, Kansas, and Rockport, Texas Freze, V. I., 1963 a, 153
- Canković, M.; Kiskarolj, M.; and Ramadanović, R., 1968 a Sava river Lucky, Z., 1966 a Margaritov, N. M., 1964 a Bulgaria Osmanov, S. O., 1965 c Pseudoscaphirhynchus kaufmanni Sadovskala, N. P., 1965 a, 292, 293-294 tod: S. spasskyi n. g., n. sp. Sadovskala, N. P., 1965 a, 294-295, addendum, insert, following p. 349, fig. 3 all from Primorskii krai Sorex macropygmaeus (intestine) Sorex sp. (intestine) Sadovskala, N. P., 1965 a, 292-294, fig. 2 USSR, Primorskii krai Chibichenko, N. T., 1966 a, 41 [Anas clypeata] Maksimova, A. P., 1966 a South Kazakhstan Maksimova, A. P., 1967 a, 147-148 Western Kazakhstan Semenova, L. F.; and farulin, G. P., 1965 a Russia, Dagestan ASSR, Dakhaevsk region Sharpilo, L.D., 1964 a, 211-212 all from Ukraine Tenora, F., 1965 c, 70, 72, 73 Czechoslovakia
- Skrjabinotaenia lobata (Baer, 1925) n. comb. Syn.: Catenotaenia lobata Baer, 1925 Apodemus [spp.] Clethrionomys glareolus Sobolevianthus Spassky et Spasskaja, 1954 Hymenocoeliini Sobolevianthus collaris Anas p. platyrhynchos Sobolevianthus columbae Streptopelia turtur turtur Sobolevianthus dafilae (Polk, 1942) Spasskaja, 1961 [Anas formosa] Sobolevianthus dafilae Oxyura leucocephala Anas crecca Sobolevianthus dafilae (Polk, 1932) Anas platyrhynchos A. acuta Nyroca ferina Sobolevianthus dafilae (Polk, 1942) Yamaguti, 1959 Anas acuta Anas crecca Sobolevianthus fragilis (Krabbe, 1869) Spassky et Spasskaja, 1954 [Netta rufina] (intestine) [Anas crecca] Sobolevianthus fragilis Anas platyrhynchos A. acuta Nyroca ferina Sobolevianthus fragilis (Krabbe, 1869) Spassky et Spasskaja, 1954 Anas acuta A. platyrhynchos Nyroca ferina Sobolevianthus fragilis (Krabbe, 1869) Spasskii et Spasskaja, 1954 Anas platyrhynchus Sobolevianthus gladium Spassky et Bobova, 1962 Anas crecca Sobolevianthus gracilis domestic waterfowl Sobolevianthus gracilis (Zeder, 1803) [Anas platyrhynchos] Sobolevianthus gracilis (Zeder, 1803) Spassky et Spasskaja, 1954 (intestine) [Anas platyrhynchos] [Anas acuta]
- Wahl, E., 1967 a, fig. 2 all from Val de l'Allondon (Geneva) Spasskii, A. A.; and Spasskaja, L. P., 1968 a, 1296 Akhumiyan, K. S., 1966 a Armenian SSR Akhumiyan, K. S., 1966 a Armenian SSR Chibichenko, N. T., 1966 a, 39 Kirgiz Maksimova, A. P., 1966 a South Kazakhstan " Maksimova, A. P., 1967 a, 148 all from Western Kazakhstan Maksimova, A. P.; and Spasskii, A. A., 1964 a, 16 all from Kamchatka Pacific seacoast Chibichenko, N. T., 1966 a, 39 all from Kirgiz Maksimova, A. P., 1966 a all from South Kazakhstan Maksimova, A. P., 1967 a, 148 all from Western Kazakhstan Spasskii, L. P.; and Spasskii, A. A., 1964 a, 16 Kamchatka Pacific seacoast Spasskii, L. P.; and Spasskii, A. A., 1964 a Kamchatka Pacific seacoast Spasskii, L. P.; and Spasskii, A. A., 1964 a Kamchatka Pacific seacoast Adysheva, M. M., 1963 a Andizhan oblast Belokobylenko, V. T., 1965 a Ural oblast Chibichenko, N. T., 1966 a, 39 all from Kirgiz

| | | | |
|--|---|---|--|
| Sobolevianthus gracilis Acanthocyclops viridis Macrocylops albidus | Chibichenko, N. T., 1966 b, 68 all from lake Isslyk-kul | Sobolevianthus gracilis [Anas platyrhynchos] [Anser anser] [Gallus gallus] | Smogorzhevskaya, L. A.; and Iskova, N. I., 1963 a all from Ukrainian SSR |
| Sobolevianthus gracilis Macrocylops albidus Mesocyclops oithonoides Acanthocyclops viridis Eucyclops serrulatus | Dobrokhotova, O. V., 1965 a all from Southern Kazakhstan | Sobolevianthus gracilis (Zeder, 1803) Spassky et Spasskaja, 1954 Anas strepera | Spasskaya, L. P.; and Spass- kii, A. A., 1964 a, 16 Kamchatka Pacific seacoast |
| Sobolevianthus gracilis intermediate hosts | Dobrokhotova, O. V., 1967 a Southern Kazakhstan | Sobolevianthus krabbeella [sic] (Hughes 1940) Ryjikov, 1956 [Anas crecca] [A. platyrhynchos] | Chibichenko, N.T., 1966 a, 39 all from Kirgiz |
| Sobolevianthus gracilis chlorophos, ducks | Egizbaeva, Kh. I., 1965 a | Sobolevianthus krab- beella Anas crecca | Maksimova, A. P., 1966 a South Kazakhstan |
| Sobolevianthus gracilis [Anas platyrhynchos] [Anas penelope] | Kibakin, V. V., 1965 a all from Gasan-Kuliisk game reserve | Sobolevianthus krab- beella (Hughes, 1940) Ryjikov, 1956 Anas crecca A. acuta A. querquedula A. clypeata A. platyrhynchos A. strepera | Maksimova, A. P., 1967 a, 148 all from Western Kazakhstan |
| Sobolevianthus gracilis Anas platyrhynchos A. acuta | Maksimova, A. P., 1966 a all from South Kazakhstan | Sobolevianthus krabbeella (Hughes, 1940) Czaplinski, 1956 Anas crecca A. platyrhynchos | Spasskaya, L. P.; and Spass- kii, A. A., 1964 a, 16 all from Kamchatka Pacific seacoast |
| Sobolevianthus gracilis (Zeder, 1803) Spasskaja et Spassky, 1954 Anas acuta A. platyrhynchos A. clypeata A. querquedula Myroca ferina | Maksimova, A. P., 1967 a, 148 all from Western Kazakhstan | Sobolevianthus octacantha Tadorna ferruginea | Akhumian, K. S., 1966 a Armenian SSR |
| Sobolevianthus gracilis (Zeder, 1803) raja gisca | Olteanu, G.; and Stoican, E., 1963 b, 231, 235 all from Romania | Sobolevianthus octacantha (Krabbe, 1869) [Anas strepera] [Anas platyrhynchos] | Chibichenko, N. T., 1966 a, 39 all from Kirgiz |
| Sobolevianthus gracilis (Zeder, 1803) Anas platyrhynchos | Oshmarin, P. G., 1965 b Buriat ASSR | Sobolevianthus octacantha Anas clypeata A. platyrhynchos | Maksimova, A. P., 1966 a all from South Kazakhstan |
| Sobolevianthus gracilis [Anas platyrhynchos] | Palim[p]estov, M. A., 1963 a Tagotinsk poultry farms | Sobolevianthus octacantha (Krabbe, 1869) Anser anser Anas querquedula A. clypeata A. acuta A. platyrhynchos | Maksimova, A. P., 1967 a, 149 all from Western Kazakhstan |
| Sobolevianthus gracilis (Zeder, 1803) prophylaxis by isolated rearing of ducklings | Podgornova, G. P., 1965 a | Sobolevianthus serrata (Fuhrmann, 1906) Yamaguti, 1959 Syn.: Hymenolepis rugosa Clerc, 1906 Streptopelia turtur (small intestine) | Rysavy, B., 1965 b, 257, fig. 3 Tekovské Lúzany (Slovakia; CSSR) |
| Sobolevianthus gracilis [Anser anser] [Anas platyrhynchos] | Shevtsov, A. A., 1961 a, 227 | Sobolevitaenia gen. nov. Dilepididae | Spasskaya, L. P.; and Makarenko, V. K., 1965 a, 298- 299 tod: S. anthusi (Spasskaya, 1952) n. comb. |
| Sobolevianthus gracilis [Anas platyrhynchos] | Shevtsov, A. A., 1963 b Volynskaia oblast | Sobolevitaenia anthusi (Spasskaya, 1958) n. comb. (tod) Syn.: Choanotaenia anthusi Spasskaja, 1958 | Spasskaya, L.P.; and Makarenko, V. K., 1965 a, 298-299 (tod) |
| Sobolevianthus gracilis [Anas platyrhynchos] [Anser anser] | Shevtsov, A. A., 1963 c all from Ukraine | Sobolevitaenia sobolevi gen. et sp. nov. Anthus richardi | Spasskaya, L. P.; and Makarenko, V. K., 1965 a, 299- 301, 302, figs. 1-3 Tuva Autonomous Oblast |
| Sobolevianthus gracilis [Anser anser] | Shevtsov, A. A., 1966 b Ukrainian SSR | | |
| Sobolevianthus gracilis (Zeder, 1803) biology Acanthocyclops viridis Cypridae gen. sp. | Skryl'kov, A. I., 1965 b all from Russia, Southern Urals | | |
| Sobolevianthus gracilis [sic] (Zeder, 1803) [Gallus gallus] (small intestine) | Skutar, I. G., [1964 b], 198 Moldavian SSR | | |

- Soricinia diaphana (Cholodkovsky, 1906) Zarnowski, 1953 Genov, T.; and Dimitrova, E. A.. 1966 a, 136-137, 145, 150, 151, 152, 157, 158
Sorex araneus (intestine) Bulgaria
- Soricinia diaphana (Cholodkovsky, 1906) Tachinus pallipes Prokopic, J., 1967 a Klcc, southern Bohemia
- Sparganosis (Diphyllobothrium erinacei europaei) human Brygoo, E. R.; and Catala, P., 1962 a Madagascar
- Sparganosis woman (subcutaneous nodules) Wirth, W. A.; and Farrow, C. C., 1961 a Virginia
- Sparganum [spp.] Felis domestica Chin. Ta-Hsiung; and Li, Kuei-Chen, 1942 a Kweiyang
- Sparganum larvae negro woman (breast) McQuay, R. M. (jr.); Veiga, Secundino; and Frumovitz, W. A., 1966 a Chicago
- Sparganum [sp.] human (abdominal wall, eyelid, eye, left thigh, forehead) Tansurat, P., 1966 a Thailand
- Sparganum mansoni (Cobbold, 1882) human (ophthalmic region) Tanaka, H.; et al., 1967 a, photo. 1 Japan
- Sparganum microcordiceps sp. nov. plerocercoid of Diphyllobothrium microcordiceps n. sp. Salmo irideus S. salar sebago Salvelinus fontinalis Larus marinus dominicanus (intestino) Szidat, L.; and Soria, M. F., 1957 a, 1-22, pls. 1-4 all from Lake Nahuel Huapi, Argentina
- Sparganum proliferum human (eye) Bedavanija, A.; and Namatra, B., 1964 a Thailand
- Spathebothrium simplex Linton, 1922 Liparis gibbus (intestine) Zhukov, E. V., 1963 a, 111 Chukotsk Peninsula
- Sphaerutelina. See Sphaeruterina.
- Sphaerutelina [sic] Johnston, 1914 Matevessian. E. M.. 1965 a. 153 Paruterinidae; Paruterininae
- Sphaeruterina caffrapi Mokhhele, 1951 as syn. of Notopentorchis javanica (Huebscher, 1937) Baer, 1959 Spasskii. A. A.. 1966 d. 60
- Sphenacanthus [lapsus as: Sphenocanthus] Olteanu, G.; and Stoican, E., 1963 b, 235
- Sphenocanthus [sic] fasciculata (Ransom, 1909) gisca Olteanu, G.; and Stoican, E., 1963 b, 235 Romania
- Sphenacanthus macracanthos (Linstow, 1877) Lopez-Nevra. 1942 [Mergus serrator] Chibichenko. N. T.. 1966 a, 39 Kirgiz
- Sphenocanthus Olteanu, G.; and Stoican, E., 1963 b, 235
- Sphyrioccephalus tergestinus Th. Pintner 1913 Euprotomicrotus bispinatus (estomac) Dollfus, R. P. F., 1967 b, figs. 1-6 Pacificique central, est du Pacifique sud, Océan Indien
- Sphyrioccephalus viridis of Yamaguti (nec G. R. Wagener 1854) error for Sphyrioccephalus tergestinus Dollfus, R. P. F., 1967 b
- Sphyronchotaenia [i.e. Sphyroncotaenia] Ransom, 1911 Idiogenidae, key
- Spirometra sp. perros (feces)
- Spirometra [sp.] Naja naja (body cavity)
- Spirometra erinacei use of antigenic structure in refining of taxonomic position
- Spirometra erinacei use of antigenic structure in refining of taxonomic position
- Spirometra erinacei larvae Erinaceus europaeus Kravtsov, E. G., 1966 a Byelorussia
- Spirometra erinacei [Meles meles] (subcutaneous tissue) Skimalcov. V. T., 1965 b, 266 Byelorussia
- Spirometra erinacei [Mustela martes] Siarshannin, Iu. I., 1965 a Belorussia
- Spirometra erinacei-europaei (?) Frank, W., 1965 a, fig. 10
- Spirometra erinacei europaei (Rud. 1819) Crocidura leucodon C. suaveolens Genov. T.; and Dimitrova, E. A.. 1966 a. 143, 148, 149, 150, 152, 157, 158 all from Bulgaria
- Spirometra erinacei-europaei Sharpilo, V. P., 1963 a Ukraine
- Spirometra erinacei janickii [Sus scrofa] Lazarova, N. S.. 1965 a Belavezhsk forest
- Spirometra mansonioides culture, axenic Berntzen, A. K., 1966 a
- Spirometra mansonioides mineralogical composition, variation of calcareous corpuscles von Brand, T.; Scott, D. B.; Nylen, M. U.; and Pugh, M. H., 1965 a
- Spirometra mansonioides bunamide hydrochloride, cats Burrows, R. B.; and Lillis, W. G., 1966 a
- Spirometra mansonioides Corkum, K. C., 1966 a Natrix cyclopion cyclopion all from Louisiana N. taxispilota rhombifera N. sipedon confluens N. s. fasciata N. erythrogaster flavigaster Thamnophis sauritus proximus Lampropeltis getulus holbrooki Coluber constrictor flaviventer Rana catesbeiana R. clamitans Didelphis virginiana Procyon lotor Urocyon cinereoargentatus pigs (exper.) woman (subcutaneous tissues)

| | | | |
|--|---|---|--|
| <i>Spirometra mansonioides</i> insulin-like activity of sparganum, rats | Marlow, D. R.; Mertz, W.; and Mueller, J. F., 1967 a | <i>Staphylocystis loosi</i> [sic] Hil. insectivores | Davydov, O. N., 1963 a Ukraine |
| <i>Spirometra mansonioides</i> lipid metabolism | Moyer, F.; Kimura, S.; and Mueller, J. F., 1966 a | <i>Staphylocystis loossi</i> (Hilny, 1966) <i>Crocidura leucodon</i> (intestine) | Genov, T.; and Dimitrova, E. A., 1966 a, 138, 148, 150, 152, 157, 158 Bulgaria |
| <i>Spirometra mansonioides</i> obesity, mice and hamsters | Mueller, J. F., 1965 c, 523- 531, figs. 1-13 | <i>Stilesia</i> <i>Thysanosomatinae</i> , key | Srivastava, V. C.; and Ca- poor, V. N., 1966 a, 374 |
| <i>Spirometra mansonioides</i> weight gain and food intake, mice | Mueller, J. F., 1965 d, 537- 540 | <i>Stilesia globipunctata</i> 14.015 R.F., sheep | Graber, M., 1967 e |
| <i>Spirometra mansonioides</i> (Mueller, 1935) laboratory techniques, biology | Mueller, J. F., 1966 a | <i>Stilesia globipunctata</i> <i>Scheloribates perforatus</i> <i>Scheloribates parvus conglobatus</i> | Graber, M.; and Gruvel, J., 1964 b |
| <i>Spirometra mansonioides</i> growth stimulation in propylthiouracil-treated rats | Mueller, J. F.; and Reed, P., 1968 a | <i>Stilesia globipunctata</i> (exper.) <i>Scheloribates perforatus</i> <i>S. parvus conglobatus</i> <i>S. fimbriatus africanus</i> <i>Africacarus calcaratus</i> <i>Galumna pellucida</i> | Graber, M.; and Gruvel, J., 1967 a, figs. 1-7 |
| <i>Spirometra mansonioides</i> ? sparganum man (overlying temporal fascia above zygomatic arch) | Rywin, A. M.; Beck, J. W.; and Snyder, G. B., 1968 a. figs. 1-2 Florida | <i>Stilesia globipunctata</i> dromadaire (intestin gricle) | Graber, M.; Tabo, R.; and Service, J., 1967 a, 230, 241 Tchad |
| <i>Spirometra mansonioides</i> biochemistry, host, mice | Sadun, E. H.; Williams, J. S.; Moroney, F. C.; and Mueller, J. F., 1965 a, 532- 536 | <i>Stilesia globipunctata</i> ecology of oribatid vectors | Gruvel, J.; and Gruber, M., 1967 a Tchad |
| <i>Spirometra mansonioides</i> (Mueller, 1935) <i>Saguinus geoffreyi</i> (subcutaneous in scapular region) | Thatcher, V. E.; and Porter, J. A. (jr.), 1968 a, 190 Panama | <i>Stilesia globipunctata</i> Bitin-S | Guilhon, J.C.; and Gruber, M., 1967 a |
| <i>Staphylepis cantiana</i> Coturnix coturnix | Akhumian, K. S., 1966 a Armenian SSR | <i>Stilesia globipunctata</i> mouton (intestin) | Levrat, E., 1966 a, 28 Tchad |
| <i>Staphylocystis bacillaris</i> (Goeze, 1782) <i>Talpa europea</i> (intestine) | Merkushova, I. V.; and Kraev- skaya, L. I., [1966 a], fig. 2 Belorussia | <i>Stilesia globipunctata</i> sheep | Mantovani, A.; and Restani, R., 1966 b, 104, 107, 108, 109, 110 Marsica (Abruzes, Central Italy) |
| <i>Staphylocystis furcata</i> +insectivores | Davydov, O. N., 1963 a Ukraine | <i>Stilesia globipunctata</i> morphology, chromatogra- phic investigations | Martinez Gomez, F. de P., 1966 a, figs. 6, 16 |
| <i>Staphylocystis furcata</i> (Stieda, 1862) Spassky, 1950 <i>Sorex araneus</i> <i>Neomys anomalus</i> <i>Crocidura leucodon</i> <i>C. suaveolens</i> (all, intestine) | Genov, T.; and Dimitrova, E. A., 1966 a, 137, 145, 147. 148, 149, 150, 151, 152, 157, 158 all from Bulgaria | <i>Stilesia globipunctata</i> stannarsenite and stano- enclide + nicotine sulphate. evine | Popov, A. T.; and Bankev, D. T., 1966 a |
| <i>Staphylocystis jacobsoni</i> +insectivores | Davydov, O. N., 1963 a Ukraine | <i>Stilesia hepatica</i> Bitin-S | Guilhon, J.C.; and Gruber, M., 1967 a |
| <i>Staphylocystis jacobsoni</i> (Linstow, 1907) Spassky, 1950 (intestine) <i>Crocidura leucodon</i> <i>C. suaveolens</i> | Genov, T.; and Dimitrova, E. A., 1966 a, 137-138, 147, 148, 149, 150, 152, 157, 158 all from Bulgaria | <i>Stilesia hepatica</i> mouton (canaux biliaires) | Levrat, E., 1966 a, 28 Tchad |
| | | <i>Strobilocercus fascicularis</i> encephalitis hepatitis | Rep'ev, P. G., 1965 a |

- Taenia [lapsus as: Thaenia]
Taenia soil infection by eggs
Taenia pseudo-ulcers
Taenia taxonomy
Taenia [lapsus as: Toenia]
Taenia ship crews compared to land environments
Taenia cause of abdominal pain, humans
Taenia sp. Nycteris macrotis (selles) 1965 a, 29
Taenia [sp.] dogs
Taenia sp. eggs, diagnosis
Taenia sp. eggs
Taenia sp. Odocoileus virginianus (liver, mesenteries)
Taenia sp. (lungs, liver) Rattus norvegicus
Taenia [spp.] Canis latrans
Taenia sp. dogs
Taenia [sp.] pregnant women (stool)
Taenia sp. Felis (Lynx) canadensis (small intestine)
Taenia aequabilis Rudolphi, 1810 as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954
Taenia bairdii (Krefft, 1871; Johnston, 1912) as syn. of Hymenolepis collaris (Batsch, 1786)
Taenia capito (Dujardin, 1845) as syn. of Dilepis urceus (Wedl, 1855) Fuhrmann, 1908
Taenia capito (Rud., 1819; Krabbe, 1869; Fuhrmann, 1899) as syn. of Cyclusteria capito (Rudolphi, 1819)
- Asai, M.; and Fukamatu, H., 1965 a, 351
Biziuliavichius, S. K., 1965 d
Trakai and Kavaras, Lithuania
Daccak, M., 1962 a
Esch, G. W.; and Self, J. T., 1965 a, 932, 933
Nguyen-Van-Ai, [1961 b], 134
Reczek, B.; Michniewski, P.; and Rzepecka, H., 1966 a
Watson, W. C., 1968 a
Kenya
Anciaux de Faveaux, M., Elisabethville
Awan, M. A. Q., 1964 a
Lahore, Pakistan
Gould, S. E.; Hinerman, D. L.; Batsakis, J. G.; and Beamer, P. R., 1963 d, fig. 2
Pegg, E. J.; and Shephard, F. A., 1966 a, pls., figs. 12-13
Samuel, W. M.; and Beaudoin, R. L., 1966 b
Pennsylvania
Semenova, L. F.; and Farulin, G. P., 1965 a
Russia, Dagestan ASSR
Smith, J. P., 1967 b
Zapata County, Texas
Styles, T. J., 1967 a
Mexico City
Sundharagiati, B.; et al, 1967 a
Bangkok, Thailand
van Zyll de Jong, C. G., 1966 a, 500, 502, figs. 11-16
Canada
Spasskij, A. A.; and Dao Van-T'en, 1963 a, 4
as syn. of Wardium aequabilis (Rudolphi, 1810) Spassky et Spasskaja, 1954
Dubinin, V. B., 1938 a, 159
Dubinin, V. B., 1938 a, 153
Dubinin, V. B., 1938 a, 160
Fuhrmann, 1908
Taylor, A. E. R.; McCabe, M., and Longmuir, I. S., 1966 a
Taylor, A. E. R.; and Haynes, W. D. G., 1966 a
- Taenia cervi
Taenia clandestina Krabbe, 1869
as syn. of Wardium clandestina (Krabbe, 1869) Spassky et Spasskaja, 1954
Taenia coenurus pigs. control
Taenia collaris (Batsch, 1786)
as syn. of Hymenolepis collaris (Batsch, 1786)
Taenia crassiceps -Citellus suslicus
Taenia crassiceps composition, crystallization patterns of calcareous corpuscles
Taenia crassiceps Zeder, 1800, larva
Ondatra zibethica (liver)
Taenia crassiceps (Zeder, 1800)
(small intestine)
Alopex lagopus
[Vulpes fulva]
[Fox]
Taenia crassiceps larval tegument transport, amino acids and glucose
Taenia crassiceps [Vulpes vulpes]
[Alopex lagopus]
Taenia crassiceps Vulpes vulpes (small intestine, subcutaneous, neck)
Peromyscus maniculatus (subcutaneous, neck)
Taenia crassiceps Alopex lagopus
Taenia crassiceps (Zeder, 1800)
(tenke strevo)
Vulpes vulpes
Felis catus dom.
Putorius putorius
Taenia crassiceps Vulpes vulpes (intestine)
Taenia crassiceps larval carbohydrate metabolism
Taenia crassiceps metabolism
Taenia crassiceps amino acids before and after culture
- Frank, W., 1965 a, figs. 1-2
Spasskij, A. A.; and Dao Van-T'en, 1963 a, 5
Christiansen, N. J., 1961 a
Denmark
Dubinin, V. B., 1938 a, 159
Arzamasov, I. T.; Dyl'ko, N. I.; Merkusheva, I. V.; and Petrovskij, Iu. T., 1966 a, 324
von Brand, T.; Nylen, M. U.; Martin, G. N.; and Churchill, F. K., 1967 a
Genov, T., 1964 a, 102
Srebarna, Siliстра District, Bulgaria
Gubanov, N. M., 1964 a, 16
all from Yakutia
Haynes, W. D. G., 1966 a
Kozlov, D. P.; Ovsjukova, N. I.; and Radkevich, Zh. P., 1963 a
all from Chukotsk peninsula
Leiby, P. D.; and Whittaker, F. H., 1966 a
Bottineau County, North Dakota
Bottineau County, North Dakota and Marshall County, South Dakota
Luzhkov, A. D., 1963 c
Yamal peninsula
Prokopic, J., 1965 a, 210, pl. 1, fig. 2
all from Czechoslovakia
Romanov, I. V., 1964 b
Gorky oblast
Taylor, A. E. R., 1966 b
Taylor, A. E. R.; McCabe, M., and Longmuir, I. S., 1966 a
Taylor, A. E. R.; and Haynes, W. D. G., 1966 a

| | | | |
|---|--|--|---|
| Taenia crassiceps (larv.) Apodemus flavicollis | Tenora, F., 1965 c, 70, 72, 73 Czechoslovakia | Taenia hydatigena histopathology, sheep and deer | Deorani, V. P. S., 1967 c |
| Taenia crassicollis pigs, control | Christiansen, M. J., 1961 a Denmark | T[aenia] hydatigena Mangalitsa swine | Dimitrova, E. A., 1964 a Bulgaria |
| Taenia creplini Krabbe, 1869 as syn. of Wardium creplini (Krabbe, 1869) Spasskaja, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 Spassky et Spasskaja, 1954 | Taenia hydatigena (Cysticercus tenuicollis) ovins porcs | Doby, J. M.; and Chiché, G., 1966 a all from western France |
| Taenia cucumerina pigs, control | Christiansen, M. J., 1961 a Denmark | Taenia hydatigena (Pallas, 1766) larvae [Alces alces] | Egorov, Iu. G., 1965 a Byelorussia |
| Taenia dysbiotos MacCallum, 1921 incertae sedis | Goldstein, R. J., 1967 a, 468, 479, figs. 94-95 | Taenia hydatigena microelement maintenance in canine tests | Fedosova, E. E., 1963 a |
| Taenia echinococcus pigs, control | Christiansen, M. J., 1961 a Denmark | Taenia hydatigena immune response to hexacanth embryos, specificity | Gemmell, M. A., 1966 a |
| Taenia echinococcus granulosus national problem | Holgado Rivas, D. E., 1966 a Argentina | Taenia hydatigena sheep, attempts to control | Gemmell, M. A., 1966 b New Zealand |
| Taenia fusa Krabbe, 1869 as syn. of Wardium fusa (Krabbe, 1869) Spasskaya, 1961 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4 Spassky, 1961 | Taenia hydatigena (Pallas, 1766) (small intestine) <i>Felis lynx</i> | Gabanov, N. M., 1964 a, 16 Yakutia |
| Taenia himantopodis Krabbe, 1869 as syn. of Wardium himantopodis (Krabbe, 1869) Spasskaya, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 Spassky et Spasskaya, 1954 | Taenia hydatigena Yomesan, dogs | Güralp, N.; and Tığın, Y., 1966 a, 262 |
| Taenia hydatigena mixed infections | Abbasov, M. T., 1965 b | Taenia hydatigena Scolabani | Hromatka, Lore; Kutzer, Erich.; and Stettner, W., 1966 a |
| Taenia hydatigena (Pall., 1766) [Canis familiaris] (small intestine) | Abbasov, M. T., [1966 a] Nakhichevan ASSR | Taenia hydatigena [sic] (larvae) [Ovis aries] | Kadenatsii, A. N.; and Burikova, Iu. N., 1963 a Omsk forest steppe |
| Taenia hydatigena (Pallas, 1766) dogs sheep swine lambs cattle | Angelov, G.; et al, 1964 a Bulgaria, all from | Taenia hydatigena cattle pig sheep and [or] goat dog | Kim, Jyong Hi, (1958 a); 1958 b all from Korea |
| Taenia hydatigena perros (feces) | Barriga, O. O.; and Jaramillo, S., 1966 a Castro, Chile | Taenia hydatigena chemical ovacides | Laws, G. F., 1967 a |
| Taenia hydatigena Palladas, 1766 Canis familiaris | Bernard, J.; Ben Osman, F.; and Juminer, B., 1967 a, 7 Tunis | Taenia hydatigena [Canis familiaris] | Litvishko, N. T.; and Adamets, I. I., 1963 a Kharkov and environs |
| Taenia hydatigena influence on dog kidney maintenance of manganese, titanium and copper | Beskhebnyi, A. I., 1963 a | Taenia hydatigena dogs | Mastrangelo, P., 1966 a Naples, Italy |
| Taenia hydatigena succinate oxidase system | Cheah, K. S., 1967 a | Taenia hydatigena epidemiology, role of dog hairs, muzzle and paws | Matov, K. P.; and Kolev, G., 1965 a, fig. 2 |
| Taenia hydatigena (Pallas, 1776) [Canis familiaris] | Chebotarev, R. S.; Zaskind, L. N.; Serafina, V. G.; and Pavlova, L. F., 1961 a, 189 Kiev and environs | Taenia hydatigena pathological changes within intestinal wall | Mel'nikova, A. S., 1966 a |
| Taenia hydatigena methyridine, dogs, ineffective | Colglazier, M. L.; Enzie, F. D.; and Burtner, R. H. (jr.), 1966 a | Taenia hydatigena (Pallas, 1766) (larva) [Rangifer tarandus] | Mitskevich, V. Iu., 1965 a 170 Russia |
| | | Taenia hydatigena rat tolerance to antigens | Moriarty, K. M., 1966 a |

- Taenia hydatigena
chemistry, embryophoric
blocks of eggs Morseth, D. J., 1966 a, figs.
1, 2
- Taenia hydatigena
fine structure, tegument Morseth, D. J., 1966 b,
figs. 4-6, 9-10
- Taenia hydatigena
[*Sus scrofa*] Nazarova, N. S., 1965 a
Belovezhsk forest
- Taenia hydatigena larvae
[*Sus scrofa*] Novikova, R. A., 1965 a
Moldavia
- Taenia hydatigena
survival of eggs in
external environment Orekhov, M. D.; Stepanov, D.
F.; and Khangel'dyev, A.,
1965 a
- Taenia hydatigena
(Pallas, 1766)
(tenke strevo)
Canis familiaris
Vulpes vulpes Prokopic, J., 1965 a, 209, pl.
1, fig. 1
all from Czechoslovakia
- Taenia hydatigena Pallas,
1766
biological studies,
development Rao, B. V.; and Anantaraman,
M., 1966 a, 161-165, figs. 1-
2
- Taenia hydatigena
heart infection of live-
stock by larvae Rybaltovskii, O. V., 1965 a
- Taenia hydatigena
(Pallas, 1766)
[*Canis familiaris*] (small intestine) Safronov, M. G., 1966 a, 10-11
Yakutia
- Taenia hydatigena (Pall.,
1766) larvae
[*Sus scrofa*] SpasskiI, A. A.; Andreiko,
A. F.; and Poletaeva, V. A.,
1963 a, 4-5
Moldavia
- Taenia hydatigena
[*Canis familiaris*] Stoimenov, K. A., 1959 a
Kolarovgrad district, Bul-
garia
- Taenia hydatigena
Vulpes vulpes crucigera Stoimenov, K. A.; Bratanov,
V.; and Trifonov, T., 1965 a
Bulgaria
- Taenia hydatigena (Pallas,
1776)
[*Ovis aries*] Trach, V. N., 1961 d, 175
Ukraine forest-steppe
- Taenia hydatigena larva
[*Ovis aries*] Trach, V. N., 1964 a, 192
steppe regions, Ukraine
- Taenia hydatigena
[*Vulpes vulpes*]
[*Nyctereutes procyonoides*] Troitskaia, A. A., 1963 a
all from Tartar ASSR
- Taenia hydatigena
dogs, not influenced by
Citarin Weissenburg, H., 1968 a
- Taenia hydatigena (larvae)
[*Ovis aries*] ovets Zgardan, E. S.; et al, 1966 a
Moldavia
- Taenia hydatigena (Pallas,
1766) larvae
[*Ovis aries*] Zgardan, E. S.; and Frukhtman,
E. A., 1965 a
Moldavia
- Taenia incognita
MacCallum, 1921
incertae sedis Goldstein, R. J., 1967 a,
468, 479, fig. 96
- Taenia intermedia
(Rudolphi, 1809)
(tenke strevo)
Putorius putorius
Martes foina
M. martes
Mustela erminea
- Taenia krabbei Moniez,
1879
(small intestine)
Alopex lagopus
[*Vulpes fulva*]
[Fox]
- Taenia krabbei Moniez, 1879
[*Canis familiaris*]
[*Alopex lagopus*]
- Taenia krabbei Moniez,
1879 (larva)
[*Rangifer tarandus*]
- Taenia laticollis
Felis (Lynx) canadensis
(small intestine)
- Taenia leptoptili (von
Linstow, 1901)
as syn. of *Hymenolepis microcephala* (Rudolphi, 1819)
Fuhrmann, 1906
- Taenia (Anomotaenia?)
leuckarti Krabbe, 1869
Ardea cinerea
- Taenia macrocystis
(Diesing, 1850) Luhe,
1910 (larvae)
[*Rhombomys opimus*] (liver)
- Taenia macrocystis
(Diesing, 1850) (exper.)
(small intestine)
Canis lupus
- Taenia marginata
pigs, control
- Taenia martis (Zeder,
1803)
Apodemus flavicollis
Apodemus sylvaticus
Clethrionomys glareolus
Martes foina
- Taenia martis americana
ssp. nov.
Syn.: *T. martis* [of Freeman, 1956] American species
- Taenia martis martis
(Zeder, 1803)
includes European species of *T. martis*
- Taenia microcephala
(Rud., 1819; Krabbe, 1869)
as syn. of *Hymenolepis microcephala* (Rudolphi, 1819) Fuhrmann, 1906
- Taenia monostephanos
Linstow 1905
sp. inq.
- Taenia multiceps
cortisone and host sex,
effect on infection
- Prokopic, J., 1965 a, 211, pl.
1, fig. 4, figs. 1a-b
all from Czechoslovakia
- Gubarev, N. M., 1964 a, 16
all from Yakutia
- Kozlov, D. P.; Ovsiiukova, N.
I.; and Radkevich, Zh. P.,
1963 a
all from Chukotsk peninsula
- Mitskevich, V. Iu., 1965 a,
170
Russia
- van Zyll de Jong, C. G.,
1966 a, 500, 502, fig. 1
Canada
- Dubinin, V. B., 1938 a, 155
- Roman-Chiriac, E., 1965 a,
147
Danube delta, Romania
- Davlatov, N., 1967 a
Karakalpak ASSR
- Gubanov, N. M., 1964 a, 16-19
fig. 5
- Christiansen, M. J., 1961 a
Denmark
- Wahl, E., 1967 a, figs. 12-14
all from Val de l'Allondon
(Geneva)
- Wahl, E., 1967 a, p. 167
- Taenia martis americanus
Wahl, E., 1967 a, 167
- Taenia martis martis
(Zeder, 1803)
includes European species of *T. martis*
- Dubinin, V. B., 1938 a, 155

- Taenia multiceps
normal and anomalous
dog (exper.) Esch, G. W.; and Murrell,
K. D., 1968 a
- Taenia multiceps
taxonomic analysis
Syn.: Multiceps multiceps (Leske, 1780) Esch, G. W.; and Self, J. T.,
1965 a, 932, 935
- Taenia multiformis (Creplin, 1829; Krabbe, 1864;
Cohn, 1904)
as syn. of *Hymenolepis microcephala* (Rudolphi, 1819)
Fuhrmann, 1906 Dubinin, V. B., 1938 a, 155
- Taenia mustelae
Clethrionomys gapperi
Microtus longicaudus (liver of all) Kinsella, J. M., 1967 a, 271
all from western Montana
- Taenia mustelae
Gmelin, 1790
Zapus princeps (liver) Kinsella, J. M., 1968 a
western Montana
- Taenia mustellae [sic]
Gmelin, 1790
(tenke strevo)
Mustela nivalis Prokopic, J., 1965 a, 211,
figs. 1e-f
Czechoslovakia
- Taenia mustelae
Clethrionomys glareolus (foie) Wahl, E., 1967 a, figs. 15-17
Val de l'Allondon (Geneva)
- Taenia nana
human (intestine) Bennarroch, E. I., 1961 a
Venezuela
- Taenia omissa van Zyll de Jong, C. G.,
1966 a, 502, 505, figs. 14-
16, 17, 19
- Taenia ovis
immunity, vaccination, sheep Gemmell, M. A., 1965 b
- Taenia ovis
immune response to
hexacanth embryos, specificity Gemmell, M. A., 1966 a
- Taenia ovis
sheep, attempts to control Gemmell, M. A., 1966 b
New Zealand
- Taenia ovis
chemical ovicides Laws, G. F., 1967 a
- Taenia ovis
chemistry, embryophoric blocks of eggs Morseth, D. J., 1966 a
- Taenia ovis
(Cobbold, 1869) Prokopic, J., 1965 a, 212
Czechoslovakia
- Taenia ovis
[Ovis aries] Sadykhov, I. A.; and Nuriev,
M. I., 1966 a, figs. 1-3
Azerbaijan
- Taenia ovolaciniata
Linstow, 1877 Spasskii, A. A.; and Spasskai,
L. P., 1966 a
as syn. of *Vitta parvirostris* (Krabbe, 1869) Baer, 1959
- Taenia parenchimatosa [sic]
Puschmenkov, 1945 Gubanov, N. M., 1964 a, 19
Yakutia
- Taenia parenchimatosa [sic]
Puschmenkov, 1945 (larva)
[Rangifer tarandus] Mitskevich, V. Iu., 1965 a,
170
Russia
- Taenia parenchimatosa [sic]
Puschmenkov, 1945
[Rangifer tarandus] (liver) Safronov, M. G., 1966 a, 11
Yakutia
- Taenia pisiformis (Bloch,
1780) [Canis familiaris] (small intestine) Abbasov, M. T., [1966 a]
Nakhichevan ASSR
- Taenia pisiformis Bloch,
1780 Oryctolagus cuniculus (mésentères) Bernard, J., 1965 d
île de Zembra
- Taenia pisiformis Bloch,
1780 Canis familiaris Bernard, J.; Ben Osman, F.;
and Juminer, B., 1967 a
Tunis
- Taenia pisiformis influence on dog kidney maintenance of manganese, titanium and copper Beskhlebnyi, A. I., 1963 a
- Taenia pisiformis bumamide hydrochloride, dogs Burrows, R. B.; and Lillis, W. G., 1966 a
- Taenia pisiformis (Bloch,
1780) [Canis familiaris] Chebotarev, R. S.; Zaskind,
L. N.; Serai, V. G.; and Pavlova, L. F., 1961 a, 189
Kiev and environs
- Taenia pisiformis (Bloch.,
1780) (larvae) [Lepus tibetanus] (abdominal cavity) Davlatov, N., 1967 a
Karakalpak ASSR
- Taenia pisiformis Bloch, 1780 taxonomic analysis Esch, G. W.; and Self, J. T.,
1965 a, 932, 935
- Taenia pisiformis microelement maintenance in canine testes Fedosova, E. E., 1963 a
- Taenia pisiformis cholesterol esters, triglycerides, phospholipides Fisher, J. S., 1964 a
- Taenia pisiformis sewage, egg killing methods Forstner, M. J.; and Schätzle,
M., 1966 a
- Taenia pisiformis Frank, W., 1965 a, fig. 5
- Taenia pisiformis immunity, vaccination, rabbits Gemmell, M. A., 1965 a
- Taenia pisiformis immune response to hexacanth embryos, specificity Gemmell, M. A., 1966 a
- Taenia pisiformis amino acid and nitrogen analyses Goodchild, C. G.; and Dennis,
E. S., 1966 a
- Taenia pisiformis Mepacrine Granat, R., 1961 a
- Taenia pisiformis host specificity not determined by factor in bile van Grembergen G.; and van de Vijver, G., 1967 a
- Taenia pisiformis (Bloch,
1780) (small intestine) Alopex lagopus [Vulpes fulva] Canis familiaris Gubanov, N. M., 1964 a, 20
all from Yakutia
- Taenia pisiformis Bunamidine Güralp, N., 1968 a

- Taenia pisiformis pyrantel tartate, ineffective Howes, H. L. (jr.); and Lynch, J. E., 1967 a
- Taenia pisiformis dog Laddevaia, R.; and Medda, A., 1962 a
Cagliari municipality, Sardinia
- Taenia pisiformis (Bloch, 1780) Lepus europaeus (intestine) Fanchev, Ia., 1963 b, 206
- Taenia pisiformis dog cat Kim, Jyong Hi, (1958 a); 1958 b all from Korea
- Taenia pisiformis (Bloch, 1780) [Vulpes vulpes] [Alopex lagopus] Kozlov, D. P.; Ovsiiukova, N. I.; and Radkevich, Zh. P., 1963 a
all from Chukotsk peninsula
- Taenia pisiformis chemical ovacides Laws, G. F., 1967 a
- Taenia pisiformis (Bloch, 1780) [Canis familiaris] Litvishko, N. T.; and Adamets, I. I., 1963 a
Kharkov and environs
- Taenia pisiformis dogs Mastrangelo, P., 1966 a
Naples, Italy
- Taenia pisiformis epidemiology, role of dog hairs, muzzle and paws Matov, K. P.; and Kolev, G., 1965 a, figs. 1, 3
- Taenia pisiformis chemistry, embryophoric blocks of eggs Morseth, D. J., 1966 a
- Taenia pisiformis fine structure, tegument Morseth, D. J., 1966 b, figs. 1-3, 7
- Taenia pisiformis (Bloch, 1780) (tenke strevo) Canis familiaris Felis catus dom. Vulpes vulpes Prokopic, J., 1965 a, 210
all from Czechoslovakia
- Taenia pisiformis Vulpes vulpes (small intestine) Romanov, I. V., 1964 b
Gorky oblast
- Taenia pisiformis (Bloch, 1780) [Canis familiaris] (small intestine) Safronov, M. G., 1966 a, 11
Yakutia
- Taenia pisiformis [Canis familiaris] (small intestine) [Leporidae] (abdominal cavity) Shimalov, V. T., 1965 b, 266
all from Byelorussia
- Taenia pisiformis [Canis familiaris] Stoimenov, K. A., 1959 a
Kolarovgrad district, Bulgaria
- Taenia pisiformis Vulpes vulpes crucigera Stoimenov, K. A.; Bratanov, V.; and Trifonov, T., 1965 a
Bulgaria
- Taenia pisiformis (larv.) Apodemus flavicollis Tenora, F., 1965 c, 70, 72, 73
Czechoslovakia
- Taenia pisiformis (Bloch, 1780) Lepus (Proelagus) tolai (omentum, mesentery, abdomen, pleura) Tokobaev, M. M.; and Erkulov, K. E., 1966 b, 18
Kirgiz
- Taenia pisiformis (Cysticercus pisiformis) dogs hares Trifonov, T.; and Meshkov, S., 1964 a
all from Burgas district, Bulgaria
- Taenia pisiformis Felis (Lynx) canadensis (small intestine) van Zyll de Jong, C. G., 1966 a, 500, 502, fig. 2
Canada
- Taenia polyacantha Leuckart, 1856 Gubanov, N. M., 1964 a, 20
Yakutia
- Taenia polyacantha Alopex lagopus Luzhkov, A. D., 1963 c
Yamal peninsula
- Taenia polyacantha Vulpes vulpes Alopex lagopus Mimioglu, M. M.; Giralp, N.; Tolgay, N.; and Sayin, F., 1965 a, 182, 190, figs. 13-14
all from Turkey
- Taenia polyacantha (Leuckart, 1856) (tenke strevo) Canis familiaris Prokopic, J., 1965 a, 211-212
Czechoslovakia
- Taenia polyacantha Vulpes vulpes (small intestine) Romanov, I. V., 1964 b
Gorky oblast
- Taenia polyacanta [sic] Leuckart, 1856 [fox] (small intestine) Safronov, M. G., 1966 a, 11
Yakutia
- Taenia polyacantha (larv.) Apodemus flavicollis Tenora, F., 1965 c, 70, 72
Czechoslovakia
- Taenia recurvirostrae Krabbe, 1869 as syn. of Wardium recurvirostrae (Krabbe, 1869) Spasskij, A. A.; and Dao Van-T'en, 1963 a, 6
Spassky et Spasskaja, 1954
- Taenia rileyi Felis (Lynx) canadensis (small intestine) van Zyll de Jong, C. G., 1966 a, 500, 502, 505, figs. 5-10, 18, 20
Canada
- Taenia [sic] saginata inorganic substances Asai, M.; and Fukamatu, H., 1965 a
- T[aenia] saginata alien students (fecal specimen) Banta, J. E.; Akers, T. G.; Arm, H. G.; and Freeman, N. L., 1964 a
Egypt
- Taenia saginata Indians and Anglo-Americans (intestine) Becker, D. A., 1966 a
Winnebago and Omaha reservations, Nebrasks
- Taenia saginata human (intestine) Bennaroch, E. I., 1961 a
Venezuela
- Taenia saginata mineralogical composition variation of calcareous corpuscles von Brand, T.; Scott, D. B.; Nylen, M. U.; and Pugh, M. H., 1965 a
- Taenia saginata species differentiation from T. solium von Bülow, T., 1935 b
- Taenia saginata Goeze, 1782 cattle Fitzsimmons, W. M., 1966 e, 401
southern Malawi

- Taenia saginata (Cysticercus bovis)
geographic distribution Froyd, G., 1965 b
- Taenia saginata human bovine Gallo, G.; and Anello, G., 1966 a
all from east Etna, Catania
- Taenia saginata control, cattle and swine Graw, J. J., 1963 a
- Taenia saginata Hsu, R. G., 1968 a, fig. 1
digestive fluid for preparation of whole mounts of old material
- Taenia saginata anomalies, life history aborigines calf (exper.) Huang, S.-W., 1967 a
Wilai district of Taipei prefecture
- Taenia saginata (Cysticercus inermis) life cycle chart Juslin, K. E., 1966 a
- Taenia saginata abnormal dye-staining Krampitz, H. E.; Beier, A.; and Waldmann, F. L., 1965 a
- Taenia saginata bovine, viability of eggs, sewage Liebmann, H., 1966 a
- Taenia saginata transmission to man by vegetables Lupascu, G.; et al, 1961 b
- Taenia saginata chemistry of spines and hooks Lyons, K. M., 1966 a
- Taenia saginata antigen preparation, chemical analysis Machnicka-Roguska, B., 1965 a
- Taenia saginata haemagglutinative reaction, human Machnicka-Roguska, B.; and Zwierz, C., 1964 a
- Taenia saginata serological examination of patients Machnicka-Roguska, B.; and Zwierz, C., 1966 a
- Taenia saginata sewage, eggs Menschel, E., 1966 a
- Taenia saginata clinical study Nagashima, T.; Masaki, S.; Kosida, Y.; and Kutikata, A., 1963 a
- [Taenia saginata] viability of oncospheres Rukhova, A. M., 1963 a
Moldavian SSR
- Taenia saginata (Cysticercus bovis) bovine (masseter muscle) Shortridge, E. H., 1965 a
New Zealand
- Taenia saginata meat inspection, life cycle, control South Africa. Department of Agricultural Technical Services Division of Veterinary Services Veterinary Research Institute and the Department of Health, 1967 a, 5 figs.
- Taenia saginata fecal examination Tintăreanu, J.; Dăncescu, P.; and Solomon, P., 1968 a
- T[aenia] saginata immunity, cattle Urquhart, G. M., 1965 b, 544
East Africa
- Taenia saginata woman Velasquez, C. C.; and Cabrera, B. D., 1968 a
Laoag, Ilocos Norte, Philippine Islands
- Taenia saginata measles in beef and pork Verster, A. J. M.; Loveday, R. K.; and van den Heever, L. W., 1962 a
- Taenia saginata, Treatment Yomesán Aguilar, F. J., 1962 b
- Taenia saginata, Treatment N-(2'-cloro-4'-nitro-fenil)-5-cloro-salicilamida Amato Neto, V.; and Campos, R., 1964 b
- Taenia saginata, Treatment GS-1339 Canedo Acosta, J., 1964 a
- Taenia saginata, Treatment thiabendazole Hayaty, Z. G.; and Awaness, A. M., 1966 a
- Taenia saginata, Treatment niclosamide Junod, C., 1967 a
- Taenia saginata, Treatment Yomesan Otero Domínguez, R.; et al, 1966 a
- T[aenia] saginatus, Treatment Prokopenko, L. I., 1966 a
Russia
- Taenia saginata, Treatment thiabendazole, human Salunkhe, D. S., 1966 a
- Taenia saginata, Treatment human Zwierz, C., 1963 a
- Taenia saginata, Treatment Yomesan, human Zwierz, C., 1964 a
- Taenia serialis (Coenurus serialis; Multiceps serialis) Lepus ruficaudatus Katiyar, J. C.; and Pande, B. P., 1965 a, 23
all from India
- Taenia serrata pigs, control Christiansen, M. J., 1961 a
Denmark
- Taenia sinuosa (Zeder, 1803; Krabbe, 1869; Kholodkovskii N., 1912) as syn. of Hymenolepis collaris (Batsch, 1786) Dubinin, V. B., 1938 a, 159
- Taenia skrjabini Romanov, 1952 Martes zibellina Gubanov, N. M., 1964 a, 19
Yakutia

- Taenia solium swine Afshar, A., 1967 a, figs. 1-4 Iran
- Taenia solium human (intestine) Bennaroch, E. I., 1961 a Venezuela
- Taenia solium species differentiation from *T. saginata* von Bülow, T., 1935 b
- Taenia solium *Hylobates lar lar* (nat. and exper.) Cadigan, F. G. (jr.); Stanton, J. S.; Tanticharoenyo, P.; and Chaicumpha, V., 1967 a
- Taenia solium choline esterase activity of rediae Ch'en, C.-M.; Chiang, C.-P.; and T'an, C.-M., 1968 a
- Taenia solium pigs. control Christiansen, M. J., 1961 a Denmark
- T[aenia] solium Mangalitsa swine Dimitrova, E. A., 1964 a Bulgaria
- Taenia solium human cerebral cysticercosis Duran Obiols, F., 1953 a
- Taenia solium (Cysticercus cellulosae) serological test, humans Elsdon-Dew, R., 1967 b
- Taenia solium appendicitis Endriukaitis, V., 1965 b
- Taenia solium L., 1758 pigs Fitzsimmons, W. M., 1966 e, 401 Malawi
- Taenia solium case reports, human Gherman, I.; Debau, M.; Schiau, S.; and Debau, M., 1965 a
- Taenia solium course of infection, in vitro studies Gönnert, R.; Meister, G.; Strufe, R.; and Webbe, G., 1967 a
- Taenia solium pig Kim, Jyong Hi, (1958 a); 1958 b Korea
- Taenia solium transmission to man by vegetables Lupascu, G.; et al., 1961 b
- Taenia solium control Lupascu, Gh.; Tintăreanu, J.; Solomon, P.; and Smolinski, M., 1966 a
- Taenia solium (Cysticercus cellulosae) human brain, 2 case reports Marin Fernández, G.; et al., 1967 a Cuba
- Taenia solium larvae [Sus scrofa] Novikova, R. A., 1965 a Moldavia
- T[aenia] sclium (Cysticer- cus cellulosae) 4 autopsied cases, cerebral Reddy, D. J.; and Murty, V. R., 1968 a Andhra Pradesh, South India
- Taenia solium human central nervous system, x-ray study Santin, G.; and Vargas S., J., 1966 a
- Taenia solium fertility Shigin, A. A., 1965 d
- Taenia solium cause of paraplegia Singh, A.; Aggarwal, N. D.; Malhotra, K. C.; and Puri, D. S., 1966 a
- Taenia solium [Sus scrofa] Spasskii, A. A.; and Andreiko, A. F., 1963 a Moldavia
- Taenia solium Linn., 1758 larvae [Sus scrofa] Spasskii, A. A.; Andreiko, A. F.; and Poletaeva, V. A., 1963 a, 5 Moldavia
- Taenia solium Tarasov, V. V.; and Shub, L. M., 1966 a Mexico
- Taenia solium measles in beef and pork Verster, A. J. M.; Loveday, R. K.; and van den Heever, L. W., 1962 a
- Taenia solium, Treatment Yomesán Aguilar, F. J., 1962 b
- Taenia solium, Treatment Amato Neto, V.; and Campos, R., 1964 b N-(2'-cloro-4'-nitro-fenil)-5-cloro-salicilamida
- Taenia solium, Treatment Canedo Acosta, J., 1964 a GS-1339
- Taenia sternina Krabbe, 1869 as syn. of Choanotaenia sternina (Krabbe, 1869) Mathe- wossian, 1963 Rysavy, B., 1965 b, 258
- Taenia taeniaeformis Batsch, 1786 Beckett, J. V.; and Gallic- chio, V., 1967 a, 1171 Ondatra z. zibethica Portage County, Ohio
- Taenia taeniaeformis Felis libyca (viscères) Bernard, J., 1967 a *F. catus* (viscères) all from Tunisie *Rattus r. alexandrinus* *Mus musculus*

CESTODA

| | | | |
|--|--|--|---|
| Taenia taeniaeformis glycerol absorption, glucose absorption or leakage | von Brand, T.; Churchwell, F. K.; and Higgins, H., 1966 a | Taenia taeniaeformis cats | de Rycke, P. H., 1968 a Gent, Belgium |
| Taenia taeniaeformis metabolism, glucose up- take, leakage, tissue glucose | von Brand, T.; and Gibbs, E., 1966 a | Taenia taeniaeformis host specificity, de- velopment, cats | Singh, B. B.; and Rao, B. V., 1966 a, fig. 1, 1 pl., fig. 2 |
| Taenia taeniaeformis incorporation of phos- phate | von Brand, T.; Weinbach, E. C.; and Claggett, C. E., 1965 a | Taenia taeniaeformis Nemural; Yomesan, cats | Singh, B.B.; and Rao, B. V., 1967 a |
| Taenia taeniaeformis immunity, in vitro | Chang, C.-K., 1968 a | Taenia taenieformis [sic] [Felis catus] [Canis familiaris] | Volkova, N. S.; and Omelaeva, R. N., 1963 a all from Lugansk city |
| Taenia taeniaeformis [sic] Felis domestica | Chin, T.-H.; and Li, K.-C., 1942 a Kweiyang | Taenia taeniaeformis niclosamide | Wescott, R. B., 1967 a |
| Taenia taeniaeformis cats (rectal contents) | Dubey, J. P., 1966 a | Taenia taxidiensis Skinker 1935 as syn. of Fosser taxidiensis (Skinker 1935) | Keppner, E. J., 1967 a, 157- 158 |
| Taenia taeniaeformis in cats infected with Toxoplasma gondii | Dubey, J. P., 1966 b | Taenia tenuicollis Rudol- phi, 1819 (small intestine) Martes zibellina Mustela sibiricus M. erminea M. nivalis | Gubanov, N. M., 1964 a, 19 all from Yakutia |
| Taenia taeniaeformis taxonomic analysis Syn.: Hydatigera taeniaeformis Batsch, 1786. | Esch, G. W.; and Self, J. T., 1965 a, 932, 935 | Taenia tenuicollis Rud., 1819 Talpa europea (liver) | Merkushewa, I. V.; and Kraev- skaya, L. I., [1966 a] Belorussia |
| Taenia taeniformis [sic] (foie) Rattus norvegicus R. rattus | Floch, H. A.; Courdurier, J.- B.-E.; and Jacobi, J. C., 1966 a all from French Guiana | Taenia tenuicollis (Rudolphi, 1809) (tenke strevo) Putorius putorius Martes foina Mustela erminea | Prokopic, J., 1965 a, 211, figs. 1c-d all from Czechoslovakia |
| Taenia taeniaeformis [sic] (Black, 1780) (larval) Ondatra zibethicus oso- yoosensis | Grundmann, A. W., and Tsai, Yuan-Hwang, 1967 a Salt Lake Valley, Utah | Taenia tenuicollis [Mustela martes] | Siarzhanin, Iu. I., 1965 a Belorussia |
| Taenia taeniaeform [sic] cat (jejunum) | Herman, L. H.; and Helland, D. R., 1966 a, 753-757 | Taenia tenuicollis (larv.) Apodemus flavicollis | Tenora, F., 1965 c, 70, 72 Czechoslovakia |
| Taenia taeniaeformis Felis catus | Langenegger, J.; and Lanzieri, P. D., [1965 a], 87 Rio de Janeiro | Taenia triangula (Krabbe, 1869) Fuhrmann, 1908 as syn. of Biuterina triangula | Rysavy, B., 1965 b, 260 |
| Taenia taeniaeformis Microtus pennsylvanicus (liver) | Kinsella, J. M., 1967 a, 271 western Montana | Taenia twitchelli Schwartz, Wahl, E., 1967 a, 167 1924 | Dubinin, V. B., 1938 a, 153 |
| Toenia tenioformis [sic] Ancistrodon rhodostoma | Nguyễn-Van-Ai, [1961 b], 134 Viet Nam | Taenia urceus (Wedl, 1855; Krabbe, 1869) as syn. of Dilepis urceus (Wedl, 1855) Fuhrmann, 1908 | Abdullaev, A. M.; Kosynin, A. P.; and Batuev, S. B., 1966 a |
| Taenia taeniaeformis histochemistry | Orihara, M., 1963 a | Taeniarhynchosis movable clinic, human | |

- Taeniarhynchosis bovine Budagova, G. G.; and Kosenko, V. K., 1966 a
Kalmyk ASSR
- Taeniarhynchosis control, horses Fomin, A. I.; and Tutik, S.K., 1966 a
- Taeniarhynchosis transmission to man Lohmanenko, V. A., 1966 a, fig. 13
- Taeniarhynchosis epidemiology Magdiev, R. R., 1966 a
Kattakurgan, Kattakurgan and Narpay regions
- Taeniarhynchosis sanitation Mangush, E. K., [1966 a]
Donetsk
- Taeniarhynchosis epidemiology Monisov, A. A., 1967 a
Rushan region, Western Pamir
- Taeniarhynchosis eradication Nadzhafov, I. G., 1966 a
Azaply, Tauzraion, Azerbaijan SSR
- Taeniarhynchosis liquidation, human Pod'apol'skaya, V.P., 1963 a
Russia
- Taeniarhynchosis control, human Sergiev, P. G.; Shul'man, E. S.; and Abramova, I. G., 1966 a
Russia
- Taeniarhynchosis bovine, control Sitov, K. E., 1966 a
Uzbek SSR
- Taeniarhynchosis, Treatment Antonian, A. A.; et al, 1965 a
male fern extract + acrachine, human
- Taeniarhynchosis, Treatment Kovalev, N. E., 1966 a
phenasale, human
- Taeniarhynchosis, Treatment Monisov, A. A.; and Niezbeckov, Kh., 1966 a
phenasal with dichlorophene or acriquine
- Taeniarhynchosis, Treatment Prokopenko, L. I., 1966 a
male fern extract+acriquine; phenasal; dichlosal Russia
- Taeniarhynchosis, Treatment Shakhsuvarli, M. A.; Makhmudova, Sh. A.; Alieva, S. I.; and Pashaeva, M. I., 1967 a
phenasal; phenasal + dichlorophen, human
- Taeniarhynchosis, Treatment Suvorov, V. Iu., 1966 a
dichlosale; phenasale + acriquine, human
- T[ae]niarhynchus saginatus Abdullaev, A. M., 1966 a
phenasal, human
- Taeniarhynchus saginatus electrophoretic picture of blood serum proteins, cattle Evranova, V. G.; and Mosina, S. K., [1966 a]
- Taeniarhynchus saginatum nitrogen and amino acid analysis Goodchild, C. G.; and Dennis, E. S., 1966 a
- Taeniarhynchus saginatus use of antigenic structure in refining of taxonomic position Kravtsov, E. G., 1966 a;
1966 b; 1966 c
- Taeniarhynchus saginatus diagnosis by questioning Monisov, A. A., 1966 a
- Taeniarhynchus saginatus Goeze, 1782 early spermatogenesis Pashchenko, L. F., 1961 a,
pls. I-III, figs. 1-26
- Taeniarhynchus saginatus embryonic development Pavlova, L. I., 1963 a
- Taeniarhynchus saginatus (Goeze, 1782) morphological and biochemical structure, eggs Pavlova, L. I., 1965 b, figs.
1-3
- Taeniarhynchus saginatus development of female genital organs Pavlova, L. I., 1965 c, figs.
1-4
- Taeniarhynchus saginatus distribution and epizootiology Schulze, U., [1964 a]
Frankfort/Oder
- Taeniarhynchus saginatus fertility Shigin, A. A., 1965 d
- Taeniarhynchus saginatus effect of insect larvae on survival of eggs in reservoir Sukhacheva, E. I., 1963 b
- Taeniarhynchus saginatus Tarasov, V. V.; and Shub, L. M., 1966 a
Mexico
- Taeniarhynchus saginatus (larvae) [Bos taurus] krupnogo rogatogo skota Zgardan, E. S.; et al, 1966 a
Moldavia
- Taeniarhynchus saginatus (Goeze, 1782) larvae [Bos taurus] Zgardan, E. S.; and Frukhtman, E. A., 1965 a
Moldavia
- Taeniasis immunity Berezantsev, Iu. A., 1965 a
- Taeniasis liquidation Gritsai, M. K., 1963 c
USSR

- Taeniasis liquidation Kravchenko, V. S., 1963 a Donets oblast Taeniasis, Human, Treatment Nenov, S.; Krustev, St.; and Bachev, K., 1959 a Stankevich, K., 1959 a Stankedimitrovska okoliia, Bulgaria
- Taeniasis foci of invasion Ostrovskaya, V. A., 1963 b L'vov oblast Taeniasis, Human, Treatment Pugachevskaya, E. F., 1963 a acrichin male fern extract
- Taeniasis review of work in U. S. A. Peters, H., 1966 b
- Taeniasis, Bovine Pogrebniak, L. P., 1961 a
- Taeniasis, Canine Euzeby, J. A., 1966 b
- Taeniasis, Feline Euzeby, J. A., 1966 b
- Taeniasis, Human Asada, J.; et al, 1959 c frequency, length of infestation, development, Japan
- Taeniasis, Human Bruskin, B. R.; Zelenova, I. G.; and Slavina, N. F., 1965 a Tashtagol region, Kemerovo oblast
- Taeniasis, Human transmission Lohmanenko, V. A., 1966 a, figs. 11-12
- Taeniasis, Human purgative salts, deformed strobila Miretskii, O. Ia., 1963 a
- Taeniasis, Human liquidation Pod'iapol'skaya, V. P., 1963 a Russia
- Taeniasis, Human control, epidemiology Pogrebniak, L. P., 1961 a Ukraine
- Taeniasis, Human eradication Pugachevskaya, E. F., 1963 a Kiev
- Taeniasis, Human quantitative values of pancreatic and intestinal enzymes Todorov, R. D., 1966 a
- Taeniasis, Human eradication Tsareva, V. Ia.; and Matt, Ts. D., 1963 a
- Taeniasis, Human, Diagnosis Tintareanu, J.; Solomon, P.; intradermal reaction and Hacig, A., 1965 b
- Taeniasis, Human, Treatment Agamaliev, T. S., 1964 a naphthamon
- Taeniasis, Human, Treatment de Mattos, H., 1963 a fluphenazine hydrochloride
- Taeniasis, Human, Treatment Felix mas extract
- Taeniasis, Livestock epidemiology, control, swine Chebotarev, R. S., 1968 a
- Taeniasis, Livestock swine Pogrebniak, L. P., 1961 a Ukraine
- Taeniasis, Livestock geographical distribution Popova, Z. G.; Korzh, K. P.; and Makeev, V. F., 1965 a USSR, Zaporozhe oblast
- Taeniasis, Ovine sheep Mantovani, A.; and Restani, R., 1966 b, 107 Marsica (Abruces, Central Italy)
- Taeniasis, Ovine Top, W., 1967 a
- Taeniida nov. comb. order of Cyclophyllidea Merdivenci, A., 1966 b, 81
- Taeniidae Gasanov, M. V.; Efendiev, S. S.; and Kurbanova, F. A., 1964 a Bakinsk Bay
- Taeniidae [sp.] Hathaway, R. P., 1967 a Albuquerque, New Mexico
- Tatria acanthorhyncha (Wedel, 1855) Aythya nyroca (small intestine)
- Tatria acanthorhyncha (Wedel, 1855) Aythya nyroca (small intestine)
- Tatria acanthorhyncha (Wedel, 1855) Aythya nyroca (small intestine)
- Tatria acanthorhyncha (Wedel, 1855) Aythya nyroca (small intestine)
- Tatria biremis [Podiceps nigricollis] Kibakin, V. V., 1965 a Gasan-Kuliisk game reserve
- Tatria biremis Kowalewski, 1909 Podiceps cristatus Roman-Chiriac, E., 1965 a, 146 Danube delta, Romania
- Tatria biremis Sailov, D. I., 1963 a Azerbaidzhan

- Tatria biremis Kowalewski, 1904
Podiceps nigricollis Zhatkanbaeva, D., 1965 a
Southern and Central Kazakhstan
- Tatria decacantha Fuhrmann, 1913
Podiceps cristatus Roman-Chiriac, E., 1965 a, 146
Danube delta, Romania
- Tatria decacantha Fuhrmann, 1913
Podiceps griseigena P. nigricollis Zhatkanbaeva, D., 1965 a
all from Southern and Central Kazakhstan
- Taufikia Woodland, 1928
key to species Kapoor, V. N., 1966 a, 176
- Taufikia edmondi key Kapoor, V. N., 1966 a, 176
- Taufikia ghoshi n. sp.
key Neophron percnopterus Kapoor, V. N., 1966 a, 172-176, figs. 1-4
Soraon, District Allahabad
- Taufikia indica key Kapoor, V. N., 1966 a, 176
- Taufikia magnisomum key Kapoor, V. N., 1966 a, 176
- Tejidotaenia n. g.
Ophiootaeniidae; Ophiotaeiniiae
key Freeze, V. I., 1965 c, 51, 58
tod: *T. appendiculata*, comb. nov.
- Tejidotaenia appendiculata (Baylis, 1947)
comb. nov. (tod) Freeze, V. I., 1965 c, 52, 58
- Tentacularia sp.
Promethichthys prometheus Kato, K.; and Sakata, T., 1963 a
Bay of Sagami
- Tentacularia coryphaenae Bosc, 1802
Katsuwonus pelamis (body cavity) Ichihara, A.; Kamegai, S.;
Kato, K.; and Kihara, M., 1965 a
Japan
- Tentacularia coryphaenae Bosc, 1802
Salmo salar (body cavity) Sandeman, I. M.; and Pippy,
J. H. C., 1967 a, 1922, fig. 10
Newfoundland
- Testudotaenia n. g.
Ophiootaeniidae; Ophiotaeiniiae
key; key to species Freeze, V. I., 1965 c, 51, 58
tod: *Testudotaenia cohospes* (Cordero, 1946) comb. nov.
- Testudotaenia cohospes (Cordero, 1946) comb. nov. (tod)
key Freeze, V. I., 1965 c, 52, 58
- Testudotaenia testudo (Magath, 1924) comb. nov.
key Freeze, V. I., 1965 c, 58
- Tetrabothrium. See *Tetrabothrius*.
- Tetrabothrius sp.
Larus argentatus (small intestine)
L. atricilla " Ehrhardt, W. R.; Harkema, R.;
and Miller, G. C., 1967 a, 133
Nags Head, North Carolina
Beaufort, North Carolina
- Tetrabothrium sp.
Columbus stellatus Oshmarin, P. G., 1965 b
Buriat ASSR
- Tetrabothrius cylindraceus (Rudolphi, 1819)
(small intestine of all)
Larus argentatus
L. atricilla Ehrhardt, W. R.; Harkema, R.;
and Miller, G. C., 1967 a, 133
Columbia, North Carolina
Hatteras, Nags Head, and
Beaufort, North Carolina
- Tetrabothrius cylindraceus Larus argentatus Guildal, J. A., 1968 a, 61,
65
South Harbour of Copenhagen
- Tetrabothrius cylindraceus (Rud., 1819) Lühe, 1899 Hartwich, G., 1954 c, 264-265
Larus modestus (Darmstück)
L. hyperboreus Lima, Peru
- Tetrabothrius cylindraceus (Rud., 1819)
[*Hydroprogne tschegrava*]
[*Gelochelidon nilotica*] Smogorzhevskaja, L. A.; Kor-
niushin, V. V.; Iskova, N. I.;
and Eminov, A., 1965 a
all from Turkmen
- Tetrabothrius cylindraceus (Rudolphi, 1819)
Larus marinus
Rissa tridactyla
Larus hyperboreus Threlfall, W., 1968 b
all from Newfoundland,
Canada
- Tetrabothrius erostris (Löemub, 1884)
[*Hydroprogne tschegrava*] Chibichenko, N. T., 1966 a, 44
Kirgiz
- Tetrabothrius erostris (Loennberg, 1899)
(small intestine)
Larus argentatus
L. atricilla Ehrhardt, W. R.; Harkema, R.;
and Miller, G. C., 1967 a, 133
Nags Head, North Carolina
Beaufort and Hatteras,
North Carolina
- Tetrabothrius erostris (Loennberg, 1889)
Larus argentatus Threlfall, W., 1966 c, 14
Wales
- Tetrabothrius erostre (Loennberg, 1889)
Larus marinus
Rissa tridactyla
Larus hyperboreus Threlfall, W., 1968 b
all from Newfoundland,
Canada
- Tetrabothrius heteroclitus (Dies., 1845) Lühe, 1899 Hartwich, G., 1954 c, 263-
264
Puffinus griseus (Darmstück) Mancora, Peru

- Tetrabothrius heterosoma
Baird, 1853
Sula bassana
Jansen, J. (jr.); and van den Broek, E., 1966 a
Scotland (zoological garden, Netherlands)
- Tetrabothrium immerinus
(Abildgaard, 1790)
Podiceps cristatus
Roman-Chiriac, E., 1965 a, 146
Danube delta, Romania
- Tetrabothrium porrigenus
Molin, 1858
Nycticorax nycticorax
Roman-Chiriac, E., 1965 a, 150
Danube delta, Romania
- [Tetrarhynchidae spp.]
plankton and marine invertebrates
Dollfus, R. P. F., 1967 a, 156-162, 163, 164, figs. 1-11, 12
- Tetrarhynchidae [sp.]
ocean fish
Popa, G.; Popescu, N.; Brinzac, V.; and Feteanu, S., 1963 a, fig. 3
- Tetrarhynchobothrium sp.
(intestine)
Gobius niger
G. batrachochephalus
Naïdenova, N. N., 1965 a, 173
all from Black Sea
- Tetrarhynchobothrium sp.
larvae
Trachurus mediterraneus
ponticus (intestine, gall bladder)
Nikolaeva, V. M., 1963 a, 416-417
Black Sea
- Tetrarhynchus sp. larvae
Spicara smaris (intestine)
Nikolaeva, V. M., 1963 b, 442
Crimean and Caucasus coasts, Black Sea
- Tetrathyridium [lapsus as: Tetratiridium]
Sharpilo, V. P., 1963 a
- Tetrathyridium sp.,
larvae
Felis libyca (cavité générale)
Bernard, J., 1964 a
forest region of Cap Bon, Tunisie
- Tetrathyridium sp.
"probablement T. bailleti"
Felis libyca (cavité générale)
Bernard, J., 1967 a
- Tetrathyridium [sp.]
chat (peritoneum)
Bernard, J.; Ben Osman, F.; and Juminer, B., 1964 a, 53, 54
Tunis
- Tetrathyridium sp.
Hemicchinus auritus
(séreuses)
Dollfus, R.-P. F., 1965 a, 70, 71, 72, figs. 16-17
Kamalabad, Iran
- Tetrathyridium sp.
Meriones persicus
(cavité péritonale)
Dollfus, R.-P. F., 1965 a, 69, 70, 71, fig. 15
Akinlou, Iran
- Tetrathyridium sp.
Rana ridibunda
Tetrahyridium sp.
Canis familiaris
Tetrahyridium bailleti
chat (cavité peritoneale)
Lyrurus mlokosiewiczi
Coturnix coturnix
Tetrahyridium variabile
all from Armenian SSR
- Tetratiridium [sic] sp.
Ralliet, 1885
Canis familiaris
- Tetrahyridium bailleti
[lapsus for: Tetrathyridium]
Veltsos, A. G., 1962 a
Greece
- Tetrahyridium variabile
Abbasov, M. T., [1966 a]
(Leuckart, 1856) Abuladze, Nakhichevan ASSR
1964
[Vulpes vulpes] (small intestine)
- Tetrahyridium polyacantha
rodents
Tokobaev, M. M., 1965 a
Kirgiz
- Taenia
[lapsus for: Taenia]
Asai, M.; and Fukamatu, H., 1965 a, 351
- [Thaparea] magnivesicula
(Johri, 1953)
Spasskii, A. A., 1966 a;
1966 b; 1966 c
- Thisaniezia
[lapsus for: Thysaniezia]
Paskal'skala, M. Iu., 1963 a
- Thysaniez[ia]
tin arsenate, ovine
Chubabriia, I. T., 1958 a
- Thysaniezia
Thysanieziidae nov. fam.; Thysanieziinae
Merdivenci, A., 1966 b, 82
- Thysaniezia
[lapsus as: Thisaniezia]
Paskal'skala, M. Iu., 1963 a
- Thysaniezia
Thysanosomatinae, key
Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374
- Thysaniezia giardi
[Bos taurus]
Egorov, Iu. G., 1965 a
Byelorussia
- Thysaniezia giardi
Rangifer tarandus caragassi
Kadenatsii, A. N., 1963 d
Khabarovsk krai

- Thysaniezia giardi [Ovis aries] Kadenatsii, A. N.; and Burikova, Iu. N., 1963 a Omsk forest steppe
- Thysaniezia giadri [sic] [Bos taurus] Lavrov, L. I., 1965 a Southern Kazakhstan
- Thysaniezia giardi (Moniez, 1879) [Rangifer tarandus] Mitskevich, V. Iu., 1965 a, 170 Russia
- Th[ysaniezia] giardi copper sulphate Niculescu, A.; et al., [1967 a]
- Thisaniezia [sic] giardi epizootiology, ovine Paskal'skaia, M. Iu., 1963 a Kulundinskaiia zone, Novosibirsk oblast
- Thysaniezia giardi stanoarsenite and stano-chloride + nicotine sulphate, ovine Popov, A. T.; and Bankov, D. T., 1959 a
- Thysaniezia giardi (Moniez, 1879) [Ovis aries] Shlychkov, M. I., 1965 b Kuibyshevskoi oblast
- Thysaniezia giardi [Capra hircus] Smirnova, M. N.; and Klenin, I. I., 1965 a Orenburg oblast
- Thysaniezia giardi cattle (small intestine) Wu, S. C.; Yen, W. C.; and Shen, S. S., 1965 a, 374 southwestern China
- Thysaniezia giardi [Ovis aries] ovets [Bos taurus] krupnogo rogatogo skota Zgordan, E. S.; et al., 1966 a all from Moldavia
- Thysaniezia giardi (Moniez, 1879) [Ovis aries] [Bos taurus] Zgordan, E. S.; and Frukhtman, E. A., 1965 a all from Moldavia
- Thysaniezia giardi (Moniez, 1879) [Ovis aries] (digestive tract) Zhidkov, A. E., 1965 a Omsk oblast
- Thysaniezia ovilla antigen chart Ershov, V. S., 1959 d
- Thysaniezia ovilla dromadaire (intestin grêle) Graber, M.; Tabo, R.; and Service, J., 1967 a, 230, 241 Tchad
- Thysaniezia ovilla Bitin-S Guilhon, J.; and Graber, M., 1967 a
- Thysaniezia ovilla Bitin-S Guilhon, J.; and Graber, M., 1967 c
- Thysaniezia ovilla mouton (intestin) Levrat, E., 1966 a, 28 Tchad
- Thysanieziidae nov. fam., nov. comb. includes Thysanieziinae Merdivenci, A., 1966 b, 82
- Thysanieziinae Kadenatsii, A. N.; and Burikova, Iu. N., 1963 a Omsk forest steppe
- Thysanieziosis, Ovine manganoous arsenate; calcium arsenate Goderdzishvili, G. I., 1963 c
- Thysanosoma Thysanosomatinae, key Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374
- Thysanosoma actinoides Ovis canadensis nelsoni Allen, R. W., 1964 a, 5, 6, 7, 9 Nevada
- Thysanosoma actinoides Yomesan sheep Allen, R. W.; Enzie, F. D.; and Samson, K. S., 1967 a New Mexico
- Thysanosoma actinoides [sic] Antilocapra americana (small intestine) Hailey, T. L.; Thomas, J. W.; and Robinson, R. M., 1966 a Presidio County, Texas
- Thysanosoma actinoides [sic] control Kortan, L. J., 1967 a
- Thysanosoma actinoides [Ovis aries] (bile ducts) Smith, J. P., 1967 a
- Tiarabothrium "may be a valid genus" Williams, H. H., 1966 a, 250
- Tiarabothrium javanicum Shipley and Hornell, 1906 as syn. of Echeneibothrium javanicum (Shipley and Hornell, 1906) Williams, H. H., 1966 a, 250
- Toenia [lapsus for: Taenia] Nguyễn-Van-Ai, [1961 b], 134
- Triaenophorus crassus Forel, 1880 Komarova, T. I., 1961 a, 254 Central Dnieper
- Esox lucius (intestine)
- Triaenophorus crassus Komarova, T. I., 1963 a Dnieper delta
- Triaenophorus crassus Forel, 1881 Komarova, T. I., 1964 a, 86 all from Dnieper delta
- [Esox lucius] (intestine)
- [Siluris glanis] "
- Triaenophorus crassus Esox lucius (intestine) Kuperman, B. I., 1965 a, fig. 2 all from Ladozhskoe lake
- Perca fluviatilis (intestine, liver)
- Coregonus albula (musculature)
- Triaenophorus crassus hook size variation Kuperman, B. I., 1967 a pl. 1, I-E
- Esox reichenerti River Amur Basin
- Esox lucius Lake Ladoga; Volga River Delta; and Dnieper Delta
- Triaenophorus crassus Coregonus lavaretus Spasski, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a Tuva ASSR
- pidschian
- Triaenophorus crassus Forel, 1880 Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a
- Coregonus lavaretus pidshi- Russia, Tuva ASSR
- ana (muscle)
- Triaenophorus crassus (Forel, 1880) Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a
- [Esox lucius] (intestine) Moskov area reservoirs

| | | | |
|---|---|---|---|
| Triaenophorus crassus Forel, 1868 Petromyzon marinus (intestine) | Wilson, K. A.; and Ronald, K., 1967 a Great Lakes region | Triaenophorus nodulosus (P. 1781) (intestine) [Aspius aspius] [Silurus glanis] | Komarova, T. I., 1966 a, 64 all from Dnieper estuary |
| Triaenophorus lucili (Miller, 1776) Esox lucius Perca fluviatilis Thymallus arcticus | Oshmarin, P. G., 1965 b all from Buriat ASSR | Triaenophorus nodulosus | Krotas, R. A., 1963 b Neman river |
| Triaenophorus lucii embryogenesis | Rybicka, K., 1966 b, fig. 1 | Triaenophorus nodulosus | Kuperman, B. I., 1965 a, fig. 1 all from Ladozhskoe lake |
| Triaenophorus nodulosus (Pallas, 1781) Esox lucius | Belinišova, L. K., 1965 a Krasnooskol'skoe reservoir | Triaenophorus nodulosus Lota lota (liver) Esox lucius (intestine) Perca fluviatilis (intestine, liver) Osmerus eperlanus n. ladogensis (liver, internal organs) | Kuperman, B. I., 1965 a, fig. 1 all from Ladozhskoe lake |
| Triaenophorus nodulosus Esox lucius (crijevo) | Čanković, M.; Kiškarolj, M.; and Ramadanić, R., 1968 a, fig. 4 Sava river | Triaenophorus nodulosus (Pall. 1760) Carassius carassius L. (exper.) Leuciscus idus L. var. orfus (exper.) Carassius auratus gibelio Bloch (exper.) Esox lucius L. (exper.) Perca fluviatilis L. (exper.) | Kuperman, B. I., 1966 a; 1966 b; 1966 c |
| Triaenophorus nodulosus [Esox lucius] | Gavrilitsa, L. A., 1964 a Dnestriv estuary | Triaenophorus nodulosus hook size variation Esox reichertii Esox lucius | Kuperman, B. I., 1967 a pl. 1, A-B River Amur Basin Lake Ladoga, Dnieper Delta |
| Triaenophorus nodulosus (Pallas, 1781) glycogen and fat storage | Ginetsinskaiā, T. A.; and Uspenskaiā, Z. I., 1965 a, fig. 4b | Triaenophorus nodulosus glycogen storage in liver of fish hosts | Lopukhina, A. M., 1966 a |
| Triaenophorus nodulosus (Pall.) high energy compounds of coracidia | Grabiec, S.; Guttowa, A.; Jakutowicz, K.; and Michajłow, W., 1965 a | Triaenophorus nodulosus (Pallas, 1781) Esox lucius | Margaritov, N. M., 1964 a Bulgaria |
| Triaenophorus nodulosus (Pallas, 1781) Perca fluviatilis (intes- tine, liver) Esox luceus [sic] (intestine, liver) | Ha, K., 1964 a all from Alol group of lakes (Pskov oblast) | Triaenophorus nodulosus Esox lucius | Puidak, U., 1965 a Estonian coastal waters |
| Triaenophorus nodulosus (all exper.) Eucyclops (s.str.) serrulatus (Fisch) Eucyclops (s. str.) macruroides (Lill.) Cyclops stremmus Fisch. Acanthocyclops sp. Mesocyclops (s. str.) leuckarti Cyclops scutifer | Halvorsen, O., 1968 a; 1968 b Huculak, F., 1965 a, 285 all from Koźłowa Góra reservoir | Triaenophorus nodulosus [Esox lucius] | Semenova, N. N., 1967 a Moskov oblast |
| Triaenophorus nodulosus Pallas Esox lucius Perca fluviatilis | Kaletskaia, S. L., 1965 a all from Zapadnaia Dvina | Triaenophorus nodulosus (Pallas, 1781) Jsox [i.e. Esox] lucius | Sokolov, A. N., 1965 a Volga river, Kozlovka village, Chuvashskia ASSR |
| Triaenophorus nodulosus (Pallas, 1781) Rudolphi, 1793 Perca fluviatilis (liver) Esox lucius (liver and intestine) | Komarova, T. I., 1961 a, 254 all from Central Dnieper | Triaenophorus nodulosus pl. Hucho taimen Brachymystax lenok Coregonus lavaretus pidschian Esox lucius Leuciscus idus Phoxinus phoxinus Lota lota Perca fluviatilis | Spasskiĭ, A. A.; Roitman, V. A.; and Trofimenko, V. Ia., 1965 a all from Tuva ASSR |
| Triaenophorus nodulosus | Komarova, T. I., 1963 a Dnieper delta | Triaenophorus nodulosus pike | Stranack, F. R., 1966 a Hampshire rivers |
| Triaenophorus nodulosus | Komarova, T. I., 1963 b Dneprovsk estuary | Triaenophorus nodulosus (Pallas, 1781) (liver) Perca fluviatilis Lota lota Leuciscus idus Esox lucius | Sulimov, A. D.; Galkin, M. F.; and Tiumentseva, G. I., 1965 a all from Russia, Tuva, ASSR |
| Triaenophorus nodulosus (P., 1781) [Esox lucius] (intestine) [Perca fluviatilis] (intestine, liver) [Siluris glanis] (intestine) | Komarova, T. I., 1964 a, 86 all from Dnieper delta | Triaenophorus nodulosus (Pallas, 1781) (intestine) [Esox lucius] (liver) [Perca fluviatilis] | Vasil'kov, G. V.; Kamenskii, I. V.; Biriukova, L. P.; and Ponomareva, E. V., 1965 a all from Moskov area reservoirs |

- Triaenophorus nodulosus (Pallas, 1781) (intestine, liver) Esox lucius Perca fluviatilis Wyrzykowska, B., 1964 a, 154, 159 all from Zegrzynski Reservoir
- Trichocephaloides megalocephala Calidris alpina alpina Akhumian, K. S., 1966 a Armenian SSR
- Trichocephaloides megalcephala (Krabbe, 1869) Calidris maritima coesi Tsimbaliuk, A. K., [1966 a] Komandorskie Islands
- Trigonocotyle lintoni Guiart (1935) Globicephala melaena (intestine) Cowan, D. F., 1967 a
- Trilocularia sp. Callionymus fragris Apogon lineatus Chaetuchritis hexanema Ichihara, A., 1963 a all from Bay of Tokyo
- Triodontolepis bifurca (Hamann, 1891) Yamaguti, 1959 Neomys fodiens (intestine) Genov, T.; and Dimitrova, E. A., 1966 a, 138-139, 146, 150, 151, 152, 157, 158 Bulgaria
- Triodontolepis skrjabini sp. n. Sorex araneus Neomys anomalus Gammarus (Rivulogammarus) kischineffensis (body cavity) Spasskii, A. A.; and Andreiko, A. F., 1968 a, 1442-1445, figs. 1-2 all from Moldavia
- Trypanorhyncha sp. Atherina hepsetus A. mochon pontica A. bonapartei Kovaleva, A. A., 1963 a all from Black Sea, Karadag region
- Trypanorhyncha sp. larvae Trachurus mediterraneus ponticus (body cavity, intestine) Kovaleva, A. A., 1965 a Azov Sea; Black Sea
- Tschertkovilepis Shevtsov, A. A., 1961 a, 227 [lapsus for: Tschertkovilepis]
- Tschertkovilepis Shevtsov, A. A., 1961 a, 227 [lapsus as: Tschertcovilepis]
- Tschertkovilepis brachycephala Charadrius dubius curonicus Haemartopus ostralegus longipes Akhumian, K. S., 1966 a all from Armenian SSR
- Tschertkovilepis monoposthe (Dubinina, 1953) [Netta rufina] [Anas platyrhynchos] Chibichenko, N. T., 1966 a, 40 all from Kirgiz
- Tschertkovilepis monoposthe Netta rufina Maksimova, A. P., 1966 a South Kazakhstan
- Tschertkovilepis monoposthe (Dubinina, 1953) Netta rufina Maksimova, A. P., 1967 a, 149 Western Kazakhstan
- Tschertkovilepis setigera domestic waterfowl Adysheva, M. M., 1963 a Andizhan oblast
- Tschertkovilepis setigera Anser anser Akhumian, K. S., 1966 a Armenian SSR
- Tschertkovilepis setigera (Froelich, 1789) [Anas platyrhynchos] Belokobilenko, V. T., 1965 a Ural oblast
- Tschertkovilepis setigera (Fröhlich, 1789) Spasskaja, 1954 [Anas platyrhynchos] [Netta rufina]
- Tschertkovilepis setigera Acanthocyclops viridis Macrocylops albidus
- Tschertkovilepis setigera Anser anser
- Tschertkovilepis setigera (Fröhlich, 1789) Spasskaja, 1954 [Anser anser]
- Tschertkovilepis setigera (Fröhlich, 1789) rată găscă
- Tschertcovilepis [sic] setigera [Anser anser] [Anas platyrhynchos]
- Tschertkovilepis setigera [Anas platyrhynchos] [Anser anser]
- Tschertkovilepis setigera [Anser anser]
- Tschertkovilepis setigera [Anser anser]
- Tylocephalum [sp.] coracidium Crassostrea virginica Cheng, T. C., 1966 a, pl. 1, figs. 1-6; pl. 2, figs. 1-3; pl. 3, figs. 1-6; pl. 4, figs. 1-2 West Loch, Pearl Harbor, Hawaii
- Unciunia ciliata (Fuhrmann, 1913) [Anas formosa] [Anas acuta]
- Unciunia ciliata (Fuhrmann, 1913) Nyroca marila Anas strepera A. platyrhynchos A. acuta Nyroca ferina
- Unciunia ciliata (Fuhrmann, 1913) [Anas platyrhynchos]
- Chibichenko, N. T., 1966 a, 40 all from Kirgiz
- Maksimova, A. P., 1967 a, 149 all from Western Kazakhstan
- Nikulin, T. G., 1965 a Byelorussia

- Vampirolepis Sawada, I., 1966 a, 54-55, 57,
list of species, morphology fig. 7
table, rostellar hooks figured
- Vampirolepis australiensis Sawada, I., 1966 a, 54-55, 57,
(Sandars, 1957) fig. 7 (1 fig.)
rostellar hooks, morphology table
- Vampirolepis balsaci (Joy- Sawada, I., 1966 a, 54-55, 57,
eux et Baer, 1937) fig. 7 (1 fig.)
rostellar hooks, morphology table
- Vampirolepis cercopitheci Sawada, I., 1966 a, 54-55, 57,
(Baer, 1927) fig. 7 (1 fig.)
rostellar hooks, morphology table
- Vampirolepis chiroptero- Sawada, I., 1966 a, 54-55
phila (Pérez Vigueras, 1941)
morphology table
- Vampirolepis christen- Nickel, P. A.; and Hansen,
soni M. F., 1967 a, 483
Myotis grisescens Kansas
(intestine)
- Vampirolepis christensonii Sawada, I., 1966 a, 54-55, 57,
(Macy, 1931) fig. 7 (1 fig.)
rostellar hooks, morphology table
- Vampirolepis decipiens Sawada, I., 1966 a, 54-55, 57,
(Diesing, 1850) fig. 7 (1 fig.)
rostellar hooks, morphology table
- Vampirolepis fraterna Sawada, I., 1966 a, 54-55, 57,
(Stiles, 1906) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis gertschi Nickel, P. A.; and Hansen,
Myotis velifer incau- M. F., 1967 a, 483
tus (intestine) Kansas
- Vampirolepis gertschi Sawada, I., 1966 a, 54-55, 57,
(Macy, 1947) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis hamanni Genov, T.; and Dimitrova, E.
(Mražek, 1891) Yamaguti, A., 1966 a, 139-140, 146, 150,
1959 151, 152, 157, 158
Neomys fodiens (intestine) Bulgaria
- Vampirolepis hidaensis Sawada, I., 1967 a, 103-106,
n. sp. pl. 1, figs. 1-6
Rhinolophus ferrumequinum (small intestine) Hidaosaka, Gifu Prefecture,
Japan
- Vampirolepis isensis n. Sawada, I., 1966 a, 51-53, 56,
sp. (small intestine) 57, figs. 1-6, 7 (1 fig.)
Rhinolophus cornutus all from Ise City, Mie Prefecture, Japan
R. ferrumequinum
- Vampirolepis kerivoulae Sawada, I., 1966 a, 54-55, 57,
(Hübscher, 1937) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis khalili Sawada, I., 1966 a, 54-55, 57
(Hilmy, 1936) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis longior Sawada, I., 1966 a, 54-55, 57,
(Baylis, 1922) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis maclaudi Sawada, I., 1966 a, 54-55, 57,
(Joyeux et Baer, 1928) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis macroscelid- Sawada, I., 1966 a, 54-55, 57,
arum (Baer, 1926) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis magnirostellata (Baer, 1931) Spassky, Genov, T.; and Dimitrova, E.
1954 (intestine) A., 1966 a, 140, 146, 147, 150
Neomys fodiens 152, 157, 158
N. anomalus all from Bulgaria
- Vampirolepis magnirostellata (Baer, 1931) Sawada, I., 1966 a, 54-55, 57,
rostellar hook, morphology fig. 7 (1 fig.) table
- Vampirolepis nana (Siebold, Sawada, I., 1966 a, 54-55, 57,
1852) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis neomidis Sawada, I., 1966 a, 54-55, 57
(Baer, 1931) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis peramelidarum Sawada, I., 1966 a, 54-55, 57,
(Nybelin, 1917) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis pipistrelli Sawada, I., 1966 a, 54-55, 57,
(López-Neyra, 1941) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis roudabushi Nickel, P. A.; and Hansen,
Myotis keenii septen- M. F., 1967 a, 483
trionalis (intestine) Kansas
- Vampirolepis roudabushi Sawada, I., 1966 a, 54-55, 57,
(Macy et Rausch, 1946) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis sandgroundi Sawada, I., 1966 a, 54-55, 57,
(Baer, 1933) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis schillieri Sawada, I., 1966 a, 54-55, 57,
(Rausch et Kuns, 1950) fig. 7 (1 fig.)
rostellar hook, morphology table
- Vampirolepis stefanski Sawada, I., 1966 a, 54-55, 57,
(Zarnowski, 1954) fig. 7 (1 fig.)
rostellar hook, morphology table
- Variolepis crenata Chernobai, V. F., 1965 a
(Goeze, 1782) Volgograd oblast
Pica pica
- Variolepis crenata Goeze, Mourad, A. R., 1967 a, 379,
1782 fig. 1
(exper.)
Pterostichus madidus
Carabus hortensis
- Variolepis crenata (Goeze, Prokopic, J., 1967 b, fig. 1
1782) Syns.: Hymenolepis muris-sylvatici (Rudolphi, 1819);
Diplacanthus angulata Volz, 1899; Meyhewia crenata [sic]
Yamaguti, 1959
Apodermus sylvaticus
- Variolepis farciminoza Akhumian, K. S., 1966 a
Sturnus vulgaris Armenian SSR
- Variolepis farciminoza Ballard, N. B.; and Olsen,
(Goeze, 1782) Spasski and O. W., 1966 a
Spasskaya, 1954 Fort Collins, Colorado
Sturnus vulgaris vulgaris
- Variolepis farciminoza Mourad, A. R., 1967 a, 379-
Goeze, 1782 380, fig. 2
(exper.)
Pterostichus madidus
Carabus hortensis

- | | | | |
|---|---|--|---|
| <i>Variolepis</i> <i>farcimino</i> (Goeze, 1782) | Oshmarin, P. G., 1965 b Buriat ASSR | <i>Vitta magniuncinata</i> Burt, 1938 as syn. of <i>Vitta rustica</i> (Neslobinsky, 1911) Baer, 1957 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Nucifraga caryocatactes</i> | | | |
| <i>Variolepis</i> <i>farcimino</i> (Goeze, 1782) | Stoimenov, K. A.; and Trifonov, T., 1965 a Bourgas district, Bulgaria | <i>Vitta ovalaciinata</i> (Linstow) Baer, 1957 as syn. of <i>Vitta parvirostris</i> (Krabbe, 1869) Baer, 1959 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Sturnus vulgaris</i> | | | |
| <i>Variolepis</i> <i>farcimino</i> (Goetze, 1782) | Vol'skis, G. I., 1968 a Lithuania | <i>Vitta parvirostris</i> (Krabbe, 1869) Baer, 1959 L. P., 1966 a | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Sturnus vulgaris</i> | | | |
| <i>Variolepis planesticci</i> (Mayhew, 1925) Spasski and Spasskaya, 1954 | Ballard, N. B.; and Olsen, O. W., 1966 a Fort Collins, Colorado | Syn.: <i>Taenia ovalaciinata</i> Linstow, 1877; <i>Anomotaenia ovolaciniata</i> (Linstow) Fuhrmann, 1908; <i>Choanotaenia parvirostris</i> (Krabbe) Cohn, 1899; <i>Parachaoanotaenia parvirostris</i> (Krabbe) Lihe, 1910; <i>Icterotaenia parvirostris</i> (Krabbe) Baer, 1925; <i>Paricterotaenia parvirostris</i> (Krabbe) Fuhrmann, 1932; <i>Anomotaenia praecox</i> Joyeux et Timon David, 1934, nec Krabbe, 1882; <i>Vitta ovalaciinata</i> (Linstow) Baer, 1957; <i>Sacciuterina parvirostris</i> (Krabbe) Mathevossian, 1963 | |
| <i>Sturnus vulgaris vulgaris</i> | | | |
| <i>Vermaia</i> Nybelin, 1942 | Freze, V. I., 1963 a, 153 | <i>Vitta riparia</i> (Dubinina, 1953) n. comb. | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Gangesinae</i> key | | Syn.: <i>Anomotaenia riparia</i> Dubinina, 1953; <i>Vitta cyathiformis</i> (Froelich, 1791) Spasskii et Spasskaya, 1959 | |
| <i>Vigisolepis barbascolex</i> [sic] sp. +insectivores | Davydov, O. N., 1963 a Ukraine | [<i>Vitta</i>] <i>riparia</i> (Dubinina, 1953) | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| <i>Vigisolepis barboscolex</i> Spassky, 1949 | Sharpiro, L. D., 1964 a, 212 Ukraine | [<i>Vitta</i>] <i>rustica</i> (Neslobinsky, 1911) | Spasskii, A. A., 1966 a; 1966 b; 1966 c |
| <i>Sorex minutus</i> | | <i>Vitta rustica</i> (Neslobinsky, 1911) Baer, 1957 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Vigisolepis secunda</i> nov. sp. (intestine) | Sadovskaiia, N. P., 1965 a, pp. 296-297, fig. 5 all from Primorskii krai | Syn.: <i>Anomotaenia rustica</i> Neslobinsky, 1911; <i>Pseudanomotaenia rustica</i> (Neslobinsky, 1911) Mathevossian, 1963; | |
| <i>Crocidura lasiura</i> | | <i>Vitta magniuncinata</i> Burt, 1938 | |
| <i>Sorex</i> sp. | | | |
| <i>Vigisolepis spinulosa</i> Ch. +insectivores | Davydov, O. N., 1963 a Ukraine | <i>Vitta rustica orientalis</i> n. subsp. [nomen nudum] | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a, p. 11 |
| <i>Vitta alexandri</i> sp. nov. | Korniushin, V. V., 1966 a, 1085-1089, figs. 1-2 Tendrovsky Bay, Black Sea, Ukraine | <i>Vitta taiwanensis</i> (Yamaguti, 1940) Spasskii et Spasskaya, 1959 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a |
| <i>Glareola nordmanni</i> (small intestine) | | Syn.: <i>Angularella taiwanensis</i> Yamaguti, 1940 | |
| <i>Vitta cyathiformis</i> (Froelich, 1791) Spasskii et Spasskaya, 1959 | Spasskii, A. A.; and Spasskaiia, L. P., 1966 a | | |
| as syn. of <i>Vitta riparia</i> (Dubinina, 1953) n. comb. | | | |
| <i>Wardium aequabilis</i> (Rudolphi, 1810) | Chibichenko, N. T., 1966 a.40 Kirgiz | <i>Wardium arctica</i> (Schiller, 1955) Spassky, 1959 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 |
| [<i>Tadorna ferruginea</i>] | | | |
| <i>Wardium aequabilis</i> (Rudolphi, 1810) | Kazlauskas, J., 1968 a Zuvintas Lake | <i>Wardium cirrosa</i> (Krabbe, 1869) Spassky, 1961 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 |
| <i>Cygnum olor</i> | | | |
| <i>Wardium aequabilis</i> (Rudolphi, 1810) Spassky et Spasskaja, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4 | <i>Wardium clandestina</i> (Krabbe, 1869) Spassky et Spasskaja, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 |
| Syns.: <i>Taenia aequabilis</i> Rudolphi, 1810; <i>Dicranotaenia aequabilis</i> (Rud.) Railliet, 1893; Yamaguti, 1959; <i>Hymenolepis aequabilis</i> (Rud.) Railliet, 1899; <i>Drepanidotaenia aequabilis</i> (Rud.) Cohn, 1901; <i>Drepanidotaenia musculosa</i> Clerc, 1902; <i>Hymenolepis musculosa</i> (Clerc, 1902) Fuhrmann, 1906; <i>Dicranotaenia</i> (Dicr.) <i>aequabilis</i> (Rud.) Lopez-Neyra, 1942; <i>Dicranotaenia</i> (Dicr.) <i>musculosa</i> (Clerc, 1902) Lopez-Neyra, 1942; <i>Dicranotaenia musculosa</i> (Clerc, 1902) Yamaguti, 1959 | | Syns.: <i>Taenia clandestina</i> Krabbe, 1869; <i>Hymenolepis clandestina</i> (Krabbe, 1869) Railliet, 1899; <i>Dicranotaenia (Dicr.) clandestina</i> (Krabbe) Lopez-Neyra, 1942; <i>Dicranotaenia clandestina</i> (Krabbe) Yamaguti, 1959 | |
| <i>Wardium clavicirrus</i> (Rudolphi, 1810) Spassky et Spasskaja, 1954 | Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5 | | |
| Syns.: <i>Hymenolepis clavicirrus</i> Yamaguti, 1940; <i>Dicranotaenia clavicirrus</i> (Yamaguti, 1940) Yamaguti, 1959 | | | |

- Wardium creplini* (Krabbe, 1869) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5-6
1954
Syns.: *Taenia creplini* Krabbe, 1869; *Dicranotaenia creplini* (Krabbe, 1869) Stossich, 1898; Yamaguti, 1959; *Hymenolepis creplini* (Krabbe, 1869) Railliet, 1899; *Hymenolepis* (*Drepanidotaenia*) *creplini* (Krabbe, 1869) Cohn, 1901; *Hymenolepis pingi* Tseng, 1932; *Dicranotaenia* (*Dicr.*) *creplini* (Krabbe, 1869) Lopez-Neyra, 1942; *Dicranotaenia* (*Dicr.*) *pingi* (Tseng, 1932) Lopez-Neyra, 1942; *Wardium pingi* (Tseng, 1932) Spassky et Spasskaja, 1954; *Dicranotaenia pingi* (Tseng, 1932) Yamaguti, 1959
- Wardium fryei* Mayhew, 1925 Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
as syn. of *Wardium fusa* (Krabbe, 1869) Spassky, 1961
- Wardium fusa* (Krabbe, 1869) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
[*Larus ridibundus*] Smogorzhevskaya, L. A.; Korniushin, V. V.; Iskova, N. I.; and Eminov, A., 1965 a
Turkmen
- Wardium fusa* (Krabbe, 1869) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
Spassky, 1961
Syns.: *Taenia fusa* Krabbe, 1869; *Wardium fryei* Mayhew, 1925; *Dicranotaenia* (*Dicranolepis*) *fryei* (Mayhew, 1925) Lopez-Neyra, 1942; *Hymenolepis californicus* Young, 1950; *Alopaparaxis baeri* Schiller, 1951; *Dicranotaenia fryei* (Mayhew, 1925) Yamaguti, 1959
- Wardium haldemani* (Schiller) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4
1951) Spassky, 1961
Syn.: *Haploparaxis haldemani* (Schiller, 1951) Yamaguti, 1959
- Wardium himantopodis* (Krabbe, 1869) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 5
Spasskaja, 1954
Syns.: *Taenia himantopodis* Krabbe, 1869; *Hymenolepis himantopodis* (Krabbe) Fuhrmann, 1906; *Dicranotaenia* (*Dicranolepis*) *himantopodis* (Krabbe) Lopez-Neyra, 1942; *Dicranotaenia himantopodis* (Krabbe) Yamaguti, 1959
- Wardium limicolum*, n. sp. Spasskii, A. A.; and Dao Van-T'en, 1963 a, 4, 5, 6-7, 8, 9, 10, 11, figs. 1-3
Charadrius (*Aegialophilus*) *alexandrinus* (intestine) Rang-Dong region, North Vietnam
- Wardium manubriatum*, n. sp. Spasskii, A. A.; and Dao Van-T'en, 1963 a, 7, 8, 9-10, 11, figs. 4-6
Larus genei (small intestine) Rang-Dong region, North Vietnam
- Wardium neranium* Belogurov et Zueva, sp. n. Belogurov, O. I.; and Zueva, L. S., 1967 a, pp. 1002-1004, 1008, fig. 3
Squatarola squatarola L. (duodenum, small intestine, rectum, and appendix) Tuguro-Chumikanskii Region
- Wardium pingi* (Tseng, 1932) Spasskii, A. A.; and Dao Van-T'en, 1963 a, 6
Spassky et Spasskaja, 1954
as syn. of *Wardium creplini* (Krabbe, 1869) Spassky et Spasskaja, 1954
- Wardium pseudofusa* Skrjabin et Mathevossian, 1942 Chibichenko, N. T., 1966 a, 40
[*Larus ridibundus*] Kirgiz
- Wardium pseudofusa* (Skrjabin et Mathevossian, 1942) Merkusheva, I. V., 1965 a, fig. 2
Spassky et Spasskaja, 1954 Byelorussia
Arvicola terrestris (small intestine)
- Wardium pseudofusa* Merkusheva, I. V., 1965 nec Skrjabin et Mathevossian, 1942, 1945
as syn. of *Limnolepis* (?) transfuga n. sp.
- Wardium pseudofusa* (Skrjabin et Mathevossian, 1942) Zhatkanbaeva, D., 1965 a
Southern and Central Kazakhstan
- Podiceps nigricollis*
- Wardium recurvirostra* (Krabbe, 1869) Spassky et Spasskaja, 1954
Syns.: *Taenia recurvirostrae* Krabbe, 1869; *Drepanidotaenia* (*Krabbe*) *recurvirostrae* (*Krabbe*) Lopez-Neyra, 1942; *Dicranotaenia* (*Dicranotaenia*) *recurvirostrae* (*Krabbe*) Yamaguti, 1959
- Wardium recurvirostrodes* Spasskii, A. A.; and Dao Van-T'en, 1963 a, 6
Spasskaja, 1954
Syns.: *Hymenolepis recurvirostrodes* Meggitt, 1927; *Dicranotaenia* (*Dicranotaenia*) *recurvirostrodes* (Meggitt, 1927) Lopez-Neyra, 1942; *Dicranotaenia* (*Dicranotaenia*) *recurvirostrodes* (Meggitt, 1927) Yamaguti, 1959
- Wardium spasskii* Spasskii, A. A.; and Dao Van-Schigin, 1961
- Wardium stellorae* Spasskii, A. A.; and Dao Van-(Deblock, Biguet et Capron, 1960) Spassky, 1963
Syns.: *Hymenolepis stellorae* Deblock, Biguet et Capron, 1960
- Wardium yuconensis* [sic] Spasskii, A. A.; and Dao Van-(Schiller, 1954) Spassky, 1961
- Wardoides nyrocae* (Yamaguti, 1935) Kazlauskas, J., 1968 a
Cygnum olor Zuvintas Lake
- Wardoides nyrocae* (Yamaguti 1935) Korniushin, V. V., 1966 b, fig. 1
dioecism Tendrovsk Bay, Black Sea,
Tadorna tadorna (Khersonskia oblast)
- Weinlandia* sp. Joyeux et Spasskii, A. A.; and Spasskaja, L. P., 1968 a, 1296
Houdemer, 1927
as syn. of *Hymenocoelia joyeuxi* (Fuhrmann, 1932) n. comb.
- Weinlandia collaris* Dubinin, V. B., 1938 a, 159
(Mayhew, 1925)
as syn. of *Hymenolepis collaris* (Batsch, 1786)
- Wyominia* Srivastava, V. C.; and Kapoor, V. N., 1966 a, 374
Thysanosomatinae, key
- Wyominia tetoni* Allen, R. W., 1964 a, 5, 6, 7, 9
Ovis canadensis nelsoni Nevada
- Wyominia tetoni* Becklund, W. W.; and Senger, C. M., 1967 a, 160
Ovis canadensis Colorado; Idaho; Montana
- Wyominia tetoni* Capelle, K. J., 1966 a, 620
Ovis canadensis Montana
- Wyominia tetoni* Wilson, L. O.; and Honess, R. F., 1965 a
bighorn sheep (bile duets and duodenum) Southeastern Utah
- Zosteropicola Johnston, Matevosian, E. M., 1965 a, 153
1912 Anonchotaeniidae nov. fam.




FIG. 10. Correlation coefficient between the observed annual mean precipitation and the annual mean precipitation simulated by the GCMs.

