

Old Dominion University  
**ODU Digital Commons**

---

OEAS Faculty Publications

Ocean, Earth & Atmospheric Sciences

---

2020

## Corrigendum to "Upper Water Structure and Mixed Layer Depth in Tropical Waters: The SEATS Station in the Northern South China Sea

Jen-Hua Tai

George T.F. Wong  
*Old Dominion University, gwong@odu.edu*

Xiaoju Pan

Follow this and additional works at: [https://digitalcommons.odu.edu/oeas\\_fac\\_pubs](https://digitalcommons.odu.edu/oeas_fac_pubs)

 Part of the [Climate Commons](#), [Geology Commons](#), and the [Oceanography Commons](#)

---

### Original Publication Citation

Tai, J. H., Wong, G. T. F., & Pan, X. J. (2020). Corrigendum to: "Upper water structure and mixed layer depth in tropical waters: The SEATS station in the Northern South China Sea" *Terrestrial Atmospheric and Oceanic Sciences*, 31(6), 697-698. <https://doi.org/10.3319/tao.2020.11.08.01>

This Article is brought to you for free and open access by the Ocean, Earth & Atmospheric Sciences at ODU Digital Commons. It has been accepted for inclusion in OEAS Faculty Publications by an authorized administrator of ODU Digital Commons. For more information, please contact [digitalcommons@odu.edu](mailto:digitalcommons@odu.edu).

## CORRIGENDUM

## Corrigendum to “Upper water structure and mixed layer depth in tropical waters: The SEATS station in the Northern South China Sea”

[Terr. Atmos. Ocean. Sci., Vol. 28, No. 6, 1019-1032, December 2017]

Jen-Hua Tai<sup>1,\*</sup>, George T. F. Wong<sup>1,2</sup>, and Xiaoju Pan<sup>3</sup><sup>1</sup>Research Center for Environmental Changes, Academia Sinica, Taipei City, Taiwan<sup>2</sup>Department of Ocean, Earth and Atmospheric Sciences, Old Dominion University, Norfolk, VA<sup>3</sup>Key Laboratory of Marine Chemistry Theory and Technology, Ministry of Education, Ocean University of China, Qingdao, China

Received 6 October 2020, revised 6 November 2020, accepted 8 November 2020

Recently, we found that the table captions of Tai et al. (2017) were not detailed enough. To make it easy for readers to understand the content of the tables, its captions have been corrected as shown below.

Table 1. Statistics of station occupations at the SEATS station and its nearby waters.

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual total N(A/B)	
1997	0	0	0	1(0/1)	0	1(0/1)	0	0	0	1(0/1)	0	0	3(0/3)	
1998	0	0	0	0	1(0/1)	1(0/1)	0	0	0	0	0	0	2(0/2)	
1999	0	0	0	1(0/1)	0	0	0	1(0/1)	2(1/1)	0	1(1/0)	1(0/1)	6(2/4)	
2000	1(1/0)	0	2(1/1)	0	1(1/0)	0	2(2/0)	0	0	1(1/0)	0	0	7(6/1)	
2001	0	1(1/0)	1(0/1)	0	0	1(1/0)	0	0	0	2(1/1)	0	1(1/0)	6(4/2)	
2002	0	0	2(1/1)	0	0	0	1(1/0)	0	1(1/0)	1(1/0)	1(1/0)	0	6(5/1)	
2003	1(1/0)	0	1(1/0)	0	0	0	1(0/1)	1(1/0)	0	1(1/0)	0	1(1/0)	6(5/1)	
2004	0	0	1(1/0)	0	1(1/0)	1(0/1)	0	1(1/0)	0	0	1(1/0)	0	5(4/1)	
2005	1(1/0)	0	1(1/0)	0	0	0	1(1/0)	0	0	0	1(1/0)	1(1/0)	5(5/0)	
2006	0	0	0	0	0	1(0/1)	2(1/1)	1(0/1)	0	1(1/0)	0	0	5(2/3)	
2007	2(2/0)	0	0	0	0	0	1(1/0)	0	0	1(1/0)	0	0	4(4/0)	
2008	0	0	0	0	1(0/1)	0	0	0	0	0	0	1(0/1)	2(0/2)	
2009	0	0	0	0	0	0	1(0/1)	0	0	0	0	0	1(0/1)	
2010	0	0	0	0	0	0	0	0	0	1(1/0)	0	0	1(1/0)	
2011	0	0	0	0	0	0	0	0	0	0	0	1(1/0)	1(1/0)	
2012	0	0	0	0	0	0	0	1(1/0)	0	0	0	0	1(1/0)	
2013	0	0	0	1(1/0)	0	0	0	0	0	1(1/0)	0	1(1/0)	3(3/0)	
Total	5(5/0)	1(1/0)	8(5/3)	3(1/2)	4(2/2)	5(1/4)	9(6/3)	5(3/2)	3(2/1)	10(8/2)	4(4/0)	7(5/2)	64(43/21)	
	Northeast monsoon (Nov - Apr): 28(21/7)				I (May) 4(2/2)	Southwest monsoon (Jun - Sep): 22(12/10)				I (Oct) 10(8/2)	Northeast monsoon (Nov - Apr): 28(21/7)			

Note: N(A/B): N – Number of occupations; A – Occupations at SEATS station; B – occupations in vicinity of SEATS station; I – Inter-monsoonal period.

\* Corresponding author  
E-mail: jhtai@gate.sinica.edu.tw

Table 2. Statistics of the types of hydrographic structures in the mixed layer.

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual Type Total		
	(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)	(a)	(b)	(c)
1997	-	-	-	c	-	a	-	-	-	a	-	-	2	0	1
1998	-	-	-	-	c	a	-	-	-	-	-	-	1	0	1
1999	-	-	-	a	-	-	-	b	a,a	-	a	a	5	1	0
2000	b	-	b,c	-	a	-	a,b	-	-	a	-	-	3	3	1
2001	-	a	c	-	-	a	-	-	-	a,a	-	a	5	0	1
2002	-	-	a,a	-	-	-	c	-	a	a	a	-	5	0	1
2003	b	-	c	-	-	-	a	c	-	a	-	a	3	1	2
2004	-	-	c	-	a	a	-	a	-	-	a	-	4	0	1
2005	a	-	a	-	-	-	a	-	-	-	b	a	4	1	0
2006	-	-	-	-	-	a	a,a	a	-	a	-	-	5	0	0
2007	a,c	-	-	-	-	-	a	-	-	a	-	-	3	0	1
2008	-	-	-	-	a	-	-	-	-	-	-	a	2	0	0
2009	-	-	-	-	-	-	a	-	-	-	-	-	1	0	0
2010	-	-	-	-	-	-	-	-	-	a	-	-	1	0	0
2011	-	-	-	-	-	-	-	-	-	-	-	a	1	0	0
2012	-	-	-	-	-	-	-	a	-	-	-	-	1	0	0
2013	-	-	-	c	-	-	-	-	-	a	-	a	2	0	1
<b>Monthly Type Total</b>													<b>Type Total</b>		
(a)	2	1	3	1	3	5	7	3	3	10	3	7	48 (75%)		
(b)	2	0	1	0	0	0	1	1	0	0	1	0	6 (10%)		
(c)	1	0	4	2	1	0	1	1	0	0	0	0	10 (15%)		
Northeast monsoon					I	Southwest monsoon				I	Northeast Monsoon				

Note: a – Classical type; b – Stepwise type; c – Graded type; I – Internal-monsoonal period.

Table 3. Results in model II linear regression analyses relative to MLD<sub>TS</sub>.

Type	Statistical Parameter	MLD <sub>T2</sub>	MLD <sub>T5</sub>	MLD <sub>T10</sub>	MLD <sub>0G</sub>	MLD <sub>σ</sub>	MLD <sub>σG1</sub>	MLD <sub>σG5</sub> *	MLD <sub>σG10</sub> *	MLD <sub>mdg</sub>
Classical	A	-5	-2	1	-3	-2	-6	-3	-1	3
	B	0.96	1.01	1.00	0.98	0.94	0.98	1.01	1.04	1.02
	σ <sub>A</sub>	3	1	1	1	2	2	2	2	2
	σ <sub>B</sub>	0.05	0.02	0.01	0.03	0.04	0.04	0.03	0.04	0.04
	γ	0.92	0.99	1.00	0.98	0.96	0.96	0.98	0.97	0.96
	RMSE <sub>1</sub> (m)	11	3	2	6	8	9	5	5	7
	MAPD <sub>1</sub> (%)	14	5	3	12	11	18	10	8	11
	RMSE <sub>2</sub> (m)	8	2	2	4	6	6	5	5	6
	MAPD <sub>2</sub> (%)	19	4	2	5	11	13	5	8	9
	N	48	48	48	48	48	48	47	44	48
Stepwise	A	-33	-22	2	-35	-21	-13	-9	7	-5
	B	1.17	1.07	1.00	1.17	0.94	0.66	0.99	0.89	0.99
	σ <sub>A</sub>	19	19	1	19	16	10	22	1	23
	σ <sub>B</sub>	0.32	0.31	0.01	0.32	0.26	0.17	0.36	0.02	0.37
	γ	0.73	0.70	1.00	0.73	0.73	0.78	0.48	1.0	0.39
	RMSE <sub>1</sub> (m)	28	23	2	30	28	34	22	3	22
	MAPD <sub>1</sub> (%)	46	32	3	49	45	58	14	5	21
	RMSE <sub>2</sub> (m)	16	16	1	16	13	8	19	1	21
	MAPD <sub>2</sub> (%)	55	40	1	61	41	30	49	2	50
	N	6	6	6	6	6	6	6	4	6
Classical + Stepwise	A	-8	-4	1	-7	-5	-9	-3	-1	2
	B	0.98	1.01	1.00	1.02	0.95	0.98	1.01	1.03	1.01
	σ <sub>A</sub>	4	3	1	3	3	3	3	2	3
	σ <sub>B</sub>	0.07	0.05	0.01	0.06	0.06	0.06	0.05	0.03	0.06
	γ	0.87	0.94	0.92	0.91	0.90	0.88	0.93	0.97	0.90
	RMSE <sub>1</sub> (m)	14	8	2	11	12	14	9	5	10
	MAPD <sub>1</sub> (%)	18	8	3	16	15	22	10	8	12
	RMSE <sub>2</sub> (m)	11	7	2	9	9	10	8	5	10
	MAPD <sub>2</sub> (%)	29	12	2	18	20	27	9	7	12
	N	54	54	54	54	54	54	53	48	54

Note: A – Intercept; B – Slope; σ<sub>A</sub> – Standard deviation in intercept; σ<sub>B</sub> – Standard deviation in slope; γ – Correlation coefficient; RMSE<sub>1</sub> – Root mean square error relative to 1:1 relationship; MAPD<sub>1</sub> – Mean absolute percent deviation relative to 1:1 relationship; RMSE<sub>2</sub> – Root mean square error relative to best fit line; MAPD<sub>2</sub> – Mean absolute percent deviation relative to best fit line; N – Number of data points. \* Method failed to locate MLD in 1 or more cruises. Table only includes statistics of successful MLD estimated cases.