

Adaptive PDF Speed Control for Motion Control

Laszlo Szamel*

* Budapest University of Technology and Economics/Department of Electric Power Engineering, Budapest, Hungary,
e-mail: szamel.laszlo@vet.bme.hu

Abstract—This paper proposes two model reference adaptive PDF speed control methods. Following from the structure of model reference parameter adaptive control it makes it easier to reach overshootless. The approaching block diagram of the model reference signal adaptive control can be seen as an extended version of the PDF controller.

Keywords—Adaptive control, Adjustable speed drive, Energy storage, Motion control, Servo-drive, Switched reluctance drive, Variable speed drive.

I. INTRODUCTION

Generally the controller of the speed loop in motion control systems is of PI-type. The integrator of the controller eliminates the error caused by the step change in load. The setting of speed controller is difficult as the closed-loop transfer functions are not identical to step changes in the load, as well as the reference signal. It seems to be preferable to use PF-type controller (proportional gain in a separate feedback) instead of the traditional PI one. It means relatively simple solution [1], [2], [3]. Phelan named this structure “Pseudo-derivative feedback” (PDF) control [4].

In motion control systems there is robustness against parameter changes and disturbance rejection of main interest. The model reference adaptive control has the following features:

- it enables the compliance of the system with varying operational conditions possible and ensures the behavior of the controlled system according to the prescribed reference model;
- it means such a special type of adaptive systems which results in nonlinear control systems. This is the reason why the analytical analysis is completed by the Lyapunov stability criterion or by hyperstability principle;
- its design and application are closely related to the using of computer methods;
- simple implementation of the control algorithm.

In this paper the application of two model reference adaptive PF control methods to servo drives with switched reluctance motors are presented. Following from the PF-type structure model reference parameter adaptive control was developed to provide constant loop gain in speed control loop with changing gain (moment of inertia and/or torque factor) it makes it easier to reach overshootless as well as fast speed changing compensation caused by jump in load. Model reference signal adaptive control is also used to provide constant loop gain in speed control loop with changing parameters exposed to a significant load.

The approaching block diagram of the adaptive control can be seen as an extended version of the PF controller.

II. SPEED CONTROL OF SERVO DRIVES

A model reference adaptive control is used for the speed control. Such an adaptive control has been successfully elaborated by using a suitable chosen Lyapunov function to compensate the gain of the speed control loop [5], [6].

A. Model Reference Parameter Adaptive Control

The adaptive control of servo-drives with a cascade arrangement is most effective when it is applied in the inner loop containing the effect of variable parameters directly, i.e. the inertia (J_m) and/or torque factor (k_m). The speed control implemented by PI controller is of cascade arrangement in fact as it contains an inner, proportional feedback loop (PF controller, Fig.1.). A one-storage proportional element can describe this inner loop neglecting the time constant of closed current control loop. By this our adaptation algorithm is simple.

Relation between accelerating current determining dynamic torque and angular velocity can be given by the following transfer function:

$$Y_{\omega,(i-i_l)}(s) = \frac{A_i}{s}, \quad (1)$$

where $A_i = \frac{k_m}{J_m}$.

Arrangement of control circuit can be seen in the following figure:




Fig. 1. Block scheme of parameter adaptive PF speed control

where

- ω is the speed,
- ω_r is the speed reference signal,
- i is the current of the motor,
- i_l is the current equivalent to the load-torque.

Section determined by the transfer function $Y_{\omega(i-i_1)}(s)$ is fed back by a proportional member of gain K_p . The task is to change the gain K_p in such a way that the product $A_i K_p$ should remain constant despite the changing of parameter A_i .

Transfer factor of the inner closed loop is given by the reciprocal ($1/K_p$) of feedback member that is not constant because of the change in torque factor. Consequently loop gain of the outer speed control loop would change as well. In order to get a one-storage element with unity transfer factor we have to insert a member with gain K_p between the integrator of the PF controller and the reference signal of the inner loop. First-order reference model with time constant T_m gets sum of the input signals of above member (ω_{ri}) and the signal ω_{lm} compensating the load effect for the model. So dynamics of reference model can be described by the following differential equation:

$$\dot{\omega}_m T_m + \omega_m = \omega_{ri} + \omega_{lm}. \quad (2)$$

Dividing (2) with T_m and applying designation $q_m = 1/T_m$, we get the following equation.

$$\dot{\omega}_m + q_m \omega_m = q_m (\omega_{ri} + \omega_{lm}). \quad (3)$$

The differential equation of the first-order controlled section is as follows:

$$\dot{\omega} + (K_p A_i) \omega = (K_p A_i) \omega_{ri} - A_i i_l. \quad (4)$$

Factor K_p can be described as the sum of K_{p0} determined by mean A_i and ΔK_p accomplished by the adaptation algorithm. So:

$$K_p A_i = (K_{p0} + \Delta K_p) A_i = q + \Delta q, \quad (5)$$

where K_{p0} , and q are constant.

In this case we assume that the change of A_i is slow from the viewpoint of adaptation and therefore the effect of this change can be neglected.

Substituting (5) into (4) we get:

$$\dot{\omega} + (q + \Delta q) \omega = (q + \Delta q) \omega_{ri} - A_i i_l. \quad (6)$$

By using (3) and (6) and substituting expression of model error $\varepsilon = \omega_m - \omega$ the dynamic equation will be:

$$\dot{\varepsilon} = -q_m \varepsilon + x \omega - x \omega_{ri} + q_m \omega_{lm} + A_i i_l, \quad (7)$$

where $x = (q + \Delta q) - q_m$.

Dynamic of model error should be asymptotically stable to follow the system with model proposed. For determination of Δq the following Lyapunov function should be composed:

$$V = \frac{1}{2} (\varepsilon^2 + \beta x^2), \quad (8)$$

where β is a positive number.

When choosing the Lyapunov function both purposes, i.e. the termination of the model error ($\varepsilon = \omega_m - \omega$) and loop gain deviation have been taken account.

The time derivative of the Lyapunov function is:

$$\dot{V} = \varepsilon \dot{\varepsilon} + \beta x \dot{x}. \quad (9)$$

Substituting (7) into (9) the following equation is valid:

$$\dot{V} = -q_m \varepsilon^2 + \varepsilon x \omega - \varepsilon x \omega_{ri} + \varepsilon (q_m \omega_{lm} + A_i i_l) + \beta x \dot{x}. \quad (10)$$

If

$$\varepsilon x \omega - \varepsilon x \omega_{ri} + \beta x \dot{x} = 0, \quad (11)$$

that is

$$\dot{x} = \varepsilon (\omega_{ri} - \omega) / \beta, \quad (12)$$

and

$$\varepsilon (q_m \omega_{lm} + A_i i_l) < 0, \quad (13)$$

then

$$\dot{V} < -q_m \varepsilon^2. \quad (14)$$

The above equation is a negative definite function that shows the asymptotic stability of the error dynamic (7). By using (5), (7) and (12) the following adaptation algorithm is true:

$$\Delta \dot{K}_p = \gamma \varepsilon (\omega_{ri} - \omega), \quad (15)$$

where γ may be an arbitrary positive number. The inequality (13) shows how we have to change the signal ω_{lm} representing the load of model.

If

$$\varepsilon > 0, \text{ then } \omega_{lm} < -\frac{|i_l|_{\max} A_i}{q_m}, \quad (16)$$

respectively if

$$\varepsilon < 0, \text{ then } \omega_{lm} > \frac{|i_l|_{\max} A_i}{q_m}.$$

B. Model Reference Signal Adaptive Control

The controlled loop has been approximated by an integral element. Time constant of the closed current control loop has been neglected. The control consists of a P-element with the gain K_p . Input of P-element contains not only the control error signal but an adaptation signal as well (g). Applying the signal adaptation control, a P type controller with K_p gain can ensure zero speed error as the adaptation signal can produce a current reference signal to compensate the loading current at zero speed error.




Fig. 2. Initial block scheme of the signal adaptive speed control

Regarding the block diagram of control loop following differential equation is valid for the closed loop:

$$\dot{\omega} + A_i K_p \omega = A_i K_p (\omega_r + g) - A_i i_l. \quad (17)$$

The feature of the closed speed control loop has been taken into consideration by a parallel control model to be expressed by a first order proportional element. The differential equation of the first order system is:

$$\dot{\omega}_m + q_m \omega_m = q_m \omega_r, \quad (18)$$

where index m refers to the model and q_m is the reciprocal of model time constant.

Using (17) and (18) and introducing the expression $\varepsilon = \omega_m - \omega$ for model error, the dynamic equation for the model error is as follows:

$$\dot{\varepsilon} + q_m \varepsilon = (q_m - A_i K_p)(\omega_r - \omega) + A_i (i_l - K_p g). \quad (19)$$

The adaptation signal $g(t)$ can be written in the following form:

$$g(t) = g_1(t)(\omega_r - \omega) + g_2(t). \quad (20)$$

Substituting (20) for (19):

$$\dot{\varepsilon} = -q_m \varepsilon + b_1 (\omega_r - \omega) + b_2, \quad (21)$$

where:

$$b_1 = q_m - A_i K_p (1 + g_1(t)),$$

$$b_2 = A_i (i_l - K_p g_2(t)).$$

Let us compose the following Lyapunov function to produce the signal $g_1(t)$ and $g_2(t)$:

$$V = \frac{1}{2} \varepsilon^2 + \frac{1}{2} (\beta_1 b_1^2 + \beta_2 b_2^2), \quad (22)$$

where β_1 and β_2 are positive constants.

The Lyapunov function has been chosen in such a way that model error should be decreased asymptotically and gain of speed control loop and load should be compensated. In this case we have to assume that change in loop gain and in load is smaller than the speed of the adaptation.

Time-derivation of the Lyapunov function is:

$$\dot{V} = \varepsilon \dot{\varepsilon} + \beta_1 b_1 \dot{b}_1 + \beta_2 b_2 \dot{b}_2. \quad (23)$$

Substituting (21) for (23):

$$\begin{aligned} \dot{V} = & -q_m \varepsilon^2 + (\omega_r - \omega) b_1 \varepsilon + b_2 \varepsilon \\ & + \beta_1 b_1 \dot{b}_1 + \beta_2 b_2 \dot{b}_2. \end{aligned} \quad (24)$$

If

$$\dot{b}_1 = -(\omega_r - \omega) \varepsilon / \beta_1, \quad (25)$$

and

$$\dot{b}_2 = -\varepsilon / \beta_2, \quad (26)$$

then

$$\dot{V} = -q_m \varepsilon^2, \quad (27)$$

and it ensures asymptotical stability of the model error. On the basis of (21), (25), (26) and by assuming that variation of A_i can be neglected compared to the speed of adaptation the following adaptation algorithm is valid:

$$\dot{g}_1(t) = \gamma_1 \varepsilon (\omega_r - \omega), \quad (28)$$

$$\dot{g}_2(t) = \gamma_2 \varepsilon, \quad (29)$$

where γ_1 and γ_2 are positive constants, the free parameters of adaptation. Taking relations (20), (28), (29) into consideration the following equation comes true:

$$g(t) = \gamma_1 (\omega_r - \omega) \int \varepsilon (\omega_r - \omega) dt + \gamma_2 \int \varepsilon dt. \quad (30)$$

A block diagram of the control circuit introducing adaptation signal $g(t)$ and assuming that $g_1(t)$ is constant can be seen in Fig. 3. Taking the structure of control: it contains two parts. In the first part the reference signal is led through a first order system and a PI controller with variable gain and integration time. The second one is a differentiating filter which takes effect only on changing of reference signal. The gain and differentiation time are also changing. The adaptation gain factor γ_2 gives the reciprocal of integrating time constant of controller type PI, assuming $g_1(t) = 0$. To fulfill the constant integrating time constant it is preferable to substitute γ_2 by $\gamma_2(1 + g_1(t))$. In such a way the neglect of time constant of current control loop can be compensated.




Fig. 3. Block scheme of the signal adaptive speed control with adaptation signal

The approaching block diagram of the adaptive control can be seen as extended version of the PI controller, so γ_2 , one of the adaptation factors (which is the free parameter of the adaptive control) is given. Contraction of model-filtered reference signal and the PI controller can be transformed into a so-called PF controller when











Fig. 6. Simulation results with model reference parameter adaptive speed control

Fig. 7. Simulation results with model reference signal adaptive speed control

V. RESULTS

The tests were completed by the described drive system. The test results have supported our theoretical investigations. The oscillograms in the following figures illustrate some typical starting curves and wave forms. The loading machine was a DC motor. Its inertia is about a triple of that of SRM.

Fig. 8 and Fig. 9 show the speed and current curves in the course of starting. The upper curve is the speed, the lower one is the current flowing in the common point of stator windings. It is related to the no-load operation mode.

The experiences show that the model reference parameter adaptive and signal adaptive control suggested in this paper works without overshooting.




Fig. 8. Oscilloscope of speed and current with model reference parameter adaptive speed control




Fig. 9. Oscilloscope of speed and current with model reference signal adaptive speed control

VI. CONCLUSIONS

To provide constant loop gain in speed control loop with changing parameters (moment of inertia and/or torque factor), parameter and signal adaptive model reference adaptive control was developed.

Following from the structure (PF-type) of model reference parameter adaptive control was developed to provide constant loop gain in speed control loop with changing gain (moment of inertia and/or torque factor) it makes it easier to reach overshootless as well as fast speed changing compensation caused by jump in load. The algorithm even keeps its stability at fast changing, jump-like load torque.

Model reference signal adaptive control is used to provide constant loop gain in speed control loop with changing parameters (moment of inertia and/or torque factor) exposed to a significant load. The approaching block diagram of the adaptive control can be seen as an extended version of the PF controller, so one of the adaptation factors (which is the free parameter of the adaptive control) is given.

The adaptive controls suggested in this paper work without overshooting. Though these methods require a longer calculation period it is less sensitive to the variations of parameters. Both model reference adaptive controls drawn up can be easily implemented, because the adaptation algorithms do not need acceleration measuring (thanks to the first-order model). Simulation and experimental results demonstrate that the proposed methods are promising tools to speed control of electrical drives.

REFERENCES

- [1] G. A. Perdikaris, K. W. VanPatten, "Computer Schemes for Modeling, Tuning and Control of DC Motor Drive Systems", *PCI Proc.*, pp. 83-96, Mar. 1982.
- [2] D. Y. Ohm, "A PDFF Controller for Tracking and Regulation in Motion Control", *Proceedings of 18th PCIM Conference, Intelligent Motion, Philadelphia*, pp. 26-36, October 21-26, 1990.
- [3] N. V. Diep, - L. Szamel, "Up-to-date Control Strategy in the Regulators of Robot Drives", *PEMC'90, Budapest, Hungary*, pp. 811-815, 1990.
- [4] R. M. Phelan, "Automatic Control Systems", *Cornell University Press*, New York, 1977.
- [5] Laszlo Szamel, "Model Reference Adaptive Control of SRM Drives", *EPE-PEMC 2002, 10th Int. Power Electronics and Motion Control Conf.*, Cavtat & Dubrovnik (Croatia), pp. 466, CD-ROM: Paper No. T11-007, 9-11 September 2002.
- [6] Laszlo Szamel, "Investigation of Model Reference Parameter Adaptive SRM Drives", *EPE-PEMC 2004, 11th Int. Power Electronics and Motion Control Conf.*, Riga (Latvia), 2-4, Full paper A95117 on CD-ROM, September 2004.
- [7] B. K. Bose, T. G. E. Miller, "Microcomputer Control of Switched Reluctance Motor", *IEEE/IAS Annual Meeting*, pp. 542-547, 1985.
- [8] J. Borcka, K. Lupan, L. Szamel "Control Aspects of Switched Reluctance Motor Drives", *ISIE'93, IEEE International Symposium on Industrial Electronics*, Budapest (Hungary), pp. 296-300, 1-3 Juni 1993.
- [9] I. Vajda, Z. Kohari, L. Benko, V. Meerovich and W. Gawalek, "Investigation of Joint Operation of a Superconducting Kinetic Energy Storage (Flywheel) and Solar Cells", *IEEE Transactions on Applied Superconductivity*, vol. 13, No. 2, pp. 2169-2172, June 2003.
- [10] L. Szamel, "Ripple reduced control of switched reluctance motor drives", *EDPE 2001, International Conference on Electrical Drives and Power Electronics*, Podbanske (Slovakia), pp. 48-53, 3-5 October 2001.