

# **Implementation and Acceptance of Hospital Information System**

Total Hospital Information System (THIS), Intermediate Hospital Information System (IHIS) and Basic Hospital Information System (BHIS) in Malaysian Public Hospitals.

Nurul Izzatty Ismail<sup>1</sup> and Nor Hazana Abdullah<sup>2</sup>

Department of Technology Management Universiti Tun Hussein Onn Malaysia Parit Raja, Batu Pahat, Johor, Malaysia izzatty86@gmail.com

Department of Technology Management Universiti Tun Hussein Onn Malaysia Parit Raja, Batu Pahat, Johor, Malaysia hazana@uthm.edu.my

Abstracts-Healthcare is important to every country, including developing country like Malaysia in providing a good life. Therefore, the Malaysian Government had taken several iniatiatives to enhance healthcare sector. One of the initiatives is bringing the Information System into Malaysian Public Hospitals. This is similar to enhance the ICT tools within Malaysia in achieving 2020 Vision to make Malaysia as developed country. Thus, this paper is aims to investigate the implementation of THIS, IHIS and BHIS in Malaysian Public Hospitals based on interviews. The findings were analysed by content analysis using Nvivo. From the findings, it was found that the HIS implementation phases have different phases in each category of HIS hospitals, however their activities are similar. Moreover, the types of HIS have faces with different issues and challenges of low satisfaction and acceptance levels.

Keywords-Hospital Information System (HIS); Total Hospital Information System (THIS); Intermediate Hospital Information System (IHIS); Basic Hospital Information System (BHIS)

### I. Introduction

Public hospitals are important to serve healthcare treatments to the public. However, Saari [1] revealed that the public believe that the services in public hospitals are slow and inefficient. This is because, the patients have to wait for a long time before getting their medical treatments. Therefore, the Government had introduced Hospital Information System (HIS) as one of the iniatiatives to improve the public hospitals in Malaysia. The HIS is categorised into three, which are Total Hospital Information System (THIS), Intermediate Hospital Information System (IHIS), and Basic Hospital Information System (BHIS), based on hospital size [2, 3, 4, 5]. According to Haslina and Sharifah Mastura [2], THIS is for the

hospitals with more than 400 beds, IHIS is for the hospitals with more than 200 beds but less than 400 beds, and BHIS is for the hospitals with less than 200 beds.

THIS is implemented in Hospital Putrajava, Hospital Selayang, Hospital Serdang, Hospital Pandan, Hospital Ampang, Hospital Sg. Buloh, Hospital Alor Setar, Hospital Sungai Petani, Hospital Sultanah Zahirah, Hospital Sultan Haji Ahmad Shah, and Hospital Bintulu; IHIS is implemented in Hospital Keningau and Hospital Lahad Datu; and BHIS is implemented in Hospital Kuala Batas, Hospital Setiu, Hospital Pekan, Hospital Pitas, Hospital Kuala Penyu, Hospital Kunak, Hospital Tuanku Ja'afar, and Hospital Port Dickson [2,3,4,5].


#### II. **Literature Review**

HIS is defined as an integrated electronic systems that collect, store, retrieve and display overall patients' data and information such as history of patients' information, results of laboratory test, diagnoses, billing and others related hospital's procedures which are used in several departments within the hospitals [3,4,6].

Biomedical Informatics Ltd. [7] reported that HIS consists of two or more of these components; Clinical Information System (CIS), Financial Information System (FIS), Laboratory Information System (LIS), Nursing Information Systems (NIS), Pharmacy Information System (PIS), Picture Archiving Communication System (PACS) and Radiology Information System (RIS).

1

Fig. 1: HIS Components



However, each HIS component is different according to departments and type of users in hospitals as shows in Table 1.

TABLE 1. HIS COMPONENTS, DEPARTMENT AND TYPE OF USERS

HIS components	Differences	
	Departments	Type of Users
Clinical Information System (CIS)	Clinical	Doctors, Nurses
Financial Information System (FIS)	Financial	Accountant
Laboratory Information System (LIS)	Laboratory	Lab officers
Nursing Information Systems (NIS)	Ward	Nurses, Doctors
Pharmacy Information System (PIS)	Pharmacy	Pharmacists
Picture Archiving Communication System (PACS)	Imaging	Imaging Officer
Radiology Information System (RIS)	Imaging	Radiologists

However, according to Nor Bizura [4], although HIS offers various benefits to hospitals and patients, the implementation of HIS is not an easy task. This is because, HIS implementation is complex and it is a difficult multidisciplinary effort that will influence an

organisation's skills and capacity for change. This situation might bring challenges and stressful continuous learning experience. Moreover, it might create various HIS problems in future. However, the HIS also faced with several issues and challenges such as (1) high initial costs [8, 9, 10, 11, 12]; (2) time consuming [10, 11, 12, 13, 14]; (3) technology and technical problems such as complex system and integration problems [9, 13, 16, 17, 18]; (4) fundamental problems such as lack of computer skills, complex tasks, complex function [19, 20, 21, 9, 22, 23]; and (5) ethical issues such as certification, security, privacy, and confidentiality [8, 13, 24]. These problems might be minimised if an appropriate HIS implementation framework is developed. Thus, a good HIS implementation phases are required to ensure that the system is efficiency systematically implemented in the hospitals.

These phases are considered more complex and complicated compared to other information system used in other sectors because they involve hospital services to patients. According to Budkin [25], HIS implementation process is divided into four phases namely planning, design, implementation, and operation. Houser et al.[26], on the other hand, indicated that the HIS implementation process is divided into three phases which includes preparatory activities for system implementation, certification and acceptance testing and system implementation, which focuses on plan of action of the system. Other than that, Rossi et al. [27] categorised these processes into two, which are preparatory phase and utilisation phase. Based on this discussion, it can be said that in HIS implementation, despite the different number of phases as discussed by [25, 26, 27], the activities in phases of implementation are similar.

This study employed two theories which includes Business Interaction Phases Model [28] and Technology-Organizational-Environmental Framework [29]. The Business Interaction Phases Model had been divided into six phases as (1) Business prerequisites phase, (2) Exposure and contact search phase, (3) Contact establishment and proposal phase, (4) Contractual phase, (5) Fulfilment phase and (6) Completion phase. This model is acts as an aid on HIS implementation phases model in this Technology-Organizationalstudy. Therefore, Environmental Framework had been divided into three important factors known as (1) Technology, (2) Organizational and (3) Environmental. This framework is acts as an aid on HIS acceptance and adoption in this study.

## III. Research Methodology

In this study, a qualitative approach was used to investigate the HIS implementation among the Malaysian public hospitals in details. The research design of this study was multiple case studies. According to Yin [30], this kind of research design supports such nature study. In this study, three cases (i.e., hospitals) were selected to be used in purposive sampling. According to Merriam[31], purposive sampling is based on the assumption that the investigator wants to investigate and understand an issue by selecting one sample to be learned. In this study, the three hospitals selected were Hospital Sultan Ismail, Hospital Keningau, and Hospital Tuanku Ja'afar. These hospitals were chosen by the researcher as each of them represented each category of HIS; Hospital Sultan Ismail (HSI) represented THIS, Hospital Keningau (HK) represented IHIS, and Hospital Tuanku Ja'afar (HTJ) represented BHIS. In-depth interviews were conducted for data collection. According to Kvale [32], in-depth interviews allow primary data to be collected and this type of data collection enables the interviewees to further clarify their answers during the interview. Thus, in this study, an interview guide was designed to investigate the HIS implementation process. Moreover, purposive sampling was used to ensure that the data collected would help the researcher to achieve the research objectives of this study. Through this sampling method, snowball technique was used during interviews involving nine participants whom were Hospital Directors, IT officers, and HIS users. The interviews were done after the participants agreed to participate. The duration of the interviews was about 60 minutes for each participant using Malay and English as main languages. During the interviews, tape recorder was used and the recorded conversation was then transcribed verbatim. Next, Content Analysis was chosen to analyse the transcribe data from the interviews by using computer software known as NVivo. The data were coded to themes, categories, and sub-categories. Triangulation approach was used to measure the validity of data. For example, the data were triangulated with other supporting documents obtained during the study. The documents served as secondary data to ensure that the data were valid.

## IV. Findings

For these study, Hospital A represented as THIS, Hospital B represented as IHIS while Hospital C represented as BHIS. According to the findings,

Hospital A were divided into seven phases which includes (1) Establish leading group, (2) Review work process, (3) Implementation plan, (4) Process & Data Migration, (5) Planning for Improvement, (6) Action and (7) Business Continuity. While Hospital B were divided into three phases which includes (1) pre-HIS Implementation, (2) HIS implementation and (3) Post-HIS Implementation as the third stage. Whereas Hospital C had been divided into three phases which includes (1) HIS implementation plan, (2) HIS Development and (3) Implementation of Remaining and Integration to other sub-system. Although that the phases are different, their activities were similar to each category of HIS implementation. Furthermore, according to the findings, Hospital A has low satisfaction level because the users required more powerful system, while Hospital B and Hospital C have low acceptance levels, because the users have less awareness and advantage of using HIS at their hospitals.

TABLE 2. HIS IMPLEMENTATION PHASES IN THIS, IHIS AND BHIS HOSPITALS IN MALAYSIA

Hospitals	HIS Implementation Phases	
Hospital A	(1) Establish leading group, (2) Review work process, (3) Implementation plan, (4) Process & Data Migration, (5) Planning for Improvement, (6) Action and (7) Business Continuity.	
Hospital B	(1) pre-HIS Implementation, (2) HIS implementation and (3) Post-HIS Implementation as the third stage.	
Hospital C	(1) HIS implementation plan, (2) HIS Development and (3) Implementation of Remaining and Integration to other subsystem.	

### V. Conclusion

In nutshell, the HIS implementation framework in Malaysian Public Hospitals had similar activities, although the phases were different. Thus, it might be summarized that the HIS implementation framework in Malaysian Public Hospitals were categorized into four phases as (1) early planning, (2) system set-up, (3) system implementation, and (4) system utilisation as shown in Figure 2.

In early planning comes from the MOH. The Ministry is responsible to choose appropriate hospitals to implement HIS. MOH is in charge of opening the tender to develop the system. After that, the successful vendor will be decided by the MOH. Moreover, MOH is also responsible to set up a group which includes hospital staffs including hospital

directors, doctors, nurses and head of departments, and the vendor to cooperate in the implementation of HIS in the hospitals.

The System set-up is to plan the system required at the hospitals. The vendor and hospital staffs frequently meet to discuss matters related to setting up the systems. The vendor is responsible to select appropriate hardware and software to implement the system and then to set them up at the hospitals. The vendor has to develop the system in this phase.


The System implementation is a phase to place and run the system at the hospitals. In this phase, the vendor is required to test the system. Moreover, the vendor has to conduct courses to train the users to use the system. After the users have been adequately trained, the system is ready to use at the hospitals. Besides that, the vendor or IT department is required to maintain the system to ensure it is always in a good condition. For example, hospitals implementing IHIS have their own vendor to maintain the system while hospitals implementing THIS and BHIS maintain the system through the IT departments.

The System utilisation is important to ensure the system is appropriately used by the users. Thus, training for new users is important to ensure successful implementation of the system at the hospitals. Therefore, the users' feedbacks are required in order to identify the implementation effectiveness. This is a way to know whether they are satisfied with the system or not, and whether they accept the implementation of the system in the hospitals or not. This is important to ensure high level of user acceptance and satisfaction towards the system. Furthermore, system review for the hardware and software is also required. Usually, the IT department of the hospitals will be instructed by the MOH to upgrade the system, to insert new additional systems, and to install more infrastructures such as PC and laptops, provided that there are sufficient financial sources.

In spite of HIS acceptance and adoption, Hospital A has low satisfaction level. The users accepted the system, however they required more powerful and advance electronic system. This is because, most of the THIS hospitals are located at the rural areas where the users have high level of awareness on IT tools. Moreover, the scenarios in the THIS hospitals are paperless, where the users have to use the system in their daily work. On the other hand, Hospital B and Hospital C have low acceptance levels because the users have less awareness of using HIS at their hospitals. Moreover, the HIS in IHIS and BHIS hospitals are incomplete and this situation made the users feels reluctant to accept and use the system. Thus, the HIS Implementation Framework in Figure

2 has included with awareness programmes and trainings to guide the HIS implementation in Malaysian Public Hospitals. It might overcome the HIS implementation problems in future.

Fig. 2. HIS Implementation Framework in Malaysian Public Hospitals



## Acknowledgement

The authors would like to thank the relevant parties that have directly or indirectly contributed to the success of this study. The authors also wish to express their gratitude to the anonymous referees for their helpful comments and sincere suggestions to improve the paper.

## References

- [1] Saari, M.Z. (2007). Kos Rawatan Mahal: Pilihan di Tangan Pengguna. Retrieved April, 21, 2011, at http://www.yadim.com.my/Kesihatan/ KesihatanFull.asp?Id=175
- [2] Mohd. and Syed Mohamad. (2005). Acceptance model of Electronic Medical Record. *Journal of Advancing Information and Management Studies*, vol. 2, no. 1.
- [3] A. Ismail et al. (2010). The Implementation of Hospital of Hospital System (HIS) in Tertiary Hospitals in Malaysia: A Qualitative Study. *Malaysian Journal of Public Health Medicine* 2010, vol. 10, no. 2, pp. 16-24.
- [4]Abdul Hamid, N.B. (2010). Accessibility Hospital Information System Malaysian Experience. 30th International Seminar for Public Health Group (PHG) of the Union of International Architectes (UIA), Kuala Lumpur Convention Centre: Kuala Lumpur, Malaysia, 20 November-1 December 2010.
- [5] Ministry of Health Malaysia (2009). Annual Report 2009, Putrajaya, Malaysia: MOH.

- [6] Nik Ariffin, N.A. (2008). Improving Electronic Medical Records (EMRs) Practices through a Clinical Microsystem in the Malaysian Government Hospitals. *Communications of the IBIMA*. Vol. 5, no., 8, pp. 50-64.
- [7] Biomedical Informatics Ltd. (2006). Hospital Information System. [Online]. Available: http://www.biohealthmatics.com/technologies/intsys.aspx.
- [8] Hillestad, R. et al. (2005). Can Electronic Medical Record Systems Transform Health Care? Potential Health Benefits, Savings, And Costs. *Health Affairs*, vol. 24, no. 5, p.p 1103-1117.
- [9] Boonstra, A. and Broekhuis, M. (2010). Barriers to the acceptance of electronic medical records by physicians from systematic review to taxonomy and interventions. *BMC Health Services Research*, vol. 10, no. 1, pp. 230.
- [10] Smelcer et al. (2009). Usability of Electronic Medical Records. *Journal of Usability Studies*, vol. 4, no. 2, pp. 70-84.
- [11] Miller, R.H. and Sim, I. Physicians' Use of Electronic Medical Records: Barriers and Solutions," *Health Affairs*, vol. 23, no. 2, pp. 116-126.
- [12] Clayton, P.D. et al. (2005). Physician use of electronic medical records: Issues and successes with direct data entry and physician productivity. *MIA Annual Symposium Proceedings*, American Medical Informatics, pp. 141-145.
- [13] Tachinardi, U. et al. (1994). Integrating Hospital Information Systems. The challenges and advantages of (re)starting now. *Proc Annu Symp Comput Appl Med Care*, pp. 84–87.
- [14] Ganesh, A. and Al-Mujaini, A. (2009). Electronic Medical Record System: Have we Bitten off More Than we Can Chew? *Oman Med J.*, vol. 24, no. 1, pp. 1-3.
- [15] Praveen, K.A. and Gomes, L.A. (2006). A study of the hospital information system (HIS) in the medical records department of a tertiary teaching hospital. *Journal of the Academy of Hospital Administration*, vol. 18, no. 1.
- [16] Ribière, V.A. et al. (1999)Hospital information systems quality: A customer satisfaction assessment tool. *Thirty-Second Annual Hawaii International Conference on System Sciences*, Hawaii, U.S.A.
- [17] Moore, G. C. and Benbasat, I. (1991). Development of an instrument to measure the perceptions of adopting an information technology innovation. *Information Systems Research*, vol. 2, no. 3, pp. 192-222.
- [18] Kuhn, K.A. and Giuse, D.A. (2001). From hospital information systems to health information systems. Problems, challenges, perspectives. *Methods Inf Med.*, vol 40, no. 4, pp. 275-87.
- [19] Fraser, H. S. et al, (2005). Implementing electronic medical record systems in developing countries. *Inform Prim Care*, vol. 13, no. 2, pp. 83-95.
- [20] Mbananga, N. et al. (2002). Use of technology in reproductive health information designed for communities in South Africa, *Health Education Research*, vol. 17, pp. 195-209.

- [21] Anderson, J.G. (2007). Social, Ethical and Legal Barriers to E-health. *International Journal of Medical Informatics*. vol. 76, no. 5-6, pp. 480-483.
- [22] Meinert, D.B. and Peterson, D. (2009). Perceived importance of EMR functions and physician characteristics. *Journal of Systems and Information Technology*, vol. 11, no. 1, pp. 57 70.
- [23] Littlejohns, P. et al. (2003). Evaluating computerised health information systems: hard lessons still to be learnt. BMJ 2003, vol. 326, no. 7394, pp. 860-863.
- [24] Zakaria, N. et al. (2003). Exploring Security and Privacy Issues in Hospital Information System: An Information Boundary Theory Perspective. *AMIA Annu Symp Proc.* 2003, vol. 1059.
- [25] Budkin, A. (1991). Implementation of Hospital Information systems. *Proceedings of the SIGBIO symposium on health computing careers*. vol. 5, no. SI, 1991.
- [26] Houser, M.L. et al. (1984). The implementation of Hospital Information System: Change, challenge and Commitment. Proc Annu Symp Comput Appl Med Care, pp. 221-224.
- [27] Rossi, L. et al. (2009). Design and implementation of a hospital information system for the Palestine Red Crescent Society in Lebanon. *La Revue de Santé de la Méditerranée orientale*. vol. 15, no. 3, pp. 738-746.
- [28] Goldkuhl, G. (1998). The six Phases of Business Processes Business Communication and the Exchange of Value. *The 12<sup>th</sup> Biennial ITS conference ITS '98*. Stockholm, 21-24 Sept.
- [29] Tornatzky, L.G., Fleischer, M. (1990), *The Process of Technological Innovation*, Lexington Books, Lexington, MA, . Bakker, A.R. and Mol, J.L. (1983). Hospital Information Systems". *Eff Health Care*, vol. 1, no. 4, pp. 215-223.
- [30] Yin, R. (2010). Case Study Research: Theory, Methods, Practice (4 ed.), Emerald Group Publishing, Woodside, A.G.
- [31] Merriam, S. B. (2004). *Qualitative Research And Case Study Applications In Education*. San Francisco, Jossey-Bass, 2001.
- [32] Kvale, S. (1996). *Interviews: An Introduction to Qualitative Interviewing*, London, SAGE.