



# IEA2009

## 17th World Congress on Ergonomics

August 9-14, 2009 Beijing, China

# Program Book

Opportunities

Challenge

Changes



## Content

Welcome .....	1
Organizers.....	2
Acknowledgements .....	6
Practical .....	7
Program .....	8
Presenting a paper.....	9
Program at a glance.....	10
Program from day to day.....	12
Poster sessions.....	68
Poster session I .....	68
Poster session II .....	72
IEA Outreach Sessions .....	76
IEA Committee Meetings .....	78
IEA Standing Committee Meeting .....	78
IEA Technical Committee Meeting.....	78
Author In dex.....	80
Floor Plan.....	89
My own schedule for the congress week .....	92
Information of Exhibitors .....	94



## Welcome

### Sheng Wang, Congress Chair



On behalf of the International Ergonomics Association (IEA), the Chinese Ergonomics Society (CES) is pleased to announce that the 17th Congress of the IEA is going to be held on August 9-14, 2009 in Beijing, China. The Congress is hosted by the

CES with support of Ergonomics Society of Taiwan and Hong Kong Ergonomics Society, China in the true spirit of Changes, Challenges and Opportunities.

As a rapidly developing city, Beijing is a great showcase of changes, not only in the physical landscape, but also in the way people responds to the challenges that these changes demand. Beijing also offers immense opportunities for human factors and ergonomics intervention in environmental and socio-technical system functioning. We therefore invite you to witness for yourself by attending the IEA 2009 in this historic and cultural city of Beijing. As an exotic city with more than 3400 years of history, Beijing is world-famous for its splendid beauty and culture. It is also a hub for Chinese international exchanges, including cultural, economic and political. Today, all eyes are on Beijing as we also host the 2008 Summer Olympic Games.

If this is your first visit to Beijing, we have a lot to offer you – from scenic sights, cultural experience, delicious cuisine, to warm and friendly people. Our generous hospitality will surely enchant you. We hope you will make new friends while revisiting old acquaintances. We promise you a great Congress in a beautiful location, and a pleasantly helpful team that demonstrates Chinese partnerships.

Sheng Wang  
Congress Chair

### David Caple, IEA President



The International Ergonomics Association (IEA) welcomes you to the 17th Triennial Congress hosted in Beijing, China. The IEA is a federation of ergonomics societies from 42 countries and involves over 20,000 members.

Every three years we join with a society for our Congress. It is with much pleasure to work with the Chinese Ergonomics Society together with the Ergonomics society of Taiwan and Hong Kong Ergonomics Society, China for the 2009 Congress. The theme of this Congress is "Changes, Challenges and Opportunities". The IEA has been actively seeking partnerships with other professional associations, international agencies and research partners to strengthen the growth of our domain. I am delighted to welcome these partners to our Congress and I encourage your participation with them during the Congress.

This Congress will enable presentations by, and interaction with, the leading ergonomics researchers and practitioners from around the world. The IEA has 26 Technical Committees each representing areas of the ergonomics domain. We welcome all members to join and participate in their seminars, workshops and presentation sessions.

Finally, I welcome you to enjoy the wonderful hospitality of our Chinese hosts in this vibrant city of Beijing. You will have a wonderful time.

David Caple  
President  
International Ergonomics Association



## Organizers

### Congress Committee

---

**Congress Chair:**

**Sheng Wang**, President, Chinese Ergonomics Society,  
Peking University, China

**Secretary General:**

**Baoshan Liu** Institute of Aviation Medicine, China

**Deputy Secretary General:**

**Lihua He**, Institute of Aviation Medicine, China;

**Xianghong Sun** Inst. of Psychology, Chinese Academy  
of Sciences, China

### International Advisory Committee

---

**Chair:**

**David Caple**, IEA president

**Members:**

**Ralph Bruder**, IEA Executive

**Pascale Carayon**, IEA Secretary General

**Min Chung**, IEA Treasurer

**Jan Dul**, IEA Executive

**Pierre Falzon**, IEA Executive

**Tom Grumbles**, IOHA President

**Martin Helander**, IEA Past President

**Hal Hendrick**, IEA Past President

**Toru Itani**, ILO Director

**Kazutaka Kogi**, ICOH Vice President

**Waldemar Karwowski**, IEA Past President

**Ernst Koningsveld**, Past Congress Chair

**Ian Noy**, IEA Past President

**Ruud Pikaar**, Past Congress Secretary

**Jorma Rantanen**, ICOH President

**Gavriel Salvendy**, Congress Advisor

**Thomas, Smith** IEA Executive

**Marcelo Soares**, IEA Executive

### National Advisory Committee

---

**Chair:**

**Guotai Zhou**, Equipment Research Inst of General  
Logistics

**Members:**

**Baoqi Gang**, Harbin Medical University

**Shengzhao Long**, Institute of Space Medicine  
Engineering

**Demao Lu**, Wuhan Safety & Environmental Protection  
Research Institute

**Mengsun Yu**, Institute of PLA Air Force

**Xiugan Yuan**, Beijing University of Aeronautics  
and Astronautics

**Shuzhen Zhang**, Peking University

**Weihua Zheng**, China National Institute of  
Standardization

**Yiming Zhou**, China Agricultural University

**Zuxiang Zhu**, Zhejiang University

### National Organizing Committee

---

**Chair:**

**Sheng Wang**, Chinese Ergonomics Society

**Deputy Chairs:**

**Eric Min-Yang Wang**, National TsingHua  
University

**Kuohao Tang** Eric, Feng Chia University

**Simon S. Yeung**, Hong Kong Polytechnic  
University

**Members:**

**Miaolian Jin**, Sanlian College

**Lan Lu**, Tianjin University

**Mowei Shen**, Zhejiang University

**Tak Sun Yu**, Chinese University of Hong Kong

**Mao-Jiun Wang**, National TsingHua University

**Hui Xiao**, China National Institute of  
Standardization

**Dianye Zhang**, Southwest Jiaotong University

**Zhenqi Zhao**, Wuhan Safety & Environmental  
Protection ResearchInst.



## International Scientific Committee

---

### Co-Chairs:

Kan Zhang, China & Halimahtun Khalid, Malaysia

### Members:

Ahmet Ozok, Turkey

Alan Chan, Hong Kong

Allan Toomingas, Sweden

Andrew Imada, USA

Apala Chavan, India

Aura Matias, Philippines

Christina Jonsson, Sweden

Christopher Schlick, Germany

Clare Pollock, Australia

Colin Drury, USA

Dave Moore, New Zealand

David O'Neill, United Kingdom

David Wortley, United Kingdom

Don Harris, United Kingdom

Elias Apud, Chile

Eric Wang, Taiwan

Ernst Koningsveld, Netherlands

Francoise Detienne, France

Gaur Ray, India

Gustavo Lopez, Spain

Hassanein AlSherif, Abu Dhabi

Helmut Strasser, Germany

Iftikar Satalaksana, Indonesia

John Wilson, United Kingdom

Jung-Yong Kim, Korea

Kathleen Robinette, USA

Kenneth Laughery, USA

Laura Seppanen, Finland

Leon Straker, Australia

Liam Bannon, Ireland

Lina Bonapace, Italy

Lin-Lin Chen, Taiwan

Maggie Graf, Switzerland

Majid Motamedzade, Iran

Mao Jiun Wang, Taiwan

Margo Fraser, Canada

Marilyn Fingerhut, USA

Mark Palmer, USA

Matthias Goebel, South Africa

Max Liang, Taiwan

Mitsuo Nagamachi, Japan

Nico Delleman, Netherlands

Patrick Rau, China

Peter Buckle, United Kingdom

Peter Budnick, USA

Peter Hancock, USA

Peter Hoonakker, USA

Roberto Montanari, Italy

Robin Burgess-Limerick, Australia

Roger Haslam, United Kingdom

Rosnah Mohd Yusuff, Malaysia

Rosemary Seva, Philippines

Sadao Horino, Japan

Samson Adaramola, Nigeria

Sandrine Caroly, France

Sebastiano Bagnara, Italy

Suebsak Nanthavanij, Thailand

Susumu Saito, Japan

Sylvie Leclercq, France

Tom Plocher, USA

Torunn Sveinsdottir, Iceland

Tsuyoshi Kawakami, Thailand

Verna Blewett, Australia

Wendy MacDonald, Australia

William Marras, USA

## National Scientific Committee

---

### Chair:

Pei-Luen Patrick Rau, Tsinghua University

### Deputy Chair:

Yong-Hui Terrence Lee, National Taiwan

University of Science & Technology

Alan H.S. Chan, City University of Hong Kong

### Members:

Xiaolan Fu, Chinese Academy of Sciences

Buxin Han, Chinese Academy of Sciences

Lihua He, Peking University

Enrong Mao, China Agricultural University



**Xianghong Sun**, Chinese Academy of Sciences

**Baoguo Wang**, Beijing Institute of Science and  
Technology

**Jian Wang**, Zhejiang University

**Sheng Wang**, Peking University

**Xingwei Wang**, Institute of Aviation Medicine

**Tangchun Wu**, Huazhong University of Science  
and Technology

**Lei Yang**, Huazhong University of Science and  
Technology

**Yongmei Yu**, Hsinghua University

**Kan Zhang**, Chinese Academy of Sciences  
Program Committee

## Program Committee

ACTIVITY THEORIES FOR WORK

ANALYSIS AND DESIGN

Chair: **Pascal Beguin**, France

Co-Chair: **Nen Laura Seppa.**, Finland

AEROSPACE HUMAN FACTORS

Chair: **Guy Boy**, France

Co-Chair: **Xianghong Sun**, China

AFFECTIVE ERGONOMICS

Chair: **Martin Helander**, Singapore

Co-Chair: **Halimahtun Khalid**, Malaysia

AGING

Chair: **Clas-Hakan Nygard**, Finland

ANTHROPOMETRY

Chair: **Johan Molenbroek**, Netherlands

Co-Chair: **Kathleen Robinette**, USA

AUDITORY ERGONOMICS

Chair: **Ellen Haas**, USA

BUILDING AND CONSTRUCTION

Chair: **Henk Van Der Molen**, Netherlands

CHILDREN AND SCHOOL ERGONOMICS

Chair: **Karen Jacobs**, USA

FORENSICS AND INVESTIGATION

Chair: **Max Healy**, Australia

GENDER AND WORK

Chair: **Karen Messing**, Canada

HEALTHCARE

Chair: **Richard Goossens**, Netherlands

MANUFACTURING

Chair: **Waldemar Karwowski**, USA

MINING

Chair: **Schu Schutte**, South Africa

MUSCULOSKELETAL DISORDER

Chair: **Enrico Occhipinti**, Italy

Co-Chair: **Lihua He**, China

ONLINE COMMUNITIES

Chair: **Andrew Thatcher**, South Africa

ORGANIZATIONAL DESIGN AND  
MANAGEMENT

Chair: **Michelle Robertson**, USA

PRIMARY INDUSTRIES

Chair: **David Moore**, New Zealand

PROCESS CONTROL

Chair: **Erik Hollnagel**, France

PRODUCT DESIGN

Chair: **Pierre-Henri Dejean**, France

PSYCHOPHYSIOLOGY

Chair: **Richard Backs**, USA



## QUALITY MANAGEMENT

Chair: **Ram Bishu**, USA

## SAFETY AND HEALTH

Chair: **Suk Lee Kwan**, Korea

## SIMULATION AND VIRTUAL ENVIRONMENTS

Chair: **Thomas Alexander**, GermanyCo-Chair: **Nico Delleman**, Netherlands SLIPS,

## TRIPS AND FALLS

Chair: **Wen Chang**, USA

## TRANSPORT ERGONOMICS

Chair: **Anabela Simoes**, PortugalCo-Chair: **Roberto Montanari**, Italy

## WORK WITH COMPUTING SYSTEMS

Chair: **Tomas Berns**, SwedenCo-Chair: **Christopher Sclick**, Germany**Ellen Haas**, USA**Enrico Occhipinti**, Italy**Erik Hollnagel**, France**Fadi Fathallah**, USA**Guy Boy**, USA**Henk van der Molen**, Netherlands**Holger Luczak**, Germany**Johann Molenbroek**, Netherlands**Karen Jacobs**, USA**Karen Messing**, Canada**Kenneth Boff**, USA**Klaus Zink**, Germany**Magne Helland**, Norway**Martin Helander**, Singapore**Matthias Rauterberg**, Netherlands**Pascal Beguin**, France**Penelope Sanderson**, Australia**Pierre-Henri Dejean**, France**Ravindra Goonetilleke**, Hong Kong**Richard Goossens**, Netherlands**Schu Shutte**, South Africa**Stephen Fairclough**, United Kingdom**Suk Lee Kwan**, Korea**Sung Han**, Korea**Thomas Alexander**, Germany**Tom Stewart**, United Kingdom**Tomas Berns**, Sweden**Waldemar Karwowski**, USA**Wen Chang**, USA

## Scientific Program Committee

---

## Members:

**Adam Balfour**, Norway  
**Anabela Simoes**, Portugal  
**Andrew McIntosh**, Australia  
**Andrew Thatcher**, South Africa  
**Barbara Silverstein**, USA  
**Catherine Burns**, Canada  
**Clas-Hakan Nygard**, Finland  
**Daniel Gopher**, Israel



## Acknowledgements

The help of sponsors and partners allows to provide you many facilities within acceptable congress fees. We express here our special thanks to our main sponsors

### Sponsors

---

Ministry of Education of the People's Republic of China  
Ministry of Civil Affairs of People's Republic of China  
Ministry of Health of People's Republic of China  
China Academy of Sciences  
China Association for Science and Technology  
Peking University Health Science Center

### Partners

---

Elsevier Science  
International Commission of Occupational Health (ICOH)  
International Labour Organization (ILO)  
International Occupational Hygiene Association (IOHA)  
International Organization for Standardization (ISO)  
Liberty Mutual  
World Health Organization (WHO)





# 17th World Congress on **Ergonomics**

August 9-14, 2009, Beijing, China



[Browse](#)

[Search](#)



## Files Currently on the CD

 (1AC0011)_How can ergonomic practitioners learn to practice a ma~1	373 KB	Adobe Acrobat Doc...	4/2/2009 9:38 PM
 (1AC0025)_Quali-Site, a safety improvement of the the seed stati~1	111 KB	Adobe Acrobat Doc...	5/7/2009 3:52 PM
 (1AC0026)_An ergotoxicological approach of the shipbuilding work~1	393 KB	Adobe Acrobat Doc...	5/5/2009 11:37 AM
 (1AC0031)_Ergotoxicology_ A working model for chemical risk prev~1	56 KB	Adobe Acrobat Doc...	4/16/2009 5:07 AM
 (1AE0002)_Chinese Culture Influences on Implementation of HILAS ~1	115 KB	Adobe Acrobat Doc...	3/30/2009 9:16 PM
 (1AE0003)_Aviation Accident Causing-Analysis and Prevention Stra~1	240 KB	Adobe Acrobat Doc...	3/30/2009 9:17 PM
 (1AE0004)_Research on Measure Model of Flight Comprehensive Qual~1	67 KB	Adobe Acrobat Doc...	3/30/2009 4:40 AM
 (1AE0012)_Authority in Increasingly Complex Human and Machine Co~1	1,009 KB	Adobe Acrobat Doc...	3/21/2009 7:06 AM
 (1AE0018)_Resilience Safety Culture~1	391 KB	Adobe Acrobat Doc...	4/16/2009 3:01 PM
 (1AE0022)_Integrating safety and innovation in aviation~1	198 KB	Adobe Acrobat Doc...	4/25/2009 4:28 PM
 (1AN0010)_Quantifying Human Body Shape Variation for Harness Siz~1	212 KB	Adobe Acrobat Doc...	3/20/2009 10:10 AM
 (1AN0020)_Body shape analysis using 3D scanning data~1	258 KB	Adobe Acrobat Doc...	4/8/2009 10:10 PM
 (1AR0029)_Agricultural Ergonomic Risk Assessment Tool (AERAT)~1	671 KB	Adobe Acrobat Doc...	4/1/2009 8:47 AM
 (1AR0031)_Investigation in safety features, accidents, standards~1	557 KB	Adobe Acrobat Doc...	4/1/2009 12:22 AM
 (1BU0001)_Current knowledge on effectiveness of interventions fo~1	26 KB	Adobe Acrobat Doc...	3/25/2009 1:07 AM
 (1BU0003)_Evaluation of three ergonomic measures among gypsum ma~1	24 KB	Adobe Acrobat Doc...	3/25/2009 1:08 AM
 (1BU0005)_Presenting scientific research results for commercial ~1	383 KB	Adobe Acrobat Doc...	4/8/2009 9:39 PM
 (1BU0012)_The convergent validity between self reported work abi~1	93 KB	Adobe Acrobat Doc...	3/31/2009 11:51 PM
 (1BU0014)_Does a paver's trolley enlighten the work of pavers wi~1	93 KB	Adobe Acrobat Doc...	3/31/2009 11:52 PM
 (1BU0021)_WOMEN, CONSTRUCTION, ERGONOMICS, AND HEALTH AND SAFETY~1	235 KB	Adobe Acrobat Doc...	4/29/2009 4:59 AM
 (1DI0005)_Development of A Prototype Interface for the Control o~1	840 KB	Adobe Acrobat Doc...	4/16/2009 5:37 PM
 (1DI0017)_THE INFLUENCE OF THE OPERATORS TRAINING ON THE SUCCES~1	89 KB	Adobe Acrobat Doc...	3/31/2009 4:02 AM
 (1EW0013)_Ergonomic risk assessment of firefighters-rescuers bas~1	241 KB	Adobe Acrobat Doc...	4/15/2009 3:44 AM
 (1FO0001)_Evaluation of workstation with the Finnish questionna~1	784 KB	Adobe Acrobat Doc...	3/23/2008 11:25 PM
 (1GE0001)_Gender Sensitive Protective Technologies for Women Tea~1	157 KB	Adobe Acrobat Doc...	7/18/2009 7:54 AM
 (1GE0005)_Work week duration, work-family balance and difficulti~1	382 KB	Adobe Acrobat Doc...	3/20/2009 5:22 PM
 (1GE0009)_Questions that arise when considering cumulative effec~1	95 KB	Adobe Acrobat Doc...	4/1/2009 3:30 PM
 (1GE0016)_An ergotoxicological study of the factors influencing ~1	110 KB	Adobe Acrobat Doc...	4/2/2009 8:01 AM
 (1GE0017)_Women's Work in a Disadvantaged Community in Lebanon_~1	37 KB	Adobe Acrobat Doc...	5/4/2009 5:34 PM
 (1GE0018)_The relation between total work load in paid and domes~1	157 KB	Adobe Acrobat Doc...	4/14/2009 11:04 PM
 (1HE0015)_Patient Safety Approach_ Human Error Evaluation in a H~1	147 KB	Adobe Acrobat Doc...	4/10/2009 6:13 PM

Browse



# 17th World Congress on Ergonomics

August 9-14, 2009, Beijing, China



Search

All Fields

Title

Abstract

Author



The copyright of the paper published in this IEA Congress Proceedings belongs to the author(s).



# 17th World Congress on Ergonomics

August 9-14, 2009, Beijing, China




 All Fields

 Title

 Abstract

 Author


The copyright of the paper published in this IEA Congress Proceedings belongs to the author(s).

Your Search: **Markus Hartono**, Found 2 Items. [Go Back](#)

1. **Title:** [\(2SE0003\) A proposed framework of Kansei Engineering application in dealing with customer emotional needs in services](#)

**Author:** Markus Hartono, Kay Chuan Tan, . . .

**Keywords:** Kansei Engineering, Emotional needs, Services

**Abstract:** ...in services Markus Hartono, Department of Industrial and Systems Engineering, National University of Singapore\* Tan Kay Chuan, Department of Industrial and Systems Engineering, National University of Singapore ABSTRACT Many studies on product designs have been widely conducted with a focus on functionality rather than human emotions. However, customers today are very dynamic and no longer focus only on functionality needs. Emotions increasingly, play an...

2. **Title:** [\(2AN0017\) Anthropometry of the Singaporean and Indonesian population](#)

**Author:** Markus Hartono, Kay Chuan Tan, . . .

**Keywords:** Anthropometry, Indonesian, Singaporean

**Abstract:** ...population Markus Hartono, Department of Industrial and Systems Engineering, National University of Singapore\* Tan Kay Chuan, Department of Industrial and Systems Engineering, National University of Singapore ABSTRACT This research collected anthropometric data of Singaporean and Indonesian persons. Thirty five (35) measurements as specified by Pheasant and Haslegrave (2006) were collected. The data from student subjects from a university in Singapore and a...

Result Pages: 1

The copyright of the paper published in this IEA Congress Proceedings belongs to the author(s).

# A proposed framework of *Kansei* Engineering application in dealing with customer emotional needs in services

Markus Hartono\*, Tan Kay Chuan  
Department of Industrial and Systems Engineering, National University of Singapore

## Abstract

Many studies on product designs have been widely conducted with a focus on functionality rather than human emotions. However, customers today are very dynamic and no longer focus only on functionality needs. Emotions increasingly, play an important role in purchasing decision. In dealing with customer emotional needs, *Kansei* Engineering is proposed. This approach captures customers' desires and feelings (emotions/*kansei*) concerning products and translates these emotional needs into concrete product design.

*Kansei* Engineering has been applied extensively in product design, but not in services. A service is an intangible product. It is the fastest growing sector in today's businesses. Some prominent tools such as Quality Function Deployment (QFD) and Kano's Model are often used in services, but not incorporating customer emotional needs. In addition, some attentions have been widely used in investigating customer emotional satisfaction in services. However, there is not a formal methodology that can account for customer emotional needs. Therefore, to fill in these niches, this paper provides a proposed framework of *Kansei* Engineering in services.

The proposed framework incorporates QFD and Kano's Model as methods which focus on customer satisfaction. By applying Kano's Model, customer needs are exploited through a questionnaire, and, service attributes are classified. QFD is then used to transform customer emotional needs into engineering characteristics. In addition, other models such as Bayesian Network (BN) and Markov Chain are utilized as well. The latter two models are useful to promote prediction and diagnostic inference with a probability view point due to the dynamics of customer emotional needs. The use of such supporting models will enhance the ability of the *Kansei* Engineering methodology to meet a sudden change or trend of customers' emotional needs. Essentially, the proposed framework will start and end with customers to achieve customer emotional satisfaction.

In order to demonstrate the applicability of the *Kansei* Engineering approach in service design, this paper provides an illustration. A simple literature survey was conducted at a university field. A majority of the students spend most of their time on campus. Why do students spend so much time at the university when they can better spend their time elsewhere, such as at home? How can a university be made a convenient second home for students? In this research, these two questions will be answered and tackled by introducing a modified *Kansei* Engineering method. The university does not only provide an academic service, but also an emotional experience for students.

It is hoped that by introducing an improved innovative framework of *Kansei* Engineering, it could increase the level of customer satisfaction in pursuit of customer loyalty and a long-term relationship eventually.

## INTRODUCTION

In today's fast changing and global competitive world, many companies are mostly investing their efforts and capitals to produce highly efficient, effective, competitive, profitable, differentiated products and services. Each product or service therefore needs to offer features or attributes or properties which make it attractive to customers. Many products that available in the competitive markets are shortly becoming mature products. It will lead the significance of number of sales.

---

\* Corresponding author. Tel.: +65 6516 6514; Fax. +65 6777 1434; E-mail address: [markushartono@nus.edu.sg](mailto:markushartono@nus.edu.sg)

Compared to the first launching, the sales are not increasing as before. This influenced companies to reconsider their product and development strategies (Shimizu et al., 2004). However, some efforts of improvement such as quick model changes, technical updates or price reductions were no longer sufficient solutions (Schütte, 2005). These facts open an effort to explore more and capture the deepest voice of customer which is the *unspoken emotional needs* customers seek in product and service in generating greater sales and market share (QFD Institute, 2008). Eventually, this strategy is hoped to achieve a good long-term relationship with the customer.

To deal with emotions and evaluate affective aspects in product design and development, *Kansei* Engineering has been proposed. It is the formal methodology that has been used in

product development since 1970s. Besides products, nowadays, service sector becomes a driver of economic growth and creates more competitive advantages. Thus, it opens a great opportunity to apply *Kansei* Engineering into service industries.

In order to promote flexibility to dynamics of customer, it is important to understand and knowing for companies to purposely fulfill what the customers need and want in the future. In the long run, however, the dynamics of customer's preferences (needs and wants) is likely to occur. In other words, there will be uncertainties in the future due to the shifting of trends, competition of some manufactures or companies, changes of customer preference and other causal uncertainties within the periods of time.

This paper discusses *Kansei* Engineering methodology equipped with some tools which promote flexibility customer dynamics due to sudden changes of customer's preferences, shifting trends, lack of supporting facilities in the companies/manufactures or other sudden changes. Thus, in the long-term it is hoped to retain the potential customers and achieve customer loyalty.

### MOTIVATION OF STUDY

*Kansei* Engineering has been only extensively applied to the designs of physical products/articles (Nagamachi and Imada, 1995; Nagamachi, 1995; Ishihara et al., 1995; Horiguchi and Suetomi, 1995; Lottum et al.; Hsu et al., 1999; Nagamachi, 2002; Schütte, 2004; Schütte, 2005; Schütte and Eklund, 2005) not of services. Thus, there is a need to propose and apply a systematic *Kansei* Engineering methodology into service design in meeting customer emotional needs to achieve high level of customer satisfaction.

### RESEARCH OBJECTIVE

This research aims to propose a framework of *Kansei* Engineering applied into services. Some supporting tools and an illustration example which enhance the framework will also be discussed. By adopting and applying this framework it is hoped that the customer emotional satisfaction and loyalty in services will be fulfilled.

### LITERATURE REVIEW

#### Definition of *kansei*

In Japanese, the concept of sensing a phenomenon or an artifact and building an individual emotional response is called *kansei*. In the context of product development, the *kansei* can be regarded as 'the impression someone gets from a certain artifact, environment or situation using all her or his senses of vision, hearing, feeling, smell and taste, as well as her or his cognition' (Schütte et al., 2008).

#### *Kansei* and Voice of Customer (VOC)

Voice of Customer (VOC) is a customer input which also called as a customer need; it is a voice in the customer's own words, of the benefit to be fulfilled by the product or service

(Griffin & Hauser, 1993). Since *kansei* may represent what customer wants emotionally, it is referred as one kind of VOC.

#### *Kansei* Engineering

*Kansei* Engineering is defined as an ergonomic technology of customer-oriented product development. It does not only focus on the manufacturer's intention of the product, but rather on the customer's feelings/*kansei* and needs (Nagamachi & Imada, 1995). It is the first and foremost a product development methodology which translates customer's impressions, feelings and demands on existing products or concepts to design solutions and concrete design parameters.

#### Kano Model and *Kansei*

Kano Model basically categorizes customer needs into three different types: Must-be (M), One-dimensional (O), and Attractive (A). The must-be (M) or basic attribute is associated with those needs that are taken for granted by customers. For example, by providing sufficient toilet papers in restroom of hotel does not raise the level of customer satisfaction while late availability of toilet papers brings complaints from customers. The one-dimensional (O) or performance attribute shows the linearity relationship between customer satisfaction and performance of the attribute, the better the performance, the higher the level of customer satisfaction. For instance, in the reception service of hotel, a faster check-in process results in higher customer satisfaction.




Figure 1 Incorporating *kansei* into Kano Model, modified from Berger et al (1993)

While, the attractive attribute (A) which is known as the delighters, a little fulfillment of performance of attribute brings a significant increase of customer satisfaction. Very often what belong to the attractive attribute is not specified and spoken by customer verbally. It may refer to *kansei* which is unspoken need of customer. A free of charge of delivery service of restaurant could be an example of attractive attribute.

#### Emotions in services

Many questions have arisen exploring what components

either cognitive or affective will contribute to the customer satisfaction. Customers will experience positive emotions if their expectations are met; otherwise if their expectations are not met. Emotion is influenced by two main factors (Barlow and Maul, 2000), those are, expectation and perceived performance.

### Customer satisfaction and loyalty in services

Customer loyalty as a customer action oriented is regarded as the likelihood of a customer returning, making business referrals, providing strong word-of-mouth, as well as providing references and publicity (Bowen and Shoemaker, 1998). It is a function of customer satisfaction on service encountered.

### Bayesian Network to model emotional needs for diagnostic and prediction approach

Bayesian Networks (BN) gives a simplified and structured way to solve problems that involve uncertainty and complexity with incomplete information (Cowell, 1999; Pearl, 1988). Bayesian Networks (BN) is directed acyclic graphs which represent uncertainties (variables) and conditional independencies. Bayes' theorem can be used as a rule to update the degree of belief when new information is presented. In human emotion area, BN are quite attractive for modeling emotion and personality. They can predict the likelihood of an affective state given a particular human emotion (Ball, 2000).

### Markov Chain for long run behavior trend

Markov process could be applied to analyze customer retention and customer loyalty or in general this is useful to study the evolution of systems over repeated trials (Anderson et al., 2003; Render and Stair, 2000; Taha, 1997; Winston, 1994). A Markov chain is a special case of Markov process models which discusses either the short run or long run behavior of certain stochastic systems (Taha, 1997). A Markov Chain will be introduced as a model of customer's performances or preferences in the future (steady state condition) such that a better strategy could be made based upon the most updated customers' surveys. By incorporating last and current questionnaires surveys, initial and transition probabilities could be derived.

### Quality Function Deployment (QFD)

*Kansei* Engineering and Quality Function Deployment (QFD) are parts of improved tools which have such methodology of translating voice of customer into product specifications. *Kansei* Engineering is the only tool especially designed for quantifying emotional customer needs and develops them into products (Schütte, 2005). The integration of these two tools are hoped to explore and capture emotional needs and translate into product properties/characteristics or service attributes.

## FRAMEWORK DEVELOPMENT

### *Kansei* Engineering methodology for services

First of all, we select a service area which is very interesting and highly expected by customer. Afterwards, it is followed by evaluating the current service quality and

measuring the current customer satisfaction score. In order to improve and achieve excellent services, we will focus on the service qualities which have low satisfaction score and maintain the high level score ones.

After scoring the satisfaction level, we will do span the semantic space: collecting and selecting *kansei* words. After collecting *kansei* words, reasonable data reduction must be carried out considering sufficient number of *kansei* words and availability of the evaluation time of the questionnaire. Such selecting and structuring *kansei* words can be done manually (i.e. affinity diagram, interview) and statistically (i.e. Factor Analysis, Cluster Analysis). Then, we do span the service attributes: collecting service attributes, identifying and classifying service attributes, and selecting service attributes.

For identifying and classifying service attributes, Kano model is applied. As mentioned previously, Kano model basically categories service attributes into three different types, namely, Must-be (M), One-dimensional (O), and Attractive (A).

Afterwards, the next step is to link and evaluate semantic and service attributes space. In this step, the selected *kansei* words and service attributes are met and linked together. Some methods that might be used are Category Identification/*Kansei* Engineering Type I (Nagamachi, 1997a, 2001), Linear regression (Ishihara, 2001), General Linear Model (GLM) (Arnold and Burkhard, 2001), Quantification Theory type 1 (Komazawa and Hayashi, 1976), Neural Networks (Ishihara et al., 1996), Genetic Algorithm (Nishino et al. 1999), Fuzzy Set Theory (Shimizu and Jindo, 1995), Rough Set Theory (Nishino et al., 2001), and Neural Networks (Ishihara et al., 1996).

The relationship between *kansei* words and service attributes is represented by mathematical model with a function:

$$Kansei \text{ response} = f(\text{service attributes})$$

In dealing with dynamics of customer emotional needs (voice of customer), Bayesian Network (BN) and Markov Chain Model are approached. It will predict and diagnose the customer preferences in the future due to several changes in trends, sudden disruptions of components in the system.

Lastly, in integration of *Kansei* Engineering methodology and Quality Function Deployment (QFD), data from *Kansei* Engineering methodology can be used in order to identify customer's emotional needs and determine their importance, facilitating the setting of target values for technical response and perform benchmarking between different service attributes and brands and specify the relationships in the relationship matrix (Schütte et al., 2004; Schütte, 2005).

A proposed framework of *Kansei* Engineering methodology in dealing with customer's emotional needs in services is represented in Figure 2.




Figure 2 Proposed Framework of *Kansei* Engineering in services

### ILLUSTRATION EXAMPLE

#### *Kansei* Engineering for university services

An illustrative example in the field of university services is adopted to demonstrate the applicability of the proposed *Kansei* Engineering framework. Based on the preliminary observation in several campuses, majority of the students spend most of their time in campus. Why do students spend so much time at the university when they can

better spend their time elsewhere, such as at home? How can a university be made a convenient second home for students? This study tries to investigate some factors that may influence the comfort of students staying and doing some activities in campus using an approach of *Kansei* Engineering methodology.

By using SERVQUAL model we define the service attributes (elements) provided by university. The following are the service attributes categorized by the five service dimensions shown in Table 1.

Table 1 Service attributes of university demanded by students

Service Dimension				
Tangible	Reliability	Responsiveness	Assurance	Empathy
<ul style="list-style-type: none"> <li>Lighting in the class, library, and laboratory is bright</li> <li>The design of class is modern-looking</li> <li>Lecturers and staffs are properly and neatly dressed</li> </ul>	<ul style="list-style-type: none"> <li>The class is started and ended at the right time based on the scheduled given</li> <li>The class is accurately taught by the right professor</li> <li>Quickly correct any errors in class or student</li> </ul>	<ul style="list-style-type: none"> <li>Prompt student services</li> <li>Staffs are helpful and friendly to respond student requests</li> <li>Lecturers are easy and comfortable to approach</li> </ul>	<ul style="list-style-type: none"> <li>Staffs are courteous</li> <li>Lecturers have relevant and guaranteed knowledge to conduct lecturing and handle all students' questions</li> </ul>	<ul style="list-style-type: none"> <li>Staffs give courage and attention to students patiently</li> <li>Lecturers listen to student's difficulties and requests, and give supports with sympathy</li> </ul>



Supposed some relevant collected *kansei* words (emotional needs) are **modern, beautiful, easy, friendly, pleased, fast, and relaxed**. This is done by interviewing students, distributing questionnaires, and selecting *kansei* words by using affinity diagram. Afterwards, the relevant service attributes are also successfully categorized as follows:

Table 2 Kano category of service attributes in university

Service attributes	Satisfaction score	Kano Category
Modern-looking design of class	-0.92	A
Beautiful and green park	2.4	A
Up-to-date curriculum based on market demands	-1.2	O
Easiness of class materials	-1.35	I
Prompt student services	-1.92	A
Friendly and helpful staffs	-1.2	O
Courteous staffs	0.42	I
Patient staffs in encouraging to students	0.96	O

By considering those highlighted service attributes (low satisfaction score with A and O categories) and available *kansei* words, multiple regression models are built. Supposed only a significant model (with  $\alpha=5\%$ ) is obtained, i.e.  $\text{Friendly} = 3.5 + 0.01 (\text{modern-look class}) + 0.003 (\text{prompt student services}) + 0.25 (\text{friendly and helpful staffs})$ . It means that the three service attributes i.e. modern-look class, prompt student services, and friendly helpful staffs have a significant contribution to the *kansei* ‘friendly’ response.

In dealing with dynamics of customer emotional needs in the future or sudden changes/disruptions in certain service attributes, this framework is equipped with Bayesian Network and Markov Chain with probability point of view. We evaluate the sensitivity of likelihood of ‘friendly’ by adjusting the prior probability of ‘modern-look class’ and ‘prompt student services’. As a result, the updated posterior probability of ‘friendly’ will come out. In other words, it is highly possible to make adjustment on some service attributes to achieve a certain *kansei* word that is needed by majority of customers.

A Markov Chain is utilized to predict *kansei* response and service attributes response in the future (steady-state). From a significant model of ‘Friendly’ = f (modern-look class, prompt student services, friendly and helpful staffs), we need to calculate the response of independent variables (service attributes) by considering its level of importance and respective probabilities. The predicted level of importance of service attributes are shown in table 3.

Table 3 Comparison between current and future weight of service attributes

Service attributes	Current Level of Importance	Future Expected Level of Importance
Modern-looking design of class	4.6	3.22
Prompt student services	4.8	4.01
Friendly and helpful staffs*	4	3.55

Note: \* = there is no significant different (assumed)

Lastly, we may incorporate service attributes that have no significant difference between current level of

importance and future expected weight into House of Quality (HOQ). It means that the service attributes are still interesting in the future. The improvement on those service attributes will bring competitive advantages in the future. In this case, the demanded quality is friendly and helpful staffs that bring a highly influence on *kansei* ‘Friendly’. Afterwards, the technical responses related to service attributes must be determined. Since this illustrative study is taken from university services, technical responses might be determined by standards of higher education.

## DISCUSSION AND CONCLUSION

The objective of this paper is to propose a framework of *Kansei* Engineering in services. This paper tries to position and highlight a different application of *Kansei* Engineering methodology since *Kansei* Engineering has been applied extensively in product design, but not in services. Many attentions have been widely used in investigating customer emotional satisfaction in services. However, there is not a formal methodology that can account for customer emotional needs.

In order to give a better understanding of the proposed concept of *Kansei* Engineering approach in service design, this paper provides an illustrative example. A simple literature survey was conducted at a university field. An investigation of emotional needs of service attributes provided by university is conducted. This study is done by initially measuring current customer’s level of satisfaction of services provided. It gives a valuable result of weak service attributes that may still attractive to the customers as specified by Kano categorization.

By using Multiple Linear Regression, *kansei* words (emotional needs) of student and service attributes are met, linked, and modeled mathematically. In adjusting the flexibility of provided services due to some changes of emotional needs, this framework is equipped by robust tool using Bayesian Network.

In addition to flexibility and achieve customer satisfaction in the future that influence the customer loyalty, this framework also incorporates Markov Chain model. It may predict the importance of service attributes in the future and predict the *kansei* word. It brings valuable inputs for service provider to put efforts on improvement of several attributes which are still attractive to the customer in the future (steady-state).

Lastly, those service attributes are incorporated into QFD as inputs of customer needs. QFD will provide service guidance for improving those weak and attractive attributes determined by the use of previous tools and analyses. Hence, in the end *kansei* of customers will be fulfilled and satisfied since there is a close-relationship between service qualities and *kansei* (emotional needs).

For further research and recommendation, a real case study should be conducted to showcase the effectiveness of proposed *Kansei* Engineering methodology and its contributions.

## References

- (1) Anderson, R.D., Sweeney, D.J., Williams, T.A. (2003),

- 'An introduction to management science: quantitative approaches to decision making', 10<sup>th</sup> edition, Thomson, Andover, UK
- (2) Arnold, K. and Burkhard, D. (2001), '*Kansei Engineering—From the Customers Point of View*', Special Report LiTH-IKP-R-1226, IKP, Linkoping
  - (3) Ball, G., Breese, J. (2000) '*Emotion and personality in a conversational agent*', in: Cassell, J., Sullivan, J., Prevost, S., Churchill, E. (eds): *Embodied Conversational Agents*
  - (4) Colgate, M., and Steward K (1998), '*The challenge of relationships in services: a New Zealand study*', *International Journal of Service Industry Management*, Vol. 9, No.5, pp. 454-468
  - (5) Cowell, R. (1999), '*Introduction to Inference for Bayesian Networks*', in: Jordan, M.I. (ed): *Learning in Graphical Models*, pp. 9-26
  - (6) Griffin, A., & Hauser, J. R. (1993) 'The Voice of the Customer', *Marketing Science*, Vol. 12, No. 1, pp. 1-27
  - (7) Helander, M. G. (2003) '*Hedonomics-affective human factors design*', *Ergonomics* Vol. 46 No. 13/14, pp. 1269-1272
  - (8) Helander, M. G., and Khalid, H. M. (2006) '*Affective and Pleasurable Design*', in: Salvendy, G. (ed.), *Handbook of Human Factors and Ergonomics*, 3<sup>rd</sup> edition, New York: Wiley Interscience, pp. 543 – 572 (Chapter 21)
  - (9) Hocutt, M.A. (1998), '*Relationship dissolution model; antecedents of relationship commitment and the likelihood of dissolving a relationship*', *International Journal of Service Industry Management*, Vol. 9, No. 2, pp. 189-200
  - (10) Horiguchi, A. and Suetomi, T. (1995) '*A Kansei Engineering approach to a driver/vehicle system*', *International Journal of Industrial Ergonomics*, Vol. 15, pp. 25-37
  - (11) Hsu, S.H., Chuang, M.C., Chang, C.C. (2000), 'A semantic differential study of designers' and users' product form perception', *International Journal of Industrial Ergonomics*, Vol. 25, pp. 375-391
  - (12) IFM and IBM (2007), 'Succeeding through service innovation: a discussion paper', London, Thousand Oaks, New Delhi, SAGE Publications
  - (13) Ishihara, S., Ishihara, K., Nagamachi, M. and Matsubara, Y. (1996), '*Neural network approach for Kansei analysis on milk carton design*', *Proceedings of Human Factors in Organizational Design and Management—V* (Breckenridge, USA: Elsevier Science B.V.), 7–12
  - (14) Ishihara, S. (2001), '*Kansei Engineering Procedure and Statistical Analysis*', Workshop at International Conference on Affective Human Factors Design, Singapore
  - (15) Kano, N., Seraku, N., and Takahashi, F. (1984) 'Attractive quality and must be quality', *Quality*, Vol. 14, No. 2, pp. 39-44
  - (16) Kim, S.J. (2008), 'Discrete-Time Markov Chains', lecture note of Advanced Engineering Probability course, Department of Industrial and Systems Engineering, National University of Singapore (NUS)
  - (17) Komazawa, T. and Hayashi, C. (1976) '*A statistical method for quantification of categorical data and its applications to medical science*', in F. T. de Dombal and F. Gremy (eds) (North-Holland Publishing Company)
  - (18) Matzler, K. and Hinterhuber, H.H. (1998) '*How to make product development projects more successful by integrating Kano's model of customer satisfaction into quality function deployment*', *Technovation*, Vol. 18, No. 1, pp. 25-38
  - (19) Nagamachi, M., Imada, A.S. (1995) 'Kansei Engineering: An ergonomic technology for product development', *International Journal of Industrial Ergonomics* Vol. 15, pp. 1
  - (20) Nagamachi, M., (1995) 'Kansei Engineering: a new ergonomic consumer-oriented technology for product development', *International Journal of Industrial Ergonomics* Vol. 15, pp. 3–11
  - (21) Nagamachi, M. (1997a) '*Kansei Engineering: the framework and methods*', in M. Nagamachi (ed.), *Kansei Engineering 1* (Kure: Kaibundo Publishing co. Ltd), 1–9
  - (22) Nagamachi, M. (2001) 'Workshop 2 on Kansei Engineering', International Conference on Affective Human Factors Design, Singapore, 2001
  - (23) Nagamachi, M. (2002) 'Kansei Engineering as a powerful consumer-oriented technology for product development', *Applied Ergonomics* Vol. 33, pp. 289-294
  - (24) Nishino, T., Nagamachi, M., Ishihara, K., Ishihara, S., Ichitsubo, M. and Komatsu, K. (1999), '*Internet Kansei Engineering system with basic Kansei database and genetic algorithm*', *Proceedings of TQM and Human Factors* (Linkoping, Sweden: Centre for Studies of Humans, Technology and Organization), 367–372
  - (25) Nishino, T., Nagamachi, M. and Ishihara, S. (2001), '*Rough set analysis on Kansei evaluation of color*', *Proceedings of The International Conference on Affective Human Factors Design* (Singapore: Asean Academic Press)
  - (26) Norman, D. A. (2004) '*Emotional Design: Why Do We Love (or Hate) Everyday Things*', New York: Basic Books
  - (27) Parasuraman, A., Berry, L.L., and Zeithaml, V.A. (1988) '*SERVQUAL: A multiple-item scale for measuring consumer perceptions of service quality*', *Journal of Retailing*, Vol. 64, No. 1, pp. 12-40
  - (28) Parasuraman, A., Berry, L.L., and Zeithaml, V.A. (1991) '*Refinement and reassessment of the SERVQUAL scale*', *Journal of Retailing*, Vol. 67, No. 4, pp. 420-450
  - (29) Patterson, P.G., and Spreng, R.A. (1997), '*Modeling the relationship between perceived value, satisfaction and repurchase intentions in a business-to-business, service context: an empirical examination*', *International Journal of Service Industry Management*, Vol. 8, No. 5, pp. 414-434
  - (30) QFD Institute, the official source for QFD: '*Kansei Engineering & Lifestyle QFD Workshop-Product Development Focused on Unspoken Customer Needs &*

- Emotional Branding*', available at: [http://www.qfdi.org/workshop\\_kansei.htm](http://www.qfdi.org/workshop_kansei.htm), accessed: 2 June 2008
- (31) Render, B., Stair, R.M. (2000), 'Quantitative analysis for management', 7<sup>th</sup> edition, Prentice-Hall, New York
- (32) Schifferstein, H.N.J., Hekkert, P. (2008) '*Product Experience*', 1<sup>st</sup> edition, Elsevier Ltd, Oxford, UK
- (33) Schütte, S. (2005) '*Engineering emotional values in product design. Kansei Engineering in development*', Linköping University, Linköping
- (34) Schütte, S., Eklund, J., Ishihara, S., Nagamachi, M. (2008) '*Affective Meaning: The Kansei Engineering Approach*', in Schifferstein, H.N.J., Hekkert, P. (Eds) '*Product Experience*', 1<sup>st</sup> edition, Elsevier Ltd, Oxford, UK, pp. 477- 496
- (35) Shimizu, Y. and Jindo, T. (1995). 'A fuzzy logic analysis method for evaluating human sensitivities', *International Journal of Industrial Ergonomics*, vol. 15, p. 39-47
- (36) Shimizu, Y., Sadoyama, T., Kamijo, M., Hosoya, S., Hashimoto, M., Otani, T., Yokoi, K., Horiba, Y., Takatera, M., Honywood, M., and Inui, S. (2004) '*On-demand production system of apparel on basis of Kansei Engineering*,' *International Journal of Clothing Science and Technology*, Vol. 16, pp. 32-42
- (37) Taha, H.A. (1997), 'Operations research: an introduction', 6<sup>th</sup> edition, Prentice-Hall, New York
- (38) Tan, K.C. and Pawitra, T.A. (2001) '*Integrating SERVQUAL and Kano's Model into QFD for Service Excellent Development*', *Managing Service Quality*, Vol. 11, No. 6, pp. 418-430
- (39) Tribus (1990), 'Newsletter ASQC Statistics Division', vol. pp. 3
- (40) Winston, W.L. (1994), 'Operations research: applications and algorithms', 3<sup>rd</sup> edition, Duxbury Press, Pacific Grove, CA
- (41) Wong, Amy (2004), '*The role of emotional satisfaction in service encounters*', *Managing Service Quality*, Vol. 14, No.5, pp. 365-376