

UNIVERSITI PUTRA MALAYSIA

RSS-BASED INFORMATION DELIVERY MODEL FOR LEARNING MANAGEMENT SYSTEM

SOLMAZ BAGHERPOUR

FSKTM 2008 10



RSS-BASED INFORMATION DELIVERY MODEL FOR LEARNING MANAGEMENT SYSTEM

By

SOLMAZ BAGHERPOUR

Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia, in Fulfilment of the Requirement for the Degree of Master of Science



DEDICATION

To my dear parents that I owe them each moment of my life.



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirement for the degree of Master of Science

RSS-Based Information Delivery Model for Learning Management System

By

SOLMAZ BAGHERPOUR

June 2008

Chairman : Associate Professor Mohd. Hasan Selamat, PhD.

Faculty : Computer Science and Information Technology

In modern education, e-learning or Internet enabled learning has been extensively used by teaching and learning institutions, especially by higher education for improving their educational services. Learning Management Systems (LMS) are one of the important parts of e-learning solutions for providing learning contents and learning information during the educational process. Information delivery as main functionality of these systems has a vital role in the success of these systems in achieving their goals. An LMS with growing number of users, courses, and frequently updated learning information resources needs a systematic, fast and easy to use information delivery service which can support personalization also.

As a response to this need and with considering technical and pedagogical benefits of RSS (Really Simple Syndication), this research applied a combination of RSS 2.0 and RSS 1.0 to design a new RSS-based information delivery framework for LMSs. The proposed RSS based information delivery framework is implemented on e-SPRINT, an existing LMS at Universiti Putra Malaysia as object of experiment, and

UPM

evaluated regarding to the impact of RSS-based information delivery framework in users satisfaction and usability of the LMS in information delivery.

Based on the analysis of the results of experimental design there is positive changes in users satisfaction with information delivery after using the framework compared to before using the framework. According to usability evaluation of the RSS information delivery framework also, positive changes of user perception from the aspect of usability in information delivery has been gained. It is mentionable that the scope of the study was limited to the case study system. The contribution of this study was the design and development of an RSS-based information delivery model for LMSs to support systematic fast and easy to use information delivery.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

RSS Bersaskan Model Peniampayan Maklumat untuk Sistem Pengurusan Pembelajaran

SOLMAZ BAGHERPOUR

Oleh

Jun 2008

Pengerusi : Professor Madya Mohd. Hasan Selamat, PhD.

Fakulti

: Sains Komputer dan Teknologi Maklumat

Dalam pendidikan moden, e-pembelajaran atau pembelajaran berasaskan internet

telah digunakan secara intensif dalam institusi pengajaran dan pembelajaran,

terutamanya pada peringkat pengajian tinggi untuk mempertingkatkan perkhidmatan

pendidikan. Sistem Pengurusan Pembelajaran (SPP) merupakan salah satu daripada

bahagian penting dalam penyelesaian e-pembelajaran dalam menyediakan

kandungan dan maklumat pembelajaran semasa proses pendidikan. Penghantaran

maklumat merupakan satu fungsi utama yang memainkan peranan penting untuk

mencapai matlamat tersebut. Perkembangan yang pesat pada jumlah penguna,

kursus, dan sumber maklumat yang kerap dikemaskini, menyebabkan SPP

memerlukan servis penghantaran maklumat yang sistematik, cepat dan mudah

digunakan serta mampu menyokong personalisasi.

Sebagai tindak balas untuk memenuhi keperluan ini, dengan mengambil kira pertimbangan teknikal dan faedah pedagogical menggunakan RSS (*Really simple syndication*), penyelidikan ini mengaplikasikan kombinasi RSS 2.0 (*Really simple syndication*) dan RSS 1.0 (*RDF Site Summary*) untuk mereka bentuk satu rangka kerja penghantaran maklumat berasaskan RSS yang baru untuk SPP. RSS berasaskan rangkakerja penghantaran maklumat yang dicadangkan dibangunkan pada e-SPRINT (System Pengurusan Rangkaian Integrasi Notakuliha dalam Talian —mod Elektronik), salah satu SPP yang telah sedia ada di Universiti Putra Malaysia sebagai satu kajian kes, dan dinilai berdasarkan kepada impak rangka kerja penghantaran maklumat berasaskan RSS menggunakan kepuasan pengguna dan kebolehgunaan SPP dalam penghantaran maklumat.

Berdasarkan kepada analisis keputusan eksperimen, terdapat perubahan positif di dalam kepuasan pengguna bagi penyampaian maklumat selepas menggunakan rangka kerja yang dicadangkan berbanding sebelum menggunakan rangka kerja tersebut. Berdasarkan kepada penilaian, kebolehgunaan rangka kerja penghantaran maklumat berasaskan RSS ini juga telah didapati terdapat perubahan posistif dari segi tanggapan pengguna dari aspek kebolehgunaan di dalam penghantaran maklumat. Sumbangan utama kajian ini adalah pada reka bentuk dan pembangunan model penyampaian maklumat berasaskan RSS untuk SPP bagi menyokong penyampaian maklumat yang sistematik, cepat dan senang digunakan.



ACKNOWLEDGEMENTS

Thanks God for His helping out while I was about to give up and His unbelievably close support any time I needed.

I hereby convey my sincere gratitude and appreciation to my venerable supervisor Associate Professor Mohd. Hasan Selamat especially his invaluable supports and advices in research process, critical observation and reasoning.

I also would like to appreciate the honorable helps and supports of Dr. Rusli Abdullah for his patience, nonstop supports and guidance.

I also thank all other faculty members who helped me prepare this study, especially students and lecturers in computer science and science faculties who participated in my experiment and helped me out with data collection which without their helps I couldn't conduct this research. Especially I would like to thank Mr. Mohd Farid Jafar and Mr. Saiful Ramadzan Hairani for their great helps with this project and also my dear friend Ms. Shafinah Kamarudin for translating the abstract of thesis in Malay.

I would like to express my gratitude to my beloved parents Ms. Farideh Mehdizadeh and Mr. Farhad Bagherpour in Iran, with their mental and financial supports, love and encouragement. Their love and support is the most important reason that I could overcome most of the problems in my life.

I am also thankful to my precious mentors and friends Ms. Mitra Saeedi and Mr. Bahman Kazemi for encouraging me for further study in abroad.

Last but not least, I would like to express my thankful feelings to my dear friend Mr. Farzad Tahriri for his efforts, encouragements and supports for motivating me and guiding me not just in this research but also in my life.





This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfillment of the requirement for the degree of Master of Science. The members of the Supervisory Committee were as follows:

Mohd. Hasan Selamat, PhD.

Lecturer Faculty of Computer Science and Information Technology, Universiti Putra Malaysia (Chairman)

Rusli Abdullah, PhD.

Lecturer Faculty of Computer Science and Information Technology, Universiti Putra Malaysia (Member)

AINI IDERIS, PhD

Professor and Dean School of Graduate Studies Universiti Putra Malaysia

Date: 11 September 2008



DECLARATION

I hereby do	eclai	re that the the	sis is based	lon	my o	riginal	work e	xcej	pt for g	uota	ations
and citation	ı wl	nich have been	duly ackn	owle	dged	. I also	declare	tha	t it has	not	been
previously	or	concurrently	submitted	for	any	other	degree	at	UPM	or	other
institutions											

SOLMAZ BAGHERPOUR Date:



TABLE OF CONTENTS

			Page
DEDICATIO	N		ii
ABSTRACT			iii
ABSTRAK			V
ACKNOWL		MENTS	Vii
APPROVAL			viii
DECLARAT			X
LIST OF TA			xiii
LIST OF FIC			XV
LIST OF AB	BKEV	IATIONS	xvii
CHAPTER			
1	INTI	RODUCTION	1
		Background	1
		Research problem	3
		Research Question	4
		Goal and Research Objective	4
	1.5	Scope of the study Contribution	5 5
	1.6	Organization of the thesis	5 5
	1.7	Organization of the thesis	3
2		ERATURE REVIEW	7
		Introduction	7
	2.2	Virtual Learning Environments as a solution for e- learning	8
	2.3		9
	2.4	\mathcal{L}	13
		2.4.1 dotLNR	15
		2.4.2 Moodle	20
		2.4.3 OLAT	24
	2.5	2.4.4 Comparison of Moodle, dotLRN and OLAT	28
	2.5	RSS 2.5.1 RSS 2.0	30 35
		2.5.2 RSS 1.0	36
	2.6	e-SPRINT LMS	37
	2.7	Summary	38
3	MET	THODOLOGY	39
	3.1	Introduction	39
	3.2	Research Approach Justification	40
		3.2.1 Usability Evaluation	42
		3.2.2 Methods and steps of study	46
	3.3	Step 1: Collecting literature review for Information delivery in LMS	48



	3.4	Step 2: Model development	49		
	3.5	Step 3: Experimental setup	50		
	3.6	Step 4: Analysis of data	54		
	3.7	Conclusion	57		
	3.8	The Object of Experiment	57		
	3.9	Summary	58		
4	MOL	DEL DEVELOPMENT	59		
	4.1	Introduction	59		
	4.2	Model Development Stages	59		
		4.2.1 Available base models selection	60		
		4.2.2 Models of RSS implementations in LMS	61		
		4.2.3 RSS as information delivery technology	62		
		4.2.4 Implementation of RSS for object of	63		
		experiment			
		4.2.5 Defining model components	65		
		4.2.5.1 RSS Files	65		
		4.2.5.2 RSS Feeds	66		
		4.2.5.3 RSS Access	69		
		4.2.6 Model framework	70		
		4.2.7 Analyzing system requirements for user interface design	71		
		4.2.8 Implementation of model	73		
	4.3	Summary	74		
5	RESU	ULT AND DISCUSSION	75		
	5.1		75		
	5.2	<u> </u>	76		
	5.3	Data Collection and Analysis	76		
		5.3.1 Frequencies Analysis	77		
		5.3.2 Satisfaction with information delivery before and after RSS	81		
		5.3.3 Notification channel before and after RSS	84		
		5.3.4 Analysis of user's perception from the aspect of usability	85		
		5.3.5 Results of ANOVA between attributes of usability before and after RSS	87		
	5.4	Summary	90		
6	CONCLUSIONS AND RECOMMENDATIONS				
	6.1		91		
	6.2	Recommendations	93		
	6.3	Limitations of the study	93		
REFERENC	ES		94		
APPENDICI	ES		99		
BIODATA C	BIODATA OF THE AUTHOR				



LIST OF TABLES

Table		Page
2.1	Recent studies in the area of learning management systems	13
2.2	Summarized comparison of Moodle, dot LRN and OLAT	29
2.3	Comparison between notification technologies	32
3.1	Objectives of study and adapted methods for them	45
3.2	Research steps	45
4.1	Comparison between Base Models and Object of Experiment	62
4.2	Metadata Elements RSS Feeds of Assignment Updates (Lecturer View)	67
4.3	Metadata Elements RSS feeds of Assignment Updates (Students View)	67
4.4	Metadata Elements RSS feeds of Marks Updates (Students View)	67
4.5	Metadata Elements RSS feeds of News Updates (Both Students and Lecturers View)	68
4.6	Metadata Elements RSS feeds of Forum Updates(Both Students and Lecturers View)	68
4.7	Metadata Elements RSS feeds of Lecture Notes (Student's View)	68
4.8	Metadata Elements RSS feeds of Calendar (Both Students and Lecturers)	68
5.1	An Overview on the Frequency of Demographic Information of Respondents	78
5.2	Student's Frequency of Using e-SPRINT before RSS	79
5.3	Student's Notification Channels	79
5.4	The Main Uses of e-SPRINT from Student's Point of View before RSS	80
5.5	The Main Uses of e-SPRINT from Lecturer's Point of View before RSS	80



5.6	Relationship between Student's Satisfaction with Information Delivery Before and After adding RSS	82
5.7	Relationship between Lecturer's Satisfactions with Information Delivery Before and After adding RSS	83
5.8	Relationship between Overall User's Satisfactions with Information Delivery Before and After adding RSS	84
5.9	Student's Notification Channels before and after RSS	84
5.10	Relationships between Lecturer's Perceptions from the Aspect of Usability Before and After adding RSS	88
5.11	Relationships between Student's Perceptions from the Aspect of Usability Before and After adding RSS	89
5.12	Relationships between Overall User's Perceptions from the Aspect of Usability Before and After adding RSS	90



LIST OF FIGURES

Figure		Page
2.1	A university portal and its subsystems	9
2.2	LMS for administration of education process	10
2.3	OpenACS and dotLRN Architecture	18
2.4	The user interface of Moodle News	24
2.5	Asynchronous Communication Channels	32
3.1	Flowchart of the Research	47
3.2	The Framework of RSS-Based Information Delivery Model	49
4.1	Model Development Stages	60
4.2	RSS feeds Access page	69
4.3	RSS Viewer	70
4.4	Automatic Personalized Updated Content Notification Process	71
4.5	Available RSS Channels for System Modules	72
4.6	Metadata Fields are Added to Database for Lecture Notes Feeds	73
4.7	Metadata Fields are Added to Database for Assignments Feeds	74
5.1	Experimental Design	75
5.2	Comparisons between User Satisfactions with Information Delivery Before and After Adding RSS	81
5.3	Student's Perception on Different Attributes of Usability for Information Delivery After adding RSS	85
5.4	Lecturer's Perception on Different Attributes of Usability for Information Delivery After adding RSS	86



LIST OF ABBREVIATIONS / GLOSSARY OF TERMS

ACS ArsDigita Community System

ANOVA Analysis Of Variance

BBS Bulletin Board System

CMC Computer Mediated Communication

CMS Course Managemenet System

GUI Graphical User Interface

ICE Information and Content Exchange Protocol

IEEE-LOM Learning Object metadata for IEEE

IMP Institute of Multimedia and Software

LMS Learning Management System

LOM Learning Object Metadata

MIS Management Information System

MLE Managed Learning environment

MVC Model-View-Controller

OCS Open Content Syndication

OLAT Online Learning And Training

RSS Really Simple Syndication

SQL Standard Query Language

UNED Universidad Nacional de Educación a Distancia

UPM University Putra Malaysia

VLE Virtual Learning Environment



CHAPTER 1

INTRODUCTION

1.1 Background

In recent times e-learning or Internet enabled learning is being extensively used by teaching and learning institutions, especially by higher education providers, in order to develop and improve their educational services.

According to the results of nonprofit and association e-learning survey from 2004 through 2006 a general upward trend in e-learning adoption has been indicated among educational institutions (Nten, 2007). From the view point of higher education institutions and universities one of the important parts of e-learning solutions is Learning Management Systems (Itmazi and Megias, 2003).

Learning Management System (LMS) focuses on management of learning services for end users. These systems are one of the important e-learning platforms for online creation, management and distribution of learning materials. They also facilitate smooth communication between different stakeholders including lecturers, administrators, and students (Georgiakakis *et al.*, 2005).

A large number of LMSs, commercial or open source, are readily available for the users (e.g. Moodle, ATutor, ILIAS, LON_CAPA, WebCT, and Blackboard). These systems are now widely used by tertiary education providers, even though they were a novelty only 3-4 years ago. In NewZeland, for example, every university has at least one LMS, with around 40% of all taught courses having a LMS web site. In the



UK, according to the 2003 JISC and UCISA report, 86% of the surveyed Higher Education Institution used a LMS. A recent EDUCAUSE report (2004), which collected data from 908 Higher Education Institutions (primarily US, but some Canadian, Australian, South African and New Zealand institutions were also included), shows that 90% of these institutions had a LMS, while for research universities this figure was 100%. These results indicate that the LMS technology has reached advanced stages of adoption in tertiary education (EDUCAUSE Report, 2004).

LMSs are widely adapted among educational institutions and universities for four main benefits they provide for learning services. They alleviate the constraints of time and place of learning, they provide flexibility in the way of learning, they support interactivity between tutors and learners, and they support reusability of resources.

A typical user of web based LMSs as a learner for example has a collection of frequently updated learning information including learning material web pages(Learning resources), notifications, assignments, results of those assignments and calendar contents, but keeping track of "what's new" on these web pages is a non-trivial task. They need to receive a systematic notification service about those updated contents. This automatic notification service can support them personalize the resources of learning information and materials and also to receive those updated contents in easier and faster way.



For providing personalization and updated content notification service LMSs have been applied Email notification, personalized web pages and RSS notification or combination of them. This service in many LMSs is provided through RSS feeds, which are descriptions of the new data in XML format (Chmielewski and Hu, 2005). RSS feeds are implemented in different formats including RSS 2.0 and RSS 1.0. Really Simple Syndication or RSS 2.0 is one of the most popular and easy to use syndication methods for expressing content changes and it has been extensively used in News websites, Weblogs (Davison-Turely, 2005), Content Management Systems (Nanno and Okumura, 2006) and Library Management Systems (Wusteman, 2004). RDF Site Summary or RSS 1.0 is also applied in different domains including elearning domain and by the module proposed by Downes (2003) it can be compatible with IEEE e-learning standard IEEE-LOM. In this study RSS feeds are identified for designing an efficient information delivery framework for LMSs in order to provide fast and easy to use information delivery.

1.2 Research Problem

Learning information in LMSs is frequently updated by different users including administrators, educators and even students themselves. RSS technology has been applied in e-learning subsystems including LMSs due to its benefits as notification channel. RSS has two main versions applicable for different types of learning resources based on their nature.

Existing RSS information delivery services in LMSs are applied for merely specific subset of learning resources excluding learning contents. LMSs and their services vary according to their focus; Those LMSs which focus on distribution of learning



contents are in need to have a notification system about updated learning contents as well as other learning resources. Checking all of the updates page by page is a cumbersome and time consuming task for learners in these systems.

The major problem for this study is to design a new information delivery model for LMSs with supporting different versions of RSS for different types of learning resources including both learning contents and other learning information provided by these systems.

1.3 Research Question

The considerations in problem statement lead to the following research question:

"How to develop and evaluate an RSS-based information delivery model for LMSs to deliver a wide range of learning information including both learning contents and other learning resources".

Based on this research question, the sub-problems are as follow:

- 1. What are the requirements of learning information delivery for LMSs?
- 2. How existing LMSs and recent studies provide fast and easy to use updated information delivery by RSS?
- 3. How to evaluate the effect of RSS-based information delivery framework on user's satisfaction and usability from the aspect of information delivery?

1.4 Goal and Research Objective

The aim of this study is to develop an RSS-based information delivery framework for LMSs that supports fast and easy to use information delivery.



- To develop an RSS-based information delivery framework for LMSs and implement it on an existing LMS in Universiti Putra Malaysia (UPM)
- To evaluate the impact of RSS-based information delivery framework on user's satisfaction with information delivery and usability of the object LMS from the aspect of information delivery.

1.5 Scope of the study

This framework is developed based on e-SPRINT recently named as PLMS, an existing LMS implemented at Universiti Putra Malaysia (UPM). The information content focuses on learning contents and notifications for evaluating the model.

1.6 Contribution

The main contribution of this research is proposing an RSS-based information delivery framework for fast and easy to use information delivery in LMSs. Other significant outcomes of the research are:

- 1. Design and development of an RSS-based information delivery framework to be implemented on the object LMS which supports mixed metadata for diverse learning information.
- 2. Conducting an experimental design to evaluate the impact of RSS-based information delivery framework after adding the RSS information delivery feature on the case study system.

1.7 Organization of the thesis

This thesis is classified based on the standard structure of thesis and dissertations at University Putra Malaysia. The thesis consists of five chapters including current



introduction chapter which gives a background view about the development of this research based on the idea of the use of RSS in architectural design of LMSs.

Chapter 2 contains the literature review of related studies on existing LMS's architectural design and their information delivery and communication facility techniques. The chapter introduces LMSs in general by the review of three existing LMS and their functionalities and technologies for information distribution. This chapter also focuses on information delivery methods and techniques in web applications by emphasizing on benefits that RSS technology can bring to the problem by a fast and easy personalized notification and information deliver functionality in LMS design.

Chapter 3 reviews applied methods and techniques for development and evaluation of the model for case study. The overall methodology of conducting this study with pre test and post test experimental design is explained in this chapter. Chapter 4 describes in detail model justification and steps and stages of model development. This chapter also covers the details of implementation of the proposed framework on the case study LMS. Chapter 5 gives the results of the study according to the objectives and analysis of those results and finally Chapter 6 concludes this research and suggests future work for this research.



CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

Modern education is changed by ubiquitous information and merged technologies and the need for the design of online systems that aim to provide virtual access to course materials, administrative processes and information support of Virtual Learning Environments is raised by the growth of related technologies.

In higher education especially, the increasing tendency is to create a Virtual Learning Environment (VLE) in which all aspects of a course are handled through a consistent user interface standard throughout the institution. With the advent of these systems the opportunity to package content and resources for fully online delivery turned to a real possibility (Wikipedia, 2007).

VLE is also interchangeably named as Learning Managemenet System (LMS) or Course Managemenet System (CMS). These systems are sometimes combined with a Management Information System (MIS) to provide a managed learning environment and also these systems have been widely adopted by institutions and instructional designers in order to fulfill certain needs and requirements for effective, fast and pedagogically correct education and training.

This review will cover first a general overview on e-learning and LMSs as a subsystem of e-learning and standard architectures for them. It is followed by a review on definitions and categorizations of LMSs which results in selection and



comparison of three well-known and famous Open source LMSs from the aspect of content delivery, content packaging and information distribution. Next would be a review on RSS technology and its definitions and characteristics. This chapter concludes on approaches towards the design of an efficient information distribution in LMSs.

2.2 Virtual Learning Environments as a Solution for e-Learning

e-Learning or internet enabled learning supports modern education with providing managed learning environments. A Managed Learning environment (MLE) uses technology to enhance and make more effective the network of relationships between learners, teachers and organizers of learning through integrated support for richer communication and activities. Such a learning environment can bridge the gap between academic, administrative and students through LMSs.

Advances in information technology and new developments in learning science provide opportunities to create well-designed, learner-centered, engaging, interactive, affordable, efficient, easily accessible, flexible, and meaningful, distributed, and facilitated e-learning environments (Khan, 2003).

LMSs are not learning intranet portal; Figure 2.1 demonstrates different parts of a university portal and relations between its subsystems. LMS is a central subsystem in the learning portal and its main functionalities are focused on Content, Collaboration, Assessment, Communication, Calendar, Grades, and Repository.

