



UNIVERSITI PUTRA MALAYSIA
COASTAL PRIORITY RANKING IN OIL SPILL RESPONSE
DECISION SUPPORT MECHANISM

SEYEDEH ZAHRA POURVAKHSHOURI

T ITMA 2008 4

**COASTAL PRIORITY RANKING IN OIL SPILL RESPONSE
DECISION SUPPORT MECHANISM**

By

SEYEDEH ZAHRA POURVAKHSHOURI

**Thesis Submitted to the School of Graduate Studies, Universiti Putra Malaysia
In Fulfilment of the Requirements for the Degree in Doctor of Philosophy**

JULY 2008



DEDICATION

To My Family;
For their stream of Love, Faith and Encourage

And

To Whom Challenges for Supporting Humanity with Knowledge



Abstract of the thesis submitted to the Senate of Universiti Putra Malaysia in fulfilment
of the requirement for the Degree in Doctor of Philosophy

COASTAL PRIORITY RANKING IN OIL SPILL RESPONSES
DECISION SUPPORT MECHANISM

By

Seyedeh Zahra Pourvakhshouri

JULY 2008

Millions of tons of oil are produced in the world every year and over half of it is transported to the users by means of marine routes. Based on statistics, a best estimate of oil spill is more than 3 million tons per year. Oil spills cause disastrous impacts on the environment, ecology and socio-economic activities. The right decision has to be made in the event of an oil spill to facilitate prompt action, considering the priorities of protection, to prevent environmental damages. Interest in having modern, technological management system in semi-structured fields such as disastrous incidents is increasing rapidly. Response decision support is a mechanism utilizing a knowledge-based plan to



choose the most suitable method of response by analyzing the various sensitivity factors, parameters affecting oil spill impacts, environmental concerns in oil spill response, and consequence monitoring and clean-up operations in the shortest time. Environmental sensitivity index (ESI), a traditional scale, is mostly a static scale for evaluation of coastal situation. It requires calibration along with oil nature and impact in each spill case to be able of priority displaying in action. This study aimed to develop a semi-automatic knowledge-based decision support mechanism to retrieve experts' knowledge for prioritization in responding to oil spill events. A tool was needed to classify information about knowledge and expertise in this field and follow the rational logic of master minds and could be transferable. The knowledge and expertise from knowledgeable participants were obtained through questionnaires and direct interviews as well as information from literatures. Three objectives were covered by the study including ranking of sensitivity-oil-response criteria, development of coastal priority ranking (CPR) scale, and establishment of a validated computer-based mechanism for oil spill response (OSR-DSM). Analyses of questions were conducted using Delphi method, Likert scaling, and repertory grid analysis. The evaluation of knowledge level provided the normalized weights (from 0.09 to 1.0) for respondents' knowledge and these weights were applied to criteria ranking. Considering two objects of environment and oil, priority ranking matrix was established and CPR scale was calculated based on the fact that various "low/ medium/ high" impacting scenarios of oil can affect the corresponding "low/ medium/ high" sensitive resources. One program was designed to visualize DSM with computation of ESI, coastal sensitivity, oil impact, and CPR values as well as reporting on response alternatives. The advantage of CPR scale method was its ability for a more dynamic quantitative evaluation of priorities in application time



rather than only explaining sensitivity indices of area. The scale for CPR was evaluated ranging from 35 to 469 and the values were qualitatively categorized from low priority to medium, high, very high and extremely high priorities. Three major categories were renowned for responses alternatives - on-sea response or preventive activities, shoreline protective activities, and on-coast response or cleanup activities. Results were verified to present the inclusiveness, accuracy, and system algorithm. The verification activity involved exploring the knowledge base, coding of reasoning processes / inference engine, technical performance, ability for development, and interface. A total of 80 percent of users in the verification phase believed that development of such mechanism was a right approach for supporting the right decision in oil spill responses, either by increasing the speed and accuracy in evaluation or reducing the cost. Verification research could attain rates of over 50 percent in all five categories. General rates given to the mechanism by two groups of users were 82 and 85 percent with a ± 3.66 percent of uncertainty that was issued a high verification value. This study has resulted in two main products: - coastal priority ranking scale (CPR) and oil spill response decision supporting mechanism (OSR-DSM). It is intended to facilitate the oil spill response process while at the same time improves the decision-making quality by applying the effective knowledge and expertise in oil spill response procedures. Definition of knowledge criteria leading to classification of knowledgeable participants, as well as numerical verification frame for qualitative knowledge-base mechanism were two significant outputs of this study.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

**RANK KEUTAMAAN PESISIRAN PANTAI DALAM MEKANISMA
MENYOKONG PEMBUATAN KEPUTUSAN RESPON-RESPON TUMPUHAN
MINYAK**

Oleh

Seyedeh Zahra Pourvakhshouri

JULAI 2008

Beberapa juta ton minyak dapat dihasilkan dalam dunia setaip tahun dan lebih setengah hasil ini dapat diangkut kepada pengguna-pengguna melalui perjalanan-perjalanan marin. Berasaskan data statistik, anggaran tumpuhan minyak yang paling baik adalah melebihi 3 ton setahun. Tumpuhan minyak dapat menyebabkan impak-impak yang sangat teruk terhadap alam sekitar, ekologi dan aktiviti-aktiviti socio-ekonomi. Keputusan yang betul dan mengambilkira keutamaan perlindungan, hendaklah di buat



sekiranya berlaku tumpahan minyak supaya dapat bertindak dengan segera untuk mencegah kerosakan alam sekitar. Keminatan untuk memperolehi sistem pengurusan menggunakan teknologi moden bagi tujuan bidang berstruktur separuh seperti kejadian bencana, kian meningkat. Respon penyokong keputusan adalah sesuatu mekanisma yang menggunakan pelan berasaskan pengetahuan untuk memilih keadah respon yang paling sesuai melalui analisa pelbagai faktor-faktor kepekaan, parameter-parameter yang mempengaruhi impak tumpahan minyak, kebimbangan alam sekitar terhadap respon tumpahan minyak, pemantauan akibat dan operasi pembersihan dalam masa terpendek. Index kepekaan alam sekitar (ESI), satu skala tradisional, merupakan skala yang statik bagi tujuan penilaian situasi persisiran pantai. Ia memerlukan kalibrasi mengikut sifat minyak dan impaknya setiap kes supaya dapat menunjukkan tindakan keutamaan. Kajian ini bertujuan untuk membangunkan sesuatu mekanisma menyokong pembuatan keputusan berasaskan pengetahuan secara automatik separuh, agar ilmu daripada pakar-pakar dapat diperolehi untuk mengutamakan respon-respon terhadap peristiwa tumpahan minyak. Sesuatu peralatan adalah diperlukan untuk mengelaskan maklumat mengenai pengetahuan dan kepakaran dalam bidang ini dan mengikut logik pemikiran pintar dan boleh dipindahkan. Ilmu dan kepakaran daripada pakar-pakar yang berilmu luas telah diperolehi melalui siasatan soal-selidik dan temuduga-temuduga secara langsung termasuk juga maklumat yang diperolehi daripada soratan kajian. Tiga objektif telah diliputi dalam kajian ini. Ini adalah susunan rank sensitiviti kriteria-kriteria respon minyak, pembangunan skala rank keutamaan persisiran pantai (CPR) dan penubuhan mekanisma respon tumpahan minyak (OSR-DSM) berasaskan komputer yang sah. Analisa maklumbalas soalselidik telah dibuat dengan penggunaan keadah *Delphi*, *Likert Scaling* dan *Repertory Grid*. Penilaian paras pengetahuan telah

menghasilkan *normalized weights* yang berubah daripada 0.09 ke 1.00 untuk setiap pengetahuan respon dan nilai keberatan ini dapat terus digunakan dalam susunan rank kriteria-kriteria. Matriks rank keutamaan telah dibuat mengambilkira dua objek ,iaitu, alam sekitar dan minyak; dan skala CPR diperkirakan berasaskan bahawa scenario impak-impak minyak rendah/sederhana/tinggi boleh mengesan sumber-sumber yang bersensitif rendah/sederhana/tinggi. Satu program dapat direkabentuk bagi tujuan memberi gambaran DSM dengan perkiraan ESI, kepekaan persisiran pantai, impak minyak dan nilai-nilai CPR, termasuk juga memberi laporan respon-respon alternatif. Kelebihan keadah skala CPR adalah dari segi kebolehannya memberi penilaian keutamaan kuantiti yang lebih dinamik dalam masa aplikasi berbanding dengan hanya memberi keterangan indeks sensitiviti kawasan yang berkenaan. Skala CPR yang telah dinilai berubah daripada 35 ke 469 dan nilai-nilai ini dapat dikumpulkan mengikut kelas keutamaan rendah, sederhana, tinggi, sangat tinggi dan terlalu tinggi. Tiga kategori utama yang terkenal bagi alternatif-alternatif respon adalah respon di laut atau aktiviti pencegahan, respon perlindungan aktiviti-aktiviti persisiran pantai, dan respon di atas pantai atau aktiviti-aktiviti pembersihan. Keputusan-keputusan telah diuji untuk memberikan kelengkapan, kejituan dan algorithm sistem. Aktiviti verifikasi ini melibatkan melayari landasan pengetahuan, pembuatan kod proses rasional / enjin pengertian, kejayaan teknikal, kebolehan pembangunan dan antaramuka. Sejumlah 80% pengguna-pengguna dalam fasa verikasi mempercayai bahawa pembangunan mekanisma ini merupakan pendekatan yang baik untuk menyokong pembuatan keputusan yang betul terhadap respon tumpuhan minyak dengan cara meningkatkan kelajuan dan kejituan penilaian atau penurunan kos. Penyelidikan verifikasi boleh mencapai kadar melebihi 50 peratus dalam kelima lima kumpulan. Kadar am yang diberikan pada

mekanisme ini oleh dua kumpulan pengguna ialah 82 dan 85 peratus dengan ± 3.66 peratus ketidakpastian, yang dikeluarkan dengan nilai verifikasi yang tinggi. Kajian ini telah menghasilkan dua produk utama- skala rank keutamaan persisiran pantai (CPR) dan mekanisme penyokong pembuatan keputusan respon tumpahan minyak (OSR-DSM). Ia bertujuan untuk memudahkan proses respon tumpahan minyak, sementara dalam masa serentak meningkatkan lagi kualiti pembuatan keputusan dengan menggunakan pengetahuan dan kepakaran yang berkesan dalam prosedur respon tumpahan minyak. Definasi kriteria pengetahuan yang telah menghasilkan pengkelasan peserta-peserta yang berilmu, dan juga rekabentuk verifikasi berangka bagi tujuan mekanisme berkualitatif bersasaskan pengetahuan adalah dua hasil kajian yang penting.

ACKNOWLEDGEMENTS

Sincere, greatest praise to the Most Precious the Most Merciful GOD for guide and support which provided to direct this job to a fruitful end.

I would like to present my best gratitude and appreciation to my supervision committee, Prof. Shattri Bin Mansor, Assoc. Prof. Zelina Zaiton Ibrahim, and Assoc. Prof. Noordin Bin Ahmad, for their advices and supports. Many thanks for scientifically management and arrangements from Director and Deputy Director of Institute of Advanced Technology (ITMA) who provided a convenience research environment. Special thanks to the colleagues, science officers and technicians at Spatial and Numerical Laboratory, and all employees of ITMA who had the best cooperation during this study. I do appreciate the opportunity that University Putra Malaysia (UPM) provided to fulfill this degree. As well, I do like to thank all examiners of this study for their valuable comments and guides.

I dedicate many thanks to Malaysian Department of Environment (DOE), Marine Department, and Fisheries Department, in central and local offices; Malaysian National Mapping and Survey department (JUPEM), and Malaysian oil industries in ESSO and PETRONAS organizations as well as Petroleum Industry in Malaysia and Mutual Aid Group (PIMMAG) knowledgeable experts whose valuable knowledge and expertise as well as cooperation was the foundation of this research. Many thanks to Malaysian peaceful and friendly people who made it easy to live out of family for this long time.

Last, but not least, I appreciate sincerely all the supports from my Iranian lecturers, colleagues, friends, and relatives who have taught me all during my life.



I certify that an Examination Committee has met on date of viva to conduct the final examination of Seyedeh Zahra Pourvakhshouri on her PhD thesis entitled “Coastal Priority Ranking (CPR) In Oil Spill Responses Decision Support Mechanism” in accordance with Universiti Putra Malaysia (Higher Degree) Act 1980 and Universiti Putra Malaysia (Higher Degree) Regulation 1981. The Committee recommends that the candidate be awarded the Ph.D. degree. Members of the Examination Committee are as follows:

Associate Professor Dr. Sr. Ahmad Rodzi Mahmud

Faculty of Engineering
Universiti Putra Malaysia
(Chairman, Examination Committee)

Professor Azni Idris

Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Professor Dr. Abdul Rashid Mohamed Shariff

Faculty of Engineering
Universiti Putra Malaysia
(Internal Examiner)

Professor Dr. Mazlin Mokhtar

Institute for Environment and Development
Universiti Kebangsaan Malaysia
(External Examiner)

HASANAH MOHD GHAZALI, PhD

Professor and Deputy Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:



This thesis was submitted to the Senate of Universiti Putra Malaysia has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Shattri Bin Mansor, PhD
Professor
Institute of Advanced Technology
(Chairman)

Zelina Zaiton Ibrahim, PhD
Associate Professor
Faculty of Environmental Studies
(Member)

Noordin Ahmad, PhD
Associate Professor
Faculty of Engineering
(Member)

HASANAH MOHD. GHAZALI, PhD
Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date: 15 January 2009



DECLARATION

I declare that this thesis is my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously and is not concurrently submitted for any other degree at UPM or at any other institution.

Seyedeh Zahra Pourvakhshouri

Date: 30 January 2009



TABLE OF CONTENT

	Page
DEDICATION	ii
ABSTRACT	iii
ABSTRAK	vi
ACKNOWLEDGEMENTS	x
APPROVAL	xi
DECLARATION	xiii
LIST OF TABLES	xvii
LIST OF FIGURES	xix
LIST OF ABBREVIATIONS	xxi
CHAPTER	
1 INTRODUCTION	1
Background	1
Problem Statement	3
Objective	4
Scope of Study	5
Significance of Study	6
Thesis Organization	8
2 LITERATURE REVIEW	10
Introduction	10
PART I. OIL SPILL	11
Background	11
Oil Spills in Coastal-Marine Environments	13
Historical Data, Statistical Numbers and Amounts	13
Causes of Spills	14
Fate of Oil Spills	14
Effects of Oil Spills	18
Solutions to Oil Spill Cases	19
Oil Spill Responses	21
Effective Factors	21
Prioritization in Management	25
Concept and Importance	25
Ranking Criteria in Response Priority	26
Part II. DECISION MAKING FOR OIL SPILL	29
Mechanism of Decision-Making	29
Decision Support System	31



DSS Definition and Characteristics	32
DSS Components and Framework	33
DSS for Disaster Management	35
Background	35
Designing A Knowledge Based System	37
Knowledge Acquisition	40
PART III. MALAYSIA	44
Marine Environment and Oil Spill	44
Malaysian Marine Environment	44
Sources of Oil Spills in Malaysia	45
Control of Oil Spill in Malaysian Water	51
National Legislation	51
National Research on Oil Spill Management	55
Summary	56
3 METHODOLOGY	59
Introduction	59
Objective-Based Activities	61
Knowledge-Based Decision Support	62
Domain Definition	64
Knowledge Acquisition	66
Knowledge Classification	73
Definition, Weighting and Ranking of Criteria	75
Matrix Development for Priority Ranking	78
Design of Computer-Based Mechanism	82
Algorithms for Inference Engine	83
Programming	85
Validation / Verification and Uncertainties	86
Summary	90
4 RESULTS AND DISCUSSION	91
Introduction	91
Themes of Results	92
Criteria Ranking	92
Knowledge Evaluation	92
Knowledge Classification	95
Ranking of Criteria	104
Matrix Development for Coastal Priority Ranking	112
Coastal Sensitivity Value	113
Oil Spill Impacts Value	115
Coastal Priority Ranking Value	116
Response Alternatives	121
Decision - Support Mechanism (DSM)	123
Overall View	123
Developing Inference Algorithm	125

Interface Designing and Running the System	130
Verification of CPR and DS - Mechanism	134
ESI Validation and Verification	135
CPR and DSM Verification	140
Summary	146
5 CONCLUSION AND SUMMARY	150
Introduction	150
Project Summary	150
Conclusion	153
Achieving Objectives	153
Major Findings	154
Contribution to Knowledge Aim	157
Constraints and Limitations	159
Recommended Development	161
REFERENCES	163
APPENDICES	177
BIODATA OF STUDENT	245



LIST OF TABLES

Table	Page
2.1: Number Of Spills Over 7 Tones, Worldwide	15
2.2: Annual Quantity Of Oil Spilt, Worldwide	15
2.3: Activities for Decision Making Road-Map	30
2.4: Summary of Main DSS Developed for Disaster Management	38
2.5: Valuation of Coastal and Marine Resources of the Malacca Straits	45
2.6: Mishap in the Strait of Malacca	46
2.7: Oil Spill Incidents in Malaysian Water, Year 1975 - 1997	48
2.8: Major Spilled Oils in the Strait of Malacca, Years 1975 - 2001	48
3.1: Specified Activities Based on Predefined Objectives	61
3.2: Example Factors in Oil Spill Incidents Domains (Literature-based)	65
3.3: Themes of Questions and Considered Factors in Questionnaire- Based on the Responders' Knowledge	70
3.4: Knowledge Evaluation Parameters	74
3.5: Matrix "A", Coastal Sensitivity Characters against Oil Spill Impacts	80
3.6: Matrix "B", Oil Spill Impacts on the Coastal Area	81
3.7: Matrix "C" (CPR) from Coastal Sensitivity and Oil Spill Impact	82
4.1: Weighting of Knowledge Factors in Question One	94
4.2: Weighting of Knowledge Factors in Question Two	94
4.3: Scoring Indices for Knowledge Evaluation	94
4.4: Responders' Data	98
4.4.1: Responders' Date in Detail	99
4.5: Responders' Knowledge Scores And Response Weights	103
4.6A: Results Analysis Based on Questions for Response Factors	106
4.6B: Questionnaire Design and Final Rank for the First Theme	106
4.7A: Results Analysis Based on Questions for Oil Spill Impacts Factors	108



4.7B:	Final Rank for the Second Theme of Oil Spill impact Criteria	108
4.8A:	Detailed Analysis of Multiple-choice Questions For Coastal Sensitivity	109
4.8B:	Final Rank for the Coastal Sensitivity Criteria	109
4.9A:	Detailed Analysis on National Response Planning	111
4.9B:	Final Rank for the Fourth Theme	111
4.10:	Overview of Final Ranking for Criteria in Question	112
4.11:	Matrix A, Ranking of Coastal Sensitivity to Oil Spill Impacts	114
4.12:	Matrix B, Ranking of Oil Spill Impact on the Coastal Area	116
4.13:	Matrix of Coastal Sensitivity and Oil Spill Impact	118
4.14:	Results of Matrix Bordering Analysis	119
4.15:	Coastal Priority Ranking (CPR)	120
4.16:	Required Rules for ESI Ranking of Coastline	126
4.17:	Field Validation Points along the Shoreline of Negeri Sembilan and Melaka	
4.18:	Comparing of Taken Results from ESI Maps and CPR Program	137
4.19:	Verification Results and Uncertainty from Two Groups of Users	139
		143



LIST OF FIGURES

Figure	Page
2.1: Structure of Contents in Chapter Two	10
2.2: Numbers of Spills over 700 Tons, Worldwide	16
2.3: Quantities of Oil Spilt, Worldwide	16
2.4: Fate of Oil Spilled at Sea, Showing the Main Weathering Processes	17
2.5: Four-Element Road to Achieve A Good Decision Making	29
2.6: Using GIS As A DSS Generator	34
2.7: A Methodology for Supporting Decision Making in Integrated Coastal Zone Management	34
2.8: EDSS Structure	36
2.9: General Reasoning Method for Emergency Management	39
2.10: Oil Spill Incidents through 1988 To 1996	47
2.11: Maritime Casualties in Malacca Straits, 1975 - 1995	49
2.12: Total Ship and Boat Accidents, Years 2001 – 2005	49
2.13: Nature of Maritime Casualties in Malacca Straits 1975-1995	50
2.14: Spill Cases Based on Source from 1976 - 2000	50
2.15: Traffic Safety System and Area under Radar Coverage by the Malaysian Vessel Traffic System	53
3.1: Structural Organization of Third Chapter	59
3.2: Simple Flowchart of the Research	60
3.3: Elements of Knowledge-Based System	63
3.4: Three Areas / Domains of Oil Spill Response Decision Support Mechanism	64
3.5: Criteria Scaling Based on Delphi, Likert, and Repertory Grid	72
3.6: Northern Point of Negeri Sembilan to the South of Melaka	89
4.1: Structural Organization of Chapter Four	91

4.2:	Algorithm for Oil Spill Response Alternatives	122
4.3:	Process from Oil Spillage to Solution Finding	124
4.4:	Questions for ESI Evaluation at the First Page of DSM Program	125
4.5:	Questions for Computation of Oil Spill Impact Value	128
4.6:	Simple Algorithm for Value Computation of Oil Spill Impact	128
4.7:	Questions for CPR Calculations	129
4.8:	First Page Of Interface For ESI Calculations	131
4.9:	Second Page for Calculation of Oil Spill Impacts	132
4.10:	Third Page for Calculation of Coastal Priority	132
4.11:	Questions for Oil Spill Response Recommendation	133
4.12:	Sample Report Page for CPR Evaluation	133
4.13:	Landsat Image from Coastal Areas of Negeri Sembilan and Melaka	136
4.14:	Updated ESI Maps in GIS together with GPS Checkpoints	136
4.15a:	Attribute Database and Photo Taken for Each GPS Point	138
4.15b:	GPS Point Locations and the Rules Applied for Coastal Area	138
4.15c:	ESI Related to the Sample Point trough Existent ESI Map	139
4.16:	Priority Ranking for Certain Scenario of Oil Spill and Given Point	141
4.17:	Percentage Awarded by Users for Verification Elements	143

ABBREVIATIONS

ASEAN	Association of Southeast Asian Nations
BC	British Columbia
CPR	Coastal Priority Ranking
DGEQ	Director General of Environmental Quality
DSS	Decision Support System
EDSS	Expert Decision Support System
EEZ	Exclusive Economical Zone
EQA	Environmental Quality Act
ESI	Environmental Sensitivity Index
GADS	Geo-data Analysis and Display System
GDSS	Group Decision Support System
GIS	Geographic Information System
GSS	Group Support System
IMO	International Maritime Organization
IS	Information System
ITOPF	International Tanker Owners Pollution Federation
JUPEM	Geodesy Section Department of Survey and Mapping Malaysia
KBS	Knowledge Base System
KS	Knowledge System
LS	Language System
MACRES	Malaysian Centre for Remote Sensing
NAS	National Academy of Science
NEB	Net Environmental Benefit
NOAA	National Oceanic and Atmospheric Administration
NOSCC	National Oil Spill Control Committee
OSPAR	Operational Strategic Planning and Research
PIMMAG	Petroleum Industry of Malaysia Mutual Aid Group
SDSS	Spatial Decision Support System
UNEP	United Nations Environment Program
USCG	United States Coast Guard



CHAPTER ONE

INTRODUCTION

1.1 Background

Among others, an imbalance environmental issue for the coastal area is oil pollution and spillage, resulting from exploitation, extraction, transportation or disposal activities. An oil spill is the leaking of oil (generally, petroleum) into the natural environment. Oil means oil of any kind or in any form and includes crude oil, oil refuse, petroleum-related products or by-products, oil mixed in waste, oily ballast, and oily bilge water, which can cause plant or animal species to be endangered.

Worldwide, from 1978 to 1995, there were more than 4100 major oil spills of 10,000 gallons or more (Etkin & Welch, 1997). Several serious oil spill incidents have taken place since 1995; Notable example is Sea Empress from which some 5000 tons of oil reached the UK coastline (Li, 2001). These excluded the huge amounts of oil, which spilt towards marine resources during the wars.

An oil spill response includes all the measures to prevent or mitigate the impacts affecting the environment and human life. Response decision support is a mechanism utilizing a knowledge-based plan to choose the most suitable method of response in the shortest time by analyzing the various sensitivity factors, parameters affecting oil spill impacts, environmental concerns in oil spill response, and consequent monitoring and



clean-up operations. While it is not possible to predict the impacts of a specific event with any certainty, it is possible to evaluate the vulnerability of an area and introduce the priority for any action plan. Once the targeted areas are identified, as a priority, optimized response plan can be used via implementation of various best practice decision-making options (Ravan, 2002).

Taking into account the priorities both in measurements and in resources protection, it is necessary to provide a rational decision-making against the pollution. Locations of the environmental sensitive areas, spill points and their distances from the sensitive areas; kind and amounts of spilt oil; time of pollution occurrence; required response methods; and many more factors do influence the priorities (White, 2000).

Decision-maker requires a genuine understanding of the morphological, biological and human-oriented processes within the coastal system to approach an effective decision-making to manage the coastal zone. This level of understanding will only be achieved if accurate, timely and appropriate information is available for consultation (Bartlett, 2000). The semi-structured nature of spill management emphasizes on a need to enhance and improve the decision-making process, essentially recognition of the need to promote decision-support development. Decision Support System (DSS), focuses on specific decisions (semi- and/or unstructured decisions) and support rather than replace human decision-making processes. DSS offers the system that captures knowledge of scientists / domain experts and acquires of decision makers and translate the efforts of scientists / technologists to reality (Ravan, 2002).

1.2 Problem Statement

Oil spills are serious environmental disasters, often leading to significant impacts on the environment, ecology and socio-economic activities of an area. Oil spills can cause short-term and / or long-term effects. Mortality and damage to marine life, disrupting the food chain, affecting the community health and many others are examples of these effects. Management of emergencies, resulting from natural or man-made disasters, requires enough information as well as experienced responders. The decision for a suitable method at a given site often requires expertise on both remediation technologies and site conditions (Hernandez & Serrano, 2001).

After an oil incident, quick and accurate decisions have to be made for combating primary target areas of oil and preventing long-term effects on the nature (Ihaksi, 2007). Improvement and strengthening of management and decision-making is the main goal in all disaster planning. However, making decision in many regions is still a traditional process, based on manual methods, old maps and certain people. It is becoming increasingly difficult to ignore that decision-making needs a practical method to look for priorities.

Existent Environmental Sensitivity Index (ESI) is a traditional scale for measuring sensitivity of environment since 1970s. Although ESI is an advantageous scale for coastal sensitivity but in practice, it does face some limitations in priority achievement (Roberts & Crawford, 2004). ESI is mostly static and requires being set along with oil potential impact in each spill case to be able displaying the priorities in action plans.