



UNIVERSITI PUTRA MALAYSIA

**TEXTURE STUDIES ON CHINESE WET NOODLES
(HOKKIEN - STYLE NOODLES)**

ROSELINA BT. KARIM

FSMB 1990 3

**TEXTURE STUDIES ON CHINESE WET NOODLES
(HOKKIEN - STYLE NOODLES)**

ROSELINA BT. KARIM

**Master of Science
Universiti Pertanian Malaysia**

1990



**TEXTURE STUDIES ON CHINESE WET NOODLES
(HOKKIEN - STYLE NOODLES)**

By

ROSELINA BT. KARIM

**Thesis Submitted in Fulfilment of the Requirements
for the Degree of Master of Science
in the Faculty of Food Science and Biotechnology
Universiti Pertanian Malaysia**

January 1990



Dedicated to my beloved husband,

Abdul Rahim bin Abdullah



ACKNOWLEDGEMENTS

All praise due to Allah, the Cherisher and Sustainer of the World, the Most Gracious and Merciful, who had given me the strength and will to complete my studies and research.

My sincere appreciation to Dr. Mohd Nasir Azudin for his advice, supervision, constructive criticism and guidance throughout the studies and during the preparation of this thesis. I am grateful to the Australian Wheat Board for their financial support and the Federal Flour Mills Bhd. especially to Mr. Jimmy Chang and Ms. Alice Wong for their helpful guidance, discussion and suggestions given during my studies. Thanks is also extended to Mr. Abdul Hadi Ismail for his assistance in editing and preparation of graphical presentations of the thesis.

I also wish to convey my thanks to other members of the Faculty of Food Science and Biotechnology, Agriculture University of Malaysia, especially to Dr. Suhaila Mohamed and Prof. Madya Dr. Zaliha Christine Alang who have helped me in various ways throughout this project.

To my loving husband, I owe him every bit of my success. He had been most understanding and accomodating through times of stress in the course of my studies.



TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	iii
LIST OF TABLES	vii
LIST OF FIGURES	x
LIST OF PLATES	xiii
LIST OF ABBREVIATIONS	xiv
ABSTRACT	xv
ABSTRAK	xviii
 CHAPTER	
1 INTRODUCTION	1
2 LITERATURE REVIEW	4
Introduction to Noodles and Pasta Products	4
Quality Characteristics of Noodles and Pasta Products	6
Factors Affecting Quality Characteristics of Noodles and Pasta Products	15
Ingredients	16
Processing Aspects of Noodlemaking	37
Conclusion	40



3	MATERIALS AND METHODS	41
	Materials	41
	Methodology	42
	Noodle Preparation	42
	Physical Measurements	46
	Chemical Analysis	58
	Sensory Evaluation	61
	Noodle Survey	63
4	RESULTS AND DISCUSSION	64
	Development of Test Procedures	64
	Assessment of Various Attachments of the Instron	64
	Procedure for Conducting the Tests	65
	Relationship Between Instrumental Variables and Sensory Evaluation	78
	Functions of Various Components on the Quality of Noodles	88
	Effects of Water on the Quality of ASW Noodles	89
	Effect of Different Levels of Sodium Chloride and Alkaline Salts on the Quality of ASW Noodles	117
	Effects of Flour Blending on the Quality of Noodles	136
	Sensory Evaluation of Fried Noodles	156



A Survey on the Quality Characteristics of Noodles in the Klang Valley	159
5 SUMMARY AND CONCLUSIONS	168
BIBLIOGRAPHY	176
APPENDICES	
A Additional Tables	185
B Sensory Evaluation Score Sheet	196
C Method for Preparation of Fried Noodles	201
VITA	203



LIST OF TABLES

Table		Page
1	Variation in the Quality Characteristics of Different Types of Noodles and Spaghetti	7
2	Range of Hardness of Water	59
3	Comparison Between Instrumental Variables and Sensory Attributes in the Evaluation of the Texture of Australian Standard White Cooked Noodles	81
4	Correlation Coefficients Between Instrumental and Other Variables for Australian Standard White Noodles Cooked at Different Cooking Times	83
5	Effect of Different Levels of Water in Formulation on the Quality of Australian Standard White Noodles	90
6	Effect of Different Types of Water in the Formulation on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	97
7	Effect of Types of Cooking Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	101
8	Effect of pH of Cooking Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	116
9	Effect of Different Levels of Sodium Carbonate and Potassium Carbonate on the pH Values of Australian Standard White Noodles	123
10	Effect of Different Levels of Sodium Hydroxide on the Quality of Australian Standard White Noodles	133
11	Effect of Gluten Fortification on the Textural Characteristics of Australian Standard White Noodles	137



Table		Page
12	Quality of Noodles Prepared from Australian Standard White and Prime Hard Flour Blends	143
13	The Maximum Cutting Stress of Noodles and Dough Mixing Characteristics of Australian Standard White - Prime Hard Flour Blends	148
14	Farinogram of Australian Standard White and Prime Hard Noodle Dough at Different Condition	153
15	Sensory Evaluation of Noodles Processed from Australian Standard White-Prime Hard Flour Blends	155
16	Comparison of the Textural Characteristics of Noodles Processed in the Laboratory and a Noodle Obtained from the Local Market	158
17	A Survey on the Textural Characteristics of Noodles in the Klang Valley	160
18	Survey on the Quality Characteristics of Noodles in the Klang Valley	165
19	Summary on the Conditions of Various Factors or Components for Producing the Maximum Internal Firmness and Elasticity of Chinese Wet Noodles	175
20	Speed and Gap Size of Roller of the Noodle Machine at Different Sheeting Stages	186
21	Effect of Elapsed Time After Cooking on the Cutting Force of Australian Standard White and Prime Hard Noodles in Cutting Test	187
22	Effect of Elapsed Time After Cooking on the Compressive Force of Australian Standard White and Prime Hard Noodles in Compression Test	188



Table	Page
23	Effect of Elapsed Time After Cooking on Tensile Force of Australian Standard White and Prime Hard Noodles in Tensile Test 189
24	Cooking Loss of Australian Standard White and Prime Hard Noodles at Different Ratio of Cooking Water to Noodles 190
25	Effect of Different Types of Cooking Water on the Residual Force of Australian Standard White Noodles at Various Cooking Times 191
26	Effect of Different Types of Cooking Water on the Maximum Cutting Stress of Australian Standard White Noodles at Various Cooking Times 192
27	Effect of Different Levels of Sodium Chloride on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles 193
28	Effect of Different Levels of Sodium Carbonate and Potassium Carbonate on the Residual Force of Australian Standard White Noodles 194
29	Effect of Different Levels of Sodium Carbonate and Potassium Carbonate on the Maximum Cutting Stress of Australian Standard White Noodles 195



LIST OF FIGURES

Figure		Page
1	Noodle Processing Flowchart	50
2	Effect of Crosshead Speeds of Instron on the Cutting Force of Australian Standard White and Prime Hard Noodles	67
3	Effect of Crosshead Speeds of Instron on the Compressive Force of Australian Standard White Noodles	68
4	Effect of Crosshead Speeds of Instron on the Tensile Force of Australian Standard White and Prime Hard Noodles	70
5	Effect of Elapsed Time After Cooking on Cutting Force of Australian Standard White and Prime Hard Noodles	71
6	Effect of Elapsed Time on the Compressive Force of Australian Standard White and Prime Hard Noodles	73
7	Effect of Elapsed Time on Tensile Force of Australian Standard White and Prime Hard Noodles	74
8	Cooking Loss of Australian Standard White and Prime Hard Noodles Cooked at Different Ratio of Cooking Water Volume to Weight of Noodle	77
9	Force-Deformation Curve in (i) Cutting Test and (ii) Tensile Test of Noodles	80
10	Force-Deformation Curve in Compression Test of Noodles	84
11	Effect of Different Levels of Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	92



Figure		Page
12	Effect of Concentration of Ca^{2+} in the Mixing Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	98
13	Effect of Concentration of Ca^{2+} in the Cooking Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	102
14	Maximum Cutting Stress of Noodles Cooked in Different Types of Water at Various Cooking Times	106
15	Effect of Different Types of Cooking Water on the Residual Force of Australian Standard White Noodles at Various Cooking Times	108
16	Effect of the pH of Cooking Water on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	113
17	Effect of Different Levels of Sodium Chloride on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	118
18	Effect of Alkaline Carbonate Salts on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	122
19	Relationship Between pH of Raw Australian Standard White Noodles and Maximum Cutting Stress of Cooked Australian Standard White Noodles	124
20	Effect of Alkaline Carbonate Salts on Residual Force of Australian Standard White Noodles	127
21	Relationship Between pH of Raw Australian Standard White Noodles and Residual Force of Cooked Australian Standard White Noodles	128



Figure		Page
22	Thiol-Disulphide Interchange Reactions in the Protein Network of Wheat Dough During Flow (Bloksma, 1975)	130
23	Effect of Different Levels of Sodium Hydroxide on the Maximum Cutting Stress and Residual Force of Australian Standard White Noodles	134
24	Effect of Protein Content in Gluten-Australian Standard White Blends on the Maximum Cutting Stress of Noodles	138
25	Effect of Protein Content in Gluten-Australian Standard White Blends on the Residual Force of Noodles	140
26	Effect of Protein Content in Australian Standard White - Prime Hard Blends on the Maximum Cutting Stress of Noodles	141
27	Effect of Protein Content in Australian Standard White - Prime Hard Blends on the of Residual Force Noodles	145
28	Stability of Dough on the Farinograph at Different Levels of Protein in Australian Standard White - Prime Hard Blends	150
29	Relationship Between Stability of Dough on the Farinograph and the Maximum Cutting Stress of Noodles Processed from Australian Standard White - Prime Hard Blends	151
30	Variation in Maximum Cutting Stress of Noodles in the Klang Valley	161
31	Variation in Residual Force of Noodles in the Klang Valley	163
32	Relationship Between the pH and Residual Force of Cooked Noodles in the Klang Valley	164



LISTS OF PLATES

Plate		Page
1	The Mixing of Wheat Flour, Water, Sodium Chloride and Sodium Carbonate for Noodle Preparation	43
2	A Noodle Compressor for Compressing Noodle Crumbs to Form a Firm Mass of Dough	44
3	Firm Mass of Noodle Dough	45
4	A Speed Controller for Controlling the Speed of the Noodle Machine	45
5	The Sheeting Stage of Noodle Dough	47
6	Cutting of Noodle Sheet Through a Cutting Roller	48
7	Partially-Cooked Chinese Wet Noodles	49
8	Cutting Blade Attachment Attached to the Instron Universal Food Tester	52
9	Compression Attachment Attached to the Instron Universal Food Tester	53
10	Tensile Attachment Fabricated in the Laboratory	55
11	Warner Bratzler Meat Shear (i) and Kramer Shear Cell (ii) Attachments	56
12	Scanning Electron Micrograph of the Centre of Noodle Cooked for 1 minute	87
13	Scanning Electron Micrograph of the Centre of Noodle Cooked for 4 minutes ...	87
14	Scanning Electron Micrograph of the Outer Zone of Uncooked Noodle	110
15	Scanning Electron Micrograph of the Outer Zone of Noodle Cooked for 1 minute	110
16	Scanning Electron Micrograph of the Outer Zone of Noodle Cooked for 4 minutes	110



LIST OF ABBREVIATIONS

α -	alpha-
ASW	Australian Standard White
A.U.	Amylograph Units
B.U.	Brabender Units
cm	centimetre (s)
$^{\circ}\text{C}$	degree Celcius
FFMB	Federal Flour Mills Berhad
g	gramme (s)
hr	hour (s)
IMR	Institute of Medical Research
kV	kiloVolt
K_2CO_3	potassium carbonate
max.	maximum
mg	milligramme (s)
μ	micron
max	maximum
min	minute (s)
ml	millilitre (s)
mm	millimetre (s)
Na_2CO_3	sodium carbonate
NaCl	sodium chloride
NaOH	sodium hydroxide
%	percentage
PH	Prime Hard
ppm	parts per million
rpm	revolutions per minute
s	second (s)
S.D.	standard deviation



Abstract of Thesis Submitted to the Senate of
Universiti Pertanian Malaysia in Fulfilment of the
Requirements for the Degree of Master of Science

**TEXTURE STUDIES ON CHINESE WET NOODLES
(HOKKIEN - STYLE NOODLES)**

By

ROSELINA BT. KARIM

January 1990

Supervisor : Mohd Nasir Azudin, Ph.D.

Faculty : Faculty of Food Science and Biotechnology

This study reports the textural evaluation of Chinese wet noodles made from Australian Standard White (ASW) flour, using the Instron Universal Food Tester (Model 1140). Procedures for conducting the instrumental test were set up in the preliminary part of the study. Maximum cutting stress (MCS), percentage of residual force (RF) and tensile stress which denote the internal firmness, elasticity and tensile strength of noodles obtained using cutting blade, compression and tensile attachments respectively, were reliable measures of the textural properties of Chinese wet noodles. These variables were highly correlated to sensory evaluation of firmness,



chewiness and tensile strength of noodles ($r = 0.93 - 0.99$; $P < 0.01 - P < 0.1$).

The study on the function of various components and conditions in noodlemaking showed that the texture of Chinese wet noodles were affected by the types and amount of water in the formulation, types and pH of the cooking water, levels of sodium chloride (NaCl), sodium carbonate (Na_2CO_3), potassium carbonate (K_2CO_3) and sodium hydroxide (NaOH) in the formulation and the level of protein in flours.

Results obtained from the cutting test alone demonstrated that Chinese wet noodles with maximum internal firmness could be made from ASW flour using a water absorption of 32 - 34% and a dough pH of 10.0. Slightly hard water containing 36 ppm Ca^{2+} should be used in the formulation. Types and pH of cooking water recommended were hard water (64 ppm Ca^{2+}) and pH 9.0 - 10.0 respectively. The amount of NaOH needed is 0.40% based on the weight of flour.

Based on the results obtained from the compression test, Chinese wet noodles with maximum elastic property could be processed from ASW flour using 38% water absorption level and a dough pH of 9.0. Distilled or soft water (0 ppm Ca^{2+}) should be used in the formulation and noodles should be cooked in slightly hard water (36 ppm Ca^{2+}) and pH of cooking water



suggested was pH 6.0. The amount of Na_2CO_3 or K_2CO_3 needed is 0.25 - 0.50%, whereas if NaOH was used the amount recommended is 0.20% based on the weight of flour.

Fortification of ASW flour using wheat gluten and blending of Prime Hard (PH) to ASW flour increase the level of protein in noodle doughs and hence, improved the textural characteristics of Chinese wet noodles. A strong correlation was observed between protein content of flours and MCS and RF (%) with $r=0.99$ ($P<0.0001$) and $r=0.90$ ($P<0.01$) respectively. No significant differences were seen between MCS of Chinese wet noodles processed from ASW and PH flour blends in the ratio of 55:45, 60:40 and 65:35 ($P<0.01$). Stability of dough obtained from farinograph can be used to predict the internal firmness of Chinese wet noodles.

This study suggested that to produce the required or desirable textural characteristics of Chinese wet noodles several interrelated factors have to be considered and optimised.



Abstrak Tesis Yang Dikemukakan Kepada Senat
Universiti Pertanian Malaysia Sebagai Memenuhi Syarat
Keperluan Untuk Ijazah Master Sains

**KAJIAN TEKSTUR KE ATAS MI
(MI HOKKIEN)**

Oleh

ROSELINA BT. KARIM

Januari 1990

Penyelia : Mohd Nasir Azudin, Ph.D.

Fakulti : Fakulti Sains Makanan dan Bioteknologi

Kajian ini melaporkan penilaian ke atas tekstur mi yang dibuat daripada tepung "Australian Standard White" menggunakan alat "Instron Universal Food Tester" (Model 1140). Tatacara-tatacara untuk menjalankan ujian instrumentasi telah direkabentuk di peringkat awal kajian. Tegasan memotong maksimum (TMM), peratus daya sisa (DS) dan tegasan tegangan yang menggambarkan kepejalan, kekenyalan dan kekuatan tegangan bagi mi yang diperoleh masing-masing dari perkakas yang dipasang seperti pisau pemotong, alat penekan dan alat penegang, adalah pengukuran ciri-ciri tekstur mi yang boleh di percayai. Angkubah-angkubah ini mempunyai korelasi yang tinggi



dengan penilaian deria terhadap kepejalan, kekunyahan dan kekuatan tegangan mi ($r=0.93 - 0.99$; $P<0.01 - P<0.1$).

Kajian ke atas fungsi berbagai-bagai komponen dan keadaan memproses mi menunjukkan bahawa tekstur mi dipengaruhi oleh jenis-jenis air dan amaun air yang ditambah ke dalam formulasi, jenis-jenis air dan pH air yang digunakan untuk memasak, aras-aras natrium klorida (NaCl), natrium karbonat (Na_2CO_3), kalium karbonat (K_2CO_3) dan natrium hidroksida (NaOH) dalam formulasi dan aras-aras protein di dalam tepung.

Keputusan yang diperolehi daripada ujian memotong sahaja, menunjukkan bahawa mi yang mempunyai kepejalan dalaman yang maksimum boleh dibuat daripada tepung ASW menggunakan amaun air sebanyak 32 - 34% dan doh yang mempunyai pH 10.0. Air sederhana keras yang mengandungi 34 ppm Ca^{2+} patut digunakan dalam formulasi. Jenis dan pH air yang dicadangkan adalah air keras (64 ppm Ca^{2+}) dan pH 9.0 - 10.0. Amaun NaOH yang diperlukan adalah 0.40% berdasarkan berat tepung.

Berdasarkan keputusan-keputusan yang diperolehi daripada ujian menekan, mi yang mempunyai kekenyalan yang maksimum boleh diproses daripada tepung ASW pada penyerapan air sebanyak 38% dan doh yang mempunyai pH 9.0. Air yang sepatutnya digunakan dalam formulasi adalah air suling atau air lembut (0 ppm) dan untuk memasak mi adalah air sederhana keras (36 ppm Ca^{2+}) dan



pada pH 6.0. Amana Na_2CO_3 atau K_2CO_3 yang diperlukan adalah 0.25 - 0.50%, jika NaOH digunakan amana yang dicadangkan adalah 0.20% berdasarkan berat tepung.

Fortifikasi tepung ASW menggunakan gluten yang diperoleh dari gandum dan pencampuran tepung Prime Hard (PH) dengan tepung ASW meningkatkan kadar protein di dalam adonan mi dan dengan ini memperbaiki ciri-ciri tekstur mi. Satu korelasi yang kuat di antara kandungan protein di dalam tepung dengan TMM dan DS (%) masing-masing dengan $r=0.99$ ($P<0.0001$) dan $r=0.90$ ($P<0.01$) telah dicatat. Tidak terdapat perbedaan yang berarti di antara TMM mi yang diproses dari campuran tepung ASW dan PH pada nisbah 55:45, 60:40 dan 65:35 ($P<0.01$). Kestabilan adonan yang diperoleh dari alat "farinograph" boleh digunakan untuk meramalkan kepejalannya bagi mi.

Dari kajian ini adalah dicadangkan bahawa untuk mendapatkan ciri-ciri tekstur mi yang dikehendaki atau yang disukai beberapa faktor yang berhubungkait perlu diambil kira dan dioptimumkan.

CHAPTER I
INTRODUCTION

Noodles are thin strips of dough that are cut into a wide variety of lengths, widths and shapes. The dough usually consists of flour, salt and water. Sometimes eggs are added depending on the type of noodles being produced (Oh et al., 1983). The art of noodlemaking was believed to have spread throughout Asia including Japan, Southeast Asia and westward through Burma, India and the Middle East by the Chinese. Some of the common Asian noodles are bean thread noodles, cellophane or vermicilli noodles, potato starch noodles, shrimp noodles, "soba", "somen", "udon" and wheat or egg-and-wheat noodles (Coyle, 1982).

In Malaysia, different types of noodles and pasta are available in the market. They are prepared from wheat, rice, corn and tapioca flours. These include Chinese noodles or yellow noodles, starch vermicilli noodles, "kuay teow", "cheong cheong fun", "loh shee fun" and rice noodles. The most common types of noodles manufactured are Chinese noodles. Chinese noodles are wheat noodles in which an alkaline solution is added to the basic ingredients. They come in various forms such as dried raw noodles, raw Cantonese-style, Hokkien-style noodles or Chinese wet noodles which are



partially-boiled, Wantan noodles in which eggs are added as one of the ingredients, the traditional instant noodles which are steamed and dried, and the modern instant noodles which are steamed and fried.

The noodles and related pasta products industry forms one of the major cottage food manufacturing industries in Malaysia. Almost all of the factories produce noodles for local consumption. Most of the processing plants operate on small scale basis and some are performed in the backyard. The production of these product mostly involved batch processing operations but in some cases modern continuous automated processing plants are installed.

Noodles form one of the main dishes in Malaysian diet. They can be served as fried noodles or added to soups and are frequently taken as a replacement for rice during the main meals or in between meals. Noodles are very popular among all races especially the Malaysian Chinese. The amount of noodles consumed is large, ranging from 40 - 45% of the total flour usage in Malaysia. The number of establishments involved in the manufacture of noodles and related pasta products in Peninsular Malaysia increased from 254 in 1973 to 396 in 1981, with gross value output of \$30,198 and \$116,003 respectively, indicated a tendency towards increasing demand for these product in the future (Malaysia, 1973; 1983).



There is a considerable variation in the quality of noodles produce in this country, depending on the manufacturer, techniques used and the consumers demands. Preference for colour, texture and taste varies with different ethnic groups and the types of dishes for which the noodles will be used. Manufacturers are often required to produce different characteristics of noodles as a result of consumer demand. Generally, the manufacturing of noodles in Malaysia lacks quality control especially with the respect to raw materials, sanitary conditions during noodles preparation and processing variables. No research has been published concerning studies, on the effects of formulation and ingredients on the textural characteristics of Chinese wet noodles or Hokkien-style noodles processed under local conditions and techniques.

Therefore, the objectives of this research are :

- (I) to develop test methods or procedures for evaluating locally-manufactured Chinese wet noodles quality and
- (II) to study the effects of formulation and types of ingredients on the textural quality of Chinese wet noodles.