

UNIVERSITI PUTRA MALAYSIA

IMPACT OF GROUND-BASED LOGGING MACHINE ON SOIL PHYSICAL PROPERTIES AND TREE GROWTH

KAMARUZAMAN JUSOFF

FH 1987 1



It is hereby certified that we have read this thesis entitled 'The Impact of Ground-Based Logging Machine on Soil Physical Properties and Tree Growth' by Kamaruzaman Jusoff, and in our opinion it is satisfactory in terms of scope, quality, and presentation as partial fulfilment of the requirements for the degree of Master of Science

ALANG DAINUDDIN, Ph.D.

Assoc. Professor/Dean of Graduate Studies Universiti Pertanian Malaysia (Chairman Board of Examiners)

TIMOTHY M. BALLARD, Ph.D.

Professor

Department of Soil Science University of British Columbia

Canada

(External Examiner)

MOHD. MOKHTARUDIN ABDUL MANAN, Ph.D.

Associate Professor Faculty of Agriculture Universiti Pertanian Malaysia (Internal Examiner)

NIK MUHAMAD MAJID, Ph.D.

Head, Department of Forest Production Faculty of Forestry Universiti Pertanian Malaysia

(Supervisor)



This thesis was submitted to the Senate of Universiti Pertanian Malaysia and was accepted as partial fulfilment of the requirements for the degree of Master of Science.

Date: # 11 th was took

ALANG P. ZAINUDDIN, Ph. D.
Associate Professor/
Dean of Graduate Studies



IMPACT OF GROUND-BASED LOGGING MACHINE ON SOIL PHYSICAL PROPERTIES AND TREE GROWTH

by

KAMARUZAMAN JUSOFF

A thesis submitted in partial fulfillment of the requirements for the degree of Master of Science (Forest Engineering) in the Faculty of Forestry, Universiti Pertanian Malaysia

October 1987



ACKNOWLEDGEMENTS

I would like to express my most sincere and deepest gratitude to my major supervisor, Dr. Nik Muhamad Majid, Faculty of Forestry, Universiti Pertanian Malaysia for his many helpful advice, encouragement and constructive criticisms throughout the duration of this project.

Thanks are also due to my co-supervisor, Mr. Desa Ahmad, Faculty of Engineering, Universiti Pertanian Malaysia for his invaluable guidance and assistance.

I am also grateful for the cooperation given by Syarikat Jengka Sendirian Berhad, Pahang, particularly the Forest Manager, Mr. Daud Kamis for permission to use the forest areas at Sungai Tekam and Berkelah. I like to express my special thanks to Muzammal, Rosli, Zulkifly, Jamalludin, Tugiran and Fauzi for the assistance in field data collection.

The financial support from Universiti Pertanian Malaysia is gratefully acknowledged.

Last but not least, my deepest gratitude and love to my wife, Rohaita, and daughter, Nur Syazana, for their love and inspiration without which this project would not have been completed.



TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENTS	ii
TABLE OF CONTENTS	iii
LIST OF TABLESv	iii
LIST OF FIGURES	x
LIST OF PLATES	xiv
LIST OF APPENDICES	xvi
ABSTRACT	wii
ABSTRAK	xx
CHAPTER I - INTRODUCTION	1
CHAPTER II - REVIEW OF LIVERATURE	6
MECHANISMS OF SOIL COMPACTION	6
FACTORS AFFECTING COMPACTIBILITY AND SOIL COMPACTION	9
Soil Moisture	9
Soil Texture	13
Soil Organic Matter	14
Vegetation	15
Rainfall and Soil Erosion	16
EFFECTS OF COMPACTION ON SOME SOIL PHYSICAL PROPERTIES	17
Porosity	17
Hydraulic Conductivity	19



	PAGE
Resistance to Penetration	22
Bulk Density	23
SOIL DISTURBANCE DURING LOGGING OPERATIONS	23
PRESSURES APPLIED BY LOGGING MACHINES TO THE SOIL	26
EFFECTS OF LOGGING MACHINES ON COMPACTION OF FOREST SOILS	32
EFFECTS OF COMPACTION ON TREE GROWTH	36
RECOVERY OF COMPACTED SOIL	43
SOIL COMPACTION IN TROPICAL HILL FOREST OF MALAYSIA	44
Skidding Operations	44
Soil Erosion and Sedimentation	45
Soil Flora and Fauna	46
SOIL COMPACTION AMELIORATION AND REHABILITATION	48
Forest Engineering/Operations Planning	48
a. Machines Selection and Choice of Running Gear	48
b. Selection of Logging System	55
c. Preplanned Skid Trails	56
d. Time of Operation	58
Silvicultural Practices	59
a. Soil Cultivation	59
CHAPTER III - METHODS AND MATERIALS	62
CENEDAI	62



EXPERIMENT 1: SITE DISTURBANCE EVALUATION	64
Objectives	64
Study Areas	64
Methodology	64
EXPERIMENT 2: DETERMINATION OF EFFECTS OF LOGGING ON SOIL PHYSICAL PROPERTIES OF SOILS	67
Objective	67
Study Areas	67
Methodology	67
EXPERIMENT 3: VEHICULAR COMPACTION STUDY	73
Objective	73
Study Areas	74
Methodology	74
EXPERIMENT 4: ESTIMATION OF RATE OF RECOVERY OF DISTURBED SOILS	78
Objective	78
Study Areas	78
Methodology	79
EXPERIMENT 5: MEASUREMENT OF GROWTH RESPONSE ON COMPACTED SOILS AND AMELIORATION TREATMENT	80
Objectives	80
Study Area	81
Methodology	81
CHPATER IV - RESULTS AND DISCUSSION	88
EXPERIMENT 1: AREAL EXTENT OF SOIL DISTURBANCE	88



EXPERIMENT 2: EFFECTS OF LOGGING ON SOIL PHYSICAL PROPERTIES
Bulk density 99
Soil Porosity 102
Soil Moisture Characteristic and Available Water Holding Capacity
Saturated Hydraulic Conductivity 113
Resistance to Penetration
Soil Temperature 116
EXPERIMENT 3: VEHICULAR COMPACTION TEST 119
Bulk Density
Porosity 122
Moisture Content 128
Saturated Hydraulic Conductivity 129
Penetrometer Resistance
EXPERIMENT 4: RATE OF NATURAL RECOVERY OF DISTURBED SOILS IN LOGGING 136
Bulk Density
Total Porosity
Saturated Hydraulic Conductivity 144
Resistance to Penetration
EXPERIMENT 5: MEASUREMENT OF GROWTH RESPONSE ON COMPACTED SOILS AND AMELIORATION TREATMENT
Soil Compaction and Loosening Treatment 152
Height and Diameter Growth Response
HAIGHT AND LIPAMATAY L-YOWTH KASHONSA 15.



	PAGE
Leaf Surface Area	157
Root and Shoot Growth Response	161
i) Root Observational Differences	161
ii) Root and Shoot Dry Weight	165
Bulk Density Treatments	167
Seedling Height and Diameter Response	167
Leaf, Root and Shoot Growth Response	169
Root Growth Observational Differences	175
CHAPTER V - GENERAL DISCUSSION AND RECOMMENDATIONS	178
CHAPTER VI - CONCLUSIONS	185
REFERENCES CITED	187
A DDD VD TABA	001



1

LIST OF TABLES

FABLE		PAGE
1	Criteria for Surface Soil Disturbance Class	65
2	Percent of Areal Disturbance on 20 Logged Sites in Sg. Tekam and Berkelah F.R. by Disturbance Classes	89
3	Mean Soil Bulk Density Values Before and After Logging on Jengka Forest, Pahang, 1986 by Logging Blocks and Disturbance Sources	100
4	Mean Soil Porosity Values Before and After Logging on Jengka Forest, Pahang, 1986 by Logging Blocks and Disturbance Sources	103
5	Mean Variation of Soil Moisture Data Before and After Logging on Jengka Forest, Pahang, 1986 by Sources of Disturbance	106
6	Mean Available Water Holding Capacity (AWC) Before and After Logging on Jengka Forest, Pahang, 1986 by Logging Blocks and Disturbance Sources	107
7	Mean Saturated Hydraulic Conductivity Values Before and After Logging on Jengka Forest, Pahang, 1986 by Logging Blocks and Disturbance Sources	112
8	Mean Resistance to Penetration Values Before and After Logging on Jengka Forest, Pahang, 1986 by Logging Blocks and Disturbance Sources	114
9	Daily Mean Soil and Air Temperature Values Before and After logging on Jengka Forest, Pahang, 1986 by Logging Block and Disturb- ance Source	117
10	The Main Effect of Two Types of Logging Machines Tire Configuration on Some Selected Soil Physical Properties of the	123



TABLE

11	Changes in Average Bulk Densities of Surface Soil Samples Following Crawler Tractor Logging for a 10-year Period 139
12	Changes in Average Total Porosities of Surface Soil Samples Following Crawler Tractor Logging for a 10-year Period 142
13	Changes in Mean Saturated Hydraulic Conductivities of Surface Soil Samples Following Crawler Tractor Logging for a 10-year Period
14	Changes in Mean Penetrometer Resistance of Surface Soil Samples Following Crawler Tractor Logging for a 10-year Period 148
15	Average Weekly Height and Diameter Growth of Compacted and Non-compacted Soil at 0, 7 and 15 cm Loosening Depth Treatments 153
16	Total Leaf Surface Area of Compacted and Non-Compacted Soils at 0, 7 and 15 cm Loosening Depth Treatments
17	Dry Weight of Root and Shoot and Root/ Shoot Ratio of <u>A. Mangium</u> Seedlings as Related to Compaction and Loosening Treatment
18	Effects of Soil Bulk Density on the Average Total Leaf Surface Area, Ovendry Weights of Root and Shoot, and Root-Shoot Ratio During the 24 Weeks Growing Study Period
19	Characteristics of Logging Operations of Each Study Block For Recovery Rate Study 204
20	Regression Analysis Data for Determination of Actual Leaf Surface Area of A. Mangium 213
21	Height and Diameter Measurements Data During the 24 Weeks Growing Period With Respect to Bulk Density Levels



LIST OF FIGURES

FIGURE		PAGE
1	Typical Moisture - Density Curve for a Medium - Textured Soil, Indicating the Maximum Density Obtained with a Particular Compactive Effort	11
2	Relationship Between Decrease in Non-Capillary and Total Pore Space and the Increase in Bulk Density Caused by Compaction of Several Forest Soils	18
3	Reduction in Saturated Hydraulic Conduct- ivity Associated with an Increase in Bulk Density	21
4	Combined Compaction and Shearing Deformation Produced Within the Soil by a Moving Crawler Tractor	29
5	Deformation and Displacement Patterns Under a Moving Wheel	30
6	Relationship Between the Increase in Bulk Density and the Decrease in Seedling Height Growth	39
7	Choice of Running Gear	51
8	Choice of Vehicle Form	52
9	Relationship Between Increases in Bulk Density and the Number of Machine Trips	57
10	A Map of Peninsular Malaysia Showing the Study Area	63
11	Percent of Logged Hill Forest with Crawler Tractor by Disturbance Class and Logging Season	91
12	Source of Surface Soil Disturbance for Clay Loam Soil Under Dry and Wet Logging	93



FIGURE PAGE

13	Source of Surface Soil Disturbance for Sandy Loam Soil Under Dry and Wet Logging Conditions
14	The Effect of Logging Disturbance Source on Soil-Water Retention
15	The Effect of Logging Disturbance Source on Mean Daily Soil Temperature at 15 cm Depth 118
16	Bulk Density of the Surface Soil As Affected By Machines Types, Number of Passes and Moisture Contents
17	Total Porosity of the Surface Soil as Affected by Machine Types, Number of Passes and Moisture Contents
18	Aeration Porosity of the Surface Soil as Affected by Machine Types, Number of Machine Passes and Moisture Contents 126
19	The Effect of the Number of Track-Type Logging Machine Trips on Soil-Water Retention at Two Moisture Levels
20	The Effect of the Number of Rubber-Tired Logging Machine Trips on Soil-Water Retention at Two Moisture Content Levels 131
21	Saturated Hydraulic Conductivity of the Surface Soil as Affected by Machine Types, Number of Machine Passes and Moisture Content
22	Relationship Between Aeration Porosity, Bulk Density and Saturated Hydraulic Conductivity of Track-Type and Rubber-Tired Logging Machine at 14% Moisture Content Level
23	Resistance to Penetration of the Surface Soil as Affected by Machine Types, Number of Machine Passes and Moisture Contents 135



FIGURE PAGE

24	Recovery of Mean Bulk Density on Skid Trail, Bush Landing and Secondary Forest Road as Related to Time Since Logging. Lines are Fitted Visually to Best Fit
25	Recovery of Mean Total Porosity on Skid Trail, Bush Landing and Secondary Forest Road as Related to Time Since Logging. Lines are Fitted Visually to Best Fit 143
26	Recovery of Mean Saturated Hydraulic Conductivity on Skid Trail, Bush Landing and Secondary Forest Road as Related to Time Since Logging. Lines are Fitted Visually to Best Fit
27	Recovery of Mean Resistance to Penetration on Skid Trail, Bush Landing and Secondary Forest Road as Related to Time Since logging. Lines are Fitted Visually to Best Fit
28	The Effect of Compaction and Loosening Treatments on Seedlings Mean Height Growth Increment
29	The Effect of Compaction and Loosening Treatments on Seedling Mean Diameter Growth Increment
30	Mean Leaf Surface Area and Ovendry Root And Shoot Weights of <u>A. Mangium</u> Seedling Compared by Compaction and Loosening Treatment
31	The Effect of Loosening Compacted and Non-Compacted Soils on Seedling Mean Leaf Surface Area
32	The Effect of Bulk Density Levels on A. Mangium Seedling Mean Height Growth Increment
33	The Effect of Bulk Density Levels on A. Mangium Seedling Mean Diameter Growth Increment



FIGURE		PAGI
34	The Effect of Bulk Density Levels on A. Mangium Seedling Mean Leaf Surface area Increment	173
35	Mean Leaf Surface Area and Ovendry Root and Shoot Weights of <u>A. Mangium</u> Seedling Compared by Seven Bulk Density Levels	174



LIST OF PLATES

PLATE		PAGE
1	Removing Undisturbed Core Samples from a Secondary Forest Road	. 69
2	Measuring Resistance to Penetration of Soil Under Bush (Secondary) Landing Using a Pocket Penetrometer	. 72
3	The Rubber-tired Grappler Loader Used for Vehicular Compaction test. Detail of the Machine is Given in Appendix B	. 76
4	The Track-type Tractor Used for Vehicular Compaction Test. Detail of the Machine is Given in Appendix C	. 77
5	The University's Experimental Glasshouse	82
6	Three-month-old A. Mangium Seedlings Used for Growth Studies in the Glasshouse	. 85
7	Transplanting of <u>A. Mangium</u> Seedlings Into Flower Pots	. 86
8	Deep Ruts and Puddled Soil Developing in 'Serious' Disturbance Class on Skid Trail Following Crawler Tractor Logging	. 92
9	'Moderate' Class of Disturbance on a Bush Landing Following Crawler Tractor Logging	. 95
10	View of the Surface Condition of an Abandoned Primary Landing Following Crawler Tractor Logging	. 95
11	Cuts and Fills Which are of Common Occurence on Hill Forest Following Crawler Tractor Logging	. 97
12	Two-weeks-old Transplanted A. Mangium Seedlings Showing the Early Height Growth Increment on Compacted Soil Given Loosening Treatments. Letters A, B and C Indicated Control (no loosening), 7 and 15 cm Loosening Depths, Respectively	155



PLATE

13	Two-weeks-old Transplanted A. Mangium Seedlings Showing the Early Height Growth Increment on Non-Compacted Soil Given Loosening Treatment. Letters D, E and F Indicated Control (no loosening), 7 and 15 cm Loosening Depths, Respectively 156
14	The Effects of Loosening Non-Compacted (NC) Soils on 24 Weeks-old A. Mangium Seedling Roots
15	The Effect of Loosening Compacted (C) Soils on 24 weeks-old <u>A. Mangium</u> Seedling Roots 164
16	The Effect of Bulk Density Levels on 24 Weeks-old A. Mangium Seedling Roots



LIST OF APPENDICES

APPENDIX		PAGI
A	Characteristics of Logging Operations of Each Study Block for Recovery Rate Study	204
В	Machine Specifications for a CAT 950B Grappler Loader	205
С	Machine Specifications for a CAT D6D Crawler Tractor	209
D	Regression Analysis Data for Determination of Actual Leaf Surface Area of A. Mangium Seedlings	213
Е	Height and Diameter Measurements Data During the 24 Weeks Growing Period With Respect to Bulk Density Levels	214



An abstract of the thesis submitted to the Senate of Universiti Pertanian Malaysia as partial fulfilmentof the requirements for the degree of Master of Science

IMPACT OF GROUND-BASED LOGGING MACHINE ON SOIL PHYSICAL PROPERTIES AND TREE GROWTH

by

KAMARUZAMAN JUSOFF

October 1987

Supervisor: Nik Muhammad bin Nik Majid, Ph. D.

Faculty : Forestry

Co-Supervisor : Desa Ahmad

Faculty : Engineering

Five experiments were conducted to determine the impacts of ground-based logging machines on soil physical properties and on early growth of <u>Acacia mangium</u> Willd. The experiments are: (i) a survey of the areal extent of logging machine disturbance, (ii) effects of logging machines on soil physical properties, (iii) effects of travelling intensity with a rubber-tired and track-type logging machine on some soil physical properties, (iv) recovery rate of compacted soils, and (v) measurement of growth responses of <u>A. mangium</u> on compacted and non-compacted soils and their loosening treatments.



Areal disturbance on 10 logging blocks following logging with crawler tractors averaged 30(18), 28(27), and 42(55) percent in 'undisturbed', 'moderate', and 'serious' class of disturbance on clay loam soils in the dry(wet) season, respectively. For sandy loam soils under dry(wet) season, the areal extent of logging disturbance were 16(27), 44(22), and 40(48) percent, respectively. Average values for to penetration, and soil temperature of prelogging soils, adjacent undisturbed soil, secondary forest roads, secondary landings, primary landings and skid trails were also determined.

Vehicular compaction test of an unloaded rubber-tired and track-type logging machine showed that changes in soil bulk density, total pore space, aeration (macro) porosity, available water-holding capacity, saturated hydraulic conductivity and resistance to penetration of the rubber-tired log loader did not exceed those caused by a track-type crawler tractor despite a two-fold difference in ground contact pressure. The changes in soil bulk density and total porosity caused by these logging machines increased with increasing soil moisture content. However, changes in macroporosity, available water-holding capacity, saturated hydraulic conductivity and resistance to penetration decreased with increasing soil moisture content. Most soil properties studied reached a maximum after the first two trips and remained constant with additional trips.



Based upon regression analysis, the estimated average time required for natural recovery of bulk density, total porosity, saturated hydraulic conductivity and resistance to penetration on skid trail, bush landing and secondary forest road to the undisturbed soil are listed in consequtive order as follows:

(i) 22,17 and 14 years; (ii) 24, 17 and 15 years; (iii) 52, 37 and (iv) 28 years; and 19, 14 and 12 years.

Early growth of A. mangium seedlings in the glasshouse on compacted soils was substantially less than on non-compacted (undisturbed) soils. Loosening compacted soils increased early height and diameter growth almost as high as on non-compacted soils, but loosening compacted soils did not significantly improve biomass growth. However, poor root and shoot growth and poor mycorrhizal infection occurred on compacted soils. mangium seedlings grown for 24 weeks in pots with soil at bulk densities of 0.8 (control), 1.0, 1.2, 1.4, 1.6, 1.8, and 2.0 g/cm showed that root and shoot ovendry weights, root system, seedling height, diameter and leaf surface area increased significantly with decreasing soil bulk density. Significant differences in seedling diameter and leaf surface area appeared during the tenth to twelfth week after transplanting and continued to increase until harvest at week 24. Poor root and shoot growth and poor mycorrhizal infection occurred on heavily compacted soils.



Abstrak tesis yang dikemukakan kepada Senat Universiti Pertanian Malaysia sebagai memenuhi sebahagian daripada syarat keperluan ijazah Master Sains

KESAN MESIN PEMBALAKAN BERASASKAN BUMI KE ATAS CIRI FIZIK TANAH DAN PERTUMBUHAN POKOK

oleh

KAMARUZAMAN YUSOFF

Oktober 1987

Penyelia: Nik Muhamad bin Nik Majid, Ph. D.

Fakulti : Perhutanan

Penyelia Bersama : Desa Ahmad

Fakulti : Kejuruteraan

Lima eksperimen telahpun dijalankan untuk menentukan kesan mesin pembalakan berasaskan bumi ke atas ciri fizik tanah dan pertumbuhan pokok Acacia mangium Willd. Eksperimen tersebut ialah: (i) satu survei eksten keluasan kerosakan mesin pembalakan, (ii) kesan mesin pembalakan ke atas ciri fizik tanah, (iii) kesan keamatan laluan mesin pembalakan menggunakan tayar getah dan jenis trak ke atas beberapa ciri fizik tanah, (iv) kadar pulih semula tanah padat, dan (v) pengukuran gerak balas pertumbuhan A. mangium di atas tanah padat dan tak padat dan rawatan renggangan mereka.



Luas kerosakan ke atas 10 blok pembalakan pembalakan dengan traktor roda lipan masing-masing berpurata 30(18), 28(27) dan 42(55) peratus di kelas kerosakan 'tidak rosak', 'sederhana' dan 'teruk, ke atas tanah lom liat di musim Untuk tanah lom pasir dimusim kering (basah), kering (basah). eksten luas kerosakan pembalakan masing-masing ialah 16(27), 44(22) dan 40(48) peratus. Nilai purata ketumpatan pukal, keronggaan makro, keronggaan mikro, jumlah keronggaan, muatan pegangan air tersedia ada, kekonduksian hidraulik tepu, tahanan dan suhu tanah bagi tanah pradibalak, penembusan tanah berdekatan yang tak rosak, jalan hutan sekunder, sekunder, matau utama dan jalan gelongsor juga ditentukan.

Ujian kepadatan kenderaan mesin pembalakan tanpa muatan jenis trak dan bertayar getah menunjukkan perubahan ketumpatan pukal tanah, jumlah ruang rongga, ruang pengudaraan (makro), muatan pegangan air tersedia ada, kekonduksian hidraulik tepu dan tahanan penembusan pemuat balak bertayar getah tidak melebihi traktor roda lipan jenis trak walaupun ada dua kali perbedaan tekanan kontek bumi. Perubahan pada ketumpatan pukal tanah dan jumlah keronggaan disebabkan oleh mesin pembalakan ini menaik dengan kenaikan kandungan kelembapan tanah. Walau bagaimanapun, perubahan pada keronggaan makro, muatan pegangan air tersedia ada, kekonduksian hidraulik tepu dan tahanan penembusan menurun dengan kenaikan kandungan kelembapan tanah.



Kebanyakan ciri tanah yang dikaji sampai ke maksima selepas dua trip yang pertama dan tidak berubah dengan trip tambahan selanjutnya.

Berdasarkan analisa regresi, purata anggaran masa yang diperlukan bagi pulih semula ketumpatan pukal, jumlah keronggaan, kekonduksian hidraulik tepu dan tahanan penembusan di atas jalan gelongsor, matau belukar dan jalan hutan sekunder kepada tanah tak rosak adalah disenaraikan mengikut susunannya sepertimana berikut: (i) 22, 17 dan 14 tahun; (ii) 24, 17 dan 15 tahun; (iii) 52, 37 dan 28 tahun; dan (iv) 19, 14 dan 12 tahun.

Pertumbuhan awal anak benih A. mangium di dalam rumah kaca di atas tanah padat adalah sangat rendah daripada yang di atas tanah tak padat (tak rosak). Perenggangan tanah padat menaikkan petumbuhan awal ukur lilit dan ketinggian sehampir tinggi seperti di atas tanah tak padat, tetapi perenggangan tanah padat tidak memberi baikan pertumbuhan biomass yang ketara. Walau bagaimanapun, pertumbuhan yang lemah berlaku kepada akar dan pucuk dan infeksi mikoriza di atas tanah padat. Anak benih A. mangium yang ditanam di dalam pasu selama 24 minggu bersama tanah pada ketumpatan pukal 0.8 (bandingan), 1.0, 1.2, 1.4, 1.6, 1.8 dan 2.0 g/sm menunjukkan bahawa berat keringoven akar dan pucuk, sistem akar, ketinggian anak benih, garis pusat dan luas permukaan daun menaik dengan ketara

