


UNIVERSITI PUTRA MALAYSIA

DEVELOPMENT OF A SALTWATER INTRUSION SOFTWARE USING VISUAL BASIC

TAN CHIAU SIANG

FK 2001 27





DEVELOPMENT OF A SALTWATER INTRUSION SOFTWARE USING VISUAL BASIC

By

TAN CHIAU SIANG

Thesis Submitted in Fulfilment of the Requirement for the Degree of Master of Science in the Faculty of Engineering Universiti Putra Malaysia

August 2001



Dedicated To

My Beloved Father, Mother, Sisters and Brothers

•



iii

Abstract of thesis presented to the Senate of Universiti Putra Malaysia

in fulfilment of the requirement for the degree of Master of Science

DEVELOPMENT OF A SALTWATER INTRUSION SOFTWARE **USING VISUAL BASIC**

By

TAN CHIAU SIANG

August 2001

Chairman

: Associate Professor Dr. Salim b. Said

Faculty

: Engineering

Coastal aquifers play important roles for sources of water. With growing

concern on groundwater resources both in term of quantity and quality, proper

assessments and computation tools are becoming more important. Groundwater

regional scale phenomena usually cannot be studied accurately using laboratory scale

physical models; therefore mathematical tools of analysis must be applied. The

advance of the computer technology should be used to solve the complicated

mathematical task in solving arithmetic operations.

The purpose of this study was to develop a user-friendly steady state model for

simulation of saltwater intrusion into coastal aquifers. The model made use of the

mathematical formulation developed by Ganfoud (1997). Two equations were

derived, one for water flow, and the other for solute transport that were coupled

through Darcy's velocity and concentration. In the numerical model formulation, two-

dimensional Galerkin finite element approach was applied for deriving the elemental

matrix equation through quadrilateral elements. The system of linear equations was solved using successive substitution employing the Gaussian elimination techniques.

The whole formulation was set up by using the Visual Basic programming and Surfer graphic program (developed by Golden Software) to analyze the results. The results of intrusion were shown graphically under steady state conditions. The program has been proven to be user-friendly than other programming languages. For model verification, a hypothetical unconfined model and a physical model were used to compare the model's results with previous studies. These models applied the constant and velocity-dependent dispersion coefficient. The comparison showed a good agreement in numerical term between the proposed model and the previous ones. However, the Visual Basic program is not as powerful as the FORTRAN engineering programming and caused minor discrepancies when compared to the previous study.



Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains

PEMBENTUKAN PERISIAN PENEROBOSAN AIR MASIN DENGAN MENGGUNAKAN VISUAL BASIC

TAN CHIAU SIANG

Oleh

Ogos 2001

Pengerusi

: Profesor Madya Dr. Salim B. Said

Fakulti

: Kejuruteraan

Akuifer tepi pantai memainkan peranan yang penting bagi sumber air. Dengan

wujudnya kesedaran terhadap sumber air bawah tanah yang mementingkan kuantiti

dan kualiti, keperluan alat pengiraan dan pengurusan pengiraan telah menjadi semakin

penting. Oleh kerana fenomena kejituaan skala kawasan air bawah tanah biasanya

tidak dapat dianggar dengan fizikal model dalam makmal, maka alat analisis

matematik perlulah digunakan. Kelebihan dalam teknologi komputer perlulah

digunakan untuk menyelesaikan masalah matematik dan dalam penyelesaian operasi

aritmatik yang rumit.

Tujuan kajian ini adalah untuk membina satu model komputer untuk

mengsimulasi penerobosan air masin di tepi pantai dalam keadaan keseimbangan.

Model ini menggunakan persamaan matematik yang dikaji oleh Ganfoud (1997). Dua

persamaan telah dihasilkan iaitu aliran air dan pengaliran larutan yang kemudiannya

dikembarkan mengikut kelajuan dan keperkatan formula Darcy. Formulasi dua

UPM

dimensi elemen finit dengan menggunakan kaedah Galerkin telah digunakan untuk mengghasilkan persamaan elemen matrik secara quadrilateral. Sistem penyelesaian linear telah diselesaikan dengan menggunakan teknik penghapusan Gaussian.

Kesemua persamaan-persamaan yang dibentuk diaturcarakan dengan menggunakan Visual Basic dan Surfer grafik program yang dikaji oleh Golden Software untuk menanalisa keputusan. Keputusan telah ditunjukan dalam bentuk grafik dalam keadaan keseimbangan. Program yang dibentuk telah membuktikan ia lebih mudah digunakan oleh pengguna berbanding dengan program lain. Untuk menguji kejituan program yang dibentuk, satu hipotesis akuifer tak terkawal dan satu model fizikal telah digunakan untuk membandingkan hasil keputusan model dengan kajian awal yang bergantung kepada pemalar penyerakan sekata dan halaju. Perbandingan telah menunjukkan perhubungan yang baik dalam kaedah berangka di antara model tercadang denga model dahulu. Walaubagaimana pun, perisisan Visual Basic telah menunjukan ia kurang mampu untuk menyelesaikan masalah kejuruteraan berbanding dengan perisian kejuruteraan FORTRAN, ini kerana perisian Visual Basic menghasilkan kejituan yang lebih rendah dalam pengiraan jika dibandingkan dengan berbanding dengan pemyelidikan terdahulu.



ACKNOWLEDGEMENTS

First of all, I would like to thank God Almighty for giving me guidance, strength, and assistance to complete this Master program.

I would like to express my sincere appreciation and gratitude to my project supervisor Associate Professor Dr. Salim bin Said for his direction, advice and encouragement during the period of this research.

I would like also to take this opportunity to thank my research committee group members, Dr. Abdul Aziz bin Zakaria, and Dr. Abdul Rashid Mohamed Shariff for their valuable help and support. I am indebted to the Universiti Putra Malaysia for financial support to this study.

Special thanks and appreciation are also due to all staff of the Faculty for their assistance, advice guidance and cooperation.

Last but not least, I would like to express my appreciation to my family and my beloved girlfriend Siew Yein for their encouragement, care, and love throughout my study in UPM.



I certify that an Examination Committee met on 10th August 2001 to conduct the final examination of Tan Chiau Siang on his Master of Science thesis entitled "Development of Saltwater Intrusion Software Using Visual Basic" in accordance with Universiti Pertanian Malaysia (Higher Degree) Act 1980 and Universiti Pertanian Malaysia (Higher Degree) Regulations 1981. The Committee recommends that the candidate be awarded the relevant degree. Members of the Examination Committee are as follows:

DATO' MOHD. ZOHADIE BARDAIE, Ir., Ph.D. Professor
Faculty of Engineering
Universiti Putra Malaysia
(Chairman)

SALIM BIN SAID, Ph.D. Associate Professor Faculty of Engineering Universiti Putra Malaysia (Member)

ABDUL AZIZ BIN ZAKARIA, Ph.D. Faculty of Engineering Universiti Putra Malaysia (Member)

ABDUL RASHID MOHAMED SHARIFF, Ph.D. Faculty of Engineering Universiti Putra Malaysia (Member)

MOHD GHAZALI MOHAYIDIN, Ph.D. Professor/Deputy Dean of Graduate School Universiti Putra Malaysia

Date: SEP 2001



This thesis submitted to the Senate of Universiti Putra Malaysia has been accepted as fulfilment of the requirement for the degree of Master Science.

-Engin

AINI IDERIS, Ph.D.
Professor,
Dean of Graduate School
Universiti Putra Malaysia

Date:

08 NOV 2001



DECLARATION

I hereby declare that the thesis is based on my original work except for quotation and citations, which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at UPM or other institutions.

TAN CHIAU SIANG

Date: 12 /9 /0/



TABLE OF CONTENTS

| | | Pag |
|---|--|-----------------------|
| ABSTRAC ABSTRAK ACKNOWLE DECLARATI LIST OF TAE LIST OF FIG | N | ii v vii viii xii xiv |
| CHAPTER | | |
| 1 | INTRODUCTION | 1 |
| 1 | | 1 |
| | GeneralObjective of the Study | 3 |
| | Thesis Organization | 4 |
| | | |
| 2 | LITERATURE REVIEW | 6 |
| | Introduction | 6 |
| | The Interface in a Coastal Aquifer | 8 |
| | Sharp Interface and Solute Transport Approach | 10 |
| | Sharp Interface Approach | 12 |
| | Solute Transport Approach | 14 |
| | Finite Element Method | 20 |
| | Visual Basic | 24 |
| 3 | METHODOLOGY | 25 |
| | Mathematical Formulation | 25 |
| | Boundary Condition | 29 |
| | Finite Element Approximation | 30 |
| | Numerical Analysis Idealization or Discretization of the | 32 |
| | Problem Domain | 33 |
| | | 36 |
| | Interpolation Function | 43 |
| | Numerical IntegrationFlow Equation | 46 |
| | Boundary Condition for Flow Equation | 50 |
| | Mass Transport | 51 |
| | Boundary Condition for Transport Equation | 54 |
| | Program Organization | 55 |
| | Golden Sostware Surfer | 57 |
| | Column Colorium Contestion of the Colorium Color | - 1 |



| 4 | RESULTS AND DISCUSSIONS | 62 |
|-----------|--------------------------------|------------|
| | Program Operation | 62 |
| | Data Input | 62 |
| | Program Execution | 66 |
| | Error Handling | 71 |
| | Model Verification | 75 |
| | Hypothetical Coastal Aquifer | 7 5 |
| | Comparison with Physical Model | 84 |
| 5 | CONCLUSION AND RECOMMENDATIONS | 90 |
| | Conclusion | 90 |
| | Recommendations | 92 |
| REFEREN | ICES | 93 |
| APPENDI | X | |
| | ımming Source Code | 96 |
| B: Output | Data | 114 |
| VITA | | 125 |



LIST OF TABLES

| Table | | Page |
|-------|---|------|
| 3.1 | Location of Gauss points and values of weights for exact integration of a polynomial function | 45 |
| 4.1 | Units of parameters used in the model | 65 |
| 4.2 | Sample Output | 70 |



LIST OF FIGURES

| Figure | | Page |
|--------|--|------|
| 2.1 | Schematic diagram of hydrologic cycle | 7 |
| 2.2 | Example of interfaces in coastal aquifers | 8 |
| 2.3 | A typical cross-section of a coastal aquifer with pumping | 9 |
| 2.4 | Sharp interface in coastal aquifers | 10 |
| 2.5 | Effect of hydrodynamic dispersion on saltwater intrusion | 11 |
| 2.6 | The Badon Ghyben-Herzberg interfaces model | 12 |
| 2.7 | Schematic representation of Bear and Dagan's experiments. | 13 |
| 2.8 | Flow pattern obtained by Henrry from his steady-state analytical solution | 15 |
| 2.9 | Concentration distribution obtained by Henry from his steady-state analytical solution | 16 |
| 3.1 | Coastal boundary conditions: (a) actual and (b) as approximated in the model | 34 |
| 3.2 | Quadrilateral finite element mesh for two-dimensional vertical flow between two water bodies | 35 |
| 3.3 | A 4-Node Isoparametric Surface Element | 37 |
| 3.4 | Quadrilateral finite element in local coordinate system (r, s) with Gauss points | 40 |
| 3.5 | Schematic diagram showing the relationship of the element conductance matrices and the global conductance matrix for a quadrilateral element | 49 |
| 3.6 | Flow Chart for 3SWIP program | 56 |
| 3.7 | Data File | 57 |
| 3.8 | Data Command from the Grid menu | 58 |
| 3.9 | The Scattered Data Interpolation dialog box | 59 |
| 3.10 | Open Grid dialog box | 60 |



| 3.11 | Contour Map dialog box | 60 |
|------|---|------------|
| 3.12 | Schematic diagram of model execution sequence | 61 |
| 4.1 | 3SWIP-program interface | 63 |
| 4.2 | Coordinate of a Element | 64 |
| 4.3 | Jacobean subroutine program | 67 |
| 4.4 | Assembly local matrix to global matrix subroutine program | 68 |
| 4.5 | Gaussian elimination technique subrountine program | 69 |
| 4.6 | Link Output with Microsoft Word | 71 |
| 4.7 | Error Message | 72 |
| 4.8 | Error handling subroutine program | 74 |
| 4.9 | Hypothetical unconfined aquifer with the various boundary conditions | 7 6 |
| 4.10 | Hydraulic head distribution at steady state for no recharge or discharge conditions in the hypothetical model | 78 |
| 4.11 | Hydraulic head distribution obtained by Ganfoud from his steady-state analytical solution | 7 9 |
| 4.12 | Isochlor contour in hypothetical model at steady state for no recharge or discharge conditions | 82 |
| 4.13 | Isochlor contour obtained by Ganfoud from his steady state analytical solution | 83 |
| 4.14 | Hydraulic head distribution at steady state for physical Model | 86 |
| 4.15 | Hydraulic head distribution obtained by Ganfoud from his steady state physical model | 87 |
| 4.16 | Isochlor contours at steady state for physical madel | 88 |
| 4.16 | Isochlor contours obtained by Gandoud from his steady state physical model | 89 |



LIST OF NOTATIONS

| Symbol | <u>Definition</u> |
|------------------|--|
| С | Concentration corresponding to density |
| c_s | Concentration of sea water |
| D_{d} | Molecular diffusion coefficient |
| D_{xx} | Dispersion coefficient in radial direction |
| D _{77.} | Dispersion coefficient in vertical direction |
| g | Gravity acceleration |
| h_s | Equivalent freshwater head seaside |
| J | Jacobian matrix |
| k | Permeability of water |
| K | Hydraulic conductivity |
| π | Effective porosity |
| q_i | Darcy velocity |
| Q | Source and/or sink terms |
| S_s^t | Freshwater specific storage |
| S_y | Specific yeild |
| r,s | Local coordinate |
| z | Elevation about datum |
| ε | Density ratio |
| μ | Viscosity of water |
| α | Coefficient of compressibility of the matrix |
| β | Water compressibility |



| α_{L} | Longitudinal dispersivities |
|-------------------|-----------------------------|
| α_{Γ} | Transverrse dispersivities |
| Φ | Shape function |
| ρ | Mass density |



CHAPTER 1

INTRODUCTION

General

Saltwater intrusion into aquifer is a common problem in many parts of the world. Both natural conditions and human activities can cause it. Saline intrusion of aquifers may originate from various sources such as seawater, return flows to stream from irrigated lands, leakage from disposal wells, and saline water in enclosed areas like tidal lagoon.

Malaysia receives an annual average rainfall of more than 2500mm, mainly due to the Southwest and Northeast monsoons. The country is therefore rich in water resources when compared to the other regions of the world. The average annual water resources on a total landmass of 330,000km² amount to 990 billion m³. Out of which, 36% returns to the atmosphere as evaporation, 57% appear as surface runoff and 7% go to the recharge of groundwater. Groundwater storage potential has been estimated to be 63 billion m³ for Peninsular Malaysia, 14 billion m³ for Sabah and 22 billion m³ for Sarawak. Groundwater is important as a source of drinking as well as for irrigation and industrial uses. (Jabatan Parit dan Taliair Malaysia, 1998). Since water shortage in Klang Valley occurred in the year 1998, groundwater has become an importance resource to overcome the problem. So, it is a challenge to engineers to develop groundwater resource in this country.



With increasing demand for water and with the intensification of water utilization, the quality problem becomes the limiting factor in the development of water resources, especially in coastal areas where population is more condensed. Groundwater quality and management has recently emerged as a national public concern within Malaysia. Just a few years ago, hydrogeologist and water resources managers were unaware of many potential pollution sources and the extent of groundwater contamination. Seawater intrusion is an example of this pollution. The scope of this study is concerned with the environmental pollution that is caused by the saltwater intrusion.

Coastal aquifers constitute important sources for water. Many coastal areas are also heavily urbanized, a fact which makes the need for fresh water even more acute. Invasion of saline water into fresh groundwater due to groundwater withdrawal commonly occurs in coastal aquifers, where seawater moves inland if groundwater levels decline. Saltwater can also move upward into fresh groundwater in aquifers (coastal or inland) underlain by saline water. However, the proximity of the sea, with contact between fresh water and seawater in a coastal aquifer, requires special attention and special management techniques.

In many countries groundwater is one of the major drinking water resources. With growing concern about groundwater resources both with respect to quantity and quality, the need for calculations management tools is increasing. As such it must be managed and protected carefully. With growing development of the resource and with growing human impact on the aquifers, the management needs to become more visible. Problems like over pumping of aquifers and pollution of groundwater occur



with increasing frequency. To mitigate conflicts of interests and avoid severe, even irreversible environmental damage, engineers must be able to predict the reactions of aquifers to human impact with respect to both groundwater quality and quantity. As regional scale phenomena usually cannot be studied on laboratory scale physical models, mathematical tools of analysis must be applied.

Because of the fallibility in solving operations, a computer should do any complicated mathematical task. As well as almost never making arithmetical errors, computers are much quicker in any arithmetical operation. Complex mathematical operations could be done manually only when the person can fully understand it. Thenceforth it should be computerized. The computer should be used in any situation where it offers the best available method of achieving the desired result.

Objectives of the Study

The aim of the study was to develop a user-friendly computer model that will enable to predict intrusion of seawater into coastal aquifers, in response to variation in the components of the fresh water balance of the latter. This information is required for the management of coastal aquifers. The computer model will be developed using Visual Basic version 6 programming based on the numerical model formulated by Ahmed Abulaid Ganfoud in 1997 at Universiti Putra Malaysia.



The specific objectives of this study are:

- To solve a numerical model formulated with two-dimensional Finite Element
 Method based on solute transport approach using the Gelerkin method with (a)
 linear interpolation function, and (b) quadratic interpolation functions to solve the
 saltwater intrusion. Ahmed Abulaid Ganfoud formulated the numerical model in
 1997 at University Putra Malaysia;
- 2. To develop a computer model using Visual Basic Version 6 programming for simulated saltwater intrusion based on the numerical model for the steady state;
- To verify the present computer model using a hypothetical coastal aquifer.
 Compare the present results with the results from some previous study.

Thesis Organization

The organization of this dissertation is arranged in five chapters. Chapter 2 represents a detailed literature review on saltwater intrusion. The review includes the application of the numerical models in simulating saltwater intrusion, sharp interface approach, solute transport approach, finite element method in solving saltwater intrusion, and visual basic programming.

Chapter 3 gives a brief description of the mathematical formulations derived by Ganfoud, 1997, numerical analysis for the principle of finite element method and Galerkin technique for flow and solute transport. Also, a brief description was discussed on the program organization for the computer model developed and application of the Golden Software Surfer.



Chapter 4 gives a description on the operation and function of the computer model and verification model. It covers the following topics: data input, program execution, error handling, and model verification. The computer model verified with a hypothetical coastal aquifer from Gandfoud research. The results were compared with previous studies.

Chapters 5 gives a summery on the work described in this dissertation, discusses the results of the study, and present some conclusions and suggestions for further studies.



CHAPTER 2

LITERATURE REVIEW

Introduction

Groundwater is defined as water below the water table in soil and geologic formations that are fully saturated; the pore spaces within the rock or soil matrix are filled or saturated with water (Freeze, 1979). Groundwater is that portion of the water beneath the surface of the earth that can collect with wells, tunnels, or drainage galleries, or that flows naturally to the earth's surface via seeps or springs.

Subsurface water is a term used to denote all the water found beneath the surface of the ground. Hydrologists use the term groundwater to denote water in the zone of saturation. In drainage of agricultural lands, or agronomy, the term groundwater is sometimes used also to denote the water in the partially saturated layers above the water table. Practically all groundwater constitutes part of the hydrologic cycle (Figure 2.1).

