



UNIVERSITI PUTRA MALAYSIA

**VIRTUAL REALITY IN ENHANCING
INTERNET-BASED EDUCATION**

SU MOON TING

FSAS 1998 4

**VIRTUAL REALITY IN ENHANCING
INTERNET-BASED EDUCATION**

By

SU MOON TING

**Thesis Submitted in Fulfilment of the Requirements for the
Degree of Master of Science in the Faculty of
Science and Environmental Studies
Department of Computer Science
Universiti Putra Malaysia**

July 1998



DEDICATION

To HIM, for HIS love and blessings bring me this far.



ACKNOWLEDGEMENTS

First and foremost, my deepest appreciation and most sincere thanks to the chairman of my supervisory committee Dr. Md Yazid Mohd Saman for his precious ideas, suggestions, guidances, comments, advices and considerations throughout the whole course of this study.

I also owed my utmost gratitude to the other members of my supervisory committee i.e. Dr. Abdul Azim bin Abdul Ghani and Dr. Ramlan Mahmod for their constructive comments, criticisms as well as invaluable ideas, suggestions and guidances in the later stage of this study.

Thanks are also due to all of those involved directly and indirectly in one way or another for giving me assistance during my study with particular reference to all the present and previous staffs of Department of Computer Science, all the staffs of Graduate School, my coursemates, housemates, and friends for their help, support and consideration. Not forgetting also my cyber-acquaintances (especially all the members in the VRML and JAYA@YORKU mailing lists) for their generosity of sharing information and knowledge with me.

I would like especially to thank my beloved family (Pa, Ma, Ferd, Greg and Wil) and relatives whose love, support, confidence and prayers have given me the courage and strength to complete my study.



Last but not least, my highest gratitude to Universiti Putra Malaysia for sponsoring me via the Post-Graduate Scholarship and providing an encouraging environment for research.



TABLE OF CONTENTS

		Page
	ACKNOWLEDGEMENTS	iii
	LIST OF TABLES	viii
	LIST OF FIGURES	ix
	LIST OF ABBREVIATIONS	xii
	ABSTRACT	xiv
	ABSTRAK	xvii
 CHAPTER		
I	INTRODUCTION	1
	Introduction	1
	Problem Statement	4
	Objective of Study	8
	Scope of Study	8
	Solution Strategy	9
	Thesis Organisation	10
II	LITERATURE REVIEW	12
	Education on the Internet	13
	Virtual Reality (VR) Defined	17
	VR System	19
	VR as an Educational Tool	25
	Theories	25
	Advantages	28
	Disadvantages	33
	Other Issues	35
	Identified Areas of Application	36
	Factors Affecting the Use of VR in Education	37
	Comparative Three-Dimensional Formats on the Web	38
	QuickTime VR	38
	ActiveVRML/ActiveX Animation	39
	OpenFlight	40
	Virtual Reality Modeling Language (VRML)	40
	VRML Browsers	47
	Related Work	49
	Summary	59
III	METHODOLOGY	62
	Conceptual Framework	62
	Three-Dimensional (3-D) Object	63
	Manoeuvring/Navigation	65



	Behaviour	67
	Collision Detection	69
	Three-Dimensional (3-D) Spatial Sound	70
	Texture	70
	Hotspot	71
	External Resource/Application	72
	Interface	72
	VE Development Approach and Phases	72
	Summary	76
IV	VE DESIGN AND IMPLEMENTATION	77
	The Importance of VE Design	77
	Issue of Mimicry	78
	Spatiality	79
	Virtuality	83
	Representation	85
	Before Embarking on VE Construction	86
	VE Development Phases	86
	Planning	87
	Designing	90
	Building	115
	Programming	127
	Testing and Experiencing	132
	Summary	133
V	RESULTS AND DISCUSSIONS	134
	Results	135
	Architecture of a Typical CPU Model	135
	Virtual Physics Laboratory Model	142
	Discussions	149
	Issue of Incompatibility	149
	Findings and Limitations	151
	Summary	156
VI	CONCLUSION	158
	Summary	158
	Conclusion	160
	Suggestions	162
	Future Work	162
	Future Direction of VRML	163
	BIBLIOGRAPHY	165



APPENDICES

A	Current and Future Non-Immersive (Desktop) VR System	172
B	Configuring VRML Browser as Helper Application	173
C	Embedding VRML in HTML and The Use of EAI	175
D	Configuring the HTTP Server to Host VRML Files	176
VITA	177



LIST OF TABLES

	Page
Table 1 : Main Features, Strength and Weaknesses of Different Categories of VR System	24
Table 2 : VRML Field Access Types	44



LIST OF FIGURES

	Page
Figure 1 : Present and Enhanced Internet-based Education and Their Relationship with the Real Learning Environments	6
Figure 2 : Overview Functional Decomposition of a VR System	21
Figure 3 : Functional Decomposition of a VR System	23
Figure 4 : Relationship Between Scene Entities, Their States and Their Behaviours	46
Figure 5 : Active Site of the P450 Enzymes In Ball-And-Stick Representation	52
Figure 6 : Setting the Mathematical Attributes for the Surface to be Drawn	53
Figure 7 : An example of the Resulting Mathematical Surface	53
Figure 8 : Matthew Lewis' Dennett's Dream	54
Figure 9 : Global Warming Phenomena Model	55
Figure 10 : Vari House as Excavated	56
Figure 11 : Tomb of Menna	56
Figure 12 : Mars Pathfinder Landing Site	57
Figure 13 : Irish Space Project	58
Figure 14 : HomeWorld from Blaxxun Interactive	59
Figure 15 : Conceptual Framework	64
Figure 16 : Unidirectional and Bi-directional Interaction	68
Figure 17 : Scene-based VE Development Approach and VE Development Phases	74
Figure 18 : VE Development Phases	88

Figure 19 : Storyboard for the Entry View of the Architecture of a Typical CPU Model	93
Figure 20 : Top-Level Scene Graph for the Architecture of a Typical CPU Model	96
Figure 21 : Front View of the Architecture of a Typical CPU Model	104
Figure 22 : Left View of the Architecture of a Typical CPU Model	105
Figure 23 : Right View of the Architecture of a Typical CPU Model	105
Figure 24 : Top View of the Architecture of a Typical CPU Model	106
Figure 25 : Scene Graph for Processor Model	108
Figure 26 : Scene Graph for Floppy Drive Model	111
Figure 27 : Scene Graph for Floppy Disk Model	114
Figure 28 : Cartesian Coordinate System in VRML	120
Figure 29 : Example of Static Behaviour - Guided Tour in the Architecture of a Typical CPU Model	126
Figure 30 : Script Node as a Gateway to the Script Code and its Relationship with Other VRML Nodes	129
Figure 31 : Relationship between the Java Applet, the EAI and the VRML Scene	130
Figure 32 : Personal Computer Model	136
Figure 33 : The Architecture of a Typical CPU Model (Front/Opening View)	136
Figure 34 : Processor	137
Figure 35 : Floppy Drive	138
Figure 36 : Diskette	138
Figure 37 : Choosing the RAM Viewpoint	139
Figure 38 : RAM Viewpoint	140



Figure 39	Virtual Physics Laboratory Model (Front/Opening View)	142
Figure 40	Pendulum	143
Figure 41	Humpty-Dumpty and Toy	143
Figure 42	Table of Data	145
Figure 43	Graph Analysis Window	146
Figure 44	Graph P2 Versus l	146
Figure 45	Virtual Physics Laboratory 's Help Window	147
Figure 46	Current Non-Immersive (Desktop) VR System	172
Figure 47	Future Non-Immersive (Desktop) VR System	172
Figure 48	General Preferences Menu	173
Figure 49	Helpers Dialogue Box	174

LIST OF ABBREVIATIONS

2-D	-	Two-dimensional.
3-D	-	Three-dimensional.
AWT	-	Abstract Windowing Toolkit.
BOF	-	Birds-Of-a-Feather.
CGI	-	Common Gateway Interface.
COTF	-	Classroom Of The Future.
CSCW	-	Computer-Supported Cooperative Work.
DIS	-	Draft for International Standard.
EAI	-	External Authoring Interface.
FTP	-	File Transfer Protocol.
GUI	-	Graphical User Interface.
HITL	-	Human Interface Technology Lab.
HMD	-	Head Mounted Display.
HTML	-	HyperText Markup Language.
HTTP	-	HyperText Transfer Protocol.
JDK	-	Java Developer's Kit.
JSAI	-	Java Script Authoring Interface.
MOO	-	Multi-User Object-Oriented Environment.
MUD	-	Multi-User Domain.
NASA	-	National Aeronautics and Space Administration.
NCSA	-	National Center for Supercomputer Applications.



RFP	-	Request-For-Proposals.
SDSC	-	San Diego Supercomputer Center.
SGI	-	Silicon Graphics Incorporation.
UI	-	User Interface.
VE	-	Virtual Environment.
VR	-	Virtual Reality.
VRML	-	Virtual Reality Modeling Language.
WAIS	-	Wide Area Information Servers.
WWW/Web	-	World Wide Web.



ABSTRACT

Abstract of thesis presented to the Senate of Universiti Putra Malaysia in fulfilment of the requirements for the degree of Master of Science.

VIRTUAL REALITY IN ENHANCING INTERNET-BASED EDUCATION

By

SU MOON TING

July 1998

Chairman: Dr. Md Yazid Mohd Saman

Faculty: Science and Environmental Studies

Until recently, Internet-based education is fundamentally two-dimensional (2-D). This difference from the three-dimensional (3-D) world that human beings experience and learn provokes that 3-D learning environments should be included into the Internet-based education. It is envisaged that Virtual Reality (VR) has the capability to provide for the 3-D learning environments.

The objectives of this study are to investigate the capability of VR in enhancing Internet-based education and to investigate the process of VR model or Virtual Environment (VE) development. As Virtual Reality Modeling language (VRML) is the non-proprietary 3-D format to represent VR on the Internet and its current version (2.0) enables dynamic, interactive models to be developed these



boiled down to investigate the capability of VRML2.0 in enhancing Internet-based education and the process of VR model/VE development using VRML2.0.

A conceptual framework for developing VE on the Web for education purposes is proposed. It describes the various components, which can constitute a VR model and can be used as a guideline in identifying the functionalities that can be included in a VE.

Scene-based VE development approach is proposed and adopted in developing the two VEs in this study. Five distinctive phases are identified for the VE development (Planning, Designing, Building, Programming, Testing and Experiencing) and they fit nicely into this approach. The conceptual framework can be used in the planning and the designing phases of the VE development.

The two VRML models developed i.e. the Architecture of a Typical CPU model and the Virtual Physics Laboratory model show encouraging results despite of certain limitations. They serve as experiential 3-D learning environments because of the direct interaction and the sense of immersion that they provided. Observation from the Virtual Physics Laboratory model shows that VRML2.0 has problems in modelling time-critical educational topics accurately.

Despite the presence of certain limitations in using VRML2.0 to simulate real learning environments, VR models provide alternative learning environments which are interactive and inherently 3-D. By integrating the 3-D VR learning

environment into the existing 2-D environment, learner previous encounters with the 2-D learning environment can be augmented with a whole new experience of interactive 3-D computer-generated worlds. The confluence of the strength of both the environments on the Web produces the synergism that enhances Internet-based education.



ABSTRAK

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia sebagai memenuhi keperluan untuk ijazah Master Sains.

KENYATAAN MAYA DALAM MENINGKATKAN MUTU PENDIDIKAN BERASASKAN INTERNET

Oleh

SU MOON TING

Julai 1998

Pengerusi: Dr. Md Yazid Mohd Saman

Fakulti: Sains dan Pengajian Alam Sekitar

Sehingga kini, pendidikan berasaskan Internet adalah pada dasarnya dua dimensi (2-D). Perbezaan ini daripada dunia tiga dimensi (3-D) yang manusia alami dan pelajari menyeru persekitaran pembelajaran 3-D diturutsertakan ke dalam pendidikan berasaskan Internet. Kenyataan Maya (VR) dijangka mempunyai kebolehan untuk menyediakan persekitaran pembelajaran 3-D tersebut.

Objektif kajian ini adalah untuk mengkaji kebolehan VR dalam meningkatkan mutu pendidikan berasaskan Internet dan untuk mengkaji proses pembangunan model VR atau persekitaran maya (VE). Memandangkan *Virtual Reality Modeling Language* (VRML) merupakan format 3-D yang bukan hakmilik mana-mana pihak untuk mewakili VR pada Internet and versi terkini iaitu 2.0



membolehkan model yang dinamik dan interaktif dibangunkan, maka skop kajian ini dikecilkan kepada penyelidikan tentang kebolehan VRML2.0 dalam meningkatkan mutu pendidikan berasaskan Internet dan proses pembangunan model VR/VE dengan menggunakan VRML2.0.

Satu rangkakerja konsep untuk membangunkan VE pada *Web* untuk tujuan pendidikan telah dikemukakan. Ia menerangkan tentang pelbagai komponen yang boleh membentuk sesuatu model VR dan boleh digunakan sebagai garis panduan dalam mengenalpasti fungsi-fungsi yang boleh dimasukkan ke dalam sesuatu VE.

Pendekatan *scene-based* dalam pembangunan VE telah dikemukakan dan digunakan dalam membangunkan dua VE untuk kajian ini. Lima fasa yang berlainan telah dikenalpasti terlibat dalam pembangunan VE (Perancangan, Rekabentuk, Pembinaan, Pengaturcaraan, Pengujian dan Pengalaman) dan kesemuanya boleh dipadankan dengan baiknya ke dalam pendekatan ini. Rangkakerja konsep boleh digunakan dalam fasa perancangan dan fasa rekabentuk dalam pembangunan VE.

Dua model yang dibangunkan iaitu model Senibina untuk CPU dan model Makmal Fizik Maya menunjukkan keputusan yang memuaskan walaupun wujud beberapa kekangan. Model-model ini boleh digunakan sebagai persekitaran pembelajaran 3-D experimentasi kerana terdapat interaksi langsung dan suasana penyelaman. Pengamatan daripada model Makmal Fizik Maya menunjukkan

bahawa VRML2.0 mengalami masalah dalam memodelkan secara tepat tajuk pendidikan di mana masa adalah elemen yang kritikal.

Walaupun terdapat batasan dalam menggunakan VRML2.0 untuk mensimulasi persekitaran pembelajaran yang sebenar, model-model VR menyediakan persekitaran pembelajaran alternatif yang interaktif dan 3-D. Dengan mengintegrasikan persekitaran pembelajaran 3-D ke dalam persekitaran 2-D yang sedia wujud, pengalaman lepas pelajar dengan persekitaran pembelajaran 2-D boleh ditambah dengan satu pengalaman baru dunia 3-D interaktif yang dihasilkan oleh komputer. Penggabungan kekuatan kedua-dua persekitaran pada *Web* ini, menghasilkan kuasa gabungan yang meningkatkan mutu pendidikan berasaskan Internet.

CHAPTER I

INTRODUCTION

Introduction

The Internet or the Net has long been recognised as a global communication and information distribution channel. Its fundamental nature of connecting network of networks distributed around the globe makes it the largest and most powerful repository of information that man ever had. In June 1997 there is only a handful of countries having no connectivity to the Internet (Landweber, 1997).

The Net is experiencing exponential growth ever since its conception and Comer estimated that the Internet will outpace world-wide production of computers (Comer, 1995). This pattern of growth is attributed to its ability as a communication tool. The Internet offers two modes of communication namely synchronous and asynchronous (McLellan, 1996). Synchronous communication occurs instantaneously in real-time where all the participants are present at their respective locations (for example on-line chat spaces). Contrarily, asynchronous communication is delayed at the receiver's end (for example e-mail). These two modes of communication make the Net extremely powerful in collaborating activities.



In 1989, the growth of Internet was given a further boost by the work led by Tim Berners-Lee at CERN, a particle Physics laboratory in Geneva, Switzerland. They managed to develop the World Wide Web (WWW or Web) (Liu et al., 1994). As the result, more and more functionalities are being added to the Internet continuously. Accessing on-line information which was previously restricted to the academic community is becoming increasingly natural and essential for the global population as a whole as well as in our community. The impact of this situation is beginning to be felt in every facet of our life, i.e. socially, economically and politically.

The Web provides the Internet users with a uniform and convenient means of accessing the vast resources of the Net. Apart from providing HyperText Transfer Protocol (HTTP) the Web also supports other existing forms of information services on the Internet (Lemay, 1995). These include File Transfer Protocol (FTP), Gopher, Usenet news, Wide Area Information Servers (WAIS), telnet and e-mail. Whereas the user once needed a FTP client to access FTP archives, a WAIS client to search WAIS servers and Gopher client to get to the Gopher servers, a Web client/browser provides access to all of these services.

Starting from the release of Mosaic i.e. the world first graphical Web browser, by National Center for Supercomputer Applications (NCSA) at the University of Illinois in 1993 the Web has become the most graphical Internet service (Liu et al., 1994). Other well-known graphical browsers include Netscape Communications Corporation's Navigator (Netscape Communications Corporation, 1998) and Microsoft's Internet Explorer (Microsoft Corporation, 1998). The Web



also has the most powerful linking abilities among all the services provided by the Internet. It enables *hyperlinking* (embedded reference to other information) from any point in a document to any point in the document itself or another document which may exist on any other computer host on the Internet. With a Graphical User Interface (GUI)-based browser, links are followed with the simple action of pointing and clicking with a pointing device. This node-link technique for navigating and finding information on the Web is alluring although larger size of information poses some difficulties (Andrews et al., 1995).

The most prominent feature that contributes to the Web's popularity is: as a hypermedia information system (Lemay, 1995) it provides the ability to link and integrate different media types on the same document thus making representation of information on the Web aesthetically appealing. This coupled with the existence of GUI-based Web browsers enable the distribution of multimedia information on the Internet. To experience the multimedia effects the user's computer must of course be equipped with multimedia capabilities.

Furthermore, publishing information on the Web using the easy-to-learn-and-use HyperText Markup Language (HTML) is trivial and encouraging. However, the quality of the presentation of the information depends very much on the expertise and the creativity of the content providers. Besides that, all forms of previously printed and electronically recorded information can be converted for distribution via the Web. As the information is stored electronically and on-line, updates can be performed regularly and the distribution of information is less costly.

Problem Statement

Despite the ability to produce attractive and beneficial learning environments, the Internet until recently is not capable of providing learning environments which mimic the real learning environments due to the fact that all the information presented are two-dimensional (2-D) even with its most graphical information service i.e. the Web. This disparity from the three-dimensional (3-D) world that human beings experience and thus learn in the daily lives provokes that 3-D learning environments should be included into the Internet-based education together with other existing forms of information. The best tool at hand to simulate the learning environments in 3-D electronic forms undoubtedly points to the technologies of Virtual Reality (VR).

VR refers to the collective technologies which are aim at producing a natural, inherently 3-D, human-conformed computer interface which has the ability to stimulate every aspect of the human senses. This ultimate ambition is still undergoing extensive researches despite of all the hypes produced by the media agencies. However, fiction did actually preceded fact in the evolution of VR technologies. Some novelists (such as William Gibson in his *Neuromancer*, 1984 and Neal Stephenson in his *Snow Crash*, 1992) have the fanciest dream : in the future, humans can plug into an electronic network that spans the globe i.e. *cyberspace* (Rheingold, 1991).

With the advent of computer graphics technologies and the advances in computer hardware plus the explosive growth of Internet specifically the Web the time was ripen to realise the dream of cyberspace. In the first international conference of WWW in Geneva, May 1994 the first effort of incorporating VR into the Internet specifically the WWW appeared in the form of the proposal to establish a logical format for non-proprietary platform-independent VR i.e. Virtual Reality Markup Language (VRML). The “Markup” was later changed to “Modeling” since storing 3-D models was what VRML was all about (Matsuba & Roehl, 1996).

As VR has the ability to simulate the real physical world and also non-existence world the incorporation of VR into the Internet for education purposes helps to create 3-D learning environments that resemble the real learning environments which are lack in the present Internet-based education. By simulating real physical environments which may not be accessible by the learner (because of too distance, too expensive etc.) learner will be provided with alternative learning environments. Non-existence environments can also be modelled using relevant data to give the learner a whole new paradigm and experience in learning.

User’s or learner’s previous encounters with the passive 2-D documents will be augmented with a whole new experience of interactive 3-D computer-generated worlds. This is achievable using VRML which at its best is a non-proprietary standard and permits the integration of 3-D interactive data into the existing hypermedia environment.

