

CUBIC TUNGSTEN CARBIDES: SYNTHESIS AND LATTICE CONSTANT CONTROL¹

*A.YA. PAK**, *A.A. SIVKOV***, *K.N. SHATROVA***, *I.I. SHANENKOV***

**Tomsk Polytechnic University, Lenina Avenue, 30, Tomsk, 634050, Russia, ayapak@tpu.ru, 8-3822-701777 add 1064*

***Tomsk Polytechnic University, Lenina Avenue, 30, Tomsk, 634050, Russia*

Tungsten carbide is useful material for cutting, drilling, milling tools and for catalytic systems due to extreme hardness, high temperature resistance and catalytic activity [1-3]. Cubic tungsten carbide was synthesized by hyper high speed W-C plasma jet [4]. The cubic WC_{1-x} phases characterized by different lattice parameters were detected by XRD. Also powders contained small amount of tungsten carbide W₂C, tungsten W and graphite gC. The influence of precursor mass (m), its C/W ratio and energy input (E) on the lattice parameter (a) of synthesized cubic structure is shown. The modern literature analysis demonstrates the evidence of two cubic WC_{1-x} lattices characterized by different dependence of lattice constants as a function of C/W ratio.

REFERENCES

- [1] *V.P. Bondarenko, I.V. Andreyev, I.V. Savchuk, O.O. Matviichuk, O.V. Ievdokymova, A.V. Galkov // International Journal of Refractory Metals and Hard Materials. – 2013. – 39. 18-31.*
- [2] *X. Ren, H. Miao, Zh. Peng // International Journal of Refractory Metals and Hard Materials. – 2013. – 39. 61-77.*
- [3] *S. Aravinth, B. Sankar, M. Kamaraj, S.R. Chakravarthy, R. Sarathi // International Journal of Refractory Metals and Hard Materials. – 2012. – 33. 53-57.*
- [4] *A. Pak, A. Sivkov, I. Shanenkov, I. Rahmatullin, K. Shatrova. // International Journal of Refractory Metals and Hard Materials. – 2015. – 48. 51-55.*

¹ This work was supported by Russian Federation President's fellowship