Bond University Research Repository



Journalists' views on media coverage of medical tests and overdiagnosis: a qualitative study

O'Keeffe, Mary; Nickel, Brooke; Dakin, Thomas; Maher, Chris G; Albarqouni, Loai; McCaffery, Kirsten; Barratt, Alexandra; Moynihan, Ray

Published in: BMJ Open

DOI:

10.1136/bmjopen-2020-043991

Published: 01/06/2021

Document Version: Publisher's PDF, also known as Version of record

Licence: CC BY-NC

Link to publication in Bond University research repository.

Recommended citation(APA):

O'Keeffe, M., Nickel, B., Dakin, T., Maher, C. G., Albarqouni, L., McCaffery, K., Barratt, A., & Moynihan, R. (2021). Journalists' views on media coverage of medical tests and overdiagnosis: a qualitative study. *BMJ Open*, 11(6), [e043991]. https://doi.org/10.1136/bmjopen-2020-043991

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

Download date: 18 Jun 2021

BMJ Open Journalists' views on media coverage of medical tests and overdiagnosis: a qualitative study

Mary O'Keeffe , 1 Brooke Nickel , 2,3 Thomas Dakin , 2,3 Chris G Maher , 1 Loai Albarqouni , 4 Kirsten McCaffery , 2,3 Alexandra Barratt , 2 Rav Movnihan 6 4

To cite: O'Keeffe M, Nickel B, Dakin T. et al. Journalists' views on media coverage of medical tests and overdiagnosis: a qualitative study. BMJ Open 2021;11:e043991. doi:10.1136/ bmjopen-2020-043991

Prepublication history and additional online supplemental material for this paper are available online. To view these files, please visit the journal online (http://dx.doi.org/10. 1136/bmjopen-2020-043991).

Received 19 August 2020 Accepted 18 May 2021



@ Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BM.J.

¹Institute for Musculoskeletal Health, The University of Sydney, Sydney, New South Wales, Australia

²Sydney School of Public Health. University of Sydney, Sydney, New South Wales, Australia ³Sydney Health Literacy Lab, Sydney School of Public Health, Faculty of Medicine and Health. The University of Sydney, Sydney, New South Wales, Australia

⁴Institute for Evidence-Based Healthcare, Bond University, Gold Coast, Queensland, Australia

Correspondence to

Dr Mary O'Keeffe: mary.okeeffe@sydney.edu.au

ABSTRACT

Objective Promotional media coverage of early detection tests is an important driver of overdiagnosis. Following research evidence that global media coverage presents the benefits of testing healthy people far more frequently than harms, and gives little coverage to overdiagnosis, we sought to examine journalists' views on media reporting of tests, overdiagnosis, and strategies to improve critical reporting on tests.

Design Qualitative study using semistructured telephone interviews. Interviews were conducted between February and March 2020 and were audiorecorded and transcribed verbatim. Framework thematic analysis was used to analyse the data.

Participants and setting Twenty-two journalists (mainly specialising in health reporting, average 14.5 years' experience) based in Australia.

Results This sample of journalists acknowledged the potential harms of medical tests but felt that knowledge of harms was low among journalists and the public at large. Most were aware of the term overdiagnosis, but commonly felt that it is challenging to both understand and communicate in light of strong beliefs in the benefits of early detection. Journalists felt that newsworthiness in the form of major public health impact was the key ingredient for stories about medical tests. The journalists acknowledged that factors, like the press release and 'click bait culture' in particular, can influence the framing of coverage about tests. Lack of knowledge and training, as well as time pressures, were perceived to be the main barriers to critical reporting on tests. Journalists felt that training and better access to information about potential harms would enable more critical reporting.

Conclusions Effectively communicating overdiagnosis is a challenge in light of common beliefs about the benefits of testing and the culture of current journalism practices. Providing journalists with training, support and better access to information about potential harms of tests could aid critical reporting of tests.

BACKGROUND

Advances in early detection testing through diagnostic technology, screening programmes, biomarkers, artificial intelligence and self-tracking technologies such as the Apple Watch are increasingly aimed at

Strengths and limitations of this study

- ► This is the first study to explore Australian journalists' views on the reporting of medical tests and overdiagnosis.
- The findings will help inform strategies to improve critical reporting on medical tests and communicate better about overdiagnosis.
- Our sample comprised mainly health-specific journalists with an interest in taking part in the study and may not be representative of all journalists.
- It remains unclear if the journalists' knowledge of how to critically report on tests translates into critical reporting in practice.

healthy people to detect a potential disease prior to the onset of symptoms. 1-5 While early detection tests may have benefits for those with a potentially serious disease, there is considerable evidence that unnecessary testing can harm healthy people through overdiagnosis.^{6–8} Overdiagnosis occurs when individuals are labelled with a technically correct diagnosis that does not improve health outcomes. 9 10 It is now widely recognised as a threat to human health and health system sustainability. 9 11-16

Many possible drivers of overdiagnosis have been documented. The media, through promoting early detection tests to healthy individuals, is considered an important driver. 15 A recent cross-sectional study 17 of global media coverage—including over a thousand media stories about five early detection tests (three-dimensional mammography for breast cancer, liquid biopsy for cancers, Apple Watch for atrial fibrillation, blood biomarker tests and artificial intelligence technology for dementia)-found that the potential benefits of testing were presented far more frequently than potential harms. The risk of overdiagnosis was mentioned in very few stories. These findings align



with published studies of media coverage of health and medicine, which have found that the media emphasise potential benefits more than harms. The COVID-19 pandemic—in particular—has brought this problem into sharp focus. Many media outlets have hyped the effect of anti-viral drugs on the basis of small, industry-funded, uncontrolled studies—potentially hampering treatment evaluation efforts and responses to the pandemic. 22

The media's often unrealistic and over-optimistic expectations about the value of early detection tests is a cause for concern for four main reasons. First, the general public, and patients, already tend to overestimate the benefits of early detection 23–25 and uncritical media coverage can reinforce these perceptions. Second, few individuals seem to be aware of the potential harms of early detection and overdiagnosis. Third, there is evidence that tests are already widely overused. And fourth, media coverage can influence patterns of health-care utilisation—with positive coverage of a test or treatment associated with increases in utilisation (eg, see box 1).

Given the powerful role that the media can play in perpetuating the present lack of awareness of the downsides of testing, including overdiagnosis, and in shifting public health behaviours, strategies to improve media reporting of tests and overdiagnosis are needed. While there is a considerable scientific literature on how the media frames different health issues, less attention has been given to hearing journalists' perspectives on media coverage of medical tests and overdiagnosis. To our knowledge, one qualitative study³³ has previously examined US journalists views of media coverage of overtreatment. The sample of journalists in this study nominated overtesting (eg, cancer screening) as an important driver of overtreatment. However, no study has examined journalists' specific perspectives of new tests, and their benefits and harms. This study sought to redress this knowledge gap.

METHODS AND ANALYSIS Study design

This qualitative study used semistructured telephone interviews to explore journalists experience of, and attitudes to, reporting on medical testing, overdiagnosis and strategies to improve media coverage of both tests and overdiagnosis. It was designed and reported according to the Consolidated Criteria for Reporting Qualitative Research. ³⁴ See online supplemental file 1 for the study protocol.

Participants and recruitment

Participants were 22 Australia-based journalists. Both health journalists and generalist journalists across any type of media were included. To be eligible, participants needed to be currently working as a journalist in Australia, be able to communicate in English (both orally and in written form) and be able to give informed consent. Ability to read and understand English were key

Box 1 The power of the media

- Media coverage of Kylie Minogue's breast cancer diagnosis in Australia in May 2005 led to a 20-fold increase in media coverage about breast cancer, with a particular emphasis on how young women can get breast cancer and the importance of early detection.³²
- ▶ Bookings for mammograms as part of government-sponsored BreastScreen programmes across Australia rose 40% during the 2 weeks of the coverage, and there was a 101% increase in nonscreened women in the eligible age group (40–69 years). Six weeks after the coverage, bookings stayed more than a third higher in nonscreened women.³²

inclusion criteria for the study because the interview was conducted in English. There were no restrictions on the age or gender of participants.

Journalists were purposively recruited through three different avenues: (1) There was journalism expertise in the author team (RM) and personal contacts played a role in the initial development of a list of potential participants to contact; (2) One author (MO) performed Google and Twitter searches to locate potentially eligible journalists. If a journalist had publicly available contact information, they were emailed about the study and; (3) Active 'snowball' recruitment was used by asking participating journalists to suggest other eligible journalists they believed would be interested in being involved.

All potential participants were emailed a participant information sheet outlining aims and important information about the study. Those interested in taking part returned a consent form to researchers through email and were contacted to arrange an interview.

Data collection

An interview schedule (online supplemental file 2) was developed, discussed and piloted by the research team. The research team have expertise across public health (MO, BN, TD, CM, LA, KM and AB), epidemiology (AB and LA), psychology (KM), health communication (MO, BN, KM and AB), overdiagnosis (MO, BN, TD, LA, CM, KM, AB and RM) and journalism (AB and RM). The telephone interviews were conducted by four researchers (MO, BN, TD and RM) between February and March 2020. Interviews lasted approximately 45 min, and were audiorecorded and transcribed verbatim. The interviewers took notes during the interviews to highlight key themes emerging from the interviews and direct further questioning (eg. explore a point raised by the journalist). This information enabled the interviewer to summarise back to the journalist at the end of the interview and give them an opportunity to provide further information.

Data analysis

The interview data were analysed using Thematic Framework Analysis. Microsoft Excel was used to organise the data to capture the views expressed by the journalists. The first step was familiarisation of the data, where one researcher (MO) independently reviewed the transcripts



and developed a list of emerging themes arising from the transcripts. Those themes along with the interview schedule (online supplemental file 2) formed the structure of the coding framework. An additional three researchers (BN, TD and RM) then read a subset of transcripts and reviewed the coding framework and necessary changes or additions to the framework were discussed and made. Once the coding framework was finalised, one researcher (MO) coded all of the interviews into the coding framework, and an additional researcher (BN) independently double-coded a random 20% of the interviews. Differences in the coding between the two researchers were discussed and resolved.

Patient or public involvement

Patients or the public were not involved in the design, or conduct, or reporting, or dissemination plans of our research.

RESULTS

Journalist characteristics are shown in table 1.

The results of the analysis of the interview data are organised around seven main themes: (1) Readers' interest in medical tests; (2) Ingredients of a 'good' news story; (3) Journalists' knowledge of potential harms of medical tests; (4) Factors influencing the framing of media coverage on tests; (5) Barriers to critical coverage of medical tests; (6) Enablers of critical coverage of medical tests and; (7) Interest in a training intervention. See online supplemental file 3 for extra journalist quotes relating to each theme.

Readers' interest in medical tests

The vast majority of journalists felt that stories about medical tests are popular among readers, particularly where the test relates to a common or serious health condition, like cancer and inheritable conditions.

"the concept of being able to detect disease in someone who might be unknowingly walking around with a ticking time bomb in their chest or blood stream is really compelling" (J7, 6 years' experience)

The public's enthusiasm for technology to catch a health issue early was mentioned by some journalists.

Ingredients of a 'good' news story

Public health impact was deemed the most important ingredient for reporting on a test by most journalists. Impact was frequently explained in terms of positive changes in the management of a common condition.

"how big is this step forward or, you know, how soon will it be introduced to patients, or practically speaking what does it change for them ... so I guess always having that patient lens in mind." (J22, 3 years' experience)

Peer-reviewed research as a prerequisite for reporting on a medical test was acknowledged by the vast majority

Ohavastavistisa	No of journalists
Characteristics	(n=22)
Type of journalist	
Health	14 (63.6%)
Science (including health)	6 (27.3%)
General	2 (9.1%)
Gender	
Male	4 (18.2%)
Female	18 (81.8%)
Years of experience	
<5	3 (13.6%)
5–10	9 (40.9%)
11–20	2 (9.1%)
21–25	2 (9.1%)
>30	6 (27.3%)
Workplace setting	
The Australian Broadcasting Corporation (ABC)	8 (36.4%)
Freelance	6 (27.3%)
Online and print newspaper (Sydney Morning Herald)	3 (13.6%)
Health website (Medical Republic)	2 (9.1%)
Not-for-profit media outlet accepting stories from academics (The Conversation)	2 (9.1%)
Online newspaper (New Daily)	1 (4.5%)
Peer-reviewed journal (Medical Journal of Australia)	1 (4.5%)
Level of health story reporting	
A lot (writes health articles on most days)	18 (81.8%)
Some (every second week)	2 (9.1%)
Very little (less than once a month)	1 (4.5%)
History of reporting on medical tests	
Yes	16 (72.7%)
No	4 (18.2%)
Unsure	2 (9.1%)
History of training in understanding medical	evidence
Yes	7 (31.8%)
No	15 (68.2%)
Approached to report on medical tests	
Yes	15 (68.2%)
No	7 (31.8%)

The ABC provides radio, television and online services. The majority of ABC employed journalists in this study perform online and radio roles. The participants from The Conversation and The Medical Journal of Australia are journalists/editors who select, steer and edit news stories and submitted articles. They have former roles in mainstream media. Most of the journalists were based in major population regions such as Sydney, Melbourne, Gold Coast and Perth.

of journalists. Very few elaborated on the importance of the quality of the research (eg. the likelihood of bias). Many journalists said they seek independent comment



on tests from trustworthy sources like a university, and some journalists said they would seek clarification on vested interests before reporting on a test. Four journalists explicitly said they would ask about vested interests, including financial gain from promoting and/or selling the test.

Knowledge of potential harms of medical tests

The vast majority of journalists acknowledged the potential harms of medical tests, and mostly referred to the harms of screening for prostate and breast cancers, such as unnecessary testing, unnecessary treatments and anxiety. All journalists except one were aware of the term overdiagnosis. A few had a deeper understanding.

"Like my understanding of that is that you often will have people diagnosed with something, and they know they've got it but it's not going to actually affect them. If they'd never had the test they would never have known and they'd have lived a happy healthy life." (J13, 6 years' experience)

Most journalists felt that knowledge of harms was low among the public and journalists in general due to frequent exposure to messaging about the benefits and importance of early testing. Several journalists felt that overdiagnosis was a difficult concept for readers to understand.

"I think generally there appears to be an attitude, certainly in a country like Australia, that public health screening is a very important public health measure. And that the more screening you do, the better. You know, I can't remember a campaign ever that was trying to get people to not go to the doctor (laughs)" (J6, 6 years' experience)

Only a small number of journalists viewed it as important to get information on safety concerns or potential side effects of a test before writing a story.

Factors influencing the framing of media coverage

The power of the press release to influence coverage was acknowledged by most journalists. A small number of journalists suggested that a journalist's control over using the press release may be low depending on overall priorities for news content within the organisation.

"It's like here's the story, here's the new product, here's the patient, his life has been saved or changed or altered. You know, here's how many people it's going to save, here's our expert. You know, it's a real parcel." ([1, 20 years' experience)

Click bait (sensationalised titles designed to attract readers to click on stories) was mentioned by most journalists and was perceived to have downsides. However, a few journalists acknowledged that click bait can be driven by systemic issues which may be hard to modify. These include attempts to keep content interesting and obtain funding.

"if you can get a big headline out of it, if you can turn it into click bait, all the better. And I think that's the danger. I mean I saw something the other day about some cancer test that's going to be a breakthrough, and it had only just, you know, made it to rat trials." ([8, 32 years' experience)

Most journalists acknowledged the potential for commercial interests to influence the media coverage of tests. About half of the journalists commented on a lack of training and experience, particularly among young generalist journalists, as a contributor to the framing of media coverage. A minority of journalists stated that many journalists are tempted to report very good or very bad news as it was felt that extremes in news coverage are more attractive to readers.

Barriers to critical coverage of medical tests

Lack of knowledge and experience of the medical evidence and harms was perceived to be the biggest barrier to improving coverage on medical tests by most journalists. Knowledge was generally in relation to reading research, and knowing the right questions to ask (eg. about commercial interests). Some journalists said that lack of knowledge and experience was compounded by the reduction in the number of specific health journalists.

"When it comes to screening tests, I would say the knowledge around the potential pitfalls of screening or over screening is not well known or understood. I think that applies to the general population but I also think that probably applies to journalists as well." ([6, 6 years' experience)

Most journalists mentioned time pressure as a significant barrier to critical reporting and often stated they themselves were fortunate to have time available to research a story.


Several journalists stated that access to trustworthy experts for independent comment was a real problem for their reporting. If a press release did not come with an independent comment, journalists often lacked the time to find one. Some felt it was difficult to access experts on certain health topics. Researcher availability was also mentioned as an issue. Specifically, it was difficult to speak with certain researchers as they may not answer calls/emails.

A small number of journalists said they tended to feel uncomfortable talking about harms including overdiagnosis as they can be difficult to communicate, and have potential to provoke unpleasant emotions in people who may be affected by a health condition (eg, cancer).

"I tend to be a bit hesitant to report on the dangers of overtesting and overdiagnosing when the proponents of these tests have such powerful and personal stories to tell." (J7, 6 years' experience)

Enablers of critical coverage of medical tests

The provision of journalist training was viewed as important to improve the critical coverage of tests by most journalists. They felt training should mainly focus on learning how to critically appraise research and press releases, understand statistics, and knowing the questions to ask about a test.



Some journalists felt it was important for institutions like universities or government agencies to improve the quality of communication of the evidence. Common suggestions were improving press release quality to include conflict of interests and funding, and avoiding overstatements of findings.

Most journalists felt that researchers and national bodies (eg. Cancer Council) need to better communicate the harms of testing to journalists. This includes initiating stories, providing information about harms, as well as listing harms on websites where readers could find out more.

Interest in a training intervention

All journalists expressed an interest in training. The journalists were quite evenly split in terms of preferences for face-to-face, online or combined face-to-face and online training. All journalists highlighted the importance of keeping the training short in duration and most liked the idea of resources and ongoing support. Frequent suggestions were checklists, access to expertise for comment, fact-checking and reminders.

"And then I also think that a resource that would be useful, something you can take away like an at a glance kind of 'don't forget these five things'. Something that's, they can then sort of stick on their desk..." (J13, 6 years' experience)

DISCUSSION **Summary of key findings**

The findings from this interview study suggest that many journalists may be aware of the potential harms of medical tests such as overdiagnosis, but they commonly view information about harms as difficult to access and communicate. Knowledge of harms such as overdiagnosis, however, was perceived to be low among the public and journalists at large yet important and interesting. In particular, overdiagnosis was viewed as a counterintuitive concept for many, given prominent public health efforts to promote the benefits of early detection. The journalists identified a number of factors that influence coverage and present challenges to improving critical reporting on tests. Journalists were engaged by the idea of receiving training and support.

Comparison to existing literature

Our findings align with a number of other qualitative and survey studies of journalists that newsworthiness, time pressures, click bait and a lack of medical knowledge are important factors in both influencing media coverage of health topics and attempts to change coverage. 35–38 Views on the power of the press release are supported by quantitative data showing that the quality of the press release is associated with the quality of the subsequent medical news reporting,^{39 40} and that journalists frequently rely on press releases for story ideas.⁴¹ The problems with press releases have been highlighted again during the COVID-19 pandemic through the media's reliance on potentially unreliable preprints, or preliminary or partial results promoted before peer review, to communicate treatment effectiveness.²²

The prevalence of click bait in media coverage fits broadly with cross-sectional studies displaying the media's frequent use of emotive words like 'breakthrough', 'revolutionary' and 'unprecedented' to report new treatments. 42 43 In fact, one randomised trial found that use of words like 'breakthrough' and 'promising' in reference to medicines in media releases increases the public's belief in drug effectiveness compared with facts-only explanations.

The observation that promotion and desire for early detection testing is widespread fits with the considerable literature displaying public, patient, and clinicians' beliefs in the benefits of testing. 22 23 45 In a qualitative study³³ examining US journalists views of media coverage of overtreatment, the sample of journalists viewed the issue of overtreatment—together with overtesting— as a complex matter driven by strong public faith in healthcare and societal norms that make medical uncertainty difficult to accept. Further, there is data showing that medical marketing of tests to persuade individuals about the importance of early detection is escalating.⁴⁶ The journalists' need for access to better information and expertise aligns with previous qualitative work.^{35 37}

Strengths and weaknesses of this study

To our knowledge, this is the first study to explore journalists' views on media reporting of medical tests and the problem of overdiagnosis. This study provides useful information about the barriers to critical reporting on tests, and enablers which could improve it. The findings will facilitate the development of strategies to better support journalists to report on the harms of tests, including overdiagnosis.

The study has some important limitations. A highly selective sample of journalists was included. Only Australia-based journalists were included. Although we approached journalists of various levels of experience and from different types of media outlets, the majority of the sample were experienced health journalists working for well-regarded media outlets. These journalists expressed awareness of overdiagnosis. This may be influenced by our recruitment strategies and journalists' willingness to participate in this specific research. The generalisability of the results may be limited for journalists in different countries with a different media landscape or less experienced reporters who do not specialise in health reporting.



Meaning of the study

The finding that journalists are very interested in receiving research training and support should be welcomed by researchers and organisations interested in improving the critical reporting of tests and knowledge of overdiagnosis. Journalists are well positioned to educate the public about medical tests³¹ ⁴⁷ and media coverage of tests can influence healthcare utilisation. 30 32 The media have contributed to improvements in health-related knowledge and behaviours—for example, in the areas of low back pain, smoking cessation and vaccination. 48–50 Improving critical reporting on early detection could encourage more realistic expectations about the benefits of early detection and an awareness of potential harms such as overdiagnosis. Future research should focus on developing training and resources for journalists and examining their impact on journalist knowledge and the quality of media coverage on tests. This research should build on previous workshops and tipsheets for journalists (eg. The US National Institutes for Health Medicine in the Media workshops by Drs Lisa Schwartz and Steven Woloshin, 47 51 and available checklists of medical reporting criteria for journalists (eg, those available from Media Doctor Australia and Health-NewsReview.org).

Journalists face numerous challenges. First, the public has long received the message that early detection is a good thing. Second, the complexity of overdiagnosis and uncertainty in the evidence base may together make it difficult to communicate the nuances involved. Third, journalists must grab the readers' attention by providing interesting stories within tight deadlines. There are opportunities for academics and organisations to understand these working environments and be available to communicate stories in an engaging but accurate manner. Finally, interventions should not only target journalists, but also the wider levers (eg. press releases) that contribute to how information about medical tests is communicated.

CONCLUSION

This sample of Australian journalists seem aware of the potential harms of medical tests such as overdiagnosis, which are often left out of media coverage. But, effectively communicating overdiagnosis is a challenge in light of entrenched beliefs about the benefits of testing and the culture of current journalism practices. Providing journalists with training and support in their efforts to communicate overdiagnosis could aid critical reporting of tests. This may contribute to addressing the wider problem of medical test overuse, which is a major threat to health system sustainability.

Twitter Mary O'Keeffe @MaryOKeeffe007, Brooke Nickel @brooke_nickel, Thomas Dakin @wiserhealthcare, Loai Albarqouni @LoaiAlbarqouni, Kirsten McCaffery @ KirstenMcCaffer and Ray Moynihan @raymoynihan

Acknowledgements We would like to thank the journalists who participated.

Contributors MO conceived the idea for the study. MO, BN, TD, CM, LA, AB, KM and RM all contributed to the design of the study. MO, BN, TD and RM were

involved in data collection and analysis. MO drafted the manuscript. All authors contributed to the interpretation of the analysis, and critically revised and approved the manuscript.

Funding This project was supported by a National Health and Medical Research Council (NHMRC) Centre for Research Excellence Grant (1104136). MO is supported by a European Union Marie Skłodowska-Curie postdoctoral fellowship. BN and RM are supported by NHMRC Early Career Research Fellowships. CM and KM are supported by NHMRC Principal Research Fellowships.

Competing interests RM and AB are members of the Scientific Committee of the Preventing Overdiagnosis international conferences. CM, KM, AB and RM are lead investigators on Wiser Healthcare, a research collaboration to reduce overdiagnosis and overtreatment.

Patient consent for publication Not required.

Ethics approval The study was approved by The University of Sydney Human Research Ethics Committee (2019/964).

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No data are available.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iDs

Mary 0'Keeffe http://orcid.org/0000-0001-7104-9248
Brooke Nickel http://orcid.org/0000-0002-8100-4278
Thomas Dakin http://orcid.org/0000-0003-4452-1863
Chris G Maher http://orcid.org/0000-0002-1628-7857
Loai Albarqouni http://orcid.org/0000-0002-4114-9106
Kirsten McCaffery http://orcid.org/0000-0003-2696-5006
Alexandra Barratt http://orcid.org/0000-0002-2561-3319
Ray Moynihan http://orcid.org/0000-0001-9283-742X

REFERENCES

- 1 Hofmann B. Expanding disease and undermining the ethos of medicine. Eur J Epidemiol 2019;34:613–9.
- 2 Hofmann B. Looking for trouble? diagnostics expanding disease and producing patients. J Eval Clin Pract 2018;24:978–82.
- Hofmann B, Skolbekken J-A. Surge in publications on early detection. BMJ 2017;357:j2102.
- 4 Vogt H, Green S, Ekstrøm CT, et al. How precision medicine and screening with big data could increase overdiagnosis. BMJ 2019;366:I5270.
- 5 Mandl KD, Manrai AK. Potential excessive testing at scale: biomarkers, genomics, and machine learning. *JAMA* 2019;321:739–40.
- 6 Welch HG, Schwartz L, Woloshin S. Overdiagnosed: making people sick in the pursuit of health: beacon press 2011.
- 7 Brodersen J, Kramer BS, Macdonald H, et al. Focusing on overdiagnosis as a driver of too much medicine. BMJ 2018;362:k3494.
- 8 Welch HG, Prorok PC, O'Malley AJ, et al. Breast-Cancer tumor size, overdiagnosis, and mammography screening effectiveness. N Engl J Med 2016;375:1438–47.
- 9 Bell KJL, Doust J, Glasziou P, et al. Recognizing the potential for overdiagnosis: are high-sensitivity cardiac troponin assays an example? Ann Intern Med 2019;170:259–61.
- 10 Carter SM, Degeling C, Doust J, et al. A definition and ethical evaluation of overdiagnosis. J Med Ethics 2016;42:705–14.



- 111 Ahn HS, Kim HJ, Welch HG. Korea's thyroid-cancer "epidemic"--screening and overdiagnosis. N Engl J Med 2014;371:1765–7.
- Moynihan R, Doust J, Henry D. Preventing overdiagnosis: how to stop harming the healthy. *Preventing Overdiagnosis* 2015;344:47.
- 13 Carter SM, Rogers W, Heath I, et al. The challenge of overdiagnosis begins with its definition. *BMJ* 2015;350:h869.
- 14 Vaccarella S, Franceschi S, Bray F, et al. Worldwide thyroid-cancer epidemic? the increasing impact of overdiagnosis. N Engl J Med 2016;375:614–7.
- 15 Pathirana T, Clark J, Moynihan R. Mapping the drivers of overdiagnosis to potential solutions. BMJ 2017;358:j3879.
- 16 Glasziou PP, Jones MA, Pathirana T, et al. Estimating the magnitude of cancer overdiagnosis in Australia. Med J Aust 2020;212:163–8.
- 17 O'Keeffe M, Barratt A, Fabbri A. Media coverage of the benefits and harms of early detection tests. JAMA Intern Med.
- 18 Moynihan R, Bero L, Ross-Degnan D, et al. Coverage by the news media of the benefits and risks of medications. N Engl J Med 2000;342:1645–50.
- 19 Moynihan RN, Clark J, Albarqouni L. Media coverage of the benefits and harms of the 2017 expanded definition of high blood pressure. JAMA Intern Med 2019;179:272–3.
- 20 Cassels A, Hughes MA, Cole C, et al. Drugs in the news: an analysis of Canadian newspaper coverage of new prescription drugs. CMAJ 2003:168:1133–7.
- 21 Schwitzer G. How do us journalists cover treatments, tests, products, and procedures? an evaluation of 500 stories. *PLoS Med* 2008;5:e95.
- 22 Moynihan R, Macdonald H, Bero L, et al. Commercial influence and covid-19. BMJ 2020:m2456.
- 23 Hoffmann TC, Del Mar C. Patients' expectations of the benefits and harms of treatments, screening, and tests: a systematic review. JAMA Intern Med 2015;175:274–86.
- 24 Schwartz LM, Woloshin S, Fowler FJ, et al. Enthusiasm for cancer screening in the United States. JAMA 2004;291:71–8.
- 25 Douma LN, Uiters E, Timmermans DRM. Why are the public so positive about colorectal cancer screening? BMC Public Health 2018;18:1212.
- 26 Moynihan R, Nickel B, Hersch J, et al. Public opinions about overdiagnosis: a national community survey. PLoS One 2015;10:e01 25165–e65.
- 27 Ghanouni A, Meisel SF, Renzi C, et al. Survey of public definitions of the term 'overdiagnosis' in the UK. BMJ Open 2016;6:e010723.
- 28 Morgan DJ, Dhruva SS, Coon ER, et al. 2019 update on medical overuse: a review. JAMA Intern Med 2019;179:1568–74.
- 29 Brownlee S, Chalkidou K, Doust J, et al. Evidence for overuse of medical services around the world. The Lancet 2017;390:156–68.
- 30 Grilli R, Ramsay C, Minozzi S. Mass media interventions: effects on health services utilisation. Cochrane Database Syst Rev 2002:CD000389.
- 31 Schwartz LM, Woloshin S. The media matter: a call for straightforward medical reporting. *Ann Intern Med* 2004;140:226–8.
- 32 Chapman S, McLeod K, Wakefield M, et al. Impact of news of celebrity illness on breast cancer screening: Kylie Minogue's breast cancer diagnosis. *Med J Aust* 2005;183:247–50.

- Walsh-Childers K, Braddock J. Assessing U.S. health Journalists' beliefs about medical overtreatment and the impact of related news coverage. *Health Commun* 2018;33:202–11.
- 34 Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care* 2007;19:349–57.
- 35 Amend E, Secko DM. In the face of critique: a metasynthesis of the experiences of journalists covering health and science. Science Communication 2012;34:241–82.
- 36 Leask J, Hooker C, King C. Media coverage of health issues and how to work more effectively with journalists: a qualitative study. BMC Public Health 2010:10:535.
- 37 Larsson A, Appel S, Sundberg CJ, et al. Medicine and the media: medical experts' problems and solutions while working with iournalists. PLoS One 2019:14:e0220897.
- 38 Larsson A, Oxman AD, Carling C, et al. Medical messages in the media--barriers and solutions to improving medical journalism. Health Expect 2003;6:323–31.
- 39 Schwartz LM, Woloshin S, Andrews A, et al. Influence of medical Journal press releases on the quality of associated newspaper coverage: retrospective cohort study. BMJ 2012;344:d8164.
- 40 Sumner P, Vivian-Griffiths S, Boivin J, et al. The association between exaggeration in health related science news and academic press releases: retrospective observational study. BMJ 2014;349:g7015.
- 41 van Trigt AM, de Jong-van den Berg LT, Haaijer-Ruskamp FM, et al. Journalists and their sources of ideas and information on medicines. Soc Sci Med 1994;38:637–43.
- 42 Abola MV, Prasad V. The use of superlatives in cancer research. JAMA Oncol 2016;2:139–41.
- 43 Jaiswal D, Ottwell R, Wildes DE, et al. The use of superlatives in news articles covering cardiovascular drugs. Eur Heart J Cardiovasc Pharmacother 2020;6:405–7.
- 44 Krishnamurti T, Woloshin S, Schwartz LM, et al. A Randomized Trial Testing US Food and Drug Administration "Breakthrough" Language. JAMA Intern Med 2015;175:1856–8.
- 45 Hoffmann TC, Del Mar C. Clinicians' expectations of the benefits and harms of treatments, screening, and tests: a systematic review. JAMA Intern Med 2017;177:407–19.
- 46 Schwartz LM, Woloshin S. Medical marketing in the United States, 1997-2016. JAMA 2019:321:80–96.
- 47 Woloshin S, Schwartz LM, Kramer BS. Promoting healthy skepticism in the news: helping journalists get it right. *J Natl Cancer Inst* 2009;101:1596–9.
- 48 Suman A, Armijo-Olivo S, Deshpande S, et al. A systematic review of the effectiveness of mass media campaigns for the management of low back pain. *Disabil Rehabil* 2020:1–29.
- 49 Wakefield MA, Loken B, Hornik RC. Use of mass media campaigns to change health behaviour. *Lancet* 2010;376:1261–71.
- 50 Chen W, Stoecker C. Mass media coverage and influenza vaccine uptake. Vaccine 2020;38:271–7.
- 51 Lisa Schwartz foundation for truth in medicine. Available: https://lisa schwartzfoundation.org

Supplementary File 1: Study Protocol

Background

Early detection of disease is gaining considerable attention worldwide.¹ Enthusiasm for early detection is displayed by the increasing interest in advances in diagnostic technology, screening programmes, innovations in biomarkers, and "P4 medicine" (predictive, preventive, personalised, and participatory).¹⁻³ In fact, testing in medicine is increasingly aimed at apparently healthy people to identify those at an increased risk of a disease or disorder.⁴ This communicates one message: early detection is a good thing.¹

However, there is mounting evidence that unnecessary and/or excessive testing can harm healthy people, and the quest for ever-earlier detection of disease can lead to overdiagnosis. Overdiagnosis happens when people are diagnosed in ways that do not benefit them or that can do more harm than good.^{5,6} Although an exact definition of overdiagnosis remains the subject of debate, particularly in the context of non-cancer conditions, overdiagnosis can be considered to occur when persons are labelled with a technically correct diagnosis that does not improve health outcomes.^{7,8} Overdiagnosis is a major global challenge to health system sustainability and human health and strategies to reduce overdiagnosis are urgently needed.⁹

Many possible drivers of overdiagnosis have been documented.⁹ One major driver is the promotion (to clinicians and the public) of increasingly sensitive tests.⁹ These can lead to detection of "abnormalities", which may be of uncertain clinical significance. Tests being increasingly promoted to the healthy include the Apple Watch for the early detection of atrial fibrillation, liquid biopsies and artificial intelligence for the early detection of cancer and Alzheimer's disease, and 3D mammography for the early detection of breast cancer.⁴ Poor quality media reporting has been highlighted as a strong driver of this promotion.⁹ Uncritical media coverage of the benefits and breakthrough of new tests, without consideration of their potential downsides or harms, potentially contributes to a more general lack of awareness about the potential harms of getting tested when healthy. In fact, research has shown that only a small proportion of people are knowledgeable about overdiagnosis.¹⁰ Further, patients (and clinicians) overestimate the benefits of testing, while underestimating the harms.^{11,12} Given the powerful role that media can play in influencing public health beliefs and behaviours, strategies to improve media reporting of medicine are needed.⁹

There are concerns that biased media reporting may be exacerbated by the increasingly changing media landscape, such as the rising influence of social media and the decline of the traditional consumption patterns of mainstream news media.¹³ With the development of a more fragmented media context there is the increasing diminution of the role of specialist reporters with resulting loss of baseline technical knowledge, gatekeeping and thoughtful, investigative health journalism.¹³ This presents a major challenge to the communication of complex concepts like overdiagnosis. Indeed, previous studies on the media have identified evidence of exaggeration, ^{14,15} inaccurate media coverage of published scientific papers, ^{16,17} overstating of

benefits of treatments, downplaying of harms ^{14,18} and failure to report important conflicts of interest of the experts cited in the story. ¹⁸

Poor media coverage of medicine is not an insignificant issue; it can influence how the public perceives the risk of health services and how patients make treatment decisions.⁴ For example, media coverage about the celebrity Kylie Minogue's self-referral mammogram bookings led to a 20-fold increase in media coverage about breast cancer and a 40% increase in mammogram bookings during the 2-week peak after the interview. Six weeks later media coverage was still up by 30%.¹⁹

While much research has examined how the media frames different health issues, very little research has examined the experiences of journalists and attempted to identify obstacles that hinder journalists from higher quality reporting, and elucidate possible strategies for addressing these. Further, no study has yet examined journalists knowledge and views about the increasing problem of overdiagnosis and what this may mean for media reporting of medicine. Also, many media outlets are inundated with sometimes conflicting health information from companies, researchers, institutions, the government and consumers and it would be interesting to explore how they deal with this deluge of information. Furthermore, there is little or no specialised training available for journalists who are expected to interpret often complicated statistics like relative and absolute risks. While there are guidelines available for journalists on how to responsibly report on health matters, journalists have received very little support in the implementation of these guidelines.

It is very important to examine the experiences and perceptions of journalists regarding medical reporting in a time of increasing recognition of the threats from overdiagnosis and too much medicine more generally. Identifying barriers and potential solutions to good medical reporting will help inform the development of an intervention to improve both journalists' confidence and capacity to report more responsibly on medical tests and/or treatments and the problem of overdiagnosis.

This project aims to explore journalists' views on media reporting of medicine (particularly medical tests), and barriers and solutions to improving media reporting in a time of overdiagnosis and too much medicine.

Methods and analysis

Ethical approval

We will seek ethical approval from the University of Sydney Human Research Ethics Committee.

Study design

We will conduct a qualitative study using semi-structured face-to face (or telephone as applicable) interviews. Individual interviews will be conducted to allow participants to speak in confidence about their views and experiences, and to ensure they are not influenced by other journalists with different levels of experience or that work in different settings/specialities. This study will be designed and reported according to the Consolidated Criteria for Reporting Qualitative Research (COREQ).

Participants

We will recruit 15-20 Australia-based journalists. We will purposively recruit journalists with different characteristics (e.g. type of media- TV, print, social media) and levels of experience (e.g. years active, speciality). Both specialist medical journalists and non-medical journalists will be included. Examples of potential media organisations include the Guardian, News Ltd, ABC, Nine-Fairfax, Nine-TV (or 7 TV), and The Conversation.

To be eligible, participants need be currently working as journalist in Australia, be able to communicate in English (both orally and over email), and be able to give informed consent. Ability to read and understand English are key inclusion criteria for the proposed study because the interview will be conducted in English. There will be no restriction on the age or gender of participants.

Recruitment

We will recruit potential participants through a number of different avenues, where needed. There is journalism expertise in the author team (Ray Moynihan) and personal contacts will play a role in the initial development of a list of potential participants to contact. From here we will use an active 'snowball' recruitment technique by asking participating journalists to suggest other eligible journalists they believe would be interested in being involved. We will then access their publicly available contact information to approach them about the study. If needed, the Australian Science Media Centre and Cochrane Australia will be asked to support recruitment working with their networks.

Data collection

Interviews will be conducted face-to-face at Sydney School of Public Health (The University of Sydney), or via Skype/Zoom/telephone if the participant prefers, by a researcher with experience in conducting qualitative interviews. An interview schedule will be developed and discussed among the team members. Interview questions will address the following topics: journalist background, journalist training, interest in reporting on health and medicine, positive and negative experiences of reporting on health and medicine, definition of scientific quality in reporting, views on the changing media landscape, knowledge of overdiagnosis and too

much medicine, barriers to quality reporting of medical tests, solutions for improving media reporting of medical tests, openness to a training intervention and views on the content of an intervention package.

Interviews will last ~60 minutes and will be audio-recorded and transcribed verbatim for analysis. The interviewer will also take notes during the interview to highlight key themes emerging from the interview and direct further questioning (e.g. explore a point raised by the participant). This information will also enable the interviewer to summarise back to the participant at the end of the interview and give them an opportunity to provide further information.

Data analysis

The interview data will be analysed using thematic framework analysis. Framework analysis is a well-accepted method for analysing qualitative data from interviews and is conducted in 5 stages. Stage 1 (familiarisation): the interview will be transcribed verbatim (from audio recordings) by the researcher who conducted the interview. Stage 2 (identifying a thematic framework): transcripts and interview notes will be analysed numerous times to identify codes that could be linked together by related concepts. A second researcher will double code half of the transcripts to check for reliability of the framework. Disagreements will be resolved through discussion. Concepts will then be grouped into broader themes and sub-themes. Stage 3, 4 & 5 (indexing, charting and mapping, interpretation): data will be summarised and charted using Microsoft Excel, and the mapping of themes and sub-themes will be iterative. This analysis will be conducted primarily by one researcher, with input from the research team in the development of the codes and themes.

References

- 1. Hofmann B, Skolbekken J-A. Surge in publications on early detection. BMJ 2017;357:j2102.
- 2. Mandl KD, Manrai AK. Potential Excessive Testing at Scale: Biomarkers, Genomics, and Machine Learning. *Jama* 2019;321(8):739-40.
- 3. Flores M, Glusman G, Brogaard K, Price ND, Hood L. P4 medicine: how systems medicine will transform the healthcare sector and society. Personalized medicine 2013;10(6):565-76.
- 4. O'Keeffe M, Barratt A, Maher C, Zadro J, Fabbri A, Jones M, Moynihan R. Media Coverage of the Benefits and Harms of Testing the Healthy: a protocol for a descriptive study. BMJ open 2019 1;9(8):e029532.
- 5. Brodersen J, Kramer BS, Macdonald H, et al. Focusing on overdiagnosis as a driver of too much medicine. BMJ 2018;362.
- 6. Moynihan R, Doust J, Henry D. Preventing overdiagnosis: how to stop harming the healthy. BMJ 2012;344:e3502.
- 7. Bell KJL, Doust J, Glasziou P, et al. Recognizing the potential for overdiagnosis: are high-sensitivity cardiac troponin assays an example? Ann Intern Med 2019;170:259–61.
- 8. Carter SM, Degeling C, Doust J, et al. A definition and ethical evaluation of overdiagnosis. J Med Ethics 2016;42:705–14.
- 9. Pathirana T, Clark J, Moynihan R. Mapping the drivers of overdiagnosis to potential solutions. BMJ 2017;358.
- 10. Moynihan R, Nickel B, Hersch J, et al. Public opinions about overdiagnosis: a national community survey. PLoS One 2015;10:e0125165.
- 11. Hoffmann TC, Del Mar C. Patients' Expectations of the Benefits and Harms of Treatments, Screening, and Tests. JAMA Intern Med 2015;175:274–86.
- 12. Hoffmann TC, Del Mar C. Clinicians' Expectations of the Benefits and Harms of Treatments, Screening, and Tests. JAMA Intern Med 2017;177:407–19. 26.
- 13. Medew J, Moynihan R. Improving coverage of medical research in a changing media environment. Can Med Assoc J 2017;189:E55 1–E552. 27.
- 14. Moynihan R, Bero L, Ross-Degnan D, et al. Coverage by the news media of the benefits and risks of medications. N Engl J Med 2000;342:1645–50. 28.
- 15. Cassels A, Hughes MA, Cole C, et al. Drugs in the news: an analysis of Canadian newspaper coverage of new prescription drugs. CMAJ 2003;168:1133–7. 29.
- 16. Goldacre B. Preventing bad reporting on health research. BMJ 2014;349:g7465. 30. 1
- 17. Almomani B, Hawwa AF, Goodfellow NA, et al. Pharmacogenetics and the print media: what is the public told? BMC Med Genet 2015;16:32
- 18. Moynihan RN, Clark J, Albarqouni L. Media Coverage of the Benefits and Harms of the 2017 Expanded Definition of High Blood Pressure. JAMA internal medicine. 2019 1;179(2):272-3.
- 19. Chapman S, McLeod K, Wakefield M, et al. Impact of news of celebrity illness on breast cancer screening: Kylie Minogue's breast cancer diagnosis. Med J Aust 2005;183:247–50.

Supplementary File 2: Journalist Interview Schedule

Thank you very much for doing this interview. As mentioned in the information sheet I sent you, this interview is to better understand Australian journalists' views towards media reporting of new medical tests. This interview will take between 30 minutes and one hour.

As mentioned in the participant information sheet, this interview will be audio-recorded to make sure we have an accurate record of your responses, and your identity and everything you say will be kept strictly confidential.

Do you have any questions before we begin? Okay, so I will start the audio-recording now.

Journalist experience

- Who/where are you currently working for and what is your current role?
- Have you worked elsewhere in the past? [If yes], could you tell us about your previous experience (e.g. where, main role, etc)
- How long have you been active as a journalist?
- General or specialist?
- Health only or not?
- [If general], could you give us a sense of how often you report on a health-related topic?

Promotion of new tests

Briefly define what we mean by medical tests before we begin questions.

There are different forms of medical tests, and we can put them into two broad categories; diagnostic tests and screening tests. Diagnostic tests are for people with symptoms to diagnose for a specific condition or disease. For example, something like a new heart scan to detect a heart attack, in people reporting symptoms that look like a heart attack. But then there's also screening tests, which are for people without symptoms to try to detect disease before, it appears symptomatic. For example, the PSA test for healthy men to detect prostate cancer.

- In general, how interested are readers in stories about medical tests?
- Are you approached about studies on new tests?
- Have you even been asked to write a story to promote a new test?
 - Who by?

- What do you see as the key elements of stories on new tests?
- When you write a story about a new medical test what evidence do you look for?
- What type of information or evidence do companies, health professionals or academics/researchers/scientists bring/may bring to you when they want to promote their new tests?
- What is essential for your story in your view / experience?

Potential Causes of the promotion of new medical tests

- In your view, what are the **key factors** influencing how new medical tests are reported in the media? *Prompt examples if needed:* press release, lack of time, promote interest/entertainment (click bait)
- What are your views on large corporate interests in health and people with various commercial interests?
 - Do you think they can play a role in driving news coverage or influencing news stories? Please expand.

There is a body of literature showing that **press release** content often makes it into the media.

- What are your views on this?
 - O Do you think this is a good thing or bad thing?
 - Why? Please expand.
- What are other factors that might directly influence the content of what makes it into the media?
 - How do these compare to something like a press release?

From my understanding, journalists can now easily track number of readers, shares, time spent reading an article. The term **click bait** seems to get mentioned in relation to getting more reads.

- What are your views on this?
 - o *Prompt*: Do you see this a being a positive or negative or both? Please expand.
- Do you feel like you under pressure to produce click bait stories?
 - o *Prompt:* Why or why not?

Does this influence the way stories on new tests are written in your view and if yes, how? **Downsides of promotion of medical tests**

- In your view, what are the potential downsides or negative effects of promoting new medical tests?
 - *Prompts if needed:* e.g. people overestimating the benefits of new tests, not aware of potential downsides or harms of new tests, enthusiasm for tests before there is evidence to support their use.
 - For example, we did a study examining how the global media reports on the benefits and harms of 5 new medical tests for people without symptoms. These were the Apple watch ECG, 3D mammography, and blood biomarker and AI tests for dementia and cancer. We found that less than 20% of the stories mentioned potential harms or downsides of these medical tests.
- There is some concern that uncritical reporting of new medical tests could promote **overdiagnosis and overtreatment**.
- Have you heard of overdiagnosis?
 - o If yes, could you tell me what you understand it to mean?

Prompt example – if needed

- Overdiagnosis happens when someone gets a diagnosis that ends up causing them more harm than good. For example, the apple watch now has an electrocardiogram to track heart rhythms in healthy people. It aims to detect a condition called atrial fibrillation. The difficulty is that healthy people can have seemingly irregular heart rhythms that may never go on to give them any trouble. However, a diagnosis of atrial fibrillation may lead to harms from over testing, anxiety due to have a heart condition, and bleeding from unnecessary blood thinning medicines.
 - Have you reported on it before? What was the context?
- What are your views on overdiagnosis?
- What are your views on how media coverage of new tests, or medicine generally, may help to contribute to overdiagnosis?

Potential Barriers to reporting accurately on new medical tests

• What do you think are/may be the key challenges or barriers for journalists in reporting accurately on new tests?

Prompts – if needed:

- o Less journalists?
- o Less specialist reporters?
- o Time?

- How to make a story on a new test both accurate (including being critical) and interesting. Reporting on difficult topics may not get lots of readers. e.g. challenges of writing about overdiagnosis and getting interest.
- o Researchers trusting journalists?

Training

- Have you received any training to help you better understand or access medical evidence in general?
 - o If yes, what was the context?
 - Do you think it improved your reporting?
 - Would you recommend something similar to other journalists?
 - o If no, would you be interested in that type of training? Why or why not?

Potential Solutions to improve reporting on medical tests

• Do you think anything can be done to help wind back some of the overly positive reporting about new tests and promote more critical reporting, particularly about the potential downsides or limitations of new tests, such as overdiagnosis?

Prompts - if needed:

- o Institutional change?
- Press release greater transparency in conflicts of interest.
- o Researchers trusting journalists. How?
- Supporting journalists?
- Being available to journalists to read a call, interpret a paper, fact check a story/press release?
- A checklist to guide reporting?

Openness to training

We are interested in developing some kind of training package for journalists to better support their reporting on new tests. How would you feel about this idea?

- What would you like to see included in this?
- o Best format? (e.g. face to face, webinars, blended, etc)
- Length of training
- Top up training (e.g. shorter follow-up sessions after a more extensive training package)

We have some training ideas that I would like to run by you, so I am going to put them explicitly to you one by one.

- What do you think of an Australian Science Media Centre workshop on this issue? A short one- running between 60 and 90 minutes?
- What are relative merits of a workshop that comes to your workplace like the Science Media Centre currently does compared to a workshop held somewhere-that journalists from different media outlets could attend?
- What do you think of the idea of being offered access to a network of researchers working in this field? to read a paper, fact check a story for example.
- A checklist to guide reporting?

Closing

Now we're coming to the end of the interview, but before we wrap up do you have any questions or is there anything, we didn't discuss that you would like to add in relation to journalists reporting new medical tests or overdiagnosis generally?

Finally, before we finish, I am wondering do you know of any other journalist(s) who may be interested in taking part in this study? We are trying to recruit 10 more journalists. Any suggestions would be great.

Thank you very much for your time.

Themes	Supporting quotes
1. Readers' interest in tests	"Readers are really interested in it. It presents I guess hope and different scientific advances that might change outcomes are probably pretty appealing to a general audience." (J19, 7 years' experience)
	"I think they're very interested. 'Cause I think health stories in general are quite popular. 'Cause they affect everybody." (J20, 33 years' experience)
2. Ingredients of a 'good' news sto	ry
Newsworthiness	"Well for starters it needs to, to be a useful test. Like there needs to be a need for it." (J7, 6 years' experience)
	"Is this delivering something that's going to be genuinely helpful to people." (J11, 4 years' experience)
Research Evidence	"Um well it's rarely a randomised trial. The evidence is usually um pretty lousy. More often than not I won't do the story." (J9, 36 years' experience)
	"I mean reviews are the best but that's probably, they probably don't exist for newish testing. yeah, I mean I, I guess peer review research, published research" (J19, 7 years' experience)
Obtain Independent Opinion	"Oh, I'd probably be happy if I'd spoken to a radiologist or a radiation oncologist and a urologist, I suppose. It's a bit of a vexed area where like, you know, it's been under battle for quite a while. So I'd be careful about who I was speaking to I suppose." (J16, 9 years' experience)
	"We would go to get some independent comment from someone else not affiliated with the study" (J12, 30 years experience)

Awareness of Vested interests	"We want to know where any funding has come from." (J17, 12 years experience)
	"Who is promoting it? if there's invested interest, that's the main thing I can think of." (J21, 4 years' experience)
Clarify Safety information	"And then you would have a reasonable idea of what, of its efficacy and of course of its safety. And
	they're the, they're the two questions that you're kind of obliged to ask really, you know? Does it work?
	And to what extent does it work? And, is it safe?" (J11, 4 years' experience)
3. Journalists' knowledge of poten	tial harms of medical tests
General knowledge of harms	"It can lead to inappropriate, um, healthcare, inappropriate use of resources or just public resources generally. You know, it can lead to over-medicalisation for things." (J20, 33 years' experience)
	"All that's screening. And, um, there are harms as well as benefits. You know, not many harms, but they've, they've not been well documented." (J9, 36 years' experience)
Knowledge of overdiagnosis	"Back pain's a great example of this, right? If the more people you test, the more abnormalities you will find but those abnormalities are actually perfectly natural and aren't linked to back pain. But once you start finding them then it gets into people's heads that, oh my God their spine's falling to bits and they should be treated and we should do something about it. And so you end up with over treatment as well." (J15, 5 years' experience)
	"My understanding is that it's basically, the idea that people are being told that they have illnesses or they're falling into the classification of having a disease or illness, which would otherwise not affect their quality of life. And then they may be offered or sold, treatments that aren't going to make a difference because the illness was never going to affect their quality of life in the first place. And then the negative obviously of that is that some of these invasive tests and treatments could actually damage

	their quality of life" (J10, 4 years' experience)
Public and other journalists' knowledge of harms	"The understanding within general society and within the media of overdiagnosis is, I would think, low to non-existent." (J15, 5 years' experience)
	"I think there definitely needs to be more awareness of the issues around over diagnosis in the broader media community, cause I don't think it's a very well known issue. And if people don't know about it they're not going to include it in their stories." (J2, 6 years' experience)
4. Factors influencing the framing of med	ia coverage
Press releases	"They can be good in terms of directing you or tipping you off about new research or a certain expert in the area. But I usually take the, whatever comes out of a PR agency with a grain of salt" (J10, 4 years' experience)
	"Press releases, even sort of the Universities (laughs) and researchers are still making, you know, these massive mistakes and over-blowing research." (J3, 9 years' experience)
Click-bait	"You know, 'breakthrough' and 'cure' and those kind of very emotive words people might want to click on those." (J5, 22 years' experience)
	"It doesn't effect me at all. Because don't write for the outlets where that may, you know, my salary or my pay is conditional on clicks or click-throughs. But I think, yeah, click bait is a problem in all media, not just in health and medical." (J1, 20 years' experience)
Commercial interests	"Commercial partners that may be interested in getting the test out there, people who stand to benefit financially. So that's a pressure out there. There are also maybe patient groups. I don't know whether the patient groups share an agenda with people who are making a financial gain from the test or not?" (J4, 30 years' experience)

	"I think if I was approached by a pharmaceutical company with a new test they've developed I'd be very hesitant to write a story about it." (J2, 6 years' experience)
Focus or good or bad news	"Especially when it's diseases that are, you know, really intractable or that people are really afraid of. I think it's very easy to oversell things. It's all about having a good story." (J1, 20 years' experience)
Lack of training and experience	"generalists don't really have a background in health or science that are covering these things, not really getting to the bottom of where the money's coming from?" (J3, 9 years' experience)
	"I think especially beginner journalists or journalists who are just starting in the health round can approach topics uncritically" (J16, 9 years' experience)
5. Barriers to critical coverage of med	lical tests
Journalist knowledge and experience	"I think first and foremost when it comes to screening tests, I would say the knowledge around the potential pitfalls of screening or over screening is not well known or understood. I think that applies to the general population but I also think that probably applies to journalists as well." (J6, 6 years' experience)
	"I feel the core challenge is lack of knowledge. Like you know, I think you could speak to lots of health and science and just general news journalists and they would just have no idea that that was even a problem. You know, so I, I and I, I reckon that their idea of it would probably as a percentage, you know, be in line with the general publics percentage of people who understood that there's a problem. Like there just isn't the literacy about this topic in the community or in the media." (J15, 5 years' experience)
Time pressures	"I think a really key barrier for most journalists is time. You're often making decisions about coverage in that split second moment between like deleting or not deleting an email." (J13, 6 years' experience)

	"The main thing is time. You can't overstate it. And, and, yeah, the pressures of deadlines are just constant and sometimes, yeah, unmanageable." (J21, 4 years' experience)
Lack of access to experts	"I didn't end up covering it. But it was, it was a major issue because I spent at least a day trying to find someone, like a whole day trying to find someone to, who had the time, and, and the expertise, and I just couldn't find them." (J17, 12 years' experience)
	"Just not perhaps having ready access to perhaps a group of reliable experts that can comment either on or off the record" (J18, 25 years' experience)
Complexity of overdiagnosis	"So in a lot of ways that's a message that's been drummed into people for the last 30 years. You know,
	go and get, get a pap smear, go and get a mammogram, you know, go and get a bowel cancer test, and
	it comes in the mail. So that message of you need to be screened, you need to be getting a regular test
	has been something that's been embedded in people's minds. So it's almost counterintuitive for them to
	think there's a test there, why wouldn't I have it?" (J12, 30 years' experience)
	"Overdiagnosis sounds like a contradiction because everybody wants a diagnosis. So how could having a diagnosis possibly be bad? Um but yeah, we're not very good at explaining it" (J8, 32 years' experience)
6. Enablers of critical coverage of medi	cal tests
Journalist training	"Teach us how to read medical research, you know, how to tell if a publication is good or not." (J2, 6 years' experience)
	"More journalism education in relation to evidence, types of evidence, statistics, all that kind of thing" (J4, 30 years' experience)
Training for academics and peak bodies	'There's work to do in educating some other sectors as well, like, you know, some of the, um the medical colleges and the AMA and some of the other medical and health groups that are called on to

	"Yeah, look I think it would be great. Um, my favourite type of training personally is the ones where you do a lot of work shopping on stories." (J4, 30 years' experience)
7. Interest in a training intervention	"Yeah, I, I think it's an excellent idea. And I think we should do it." (J15, 5 years' experience)
	"There are powerful stories to be told about people the harms that are done from over testing and over treatments, and putting those stories out there would be, yeah, finding the stories and putting them out there would be a good way to help bring some of those story tropes to the fore to make them more accessible to journalists." (J4, 30 years' experience)
Better attempts to communicate harms	"It would be worth groups like the group at Bond University, perhaps if they know research is coming out, or if they seen research is coming out, being a little bit reactive and putting out a media release of their own yeah, I think, I think that a louder voice in the over diagnosis area would be, be fantastic." (J2, 6 years' experience)
	"I think the onus is partly on whoever is, um, providing recommendations around screening, whether that's research institutes or not-for-profits advocacies, the health, government departments and so on that, you know, it would be pretty unusually I think to go on a website where there's recommendations to screening that has a section about, um, when screening is not appropriate or, or the kind of pitfalls of over screening. I think that's probably something that's overlooked" (J6, 6 years' experience)