Technical University of Denmark



Recent TechTransfer Activities of the GPCplatform.

Glückstad, Jesper; Bañas, Andrew Rafael

Publication date: 2014

Document Version Publisher's PDF, also known as Version of record

Link back to DTU Orbit

Citation (APA): Glückstad, J., & Bañas, A. R. (2014). Recent TechTransfer Activities of the GPCplatform.. Paper presented at Invited seminar; Hamamatsu Photonics K.K, Hamamatsu City, Japan.

DTU Library Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Recent Tech-Transfer Activities of the GPC-platform

Jesper Glückstad and Andrew Banas Programmable Phase Optics (PPO), DTU Fotonik, Techn. Univ. Denmark www.ppo.dk www.GPCphotonics.com

One of the major challenges within biomedical imaging is to get precise and structured illumination of cells and cell regions. Furthermore, it is critical to illuminate with significant amount of light for high resolution imaging, while at the same time avoid too high intensity that may damage cells. In addition, to obtain the highest resolution, it is desired to illuminate with multiple wavelengths. For confocal microscopy, the inefficiency of light collecting makes users push the power limits of their lasers, or even buy more powerful lasers. In research, such as neurophotonics or optogenetics, structured light is used to trigger specific neuron locations for brain activity, whereas other locations should avoid illumination all together. Given the high price of advanced lasers and low throughput of sensors, efficient light shaping is needed in these applications. Furthermore, the use of two-photon excitation in optogenetics demands light excitation that is free of noise or speckles. The complex morphology of neuro-cell networks demands precise light illumination tools. However, researchers in the neuroscience field and equipment manufacturers are lacking a tool for analyzing brain functions. To emphasize the importance for brain research and subsequent need for advanced tools, the Obama government recently launched the BRAIN initiative (\$300M per year) and EU launched the Human Brain Project (1.190B EUR). GPC is currently the only efficient phase-only light shaping that offers the well-known advantages of amplitude masking, i.e. speckle-free contiguous light distributions over a broad wavelength range. Light shaping methods used in homogenizers or engineered diffusers randomize the wavefront, defeating the purpose of using lasers. Beams shaped through diffractive techniques suffer from speckles and scale with wavelength. Furthermore, GPC easily forms arbitrary shapes without increasing the computing or fabrication overhead.

Technical background information can be found in below references:

- 1. E. Papagiakoumou, F. Anselmi, A. Bègue, V. de Sars, J. Glückstad, E. Y. Isacoff, and V. Emiliani, "Scanless two-photon excitation of channelrhodopsin-2.," Nat. Methods 7, 848–54 (2010).
- 2. D. Palima, C. A. Alonzo, P. J. Rodrigo, and J. Glückstad, "Generalized phase contrast matched to Gaussian illumination," Opt. Express 15, 11971–11977 (2007).
- 3. J. Glückstad, L. Lading, H. Toyoda, and T. Hara, "Lossless light projection," Opt. Lett. 22, 1373–1375 (1997).
- 4. P. J. Rodrigo, V. R. Daria, and J. Glückstad, "Real-time three-dimensional optical micromanipulation of multiple particles and living cells," Opt. Lett. 29, 2270–2272 (2004).
- 5. A. Bañas, D. Palima, M. Villangca, T. Aabo, and J. Glückstad, "GPC light shaper for speckle-free one- and two- photon contiguous pattern excitation," Opt. Express 7102, 5299–5310 (2014).

- 6. A. Bañas, O. Kopylov, M. Villangca, D. Palima, and J. Glückstad, "GPC Light Shaper: static and dynamic experimental demonstrations," Opt. Express 22, 23759-23769 (2014).
- 7. J. Glückstad and P. C. Mogensen, "Optimal phase contrast in common-path interferometry," Appl. Opt. 40, 268–282 (2001).
- 8. C. A. Alonzo, P. J. Rodrigo, and J. Glückstad, "Photon-efficient grey-level image projection by the generalized phase contrast method," New J. Phys. 9, 132 (2007).
- 9. D. Palima and J. Glückstad, "Multi-wavelength spatial light shaping using generalized phase contrast," Opt. Express 16, 1331–1342 (2008).
- 10. J. Glückstad, D. Palima, P. J. Rodrigo, and C. A. Alonzo, "Laser projection using generalized phase contrast," Opt. Lett. 32, 3281–3283 (2007).
- 11. V. Daria, J. Glückstad, P. C. Mogensen, R. L. Eriksen, and S. Sinzinger, "Implementing the generalized phase-contrast method in a planar-integrated micro-optics platform," Opt. Lett. 27, 945–947 (2002).
- 12. P. Rodrigo, V. Daria and J. Glückstad, Optics Letters 29 (19), 2270-2272 (2004).