Technical University of Denmark



# Lignin Valorization using Heterogenous Catalytic Oxidation

Melián Rodríguez, Mayra; Shunmugavel, Saravanamurugan; Kegnæs, Søren; Riisager, Anders

Publication date: 2015

Document Version Peer reviewed version

Link back to DTU Orbit

Citation (APA):

Melián Rodríguez, M., Shunmugavel, S., Kegnæs, S., & Riisager, A. (2015). Lignin Valorization using Heterogenous Catalytic Oxidation. Abstract from Summer School on Catalysis of Biomass, Liblice, Czech Republic.

# DTU Library Technical Information Center of Denmark

#### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

• Users may download and print one copy of any publication from the public portal for the purpose of private study or research.

- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# LIGNIN VALORIZATION USING HETEROGENOUS CATALYTIC OXIDATION

# <u>Mayra Melián-Rodríguez<sup>1</sup></u>, Saravanamurugan Shunmugavel<sup>1</sup>, Søren Kegnæs<sup>1</sup>, Anders Riisager<sup>1\*</sup>

<sup>1</sup> Centre for catalysis and Sustanaible Chemistry Technical University of Denmark, Department of Chemistry Kemitorvet, building 207. DK-2800 Kgs. Lyngby

The research interests in biomass conversion to fuels and chemicals has increased significantly in the last decade in view of current problems such as global warming, high oil prices, food crisis and other geopolitical scenarios. Many different reactions and processes to convert biomass into high-value products and fuels have been proposed in the literature, giving special attention to the conversion of lignocellulosic biomass, which does not compete with food resources and is widely available as a low cost feedstock <sup>1</sup>.




Figure 1. Linkages present in lignin

Lignocellulose biomass is a complex material composed of three main fractions: cellulose (40-50%), hemicellulose (25-35%) and lignin (20-30%)<sup>2</sup>.

Lignin is mainly composed of three different monolignol monomers: *p*-coumaryl, coniferyl and sinapyl alcohol <sup>2</sup>. These monomers are connected with various linkages with the most common one being the  $\beta$ -O-4 linkage <sup>3</sup>.

The lignin structure is complex so different model compounds are often used to study lignin

valorization. These model compounds contain the linkages present in lignin, simplifying catalytic analysis and present analytical challenges related to the study of the complicated lignin polymer and the plethora of products that could be obtained <sup>2</sup>.

Heiko Lange et al., has reported that the catalytic oxidation products of lignin and lignin model compounds range from aromatic aldehyde and carboxylic acid and they must be originate form oxidation of side chain. The products we obtained in these reactions are based on the severity of the reaction conditions <sup>4</sup>.

Here, we therefore present an overview of the recent research about conversion of some lignin model compounds using heterogeneous catalysis in oxidation reactions.

### **References:**

- <sup>1</sup> D. Martin, S.G. Wettstein et al., Chem. Soc. Rev., **2012**, 41, 8075.
- <sup>2</sup> P.T. Patil, U. Armbruster et al., Energy Fuels, **2011**, 25, 4713.
- <sup>3</sup> J. Zakzeski, P. C. A. Bruijnincx et al., Chem. Rev., **2010**, 110, 3552
- <sup>4</sup> H. Lange et al., European Polymer Journal, **2013**, 49, 1151