

Phosphoric acid doped polysulfone membranes with aminopyridine pendant groups and imidazole cross-links - DTU Orbit (08/11/2017)

Phosphoric acid doped polysulfone membranes with aminopyridine pendant groups and imidazole cross-links

Udel polysulfone based membranes with 4-aminopyridine pendant groups and cross-linking imidazole units are synthesized in a simple two step reaction. The ratio of 4-aminopyridine and imidazole is varied and the materials are extensively characterized. The average phosphoric acid uptake (in 85 wt% PA) ranges between 90 wt% and 452 wt% depending on the ratio of 4-aminopyridine and imidazole and the membranes show good proton conductivity of up to 65 mS cm⁻¹ at 160 °C under non-humidified conditions. The applicability of these materials as a polymer electrolyte membrane was proven by single cell tests at 130 °C. The relationships between PA uptake, chemical composition and mechanical stability are reported. Proton conductivity and mechanical properties only depend on the phosphoric acid content, which, however is a function of the chemical composition.

General information

State: Published

Organisations: Department of Energy Conversion and Storage, Fundamental Electrochemistry, Proton conductors, Korea Institute of Science and Technology

Authors: Hink, S. (Ekstern), Elsøe, K. (Intern), Cleemann, L. N. (Intern), Henkensmeier, D. (Ekstern), Jang, J. H. (Ekstern), Kim, H. J. (Ekstern), Han, J. (Ekstern), Nam, S. W. (Ekstern), Li, Q. (Intern)

Number of pages: 12

Pages: 102-113

Publication date: 2015

Main Research Area: Technical/natural sciences

Publication information

Journal: European Polymer Journal

Volume: 72

ISSN (Print): 0014-3057

Ratings:

BFI (2017): BFI-level 1

Web of Science (2017): Indexed Yes

BFI (2016): BFI-level 1

Scopus rating (2016): SJR 1.059 SNIP 1.279 CiteScore 3.75

BFI (2015): BFI-level 1

Scopus rating (2015): SJR 1.032 SNIP 1.36 CiteScore 3.58

Web of Science (2015): Indexed yes

BFI (2014): BFI-level 1

Scopus rating (2014): SJR 1.117 SNIP 1.494 CiteScore 3.35

Web of Science (2014): Indexed yes

BFI (2013): BFI-level 1

Scopus rating (2013): SJR 1.093 SNIP 1.689 CiteScore 3.43

ISI indexed (2013): ISI indexed yes

Web of Science (2013): Indexed yes

BFI (2012): BFI-level 1

Scopus rating (2012): SJR 1.076 SNIP 1.749 CiteScore 2.99

ISI indexed (2012): ISI indexed yes

Web of Science (2012): Indexed yes

BFI (2011): BFI-level 1

Scopus rating (2011): SJR 1.108 SNIP 1.858 CiteScore 3.03

ISI indexed (2011): ISI indexed yes

BFI (2010): BFI-level 1

Scopus rating (2010): SJR 1.298 SNIP 1.569

BFI (2009): BFI-level 1

Scopus rating (2009): SJR 1.165 SNIP 1.356

Web of Science (2009): Indexed yes

BFI (2008): BFI-level 1

Scopus rating (2008): SJR 1.118 SNIP 1.293

Web of Science (2008): Indexed yes

Scopus rating (2007): SJR 1.15 SNIP 1.374

Web of Science (2007): Indexed yes

Scopus rating (2006): SJR 1.092 SNIP 1.472

Web of Science (2006): Indexed yes

Scopus rating (2005): SJR 0.988 SNIP 1.158

Web of Science (2005): Indexed yes

Scopus rating (2004): SJR 0.821 SNIP 1.146

Scopus rating (2003): SJR 0.694 SNIP 0.842

Scopus rating (2002): SJR 0.73 SNIP 1.024

Scopus rating (2001): SJR 0.668 SNIP 0.851

Scopus rating (2000): SJR 0.566 SNIP 0.862

Scopus rating (1999): SJR 0.637 SNIP 0.766

Original language: English

High temperature polymer electrolyte membrane fuel cell (HT-PEMFC), Udel polysulfone, Aminopyridine

DOLs:

[10.1016/j.eurpolymj.2015.08.026](https://doi.org/10.1016/j.eurpolymj.2015.08.026)

Source: FindIt

Source-ID: 2281149992

Publication: Research - peer-review > Journal article – Annual report year: 2015