

Using the three points approach to see beyond extremes for urban hydrology

Sørup, Hjalte Jomo Danielsen; Arnbjerg-Nielsen, Karsten; Mikkelsen, Peter Steen

Published in:

Proceedings of Rainfall in Urban and Natural Systems (UrbanRain15)

Publication date:

2015

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Sørup, H. J. D., Arnbjerg-Nielsen, K., & Mikkelsen, P. S. (2015). Using the three points approach to see beyond extremes for urban hydrology. In P. Molnar, & N. Peleg (Eds.), Proceedings of Rainfall in Urban and Natural Systems (UrbanRain15) Zurich, Switzerland: ETH.

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

UrbanRain15

10th International Workshop on Precipitation in Urban Areas

1-5 December 2015, Sporthotel Pontresina, Switzerland

<http://www.ifu.ethz.ch/urbanrain/>

Proceedings

DOI: 10.3929/ethz-a-010549004

Rainfall in Urban and Natural Systems

Edited by

Peter Molnar & Nadav Peleg

Institute of Environmental Engineering
ETH Zurich, Switzerland

Zurich, 2015

Using the three points approach to see beyond extremes for urban hydrology

H.J.D. Sørup^{*1}, K. Arnbjerg-Nielsen¹ and P.S. Mikkelsen¹

¹ Department of Environmental Engineering, Technical University of Denmark, Denmark

*Corresponding author: hjds@env.dtu.dk

Abstract

In a changed climate precipitation has to be assessed not only with regard to extremes but for all aspects relevant in urban hydrology. The everyday domain, the design domain and the extreme domain delineated by the Three Points Approach provides a relevant framework for doing so (see Figure 1) (Sørup et al. (submitted)). Thus, precipitation has to be assessed at event level for different return periods representing the different domains to give a full picture of how precipitation patterns affect urban hydrology.




Fig 1: The three points approach as delineated in Sørup et al. (submitted).

Precipitation from Regional Climate Models (RCMs) tend to produce smaller extreme intensities than what is observed from point observations (Figure 2) and produce extreme event that has too large spatial extent (Gregersen et al., 2013, Mayer et al., 2015). High resolution RCMs, as presented by Mayer et al. (2015), do a much better job than coarser resolution models like the ENSEMBLES models presented in Gregersen et al. (2013). Kendon et al. (2014) run an RCM at radar resolution (1.5 km spatial resolution) and show that the performance with regard to short term local extremes is increased markedly. However, this approach is extremely computationally costly compared to statistical downscaling which can provide some of the same benefits (Maraun et al., 2010). Sørup et al. (2015), for instance, uses a Neyman-Scott weather generator for spatial downscaling and show how this downscaling product with respect to extremes behave much more realistic for both intensities and for spatial extent.

Figure 2 sums up the intensities from extremes from the precipitation product from the ENSEMBLES models used in Gregersen et al. (2013), the high resolution RCMs presented by Mayer et al. (2015) and from the weather generator presented by Sørup et al. (2015). The ENSEMBLES RCMs perform ok for domain A events and less and less well for domain B and C events when more and more extreme extremes are considered. The high resolution RCMs and the weather generator is able to produce realistic precipitation across all domains.

In contrary to most other downscaling techniques the weather generator provides us with useful time series that can be used for modelling of urban hydrological systems in all situations not just extreme ones.




Fig 2: Intensity-duration-frequency plots for representative events from the three domains of the three points approach for all considered data sets.

References

- Gregersen I. B., Sørup H. J. D., Madsen H., Rosbjerg D., Mikkelsen P. S. and Arnbjerg-Nielsen K. (2013) Assessing future climatic changes of rainfall extremes at small spatio-temporal scales. *Climatic Change*. 118(4), 783-797. doi: 10.1007/s10584-012-0669-0. 2013.
- Kendon, E. J., Roberts, N. M., Fowler, H. J., Roberts, M.J., Chan, S. C. and Senior, C.A. (2014) Heavier summer downpours with climate change revealed by weather forecast resolution model. *Nature Climate Change*, 4(7), 570-576.
- Maraun, D., Wetterhall, F., Ireson, A. M., Chandler, R. E., Kendon, E. J., Widmann, M., Brienen, S., Rust, H. W., Sauter, T., Themeßl, M., Venema, V. K. C., Chun, K. P., Goodess, C. M., Jones, R. G., Onof, C., Vrac, M. and Thiele-Eich, I. (2010) Precipitation downscaling under climate change: Recent developments to bridge the gap between dynamical models and the end user. *Reviews of Geophysics* 48(3). doi: 10.1029/2009RG000314.
- Mayer, S., Maule, C. F., Sobolowski, S., Bøssing, O. B., Sørup, H. J. D., Sunyer, M. Arnbjerg-Nielsen, K. and Barstad, I. (2015) Identifying added value in high-resolution climate simulations over Scandinavia. *Tellus. Series A: Dynamic Meteorology and Oceanography*, 67. doi:10.3402/tellusa.v67.24941
- Sørup, H. J. D., Christensen, O. B., Arnbjerg-Nielsen, K., and Mikkelsen, P. S. (2015) Downscaling future precipitation extremes to urban hydrology scales using a spatio-temporal Neyman–Scott weather generator, *Hydrol. Earth Syst. Sci. Discuss.*, 12, 2561-2605, doi:10.5194/hessd-12-2561-2015.
- Sørup, H. J. D., Lerer, S. M., Arnbjerg-Nielsen, K., Mikkelsen, P. S. and Rygaard, M. (submitted) Efficiency of stormwater control measures: How the Three Points Approach (3PA) can guide the interpretation of strategic management approaches for rainwater harvesting, stormwater drainage and flood risk management. UWJ.