

Technical University of Denmark



TEM characterization of NiGa model catalysts for methanol synthesis

Spiga, Cristiano; Almind, Mads Radmer; Secher, Niklas Mørch; Silva, Hugo José Lopes; Wagner, Jakob Birkedal; Chorkendorff, Ib; Damsgaard, Christian Danvad

Published in:

Book of Abstracts. DTU's Sustain Conference 2015

Publication date:

2015

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Spiga, C., Almind, M. R., Secher, N., Silva, H. J. L., Wagner, J. B., Chorkendorff, I., & Damsgaard, C. D. (2015). TEM characterization of NiGa model catalysts for methanol synthesis. In Book of Abstracts. DTU's Sustain Conference 2015 [E-18] Lyngby: Technical University of Denmark (DTU).

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

TEM characterization of NiGa model catalysts for methanol synthesis

C. Spiga^{1,2}, M.R. Almind^{1,2}, N. Secher^{1,2}, H.J.L. Silva², J.B. Wagner¹, I. Chorkendorff², C.D. Damsgaard^{*1,2}


1: DTU Cen; 2: DTU Physics, *Corresponding author email: cdda@dtu.dk

Catalysis will play a crucial role in all technologies, which potentially could be used for producing sustainable chemical fuels from solar energy. One specific challenge concerns energy conversion based upon decentralized hydrogen production. One solution could be to store hydrogen on location by methanol synthesis under lower pressure conditions.

δ -Ni₅Ga₃ catalysts prepared by incipient wetness impregnation on a high surface area SiO₂ support, have shown comparable turn-over frequencies to the preferred commercial Cu/Zn/Al₂O₃ catalyst system[1-2]. The catalysts have been studied and characterized extensively by activity measurements, in situ XRD, and Environmental Transmission Electron Microscope (ETEM)[3] during nanoparticle formation, methanol synthesis[2], and accelerated aging experiments.

In order to optimize the catalyst even further the active state and de-activation mechanism should be determined. However, the morphology of the support may complicate interpretation of EM images of the catalyst on the atomic level due to limited depth of field. One way to circumvent this is to synthesize the NPs on a low surface area support representing the “real” high surface area SiO₂ supported catalyst.

This study presents synthesis and characterization of NiGa NPs supported on 200 nm SiO₂ spheres and SiO₂ membranes[4], respectively. By studying the structure-activity relationship of these model catalysts, we aim to identify catalytic active state and pre-dominant deactivation mechanisms that represent the behavior of the high surface area SiO₂ supported catalyst.



TEM micrographs of NiGa NPs supported on A) 200 nm SiO₂ spheres, B) SiO₂ membranes and C) High surface area SiO₂ support.

References:

- [1] F. Studt et al., Nature Chemistry 6(2014), p. 320.
- [2] I. Sharafutdinov et al., Journal of Catalysis, 320(2014), p. 77.
- [3] T.W. Hansen et al., Materials Science and Technology 11(2010), p. 1338.
- [4] C.D. Damsgaard et al., Microscopy 63(2014), p. 397.