

Technical University of Denmark



Improving the oxygen reduction reaction by strain effects: bulk and nanoparticles studies

Velazquez-Palenzuela, Amado Andres; Escribano, Maria Escudero; Masini, Federico; Pedersen, Anders Filsøe; Deiana, Davide; Malacrida, Paolo; Hansen, Thomas Willum; Friebel, Daniel; Nilsson, Anders; Stephens, Ifan; Chorkendorff, Ib

Published in:

Book of Abstracts. DTU's Sustain Conference 2015

Publication date:

2015

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Velazquez-Palenzuela, A., Escribano, M. E., Masini, F., Pedersen, A. F., Deiana, D., Malacrida, P., ... Chorkendorff, I. (2015). Improving the oxygen reduction reaction by strain effects: bulk and nanoparticles studies. In Book of Abstracts. DTU's Sustain Conference 2015 [E-38] Lyngby: Technical University of Denmark (DTU).

DTU Library

Technical Information Center of Denmark

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Improving the oxygen reduction reaction by strain effects: bulk and nanoparticles studies

Amado Velázquez-Palenzuela^{1*}, María Escudero-Escribano¹, Federico Masini¹, Anders F. Pedersen¹, Davide Deiana², Paolo Malacrida¹, Thomas Willum Hansen², Daniel Friebel³, Anders Nilsson³, Ifan E.L. Stephens¹, Ib Chorkendorff¹

1: DTU Fysik; 2: DTU CEN; 3: SLAC (USA)

*Corresponding author email: aavp@fysik.dtu.dk

The sluggish kinetics of the oxygen reduction reaction (ORR) hinders the commercialization of proton exchange membrane fuel cells (PEMFC). The ORR activity could be enhanced by combining Pt with late transition 3d metals (i.e. Fe, Co, Ni, and Cu). However, such alloys are often not stable enough in the corrosive PEMFC environment and suffer from dealloying [1]. In contrast, Pt alloys containing lanthanide metals, such as Pt₅Gd, exhibits high ORR activity and stability [2]. In this work we present the structural and electrochemical characterization of mass-selected platinum-gadolinium alloy nanoparticles (Pt_xGd NPs) as potential oxygen reduction reaction (ORR) electrocatalysts. The alloy nanoparticles are synthesized for the first time using gas aggregation after sputtering of an alloy target under ultra-high vacuum (UHV) conditions [3]. The morphology of the Pt_xGd catalysts is characterized and their catalytic performance towards the ORR is assessed in acidic media using half-cell configuration. As result, the Pt_xGd 8 nm catalyst shows an outstanding performance (3,6 A (mg Pt)⁻¹), surpassing our preceding maximum activity reached with Pt_xY NPs catalysts and resulting in the highest activity reported for nanocatalysts based on an acid-leached "Pt-skeleton" structure. In addition, the optimum Pt_xGd catalyst also presents superior stability compared to Pt_xY, as suggested by the long-term stability tests under ORR potential cycling. Extended X-ray Absorption Fine Structure (EXAFS) spectroscopy measurements confirm that as-prepared Pt_xGd NPs are compressively strained relative to pure Pt and that a Pt_xGd core/Pt-rich shell structure is adopted after partial Gd leaching. We proposed that the ORR enhancement accounts for the compressive strain within the Pt shell induced by the alloyed core. Indeed, the estimated strain is used as valid descriptor of the measured ORR activity. The results herein presented confirm the suitability of Pt_xGd NPs as cathode nanocatalysts for proton exchange membrane fuel cells (PEMFCs). In addition, our investigation of sputter-clean polycrystalline Pt-lanthanide and Pt-alkaline earth alloys shows that the compressive strain also controls the activity and stability of bulk catalysts.

References

- [1] F. Maillard, L. Dubau, J. Durst, M. Chatenet, J. Andre, E. Rossinot. *Electrochem. Commun.* 12 (2010) 1161.
- [2] M. Escudero-Escribano, A. Verdager-Casadevall, P. Malacrida, U. Grønbjerg, B. P. Knudsen, A. K. Jepsen, J. Rossmeisl, I. E. L. Stephens, I. Chorkendorff. *J. Am. Chem. Soc.* 134 (2012) 16476.
- [3] F. J. Perez-Alonso, D. N. McCarthy, A. Nierhoff, P. Hernandez-Fernandez, C. Strebler, I. E. L. Stephens, J. H. Nielsen, I. Chorkendorff. *Angew. Chem. Int. Ed.* 51 (2012) 4641.