

Non-destructive Quality control of tablets and blister packs by UV imaging - DTU Orbit (08/11/2017)

Non-destructive Quality control of tablets and blister packs by UV imaging

Quality control of tablets and its primary packing material within the manufacturing line requires analytical routines that allow monitoring of the desired product attributes with high efficiency. The aim of this study was to evaluate the suitability of multispectral UV imaging combined with multivariate image analysis for verification of blister pack filling, differentiation of tablets of varying composition therein, as well as detection of imprint defects and surface cracks of bulk tablets. Moreover, the influence of polymer sealing foils on tablet characterization within blister cavities was investigated. Several tablets of different composition were imaged either as bulk, within unsealed blister packs, or within blister packs that were manually sealed with three different types of either PVC or PCTFE foils. It was demonstrated that UV imaging is a fast and reliable technique for counting and differentiation of tablets within the blister packs. The sealing foils did not prevent characterization of the blister packs with regard to the tablets within the cavities. However, the polymer foils were found to cause changes in the multispectral UV image data set that allow to distinguish the blister packs based on the used polymer. Classification of the blister packs according to the composition of the tablets and the sealing foil was achieved. Furthermore, UV imaging was successfully applied to the detection of defects on imprinted codes and cracks on the surface of bulk tablets. Multispectral UV imaging is a powerful tool for quality control of tablets. Considering the highspeed of non-destructive image acquisition, this technique is promising for implementation in the tablet manufacturing process.

General information

State: Published

Organisations: Department of Applied Mathematics and Computer Science , Image Analysis & Computer Graphics, University of Hamburg, University of Copenhagen

Authors: Klukkert, M. (Ekstern), Wu, J. X. (Ekstern), Rantanen, J. (Ekstern), Rehder, S. (Ekstern), Carstensen, J. M. (Intern), Rades, T. (Ekstern), Leopold, C. S. (Ekstern)

Pages: 108-120

Publication date: 2016

Main Research Area: Technical/natural sciences

Publication information

Journal: Die Pharmazeutische Industrie

Volume: 78

Issue number: 1

ISSN (Print): 0031-711X

Ratings:

BFI (2017): BFI-level 1

BFI (2016): BFI-level 1

Scopus rating (2016): SJR 0.189 SNIP 0.4 CiteScore 0.04

Web of Science (2016): Indexed yes

BFI (2015): BFI-level 1

Scopus rating (2015): SJR 0.119 SNIP 0.022 CiteScore 0.02

BFI (2014): BFI-level 1

Scopus rating (2014): SJR 0.193 SNIP 0.4 CiteScore 0.07

BFI (2013): BFI-level 1

Scopus rating (2013): SJR 0.193 SNIP 0.199 CiteScore 0.06

BFI (2012): BFI-level 1

Scopus rating (2012): SJR 0.193 SNIP 0.493 CiteScore 0.08

BFI (2011): BFI-level 1

Scopus rating (2011): SJR 0.196 SNIP 0.701 CiteScore 0.08

BFI (2010): BFI-level 1

Scopus rating (2010): SJR 0.194 SNIP 0.695

BFI (2009): BFI-level 1

Scopus rating (2009): SJR 0.195 SNIP 0.369

BFI (2008): BFI-level 1

Scopus rating (2008): SJR 0.191 SNIP 0.368

Scopus rating (2007): SJR 0.207 SNIP 0.613

Scopus rating (2006): SJR 0.2 SNIP 0.259

Scopus rating (2005): SJR 0.204 SNIP 0.596

Scopus rating (2004): SJR 0.208 SNIP 0.535

Scopus rating (2003): SJR 0.206 SNIP 0.643

Scopus rating (2002): SJR 0.212 SNIP 0.588

Scopus rating (2001): SJR 0.214 SNIP 0.514

Scopus rating (2000): SJR 0.19 SNIP 0.449

Scopus rating (1999): SJR 0.21 SNIP 0.346

Original language: English

Source: FindIt

Source-ID: 2298672982

Publication: Research - peer-review › Journal article – Annual report year: 2016