

Synthesis and characterization of UV photocrosslinkable hydrogels with poly(N-vinyl-2-pyrrolidone): Determination of the network mesh size distribution - DTU Orbit (09/11/2017)

Synthesis and characterization of UV photocrosslinkable hydrogels with poly(N-vinyl-2-pyrrolidone): Determination of the network mesh size distribution

Hydrogels of poly(n-vinyl-2-pyrrolidone) were produced by UV irradiation of aqueous solutions of the polymer in presence of hydrogen peroxide, used as initiator. The mechanical and the nanostructural properties of the gels were characterized by a combination of experimental techniques including rheology, low field nuclear magnetic resonance spectroscopy (LF-NMR), and small angle X-ray scattering. Different irradiation doses as well as polymer and initiator concentrations were tested in the characterization. The study elucidates the relationship between different methods to estimate the mesh size of the gel polymeric network. Moreover, a novel correlation model was developed based on Chui and Scherer theories for the interpretation of LF-NMR dataset of polymer solutions and networks.

General information

State: Published

Organisations: Department of Micro- and Nanotechnology, Nanoprobes, Department of Chemical and Biochemical Engineering, The Danish Polymer Centre, Center for Intelligent Drug Delivery and Sensing Using Microcontainers and Nanomechanics, University of Trieste, National Research Council of Italy

Authors: Marizza, P. (Intern), Abrami, M. (Ekstern), Keller, S. S. (Intern), Posocco, P. (Ekstern), Laurini, E. (Ekstern), Goswami, K. (Intern), Skov, A. L. (Intern), Boisen, A. (Intern), Larobina, D. (Ekstern), Grassi, G. (Ekstern), Grassi, M. (Ekstern)

Pages: 516-525

Publication date: 2016

Main Research Area: Technical/natural sciences

Publication information

Journal: International Journal of Polymeric Materials and Polymeric Biomaterials

Volume: 65

Issue number: 10

ISSN (Print): 0091-4037

Ratings:

BFI (2017): BFI-level 1

Web of Science (2017): Indexed Yes

BFI (2016): BFI-level 1

Scopus rating (2016): CiteScore 1.47 SJR 0.393 SNIP 0.515

Web of Science (2016): Indexed yes

BFI (2015): BFI-level 1

Scopus rating (2015): SJR 0.423 SNIP 0.706 CiteScore 1.63

BFI (2014): BFI-level 1

Scopus rating (2014): SJR 0.76 SNIP 1.09 CiteScore 2.78

BFI (2013): BFI-level 1

Scopus rating (2013): SJR 0.799 SNIP 1.143 CiteScore 2.41

ISI indexed (2013): ISI indexed yes

BFI (2012): BFI-level 1

Scopus rating (2012): SJR 0.662 SNIP 1.022 CiteScore 1.62

ISI indexed (2012): ISI indexed yes

Web of Science (2012): Indexed yes

BFI (2011): BFI-level 1

Scopus rating (2011): SJR 0.374 SNIP 0.861 CiteScore 1.03

ISI indexed (2011): ISI indexed no

BFI (2010): BFI-level 1

Scopus rating (2010): SJR 0.261 SNIP 0.465

BFI (2009): BFI-level 1

Scopus rating (2009): SJR 0.292 SNIP 0.424

BFI (2008): BFI-level 1

Scopus rating (2008): SJR 0.218 SNIP 0.476

Scopus rating (2007): SJR 0.198 SNIP 0.406

Scopus rating (2006): SJR 0.214 SNIP 0.333

Scopus rating (2005): SJR 0.265 SNIP 0.45

Scopus rating (2004): SJR 0.229 SNIP 0.43

Scopus rating (2003): SJR 0.239 SNIP 0.331

Scopus rating (2002): SJR 0.194 SNIP 0.284

Web of Science (2002): Indexed yes

Scopus rating (2001): SJR 0.208 SNIP 0.381

Scopus rating (2000): SJR 0.246 SNIP 0.33

Scopus rating (1999): SJR 0.207 SNIP 0.33

Original language: English

Hydrogels, Drug delivery, Photocrosslinking, Polymer network morphology, Rheology, Modeling
DOIs:

10.1080/00914037.2015.1129964

Source: FindIt

Source-ID: 2303405233

Publication: Research - peer-review › Journal article – Annual report year: 2016