

Enterococci as indicator of potential growth of Salmonella in fresh minced meat at retail - DTU Orbit (08/11/2017)

Enterococci as indicator of potential growth of Salmonella in fresh minced meat at retail

The present study had the purpose of demonstrating a positive correlation between enterococci and Salmonella in minced pork and beef. Data from 2001 to 2002 from retail minced pork and beef in Denmark were used and the association between concentration of enterococci and prevalence and concentration of Salmonella was examined. A total of 2187 and 2747 samples of minced pork and beef, respectively, were collected from butcher shops and supermarkets throughout the country. In pork, 2.1% of all samples were positive for Salmonella whereas 1.5% of beef samples were positive. Among samples with ≥ 100 CFU/g of enterococci, prevalence of Salmonella positive samples was 3.4%, which was significantly higher than 1.2% observed in minced meat with less than 100 CFU/g of enterococci ($P < 0.001$). A positive association between occurrence of enterococci and presence of Salmonella in retail minced meat was supported as both prevalence and concentration of Salmonella in positive samples increased with increasing concentrations of enterococci in minced meat. From our data, we suggest that minced meat containing more than 500 enterococci per gram is suspected of having been exposed to temperatures allowing growth of Salmonella. This is to our knowledge the first report, which links presence of an indicator to potential growth of Salmonella.

General information

State: Published

Organisations: National Food Institute, Research Group for Microbial Food Safety and Quality, Danish Veterinary and Food Administration

Authors: Hansen, T. B. (Intern), Nielsen, N. L. (Ekstern), Christensen, B. B. (Intern), Aabo, S. (Intern)

Number of pages: 5

Pages: 92-96

Publication date: 2016

Main Research Area: Technical/natural sciences

Publication information

Journal: Food Microbiology

Volume: 59

ISSN (Print): 0740-0020

Ratings:

BFI (2017): BFI-level 1

Web of Science (2017): Indexed yes

BFI (2016): BFI-level 1

Scopus rating (2016): CiteScore 4.31 SJR 1.702 SNIP 1.695

Web of Science (2016): Indexed yes

BFI (2015): BFI-level 1

Scopus rating (2015): SJR 1.714 SNIP 1.776 CiteScore 4.24

Web of Science (2015): Indexed yes

BFI (2014): BFI-level 1

Scopus rating (2014): SJR 1.548 SNIP 1.755 CiteScore 3.74

BFI (2013): BFI-level 1

Scopus rating (2013): SJR 1.759 SNIP 1.85 CiteScore 3.81

ISI indexed (2013): ISI indexed yes

Web of Science (2013): Indexed yes

BFI (2012): BFI-level 1

Scopus rating (2012): SJR 1.618 SNIP 1.647 CiteScore 3.54

ISI indexed (2012): ISI indexed yes

Web of Science (2012): Indexed yes

BFI (2011): BFI-level 1

Scopus rating (2011): SJR 1.578 SNIP 1.885 CiteScore 3.72

ISI indexed (2011): ISI indexed yes

Web of Science (2011): Indexed yes

BFI (2010): BFI-level 1

Scopus rating (2010): SJR 1.669 SNIP 1.765

Web of Science (2010): Indexed yes

BFI (2009): BFI-level 1

Scopus rating (2009): SJR 1.574 SNIP 1.736

BFI (2008): BFI-level 2

Scopus rating (2008): SJR 1.268 SNIP 1.591

Web of Science (2008): Indexed yes

Scopus rating (2007): SJR 1.032 SNIP 1.703

Web of Science (2007): Indexed yes

Scopus rating (2006): SJR 1.064 SNIP 1.626

Web of Science (2006): Indexed yes

Scopus rating (2005): SJR 0.899 SNIP 1.166

Scopus rating (2004): SJR 0.774 SNIP 1.041

Web of Science (2004): Indexed yes

Scopus rating (2003): SJR 0.7 SNIP 0.911

Web of Science (2003): Indexed yes

Scopus rating (2002): SJR 0.689 SNIP 0.962

Scopus rating (2001): SJR 0.757 SNIP 1.066

Scopus rating (2000): SJR 0.801 SNIP 1.106

Scopus rating (1999): SJR 0.793 SNIP 0.968

Original language: English

Food Science, Microbiology, Beef, Enterococci, Pork, Retail, Salmonella

DOIs:

10.1016/j.fm.2016.05.010

Source: FindIt

Source-ID: 2304565838

Publication: Research - peer-review › Journal article – Annual report year: 2016