Novel ceramic processing method for substitution of toxic plasticizers - DTU Orbit (09/11/2017)

Novel ceramic processing method for substitution of toxic plasticizers

A systematic screening of plasticisers for a polyvinyl butyral based binder system revealed that dibutyl maleate, dibutyl adipate and Pycal 94 are promising and less toxic alternatives to the very harmful but frequently used dibutyl phthalate. Pycal 94 seems especially promising as it unlike the two other candidates did not require a co-plasticiser, such as a polyethylene glycol, thus simplifying the system and reducing the risk of unwanted cross-interactions. An effective and systematic procedure for substitution of the plasticiser, while maintaining chemical compatibility and mechanical properties, was also demonstrated. Incompatible systems were discarded in an initial broad screening while primary systems were further evaluated based on debinding properties, mechanical properties, flow behavior as well as sintering properties of ceramic tapes. The thermomechanical characterization performed on dried drops of binder and their corresponding tapes show strong similarities in the strain/stress profiles, validating the qualitative method used.

General information

State: Published

Organisations: Department of Energy Conversion and Storage, Ceramic Engineering & Science Authors: Foghmoes, S. P. V. (Intern), Teocoli, F. (Intern), Brodersen, K. (Intern), Klemensø, T. (Intern), Della Negra, M. (Intern) Number of pages: 9 Pages: 3441-3449 Publication date: 2016

Main Research Area: Technical/natural sciences

Publication information Journal: Journal of the European Ceramic Society Volume: 36 Issue number: 14 ISSN (Print): 0955-2219 Ratings: BFI (2017): BFI-level 1 Web of Science (2017): Indexed Yes BFI (2016): BFI-level 1 Scopus rating (2016): CiteScore 3.25 SJR 1.135 SNIP 1.776 Web of Science (2016): Indexed yes BFI (2015): BFI-level 1 Scopus rating (2015): SJR 1.15 SNIP 1.841 CiteScore 3.03 Web of Science (2015): Indexed yes BFI (2014): BFI-level 1 Scopus rating (2014): SJR 1.187 SNIP 2.099 CiteScore 3.16 Web of Science (2014): Indexed yes BFI (2013): BFI-level 1 Scopus rating (2013): SJR 1.122 SNIP 1.794 CiteScore 2.57 ISI indexed (2013): ISI indexed yes Web of Science (2013): Indexed yes BFI (2012): BFI-level 1 Scopus rating (2012): SJR 1.305 SNIP 2.244 CiteScore 2.81 ISI indexed (2012): ISI indexed yes Web of Science (2012): Indexed yes BFI (2011): BFI-level 1 Scopus rating (2011): SJR 1.343 SNIP 2.217 CiteScore 2.83 ISI indexed (2011): ISI indexed yes Web of Science (2011): Indexed yes BFI (2010): BFI-level 1 Scopus rating (2010): SJR 1.392 SNIP 1.945 Web of Science (2010): Indexed yes BFI (2009): BFI-level 1 Scopus rating (2009): SJR 1.381 SNIP 1.724 Web of Science (2009): Indexed yes

BFI (2008): BFI-level 1 Scopus rating (2008): SJR 1.146 SNIP 1.645 Web of Science (2008): Indexed yes Scopus rating (2007): SJR 1.22 SNIP 1.76 Web of Science (2007): Indexed yes Scopus rating (2006): SJR 1.191 SNIP 1.67 Web of Science (2006): Indexed yes Scopus rating (2005): SJR 1.084 SNIP 1.637 Web of Science (2005): Indexed yes Scopus rating (2004): SJR 1.037 SNIP 1.747 Scopus rating (2003): SJR 1.129 SNIP 1.497 Scopus rating (2002): SJR 1.04 SNIP 1.181 Scopus rating (2001): SJR 1.238 SNIP 1.597 Scopus rating (2000): SJR 0.99 SNIP 1.182 Scopus rating (1999): SJR 1.141 SNIP 1.156 Original language: English Binder systems, Ceramic processing, Plasticizers, Slurry formulation, Toxicity DOIs: 10.1016/j.jeurceramsoc.2016.05.043 Source: FindIt Source-ID: 2305698664

Publication: Research - peer-review > Journal article – Annual report year: 2016