STELLINGEN BEHOREND BIJ HET PROEFSCHRIFT:

Altered Gene & MiRNA Regulation in Pediatric Acute Myeloid Leukemia

Jenny E. Katsman-Kuipers

- 1. High expression of *IGSF4* in pediatric AML with *MLL*-rearrangements and t(9;11)(p22;q23) is explained by promoter demethylation. (*this thesis*)
- 2. Differences in miRNA expression reflect the genetic heterogeneity of pediatric AML. (*this thesis*)
- 3. *RUNX1* mutations occur rarely in *de novo* pediatric AML and seem associated with poor outcome. *(this thesis)*
- 4. Epigenetic events like miRNA deregulation and DNA methylation contribute to leukemogenesis in pediatric AML, thereby providing promising candidates for future research towards targeted therapy. *(this thesis)*
- 5. MiR-9 is a tumor suppressor in pediatric AML characterized by t(8;21). (*this thesis*)
- 6. Only international collaboration will provide adequate numbers of pediatric AML patients to power trial questions investigating new targeted therapies within subgroups. (U. Creutzig, Blood 2012)
- 7. The good, what particular men may do separately in relieving the sick, is small, compared with what they may do collectively. (*B. Franklin,* 1751)
- 8. We need to view data as a community resource, much like a shared park, rather than as personal property. (*J. Drazen, NEJM 2015*)
- 9. The good physician treats the disease; the great physician treats the patient who has the disease. *(William Osler)*
- 10. Elke Nederlander moet vrij zijn om zijn eigen arts te kiezen. (*n.a.v. aanpassing artikel 13 zorgverzekeringswet, december 2014*)
- 11. It takes courage to grow up and turn out to be who you really are. *(E.E. Cummings)*