

Does government policy matter? Factors influencing contractors' risk attitudes in the Malaysian construction industry: A structural equation modelling analysis

Taofeeq D. Moshood, Faculty of Industrial Management, Universiti Malaysia Pahang
A.Q. Adeleke, Faculty of Industrial Management, Universiti Malaysia Pahang
Gusman Nawanir, Faculty of Industrial Management, Universiti Malaysia Pahang
J.A. Bamgbade, Faculty of Engineering, Computing and Science, Swinburne University of
Technology Sarawak Campus
W.A. Ajibike, Faculty of Industrial Management, Universiti Malaysia Pahang
taofeeqmoshood@gmail.com

ABSTRACT

One of the critical factors responsible for the successful management of construction projects is individual factors. These factors play a significant role in the decision-makers' attitudes towards risks management. Many previous studies regarding the management of construction projects have focused on the factors contributing to the success of risk management. However, little attention has been given to factors severely affecting the decision-makers' risk attitudes with particular reference to an individual's risk factors in the construction industry. Therefore, this study aims to identify the factors affecting contractors' risk attitudes and then determine its relationship with government policy. Theories of planned behaviour and organisational control were used to develop the theoretical framework that investigated G-7 contractors in the Kuantan Pahang, Malaysian construction industry. A review of relevant literature and questionnaire was employed to identify the factors affecting contractors' risk attitudes (personal factors). 112 copies of a structured questionnaire were analysed with a response rate of 80%. Structural Equation Modelling SEM was utilised to test the hypotheses developed for the study. The results of this study, through SEM, proved that personal factors (working experience, professional competence and physical health) have a significant influence on contractor risk attitudes in the Malaysian construction industry. The findings of this research also confirm that government policy (rules and regulations) plays a moderating role in enhancing the relationship of personal factors affecting contractors' risk attitudes in construction companies in Malaysia. The findings of the study provide more understanding of the personal factors that affect contractors' risk attitudes to facilitate contractors' decision-making process and serve as a useful reference for further studies in the field of construction project management.

KEYWORDS: Contractor's risk attitude, Government policies, Individual factors, PLS-SEM.

INTRODUCTION

Risk is one of the most commonly used terms to describe uncertain features of construction projects. It is well-defined as an event that negatively affects project aims: time and schedule, cost and performance of work. Contractors deal with uncertainties inherent in construction projects that frequently result in unfavourable effects e.g. cost overruns and time delays (Ibrahim *et al.*, 2010; Wang *et al.*, 2011). Risk is a multifaceted singularity that has a physical, cultural, social dimension and monetary effect on a construction project. The importance of

risk actions go well beyond physical harm to financial or physical properties, people or environments to affect the way society operates and people think. The experience of risk is not only shaped by the extent of probable harm but also by the way in which contractors interpret or the way contractors filter information about it. Human error and unsafe behaviours are both the cause of risk attitudes which lead to mishaps in the construction sector (KLIUC News, 2007).

Risk attitude can be defined as ‘chosen state of mind concerning those uncertainties that could have a positive or negative effect on objectives’ (Zakir, 2012). Consequently, people's risk attitudes reflect their characteristics and experience, as well as the economic, policy and management of their immediate environment. This risk attitude explains the reason for the divergence in decision-making and judgement, even in the same situations in different locations. The subjective judgement highly related to the human factors in the decision-making process is customarily depicted as risk attitude, which plays an important role in decision-making. Therefore, decisions made without considering the decision-makers' risk attitude might not be credible or reliable. For this reason, the need to identify the factors that are influencing decision-makers' risk attitudes in construction projects requires urgent attention (Wang, Zhang & Chen, 2016).

Besides attitude and subjective norm, the behaviour of people is strongly influenced by the confidence in their ability to perform (Wang & Yuan, 2011). This is attributed to how people perceive the control over the intended behaviour (ability to perform), which relies on the availability of resources, competency, support from other people and experience. Confidence may arise once the perceived control over the behaviour is in place. In this study, perceived behaviour control is defined as employees' knowledge, skill and ability to execute the behaviour that will have better control on the ability to perform (Lyons & Skitmore, 2004; Moshood *et al.*, 2020). All these are gained from the training and education process, which is an independent variable in this study. It is believed that employees who have adequate training/knowledge (competent) are more motivated and willing to demonstrate a strong commitment to handle their tasks and are in a position to behave according to organisational safety norms. A competent employee reflects the right attitude and high values on job efficiency, productivity and more importantly on safety.

Though there is a development of safety performance and increase in safety awareness in the construction industry, its risk level is still one of the highest across all sectors because contractors' attitudes towards risks play an important part in project management. Earlier researchers in risk management in the construction project have concentrated on the factors contributing to the success of contractors in the industry (Shirolkar, 2015; Wang & Yuan, 2011; Wang, Zhang & Chen, 2016). Still, little attention was given to the relationship between factors affecting risk attitudes (individual factor) and contractor risk attitudes in the construction industry with the moderating role of government policy. To accomplish this objective, several decision-making activities towards individual factor and contractors' risk attitudes in construction industries were examined in this research.

LITERATURE REVIEW

Contractors' Risk Attitudes

As human attitude is always reflected in behaviour, similarly, there is a high possibility that a contractor's behaviour will be by their attitude. Shirolkar (2015) explained the relationship among contractors' risk perceptions, attitudes and behaviours by setting out the possible change

in design from perception to attitude to behaviour. They also investigated the factors (termed 'situational variables') driving contractors' behaviours away from their attitudes. The major factors identified were the employer's reputation for honouring payment on time, contractor's need for more works and the number of liquidated damages.

Moreover, the construction industry has changed, and it has been improved by applying new materials, new construction methods and advanced project delivery methods. But one thing that has not changed is that contractors have to deal with risks characteristics on their jobs to always face competition in the market. Contractors' compensations for delivering a complete facility are based on their winning bids, especially in competitive bidding environments (Jaafari, 2001).

Therefore, individuals implement effective project risk management systems and then, the risk attitude of these individuals can have an important impact on the successful implementation of risk systems. International research in psychology indicates that individuals' attitude towards risk can contain some biases that result in inappropriate responses to risks. In line with the above, the PMBOK guide (2013) emphasised that risk attitude can include many aspects such as risk appetite, risk threshold and risk tolerance. All of these aspects might influence the way individuals and organisations respond to risks. Although there is no agreement on a single definition of risk attitude, they all relate to the mind-set selected as a response to uncertainties driven by the perception of individuals (Hillson & Murry, 2007).

Many researchers have conducted studies about different risk attitudes among organisations, and also among individuals (Hillson & Murray-Webster, 2005; Pennings & Smidts 2003). They classified contractors' risk attitudes into three common types in construction industries: risk-averse, risk-neutral, and risk-seeking.

The risk-averse contractor is a contractor who prefers lower returns with known risks rather than higher returns with unknown risk (Cha *et al.*, 2012). For example, contractors with risk-averse preferences are willing to take an amount of money smaller than the expected value of a huge amount in a contract (Chun & Bing Bing, 2016; Kim & Reinschmidt, 2011).

The risk-neutral contractor is a contractor who places himself in the middle of the risk spectrum, represented by the risk-seeking contractor at one end and risk-averse contractor at the other (Cha *et al.*, 2012). The party's decisions are not affected by the degree of uncertainty in a set of outcomes, so a risk-neutral party is indifferent between choices with equal expected payoffs even if one option is riskier than the other choice (Chun & Bing Bing, 2016; Kim & Reinschmidt, 2011).

The risk-taker contractor is a contractor who risks everything to achieve or accept the more significant potential for loss in decisions. In other words, a risk-taker contractor willingly tolerates uncertainty to achieve a goal (Shirolkar *et al.*, 2015). Furthermore, it is an individual who tends to behave in a way that can potentially cause physical harm or financial loss but might also present an opportunity for a rewarding outcome (Chun & Bing Bing, 2016; Kim & Reinschmidt, 2011).

Some studies relating to risk management showed that professional managers are relatively risk-averse, while others question the assumption of global risk-aversion (Fiegenbaum & Thomas, 1988). Many studies in organisation and economics found the presence of heterogeneity in risk attitudes among organisations, even in homogeneous industries (Chatman & Jehn, 1994). Pennings and Smidts (2003) found out that some contractors in the construction

industries were risk-takers because the jobs they do are much riskier than other occupations. Nevertheless, this assumption is not compelling enough. For the fact that the jobs they do are hazardous does not mean that contractors are risk-takers. Many contractors consider themselves risk-aversers, not risk-takers (Jaafari *et al.*, 2001).

FACTORS AFFECTING RISK ATTITUDES (INDIVIDUAL FACTOR)

Many critical factors influence the effectiveness of risk management. There is unanimity among project and risk practitioners about the most significant factors for risk management: 'human factors'. Human factors can be defined as an individual, group and organisational factors that influence the achievement of project goals by indirectly shaping the behaviours of the project team members (Taofeeq *et al.*, 2020). Individual factors can be referred to as educational background, professional competence, motivation level, emotional intelligence and work experience. Group factors can be referred to as leadership styles, communication methods, coordination and empowerment while organisational factors can be referred to as corporate policies, procedures and senior management styles (Pennings & Smidts, 2000).

Work Experience

Work experience in construction companies always affects both practical and organisation abilities of contractor's. It is also accepted as the main standard for prequalification in any organisations. Mohammed *et al.* (2011) mention that the proprietors and consultants graded unskilled engineers amongst the top three causes of constructions delay in China. Correspondingly, Sambas, Ivan and Soon (2007) conclude that insufficient work experience of contractors is the third most prevalent cause of delay in Malaysian construction projects.

Labour is a major component of construction work in Malaysia. Unlike in industrialised economies nations such as the USA, UK and Germany where operations on construction sites are highly mechanised, construction work in developing countries and particular Malaysia, are still labour intensive. This agrees with a study carried out by Alinaitwe *et al.* (2007) which ranked incompetent workers and lack of experience of the workers as the two most significant causes of low productivity of construction workers in developing countries.

Therefore, work experience is a pressure that is partly affecting contractors' risk attitudes in construction companies. Experience comprises the ability to demonstrate effective observation, which has been gained through contribution and exposure to different issues in the process of working on various construction sites. A contractor with considerable experience in the construction field can gain a reputation as an expert. This indicates that contractors with rich experience in engineering practice in society would increase their potentials for better handling of risk in the construction of projects (Wang & Jiayuan, 2010).

Professional Competence

Professional competence comprises ability (to do a task economically), adequacy (to provide good service to the client) and capability (ability to undertake the commission) (Mhetre, Konnur & Landage, 2016). There are many definitions of human competence. Worker-oriented approaches describe competence as attributes controlled by humans and classically represented as knowledge, skills and abilities (KSAs). Additionally, a job competency can be defined as the individual's fundamental characteristics, showing itself in the form of traits, skills, and knowledge (Hillson *et al.*, 2007).

Personal competence may be a better predictor of a person's potential to perform in future positions than functional competence, which attests primarily to competence within a candidate's current position. However, there is no guarantee that a person who has the right mix of personal competencies will be able to 'put it all together' and deliver the desired outcomes. Hence, the main weakness of the personal competence approach is that it does not define effective performance within the played a role in terms of what has to be achieved. It may also ignore other potentially important components, such as knowledge and ethics. However, personal competence is an important complement to functional competence, and it is considered to have a place within the model (Adeleke *et al.*, 2018).

Project team members' attitude towards risk can be affected by their level of competence, where limited competence can lead to a risk-averse attitude and vice versa. Besides, individuals' risk perception is also affected by their level of competence since their estimation of their skill and competence can influence their risk attitude (Hillson *et al.*, 2007). Moreover, individuals who feel uncertain and incompetent tend to overestimate risk while those who perceive themselves as knowledgeable, experienced and competent tend to underestimate it. Therefore, individuals confronting unpredictable situations of which they have no prior knowledge or experience tend to perceive the situation as risky, which leads to a more risk-averse response. In contrast, individuals adopt more risk-seeking attitudes when faced with a situation where they have proven skills such as extraversion, agreeableness and conscientiousness (Hofstede *et al.*, 2001).

Physical Health and Safety

The World Health Organisation (WHO) defines health as a state of complete physical, mental and social well-being whereas health of the workers need to be free from any physical health disease, a mental and social activity that is related to the working conditions, working practices and the working environment (Manu *et al.*, 2018; Wilkins, 2011). Also, the safety of a worker is defined by the Occupational Safety and Health Administration (OSHA) as to protect the workers from accident, injuries and threat from the occupational workplace, unsafe environment, etc. In the context of civil engineering, safety is defined as the discipline of preserving the health of those who build, operate, maintain, and demolish engineering works and of others affected by those works, as well as freedom from danger of risks (Lee *et al.*, 2010; Wilkins, 2011).

Safety guidelines were issued by the Department of Occupational Safety and Health (DOSH). The purpose of these guidelines is to guide employers on how work practice can be carried out on every activity in construction to prevent an accident to workers and the public. These guidelines can be used as a standard reference for developers, contractors, engineers, architects, designers, and safety and health officers to control contractors risk attitudes in the construction industry. Health and safety legislation, which are frequently imposed by the Health and Safety Executive (HSE) or the Local Authorities (LAs). The Health and Safety Commission's (HSC) responsibility is to monitor health and safety during construction projects. This responsibility has a significant impact on a company's internal and external factors. For example, they are known for standard-setting, policy enforcement and policy development (Gilbertson *et al.*, 2012). The Management of Health and Safety at Work Regulations (MHSWR, 1999) perceived risk as to the hazard of possible harm caused by something. Therefore, contractors with a strong health condition will be able to complete projects successfully, and it will also help contractors to behave more actively to identify and address the potential risk problems. Furthermore, good health condition of contractors will increase the possibility of contractors to better evaluate the project situation being encountered. Therefore, strong health condition will help the contractor

in decision making and better judgement ability are helpful for a contractor to deal with risk issues in the construction industry. The level of the risk is based on the probability of its occurrence, the possible severity of the risk, such as the population that may be affected and the health effects. Besides, good health condition of the contractor will increase the possibility of contractors to evaluate better the project situation. In addition, Policy statements should indicate how the company is organised concerning the health and safety responsibilities of the workers, and should further state the managers' commitment to providing safety information, training and advice to employees. It is very important to enhance the ability of the workers and the managers to anticipate possible hazards in the workplace. (Lee *et al.*, 2010; Wilkins, 2011).

Government Policy as A Moderator

The policy is the guiding principle that is used to establish organisational regulations. Policy refers to a course of action that leads or influence decisions (Adeleke *et al.*, 2019; Bamgbade *et al.*, 2019). Also, it is used as a guide for making judgement following an assigned event within the structure of goals, objectives and the management philosophies as defined by the senior management. Government policy is described as the programme of action which aims to change a definite state of affairs. Therefore, government uses policies as the starting point for them to get a course of action to execute and to contribute a real-life change. Hence, policies are used to tackle a wide range of issues. Policies can even change the amount of taxes and individual or organisation pay, parking fines, immigration laws and pension, as well as the landfill taxes. Similarly, the government can change the law, when a policy is created and made to affect the people or particular issues or everyone in the society at large.

Therefore, Government policy (rules and regulations) are used as moderators in this study because they have been used as independent variables in the study by Ismail (2001) in Malaysia context, Iroegbu (2005) in Nigeria, while Aniekwu (1995), Gibb (2011) and Niu (2008) in Nigeria, Scotland and China have considered them as dependent variables respectively. Ismail (2001) revealed that in Malaysia context, rules and regulations on housing has a positive relationship with construction risk management. This finding suggests that there must be a replacement for the traditional building practices by an Industrialised Building System (IBS), which on the long run might save labour, cost, confer quality and durability, and time of construction in Malaysian construction companies as cited by Alaghbari *et al.*, (2007). Iroegbu's (2005) study also revealed that government rules and regulations positively influenced construction projects in Nigeria, such as the importation of construction materials and taxes.

Elinwa and Joshua (2001) stated that there is an insufficiency in government regulations, rules and specifications on the qualifications that contractors should possess regarding the technical aspect and work experience. This situation has paved way and encouragement for small contracting firms that are not qualified to acquire projects in Malaysia, thereby adding to the risk and low quality in construction projects. In particular, it is paramount to maintain a safe working environment in the construction business. Human mistake plays a vital role in the causes of the accident. It constitutes up to 90%, while the remaining 10% represents technical mistakes due to uncontrollable conditions. Most time in the construction business, health and safety regulations are enforced to reduce accidents, and large contractors need the proof of minimum safety training for workers and managers (Bamgbade *et al.*, 2016; Hamid *et al.*, 2003).

THEORY AND HYPOTHESES DEVELOPMENT

Almost all research studies in social and behavioural sciences regardless of discipline/ programs require a rational or base for conducting research. This rational base is often called a theoretical framework. A host of researchers have provided a varying definition of the theoretical framework. A theoretical framework is a conceptual model of how one theorises or makes logical sense of the relationships among several factors that have been identified as important to the problem (Chen *et al.*, 2016). Therefore, the theoretical framework of this study was grounded and underpinned by two theories: organisational control theory and theory of planned behaviour. However, the theory of planned behaviour is the main theory in this study, while organisational control theory complements it. The basic concept of the theory of planned behaviour is based on the fundamental construct of intention to perform a behaviour which is influenced by the attitude towards the behaviour and subjective norm. The basic concept of the theory of planned behaviour is based on the fundamental construct of intention to perform a behaviour which is influenced by the attitude towards the behaviour and subjective norm (Ang *et al.*, 2015; Ajzen & Fishbein, 2000; Chen *et al.*, 2016).

Attitude is the evaluation step of behaviour, and it could be favourable or unfavourable depending on the salient information or beliefs linking the behaviour to the outcomes such as cost and injuries incurred as a result of performing the behaviour (Ang *et al.*, 2015). The intention is also influenced by a subjective norm which is a belief of perceiving social pressure coming from colleagues, bosses and parents etc., expecting the behaviour to be performed by the person. Also, this theory suggests that a person's perceived behaviour control, influenced by the availability of resources (e.g. skill, knowledge physical abilities) and opportunities, can predict the behaviour directly independent of the intention.

While organisational control theory demonstrates some theoretical underpinnings to support the relationship between government policies and factors affecting contractors risk attitudes, the organisational control theory (Adeleke *et al.*, 2018; Flamholtz *et al.*, 1985; Snell, 1992) proposes that proper control established and applied by a government must theoretically be able to regulate risk occurrence on construction projects within the organisation with the aids of proper monitoring, control and compensation among the stakeholders, contractors, project managers, team members and the organisations themselves. Similarly, organisational control theory presumes that risk occurrence can be minimised through control introduced by an organisation with the influence of government policies which would certainly encourage compliance and must be flexible in every organisation. Organisational control concerns everyone. Whether you are a manager attempting to run a department, a politician trying to frame legislation to control multinational corporations or just an individual affected by the activities of the many organisations that have an impact on you, organisational control is a fundamental issue of modern life.

Regarding risk management, its importance has been emphasised in construction as well as other industries. The relevant risk management tools and techniques have been developed and used by researchers in academia and by practitioners in the industry. An important fact should be emphasised, that in general, different individuals may use the same tool differently. Similarly, depending on their risk attitudes, individual firms may have different perceptions of an identical risky event, which lead to different evaluations of the risk and correspondingly different actions.

Hence, the following hypotheses were developed based on the strong evidence provided by literature considering the influence of personal factors affecting risk attitudes on contractor risk attitudes. In the context of the Malaysian construction industry, the following are hypothesised:

- H1.** Working experience significantly influences a contractor's risk attitude.
- H2.** Professional competence significantly influences a contractor's risk attitudes.
- H3.** Physical health significantly influences the contractor's risk attitudes.
- H4.** Government policy moderates the relationship between working experience and the contractor's risk attitudes.
- H5.** Government policy moderates the relationship between professional competence and the contractor's risk attitudes.
- H6.** Government policy moderates the relationship between physical health and the contractor's risk attitudes.
- H7.** Government policy significantly influences the contractor's risk attitudes.

Conceptual Framework

The concept behind this study is that some factors affect an individual's risk attitudes in the construction industry. As a result, the researchers intend to identify those individual factors affecting risk attitude and then identify the relationship of those factors with contractor risk attitudes among construction industry, as shown in Figure 1.




Figure 1: Conceptual Framework

METHODOLOGY

In line with the above-mentioned issues and arguments from existing literature, the main objective of this article is to examine the relationship between the individual factors affecting contractor's risk attitudes among construction practitioners in Malaysia with the moderating role of government policy.

This research method is based on structural equation modelling (SEM), and the research model was ascertained through the SmartPLS 3.0 software (Ringle, Wende & Becker, 2015). PLS-SEM seems an appropriate method to assess the relationship in the current research because its algorithm permits the unrestricted computation of cause-effect relationship models that employ both reflective and formative measurement models (Diamantopoulos & Sigauw, 2006). Therefore, a reflective approach was employed in this research. This study also focused on the G7 contractors operating in Kuantan Malaysia construction industry that specialise in building, bridge and road construction project. Kuantan district comprises six (6) sub-districts, which are Sungai Karang, Ulu Kuantan, Ulu Lepar, Kuala Kuantan, Beserah and Penor in Malaysia.

The Scale of the Questionnaire

Kulatunga and Udayangani (2006) stated that Likert scales are proper and widely used in attitudinal measurement. The Likert scale is commonly used to measure activities, with a scale ranging from very low to very high. In this paper, we map the scale point from 1 to 5 scale in order to quantify the risk attitudes of contractors in construction projects, in which the scale correspondingly represents respondents' attitudes from (1) very low that this factor has the dramatic influence to (5) very high that this factor has dramatic influence. In this study, the selection of an odd scale, particularly the 5-point scale is appropriate because it will increase the reliability of the data as well as lessen social desirability bias (Krosnick, 1991). Respondents were asked to respond to the items by indicating their level of agreement using a five-point Likert scale. Also, a five-point scale is used because the scale can make a compromise between the conflicting goals of offering enough choice since only two or three options means measuring the only direction rather than also the strength of opinion and making things manageable for respondents. Lastly, Likert scale is mostly recommended from previous studies (Dikman *et al.*, 2007). It was supported by previous literature such as Krosnick and Fabrigar (1991) that a scale between 1 and 5 is enough to point out reliably and validly, the measure of an item, than a longer or shorter scale point. Table 1 shows the summary of indicators and the sources of the items used in the questionnaire survey.

Table 1: Summary of Variables and Measurement of Indicators

| Constructs | Dimensions | Adapted from | No. of indicators |
|----------------------------------|-------------------------|--|-------------------|
| Factors Affecting Risk Attitudes | Working Experience | Wang <i>et al.</i> (2011) & Muthike (2014) | 7 |
| | Physical Health | Wang <i>et al.</i> (2011) & Muthike (2014) | 7 |
| | Professional Competence | Wang <i>et al.</i> (2011) & Muthike (2014) | 6 |
| Contractors Risk Attitudes | Risk-averse | | 3 |
| | Risk-neutral | Ibrahim <i>et al.</i> (2011) & Wang <i>et al.</i> (2011) | 3 |
| | Risk-taker | | 3 |
| Government policy | Rules and Regulations | Adeleke <i>et al.</i> (2016) | 7 |

Note: all measurement scales are interval with five-point.

The original questionnaire adapted from Adeleke *et al.* (2016), Ibrahim (2011), Muthike, (2014) and Wang *et al.* (2011) was in English. Therefore, in order to ensure that every respondent understands the items stated in the questionnaire. The survey questionnaires were prepared in both Malay and English version to give flexibility for the respondents to respond in either language they were comfortable with. Preceding to distributing the surveys, the selected contractor committee's was provided with the details of the survey procedures. The

time limit for the return was given as two to three weeks, however late responses were accepted. The key contact person was asked to contact the researcher once they had collected some of the questionnaires (Lam & Adeleke, 2020).

RESULTS

Response Rate

In survey research, response rate represents the number of people invited to participate in the study and the number of persons who complete the survey instrument, and there are no standard expectations for response rates as they could vary across survey (Adeleke *et al.*, 2016; Shittu & Ahmad, 2020). To achieve the proper response rate for this study, 140 questionnaires were randomly distributed within the construction industry in Malaysia. Of the 140 questionnaires distributed, 124 questionnaires were received representing 89%. 12 questionnaires were found to be unusable due to missing data or provided the same responses to all the questions. Thus, overall, 112 (80%) of the total questionnaires were usable. A response rate of 80% is considered adequate for the analysis in this study because Hair *et al.* (2014) and Sekaran (2010) suggested that a response rate of 30% is sufficient for surveys. Moreover, the response rate for this study is alike with studies on technology use. This response rate was measured sufficient as a rule of thumb for the minimum number of data cases required to validate a study's research model using PLS-SEM is calculated as ten times the number of predictors (Nawanir *et al.*, 2020).

Table 2: Profile of Respondents

| Categories | Demographic | Count | Percentage |
|-------------------------------|-------------------|-------|------------|
| Position | Contract managers | 20 | 17.8% |
| | Architects | 17 | 15.2% |
| | Project managers | 14 | 12.5% |
| | G-7 Contractors | 48 | 42.9% |
| | Engineers | 13 | 11.6% |
| Years of Experiences | Below 3 years | 39 | 34.8% |
| | 4-6 years | 48 | 42.8% |
| | 7-9 years | 21 | 18.8% |
| | Above 10years | 4 | 3.6% |
| Academic Qualification | PhD | 20 | 17.8% |
| | Masters | 62 | 55.4% |
| | Bachelor | 30 | 26.8% |
| Job specialisation | Buildings | 79 | 70.5% |
| | Roads | 21 | 18.8% |
| | Bridges | 12 | 10.7% |

Demographic Distribution of the Respondents

The demographic profile of respondents is a component of a sample that considers similarities and differences within the unit, such as position, gender, age, years of experience, qualification, specialty of the company and the location of the company. A sample of architects, project managers, contractors, engineers operating within the construction industry in Kuantan

Malaysia was asked to complete this question. It comprises a five-point interval scale including a demographic and descriptive question on their views towards individual factors affecting contractors risk attitudes among construction industries. As previously stated, there were 112 positive responses with 80% response rate used in the current analysis. The description of the respondent profile is exhibited in Table 2. The particular demographic features of the companies' representatives who participated in the main survey include the position in the company, work experience and gender. Those related to their companies include firm specialisation. This study requires input from the management team to confirm the potential of contractors risk attitudes in Malaysia as a developing country. The highest number of the respondent is G-7 contractors whereas in total 48 respondent participated followed by contract managers (20 respondent) and project managers (17 respondent).

Assessment of Measurement Model (Outer Model)

The PLS-SEM method and statistical software SmartPLS 3 (Ringle, Wende & Becker, 2015) were used to estimate the hypothesised model. PLS-SEM is a non-parametric, multivariate approach used to estimate path models with latent variables (Hair *et al.*, 2017; Memon, Salleh & Baharom, 2017; Richter *et al.*, 2016; Rigdon, 2016). In this study, PLS-SEM was used for several reasons; firstly is the exploratory nature of the research as the study was to investigate the individual factors affecting contractors risk attitudes. Secondly, the PLS-SEM can handle complex research models (Hair *et al.*, 2016), and is recommended for the moderating models (Hair *et al.* 2011; Hair *et al.* 2017; Henseler *et al.*, 2009). To organise the measurement model, the study is reflected to affect the standard, which is anticipated by many researchers (Hair *et al.*, 2017; Memon *et al.*, 2013; Rigdon *et al.*, 2014).




Figure 2: Initial Evaluation of Measurement Model through PLS Algorithm (Initial PLS Path model)

Composite reliability, outer loadings, Cronbach's alpha, average variance extracted (AVE) for convergent validity) and discriminant validity were assessed to examine the measurement model. Based on the initial assessment, 1 item (i.e., PC5) was discarded from the model the

outer loading is below the threshold of 0.4 (Hair *et al.*, 2017). However, for the whole model, only 35 items were retained with the loading between 0.494 and 0.897, as shown in Figure 2.

Subsequently, Cronbach alpha was assessed to indicate internal consistency of the measurement. The alpha coefficients of 0.60 are considered average reliability, while a coefficient of 0.70 or higher indicates that the instrument has a high-reliability standard (Hair *et al.*, 2014; Sekaran, 2010). Hair *et al.* (2011) equally suggest that the composite reliability CR coefficient should be at least 0.70 or more. Table 3 shows that the Cronbach's alpha of the variables used in this study ranged from 0.800 to 0.895 and the CR scores of all constructs exceeded the recommended criterion of 0.7 demonstrating high internal consistency or the appropriateness of the scales used in this study (Bagozzi & Yi, 1988; Hair *et al.*, 2011; Taofeeq *et al.*, 2020).

Table 3: Construct Reliability and Validity

| Constructs | Items | Outer Weight/Loading | Types of Constructs | AVE | CR | Cronbach's Alpha |
|-----------------------------------|--------------|----------------------|---------------------|-------|-------|------------------|
| Contractor's Risk attitude | Risk-Averse | 0.541 | Formative | N/A* | N/A* | N/A* |
| | Risk-Neutral | 0.216 | | | | |
| | Risk-Taker | 0.343 | | | | |
| Government policy | GP1 | 0.753 | Reflective | 0.552 | 0.894 | 0.861 |
| | GP2 | 0.768 | | | | |
| | GP3 | 0.795 | | | | |
| | GP4 | 0.801 | | | | |
| | GP5 | 0.807 | | | | |
| | GP6 | 0.496 | | | | |
| | GP7 | 0.753 | | | | |
| Physical health | PH1 | 0.652 | Reflective | 0.618 | 0.918 | 0.895 |
| | PH2 | 0.796 | | | | |
| | PH3 | 0.782 | | | | |
| | PH4 | 0.835 | | | | |
| | PH5 | 0.817 | | | | |
| | PH6 | 0.860 | | | | |
| | PH7 | 0.742 | | | | |
| Working experience | WE1 | 0.586 | Reflective | 0.568 | 0.865 | 0.800 |
| | WE2 | 0.641 | | | | |
| | WE3 | 0.734 | | | | |
| | WE4 | 0.728 | | | | |
| | WE5 | 0.717 | | | | |
| | WE6 | 0.818 | | | | |
| | WE7 | 0.808 | | | | |
| Professional competence | PC1 | 0.842 | Reflective | 0.523 | 0.883 | 0.844 |
| | PC2 | 0.801 | | | | |
| | PC3 | 0.861 | | | | |
| | PC4 | 0.655 | | | | |
| | PC5 | 0.742 | | | | |
| | PC6 | 0.562 | | | | |

Note: *N/A (Not Applicable for Formative Construct)

Next, factor loadings and average variance extracted (AVE) were assessed to determine the convergent validity of the constructs. Based on Table 3, all outer loadings are above 0.4 and AVEs are higher than 0.5. Therefore, convergent validity indicating the extent to which a measure correlates positively with alternative measures of the same construct are satisfactory (Hair *et al.*, 2017; Nawanir *et al.*, 2019).

Table 4: Cross Loading

| Items | CRA | GP | PH | WE | PC |
|--------------|--------------|--------------|--------------|--------------|--------------|
| Risk-Averse | 0.948 | 0.675 | 0.809 | 0.690 | 0.587 |
| Risk-Neutral | 0.847 | 0.656 | 0.700 | 0.587 | 0.445 |
| Risk-Taker | 0.890 | 0.698 | 0.731 | 0.612 | 0.490 |
| GP1 | 0.584 | 0.753 | 0.447 | 0.456 | 0.454 |
| GP2 | 0.560 | 0.768 | 0.469 | 0.39 | 0.420 |
| GP3 | 0.575 | 0.795 | 0.544 | 0.383 | 0.380 |
| GP4 | 0.656 | 0.801 | 0.584 | 0.464 | 0.478 |
| GP5 | 0.593 | 0.807 | 0.546 | 0.400 | 0.386 |
| GP6 | 0.344 | 0.496 | 0.331 | 0.288 | 0.248 |
| GP7 | 0.505 | 0.731 | 0.462 | 0.329 | 0.260 |
| PH1 | 0.591 | 0.527 | 0.652 | 0.439 | 0.427 |
| PH2 | 0.647 | 0.535 | 0.796 | 0.652 | 0.476 |
| PH3 | 0.638 | 0.451 | 0.782 | 0.656 | 0.501 |
| PH4 | 0.709 | 0.488 | 0.835 | 0.562 | 0.572 |
| PH5 | 0.659 | 0.549 | 0.817 | 0.498 | 0.454 |
| PH6 | 0.704 | 0.530 | 0.860 | 0.598 | 0.537 |
| PH7 | 0.657 | 0.549 | 0.742 | 0.494 | 0.419 |
| WE1 | 0.473 | 0.384 | 0.427 | 0.586 | 0.410 |
| WE2 | 0.477 | 0.407 | 0.485 | 0.641 | 0.441 |
| WE3 | 0.522 | 0.372 | 0.511 | 0.734 | 0.403 |
| WE4 | 0.472 | 0.334 | 0.498 | 0.728 | 0.456 |
| WE5 | 0.518 | 0.356 | 0.486 | 0.717 | 0.424 |
| WE6 | 0.595 | 0.419 | 0.641 | 0.818 | 0.458 |
| WE7 | 0.515 | 0.387 | 0.518 | 0.808 | 0.375 |
| PC1 | 0.517 | 0.383 | 0.569 | 0.451 | 0.842 |
| PC2 | 0.386 | 0.327 | 0.435 | 0.436 | 0.801 |
| PC3 | 0.461 | 0.417 | 0.501 | 0.462 | 0.861 |
| PC4 | 0.362 | 0.375 | 0.396 | 0.439 | 0.655 |
| PC6 | 0.425 | 0.425 | 0.383 | 0.412 | 0.562 |

Note: (CRA) Contractor Risk Attitudes, (PC) Professional Competence, (PH) Physical Health, (GP) Government Policy, (WE) Working Experience.

For reflective scales, the standardised loading is provided; for formative scales, the weight of the linear combination is given. CR = Composite Reliability, AVE = Average Variance Extracted, and Cronbach's Alpha, all NA (Not applicable) for formative scale (Gholami *et al.*, 2013). Besides convergent validity, discriminant validity indicating to the extent to which a construct is truly distinct from other constructs was assessed (Hair *et al.*, 2017; Nawanir *et al.*, 2019). In this study, discriminant validity was evaluated using three criteria, including cross-loadings, Fornier-Lacker and HTMT criterion as suggested by Hair *et al.* (2017). In assessing

the cross-loadings, the outer loading of an item should be greater on its respective latent variable than its cross-loadings on other latent variables. Table 4 shows that outer loading of each indicator was greater on its respective.

The second approach of discriminant validity was evaluated using the criteria suggested by Fornell-Larcker (1981). The author suggested that discriminant validity is achieved when the square root of each construct's AVE is higher than the correlation of the construct to other latent variables. Table 5 shows the correlations between the variables and the values of the square root of the average variances extracted. Which clearly indicate that all the diagonal values are greater than the correlation among the variables, suggesting adequate discriminant validity (Fornell & Larcker, 1981).

Table 5: Discriminant validity results based on Fornell-Larcker Criterion

| Items | GP | PH | WE | PC |
|-----------|--------------|--------------|--------------|--------------|
| GP | 0.743 | | | |
| PH | 0.659 | 0.786 | | |
| WE | 0.527 | 0.710 | 0.723 | |
| PC | 0.515 | 0.618 | 0.586 | 0.753 |

Note: (PC) Professional Competence, (PH) Physical Health, (GP) Government Policy, (WE) Working Experience. **Note:** Diagonals (boldface) represent the square root of the average variance extracted while the other entries represent the correlations.

Additionally, a new approach in examining the discriminant validity of variance-based SEM is the heterotrait-monotrait ratio of correlations (HTMT) (Henseler & Fassett, 2010; Nawanir *et al.*, 2019). According to Henseler and Fassett, the Heterotrait-Monotrait ratio of correlations (HTMT) approach to determine the Discriminant Validity (DV) of the constructs. To achieve DV, the HTMT value should not be greater than the HTMT 0.85 value of 0.85, or the HTMT 0.90 value of 0.90 (Hair, *et al.*, 2016; Sekaran & Bougie, 2010). As shown in Table 6, all values have not passed both HTMT 0.85 and HTMT 0.90 measures, indicating that the discriminant validity has been established.

Table 6: Discriminant validity results based on the heterotrait-monotrait ratio of correlations (HTMT)

| Items | Government Policy | Physical Health | Professional Competence | Working Experience |
|-------------------------|-------------------|-----------------|-------------------------|--------------------|
| Government Policy | | | | |
| Physical Health | 0.750 | | | |
| Professional Competence | 0.617 | 0.815 | | |
| Working Experience | 0.615 | 0.724 | 0.722 | |

Based on Figure 2, a formative second-order construct (i.e. contractor risk attitude) was assigned as an endogenous variable. It resulted in the zero standardised beta values for the exogenous constructs (i.e. professional competence, working experience, physical health, and government policy). In order to overcome this issue, by using the latent variable scores calculated in SmartPLS, the first-order constructs risk-averse, risk-neutral, and risk-taker were converted to be manifest variables (Hair *et al.*, 2017). Therefore, the contractor risk attitude

will become the endogenous first order formative construct with risk-averse, risk-neutral, and risk-taker as the indicators. The second modified model is presented in Figure 3.




Figure 3: Evaluation of Measurement Model Through PLS Algorithm (Modified PLS Path model)

Collinearity Statistics (VIF)

Multi-collinearity is the extent to which the other variables can explain a variable in the analysis (Tabachnick & Fidell, 2007). Because of collinearity, it is difficult to ascertain the effect of any single variable. This study included using variance inflation factors (VIF) to examine multi-collinearity.

Table 7: Collinearity Diagnostics

| Items | Inner VIF | Outer VIF |
|-------------------------|-----------|-----------|
| Risk-Averse | 2.663 | |
| Risk-Neutral | 2.420 | |
| Risk-Taker | 2.482 | |
| Government Policy | | 1.836 |
| Physical Health | | 2.783 |
| Professional Competence | | 2.180 |
| Working Experience | | 1.786 |

A VIF value greater than 3 indicates multi-collinearity. In this study, the VIF values were below the 5 standard criteria, indicating no multi-collinearity issue (Tabachnick & Fidell, 2007). Therefore, since we had both reflective and formative measures, we considered multi-collinearity of inner VIF for exogenous variables and outer VIF for formative constructs to be an important issue in assessing both formative and reflective measures.

Assessment of Structural Model (Inner Model)

The structural model was assessed to test the causal relationships between Individual factors affecting contractor risk attitudes (Working experience, Professional competence and Physical health), Government policy (Rules and Regulations) and Contractor risk attitudes (Risk-Averse, Risk-Neutral and Risk-Taker). The coefficient of determination (R^2 values) and path coefficients (beta values, β) were parameters to determine how well the data supported the hypothesised relationships (Hair *et al.*, 2014; Taofeeq *et al.*, 2020). A bootstrapping process with 5,000 interactions was performed to generate t-values and standard errors to confirm the statistical significance (Hair *et al.*, 2011). R^2 measures the predictive accuracy of the model and represents the percentage of variance in the dependent variables as explained by the independent variables in the model (Hair *et al.*, 2011). Whereas, path coefficients (β) indicate the degree of change in the dependent variable for each independent variable.

Table 8: Results of Bootstrapping for Structural Model Evaluation

| | | | | | | |
|-----------|-------------------------------------|--------------|--------------|--------------|--------------|----------------------|
| H1 | Working Experience -> CRA | 0.207 | 0.057 | 3.617 | 0.000 | Supported*** |
| H2 | Professional Competence -> CRA | 0.024 | 0.048 | 0.425 | 0.336 | Not Supported |
| H3 | Physical Health -> CRA | 0.454 | 0.066 | 6.984 | 0.000 | Supported*** |
| H4 | Government Policy*** WE -> CRA | 0.089 | 0.047 | 1.806 | 0.036 | Supported*** |
| H5 | Government Policy*** PC -> CRA | 0.120 | 0.056 | 0.749 | 0.227 | Not Supported |
| H6 | Government Policy*** PH -> CRA | 0.040 | 0.062 | 1.919 | 0.028 | Supported* |
| H7 | Government Policy -> CRA | 0.333 | 0.067 | 4.885 | 0.000 | Supported* |

Note: ***Significant at 0.01 (1-tailed), **Significant at 0.05 (p-value), *significant at 1.65 (t-value), **Note;** (CRA) Contractor Risk Attitudes, (PC) Professional Competence, (PH) Physical Health, (GP) Government Policy, (WE) Working Experience.

For concluding whether the path coefficients are statistically significant or not, bootstrapping techniques embedded in this study with SmartPLS 3. As reported in Table 8, the T-values with each path coefficient were determined using the bootstrapping technique and P-values subsequently were generated. The results showed that professional competence element has no significant effect on contractor risk attitudes ($\beta = 0.048$, $t = 0.425$, $p > 0.336$) and also H5 which stated that government policy moderate the relationship between professional competence and contractor risk attitudes was not significant as well. Therefore, the hypothesis H2 and H5 of this study were not supported. Result in Table 8 indicated that working experience, and physical health possess a positive relationship with contractor risk attitudes respectively ($\beta = 0.057$, $t = 3.617$, $p < 0.000$), ($\beta = 0.066$, $t = 6.984$, $p < 0.000$). H1 and H3 of this study was supported, and government policy moderate H4 and H6 of this study and H7 of this study were supported as well. As it is normal that the self-assessment showed high performance, this study revealed that the respondents criticised the current performance in construction companies, which is a reflection of the problem of the study. Also, the small values of standard deviation professional competence indicated the fact that this perception is virtually agreed upon among most contractors and engineer in the construction industry. Also, according to the bootstrapping

result, the government policy as a moderating variable did not have a significant effect on the relationship that existed between professional competence and contractor risk attitudes (Table 8). The reason is that there existed statistical significance for organisations that were highly obedient to the policy of the government than those organisations whose compliance was low. In other words, the government's high policy operations facilitate the reduction of contractor's risk attitudes and regulate the behaviour of the contractors in the construction companies. So, there exists a positively strengthened relationship between professional competence and contractor risk attitudes as caused by the product term method (Figure 5).




Figure 4: Evaluation of Structural Model through PLS Bootstrapping

Effect size and predictive relevance

Having examined the significance and relevance of the path coefficients, the explanatory power of the structural model was determined. The explanatory power was examined by the coefficient of determination; R^2 values (Hair *et al.*, 2014). Another essential criterion for measuring structural model in the PLS-SEM is the use of R-squared values or the coefficient of determination (Hair *et al.*, 2011; Hair *et al.*, 2012; Henseler *et al.*, 2009). However, many criteria can be employed as guidelines for assessing the level of R-square. For example, Cohen (1988) criterion opine that R^2 value equals 0.26 or more is considered to be substantial, 0.13 moderate, and 0.02 weak. Meanwhile, Chin (1998) criterion state that R^2 value equal or more than 0.67 is substantial, 0.33 moderate, and 0.19 weak. Figure 3 depicts the R^2 values of the endogenous (contractor risk attitudes) latent variable (Hair *et al.*, 2012; Henseler *et al.*, 2009; Ishak, Adeleke & Bamgbade, 2020). As depicted in Figure 3, the research model explicates 0.787 (78.7%) of the total variance in contractor risk attitudes.

Therefore, following Falk and Miller's (1992) and Chin's (1998) standard, the endogenous latent variable presented acceptable levels of R^2 values, which were regarded as substantial.

Testing of Moderating Effect

The current study employed a product indicator approach with the use of PLS-SEM to discover the strength of the moderating effect of government policy (rules and regulations) on the relationship between professional competence and contractor risk attitudes in Kuantan Malaysian construction industry (Chin *et al.*, 2003; Helm, Eggert & Garnefeld, 2010; Henseler & Chin, 2010). The product term method is regarded as appropriate in the present study because the moderating variables are continuous (Rigdon, Schumacker & Wothke, 1998). Henseler and Fassett, (2010) stated that the results of the product term method are normally superior or equal to the group comparison method, the authors always recommend the use of a product term method. To employ the product indicator method in trying out the moderating effects of government policy (rules and regulations) on the relationship between professional competence and contractor risk attitudes, the product terms between the indicators of the latent predictor variable and the indicators of the latent moderator variable need to be established. Thus, the product terms would serve as the indicators of the interaction term for the structural model (Adeleke *et al.*, 2018).




Figure 5: Interaction Effect of Government Policy on Professional Competence & contractor's risk attitudes (CRA)

Government Policy strengthens the positive relationship between professional competence and contractor's risk attitudes among Malaysian construction industries. The result of professional competence, however statically significant for contractors that have high obedience to rules and regulations than for contractors with low compliance with rules and regulations in the construction industry.

According to (Cohen, 1988; Henseler & Fassett, 2010), moderating effect sizes (f^2) values of 0.35, 0.15 and 0.02 can be considered as Large, Medium and weak respectively. Nevertheless, according to Chin *et al.* (2003), effect sizes with low values does not essentially mean that the moderating effect is insignificant. Even a small interaction effect can be significant under utmost moderating conditions, and if the resulting beta changes are significant, then it is paramount to take these conditions into consideration (Adeleke *et al.*, 2016; Henseler & Fassett, 2010; Taofeeq *et al.*, 2020). The output of the strength for the moderating effects of government policy is 0.248, which were regarded as Medium.

DISCUSSION

Previous literature has conflicting results on the role of a contractor's attitudes on construction projects. Literature also showed relevant factors affecting contractors risk attitudes, and there are many studies conducted to examine the relationship between risk attitudes and contractor risk attitudes (Kim 2011; Szymanski, 2017; Wang *et al.* 2011). Notwithstanding this extensive research work, many empirical studies reported inconclusive results (Wang *et al.*, 2011). Many of these studies argued that contractor's attitudes could increase organisational performance by providing many benefits, enhancing client services, minimizing risk record, improving sales growth, and help organisations to gain competitive advantages over competitors (Kim 2011; Szymanski, 2017; Wang *et al.* 2011). In contrast, other researchers found negative results that some factors affecting contractor attitudes may affect the contractor's performance adversely (Abdul-Aziz, 2014; Alfredo, 2014; Taofeeq *et al.*, 2019; Wang, 2011).

Also, previous literature has revealed that contractors are facing a lot of problems in the construction industry, which lead to diverse risk attitudes in the construction industry (Abdul-Aziz, 2014; Taofeeq *et al.*, 2019). The problems are lack of knowledge and skills related to construction projects, lack of understanding of construction process and requirement, lack of skills on necessary aspects of project success, improper application of construction equipment, changes of specifications during the construction process and lack of apprenticeship.

Moreover, there is a significant number of literature on factors influencing contractors' risk attitudes in many developing countries (Kim 2011; Szymanski, 2017; Wang *et al.* 2011; Taofeeq *et al.*, 2019). Although this significant body of knowledge exists in the context of an emerging economy, many previous studies regarding management of construction projects have been focusing on the factors contributing to the success of risk management. However, little attention has been given to factors severely affecting the decision-makers' risk attitudes with particular reference to the individual's risk factors in the construction industry. Therefore, it is the aim of this study to identify the factors affecting contractors' risk attitudes and then determine its relationship with the government policy, with a view to identifying individual's perception from different contexts or locations.

Therefore, tests conducted to confirm Hypothesis 1 on the significant influence of working experience on contractor's risk attitudes, found that a significant positive relationship exists with working experience and contractor risk attitudes. This is not surprising because it is the utmost expectations of every company to have experienced workers. Contractors that have extensive experience in the construction field can increase their standing as professionals on construction projects. This signpost that contractors with high experience in both industrial practice and civilisation would upsurge their potentials for better risk management in the construction industry, unlike those contractors with little experience because, those contractors with little work experience would be less skillful to addressing the potential risks that might block the successful implementation of projects while contractors who have high experience in the construction industry will have a high reputation and credibility in the marketplace. The contribution of contractors' industry experience in facilitating a high-quality project risk management has been widely investigated by previous studies (e.g. Taofeeq *et al.*, 2019; Wang *et al.*, 2011).

Hypothesis 2 of this study suggests that professional competence has a significant effect on contractor's risk attitudes among Kuantan Malaysia construction industry. Literature shows that when the contractor becomes senior by age and more job experience, they have more score on rules and regulation. But the result of this hypothesis was not significant because the respondents criticized the current performance of professional competence in construction

companies which is a reflection and the reason why professional competence to be a relatively less significant factor for influencing contractors risk attitudes in Kuantan Malaysia, construction industry. Also, the result is in line with the findings provided by Ward *et al.*, (1991) who recommended that a prerequisite for high-quality project risk management is the ability to have access to required information relating to the handling of risk concerning a specific project. If contractors have adequate and accurate information when making decisions against risks, they are probably willing to be risk-neutral, as they are confident and competent in making good trade-offs between risks and benefits. Otherwise, they cannot have the right perception of project risks or a clear understanding of the consequential risks to them. Therefore, taking a risk without adequate understandings and competence about that risk may lead the willingness to bear and manage the risk to unwillingness.

Moreover, individuals who feel uncertain and incompetent tend to overestimate risk while those who perceive themselves as knowledgeable, experienced and competent tend to underestimate it. Therefore, individuals confronting uncertain situations of which they have no prior knowledge or experience tend to perceive the situation as risky which leads to a more risk-averse response. This echoes with Thevendram and Mawdesley (2004) and Wang *et al.*, (2011) who both emphasised the importance of human factors to the project success in their studies. In this study, we further their findings by investigating the details about the role of individual factors and government policies in affecting contractors' risk attitudes in construction projects. Therefore, with the help of a moderator, the result of professional competence statically significant for contractors that have high obedience to rules and regulations than for contractors with low compliance with rules and regulations in the construction industry in Kuantan.

Also, Hypothesis 3 and 7 of this study proposed that Physical Health has a significant effect on contractor's risk attitudes among Kuantan Malaysia construction industry and Government Policy has a relationship with contractor's risk attitudes among Kuantan Malaysia construction industry. The result of this hypothesis was significant because rule and regulations are very necessitate in construction companies to meet specific performance standards for some products or health with safe surroundings for the workers and to forcing them to improve the quality of their product and rate at which technology is used in the construction process and also rules and regulation we make contractors be aware of the current health and safety legislation which govern their activities in the construction industry. In addition to this, physical health is one of the prequalification criteria for new workers in many industries. Therefore, Government policy (rules and regulations) are positively related to proper control in the construction industry. For instance, rules and regulations are connected with all aspects of construction activities, such as all protocols or measures that are involved before the initiation and closure of a project. Moreover, organisations that duly follow the prescribed rules and regulations by the government while procuring materials, drawing plans, or performing other activities involved in construction will record less occurrence of risk in the project.

To improve the performance of contractors in the construction industry, the government established acts and regulations and has taken many actions to guard employees against occupational tragedies such as death, disease and disability. The existing rules and regulations have guarded workers/employees against occupational accident and have assisted in having a good performance at the workplace. Therefore, management of the construction site is enjoined to follow few steps in managing individual factor of the workers in their organisation. The hierarchy of the control measures in controlling the individual factor started from motivation, training and finally with enforcement in developing safety climate in the construction site.

RESEARCH IMPLICATIONS

The present study permits us to provide some useful and interesting information on individual factors that always affect contractors risk attitude in the construction industry. Contractors should take into account that individual Factors play an important role in the decision-makers' attitudes towards risks management. As a result, Contractors should as well hire team members with high team competency, working experience, educational background and physical health of their workers as this will help to increase the quality of the work and allow workers to know more about risk in the construction industry. Furthermore, team members should be persuaded in attending training and courses on risk attitude.

In addition, human capital is an important asset to the organisation. Therefore, it is imperative that the management have a clear understanding of the best way and strategy to encourage workers to engage and to be committed to safety. This is vital for the improvement of safety behaviour. The management of construction should be a focus on the hiring process, which involves selecting the right candidates for the jobs in terms of educational background, work experience, physical health condition, and professional competence with the help of rules and regulation right from the recruitment process. Although the individual factor affecting risk attitudes dimensions investigated in this study is easy to control during the recruitment of new worker, project managers should try to adopt the result of this study in dealing with the risk attitudes in the construction industry. Our research also provides contractors, project managers, team members and clients with some strategies as to know how to deal with risk attitudes in the construction industry.

In the same vein, the result of this study echoes that, this research provides contractors; subcontractors; project managers and policymakers with a tool to assess how individual factors affect contractor risk attitude in the construction industry with government policy (Rules and regulations) to control the activities of contractors and to improve risk management within the construction industry. Besides, there is also a need for the development of policies that encourage and support projects issuance. Policymakers should, therefore, develop initiatives that can motivate contractors and project managers to adherence of effective performance of contractors in order to attract client's patronage. Policymakers might as well consider organisational control theory to mitigate the occurrence of less risk during the project.

The results of this study also show the importance of government policy (rules and regulations) as a practice to follow to increase and enhance the contractor's performance. Also, the results increase the awareness in the construction industry to follow the rules and regulations, which involves life safety and innovation when implementing construction risk management. Government policy as a practice in construction companies can lead to higher performance of contractors, but also at the same time can be a desire and a result of practicing other initiatives. Moreover, the construction industry should excel when dealing with other strategies and practices to have the successfulness and obtain the planned goals. Besides, this study can also give some insights to public, manufacturing and service organisations in the Malaysian and Asian region. For example, other industries in Malaysia or other Asian countries can take this study as a guideline when striving for excellence. In other words, the construction industry, whether in Malaysia or outside, can have many practical benefits from this study. The extensive literature and arguments and the results should be taken into consideration from other industries to enhance their performance.

The methodological implication of this study is classified into three dimensions factors influencing contractors risk attitudes in the context of the construction industry, a research model for this study, and extending the resource base theory to suit the construction industry.

Most previous researchers did not address individual factors and government policy on contractor risk attitudes; therefore, the present study makes an effort to fill that research gap. The framework for examining the moderating effect on the relationship between individual factors and government policy on contractor risk attitudes will provide a direction for future studies. Furthermore, the study of the construction industry will represent a benchmark for providing a means of assessing the contractor risk attitudes in the construction industry.

Finally, this research has explored a relatively new tool of analysis (PLS-SEM) to explicate the structural relationship among the constructs of this study. The PLS tool is a general model that constitutes canonical correlation, multiple regression, principal components techniques, multivariate analysis of variance between others. Therefore, the current study makes use of this comparatively new tool of analysis which has some significant methodological implications.

Limitation and Paths for Future Research

This research is not without limitations, thus giving room for improvements through future studies. The study was directed solely to contractor's and so future studies may consider investigating other practitioners and policy makers in the construction industry. Also, data was collected through a questionnaire survey conducted in one of the states in Malaysia, Pahang, so the generalisation of this study results should be made with caution. Future studies may be undertaken in other countries for comparison with this Malaysia findings.

In addition, our study focused on 'individual factors' affecting contractor's risk attitudes in the construction industry in Kuantan, Pahang Malaysia. Other researchers may include more control factor variables such as organisation, environment, technical and managerial factors (private and public sectors) into their studies. As different company sizes may have different organisational structures and may respond differently to certain determinants. Furthermore, future research may investigate other Grades of contractors in Malaysia to know if there is a similarity to these results.

Finally, respondents were requested to translate their perceptions based on statements in the questionnaire survey into numbers through a Likert scale. These answers may be influenced by biased perceptions of the situation (Macinati, 2008). Therefore, future research design could consider a mixed research design, quantitative and qualitative research to complement each other.

CONCLUSION

This study's theoretical research framework has extended knowledge to the risk management field, with the theory of planned behaviour and organisational control, by examining the impact of personal factors (working experience, professional competence and physical health) on contractor's risk attitudes, with the moderating influence of government policy. The study results provide support for the conclusion that personal factors play a dominant role in factors affecting contractors' risk attitudes in construction projects. Therefore, in line with the empirical evidence and theoretical opinion presented in this study, it is ascertained in this research that government policy theoretically moderates the relationships between the endogenous and exogenous variables. Thus organisational rules and regulations buffer the relationships among individual factors, political factor, economic factor, and technological factor (factors affecting risk attitude) in construction project management. In other words, risk management will be more effective (more positive) for organisations that have well-established rules and regulations concerning these identified factors, than those organisations without rules and regulations to guide their workers.

REFERENCES

- Adeleke, A.Q., Bahaudin, A.Y., Kamaruddeen, A.M., Bamgbade, J.A., Salimon, M.G., Khan, M.W.A., & Sorooshian, S. (2018). The influence of organisational external factors on construction risk management among Nigerian construction companies. *Safety and Health at Work*, 9(1), 115-124. <https://doi.org/10.1016/j.shaw.2017.05.004>
- Adeleke, A.Q., Bahaudin, A.Y., & Kamaruddeen, A.M. (2017). Organisational internal factors and construction risk management among Nigerian construction companies. *Global Business Review*, 0972150916677460. <https://doi.org/10.1177/0972150916677460>
- Adeleke, A.Q., Bahaudin, A.Y., & Kamaruddeen, A.M. (2016). Moderating effect of regulations on organisational factors and construction risk management: A proposed framework. *International Journal of Economics and Financial Issues*, 6(7S), 92-97.
- Adeleke, A.Q., Bahaudin, A.Y., & Kamaruddeen, A.M. (2016). Preliminary analysis of organisational factors influencing effective construction risk management: A case study of Nigerian construction companies. *Sains Humanika*, 8(2). <https://doi.org/10.11113/sh.v8n2.876>
- Adeleke, A.Q., Bahaudin, A.Y., Kamaruddeen, A.M., Bamgbade, J.A., & Ali, M.W. (2019). An empirical analysis of organizational external factors on construction risk management. *International Journal of Supply Chain Management*, 8(1), 932.
- Ajzen, I., & Fishbein, M. (2000). Attitudes and the attitude-behaviour relation: Reasoned and automatic processes. *European review of social psychology*, 11(1), 1-33. <https://doi.org/10.1080/14792779943000116>
- Alinaitwe, H.M., Mwakali, J.A., & Hansson, B. (2007). Factors affecting the productivity of building craftsmen-studies of Uganda. *Journal of Civil Engineering and Management*, 13(3), 169-176. <https://doi.org/10.3846/13923730.2007.9636434>
- Alaghbari, W.E., Kadir, M.R.A., & Salim, A. (2007). The significant factors causing a delay in building construction projects in Malaysia. *Engineering, Construction and Architectural Management*, 14(2), 192-206. <https://doi.org/10.1108/09699980710731308>
- Ang, M.C., Ramayah, T., & Amin, H. (2015). A theory of planned behaviour perspective on hiring Malaysians with disabilities. *Equality, Diversity and Inclusion: An International Journal*, 34(3), 186-200. <https://doi.org/10.1108/EDI-02-2014-0012>
- Aniekwu, A. (1995). The business environment of the construction company in Nigeria. *Construction Management and Economics*, 13(6), 445-455. <https://doi.org/10.1080/01446199500000052>
- Bagozzi, R.P., & Yi, Y. (1988). On the evaluation of structural equation models. *Journal of the Academy of Marketing Science*, 16(1), 74-94. <https://doi.org/10.1007/BF02723327>
- Bamgbade, J.A., Salimon, M.G., Adeleke, A. Q., & Nasidi, Y. (2019). Contractor's technology acceptance for firm sustainability performance. FGIC 2nd Conference on Governance and Integrity 2019. *KnE Social Sciences*, 1084-1101. <https://doi.org/10.18502/kss.v3i22.5113>
- Bamgbade, J.A., Kamaruddeen, A.M., & Nawari, M.N.M. (2016). Contractors' environmental sustainability: the roles of innovativeness and market orientation. *International Journal of Supply Chain Management*, 5(3), 185.

- Chen, J., Chia, N., Kalari, K.R., Yao, J.Z., Novotna, M., Soldan, M.M.P., & Weinschenker, B.G. (2016). Multiple sclerosis patients have a distinct gut microbiota compared to healthy controls. *Scientific reports*, 6, 28484. <https://doi.org/10.1038/srep28484>
- Cha, E.J., & Ellingwood, B. R. (2012). Risk-averse decision-making for civil infrastructure exposed to low-probability, high-consequence events. *Reliability Engineering & System Safety*, 104, 27-35. <https://doi.org/10.1016/j.ress.2012.04.002>
- Chin, W.W. (1998a). Issues and opinion on structural equation modelling. *MIS Quarterly*, 22, 1, VII-XVI.
- Chin, W.W. (1998b). The partial least squares approach for structural equation modelling. In George A. Marcoulides (Ed.), *Modern Methods for Business Research*, Lawrence Erlbaum Associates, Lawrence Erlbaum Associates, Mahwah, NJ, 295-336.
- Chin, W.W. (2010). How to write up and report PLS analyses. In *Handbook of Partial Least Squares* (pp. 655-690). Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-540-32827-8_29
- Chun, Y., Tsai, C., & Hsu, Y. (2016). Research on the operational performance of ISO 14000 Certified Taiwan's manufacturers. <https://doi.org/10.1108/15982688200500003>
- Cohen, J. (1988). *Statistical Power Analysis for the Behavioral Sciences—Second Edition*. 12 Lawrence Erlbaum Associates Inc. *Hillsdale, New Jersey*, 13.
- Diamantopoulos, A., & Siguaw, J.A. (2006). Formative versus reflective indicators in organizational measure development: A comparison and empirical illustration. *British Journal of Management*, 17(4), 263-282. <https://doi.org/10.1111/j.1467-8551.2006.00500.x>
- Dikmen, I., Birgonul, M.T., & Han, S. (2007). Using fuzzy risk assessment to rate cost overrun risk in international construction projects. *International Journal of Project Management*, 25(5), 494-505. <https://doi.org/10.1016/j.ijproman.2006.12.002>
- Elinwa, A.U., & Joshua, M. (2001). Time-overrun factors in the Nigerian construction industry. *Journal of construction engineering and management*, 127(5), 419-425. [https://doi.org/10.1061/\(ASCE\)0733-9364\(1993\)119:4\(698\)](https://doi.org/10.1061/(ASCE)0733-9364(1993)119:4(698))
- Flamholtz, E.G., Das, T., & Tsui, A.S. (1985). Toward an integrative framework of organizational control. *Accounting, Organizations and Society*, 10(1), 35-50. [https://doi.org/10.1016/0361-3682\(85\)90030-3](https://doi.org/10.1016/0361-3682(85)90030-3)
- Falk, R.F., & Miller, N.B. (1992). *A Primer for Soft Modelling*. University of Akron Press.
- Fornell, C., & Larcker, D.F. (1981). Evaluating structural equation models with unobservable variables and measurement error. *Journal of marketing research*, 18(1), 39-50. <https://doi.org/10.2307/3150980>
- Gilbertson, J., Grimsley, M., Green, G., & Warm Front Study Group. (2012). Psychosocial routes from housing investment to health: Evidence from England's home energy efficiency scheme. *Energy Policy*, 49, 122-133. <https://doi.org/10.1016/j.enpol.2012.01.053>

- Gibb, K. (2011). Delivering new affordable housing in the age of austerity: housing policy in Scotland. *International Journal of Housing Markets and Analysis*, 4(4), 357-368. <https://doi.org/10.1108/17538271111172157>
- Goleman, D. (1998). The emotional intelligence of leaders. *Leader to Leader*, 1998(10), 20-26. <https://doi.org/10.1002/ltl.40619981008>
- Goleman, D. (1998). The emotionally competent leader. In *The Healthcare Forum Journal* (Vol. 41, No. 2, pp. 36-38).
- Gholami, R., Sulaiman, A.B., Ramayah, T., & Molla, A. (2013). Senior managers' perception on green information systems (IS) adoption and environmental performance: Results from a field survey. *Information & Management*, 50(7), 431-438.
- Hair, J.F., Black, W.C., Babin, B.J., Anderson, R.E., & Tatham, R.L. (2006). *Multivariate data analysis* 6th ed. Upper Saddle River: Pearson Prentice Hall.
- Hair, J.F., Ringle, C.M., & Sarstedt, M. (2011). PLS-SEM: Indeed a silver bullet. *The Journal of Marketing Theory and Practice*, 19(2), 139-152. <https://doi.org/10.2753/MTP1069-6679190202>
- Hair, J.F., Sarstedt, M., Pieper, T.M., & Ringle, C.M. (2012). The use of Partial Least Squares Structural Equation Modeling in strategic management research: A Review of past practices and recommendations for future applications. *Long Range Planning*, 45(6), 320-340. <https://doi.org/10.1016/j.lrp.2012.09.008>
- Hair, J.F., Ringle, C.M., & Sarstedt, M. (2013). Editorial-partial least squares structural equation modelling: Rigorous applications, better results and higher acceptance. *Long Range Planning*, 46(1-2), 1-12. <https://doi.org/10.1016/j.lrp.2013.01.001>
- Hair Jr, J.F., Hult, G.T.M., Ringle, C., & Sarstedt, M. (2016). *A primer on partial least squares structural equation modelling (PLS-SEM)*. Sage Publications. 1-20.
- Hair, J.F., Hult, G.T.M., Ringle, C.M., Sarstedt, M., & Thiele, K.O. (2017). Mirror, mirror on the wall: A comparative evaluation of composite-based structural equation modelling methods. *Journal of the Academy of Marketing Science*, 45(5), 616-632.
- Sarstedt, M., Ringle, C.M., Smith, D., Reams, R., & Hair Jr, J.F. (2014). Partial least squares structural equation modelling (PLS-SEM): A useful tool for family business researchers. *Journal of Family Business Strategy*, 5(1), 105-115. <https://doi.org/10.1016/j.jfbs.2014.01.002>
- Hamid, A., Rahim, A., Yusuf, W., Zulkifli, W., & Singh, B. (2003). Hazards at Construction Sites. Proceedings of the 5th Asia-Pacific Structural Engineering and Construction Conference (APSEC 2003) 26 – 28 August 2003 Johor Bahru, Malaysia.
- Helm, S., Eggert, A., & Garnefeld, I. (2010). Modelling the impact of corporate reputation on customer satisfaction and loyalty using partial least squares. In V. Esposito Vinzi, W. W.Chin, J. Henseler & H. Wang (Eds.), *Handbook of Partial Least Squares* (pp. 515-534). https://doi.org/10.1007/978-3-540-32827-8_23
- Henseler, J., Ringle, C.M., & Sinkovics, R.R. (2009). The use of partial least squares path modelling in international marketing. In R. R. Sinkovics & P. N. Ghauri (Eds.), *Advances in International Marketing* (Vol. 20, pp. 277-320). Bingley: Emerald. [https://doi.org/10.1108/S1474-7979\(2009\)0000020014](https://doi.org/10.1108/S1474-7979(2009)0000020014)

- Henseler, J., & Chin, W.W. (2010a). A comparison of approaches for the analysis of interaction effects between latent variables using Partial Least Squares Path Modeling. *Structural Equation Modeling: A Multidisciplinary Journal*, 17(1), 82-109. <https://doi.org/10.1080/10705510903439003>
- Hillson, D. & Murray-Webster, R. (2007). *Understanding and Managing Risk Attitude*. Burlington, USA: Gower.
- Hofstede, G.H (2001). *Culture's Consequences: Comparing values, behaviours, institutions, and organisations across nations*. 2nd edn. Sage Publications: California, US.
- Iroegbu, A.N. (2005). *Housing in Nigeria: A role of the construction company. Housing Development in Nigeria: Concepts, Issues and Strategies*. Pauli ton press, Abakaliki.
- Ismail, E. (2001). *Industrialised Building System for Housing in Malaysia-The Sixth Asia-Pacific Science and Technology Management Seminar, Tokyo. Malaysia: CIDB Malaysia*.
- Ishak, S.I., Adeleke, A.Q., & Bamgbade, J.A. (2020). Empirical Evidence on Construction Waste Management among Kota Bharu Malaysian Construction Industry: a PLS-SEM Approach. *Journal of Business Management and Economic Research*, 4(2), 140-154.
- Ibrahim, J. (2011). The new toll on higher education and the UK student revolts of 2010–2011. *Social Movement Studies*, 10(4), 415-421. <https://doi.org/10.1080/14742837.2011.614110>
- Ibrahim, N., Belihu, K., Lobago, F., & Bekana, M. (2010). Sero-prevalence of bovine brucellosis and its risk factors in Jimma zone of Oromia Region, South-western Ethiopia. *Tropical Animal Health and Production*, 42(1), 35-41. <https://doi.org/10.1007/s11250-009-9382-z>
- ISO 9000. (2008). *Quality Management Principles*. International Standards For Business, Government and Society: International Organisation For Standardization (ISO).
- Jaafari, A. (2001). Management of risks, uncertainties and opportunities on projects: Time for a fundamental shift. *International Journal of Project Management*, 19(2), 89-101. [https://doi.org/10.1016/S0263-7863\(99\)00047-2](https://doi.org/10.1016/S0263-7863(99)00047-2)
- Jayaram, J., Ahire, S., Nicolae, M., & Ataseven, C. (2012). The moderating influence of product orientation on coordination mechanisms in total quality management. *International Journal of Quality & Reliability Management*. <https://doi.org/10.1108/02656711211230517>
- Kim H-J. & Reinschmidt, K. (2011). Effects of contractors risk attitude on competition in construction. *Journal of Construction Engineering and Management*, 10(61), 275-283. [https://doi.org/10.1061/\(ASCE\)CO.1943-7862.0000284](https://doi.org/10.1061/(ASCE)CO.1943-7862.0000284)
- Kim, T., Lim, H., Lee, U.K., Cha, M., Cho, H., & Kang, K.I. (2012). Advanced formwork method integrated with a layout planning model for tall building construction. *Canadian Journal of Civil Engineering*, 39(11), 1173-1183. <https://doi.org/10.1139/12012-104>
- Kulatunga, U., Amaratunga, D., Haigh, R., & Rameezdeen, R. (2006). Attitudes and perceptions of construction workforce on construction waste in Sri Lanka. *Management of Environmental Quality: An International Journal*. <https://doi.org/10.1108/14777830610639440>

- Lee, J., Mahendra, S., & Alvarez, P.J. (2010). Nanomaterials in the construction industry: a review of their applications and environmental health and safety considerations. *ACS Nano*, 4(7), 3580-3590. <https://doi.org/10.1021/nn100866w>
- Lam, I.N., & Adeleke, A.Q. (2020). Influence of Project Triple Constraint on Residential Building Project among Kuantan Malaysian Construction Industry. *Journal of Business Management and Economic Research*, 4(2), 216-230.
- Lyons, T., & Skitmore, M. (2004). Project risk management in the Queensland engineering construction industry: A survey. *International Journal of Project Management*, 22(1), 51-61. [https://doi.org/10.1016/S0263-7863\(03\)00005-X](https://doi.org/10.1016/S0263-7863(03)00005-X)
- Manu, P., Mahamadu, A.M., Nguyen, T.T., Ath, C., Heng, A.Y.T., & Kit, S.C. (2018). Health and safety management practices of contractors in South East Asia: A multi-country study of Cambodia, Vietnam, and Malaysia. *Safety Science*, 107, 188-201. <https://doi.org/10.1016/j.ssci.2017.07.007>
- Memon, A.H., Rahman, I.A., Aziz, A.A.A., & Abdullah, N.H. (2013). Using structural equation modelling to assess the effects of construction resource-related factors on cost overrun. *World Applied Sciences Journal*, 21(01), 6-15. <http://repository.bakrie.ac.id/id/eprint/134>
- Mhetre, K., Konnur, B.A., & Landage, A.B. (2016). Risk management in the construction industry. *International Journal of Engineering Research*, 5(1), 153-155. doi:10.17950/ijer/v5i1/035
- Muthike, J.G. (2014). Relationship between leadership style and performance of public secondary schools in Makeni County, Kenya (Doctoral dissertation, University of Nairobi).
- Mohammad, N. (2011). Environmental law and policy practices in Malaysia: An empirical study. *Australian Journal of Basic and Applied Sciences*, 5(9), 1248-1260.
- Moshood, T.D., Adeleke, A.Q., Nawansir, G., Ajibike, W.A., & Shittu, R.A. (2020). Emerging Challenges and Sustainability of Industry 4.0 Era in the Malaysian Construction Industry. *International Journal of Recent Technology and Engineering*, 9(1), 1627-1634. DOI:10.35940/ijrte.A2564.059120.
- Macinati, M.S. (2008). The relationship between quality management systems and organizational performance in the Italian National Health Service. *Health Policy*, 85(2), 228-241. <https://doi.org/10.1016/j.healthpol.2007.07.013>
- Nawansir, G., Lim, K.T., Lee, K.L., Moshood, T.D., & Ahmad, A.N.A. (2020). Less for More: The Structural Effects of Lean Manufacturing Practices on Sustainability of Manufacturing SMEs in Malaysia. *International Journal of Supply Chain Management*, 2(2), 961-975.
- Nawansir, G., Lim, K.T., Ramayah, T., Mahmud, F., Lee, K.L., & Maarof, M.G. (2020). Synergistic effect of lean practices on lead time reduction: mediating role of manufacturing flexibility. *Benchmarking: An International Journal*. 27(5), 1463-5771. Doi: 10.1108/BIJ-05-2019-0205
- Niu, Y. (2008). The performance and problems of affordable housing policy in China: The estimations of benefits, costs and affordability. *International Journal of Housing Markets and Analysis*, 1(2), 125-146. <https://doi.org/10.1108/17538270810877763>

Nawanir, G., Binalialhajj, M., Lim, K.T., & Ahmad, M.H. (2019). Becoming Lean: The Way towards Sustainability of Higher Educations Institutions. FGIC 2nd Conference on Governance and Integrity 2019. *KnE Social Sciences*, 603-626. <https://doi.org/10.18502/kss.v3i22.5078>

Project Management Institute. (2000). A guide to the project management body of knowledge (PMBOK guide) (Vol. 2). *Project Management Inst.*

Ibrahim, A.R.B., Roy, M.H., Ahmed, Z. & Imtiaz, G. (2010). An investigation of the status of the Malaysian construction industry. *Benchmarking: An International Journal*, 17(2), 294-308. <https://doi.org/10.1108/14635771011036357>

Rigdon, E.E., Schumacker, R.E., & Wothke, W. (1998). A comparative review of interaction and nonlinear modelling. In R. E. Schumacker & G. A. Marcoulides (Eds.), *Interaction and nonlinear effects in structural equation modelling* (pp. 1- 16). <https://doi.org/10.4324/9781315092614-1>

Ringle, C.M., Wende, S., & Will, A. (2005). SmartPLS 2.0. Retrieved January 4, 2015, from www.smartpls.de.

Richter, G.M., & Coleman, A.L. (2016). Minimally invasive glaucoma surgery: current status and future prospects. *Clinical ophthalmology (Auckland, NZ)*, 10, 189.

Sathishkumar, V., Raghunath, P.N., & Suguna, K. (2015). Critical factors influencing to managing risk in construction projects. *The International Journal of Engineering and Science (IJES)*, 4(1), 37-46.

Sekaran, U., & Bougie, R. (2010). *Research Methods for Business: A Skill Building Approach* by John Wiley & Sons. Inc.

Snell, S A. (1992). Control theory in strategic human resource management: The mediating effect of administrative information. *Academy of Management Journal*, 35(2), 292-327. <https://doi.org/10.5465/256375>

SS, M. (2017). Risk Management and Effect of Contractors Risk Attitude on Competition in Construction. *Imperial Journal of Interdisciplinary Research*, 3(8), 1-11.

Shirodkar, V., & Konara, P. (2017). Institutional distance and foreign subsidiary performance in emerging markets: Moderating effects of ownership strategy and host-country experience. *Management International Review*, 57(2), 179-207. DOI 10.1007/s11575-016-0301-z.

Shittu, R.A., & Ahmad, M.F. (2020). An approach to the cross-cultural and intercultural communication in the Nigerian Government-Linked Companies. *Social Science and Humanities Journal*, 4(3), 1820-1826.

Szymanski, P. (2017). Risk management in construction projects. *Procedia Engineering*, 208, 174-182. <https://doi.org/10.1016/j.proeng.2017.11.036>

Tabachnick, B.G., Fidell, L.S., & Ullman, J.B. (2007). *Using multivariate statistics* (Vol. 5, pp. 481-498). Boston, MA: Pearson.

Taofeeq, D.M., Adeleke, A.Q., & Ajibike, W.A. (2020). Human factors influencing contractors' risk attitudes: A case study of the Malaysian construction industry. *Construction Economics and Building*, 20(1), 96-116. <https://doi.org/10.5130/AJCEB.v20i1.6735>

Taofeeq, D.M., Adeleke, A.Q., & Lee, C.K. (2019). Individual factors influencing contractors' risk attitudes among Malaysian construction industries: The moderating role of government policy. *International Journal of Construction Management*, 05 August 2019, 1-20.
<https://doi.org/10.1080/15623599.2019.1641888>

Taofeeq, M.D., Adeleke, A.Q., & Chia-Kuang, L.E.E. (2020). Government policy as a key moderator to contractors' risk attitudes among Malaysian construction companies. *Journal of Engineering, Design and Technology*, 1-19.
<https://doi.org/10.1108/JEDT-08-2019-0192>

Taofeeq, D.M., & Adeleke, A.Q. (2019). Factors influencing contractors risk attitude in the Malaysian construction industry. *Journal of Construction Business and Management*, 3(2), 59- 67.
<https://doi.org/10.15641/jcbm.3.2.668>

Taofeeq, D.M., Adeleke, A.Q., & Lee, C.K. (2020). The synergy between human factors and risk attitudes of Malaysian contractors: Moderating effect of government policy. *Safety Science*, 121, 331-347. <https://doi.org/10.1016/j.ssci.2019.09.016>

Thevendran, V., Mawdesley, M.J., 2004. Perception of human factors in construction projects: an exploratory study. *International Journal of Project Management*, 22(2), 131-137.
[https://doi.org/10.1016/S0263-7863\(03\)00063-2](https://doi.org/10.1016/S0263-7863(03)00063-2)

Wang, C.M., Xu, B.B., Zhang, S.J. & Chen, Y.Q. (2016). Influence of personality and risk propensity on risk perception of Chinese construction project managers. *International Journal of Project Management*, 34(7), 1294-1304. <https://doi.org/10.1016/j.ijproman.2016.07.004>

Wang, J., & Yuan, H. (2011). Factors affecting contractors' risk attitudes in construction projects: A case study from China. *International Journal of Project Management*, 29(2), 209-219.
<https://doi.org/10.1016/j.ijproman.2010.02.006>

Wang, J., Yuan, H., Kang, X. & Lu, W. (2010). Critical success factors for on-site sorting of construction waste: A China study. *Resources, Conservation and Recycling*, 54(11), 931-936.
<https://doi.org/10.1016/j.resconrec.2010.01.012>

Wilkins, J.R. (2011). Construction workers' perceptions of health and safety training programmes. *Construction Management and Economics*, 29(10), 1017-1026
<https://doi.org/10.1080/01446193.2011.633538>