GEOLOGICAL FEATURES AND RESEARCH

How Many Deaths Were Caused by the Tarawera Eruption?

Most texts and brochures describing the Tarawera eruption of 10 June, 1886, record that it resulted in about 150 fatalities (e.g., Scott & Naim, 1989; Ansell & Taber, 1996). Indeed, a figure of 153 deaths is recorded at the excellent new visitors' centre at the Buried Village, Te Wairoa, and in a number of other contexts. Elsewhere, numbers ranging from as few as about one hurdred to possibly 'thousands' of deaths have been suggested (e.g., Houghton & Johnston, 1999).

What was the precise number of deaths caused by the 1886 Tarawera eruption? The strict answer is that no one knows, but it is possible to obtain a reasonable estimate. Ron Keam (1988) listed 108 individuals as fatalities based on extensive research undertaken for his hook "Tarawera". He described in detail how this figure was obtained and he listed all the known casualties in 'Appendix M' (pp. 388-390) of the book, together with the sources for the numbers. Since "Tarawera" was published, however, Ron has been shown other partial casualty lists which included some names additional to those recorded in Appendix M. Uncertainties arise because some of the Maori individuals were probably known by one name in one group and by another name in another group, and hence there could be more names on the lists than there were people. Also it is certain that there was some double counting in deriving the oft-quoted figure of 153 fatalities. On the other band there still could be a handful of omissions.

On the basis of the lists published in "Tarawera" and subsequent information, our best estimate for the death toll is about 120 casualties. All but seven of these fatalities were Maori or part-Maori. About thirty people were residing at locations within the boundaries of the craters that were formed on the night of the eruption (Fig. 1), and their bodies would have been blasted into the sky. Many other bodies of people residing outside the craters were never recoverable because of the intensity of the scorching pyroclastic surges that accompanied the Rotomahama phase of the eruption, and because of deep burial by tephra fallout.

It is evident from Figure 1, which shows the locations of the villages and associated faralities in the Tarawera area, that the known deaths occurred in a zone extending no more than ~10 km from the locus of the Rotomahana eruptions. Tribal oral accounts (e.g., Ngati Hinemibi) that state that the 'true' death toll numbered many hundreds or even thousands (Houghton & Johnston, 1999) can be disproven using an approximate census undertaken by the Resident Medical Officer at Rotorua shortly before the eruption, and by several other means including Government censuses conducted in 1881 and 1886. Whilst accepting that some omissions from the casualty lists are likely, it is impossible that there could have been any large number of other Maori living within this relatively small zone of destruction.

We acknowledge that the Tarawera eruption had a profound and long-lasting impact on Maori in the region (Keam, 1988; Lowe *et al.*, 2001), and that trauma was felt throughout the extensive zone of tephra fallout in the Bay of Plenty and eastern North Island (Fig. 1), but this fact must not be allowed to excuse baseless and fanciful inflation of the number of deaths.

Acknowledgment

We appreciated helpful comments by Dr Richard Smith (University of Waikato) in preparing this note.

References

Ansell, R. & Taber, J. 1996. Caught in the Crunch: Earthquakes and Volcanoes in New Zeutand. Harper Collins, Auckland.

Cole, J. W. 1970, Description and correlation of Holocene volcanic formations in the Tarawera-Rerewhakaaitu region. Transactions of the Royal Society of New Zcaland (Earth Sciences) 8, 93-108.

Froggutt, P. C. & Lowe, D. I. 1990. A review of late Quaternary silicic and some other teplara formations from New Zealand: their stratigraphy, nomenclature, distribution, volume, and age. New Zealand Journal of Geology and Geophysics 33, 88-99.

Houghton, B. F. & Johnston, D. 1999. Blow Up! Volcanoes. In "Awesome Forces – the Natural Hazards that Threaten New Zealand" (reprinted edition), Eds Hicks, G. & Campbell, H. Te Papa Press, Wellington, 19-43.

Keam, R. F. 1988. Tarawera - the Volcanic Eruption of 10 June 1886. R. F. Keam, Auckland.

Bowe, D. J., Newman, R. M., & McCraw, J. D. 2001. Volcanism and Early Maori Society in New Zealand. In "The Archaeology of Natural Disasters", Eds Grattan, J. & Torrence, R. Routledge, London (In press).

Nairu, I. A. 1979. Rotomahana-Walmangu cruption, 1886: base surge and basalt magma. New Zealand Journal of Geology and Geophysics 22, 363-378.

Rosseel, J-B. G. 1999. The Rolumnhana 1886 eruption. Geological Society of New Zealand Miscellaneous Publication 107A, 140.

Scoti, B. J. & Nairo, I. A. 1989. Tarawera Volcano and the Okataina Volcanic Centre. (Brochure published by) New Zealand Geological Survey, DSIR, Lower Hun.

Smith, S. P. 1886. Preliminary report on the volcanic eruption at Tarawera. Appendices to the Journal of the House of Representatives of New Zealand 11-26, 1-4 (plus maps).

Thomas, A. P. W. 1888, Report on the Eruption of Torawero and Rotomahana, New Zealand. Government Printer, Wellington.

David Lowe

Department of Earth Sciences, University of Waikato, Private Bag 3105, Hamilton

Ren Keam

Department of Physics, University of Auckland, Private Bag 92-019, Auckland

Daphne Lee

Department of Geology, University of Otago, Private Bag 56, Dunedin



Fig. 1. Mop of the Torawera area (from Lowe et al., 2001) showing locations of the main craters of the 10. June, 1886, fissure eruption across Tarawera mountain, Rotomahana Crater (including pre-eruption lokes Rotomahana and Rotomakariri), ond Waimangu craters.

The boundary line of the base surge deposit resulting from the Initial cataclysmic Rotomahana explosion is based on data in Smith (1886) and Keam (1988) (see also Rosseel, 1999); the bold arrows represent current directions inferred from cross-bedding of proximal surge deposits as mapped by Nairn (1979).

The southwestern fallout limit for Rotomahano Mud and the isopoichs (cm) for Tanawero Scoria (both members of Tanawara Tephro Formatian: Froggatt & Lowe, 1990) are from Thomas (1888) and Cole (1970), respectively,

The location of villages and known fatalities (in parentheses) are based on Keam (1988). There was an additional dearts at on unknown locality.

W, White Terrace (Te Tarata); P, Pink Terrace (Oluhapuorangi).

Inset shows eastern North Island and the mapped limits (stippled) of tephra fallout from the 1886 Tarawero eruption (Thomos, 1888). Ashfall at sea was recorded on S.S. Southern Cross at East Island near East Cope, on the schooner Julia Pryce as indicated, and on S.S. Waimea about 1000 km out from Auckland en route to London (Keom, 1988).

*On the night of the eruption n∉arly half of TeAriki's 27 residents were encamped at Otukapuarangt (Pink Teirace) alongside Lake Rotomahana (Keam, 1988).

20