

Online Research @ Cardiff

This is an Open Access document downloaded from ORCA, Cardiff University's institutional repository: http://orca.cf.ac.uk/110876/

This is the author's version of a work that was submitted to / accepted for publication.

Citation for final published version:

Smith, Jeremy, Brooks, Libby S. G., Coyne, Shani L., Slater, Frederick M. and Thomas, Robert J. 2018. Short Note: Nocturnal calling by a Pied Flycatcher on arrival in breeding habitat during spring migration. British Birds 111 file

Publishers page:

Please note:

Changes made as a result of publishing processes such as copy-editing, formatting and page numbers may not be reflected in this version. For the definitive version of this publication, please refer to the published source. You are advised to consult the publisher's version if you wish to cite this paper.

This version is being made available in accordance with publisher policies. See http://orca.cf.ac.uk/policies.html for usage policies. Copyright and moral rights for publications made available in ORCA are retained by the copyright holders.

information services gwasanaethau gwybodaeth

SHORT NOTE: Nocturnal calling by a Pied Flycatcher on arrival in breeding habitat during spring migration

3 4

5

6 7 Jeremy A Smith^{*,1,2}, Libby SG Brooks^{1,2}, Shani L Coyne¹, Fred M Slater¹, Robert J Thomas^{1,2}

¹ Cardiff University, Museum Avenue, Cardiff, Wales, CF10 3AX

9 ² Eco-explore Community Interest Company <u>www.eco-explore.co.uk</u>

10 *** Corresponding author:** Jeremy Smith, email SmithJ53@Cardiff.ac.uk

11 12

13 The Pied Flycatcher *Ficedula hypoleuca* is a long distance migrant which still 14 breeds in high densities in mid-Wales, despite the species' UK-wide 15 population decline of >50% in just 25 years (Eaton *et al.* 2015). Pied 16 Flycatchers winter in West Africa and generally return to their Welsh breeding 17 grounds in mid-late April. Males typically arrive first, in order to establish and 18 defend breeding territories prior to the arrival of the females several days later 19 (Cramp & Simmons 2004, Lundberg & Alatalo 2010).

20

21 Pied Flycatchers are visual foragers and are diurnally active during most of 22 their annual cycle, with the exception of their migration flights which like many 23 songbird species are undertaken nocturnally (Martin 1990). Much research 24 has been conducted on the behavior and ecology of the Pied Flycatcher, including the timing of migration and arrival on the breeding grounds, but 25 there appears to be no record in the literature of this species vocalizing at 26 27 night (Cramp & Simmons 2004, Lundberg & Alatalo 2010). This record documents the nocturnal calling of a Pied Flycatcher on arrival in breeding 28 29 habitat in spring.

30

On the 3rd of April 2017 a Pied Flycatcher was heard calling from 22:35 BST (21:35 GMT) in an area of woodland at Llysdinam Field Centre near Newbridge-on-Wye, mid Wales (52.216°N, 3.451°W). This location has a long tradition of Pied Flycatcher monitoring based on a nestbox scheme first established in 1911 (Slater 1998, 1999), and the bird was calling from a location which normally holds a Pied Flycatcher breeding territory. Sunset on this date was 19:51 BST, and civil dusk twilight ended at 20:26 BST.

38

39 The calling Pied Flycatcher appeared to be a newly arrived individual, as this 40 was the first record of a Pied Flycatcher at the Field Centre in spring 2017, 41 and none were seen or heard in the area during the preceding three days (personal observations by FS who was running a course at the Field Centre 42 31st March to 2nd April), including during fieldwork in the same area of 43 44 woodland during the preceding day between 16:00 and 17:00 BST (JS, LB, 45 SC, personal observations). Furthermore, the earliest Pied Flycatchers to be 46 recorded in the county (Powys) in 2017 were reported only the previous day near the village of Beulah, 11.5km from Llysdinam 47

- 48 (<u>www.brecknockbirds.co.uk</u>, report by Andrew Dally 2nd April 2017).
- 49

50 At the time of the observation on 3rd April 2017 there was light drizzle and the 51 external lights were on at the Field Centre, illuminating limited sections of the 52 surroundings, which were otherwise not subject to noticeable light pollution or 53 "skyglow". The Pied Flycatcher was first heard calling at 22:35 BST and a sound recording was made of the call with an iPhone; the call was distant, but 54 55 clearly audible on the recording (Cramp & Simmons 2004, Lundberg & Alatalo 56 2010). The sound file was immediately messaged to RT for confirmation of 57 the identification by comparison with the audio recordings available in the 58 xenocanto.com archive.

59

60 A short acoustic playback test was then carried out by playing Pied Flycatcher 61 calls using the first two such recordings available in the Xeno-Canto archive at the time (both were recorded in Spain by José Carlos Sires on 20th 62 63 September 2016). The bird did not approach the speaker but appeared to call 64 in response to the playback, from multiple locations covering a diameter of ~50m as it moved around within the woodland. Given the changing locations 65 from which calls were heard it is possible that there more than one bird may 66 67 have called, but this was not verified. The bird did not approach the speaker 68 but carried on calling until 23:00 BST, after which no more responses to 69 playback were obtained.

70

71 On the next day (4th April) bird surveys were undertaken in the same area at 72 Llysdinam Field Centre, and at nearby woodlands 2.5 Km from Llysdinam (Coed Ty Mawr, 52.205°N, -3.487°W). No Pied Flycatchers were found at 73 74 Llysdinam, but at least three newly arrived males were on territories in Coed 75 Ty Mawr. Subsequent surveys revealed Pied Flycatchers to be present continuously from 4th April at Coed Ty Mawr, and from 6th April at Llysdinam. 76 The first 2017 spring arrival at Llysdinam on the evening of the 3rd April was 77 78 10 days earlier than in the previous year (13th April 2016) and substantially 79 earlier than the long-term mean arrival date for the location, of 9th-11th April 80 (FS personal observations).

81

Taken together, the early date, the absence of Pied Flycatchers in the preceding days at Llysdinam and the nearby woodlands of Coed Ty Mawr, and the presence of Pied Flycatchers in subsequent days, suggests that the Pied Flycatcher calling on the night of the 3rd of April was a newly arrived male, which may have moved on from Llysdinam the same night or the following morning. To our knowledge, this is the first record of nocturnal calling by a newly arrived Pied Flycatcher during spring migration.

89

90 Nocturnal calling is regular among some species of songbirds that migrate in 91 loose flocks, such as Redwings Turdus iliacus, which call in flight in order to 92 maintain contact with the rest of the flock (Cramp & Simmons 2004, Hamilton 93 1962, La 2012). Other species such as Common Nightingales Luscinia 94 megarhynchos sing at night from breeding territories, primarily in order to 95 attract nocturnally migrating females into the breeding territory during -or following- arrival (Amrhein et al. 2002, Roth et al. 2009), and switch to 96 97 primarily daytime singing once they have acquired a mate (Cramp & Simmons 98 2004, Amrhein et al. 2002, Thomas 2002). The Pied Flycatcher calls reported 99 here were given from perches within suitable breeding habitat. However, in

contrast to habitat specialists such as Reed Warblers Acrocephalus 100 101 scirpaceus, habitat generalists such as Pied Flycatchers do not appear to use 102 acoustic information, including song, as a cue for recognition of suitable 103 habitat (Mukhin et al. 2008). However, song rate is used by female Pied 104 Flycatchers as a cue for mate selection (Alatalo et al. 1990). The function of 105 the nocturnal calling that we report here is not known with certainty, but may 106 be a means by which newly arrived males assess the presence of other 107 (male) Pied Flycatchers in the locality. Indeed, this could even be the reason why the calling bird that we observed moved on from the territory at Llysdinam 108 109 which appeared to be already occupied by another calling bird, though this 110 apparent rival was actually the group of observers with their playback 111 recording.

112 113

115

114 **References**

Alatalo, R., Glynn, C. & Lundberg, A. 1990. Singing rate and female attraction in the
pied flycatcher: an experiment. *Animal Behaviour* 39: 601-603.

Amrhein, V., Korner, P. & Naguib, M. 2002. Nocturnal and diurnal singing activity in
the Nightingale: correlations with mating status and breeding cycle. *Animal Behaviour* 64: 939-944.

123 Cramp, S. & Simmons, K.E.L. 2004. *BWPi: Birds of the Western Palearctic* 124 *interactive DVD-ROM.* BirdGuides Ltd. & Oxford University Press, Oxford.

Eaton, M.A., Aebischer, N.J, Brown, A.F., Hearn, R.D., Lock, L., Musgrove, A.J.,
Noble, D.G., Stroud, D.A. & Gregory, R.D. 2015. Birds of Conservation Concern 4:
the population status of birds in the United Kingdom, Channel Islands and Isle of
Man. *British Birds* 108: 708–746.

130

133

136

138

140

125

Hamilton, W.J. 1962. Evidence concerning the function of nocturnal call notes ofmigratory birds. *Condor* 64: 390-401.

La, V.T. 2012. Diurnal and nocturnal birds vocalize at night: A review. *Condor* 114:245-257.

137 Lundberg, A. & Alatalo, R.V. 2010. *The Pied Flycatcher*. Poyser.

139 Martin, G. 1990. *Birds by night*. Poyser.

Mukhin, A., Chernetsov, N. & Kishkinev, D. 2008. Acoustic information as a distance
cue for habitat recognition by nocturnally migrating passerines during
landfall. *Behavioral Ecology* 19: 716-723.

144

Roth, T.P., Sprau, R., Schmidt, M., Naguib, M. & Amrhein, V. 2009. Sex-specific
timing of mate searching and territory prospecting in the nightingale: nocturnal life of
females. *Proceedings of the Royal Society B* 276: 2045-2050.

149 Slater, F.M. 1998. Three-quarters of a century of pied flycatcher (*Ficedula hypoleuca*) in mid-Wales. *Welsh Birds* 2(1): 16-20.

151

152 Slater, F.M. 1999. First egg date fluctuations for the Pied Flycatcher *Ficedula* 153 *hypoleuca* in the woodlands of mid-Wales in the twentieth century. *Ibis* 141(3): 497-154 499.

155

- 156 Thomas, R.J. 2002. Seasonal changes in the nocturnal singing routines of Common
- 157 Nightingales *Luscinia megarhynchos*. *Ibis* 144: 105-112.

158