



# TU Clausthal

Clausthal University of Technology

## On the Relationship between Playing Rationally and Knowing how to Play: A Logical Account

Wojciech Jamroga

IfI Technical Report Series

IfI-06-01



**I f I**

Department of Informatics  
Clausthal University of Technology

## **Impressum**

**Publisher:** Institut für Informatik, Technische Universität Clausthal  
Julius-Albert Str. 4, 38678 Clausthal-Zellerfeld, Germany

**Editor of the series:** Jürgen Dix

**Technical editor:** Wojciech Jamroga

**Contact:** [wjamroga@in.tu-clausthal.de](mailto:wjamroga@in.tu-clausthal.de)

**URL:** <http://www.in.tu-clausthal.de/forschung/technical-reports/>

**ISSN:** 1860-8477

## **The IfI Review Board**

Prof. Dr. Jürgen Dix (Theoretical Computer Science/Computational Intelligence)

Prof. Dr. Klaus Ecker (Applied Computer Science)

Prof. Dr. Barbara Hammer (Theoretical Foundations of Computer Science)

Prof. Dr. Kai Hormann (Computer Graphics)

Prof. Dr. Gerhard R. Joubert (Practical Computer Science)

Prof. Dr. Ingbert Kupka (Theoretical Computer Science)

Prof. Dr. Wilfried Lex (Mathematical Foundations of Computer Science)

Prof. Dr. Jörg Müller (Agent Systems)

Dr. Frank Padberg (Software Engineering)

Prof. Dr.-Ing. Dr. rer. nat. habil. Harald Richter (Technical Computer Science)

Prof. Dr. Gabriel Zachmann (Computer Graphics)

# On the Relationship between Playing Rationally and Knowing how to Play: A Logical Account

Wojciech Jamroga

Department of Informatics,  
Clausthal University of Technology, Germany  
wjamroga@in.tu-clausthal.de

Revised version: 30th of May, 2006

## Abstract

Modal logics of strategic ability usually focus on capturing what it means for an agent to have a feasible strategy that brings about some property. While there is a general agreement on abilities in scenarios where agents have perfect information, the right semantics for ability under incomplete information is still debated upon. Epistemic Temporal Strategic Logic, an offspring of this debate, can be treated as a logic that captures properties of agents' rational play.

In this paper, we provide a semantics of ETSL that is more compact and comprehensible than the one presented in the original paper by van Otterloo and Jonker. Second, we use ETSL to show that a rational player knows that he will succeed if, and only if, he knows how to play to succeed – while the same is not true for rational coalitions of players.

**Keywords:** multi-agent systems, theories of agency, game-theoretical foundations, modal logic.

## 1 Introduction

Modal logics of strategic ability usually focus on capturing what it means for an agent to have a feasible strategy that brings about some property. While there is a general agreement on abilities in scenarios where agents have perfect information, the right semantics for ability under incomplete information is still debated upon. Epistemic Temporal Strategic Logic, proposed by van Otterloo and Jonker [19], is an offspring of this debate, but one that leads in an orthogonal direction to the mainstream solutions.

The central operator of ETSL can be read as: “if  $A$  play *rationally* to achieve  $\varphi$  (meaning: they never play a dominated strategy), they will achieve  $\varphi$ ”. Thus, one may treat ETSL as a logic that captures properties of agents’ rational play in a sense.

This paper contains two main messages. First, we provide a semantics of ETSL that is more compact and comprehensible than the one presented in [19]. ETSL is underpinned by several exciting concepts. Unfortunately, its semantics is also quite hard to read due to a couple non-standard solutions and a plethora of auxiliary functions, which is probably why the logic never received the attention it deserves. Second, and perhaps more importantly, we use ETSL to show that a rational player knows that he will succeed if, and only if, he knows how to play to succeed – while the same is not true for rational coalitions of players.

## 2 Reasoning about Abilities of Agents

Modal logics of strategic ability [1, 2, 14] form one of the fields where logic and game theory can successfully meet. The logics have clear possible worlds semantics, are axiomatizable, and have some interesting computational properties. Moreover, they are underpinned by intuitively appealing conceptual machinery for modeling and reasoning about systems that involve multiple autonomous agents as the basic concepts originate from temporal logic (i.e., the logic of time and computation), and classical game theory, which emerged in an attempt to give precise meaning to common-sense notions like choices, strategies, or rationality – and to provide formal models of interaction between autonomous entities, that could be used in further study.

### 2.1 ATL: Ability in Perfect Information Games

Alternating-time Temporal Logic (ATL) [1, 2] was invented to capture properties of *open computer systems* (such as computer networks), where different components can act autonomously, and computations in such systems are effected by their combined actions. Alternatively, ATL can be seen as a logic for systems involving multiple agents, that allows one to reason about what agents can achieve in game-like scenarios. Since ATL does not include incomplete information in its scope, it can be seen as a logic for reasoning about agents who always have perfect information about the current state of affairs.

The language of ATL generalizes the branching time temporal logic CTL [3], in the sense that path quantifiers are replaced with so called *cooperation modalities*. Formula  $\langle\langle A \rangle\rangle\varphi$ , where  $A$  is a coalition of agents, expresses that  $A$  have a collective strategy to enforce  $\varphi$ . ATL formulae include temporal operators: “ $\bigcirc$ ” (“in the next state”),  $\square$  (“always from now on”) and  $\mathcal{U}$  (“until”). Operator  $\diamond$  (“now or sometime in the future”) can be defined as  $\diamond\varphi \equiv \top \mathcal{U} \varphi$ . Like in CTL, every occurrence of a temporal operator is preceded by exactly one cooperation modality  $\langle\langle A \rangle\rangle$ .<sup>1</sup> Formally, the recursive definition

<sup>1</sup> The logic to which such a syntactic restriction applies is sometimes called “*vanilla*” ATL (resp. “*vanilla*”

of ATL formulae is:

$$\varphi ::= p \mid \neg\varphi \mid \varphi \wedge \varphi \mid \langle\langle A \rangle\rangle \bigcirc \varphi \mid \langle\langle A \rangle\rangle \square \varphi \mid \langle\langle A \rangle\rangle \varphi \mathcal{U} \varphi$$

Example ATL properties are:  $\langle\langle jamesbond \rangle\rangle \diamond \text{win}$  (James Bond has an infallible plan to eventually win) and  $\langle\langle jamesbond, bondsgirl \rangle\rangle \text{fun} \mathcal{U} \text{shot-at}$  (Bond and his girlfriend have a collective way of having fun until someone shoots at them).

A number of semantics have been defined for ATL, most of them equivalent [4]. In this paper, we use a variant of *concurrent game structures*,

$$M = \langle \mathbb{A}gt, St, \Pi, \pi, Act, d, o \rangle,$$

which includes a nonempty finite set of all agents  $\mathbb{A}gt = \{1, \dots, k\}$ , a nonempty set of states  $St$ , a set of atomic propositions  $\Pi$ , a valuation of propositions  $\pi : \Pi \rightarrow \mathcal{P}(St)$ , and a nonempty set of (atomic) actions  $Act$ . Function  $d : \mathbb{A}gt \times St \rightarrow \mathcal{P}(Act)$  defines actions available to an agent in a state, and  $o$  is a deterministic transition function that assigns an outcome state  $q' = o(q, \alpha_1, \dots, \alpha_k)$  to state  $q$ , and a tuple of actions  $\langle \alpha_1, \dots, \alpha_k \rangle$  that can be executed by  $\mathbb{A}gt$  in  $q$ . A *strategy* of agent  $a$  is a conditional plan that specifies what  $a$  is going to do for every possible situation ( $s_a : St \rightarrow Act$  such that  $s_a(q) \in d(a, q)$ ).<sup>2</sup> A *collective strategy* (called also a *strategy profile*)  $S_A$  for a group of agents  $A$  is a tuple of strategies  $S_a$ , one per agent  $a \in A$ . A *path*  $\Lambda$  in  $M$  is an infinite sequence of states that can be effected by subsequent transitions, and refers to a possible course of action (or a possible computation) that may occur in the system; by  $\Lambda[i]$ , we denote the  $i$ th position on path  $\Lambda$ . Function  $out(q, S_A)$  returns the set of all paths that may result from agents  $A$  executing strategy  $S_A$  from state  $q$  onward:

$$out(q, S_A) = \{ \lambda = q_0 q_1 q_2 \dots \mid q_0 = q \text{ and for every } i = 1, 2, \dots \text{ there exists a tuple of actions } \langle \alpha_1^{i-1}, \dots, \alpha_k^{i-1} \rangle \text{ such that } \alpha_a^{i-1} = S_a(q_{i-1}) \text{ for each } a \in A, \alpha_a^{i-1} \in d(a, q_{i-1}) \text{ for each } a \notin A, \text{ and } o(q_{i-1}, \alpha_1^{i-1}, \dots, \alpha_k^{i-1}) = q_i \}.$$

Now, the semantics of ATL formulae can be given via the following clauses:

---

CTL etc.).

<sup>2</sup> This is a deviation from the original semantics of ATL, where strategies assign agents' choices to *sequences* of states, which suggests that agents can recall the whole history of each game. Both types of strategies yield equivalent semantics for "vanilla" ATL [16]. However, they do *not* result in equivalent logics for ATL\* nor for most ATL variants with incomplete information. We use "memoryless" strategies here because they pose less conceptual difficulties when defining the semantics. Moreover, model checking strategic abilities of agents with perfect recall and incomplete information is believed undecidable [2, 16], which undermines practical importance of these logics.

$M, q \models p$	iff $q \in \pi(p)$ (where $p \in \Pi$ );
$M, q \models \neg\varphi$	iff $M, q \not\models \varphi$ ;
$M, q \models \varphi \wedge \psi$	iff $M, q \models \varphi$ and $M, q \models \psi$ ;
$M, q \models \langle\langle A \rangle\rangle \bigcirc \varphi$	iff there is a collective strategy $S_A$ such that, for every $\Lambda \in \text{out}(q, S_A)$ , we have $M, \Lambda[1] \models \varphi$ ;
$M, q \models \langle\langle A \rangle\rangle \square \varphi$	iff there exists $S_A$ such that, for every $\Lambda \in \text{out}(q, S_A)$ , we have $M, \Lambda[i] \models \varphi$ for every $i \geq 0$ ;
$M, q \models \langle\langle A \rangle\rangle \varphi \mathcal{U} \psi$	iff there is $S_A$ st. for every $\Lambda \in \text{out}(q, S_A)$ there is $i \geq 0$ , for which $M, \Lambda[i] \models \psi$ , and $M, \Lambda[j] \models \varphi$ for every $0 \leq j < i$ .

The complexity of ATL model checking is linear in the number of transitions in the model and the length of the formula [2], which suggests that practical applications may be possible.

## 2.2 Strategic Ability and Incomplete Information

ATL is unrealistic in a sense: real-life agents seldom possess complete information about the current state of the world. *Alternating-time Temporal Epistemic Logic* (ATEL) [17, 18] enriches the picture with an epistemic component, adding to ATL operators for representing agents' knowledge:  $K_a\varphi$  reads as "agent  $a$  knows that  $\varphi$ ". Additional operators  $E_A\varphi$ ,  $C_A\varphi$ , and  $D_A\varphi$  refer to *mutual knowledge* ("everybody knows"), *common knowledge*, and *distributed knowledge* among the agents from  $A$ . Models for ATEL extend concurrent game structures with epistemic accessibility relations  $\sim_1, \dots, \sim_k \subseteq Q \times Q$  (one per agent) for modeling agents' uncertainty; the relations are assumed to be equivalences. We will call such models *concurrent epistemic game structures* (CEGS) in the rest of the paper. Agent  $a$ 's epistemic relation is meant to encode  $a$ 's inability to distinguish between the (global) system states:  $q \sim_a q'$  means that, while the system is in state  $q$ , agent  $a$  cannot determine whether it is not in  $q'$ . Then:

$M, q \models K_a\varphi$  iff  $\varphi$  holds for every  $q'$  such that  $q \sim_a q'$ .

Relations  $\sim_A^E$ ,  $\sim_A^C$  and  $\sim_A^D$ , used to model group epistemics, are derived from the individual relations of agents from  $A$ . First,  $\sim_A^E$  is the union of relations  $\sim_a$ ,  $a \in A$ . Next,  $\sim_A^C$  is defined as the transitive closure of  $\sim_A^E$ . Finally,  $\sim_A^D$  is the intersection of all the  $\sim_a$ ,  $a \in A$ . The semantics of group knowledge can be defined as below (for  $\mathcal{K} = C, E, D$ ):

$M, q \models \mathcal{K}_A\varphi$  iff  $\varphi$  holds for every  $q'$  such that  $q \sim_A^{\mathcal{K}} q'$ .

**Example 1 (Gambling Robots)** *Two robots (a and b) play a simple card game. The deck consists of Ace, King and Queen (A, K, Q); it is assumed that A beats K, K*




Figure 1: Gambling Robots game. Arrows represent possible transitions of the system (labeled with tuples of agents' actions); dashed lines connect states that are indistinguishable for particular agents.

beats  $Q$ , but  $Q$  beats  $A$ . First, the “environment” agent  $env$  deals a random card to both robots (face down), so that each player can see his own hand, but he does not know the card of the other player. Then robot  $a$  can exchange his card for the one remaining in the deck (action  $exch$ ), or he can keep the current one ( $keep$ ). At the same time, robot  $b$  can change the priorities of the cards, so that  $A$  becomes better than  $Q$  (action  $chg$ ) or he can do nothing ( $nop$ ). If  $a$  has a better card than  $b$  after that, then a win is scored, otherwise the game ends in a “losing” state. A CEGS for the game is shown in Figure 1; we will refer to the model as  $M_0$  throughout the rest of the paper. Note that  $M_0, q_0 \models \langle\langle a \rangle\rangle \Diamond win$  (and even  $M_0, q_0 \models K_a \langle\langle a \rangle\rangle \Diamond win$ ), although, intuitively,  $a$  has no feasible way of ensuring a win. This is a fundamental problem with ATEL, which we discuss briefly below.

It was pointed out in several places that the meaning of ATEL formulae is somewhat counterintuitive [6, 7, 11]. Most importantly, one would expect that an agent’s ability to achieve property  $\varphi$  should imply that the agent has enough control and knowledge to *identify* and *execute* a strategy that enforces  $\varphi$  (cf. also [16]). This problem is closely related to the well known distinction between knowledge *de re* and knowledge *de dicto* [15, 12, 13].

A number of frameworks were proposed to overcome this problem [6, 7, 16, 11, 19, 5], yet none of them seems the ultimate definitive solution. Most of the solutions agree that only *uniform* strategies (i.e., strategies that specify the same choices in indistinguishable states) are really executable. However, in order to identify a successful strategy, the agents must consider not only the courses of action, starting from the current state of the system, but also from states that are indistinguishable from the current one. There are many cases here, especially when group epistemics is concerned: the

agents may have common, ordinary or distributed knowledge about a strategy being successful, or they may be hinted the right strategy by a distinguished member (the “boss”), a subgroup (“headquarters committee”) or even another group of agents (“consulting company”). Most existing solutions [16, 19, 5] treat only some of the cases (albeit rather in an elegant way), while others [7, 11] offer a more general treatment of the problem at the expense of an overblown logical language (which is by no means elegant).

Recently, a new, non-standard semantics for ability under incomplete information has been proposed in [9, 10], which we believe to be both intuitive, general and elegant. We summarize the proposal in the next section, as we will use it further to capture strategic abilities of agents.

### 2.3 An Intuitive Semantics for Ability and Knowledge

When analyzing consequences of their strategies, agents must consider also the outcome paths starting from states other than the current state – namely, all states that *look the same* as the current state. Thus, a property of a strategy being successful with respect to goal  $\varphi$  is *not* local to the current state; *the same* strategy must be successful in all “opening” states being considered. In [9, 10], a non-standard semantics for the logic of strategic ability and incomplete information has been proposed, which we believe to be finally satisfying. In the semantics, formulae are interpreted over *sets of states* rather than single states. This reflects the intuition that the “constructive” ability to enforce  $\varphi$  means that the agents in question have a single strategy that brings about  $\varphi$  for *all* possible initial situations – and not that a successful strategy exists for *each* initial situation (because those could be different strategies for different situations).

Moreover, we introduce “constructive knowledge” operators  $\mathbb{K}_a$ , one for each agent  $a$ , that yield the set of states, indistinguishable from the current state from  $a$ ’s perspective. Constructive common, mutual, and distributed knowledge is formalized via operators  $\mathbb{C}_A$ ,  $\mathbb{E}_A$ , and  $\mathbb{D}_A$ . The language, which we tentatively call Constructive Strategic Logic (CSL) here, is defined as follows:

$$\varphi ::= p \mid \neg\varphi \mid \sim\varphi \mid \varphi \wedge \varphi \mid \langle\langle A \rangle\rangle\bigcirc\varphi \mid \langle\langle A \rangle\rangle\Box\varphi \mid \langle\langle A \rangle\rangle\varphi\mathcal{U}\varphi \mid C_A\varphi \mid E_A\varphi \mid D_A\varphi \mid \mathbb{C}_A\varphi \mid \mathbb{E}_A\varphi \mid \mathbb{D}_A\varphi.$$

Individual knowledge operators can be derived as:  $K_a\varphi \equiv E_{\{a\}}\varphi$  and  $\mathbb{K}_a\varphi \equiv \mathbb{E}_{\{a\}}\varphi$ . Moreover, we define  $\varphi_1 \vee \varphi_2 \equiv \neg(\neg\varphi_1 \wedge \neg\varphi_2)$ , and  $\varphi_1 \rightarrow \varphi_2 \equiv \neg\varphi_1 \vee \varphi_2$ .

The models are concurrent epistemic game structures again, and we consider only memoryless uniform strategies. Let  $\text{img}(q, \mathcal{R})$  be the image of state  $q$  with respect to relation  $\mathcal{R}$ , i.e. the set of all states  $q'$  such that  $q\mathcal{R}q'$ . Moreover, we use  $\text{out}(Q, S_A)$  as a shorthand for  $\cup_{q \in Q} \text{out}(q, S_A)$ , and  $\text{img}(Q, \mathcal{R})$  as a shorthand for  $\cup_{q \in Q} \text{img}(q, \mathcal{R})$ . The notion of a formula  $\varphi$  being satisfied by a set of states  $Q \subseteq St$  in a model  $M$  is given through the following clauses.



$M, Q \models p$	iff $q \in \pi(p)$ for every $q \in Q$ ;
$M, Q \models \neg\varphi$	iff $M, Q \not\models \varphi$ ;
$M, Q \models \sim\varphi$	iff $M, q \not\models \varphi$ for every $q \in Q$ ;
$M, Q \models \varphi \wedge \psi$	iff $M, Q \models \varphi$ and $M, Q \models \psi$ ;
$M, Q \models \langle\langle A \rangle\rangle \bigcirc \varphi$	iff there exists $S_A$ such that, for every $\Lambda \in \text{out}(Q, S_A)$ , we have that $M, \{\Lambda[1]\} \models \varphi$ ;
$M, Q \models \langle\langle A \rangle\rangle \square \varphi$	iff there exists $S_A$ such that, for every $\Lambda \in \text{out}(Q, S_A)$ and $i \geq 0$ , we have $M, \{\Lambda[i]\} \models \varphi$ ;
$M, Q \models \langle\langle A \rangle\rangle \mathcal{U} \psi$	iff there exists $S_A$ such that, for every $\Lambda \in \text{out}(Q, S_A)$ , there is $i \geq 0$ for which $M, \{\Lambda[i]\} \models \psi$ and $M, \{\Lambda[j]\} \models \varphi$ for every $0 \leq j < i$ ;
$M, Q \models \mathcal{K}_A \varphi$	iff $M, q \models \varphi$ for every $q \in \text{img}(Q, \sim_A^{\mathcal{K}})$ (where $\mathcal{K} = C, E, D$ );
$M, Q \models \hat{\mathcal{K}}_A \varphi$	iff $M, \text{img}(Q, \sim_A^{\mathcal{K}}) \models \varphi$ (where $\hat{\mathcal{K}} = \mathbb{C}, \mathbb{E}, \mathbb{D}$ and $\mathcal{K} = C, E, D$ , respectively).

We will also write  $M, q \models \varphi$  as a shorthand for  $M, \{q\} \models \varphi$ , and this is the notion of satisfaction (in single states) that we are ultimately interested in – but that notion is defined in terms of the satisfaction in sets of states.

Now,  $\mathbb{K}_a \langle\langle a \rangle\rangle \varphi$  expresses the fact that  $a$  has a single strategy that enforces  $\varphi$  from *all* states indiscernible from the current state, instead of stating that  $\varphi$  can be achieved from *every* such state *separately* (what  $K_a \langle\langle a \rangle\rangle \varphi$  says, which is very much in the spirit of standard epistemic logic). More generally, the first kind of formulae refer to *having a strategy “de re”* (i.e. having a successful strategy and knowing the strategy), while the latter refer to *having a strategy “de dicto”* (i.e. only knowing that *some* successful strategy is available; cf. [7]). Note also that the property of having a winning strategy in the current state (but not necessarily even knowing *about* it) is simply expressed with  $\langle\langle a \rangle\rangle \varphi$ . Capturing different ability levels of coalitions is analogous, with various “epistemic modes” of collective recognizing the right strategy.

**Example 2** *Robot a has no winning strategy in the starting state of the game:  $M_0, q_0 \models \neg \langle\langle a \rangle\rangle \diamond \text{win}$ , which implies that it has neither a strategy “de re” nor “de dicto” ( $M_0, q_0 \models \neg \mathbb{K}_a \langle\langle a \rangle\rangle \diamond \text{win} \wedge \neg K_a \langle\langle a \rangle\rangle \diamond \text{win}$ ). On the other hand, he has a successful strategy in  $q_{AK}$  (just play keep) and he knows he has one (because another action, *exch*, is bound to win in  $q_{AQ}$ ); still, the knowledge is not constructive, since a does not know which strategy is the right one in the current situation:  $M_0, q_{AK} \models \langle\langle a \rangle\rangle \bigcirc \text{win} \wedge K_a \langle\langle a \rangle\rangle \bigcirc \text{win} \wedge \neg \mathbb{K}_a \langle\langle a \rangle\rangle \bigcirc \text{win}$ . Also, b’s playing *chg* enforces a transition to  $q_w$  for both  $q_{AQ}, q_{KQ}$ , so  $M_0, q_{AQ} \models \mathbb{K}_b \langle\langle b \rangle\rangle \bigcirc \text{win}$  (robot b has a strategy “de re” to enforce a win from  $q_{AQ}$ ).*

*Finally,  $q_{QK} \models \langle\langle a, b \rangle\rangle \diamond \text{win} \wedge E_{\{a, b\}} \langle\langle a, b \rangle\rangle \diamond \text{win} \wedge C_{\{a, b\}} \langle\langle a, b \rangle\rangle \diamond \text{win} \wedge \neg \mathbb{E}_{\{a, b\}} \langle\langle a, b \rangle\rangle \diamond \text{win} \wedge \mathbb{D}_{\{a, b\}} \langle\langle a, b \rangle\rangle \diamond \text{win}$ : in  $q_{QK}$ , the robots have a collective strategy*

to enforce a win, and they all know it (they even have common knowledge about it); on the other hand, they cannot identify the right strategy as a team – they can only see one if they share knowledge at the beginning (i.e., in  $q_{QK}$ ).

### 3 Epistemic Temporal Strategic Logic

A very interesting variation on the theme of combining strategic, epistemic and temporal aspects of a multi-agent system was proposed in [19]. Epistemic Temporal Strategic Logic (ETSL) digs deeper in the repository of game theory, and focuses on the concept of *undominated strategies*. Thus, its variant of cooperation modalities has a different flavor than the ones from ATL, ATEL, CSL etc. In a way, formula  $\langle\langle A \rangle\rangle\varphi$  in ETSL can be summarized as:

“If  $A$  play *rationally* to achieve  $\varphi$  (meaning: they never play a dominated strategy),  
they will achieve  $\varphi$ ”.

ETSL can be treated as a logic that describes the outcome of *rational play* under incomplete information,<sup>3</sup> in the same way as CSL can be seen as a logic that captures agents’ strategic abilities (regardless of whether the agents play rationally or not). The main claim we propose in this paper is that a rational player knows that he will succeed if, and only if, he has a strategy “de re” to succeed – while the same is not true for rational coalitions of players. However, before we present and discuss the claim formally in Section 4, we must re-write the semantics of ETSL in several respects.

First, the original semantics of ETSL is defined only for finite turn-based acyclic game models with epistemic accessibility relations, and we will generalize the semantics to concurrent epistemic game structures. Next, the semantics comes with a plethora of auxiliary functions and definitions (and a couple of omissions), which makes it rather hard to read. In fact, this is probably the reason why the logic never received the attention it deserves, and it is definitely worth trying to make the semantics more compact. Finally, the authors of [19] propose that a model should include also a “grand strategy profile”  $S_{\text{Agt}}$ , defining the actual strategies of all agents (or at least constraining them in some way, since non-deterministic strategies are allowed in ETSL). While the idea seems interesting in itself (a similar idea was later exploited e.g. in [8] to allow for explicit analysis of strategies and reasoning about strategy revision), we will show that it does not introduce a finer-grained analysis of “vanilla” ETSL formulas: if a formula holds in  $M, q$  for one strategy profile, it holds in  $M, q$  for all the other strategy profiles, too. Moreover, it can be proved that the semantics of cooperation modalities  $\langle\langle A \rangle\rangle$  is the same regardless of whether we consider non-deterministic strategies or not. In conse-

---

<sup>3</sup> We emphasize that this is a specific notion of rationality (i.e., agents are assumed to *play only undominated strategies*). Game theory proposes several other rationality criteria as well, based e.g. on Nash equilibrium, dominant strategies, or Pareto efficiency. In fact, it is easy to imagine ETSL-like logics based on these notions instead.

quence, we will be able to show a “vanilla” ETSL semantics expressed entirely in terms of concurrent epistemic game structures and their states.

### 3.1 The Semantics Made Easier to Read

Formulae of ETSL come with no restriction with respect to grouping of temporal operators:

$$\varphi := p \mid \neg\varphi \mid \varphi \wedge \psi \mid \langle\langle A \rangle\rangle\varphi \mid \bigcirc\varphi \mid \square\varphi \mid \varphi\mathcal{U}\psi \mid K_a\varphi.$$

After some re-writing (and having it generalized to general game structures, not only turn-based trees), the semantics can be given as follows. Strategies are allowed to be non-deterministic, i.e.  $S_a : St \rightarrow \mathcal{P}(Act)$ .<sup>4</sup> We require strategies to be uniform, although [19] does not do it explicitly (we take it as a simple omission, because otherwise many claims in that paper seem to be false). A collective strategy (strategy profile)  $S_A$  is a tuple of strategies, one per agent from  $A$ .  $S_a^0$  is the “neutral strategy” with no restriction on  $a$ ’s actions ( $S_a^0(q) = Act$  for each  $q \in St$ ), and strategy profile  $S_A^0$  assigns neutral strategies to agents from  $A$ . Moreover, we generalize function  $out(q, S_A)$  to handle nondeterministic strategies too; in  $out'(q, S_A)$ , “ $\alpha_a^{i-1} = S_a(q_{i-1})$ ” is replaced with  $\alpha_a^{i-1} \in S_a(q_{i-1})$ . Note that, for deterministic  $S_A$ , we have  $out'(q, S_A) = out(q, S_A)$ . Now, the semantics can be given through the following clauses (the semantics for  $p$ ,  $\neg\varphi$  and  $\varphi \wedge \psi$  is analogous to the one presented in Section 2.1):

$M, S_{\text{Agt}}, q \models \langle\langle A \rangle\rangle\varphi$	iff for all strategies $T_A$ , undominated wrt $q, \varphi$ , we have $M, (T_A, S_{\text{Agt} \setminus A}^0), q \models \varphi$ ;
$M, S_{\text{Agt}}, q \models \bigcirc\varphi$	iff for every $\Lambda \in out'(q, S_{\text{Agt}})$ we have $M, S_{\text{Agt}}, \Lambda[1] \models \varphi$ ;
$M, S_{\text{Agt}}, q \models \square\varphi$	iff for every $\Lambda \in out'(q, S_{\text{Agt}})$ and $i \geq 0$ we have $M, S_{\text{Agt}}, \Lambda[i] \models \varphi$ ;
$M, S_{\text{Agt}}, q \models \varphi\mathcal{U}\psi$	iff for every $\Lambda \in out'(q, S_{\text{Agt}})$ there is $i \geq 0$ such that $M, S_{\text{Agt}}, \Lambda[i] \models \psi$ and for all $j$ such that $0 \leq j < i$ we have $M, S_{\text{Agt}}, \Lambda[j] \models \varphi$ ;
$M, S_{\text{Agt}}, q \models K_a\varphi$	iff for all $q \sim_a q'$ we have $M, (S_{\text{Agt}}(a), S_{\text{Agt} \setminus \{a\}}^0), q' \models \varphi$ .

**Definition 1** Strategy  $S_A$  dominates  $T_A$  with respect to formula  $\varphi$ , model  $M$ , and state  $q$ , if  $S_A$  achieves  $\varphi$  better than  $T_A$ , i.e. iff:

1. for every  $q'$  such that  $q \sim_A q'$ : if  $M, (T_A, S_{\text{Agt} \setminus A}^0), q' \models \varphi$  then also  $M, (S_A, S_{\text{Agt} \setminus A}^0), q' \models \varphi$ , and
2. there exists  $q'$  such that  $q \sim_A q'$ , and  $M, (S_A, S_{\text{Agt} \setminus A}^0), q' \models \varphi$ , and  $M, (T_A, S_{\text{Agt} \setminus A}^0), q \not\models \varphi$ .

<sup>4</sup> To preserve seriality (“time flows forever”), we assume that  $S_a(q) \neq \emptyset$  for all  $q \in St$ .

**Remark 1** Definition 1 uses epistemic relation  $\sim_A$ . However, epistemic accessibility relations are defined only for individual agents in [19], which is perhaps another omission. In this study, we take the liberty to fix  $\sim_A$  as  $\sim_A^E$ .

We also point out that ETSL can be extended with collective epistemic operators  $E_A, C_A, D_A$  in a straightforward manner.

**Example 3** Consider the gambling robots again. Robot  $a$  has two undominated strategies wrt  $\bigcirc$  win,  $M, q_{AK}$ : namely, to play *exch* in both  $q_{AK}, q_{AQ}$ , or to play *keep* in both (other choices do not matter). Since playing *exch* fails in  $q_{AK}$ , so:  $M_0, q_{AK} \not\models \langle\langle a \rangle\rangle \bigcirc$  win. Furthermore, playing *keep* is the only undominated strategy in  $q_{KQ}$  and  $q_{KA}$  (and it succeeds only in  $q_{KQ}$ ). Thus,  $M_0, q_{KQ} \models \langle\langle a \rangle\rangle \bigcirc$  win, and  $M_0, q_{KA} \not\models \langle\langle a \rangle\rangle \bigcirc$  win. Hence,  $M_0, q_{KQ} \not\models K_a \langle\langle a \rangle\rangle \bigcirc$  win.

### 3.2 A Few Properties

In this section, we present several properties of ETSL formulae that will allow us to give an even simpler semantic definition of “vanilla” ETSL.

**Proposition 2** For every “vanilla” ETSL formula  $\varphi$ , concurrent epistemic game structure  $M$ , and state  $q$  in  $M$ :  $M, S_{\text{Agt}}, q \models \varphi$  iff  $M, S'_{\text{Agt}}, q \models \varphi$  for any pair of “grand” strategy profiles  $S_{\text{Agt}}, S'_{\text{Agt}}$ .

*Proof.* By induction on the structure of  $\varphi$ . Note that it is sufficient to prove the implication one way, as the choice of  $S_{\text{Agt}}, S'_{\text{Agt}}$  is completely arbitrary.

**Case  $\varphi \equiv p$ :**  $M, S_{\text{Agt}}, q \models p$ , so  $q \in \pi(q)$ , so  $M, S'_{\text{Agt}}, q \models p$ .

**Case  $\varphi \equiv \neg\psi$ :**  $M, S_{\text{Agt}}, q \models \neg\psi$ , so  $M, S_{\text{Agt}}, q \not\models \psi$ , so (by induction hypothesis)  $M, S'_{\text{Agt}}, q \not\models \psi$ , so  $M, S'_{\text{Agt}}, q \models \neg\psi$ . (As the choice of  $S_{\text{Agt}}, S'_{\text{Agt}}$  was completely arbitrary, the implication holds the other way too.)

**Case  $\varphi \equiv \psi_1 \wedge \psi_2$ :** analogous.

**Case  $\varphi \equiv \langle\langle A \rangle\rangle \bigcirc \psi$ :**  $M, S_{\text{Agt}}, q \models \langle\langle A \rangle\rangle \bigcirc \psi$  iff  $M, (T_A, S_{\text{Agt} \setminus A}^0), \Lambda[1] \models \varphi$  for all undominated  $T_A$  and  $\Lambda \in \text{out}'(q, (T_A, S_{\text{Agt} \setminus A}^0))$ . Note that the latter condition does not refer to  $S_{\text{Agt}}$ , so  $M, S'_{\text{Agt}}, q \models \langle\langle A \rangle\rangle \bigcirc \psi$  too.

**Cases  $\varphi \equiv \langle\langle A \rangle\rangle \square \psi$  and  $\varphi \equiv \langle\langle A \rangle\rangle \psi_1 \mathcal{U} \psi_2$ :** analogous.

**Case  $\varphi \equiv K_a \psi$ :**  $M, S_{\text{Agt}}, q \models K_a \psi$ , so  $M, (S_{\text{Agt}}(a), S_{\text{Agt} \setminus \{a\}}^0), q' \models \psi$  for all  $q \sim_a q'$ . By induction hypothesis, also  $M, (S'_{\text{Agt}}(a), S_{\text{Agt} \setminus \{a\}}^0), q' \models \psi$  for all  $q \sim_a q'$ , so  $M, S'_{\text{Agt}}, q \models K_a \psi$ . ■

**Remark 3** We point out that restricting the scope of Proposition 2 to “vanilla” ETSL formulae is important. In particular, the epistemic operator  $K_a$  has a non-standard interpretation when the full language of ETSL is considered.

**Proposition 4** Let  $\Phi \equiv \bigcirc\psi, \square\psi$ , or  $\psi_1 \mathcal{U} \psi_2$  where  $\psi, \psi_1, \psi_2$  are “vanilla” ETSL formulae. Moreover, let  $|\Phi|$  denote the set of paths for which  $\Phi$  holds; formally,  $|\bigcirc\psi| = \{\Lambda \mid M, \Lambda[1] \models \psi\}$ ,  $|\square\psi| = \{\Lambda \mid \forall_i M, \Lambda[i] \models \psi\}$ , and  $|\psi_1 \mathcal{U} \psi_2| = \{\Lambda \mid \exists_i (M, \Lambda[i] \models \psi_2 \wedge \forall_{0 \leq j < i} M, \Lambda[j] \models \psi_1)\}$ .

Then,  $S_A$  dominates  $T_A$  wrt  $\Phi, M$ , and  $q$  iff:

1. for every  $q', q \sim_A^E q'$ : if  $out(q', T_A) \subseteq |\Phi|$  then also  $out(q', S_A) \subseteq |\Phi|$ , and
2. there exists  $q', q \sim_A^E q'$ , such that  $out(q', S_A) \subseteq |\Phi|$  and  $out(q', T_A) \not\subseteq |\Phi|$ .

*Proof.* Straightforward from the definition. ■

**Remark 5** Note that dominance can be characterized in an even more compact way. Let  $succ_{q, \Phi}(S_A) = \{q \in \text{img}(q, \sim_A^E) \mid out(q, S_A) \subseteq |\Phi|\}$  be the set of states from  $\text{img}(q, \sim_A^E)$ , for which  $s_a$  succeeds to enforce  $\Phi$ . Now,  $S_A$  dominates  $T_A$  wrt  $\Phi, M, q$  iff  $succ_{q, \Phi}(T_A) \subsetneq succ_{q, \Phi}(S_A)$ .

**Proposition 6** Let  $\Phi \equiv \bigcirc\psi, \square\psi$ , or  $\psi_1 \mathcal{U} \psi_2$  where  $\psi, \psi_1, \psi_2$  are “vanilla” ETSL formulae. Strategy  $T_A$  is dominated wrt  $\Phi, M, q$  by a strategy  $S_A$  iff it is dominated wrt  $\Phi, M, q$  by a deterministic strategy  $S'_A$ .

*Proof.*  $\Rightarrow$ : Let  $T_A$  be dominated by  $S_A$  (wrt  $\varphi, M, q$ ). We construct the deterministic strategy  $S'_A$  by fixing arbitrary (uniform) choices out of  $S_A$ . Formally, for every agent  $a \in A$  and abstraction class  $\text{img}(q', \sim_a) \subseteq St$  such that  $S_a(q') = \{\alpha, \alpha', \dots\}$ , we fix  $S'_a(q'') = \alpha$  for all  $q'' \in \text{img}(q', \sim_a)$ . (By uniformity of  $S_A$ , we have  $\alpha \in S_a(q'')$  for all  $q'' \in \text{img}(q', \sim_a)$ , so  $S'_a$  is a valid strategy.) First, this enforces uniformity of  $S'_A$ . Second,  $out(\bar{q}, S'_A) \subseteq out(\bar{q}, S_A)$  for all  $\bar{q} \in St$  (by definition of  $out$ ). Thus, we can use Proposition 4 to show that  $S'_A$  dominates  $T_A$ , which concludes the proof.

$\Leftarrow$ : Straightforward. ■

**Proposition 7** Let  $\Phi$  be as above. Then,  $M, S_{\text{Agt}}, q \models \langle\langle A \rangle\rangle \Phi$  iff for all deterministic strategies  $T_A$ , undominated wrt  $\Phi$ , we have  $M, (T_A, S_{\text{Agt} \setminus A}^0), q \models \Phi$ .

*Proof.*  $\Rightarrow$ : Straightforward.

$\Leftarrow$ : Assume that  $M, (T_A, S_{\text{Agt} \setminus A}^0), q \models \Phi$  for all deterministic strategies  $T_A$ , undominated wrt  $\Phi$ , and suppose that there is a nondeterministic undominated  $S_A$  such that  $M, (S_A, S_{\text{Agt} \setminus A}^0), q \not\models \Phi$ . Let us fix a deterministic uniform strategy  $S'_A$  out of  $S_A$  in a similar way as in Proposition 6. Now,  $out(\bar{q}, S'_A) \subseteq out(\bar{q}, S_A)$  for all  $\bar{q} \in St$ , so  $out(q', S_A) \subseteq |\Phi|$  implies  $out(q', S'_A) \subseteq |\Phi|$  ( $S'_A$  is never worse than  $S_A$  wrt  $\Phi$ ). Moreover,  $out(q, S'_A) \subseteq |\Phi|$  and  $out(q, S_A) \not\subseteq |\Phi|$ . By Proposition 4,  $S'_A$  dominates  $S_A$ , so  $S_A$  is dominated – a contradiction. ■

### 3.3 ETSL in Terms of Concurrent Epistemic Game Structures

We have shown that, for “vanilla” ETSL, strategies do not have to be referred explicitly in the interpretation of formulae (Propositions 2 and 4). Moreover, we can restrict the set of considered strategies to deterministic strategies (Propositions 6 and 7). In consequence, we can express the semantics of “vanilla” ETSL equivalently in ATL-like fashion:

$M, q \models \langle\langle A \rangle\rangle \bigcirc \varphi$	iff for every strategy $S_A$ , undominated wrt $q, \bigcirc \varphi$ , and every $\Lambda \in \text{out}(q, S_A)$ , we have that $M, \Lambda[1] \models \varphi$ ;
$M, q \models \langle\langle A \rangle\rangle \square \varphi$	iff for every strategy $S_A$ , undominated wrt $q, \square \varphi$ , and every $\Lambda \in \text{out}(q, S_A)$ and $i \geq 0$ we have $M, \Lambda[i] \models \varphi$ ;
$M, q \models \langle\langle A \rangle\rangle \varphi \mathcal{U} \psi$	iff for every strategy $S_A$ , undominated wrt $q, \varphi \mathcal{U} \psi$ , and every $\Lambda \in \text{out}(q, S_A)$ , there is $i \geq 0$ such that $M, \Lambda[i] \models \psi$ and for all $j$ such that $0 \leq j < i$ we have $M, \Lambda[j] \models \varphi$ .

Only uniform deterministic strategies are taken into account. The semantics of  $p, \neg \varphi, \varphi \wedge \psi$ , and the epistemic operators is the same as for ATL and ATEL.

## 4 Playing Rationally vs. Knowing how to Play

We can finally present the main result of this paper, namely, that a rational player knows that he will succeed if, and only if, he has a strategy “de re” to succeed. The result holds under the assumption that the model is finite,<sup>5</sup> or more generally, that it includes at least one undominated strategy.

Moreover, we show that having common knowledge how to succeed is, in general, a stronger property than knowing that one will succeed for rational coalitions of players. That is, if rational agents have common knowledge about a winning strategy, then they have common knowledge that they will succeed – but the converse is not true any more. Surprisingly enough, it turns out that the relationship is strictly reverse for distributed knowledge: if a rational coalition has distributed knowledge that it will succeed, then it has distributed knowledge about a winning strategy – but not necessarily the other way around. For mutual knowledge, the relationship holds neither way.

In what follows, we use  $\models_{\text{ETSL}}$  and  $\models_{\text{CSL}}$  to denote the ETSL and CSL satisfaction relation, respectively.

### 4.1 Rational Play of Individual Agents

We begin with two important lemmas.

<sup>5</sup> We use the term “finite model” to denote a CEGS with a *finite set of states*  $St$ .

**Lemma 8** *Given a finite model  $M$ , state  $q$  in  $M$ , formula  $\Phi$  and agent  $a$ , there is a strategy  $s_a$  which is undominated wrt  $M, q, \Phi$ .*

*Proof.* First, we consider the simpler case when the set of actions  $Act$  is finite. In such a case, the set of strategies is also finite, and the dominance relation is transitive and antireflexive. Suppose that every strategy is dominated; then, there must be a strategy which is dominated by itself – a contradiction.

We sketch the proof for infinite  $Act$  as follows. We partition the infinite set of strategies into equivalence classes, such that strategies in the same class have the same outcome paths for every state  $q$  (i.e.,  $s_a \approx t_a$  iff  $\forall q \text{ out}(q, s_a) = \text{out}(q, t_a)$ ). Obviously, if  $s_a$  dominates  $t_a$ , then all strategies  $s'_a \approx s_a$  dominate  $t_a$  too. Now, at every state  $q$  (and therefore at every point on a path from  $\text{out}(q', s_a)$ ) there is a finite number of possible sets of successor states (the actual set being determined by the choice  $s_a(q)$ ). Moreover, the same choice (and hence a set of successors) must be taken at every further occurrence of the same state  $q$  on a path, since  $s_a$  is a memoryless strategy. In consequence, there is only a finite number of different sets of outcome paths, and hence a finite number of the equivalence classes. Again, dominance is transitive and antireflexive, so an undominated strategy must exist. ■

**Remark 9** *Note that the result in Lemma 8 does not extend to CEGS with infinite state spaces. Consider the game of “Fuzzy Blackjack” (called so all the more because our robots play it usually after having consumed too much machine oil). Only a single player is necessary, and we use positive real numbers as states and actions (i.e.,  $St = Act = \mathbb{R}_+$ ). When the player chooses a number in state  $q$ , the number is added to the state:  $o(q, \alpha) = q + \alpha$ . The values below 1 are the winning ones, i.e.  $\pi(\text{win}) = (0, 1)$  (it should be 21, but this would make the game too complicated for a drunken robot). Moreover, the robot cannot distinguish between the states below 1:  $q \sim_a q'$  for all  $q, q' \in (0, 1)$ . Now, there is no undominated strategy wrt  $0.5, \bigcirc \text{win}$ .*

*To prove this, suppose that a strategy  $s_a$  is undominated. The strategy is uniform, so  $s_a(q) = \alpha$  for some  $\alpha \in \mathbb{R}_+$  and all  $q \in (0, 1)$ . Obviously,  $\alpha \in (0, 1)$ , because else  $s_a$  never succeeds. Now, the set of states in which  $s_a$  is successful is:  $\text{succ}_{0.5, \bigcirc \text{win}}(s_a) = (0, 1 - \alpha)$ . Let  $t_a(q) = q + \alpha/2$ . Now,  $\text{succ}_{0.5, \bigcirc \text{win}}(t_a) = (0, 1 - \alpha/2) \supseteq \text{succ}_{0.5, \Phi}(s_a)$  – a contradiction. Note also that:*

- *If we replace  $\mathbb{R}_+$  with the set of positive rational numbers, the result is the same. So, there may be no undominated strategies even when we restrict  $St$  and  $Act$  to countable sets.*
- *In order to show the same for countable  $St$  and finite  $Act$ , it is sufficient to modify the example so that  $Act = \{0, 1, \text{call}\}$ , and the initial state and every subsequent action  $\alpha = 0, 1$  are simply stored in the resulting state. Now  $o(q, \text{call})$  takes the initial state  $q_0$  and the string of 0s and 1s  $\alpha_1, \dots, \alpha_n$  stored in  $q$ , and returns  $q' = q_0 + (0.\alpha_1 \dots \alpha_n 1)_2$ . For such a game, there is no undominated strategy wrt  $0.5, \diamond \text{win}$ .*

**Lemma 10** Given  $M, q, \Phi, a$ , if there is an undominated strategy wrt  $M, q, \Phi$ , then there is also an undominated strategy wrt  $M, q', \Phi$  for every  $q' \in \text{img}(q, \sim_a)$ .

*Proof.* Take any  $s_a$  undominated wrt  $M, q, \Phi$  (\*). Suppose now that  $s_a$  is dominated by some strategy  $t_a$  wrt another state  $q' \in \text{img}(q, \sim_a)$  (\*\*).

1. By (\*) and Prop. 4:  $\forall_{q'' \in \text{img}(q, \sim_a)} (\text{out}(q'', t_a) \subseteq |\Phi| \Rightarrow \text{out}(q'', s_a) \subseteq |\Phi|)$ .
2. By (\*\*) and Prop. 4:  $\exists_{q'' \in \text{img}(q', \sim_a)} (\text{out}(q'', t_a) \subseteq |\Phi| \wedge \text{out}(q'', s_a) \not\subseteq |\Phi|)$ .

Moreover,  $\text{img}(q, \sim_a) = \text{img}(q', \sim_a)$  because  $\sim_a$  is an equivalence relation – which gives a contradiction between (1) and (2). ■

**Remark 11** We note that Lemma 10 may hold even for indistinguishability relations that are not equivalences. In fact, it is sufficient to require that  $\sim_a$  is transitive. In that case,  $q' \in \text{img}(q, \sim_a)$  and  $q'' \in \text{img}(q', \sim_a)$  implies that  $q'' \in \text{img}(q, \sim_a)$ , and we also get the contradiction.

We are ready to prove the main claim of this paper now.

**Theorem 12** Let us consider only finite models, and formulae  $\Phi \equiv \bigcirc\psi, \square\psi$ , or  $\psi_1 \mathcal{U} \psi_2$  where  $\psi, \psi_1, \psi_2$  are “vanilla” ETSL formulae. An agent has a strategy “de re” to enforce  $\Phi$  if, and only if, he knows that his rational play will bring about  $\Phi$ . Formally, for every finite  $M$  and state  $q$  in  $M$ :

$$M, q \models_{\text{ETSL}} K_a \langle\langle a \rangle\rangle \Phi \quad \text{iff} \quad M, q \models_{\text{CSL}} \mathbb{K}_a \langle\langle a \rangle\rangle \Phi.$$

*Proof.* Induction on the structure of  $\Phi$ . We prove the theorem for the case  $\Phi \equiv \square\psi$ . Other cases are analogous.

$\Rightarrow$ : Let  $M, q \models_{\text{ETSL}} K_a \langle\langle a \rangle\rangle \square\psi$ . Then,  $\forall_{q' \in \text{img}(q, \sim_a)} M, q' \models_{\text{ETSL}} \langle\langle a \rangle\rangle \square\psi$ , and hence  $M, q \models_{\text{ETSL}} \langle\langle a \rangle\rangle \square\psi$  in particular. By Lemmas 8 and 10, there is a strategy  $s_a$ , undominated wrt  $M, q', \square\psi$  for every  $q' \in \text{img}(q, \sim_a)$ .

Then:  $\forall_{q' \in \text{img}(q, \sim_a)} \forall_{\Lambda \in \text{out}(q', s_a)} \forall_i M, \Lambda[i] \models_{\text{ETSL}} \square\psi$ . By the induction hypothesis, also  $\forall_{q' \in \text{img}(q, \sim_a)} \forall_{\Lambda \in \text{out}(q', s_a)} \forall_i M, \Lambda[i] \models_{\text{CSL}} \psi$ . Thus,  $\forall_{\Lambda \in \text{out}(\text{img}(q, \sim_a), s_a)} \forall_i M, \Lambda[i] \models_{\text{CSL}} \psi$  and so  $M, \text{img}(q, \sim_a) \models_{\text{CSL}} \langle\langle a \rangle\rangle \square\psi$ , and finally  $M, q \models_{\text{CSL}} \mathbb{K}_a \langle\langle a \rangle\rangle \square\psi$ .

$\Leftarrow$ : Let  $M, q \models_{\text{CSL}} \mathbb{K}_a \langle\langle a \rangle\rangle \square\psi$ , i.e.  $M, \text{img}(q, \sim_a) \models_{\text{CSL}} \langle\langle a \rangle\rangle \square\psi$ . Consider  $q' \in \text{img}(q, \sim_a)$ . By transitivity of  $\sim_a$ , we have  $\text{img}(q', \sim_a) \subseteq \text{img}(q, \sim_a)$ , so also  $\forall_{q'' \in \text{img}(q, \sim_a)} M, \text{img}(q'', \sim_a) \models_{\text{CSL}} \langle\langle a \rangle\rangle \square\psi$ . Then, for every  $q' \in \text{img}(q, \sim_a)$ , there must be  $s_a$  such that  $\forall_{q'' \in \text{img}(q', \sim_a)} \forall_{\Lambda \in \text{out}(q'', s_a)} \forall_i M, \Lambda[i] \models_{\text{CSL}} \psi$ , and hence (by induction)  $\forall_{q'' \in \text{img}(q', \sim_a)} \forall_{\Lambda \in \text{out}(q'', s_a)} \forall_i M, \Lambda[i] \models_{\text{ETSL}} \psi$ . So,  $\text{succ}_{q', \square\psi}(s_a) = \text{img}(q', \sim_a)$ , and therefore  $\text{succ}_{q', \square\psi}(t_a) = \text{img}(q', \sim_a)$  for every other undominated strategy  $t_a$  (otherwise  $t_a$  would be dominated by  $s_a$ ). Thus,  $M, q' \models_{\text{ETSL}} \langle\langle a \rangle\rangle \square\psi$  for every  $q' \in \text{img}(q, \sim_a)$ , and finally  $M, q \models_{\text{ETSL}} K_a \langle\langle a \rangle\rangle \square\psi$ . ■



**Theorem 13** *More generally, for every  $\Phi$  as above, and  $M, q$  such that there exists an undominated strategy wrt  $M, q, \Phi$ :  $M, q \models_{\text{ETSL}} K_a \langle\langle a \rangle\rangle \Phi$  iff  $M, q \models_{\text{CSL}} \mathbb{K}_a \langle\langle a \rangle\rangle \Phi$ .*

It is easy to see that Theorem 13 implies Theorem 12.

## 4.2 Rational Coalitions Are at Disadvantage

Beside some philosophical insight into the nature of knowledge and rational play, Theorems 12 and 13 provide us with an alternative way of decomposing strategic abilities under incomplete information into a strategic and epistemic part. The definition of the strategic dimension is more sophisticated and less straightforward than usually; on the other hand, we do not pay the price of a non-standard satisfaction relation. Unfortunately, such decomposition is not valid any more when abilities of collective agents are concerned. Now, the relationship is much more limited: if a coalition has *common* knowledge how to play, then it has also common knowledge that rational play will be successful; the same does *not* hold for other types of collective knowledge. Moreover, the converse relationship is guaranteed for distributed knowledge, but *not* for common nor mutual knowledge.

**Theorem 14** *Let  $\Phi \equiv \bigcirc \psi, \square \psi$ , or  $\psi_1 \mathcal{U} \psi_2$  where  $\psi, \psi_1, \psi_2$  are “vanilla” ETSL formulae. Then, if a coalition has common knowledge how to play, then it has common knowledge that rational play will be successful:*

$$\text{if } M, q \models_{\text{CSL}} \mathbb{C}_A \langle\langle A \rangle\rangle \Phi \text{ then } M, q \models_{\text{ETSL}} C_A \langle\langle A \rangle\rangle \Phi.$$

*The same holds for neither mutual nor distributed knowledge.*

*Proof.* **Common knowledge:** Let  $M, q \models_{\text{CSL}} \mathbb{K}_A \langle\langle A \rangle\rangle \square \psi$ , i.e.  $M, \text{img}(q, \sim_A^C) \models_{\text{CSL}} \langle\langle A \rangle\rangle \square \psi$ . Consider  $q' \in \text{img}(q, \sim_A^C)$ . We have  $\text{img}(q', \sim_A^E) \subseteq \text{img}(q', \sim_A^C) \subseteq \text{img}(q, \sim_A^C)$ , so also  $\forall q' \in \text{img}(q, \sim_A^C) M, \text{img}(q', \sim_A^E) \models_{\text{CSL}} \langle\langle A \rangle\rangle \square \psi$ . Then, for every  $q' \in \text{img}(q, \sim_A^C)$ , there must be  $S_A$  such that  $\forall q'' \in \text{img}(q', \sim_A^E) \forall \Lambda \in \text{out}(q'', S_A) \forall_i M, \Lambda[i] \models_{\text{CSL}} \psi$ , and hence (by induction)  $\forall q'' \in \text{img}(q', \sim_A^E) \forall \Lambda \in \text{out}(q'', S_A) \forall_i M, \Lambda[i] \models_{\text{ETSL}} \psi$ . So,  $\text{succ}_{q', \square \psi}(S_A) = \text{img}(q', \sim_A^E)$ , and therefore  $\text{succ}_{q', \square \psi}(T_A) = \text{img}(q', \sim_A^E)$  for every other undominated strategy  $T_A$  (otherwise  $T_A$  would be dominated by  $S_A$ ). Thus,  $M, q' \models_{\text{ETSL}} \langle\langle A \rangle\rangle \square \psi$  for every  $q' \in \text{img}(q, \sim_A^C)$ , and finally  $M, q \models_{\text{ETSL}} C_A \langle\langle A \rangle\rangle \square \psi$ .

**Mutual knowledge:** for a counterexample, consider a modification of the game from Figure 1, in which a third robot  $c$  is introduced. The robot can only execute *nop*, and its epistemic relation  $\sim_c = \{(q, q) \mid q \in St\} \cup \{(q_{KQ}, q_{KA}), (q_{KA}, q_{KQ})\}$ , i.e.  $c$  can distinguish all states except  $q_{KQ}, q_{KA}$ . Moreover, the transition function is slightly changed: now,  $o(q_{KA}, \text{keep}, \text{nop}) = q_w$ . For the resulting system  $M_1$ , we have that  $M_1, q_{AQ} \models_{\text{CSL}} \mathbb{E}_{\{b, c\}} \langle\langle b, c \rangle\rangle \bigcirc \text{win}$ , but at the same time  $M_1, q_{AQ} \not\models_{\text{ETSL}} E_{\{a, c\}} \langle\langle a, c \rangle\rangle \bigcirc \text{win}$  because  $M_1, q_{KQ} \not\models_{\text{ETSL}} \langle\langle a, c \rangle\rangle \bigcirc \text{win}$ .




Figure 2: **(A)** Model  $M_2$ : four agents  $a, b, c, d$ , epistemic relations shown with the dashed lines,  $Act = \{1, 2, 3, 4\}$ . Transitions:  $o(q_i, j, j, j, j) = q_w$  for  $j \neq i$ , otherwise the system proceeds to the “losing” state  $q_l$ ; **(B)** Model  $M_3$ : two agents  $a, b$ , two actions 1, 2. The tuples of actions that are absent in the graph lead to  $q_l$ .

**Distributed knowledge:** analogously,  $M_1, q_{KQ} \models_{\text{CSL}} \mathbb{D}_{\{b,c\}} \langle\langle b, c \rangle\rangle \bigcirc \text{win}$ , yet at the same time  $M_1, q_{KQ} \not\models_{\text{ETSL}} D_{\{a,c\}} \langle\langle a, c \rangle\rangle \bigcirc \text{win}$  because  $M_1, q_{KQ} \not\models_{\text{ETSL}} \langle\langle a, c \rangle\rangle \bigcirc \text{win}$ . ■

**Theorem 15** Let  $\Phi \equiv \bigcirc \psi, \square \psi$ , or  $\psi_1 \mathcal{U} \psi_2$  where  $\psi, \psi_1, \psi_2$  are “vanilla” ETSL formulae, and let  $M$  be a finite CEGS.<sup>6</sup> Then, if  $A$  have distributed knowledge that rational play will bring about  $\Phi$ , then they have distributed knowledge how to play to bring about  $\Phi$ . Formally:

$$\text{if } M, q \models_{\text{ETSL}} D_A \langle\langle A \rangle\rangle \Phi \text{ then } M, q \models_{\text{CSL}} \mathbb{D}_A \langle\langle A \rangle\rangle \Phi.$$

The same holds for neither mutual nor common knowledge.

*Proof.* (sketch) **Distributed knowledge:** the proof is analogous to the proofs of Lemma 10 and Theorem 12 (part  $\Rightarrow$ ), as we can exploit the fact that  $\sim_A^D$  is transitive, and  $\text{img}(q, \sim_A^D) \subseteq \text{img}(q, \sim_A^E)$ .

**Mutual knowledge:** for a counterexample, consider model  $M_2$  from Figure 2A. Let  $\bar{q}$  denote the state “opposite” to  $q$ , i.e.  $\bar{q}_1 = q_3, \bar{q}_2 = q_4$  etc. Furthermore, let  $S_{\text{Agt}}^i$  denote the strategy of playing  $\langle i, i, i, i \rangle$  in all states. Now,  $S_{\text{Agt}}^i$  is the only undominated strategy wrt  $\bar{q}_i, \bigcirc \text{win}$  for  $i = 1, \dots, 4$ , and  $S_{\text{Agt}}^1, \dots, S_{\text{Agt}}^4$  are exactly the strategies undominated wrt  $q_0, \bigcirc \text{win}$ . So,  $M_2, q_i \models_{\text{ETSL}} \langle\langle \text{Agt} \rangle\rangle \bigcirc \text{win}$  for every  $i = 0, 1, \dots, 4$ , and therefore  $M_2, q_0 \models_{\text{ETSL}} E_{\text{Agt}} \langle\langle \text{Agt} \rangle\rangle \bigcirc \text{win}$ . On the other hand, there is no single strategy that succeeds for all  $q_0, q_1, \dots, q_4$ .

**Common knowledge:** consider model  $M_3$  from Figure 2B. Let  $S_{\{a,b\}}$  be the strategy “play  $\langle 1, 1 \rangle$  everywhere”, and  $T_{\{a,b\}}$  be “play  $\langle 2, 2 \rangle$  everywhere”. Note that  $S_{\{a,b\}}$  is the only undominated strategy wrt  $q, \bigcirc \text{win}$  for  $q = q_0, q_1$ , and  $T_{\{a,b\}}$  is the only

<sup>6</sup> Alternatively, we can request that  $A$  have at least one undominated strategy for every relevant state.

undominated strategy wrt  $q, \bigcirc \text{win}$  for  $q = q_2, q_3$ . Thus, for every  $q = q_0, \dots, q_3$ :  $M_3, q \models_{\text{ETSL}} \langle\langle a, b \rangle\rangle \bigcirc \text{win}$ , and hence  $M_3, q_1 \models_{\text{ETSL}} C_{\{a,b\}} \langle\langle a, b \rangle\rangle \bigcirc \text{win}$ . On the other hand,  $M_3, q_1 \not\models_{\text{CSL}} C_{\{a,b\}} \langle\langle a, b \rangle\rangle \bigcirc \text{win}$ . ■

## 5 Conclusions

In this paper, the relationship between rational play and knowing how to play is investigated in a formal way. To this end, we dust off Epistemic Temporal Strategic Logic by van Otterloo and Jonker [19], and propose a simpler semantics expressed entirely in terms of concurrent epistemic game structures and their states; we prove that the new semantics is equivalent to the original one for “vanilla” ETSL formulae. ETSL serves as a device for talking about the outcome of rational play (in the sense that agents are assumed to play only undominated strategies). To capture properties of the other kind (“knowing how to play”), we use the recent proposal of Constructive Strategic Logic [9, 10].

The main result of this paper states that, for finite models, *a rational player knows that he will succeed if, and only if, he knows how to succeed*. We also show that the relationship is much more limited for rational coalitions. That is, if rational agents have common knowledge about a winning strategy, then they have common knowledge that they will succeed – but the converse is not guaranteed any more. Moreover, it turns out that the relationship is *strictly reverse* for distributed knowledge: if a rational coalition has distributed knowledge that it will succeed, then it has distributed knowledge about a winning strategy – but not necessarily the other way around. Finally, for mutual knowledge, the relationship does not hold either way in general. This is a curious result, and one that may lead to interesting philosophical conclusions.

## References

- [1] R. Alur, T. A. Henzinger, and O. Kupferman. Alternating-time Temporal Logic. In *Proceedings of the 38th Annual Symposium on Foundations of Computer Science (FOCS)*, pages 100–109. IEEE Computer Society Press, 1997.
- [2] R. Alur, T. A. Henzinger, and O. Kupferman. Alternating-time Temporal Logic. *Journal of the ACM*, 49:672–713, 2002.
- [3] E. A. Emerson. Temporal and modal logic. In J. van Leeuwen, editor, *Handbook of Theoretical Computer Science*, volume B, pages 995–1072. Elsevier Science Publishers, 1990.
- [4] V. Goranko and W. Jamroga. Comparing semantics of logics for multi-agent systems. *Synthese*, 139(2):241–280, 2004.

- [5] A. Herzig and N. Troquard. Knowing how to play: Uniform choices in logics of agency. In *Proceedings of AAMAS'06*, 2006.
- [6] W. Jamroga. Some remarks on alternating temporal epistemic logic. In B. Dunin-Keplicz and R. Verbrugge, editors, *Proceedings of Formal Approaches to Multi-Agent Systems (FAMAS 2003)*, pages 133–140, 2003.
- [7] W. Jamroga and W. van der Hoek. Agents that know how to play. *Fundamenta Informaticae*, 63(2–3):185–219, 2004.
- [8] W. Jamroga, W. van der Hoek, and M. Wooldridge. Intentions and strategies in game-like scenarios. In Carlos Bento, Amílcar Cardoso, and Gaël Dias, editors, *Progress in Artificial Intelligence: Proceedings of EPIA 2005*, volume 3808 of *Lecture Notes in Artificial Intelligence*, pages 512–523. Springer Verlag, 2005.
- [9] W. Jamroga and Thomas Ågotnes. Constructive knowledge: What agents can achieve under incomplete information. Technical Report IfI-05-10, Clausthal University of Technology, 2005.
- [10] Wojciech Jamroga and Thomas Ågotnes. What agents can achieve under incomplete information. In *Proceedings of AAMAS'06*, 2006.
- [11] G. Jonker. Feasible strategies in Alternating-time Temporal Epistemic Logic. Master thesis, University of Utrecht, 2003.
- [12] R.C. Moore. A formal theory of knowledge and action. In J. Hobbs and R.C. Moore, editors, *Formal Theories of the Commonsense World*. Ablex Publishing Corp., 1985.
- [13] L. Morgenstern. Knowledge and the frame problem. *International Journal of Expert Systems*, 3(4), 1991.
- [14] M. Pauly. A modal logic for coalitional power in games. *Journal of Logic and Computation*, 12(1):149–166, 2002.
- [15] W. Quine. Quantifiers and propositional attitudes. *Journal of Philosophy*, 53:177–187, 1956.
- [16] P. Y. Schobbens. Alternating-time logic with imperfect recall. *Electronic Notes in Theoretical Computer Science*, 85(2), 2004.
- [17] W. van der Hoek and M. Wooldridge. Tractable multiagent planning for epistemic goals. In C. Castelfranchi and W.L. Johnson, editors, *Proceedings of the First International Joint Conference on Autonomous Agents and Multi-Agent Systems (AAMAS-02)*, pages 1167–1174. ACM Press, New York, 2002.

- [18] W. van der Hoek and M. Wooldridge. Cooperation, knowledge and time: Alternating-time Temporal Epistemic Logic and its applications. *Studia Logica*, 75(1):125–157, 2003.
- [19] S. van Otterloo and G. Jonker. On Epistemic Temporal Strategic Logic. *Electronic Notes in Theoretical Computer Science*, XX:35–45, 2004. Proceedings of LCMAS’04.