

# Modeling, Diagnosis and Control of Fuel-Cell-based Technologies and their Integration in Smart-Grids and Automotive Systems

**S**OCIETY is gradually becoming aware that the current energy system, based on the use of fossil fuels is inefficient, highly polluting and finite supply. Within the scientific community and industry stakeholders, there is a unified agreement that indicates that hydrogen ( $H_2$ ), as an energy vector, combined with other sources of alternative energy, represents a safe and viable option to mitigate the problems associated with hydrocarbon combustion, because the entire system can be developed as an efficient, clean and sustainable energy source. In this context, the change from the current energy system to a new system with a stronger involvement of  $H_2$  relentlessly involves the introduction of fuel cells as elements of efficient energy conversion.

Nowadays, it is of public knowledge that the introduction of fuel cells as series products in the market of stationary and mobile applications has recently begun, being part of the major R&D investments in almost all the automotive companies and related OEMs (original equipment manufacturers). However, despite current advances in fuel-cells-based technologies, high costs, moderate reliability and reduced lifetime may remain as major limitations. For this reason, together with the continuous improvement of materials and components, the incorporation of advanced control and diagnosis systems embodies a major technological challenge to address, in order to achieve cost reduction, performance improvement and efficiency optimization of these promising power generation systems. In this sense, the design of control systems must be understood in a global way, taking into account the interface power electronics, actuators and local control schemes for each subsystem, supervisory strategies for optimal energy management at each operating condition, as well as reliable diagnosis systems for early faults detection and prognosis against irreversible damages.

Aiming to provide a diffusion platform to new technological breakthroughs in the field, the Guest Editors first proposed in 2014 this Special Section in IEEE Transactions on Industrial Electronics, broadcasting the Call for Papers to the entire scientific community related to fuel-cell-based systems. The aim was to merge all the discussions and important conclusions about the latest challenges in the field into high standard journal contributions.

In this context, the main objective of the current Special Section is to collect, formally present and discuss the most

Table I  
PAPERS DISTRIBUTION ACCORDING TO THEIR RESEARCH FIELDS

Research Field	Manuscripts
Modelling & System Diagnosis	[1], [2], [3], [4]
Management & Control	[5], [6], [7], [8], [9], [10], [11], [12]
Monitoring & Observation	[13], [14], [15], [16], [17]
PEMFC-based Setups	[1], [2], [3], [4], [8], [10], [12], [13], [14], [15]
Other Configuration Setups	[7], [9], [11]

recent and relevant advances in control-oriented modeling and validation, system diagnosis and advanced control design of complex energy conversion systems based on fuel cells. Moreover, the Special Section is also focused on providing the researchers and engineers with the state-of-art research and guidelines in these important fields for the next years.

In total, the Special Session is composed by 17 contributions covering the research in theoretical aspects related to modelling, diagnosis and control applied to energy management systems based on fuel cells or considering fuel cells as part of overall hybrid systems. Table I proposes a first classification of the main topics addressed and their corresponding papers. Note that some papers can be found in more than one row, because the classification groups are non-disjoint sets. It is also important to highlight that most of the papers consider configurations based on low temperature *polymer electrolyte membrane* fuel cells (PEMFC). Nevertheless, there are two manuscripts related to high-temperature PEMFC and one that addresses the control of a solid oxide fuel cell.

Going to the selected contributions, the first set of papers deals with the broad and complex fields of modelling (mainly dynamical) and diagnosis approaches for fuel cells and hybrid systems. In regards to modelling, two novel approaches considering water cooled PEM fuel-cell-based systems [1] and PEMFC stacks by using NARX and NOE neural networks [2] are here reported. Diagnosis approaches are proposed and then deeply discussed in two papers: the first methodology considers both data-driven diagnosis and detection of faults in PEMFC [3], and the second presents an online diagnosis of high-temperature PEMFC considering CO poisoning [4].

Innovative approaches in the field of control design based on sampled-data passivity [5], model predictive control (MPC) [6], interval-based sliding mode control (SMC) [7], ditherless extremum seeking [8], economic MPC [9] and high-order SMC [10] are reported and further discussed for different PEM

fuel-cell-based systems as well as other configuration setups such as microgrids. Moreover, advanced topics on energy management also applied to hybrid systems are reported [11]. While a new power electronics interface is presented in [12].

Regarding the area of monitoring and observation, five contributions address novel approaches on diverse and important topics such as lifetime and efficiency of the fuel cells. Hence, approaches treating degradation mechanisms [13], electronic short-circuits [14] and temperature observation in extreme membrane conditions [15] collect the main discussions related to observation and estimation. Explicit monitoring contributions cope with the fuel cell condition via voltage monitor [16] and by using impedance spectroscopy [17].

Under the light of the presented contributions, it is specially evident the increasing interest among the scientific community in topics related to hybrid systems. This trend is strongly driven by the current industry demands, related to stationary and automotive applications, where fuel cells play a decisive role and need to compete with mature technologies such as gas turbines and diesel engines. However, given the high complexity of the involved sub-systems, several aspects must be solved and new approaches have to be developed. This is clear from several contributions of this Special Section, where specific efforts were put to give solutions in areas from modeling, estimation, monitoring, diagnosis and non-linear control.

The next step to be jointly covered by the industry and scientific community is necessarily related to perform consistent long-term developments, in order to put together the presented alternatives in common software and hardware platforms. This would allow a major breakthrough in fuel cells technologies, with countless options to optimize the involved subsystems and improve their reliability and lifetime.

The Guest Editors find themselves extremely pleased and privileged to have had the opportunity to edit this surely successful Special Section on “Modeling, Diagnosis and Control of Fuel Cell based Technologies and their Integration in Smart-Grids and Automotive Systems”. We truly hope that future readers of this Special Section will find the papers comprehensive, interesting and inspiring for their research and future developments.

#### GUEST EDITORS

Cristian Kunusch *Member, IEEE*, Institut de Robòtica i Informàtica Industrial (CSIC-UPC), Universitat Politècnica de Catalunya - BarcelonaTech, Barcelona, Spain.

Carlos Ocampo-Martinez *Senior Member, IEEE*, Institut de Robòtica i Informàtica Industrial (CSIC-UPC), Universitat Politècnica de Catalunya - BarcelonaTech, Barcelona, Spain.

María Inés Valla *Fellow, IEEE*, LEICI Research Institute on Electronics, Automatic Control and Signal Processing, Facultad de Ingeniería Universidad Nacional de La Plata and CONICET, Argentina.

#### ACKNOWLEDGMENT

The Guest Editors would like to express their deep gratitude to all the authors that have submitted their valuable contributions and to the numerous and highly qualified anonymous

reviewers. We think that the selected contributions, which represent the current state of the art in the field, will be of great interest to the industrial electronics community. We would also like to thank Prof. Carlo Cecati, Editor-in-Chief of the IEEE Transactions on Industrial Electronics, for giving us the opportunity to organize this Special Section. We also want to thank Ms. Sandra McLain, Journal Administrator, for her professional support, patience and assistance during the whole preparation of this Special Section.

#### REFERENCES


- [1] J. Rojas Fernández, C. Kunusch, C. Ocampo-Martinez and V. Puig, “Control-oriented thermal modelling methodology for water-cooled PEM fuel cell based systems”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [2] F. da Costa Lopes, E. Watanabe and L. Rolim, “A Control-oriented Model of a PEM Fuel Cell Stack based on NARX and NOE Neural Networks”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [3] Z. Li, R. Outbib, D. Hissel and S. Giurgea, “Diagnosis for PEMFC systems: a data-driven approach with the capabilities of online adaptation and novel fault detection”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [4] C. de Beer, P. Barendse, P. Pillay, B. Bullecks and R. Rengaswamy, “Online Diagnostics of HTPEM Fuel Cells Using Small Amplitude Transient Analysis for CO Poisoning”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [5] M. Hilairret, M. Ghanes, O. Béthoux, V. Tanasa, J-P. Barbot and D. Normand-Cyrot, “Experimental validation of a sampled-data passivity-based controller for coordination of converters in a fuel cell system”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [6] F. Garcia-Torres and C. Bordons, “Optimal Economical Schedule of Hydrogen-Based Microgrids with Hybrid Storage using Model Predictive Control”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [7] A. Rauh, L. Senkel and H. Aschemann, “Interval-Based Sliding Mode Control Design for Solid Oxide Fuel Cells with State and Actuator Constraints”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [8] F. Castañós and C. Kunusch, “Dither-Less Extremum Seeking for Hydrogen Minimization in PEM Fuel Cells”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [9] H. Ramírez, C. Restrepo, J. Calvente, A. Romero and R. Giral, “Energy Management of a Fuel Cell Serial-Parallel Hybrid System”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [10] A. Piloni, A. Pisano and E. Usai, “Observer based Air Excess Ratio Control of a PEM fuel cell system via high order sliding mode”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [11] M. Pereira, D. Limon, D. Muñoz de la Peña, L. Valverde and T. Alamo, “Periodic economic control of a non-isolated micro-grid”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [12] M. Aguirre, P. Cossuta, D. Cao, S. Raffo, “Fuel Cell to Grid Interface with Three Phase Multilevel Current Source Inverters”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [13] C. de Beer, Chris, P. Barendse, P. Pillay, B. Bullecks and R. Rengaswamy, “Classification of High Temperature PEM Fuel Cell Degradation Mechanisms Using Equivalent Circuits”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [14] G. De Moor, N. Charvin, C. Bas, N. Caque, E. Rossinot and L. Flandin, “In situ quantification of electronic short-circuits in PEM Fuel Cells stacks”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [15] D. McKahn and X. Liu, “Comparison of Two Models for Temperature Observation of Miniature PEM Fuel Cells Under Dry Conditions”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [16] A. Debenjak, J. Petrovic, P. Boskoski, B. Musizza and D. Juricic, “Fuel cell condition monitoring system based on interconnected DC-DC converter and voltage monitor”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.
- [17] C. de Beer, P. Barendse and P. Pillay, “Fuel Cell Condition Monitoring Using Optimized Broadband Impedance Spectroscopy”, *IEEE Trans. Ind. Electron.*, vol. xx, no. yyyy, pp. xxxx–xxxx, Month. 2015.



**Cristian Kunusch** (S'03-M'10) received the B.S., M.Sc., and Ph.D. degrees in electronic engineering from the National University of La Plata, Buenos Aires, Argentina, in 2003, 2006, and 2009, respectively. In 2010, he was appointed as a Postdoctoral Fellow of the Spanish National Research Council, Institut de Robòtica i Informàtica Industrial, Barcelona, Spain. Between 2011 and 2013 he ran a Marie Curie project funded by the European Commission. In 2014, he joined the Electric Drives Advanced Development team of Brose Fahrzeugteile, Würzburg, Germany, as a Senior Researcher. His main research interests include variable structure systems and their applications to the control and observation of fuel-cell-based systems and electric automotive drives.



**Carlos Ocampo-Martinez** (S'97-M'11-SM'13) received his electronic engineering degree and his MSc. degree in industrial automation from the National University of Colombia, Campus Manizales, in 2001 and 2003, respectively. In 2007, he received his Ph.D. degree in Control Engineering from the Technical University of Catalonia (Barcelona, Spain). After his PhD studies, he was with the ARC Centre of Complex Dynamic Systems and Control (University of Newcastle, Australia) as postdoctoral fellow and with the Spanish National Research Council (CSIC) at the Institut de Robòtica i Informàtica Industrial (CSIC-UPC) in Barcelona as a Juan de la Cierva research fellow. Since 2011, he is assistant professor in automatic control and model predictive control at the Technical University of Catalunya, Automatic Control Department (ESAI). Currently, he is Deputy Director of the Institut de Robòtica i Informàtica Industrial (CSIC-UPC), a Joint Research Center of UPC and CSIC. His main research interests are focused on constrained model predictive control, large-scale systems management (partitioning and non-centralized control), and industrial applications (mainly related to the key scopes of water and energy).



**María Inés Valla** (S'79-M'80-SM'97-F'10) received the Electronics Engineer and Doctor in Engineering degrees from the National University of La Plata (UNLP), La Plata, Argentina, in 1980 and 1994, respectively. She is currently a Full Professor with the Department of Electrical Engineering, Engineering Faculty, UNLP. She is also with the Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Buenos Aires, Argentina. She is engaged in teaching and research on Power Converters, Power Quality and Renewable Energies. Dr. Valla is Co-Editor in chief of the IEEE Transactions on Industrial Electronics, member of the IEEE Fellow Committee and member of the IEEE Power System Medal Committee. She is also a member of the Buenos Aires Academy of Engineering in Argentina.