

Corroded Firearms: The Non-Destructive Approach

Dr. Rachel Bolton-King

The Science Centre Leek Road Stoke-on-Trent ST4 2DF

(01782) 294367 r.bolton-king@staffs.ac.uk @DrRachelBK


CREATE THE **DIFFERENCE**



The problem


- Nottinghamshire Police (March 2011)
- Battlefield weapons (May 2014)
- Highly corroded firearms recovered
- Completely seized
- Are they safe? Any evidentiary value?







X-ray analysis: A potential solution?








X-ray analysis: A potential solution?

- Non-destructive
- Good imaging resolution (<1 mm)
- Rapid (<2 min)
- In-situ threat detection
- Examination of suspect objects
 - > concealed weapons
 - > homemade weapons
 - > corroded weapons







Equipment

- Static x-ray scanners
 - > X-Tek VTX (160 kV)
 - > 3DX-Ray SRI 250 (250 kV)
- Portable x-ray scanner
 - 3DX-Ray FlatScan-TPXi (120 kV)
 - > 3DX-Ray FlatScan-TPXi (160 kV)









What can x-ray reveal?: Is it 'safe'?








What can x-ray reveal?: Is it 'safe'?




Clear, hollow barrel






What can x-ray reveal?: Fired or unfired ammunition?










Corroded firearms: Exhibit 1




- Complex firing
- Dense material
- Empty magazine
- Empty chamber
- Empty barrel
- Safe S5 firearm





Corroded firearms: Exhibit 2






- Case in chamber
- Safe or unsafe?
- Projectile?





Conclusions

- Examinations:
 - Live or deactivated
 - Loaded or unloaded
 - > Evidentiary value
 - Historic preservation
- In-situ (if required)
- Higher energy sources may be required






Future for x-ray analysis ...


Firearm components?
















Acknowledgements

James Young & Nick Fox




Paul Hodkin & Alan Rawsthorne



James Chan, Prof. Paul Evans& Simon Godber



Lee Trueman (Apex Firearms)





Thank you



@DrRachelBK

