

9-23-2008

The cytoplasmic tail of the rabies virus G protein is an essential domain controlling death/survival in human neuronal cells

Christophe Prehaud

Unité de Neuroimmunologie virale, Institut Pasteur, Paris, France; Department of Microbiology and Immunology, Thomas Jefferson University, Philadelphia, PA, USA, cprehaud@pasteur.fr

Mireille Lafage

Unité de Neuroimmunologie virale, Institut Pasteur, Paris, France

Gene S. Tan

Department of Microbiology and Immunology, Thomas Jefferson University, Philadelphia, PA, USA

Françoise Mégret

Unité de Neuroimmunologie virale, Institut Pasteur, Paris, France

Pauline Ménager

*Unité de Neuroimmunologie virale, Institut Pasteur, Paris, France***[Let us know how access to this document benefits you](#)**[See next page for additional authors](#)Follow this and additional works at: <http://jdc.jefferson.edu/mifp> Part of the [Medical Genetics Commons](#), [Medical Immunology Commons](#), and the [Medical Microbiology Commons](#)

Recommended Citation

Prehaud, Christophe; Lafage, Mireille; Tan, Gene S.; Mégret, Françoise; Ménager, Pauline; Schnell, Matthias; Buc, Henri; and Lafon, Monique, "The cytoplasmic tail of the rabies virus G protein is an essential domain controlling death/survival in human neuronal cells" (2008). *Department of Microbiology and Immunology Faculty Papers*. Paper 10.
<http://jdc.jefferson.edu/mifp/10>

Authors

Christophe Prehaud, Mireille Lafage, Gene S. Tan, Françoise Mégret, Pauline Ménager, Matthias Schnell, Henri Buc, and Monique Lafon

Poster presentation

The cytoplasmic tail of the rabies virus G protein is an essential domain controlling death/survival in human neuronal cells

Christophe Prehaud^{*1,3}, Mireille Lafage¹, Gene S Tan³, Françoise Mégret¹, Pauline Ménager¹, Matthias Schnell³, Henri Buc² and Monique Lafon¹

Address: ¹Unité de Neuroimmunologie virale, Institut Pasteur, Paris, France, ²Institut Pasteur, Paris, France and ³Department of Microbiology and Immunology, Thomas Jefferson University, Philadelphia, PA, USA

Email: Christophe Prehaud^{*} - cprehaud@pasteur.fr

^{*} Corresponding author

from Infectious diseases of the nervous system: pathogenesis and worldwide impact
Paris, France. 10–13 September 2008

Published: 23 September 2008

BMC Proceedings 2008, 2(Suppl 1):P57

This abstract is available from: <http://www.biomedcentral.com/1753-6561/2/S1/P57>

© 2008 Prehaud et al; licensee BioMed Central Ltd.

The balance between death/survival issues of infected cells is an important factor of viral pathogenicity, which can be controlled by one protein and sometimes by a few mutations only.

Indeed, infected human neurons can undergo death or survival depending of the Rabies virus (RABV) strains. This is the case for two laboratory strains, one promoting neuronal death and the other one driving neuronal survival.

We, and others, have shown that RABV G protein is a key determinant for this phenotype. The two glycoproteins G-death and G-survival are different by only six amino acids, 2 of which being located in the cytoplasmic tail. To investigate the domains involved in the control of death/survival balance, we isolated by reverse genetic a series of G-mutants in the SN0 strain of RABV. All recombinant viruses were viable. Growth kinetics, transcription/replication as well as G protein expression were monitored in human neuroblastoma cells. Analysis of apoptosis (Hoechst 33342 and Annexin V) or survival (phosphorylation of AKT) of human neuroblastoma cells mapped the cytoplasmic tail as a critical protein domain for these phenotypes.

Interestingly one of the two mutations in the C-domain corresponds to a binding site (BS) for PDZ domain. The

use of endswap RABV mutants showed the critical involvement of the BS-PDZ in this control. High scale two-hybrids experiments were undertaken with a human brain bank and cellular interactors were identified. These proteins harbour PDZ domains. Therefore it strongly supports our hypothesis that the balance between death and survival might be determined by these specific protein-protein interactions.

Acknowledgements

CP was on sabbatical leave for 6 months in Dr M Schnell's laboratory. This project is supported by ANR/MIME PATHO-PDZ.