



Thomas Jefferson University
Jefferson Digital Commons

Department of Occupational Therapy, Presentations

Department of Occupational Therapy

4-17-2015

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine V. Piersol, PhD, OTR/L

Thomas Jefferson University, catherine.piersol@jefferson.edu

Ann O'Sullivan, OTR/L, LSW, FAOTA

Thomas Jefferson University, ann.osullivan@jefferson.edu

[Let us know how access to this document benefits you](#)

Follow this and additional works at: <http://jdc.jefferson.edu/otpresentations>

 Part of the [Occupational Therapy Commons](#)

Recommended Citation

Piersol, PhD, OTR/L, Catherine V. and O'Sullivan, OTR/L, LSW, FAOTA, Ann, "Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care" (2015). *Department of Occupational Therapy, Presentations*. Paper 23.

<http://jdc.jefferson.edu/otpresentations/23>

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's [Center for Teaching and Learning \(CTL\)](#). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Occupational Therapy, Presentations by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.


Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN


FRAMEWORKS TO GUIDE CAREGIVER TRAINING

Transtheoretical Model (Prochaska et al., 1988)



- Family caregiver training requires that caregivers adopt new approaches to care. Understanding the level of caregiver readiness to learn and implement new strategies can inform the approach to training.
 - Caregivers with *low levels of readiness* may need more education about the disease and an understanding that troublesome behaviors are not intentional but a consequence of the disease.
 - Caregivers with *high levels of readiness* tend to be immediately receptive to learning and implementing strategies.

Competence-Environmental Press Framework (Lawton & Nahemow, 1973)




- Educating family caregivers to obtain that “just-right fit” between personal capabilities and environmental demands results in positive behaviors and enhanced quality of life for both the caregiver and the individual with dementia.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN

Cognitive Disabilities Model (Allen & Blue, 1998)



- Six Allen Cognitive Levels (ACL) that describe the complex and dynamic interaction between a person's cognitive abilities and the context in which functional performance takes place.
- Based on the ACL, occupational therapists can
 - Teach caregivers how to match abilities with tasks.
 - Provide suggestions that facilitate the person's best ability to function within the least restrictive environment.


Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN


MODELS FOR ANALYZING BEHAVIORS

Need-Driven Behavior Model [NDB] (Algase et al., 1996)



- Persons with dementia have difficulty expressing their needs.
- Behavior is the result of an attempt to meet a basic human need that is not currently being met.
- Background factors cannot be controlled, where current factors may be, but awareness and understanding of both help with behavior guidance.

Progressively Lowered Stress Threshold [PLST] (Hall & Buckwalter, 1987)




- Stress threshold is lower in persons with dementia.
- Behavior is a result of excess environmental stress and caused by increasing anxiety.
- A person's stress threshold shrinks both during the course of dementia and over the course of the day.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN


ABC Model (Teri & Logsdon, 2000)



- The ABC model can be used to instruct the caregiver to identify the stimulus (activator) that triggers a specific behavior and clearly define and analyze the potential consequences. This includes both positive and negative behaviors.
- In training, caregivers learn to evaluate each behavior to assess how often and for how long it occurs. Through this process, the caregiver can identify the specific activator(s) that can be enhanced, modified or eliminated.
- The process is cyclical, and the consequence can become a new activator for behavior.

MODEL FOR ANALYZING BEHAVIORS AND APPROACHES

Problem Solving Process Model (Gitlin, 2009; Yura & Walsh, 1983)



Teaching the problem solving process offers caregivers a skill to use when new situations occur after occupational therapy service or training is complete.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN

RESOURCES

AARP, www.aarp.org. Information about benefits and entitlement information, caregiver and older adult education (including older drivers, grandparents, and choosing a living environment), activities, and advocacy.

Administration on Aging, www.aoa.gov. Government agency concerned with issues affecting older Americans. This site offers information about older Americans, legislation, and programs.

Alzheimer's Association, www.alz.org. Information about cognitive issues, problems and solutions, research and medical advances, public policy issues, caregiver support, and resources.

Alzheimer's Disease Education and Referral Service (ADEAR), a service of the National Institute on Aging, www.nia.nih.gov/alzheimers. Information and referrals, publications, database and resources about dementia.

Alzheimer's Navigator,
www.alzheimersnavigator.org/?utm_source=DM&utm_medium=email&utm_campaign=navigator. Guide to answer questions by creating a personalized action plan and linking to information, support, and local resources.

Alzheimer's Store, www.alzstore.com. Wide variety of products for people with dementia and their caregivers.

American Geriatrics Society,
www.geriatricpain.org/Content/Education/Patient/Documents/Pain%20in%20Dementia.pdf. Resource on assessing pain in a person with dementia who may not be able to communicate effectively.

Assisted Living Facilities, www.assistedlivingfacilities.org/. Listing by zip code.

Centers for Medicare and Medicaid Services (CMS), www.medicare.gov. Overview of Medicare and Medicaid policy and regulations, and consumer literature about health-related services and benefits.

Children of Aging Parents, www.caps4caregivers.org. Information and materials for adult children caring for older parents.

Choosing Skilled Nursing Facilities,
www.helpguide.org/elder/nursing_homes_skilled_nursing_facilities.htm. Listing by city and state.

Continuing Care Retirement Communities (CCRCs),
www.seniorliving.net/TypesOfCare/ContinuingCareRetirementCommunity. Listing by city and state.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN

Eldercare Locator, www.eldercare.gov . Connection to local services for older adults anywhere in the US.

Family Caregiver Alliance, www.caregiver.org. Support services for those caring for people with Alzheimer's disease and other neurocognitive disorders, as well as other conditions.

Friend's Health Connection, friendshealthconnection.org. Support network and motivational programs.

MedicAlert + Safe Return www.alz.org/care/dementia-medic-alert-safe-return.asp . 24-hour nationwide emergency response service for individuals with Alzheimer's or a related dementia.

Mind Start, www.mind-start.com/. Activities and products for people with cognitive loss.

Caregiver Action Network, caregiveraction.org/. Education, peer support and resources free of charge.

National Institutes on Aging, www.nia.nih.gov. Reliable health and resource information for consumers and professionals. Relevant topics include changes in intimacy and sexuality, wandering, bathing, grooming and dressing, and incontinence.

National Resource Center on Supportive Housing and Home Modification, www.homemods.org. Information and strategies about home modifications and their importance in supporting safety and independence.

The National Institute on Aging Information Center, www.nia.nih.gov/HealthInformation. Information about health and aging.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN

REFERENCES

1. Algase, D.L., et al. (1996). Need-driven dementia-compromised behavior: An alternative view of disruptive behavior. *American Journal of Alzheimer's Disease and Other Dementias*, 11, 10-19.
2. Allen, C.K. & Blue, T. (1998). Cognitive disabilities model: How to make clinical judgments. In N. Katz (Ed.) *Cognition and occupation in rehabilitation: Cognitive models for intervention in occupational therapy* (pp. 225-280). Bethesda, MD: American Occupational Therapy Association.
3. Alzheimer's Association (2015). 2015 Alzheimer's Disease Facts and Figures. *Alzheimer's & Dementia*, 11, 332-420. https://www.alz.org/facts/downloads/facts_figures_2015.pdf
4. Cohen-Mansfield, J. (2001). Nonpharmacologic interventions for inappropriate behaviors in dementia: A review, summary, and critique. *American Journal of Geriatric Psychiatry*, 9, 361-381.
5. Chassin L, Macy JT, Seo D-C, Presson CC, Sherman SJ. The association between membership in the sandwich generation and health behaviors: A longitudinal study. *J Appl Dev Psychol* 2010; 31(1): 38–46.
6. Earland, T.V. & Piersol, C.V. (2014). Translating research to practice in neurocognitive disorders: The experiences of Jefferson Elder Care. In M.A. Corcoran & G.M. Giles, Eds. *Neurocognitive Disorder (NCD): Interventions to Support Occupational Performance*. (pp. 265-274). Bethesda, MD: AOTA Press.
7. Gitlin, L. (2009). Problem solving: A teaching and therapeutic tool for older adults and their families. In J. Söderback (Ed.) *Handbook of Occupational Therapy Interventions*. New York, NY: Springer Science.
8. Gitlin, L.N., Jacobs, M., & Earland, T.V. (2010). Translation of a dementia caregiver intervention for delivery in homecare as a reimbursable Medicare service: Outcomes and lessons learned. *The Gerontologist*, 50, 847-854.
9. Gitlin, L. N., Winter, L., Dennis, M. P., Hodgson, N., & Hauck, W. W. (2010a). A biobehavioral home-based intervention and the well-being of patients with dementia and their caregivers. *Journal of the American Medical Association*, 304, 983–991.
10. Gitlin, L. N., Winter, L., Dennis, M. P., Hodgson, N., & Hauck, W. W. (2010b). Targeting and managing behavioral symptoms in individuals with dementia: A randomized trial of a nonpharmacological intervention. *Journal of the American Geriatrics Society*, 58, 1463–1474.
11. Gitlin, L.N. & Piersol, C.V. (2014). *A Caregiver's Guide to Dementia: Using Activities and Other Strategies to Prevent, Reduce and Manage Behavioral Symptoms*. Philadelphia: Camino Books, Inc.
12. Graf, M. J. L., Vernooij-Dassen, M. J. M., Zajec, J., Olde-Rikkert, M.G. M., Hoefnagels, W.H. L., & Dekker, J. (2006). How can occupational therapy improve the daily performance and communication of an older patient with dementia and his primary caregiver? *Dementia*, 5, 503–532.
13. Hall G. R., & Buckwalter, K. C. (1987). Progressively lowered stress threshold: A conceptual model for care of adults with Alzheimer's disease. *Archives of Psychiatric Nursing*, 1, 399–406.
14. Hepburn, K., Lewis, M., Tornatore, J., Sherman, C.W., & Bremer, K.L. (2007). The Savvy Caregiver Program: The demonstrated effectiveness of a transportable dementia caregiver psychoeducation program. *Journal of Gerontological Nursing*, 33(3), 30-36.
15. Kasper, J.D., Freedman, V.A., Spillman, B.C. (2014). Disability and Care Needs of Older Americans by Dementia Status: An Analysis of the 2011 National Health and Aging Trends Study. Retrieved from: <http://aspe.hhs.gov/daltcp/reports/2014/NHATS-DS.cfm>.

Occupational Therapy and Family Caregiver Training: The Key to Successful Dementia Care

Catherine Verrier Piersol, Ph.D., OTR/L & Ann O'Sullivan, OTR/L, LSW, FAOTA

2015 AOTA Annual Conference & Expo • Nashville, TN

16. Lawton, M. P., & Nahemow, L. E. (1973). Ecology and the aging process. In C. Eisdorfer & M. P. Lawton (Eds.), *The psychology of adult development and aging* (pp. 619–674). Washington, DC: American Psychological Association.
17. O'Sullivan, A. & Corcoran, M. (2014). Paid and unpaid caregivers of people with neurocognitive disorders. In M. A. Corcoran & G.M. Giles, Eds. *Neurocognitive Disorder (NCD): Interventions to Support Occupational Performance*. Bethesda, MD: AOTA Press.
18. Piersol, C.V., Earland, T.V., Herge, E. A. (2012). Meeting the needs of caregivers of persons with dementia: An important role for occupational therapy, *OT Practice*, 17 (5), 8-13.
19. Plassman, B.L., Langa, K.M., Fisher, G.G., Heeringa, S.G., Weir, D.R., Ofstedal, M.B., et al. (2007). Prevalence of dementia in the United States: The Aging, Demographics, and Memory Study. *Neuroepidemiology*, 29, 125–32.
20. Prochaska, J. O., & DiClemente, C. C. (1983). Stages and processes of self-change of smoking: Toward an integrative model of change. *Journal of Consulting and Clinical Psychology*, 51, 390-395.
21. Rosalynn Carter Institute for Caregiving: Caregiver Intervention Database
http://www.rosalynncarter.org/caregiver_intervention_database/
22. Rubin, R., White-Means, S. (2009). Informal caregiving: Dilemmas of sandwiched caregivers. *J Fam Econ Issues*, 30. 252–67.
23. Teri, L. & Logsdon, R.G. (2000). Assessment and management of behavioral disturbances in Alzheimer's disease. *Comprehensive Therapy*, 26(3), 169–175.
24. Thinnes, A., & Padilla, R. (2011). Effect of educational and supporting strategies on the ability of caregivers of people with dementia to maintain participation in that role. *American Journal of Occupational Therapy*, 65, 541–549. doi:10.5014/ajot.2011.002634
25. Volicer, L., & Hurley, A. C. (2003). Management of behavioral symptoms in progressive degenerative dementias. *Journal of Gerontology: Medical Sciences*, 58A, 837–845.
26. Yura, H., & Walsh, M.B. (1983). *Human Needs and the Nursing Process*, 3rd Edition. New York, NY: Appleton-Century-Crofts.