

INTERVENTIONS FOR IMPROVING OCCUPATIONAL PERFORMANCE POST-CONCUSSION IN CHILDREN AND ADOLESCENTS: A SCOPING REVIEW

Authors: Abigail Gilmore, Amy Gottesman, Sarah Kauper, Michelle Malon, Brianna Schwoyer, and Alisha Unternahrer

Faculty Mentor: Teal Benevides

Presented in Partial Fulfillment of the Master of Science in Occupational Therapy degree at Thomas Jefferson University

Objectives of Presentation:

- **Recognize** the significant impact of concussion on immediate and long-term mental and physical well being in the pediatric population.
- **Identify** the need for novel and effective interventions that address the impact of pediatric concussions.
- **Describe** current concussion interventions and management practices and the gap that exists in the literature.
- **Discuss** interventions within the scope of OT practice to address occupational performance in children and adolescents post-concussion.

Clinical Question: What interventions within the scope of occupational therapy practice are indicated in the current literature to improve occupational performance in children and adolescents who have experienced a concussion?

Methods: Identifying relevant studies

- Identifying relevant studies using PubMed, Scopus, and ERIC databases
 - **Key words:** “brain concussion”, concuss*, mild traumatic brain injur*, post-concuss*, post concussion syndrome, rehabilitation, return to play, recovery of function*, cognit*, executive function*, balance, learning, memory, attention*

Resulting Themes:

Rest (Cognitive/Physical) as an Intervention ^{4, 7, 13, 14, 17, 18, 19,20, 21, 22, 24, 25, 26, 27, 28, 30,31, 32, 33, 34, 35, 36, 38, 39, 42, 44,}

- First step of recovery is combined cognitive and physical rest which involves complete elimination of cognitive load, screen time, and physical exertion.

Progressive Return to Functional Activity ^{4, 7,13, 14,16, 17,18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 31, 33, 34, 39, 40, 41, 42, 44}

- Consensus of medical professionals involves recommendations that return to functional activity should be progressive and dependent on progressive absence of symptoms.

Adaption and Accommodations ^{9, 13, 14, 17,19, 20, 22, 23, 24, 25, 27, 28, 30, 33, 34, 38, 40, 41}

- Adapting academic expectations, environments, and routines can improve children’s return to meaningful occupations post-concussion.

Interventions addressing specific symptoms ^{1, 12, 16, 20, 29, 30, 33, 37, 42}

- Some research exists examining specific interventions for concussion rehabilitation
- Current interventions predominantly target education, leisure and play skills.

Health Education and Promotion ^{13, 14, 15, 17, 21, 22, 23, 25, 26, 27, 28, 30, 34, 38, 40, 41}

- Increase concussion awareness, prevention, and health promotion through collaboration between an established key player and all potentially impacted parties (i.e. school staff, coaches, children and families)
- General education and CDC fact sheets recommended as means of concussion awareness and prevention.

Implications:

- OTs can bring an individualized approach to the interdisciplinary management of pediatric concussion
 - Provide direct intervention, modify routines or environments, and provide preventative education
- OT educators should ensure that all students learn the clinical details of pediatric concussion and receive training in interprofessional collaboration and advocacy
- OT research should focus on producing higher level evidence for specific interventions used with the pediatric concussion population and should examine efficacy of existing RTP and RTL treatment standards

References

1. Alsalaheen, B. A., Mucha, A., Morris, L. O., Whitney, S. L., Furman, J. M., Camiolo-Reddy, C. E., . . . Sparto, P. J. (2010). Vestibular rehabilitation for dizziness and balance disorders after concussion. *Journal of Neurologic Physical Therapy: JNPT*, 34(2), 87-93. doi:10.1097/NPT.0b013e3181dde568
2. American Occupational Therapy Association (2014). Occupational therapy practice framework: Domain and process (3rd ed.). *American Journal of Occupational Therapy*, 68(Suppl. 1), S1-S48. doi:10.5014/ajot.2014.682006
3. Armstrong, R., Hall, B. J., Doyle, J., & Waters, E. (2011). 'Scoping the scope' of a cochrane review. *Journal of Public Health*, 33(1), 147-150. doi: 0.1093/pubmed/fdr015
4. Atabaki, S. M. (2013). Updates in the general approach to pediatric head trauma and concussion. *Pediatric Clinics of North America*, 60(5), 1107-1122. doi:10.1016/j.pcl.2013.06.001
5. Azulay, J., Smart, C. M., Mott, T., & Cicerone, K. D. (2013). A pilot study examining the effect of mindfulness-based stress reduction on symptoms of chronic mild traumatic brain injury/postconcussive syndrome. *Journal of Head Trauma Rehabilitation*, 28(4), 323-331. doi:10.1097/HTR.0b013e318250ebda
6. Bakhos, L. L., Lockhart, G. R., Myers, R., & Linakis, J. G. (2010). Emergency department visits for concussion in young child athletes. *Pediatrics*, 126(3), e550-e556. doi:10.1542/peds.2009-3101
7. Caskey, R. C., & Nance, M. L. (2014). Management of Pediatric Mild Traumatic Brain Injury. *Advances in Pediatrics*, 61(1), 271-286. doi:10.1016/j.yapd.2014.03.006
8. Centers for Disease Control and Prevention. (2011). Nonfatal traumatic brain injuries related to sports and recreation activities among persons aged ≤ 19 years---United States, 2001--2009. *MMWR: Morbidity and Mortality Weekly Report*, 60(39), 1337-1342.
9. Collins, M., Lovell, M. R., Iverson, G. L., Ide, T., & Maroon, J. (2006). Examining concussion rates and return to play in high school football players wearing newer helmet technology: a three-year prospective cohort study. *Neurosurgery*, 58(2), 275-286.
10. Colvin, J. D., Thurm, C., Pate, B. M., Newland, J. G., Hall, M., & Meehan, W. P. (2013). Diagnosis and acute management of patients with concussion at children's hospitals. *Archives of Disease in Childhood*, archdischild-2012. doi: 10.1136/archdischild-2012-303588
11. Conder, R. & Conder, A. A. (2015). Neuropsychological and psychological rehabilitation interventions in refractory sport-related post-concussive syndrome. *Brain Injury*, 29 (2), 249-262. doi:10.3109/02699052.2014.965209
12. Covassin, T., Crutcher, B., & Wallace, J. (2013). Does a 20 minute cognitive task increase concussion symptoms in concussed athletes? *Brain Injury*, 27(13-14), 1589-1594. doi:10.3109/02699052.2013.823656
13. Davies, S. C. (2011). Concussion awareness: Getting school psychologists into the game. *Communique*, 39(7),1-5.
14. Davis, G. A., & Purcell, L. K. (2014). The evaluation and management of acute concussion differs in young children. *British Journal of Sports Medicine*, 48(2), 98-101. doi:10.1136/bjsports-2012-092132
15. Falk, A. (2013). A nurse-led paediatric head injury follow-up service. *Scandinavian Journal of Caring Sciences*, 27(1), 51-56. doi:10.1111/j.1471-6712.2012.00999.x
16. Gagnon, I., Galli, C., Friedman, D., Grilli, L., & Iverson, G. L. (2009). Active rehabilitation for children who are slow to recover following sport-related concussion. *Brain Injury*, 23(12), 956-964. doi:10.3109/02699050903373477
17. Glang, A. E., Koester, M. C., Chesnutt, J. C., Gioia, G. A., McAvoy, K., Marshall, S., & Gau, J. M. (2015). The Effectiveness of a Web-Based Resource in Improving Postconcussion Management in High Schools. *Journal of Adolescent Health*, 56(1), 91-97. doi: 10.1016/j.jadohealth.2014.08.011
18. Gómez, J. E., & Hergenroeder, A. C. (2013). New guidelines for management of concussion in sport: special concern for youth. *Journal of Adolescent Health*, 53(3), 311-313. doi:10.1016/j.jadohealth.2013.06.018
19. Grace, M. T. (2013). Concussion in the pediatric patient. *Journal of Pediatric Health Care: Official Publication of National Association of Pediatric Nurse Associates & Practitioners*, 27(5), 377-384. doi:10.1016/j.pedhc.2012.10.004
20. Grady, M. F. (2010). Concussion in the adolescent athlete. *Current Problems in Pediatric and Adolescent Health Care*, 40(7), 154-169. doi:10.1016/j.cppeds.2010.06.002
21. Grady, M. F., Master, C. L., & Gioia, G. A. (2012). Concussion pathophysiology: rationale for physical and cognitive rest. *Pediatric Annals*, 41(9), 377-8. doi: 10.3928/00904481-20120827-12
22. Guerriero, R. M., Proctor, M. R., Mannix, R., & Meehan III, W. P. (2012). Epidemiology, trends, assessment and management of sport-related concussion in United States high schools. *Current Opinion in Pediatrics*, 24(6), 696-701. doi: 10.1097/MOP.0b013e3283595175
23. Halstead, M. E., Mcavoy, K., Devore, C. D., Carl, R., Lee, M., & Logan, K. (2013). Returning to learning following a concussion. *Pediatrics*, 132(5), 948-957. doi:10.1542/peds.2013-2867
24. Halstead, M. E., Walter, K. D., McCambridge, T. M., Benjamin, H. J., Brenner, J. S., Cappetta, C. T., . . . Weiss-Kelly, A. K. (2010). Clinical report - sport-related concussion in children and adolescents. *Pediatrics*, 126(3), 597-615. doi:10.1542/peds.2010-2005
25. Hanson, E., Stracciolini, A., Mannix, R., & Meehan, W. P.,III. (2014). Management and prevention of sport-related concussion. *Clinical Pediatrics*, 53(13), 1221-1230. doi:10.1177/0009922813518429
26. Haran, H. P., Bressan, S., Oakley, E., Davis, G. A., Anderson, V., & Babl, F. E. (2015). On-field management and return-to-play in sports-related concussion in children: Are children managed appropriately? *Journal of Science and Medicine in Sport*. doi:10.1016/j.jsams.2015.02.009

27. Johnson, L. S. M. (2012). Return to play guidelines cannot solve the football-related concussion problem. *Journal of School Health*, 82(4), 180-6; 185. doi:10.1111/j.1746-1561.2011.00684.x
28. Kirkwood, M. W., Yeates, K. O., & Wilson, P. E. (2006). Pediatric sport-related concussion: A review of the clinical management of an oft-neglected population. *Pediatrics*, 117(4), 1359-1371. doi:10.1542/peds.2005-0994
29. Landis, J., Hanten, G., Levin, H. S., Li, X., Ewing-Cobbs, L., Duron, J., & High, W. M. (2006). Evaluation of the errorless learning technique in children with traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 87(6), 799-805. doi:10.1016/j.jsams.2015.02.009
30. Lee, M. A. (2006). Adolescent concussions - management recommendations: A practical approach. *Connecticut Medicine*, 70(6), 377-380.
31. Marsh, A. M., Fraser, D., & Marsh, J. P. (2013). Management of concussion in the pediatric patient. *Journal of Pediatric Health Care: Official Publication of National Association of Pediatric Nurse Associates & Practitioners*, 27(6), 499-504. doi:10.1016/j.pedhc.2012.12.014
32. McCrea, M., Guskiewicz, K., Randolph, C., Barr, W. B., Hammeke, T. A., Marshall, S. W., & Kelly, J. P. (2009). Effects of a symptom-free waiting period on clinical outcome and risk of reinjury after sport-related concussion. *Neurosurgery*, 65(5), 876-883. doi:10.1227/01.NEU.0000350155.89800.00
33. McCrory, P., Meeuwisse, W. H., Aubry, M., Cantu, B., Dvořák, J., Echemendia, R. J., ... & Turner, M. (2013). Consensus statement on concussion in sport: the 4th International Conference on Concussion in Sport held in Zurich, November 2012. *British Journal of Sports Medicine*, 47(5), 250-258. doi:10.1136/bjsports-2013-092313
34. McGrath, N. (2010). Supporting the student-athlete's return to the classroom after a sport-related concussion. *Journal of Athletic Training*, 45(5), 492-498. doi:10.4085/1062-6050-45.5.492
35. Moser, R. S., & Schatz, P. (2012). A case for mental and physical rest in youth sports concussion: it's never too late. *Frontiers in neurology*, 3. doi:10.3389/fneur.2012.00171
36. Moser, R. S., Glatts, C., & Schatz, P. (2012). Efficacy of immediate and delayed cognitive and physical rest for treatment of sports-related concussion. *The Journal of Pediatrics*, 161(5), 922-926. doi:10.1016/j.jpeds.2012.04.012
37. Pershelli, A. (2007). Memory strategies to use with students following traumatic brain injury. *Physical Disabilities: Education and Related Services*, 26(1), 31-16; 46.
38. Piebes, S. K., Gourley, M., & McLeod, T. C. V. (2009). Caring for student-athletes following a concussion. *The Journal of School Nursing*, 25(4), 270-281. doi:10.1177/1059840509339782
39. Reed, N. (2011). Sport-related concussion and occupational therapy: Expanding the scope of practice. *Physical and Occupational Therapy in Pediatrics*, 31(3), 222-224. doi:10.3109/01942638.2011.589719
40. Sabini, R. C., & Reddy, C. C. (2010). Concussion management and treatment considerations in the adolescent population. *Physician and Sportsmedicine*, 38(1), 139-146. doi:10.3810/psm.2010.04.1771
41. Sady, M. D., Vaughan, C. G., & Gioia, G. A. (2011). School and the concussed youth: Recommendations for concussion education and management. *Physical Medicine and Rehabilitation Clinics of North America*, 22(4), 701-719. doi:10.1016/j.pmr.2011.08.008
42. Semple, B. D., Lee, S., Sadjadi, R., Fritz, N., Carlson, J., Griep, C., ... & Noble-Haeusslein, L. J. (2015). Repetitive concussions in adolescent athletes—translating clinical and experimental research into perspectives on rehabilitation strategies. *Frontiers in neurology*, 6. doi: 10.3389/fneur.2015.00069
43. Struchen, M., and Ritter, L. (2009). *Traumatic Brain Injury for VR Counselors*. Training program held at Baylor College of Medicine, Houston, TX. Retrieved from: http://www.tbicommunity.org/resources/publications/vr_manual/pdf/session1a.pdf
44. Thomas, D. G., Apps, J. N., Hoffmann, R. G., McCrea, M., & Hammeke, T. (2015). Benefits of strict rest after acute concussion: a randomized controlled trial. *Pediatrics*, 135(2), 213-223. doi:10.1542/peds.2014-0966