

Title: Development of a biosensor for urea assay based on amidase inhibition, using an ion-selective electrode

Author(s): Barbosa, Ana Rita; Karmali, Amin¹

Source: Biocatalysis and Biotransformation

Volume: 29 **Issue:** 4 **Pages:** 130-140 **DOI:** 10.3109/10242422.2011.591926 **Published:** Aug 2011

Document Type: Article

Language: English

Abstract: A biosensor for urea has been developed based on the observation that urea is a powerful active-site inhibitor of amidase, which catalyzes the hydrolysis of amides such as acetamide to produce ammonia and the corresponding organic acid. Cell-free extract from *Pseudomonas aeruginosa* was the source of amidase (acylamide hydrolase, EC 3.5.1.4) which was immobilized on a polyethersulfone membrane in the presence of glutaraldehyde; anion-selective electrode for ammonium ions was used for biosensor development. Analysis of variance was used for optimization of the biosensor response and showed that 30 μ L of cell-free extract containing 7.47 mg protein mL⁻¹, 2 μ L of glutaraldehyde (5%, v/v) and 10 μ L of gelatin (15%, w/v) exhibited the highest response. Optimization of other parameters showed that pH 7.2 and 30 min incubation time were optimum for incubation of membranes in urea. The biosensor exhibited a linear response in the range of 4.0-10.0 μ M urea, a detection limit of 2.0 μ M for urea, a response time of 20 s, a sensitivity of 58.245 % per μ M urea and a storage stability of over 4 months. It was successfully used for quantification of urea in samples such as wine and milk; recovery experiments were carried out which revealed an average substrate recovery of 94.9%. The urea analogs hydroxyurea, methylurea and thiourea inhibited amidase activity by about 90%, 10% and 0%, respectively, compared with urea inhibition.

Author Keywords: Ion-Selective Electrode; Aliphatic Amidase; Urea Biosensor

Keywords Plus: *Pseudomonas-Aeruginosa*; Ethyl Carbamate; Kinetic-Properties; risk Assessment; Milk Urea; Enzyme; Organophosphorus; Cholinesterase; Pesticide; Nitrogen

Reprint Address: Karmali, A (reprint author), Inst Super Engn Lisboa, Chem Engn & Biotechnol Res Ctr, Rua Conselheiro Emídio Navarro 1, P-1959007 Lisbon, Portugal.

Addresses:

1. Inst Super Engn Lisboa, Chem Engn & Biotechnol Res Ctr, P-1959007 Lisbon, Portugal
2. Inst Super Engn Lisboa, Dept Chem Engn, P-1959007 Lisbon, Portugal

E-mail Address: akarmali@deq.isel.pt

Funding:

Funding Agency	Grant Number
Fundação para a Ciência e a Tecnologia	PTDC/AGR-AAM/73460/2006 702

Publisher: Informa Healthcare

Publisher Address: Telephone House, 69-77 Paul Street, London EC2A 4LQ, England

ISSN: 1024-2422

Citation: BARBOSA Rita; KARMALI, Amin - Development of a biosensor for urea assay based on amidase inhibition, using an ion-selective electrode. *Biocatalysis and Biotransformation*. ISSN 1024-2422. Vol. 29, n.º 4 (2011) p. 130-140.