

**Title:** Water-Based Cellulose Liquid Crystal System Investigated by Rheo-NMR

**Author(s):** Geng, Yong <sup>[1]</sup>; Almeida, Pedro L. <sup>[1,2]</sup>; Feio, Gabriel M. <sup>[1]</sup>; Figueirinhas, Joao L. <sup>[3,4]</sup>; Godinho, Maria H. <sup>[1]</sup>

**Source:** Macromolecules **Volume:** 46 Issue: 11

**Pages:** 4296-4302 **DOI:** 10.1021/ma400601b **Published:** Jun 11 2013

**Document Type:** Article

**Language:** English

**Abstract:** Water-based cellulose cholesteric liquid crystalline phases at rest can undergo structural changes induced by shear flow. This reflects on the deuterium spectra recorded when the system is investigated by rheo-nuclear magnetic resonance (rheo-NMR) techniques. In this work, the model system hydroxypropylcellulose (HPC)+water is revisited using rheo-NMR to clarify unsettled points regarding its behavior under shear and in relaxation. The NMR spectra allow the identification of five different stable ordering states, within shear and relaxation, which are well integrated in a mesoscopic picture of the system's structural evolution under shear and relaxation. This picture emerging from the large body of studies available for this system by other experimental techniques, accounts well for the NMR data and is in good agreement with the three distinct regions of steady shear flow recognized for some lyotropic LC polymers. Shear rates in between 0.1 and 1.0 s<sup>-1</sup> were investigated using a Taylor-Couette flow and deuterated water was used as solvent for the deuterium NMR (DNMR) analysis.

**Keywords Plus:** Nuclear-Magnetic-Resonance; Hydroxypropylcellulose Solutions; Molecular-Orientation; Aqueous-Solutions; Polymer; (Hydroxypropyl)Cellulose; Films; Temperature; Flow

**Reprint Address:** Figueirinhas, JL (reprint author) - Univ Tecn Lisboa, IST, Dept Fis, Inst Super Tecn, Av Rovisco Pais 1, P-1049001 Lisbon, Portugal.

**Addresses:**

[1] Univ Nova Lisboa, Fac Ciencias & Tecnol, Dept Ciencia Mat, CENIMAT I3N, P-2829516 Caparica, Portugal

[2] Inst Super Engn Lisboa, Area Dept Fis, P-1950062 Lisbon, Portugal

[3] Univ Tecn Lisboa, IST, Dept Fis, Inst Super Tecn, P-1049001 Lisbon, Portugal

[4] Univ Lisbon, CFMC, P-1649003 Lisbon, Portugal

**E-mail Addresses:** [figuei@cii.fc.ul.pt](mailto:figuei@cii.fc.ul.pt); [mhg@fct.unl.pt](mailto:mhg@fct.unl.pt)

**Funding:**

Funding Agency	Grant Number
FCT	
Portuguese Science and Technology Foundation	SFRH/BD/63574/2009 PTDC/CTM/099595/2008 PTDC/FIS/110132/2009 PTDC/CTM-POL/1484/2012 PEst-C/CTM/LA0025/2011 LA 25-2011-2012
Portuguese NMR Network (PTNMR)	

**Publisher:** Amer Chemical Soc

**Publisher Address:** 1155 16<sup>TH</sup> ST, NW, Washington, DC 20036 USA

**ISSN:** 0024-9297

**Citation:** GENG, Yong; ALMEIDA, Pedro L.; FEIO, Gabriel M.; FIGUEIRINHAS, Joao L.; GODINHO, Maria H. - Water-Based Cellulose Liquid Crystal System Investigated by Rheo-NMR. Macromolecules. ISSN 0024-9297. Vol. 46, nr. 11 (2013), p. 4296-4302.