

# Electronic Supplementary Information

## Silver Coordination Polymers with Tri- and Hexacyanoethyl-functionalized Macrocyclic Ligands

Zhen Ma <sup>a,b\*</sup>, Huaduan Shi <sup>a</sup>, Xiuqiang Deng <sup>a</sup>, M. Fátima C. Guedes da Silva <sup>b,c\*</sup>, Luísa M. D. R. S. Martins, <sup>b,c</sup> and Armando J. L. Pombeiro <sup>b</sup>

<sup>a</sup> Guangxi Key Laboratory of Petrochemical Resource Processing and Process Intensification Technology, School of Chemistry and Chemical Engineering, Guangxi University, Nanning 530004, P. R. China, E-mail: [mzmz2009@sohu.com](mailto:mzmz2009@sohu.com)

<sup>b</sup> Centro de Química Estrutural, Complexo I, Instituto Superior Técnico, Universidade de Lisboa, Av. Rovisco Pais, 1049-001, Lisbon, Portugal, E-mail: [fatima.guedes@tecnico.ulisboa.pt](mailto:fatima.guedes@tecnico.ulisboa.pt)

<sup>c</sup> Chemical Engineering Department, ISEL, R. Conselheiro Emídio Navarro, 1959-007 Lisboa, Portugal.






Fig. S-1 The cyclic hexametallic set of **3**






Fig. S-2 TG-DTA plots of **1** (a), **2** (b) and **3** (c)