Home Search Collections Journals About Contact us My IOPscience

> Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at \sqrt{s} = 7 TeV with the ATLAS detector

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2014 New J. Phys. 16 113013

(http://iopscience.iop.org/1367-2630/16/11/113013)

View the table of contents for this issue, or go to the journal homepage for more

Download details:

IP Address: 212.174.144.130

This content was downloaded on 21/07/2015 at 10:53

Please note that terms and conditions apply.

New Journal of Physics

The open access journal at the forefront of physics

Deutsche Physikalische Gesellschaft DPG | IOP Institute of Physics

Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector

The ATLAS Collaboration

Received 3 July 2014, revised 27 August 2014 Accepted for publication 16 September 2014 Published 4 November 2014 New Journal of Physics 16 (2014) 113013 doi:10.1088/1367-2630/16/11/113013

Abstract

This paper presents a measurement of the cross-section for high transverse momentum W and Z bosons produced in pp collisions and decaying to all-hadronic final states. The data used in the analysis were recorded by the ATLAS detector at the CERN Large Hadron Collider at a centre-of-mass energy of $\sqrt{s} = 7$ TeV and correspond to an integrated luminosity of 4.6 fb⁻¹. The measurement is performed by reconstructing the boosted W or Z bosons in single jets. The reconstructed jet mass is used to identify the W and Z bosons, and a jet substructure method based on energy cluster information in the jet centre-of-mass frame is used to suppress the large multi-jet background. The cross-section for events with a hadronically decaying W or Z boson, with transverse momentum $p_T > 320$ GeV and pseudorapidity $|\eta| < 1.9$, is measured to be $\sigma_{W+Z} = 8.5 \pm 1.7$ pb and is compared to next-to-leading-order calculations. The selected events are further used to study jet grooming techniques.

Keywords: hadronic W, boosted, jet substructure

1. Introduction

Many theories beyond the Standard Model (SM) predict new particles with masses at the TeV scale. Some of these heavy resonances can decay to final states with W or Z bosons. Because

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence.

Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Article funded by SCOAP³.

the masses of the W and Z bosons are an order of magnitude below that of their hypothetical parent states, such decays appear highly boosted in the laboratory frame. The hadronic decay products may be so collimated that they appear as single jets in the detector (hereafter referred to as W/Z jets). The ability to recognize and reconstruct the W and Z bosons from such jets is important in extending the search sensitivity for new phenomena with the ATLAS detector at the Large Hadron Collider (LHC).

Because the W and Z masses are small compared to the centre-of-mass energy of 7 TeV at the LHC, the W and Z bosons produced in SM processes can also be highly boosted in the detector. An important first step in the study of boosted W/Z jets is to demonstrate that they can be measured reliably using the ATLAS detector. Jets arising from the strong interactions of quarks and gluons (hereafter referred to as QCD jets) have production cross-sections many orders of magnitude greater than those of W and Z bosons; they are the dominant background to such a measurement and constitute the main difficulty.

In this paper, a measurement of the cross-section of hadronically decaying W or Z bosons with transverse momentum $p_T > 320$ GeV and pseudorapidity $|\eta| < 1.9$ produced in pp collisions at a centre-of-mass energy of 7 TeV is presented. The measurement is based on the invariant mass distribution of the reconstructed boosted W/Z jet candidates. The decay modes considered are $W \to q\bar{q}'$ and $Z \to q\bar{q}$, where q, q' = u, c, d, s or b. In order to suppress the copious QCD jet background, a novel selection method [1] based on jet substructure is implemented. Because of the limited resolution for the jet mass, the measurement reported is for the sum of W and Z cross-sections, denoted by the W + Z cross-section

$$\sigma_{W+Z} = \sigma_W \left(p_{\mathrm{T}} > 320 \text{ GeV}, \left| \eta \right| < 1.9 \right) \times \mathcal{B} \left(W \to q \bar{q}' \right)$$
$$+ \sigma_Z \left(p_{\mathrm{T}} > 320 \text{ GeV}, \left| \eta \right| < 1.9 \right) \times \mathcal{B} \left(Z \to q \bar{q} \right),$$

where σ is the production cross-section and \mathcal{B} is the decay branching fraction. Previously, W and Z cross-sections have been measured up to $p_{\rm T}=300$ GeV using the leptonic decay modes [2–4]. The Z cross-section for $p_{\rm T}>200$ GeV has also been measured in the hadronic decay mode $Z\to b\bar{b}$ [5] at a centre-of-mass energy of 8 TeV.

The jet sample enriched in W and Z bosons that decay hadronically, obtained in this analysis, is used to study the performance of several jet grooming techniques [6–9] designed to reduce the effects of soft QCD radiation and multiple pp interactions per bunch crossing (pileup) on jet mass measurements.

2. The ATLAS detector

The ATLAS detector [10] at the LHC nearly covers the entire solid angle around the interaction region. It consists of an inner tracking detector comprising a silicon pixel detector, a silicon microstrip detector, and a transition radiation tracker, providing tracking capability within the

ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z-axis along the beam pipe. The x-axis points from the IP to the centre of the LHC ring, and the y-axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. The transverse momentum p_T is defined as the magnitude of the component of the momentum orthogonal to the beam axis.

pseudorapidity range $|\eta| < 2.5$. The inner tracking detector is surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field and by a calorimeter system placed immediately outside the solenoid. The electromagnetic calorimeters use liquid argon as the active detector medium with lead absorbers, and are divided into one barrel ($|\eta| < 1.475$) and two end-cap components (1.375 $< |\eta| < 3.2$). The technology used for the hadronic calorimeters varies with η . In the barrel region ($|\eta| < 1.7$), the detector is made of scintillator tiles with steel absorbers. In the end-cap region (1.5 $< |\eta| < 3.2$)), the detector uses liquid argon and copper. A forward calorimeter consisting of liquid argon and tungsten/copper absorbers has both electromagnetic and hadronic sections, and extends the coverage to $|\eta| < 4.9$. The calorimeter system is surrounded by a muon spectrometer. Three layers of precision tracking chambers, consisting of drift tubes and cathode strip chambers, enable precise muon track measurements in the pseudorapidity range of $|\eta| < 2.7$, and resistive-plate and thin-gap chambers provide muon triggering capability in the range of $|\eta| < 2.4$.

The ATLAS trigger system uses three consecutive levels. The Level-1 triggers are hardware-based and use coarse detector information to identify regions of interest, whereas the Level-2 triggers are based on fast online data reconstruction algorithms. Finally, the Event Filter triggers use offline data reconstruction algorithms. This analysis uses a trigger that requires a jet with transverse momentum $p_{\rm T} > 100$ GeV at Level-1. At the Event Filter level, the scalar sum of the $p_{\rm T}$ of all jets with $p_{\rm T} > 30$ GeV and $|\eta| < 3.2$ is required to be larger than either 350 GeV or 400 GeV, depending on the data-taking period. These triggers are fully efficient for the offline event selection used in this analysis.

3. Theoretical prediction

The cross-sections for W or Z bosons associated with jets are calculated at next-to-leading order (NLO) using the MCFM Monte Carlo (MC) program [11]. The calculation uses the CT10 parton distribution function (PDF) set [12]. The calculated W production cross-section is approximately three times that of Z production. The total W and Z production cross-sections are then multiplied by the hadronic W and Z branching fractions [13] to obtain the prediction for the hadronic W+Z cross-section for $p_T>320$ GeV and $|\eta|<1.9$ of $\sigma_{W+Z}=5.1\pm0.5$ pb, where the uncertainty of the calculation is described below.

For the theoretical prediction the renormalization and factorization scales are dynamically set to $H_{\rm T}/2$ of the event, where $H_{\rm T} = \sum_{i=1}^n p_{{\rm T},i}$ is defined as the scalar sum of the $p_{{\rm T},i}$ of the n particles in the final state. The systematic uncertainty in the predicted cross-section due to higher-order corrections is estimated by independent variation of the renormalization and factorization scales between 0.5 and 2.0 times the nominal scale. Uncertainties in the prediction due to PDF uncertainties are computed from the 52 CT10 eigenvectors at 68% confidence level. The contribution due to the uncertainty in the value of the strong coupling constant $\alpha_{\rm S}$ is negligible. The total uncertainty in the theoretical prediction is computed by summing in quadrature the scale and the PDF uncertainties.

Although the calculation is performed at NLO, the prediction does not include contributions from radiative emissions of the quarks that originate from the W/Z boson decay or collinear W emission inside quark and gluon jets. The effect of a virtual photon is not included in the Z cross-section. The process $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q}$ is estimated to constitute a

negligible background. The W bosons from top-quark decays as well as the W/Z bosons from diboson production are considered as background to the measurement.

4. Data sample and Monte Carlo simulation

The data sample studied in this paper was recorded with the ATLAS detector at a pp centre-of-mass energy of 7 TeV in 2011, and corresponds to an integrated luminosity of $4.6 \pm 0.1 \text{ fb}^{-1}$ [14]. Only data taken with all relevant detector sub-systems operational are used. Following basic data-quality checks, further event cleaning is performed by demanding that jets used in the analysis do not originate from instrumental effects, such as large noise signals in one or several channels of the hadronic end-cap calorimeter, or coherent noise in the electromagnetic calorimeter, or from non-collision background. Events are also required to have a reconstructed collision vertex with at least three associated tracks, each with a transverse momentum greater than $400 \, \text{MeV}$.

Simulated event samples of vector-boson production and of jets with large transverse momentum produced via strong interactions are used in the analysis. They are simulated utilizing different event generators, parton showering and hadronization models and various tunes of other soft model parameters, such as those of the underlying event, in order to compare to the features of the selected events.

The default simulated W/Z signal events are generated using HERWIG 6.520 [15] interfaced to JIMMY 4.31 [16], using the modified MRST LO** PDF set [17, 18]. HERWIG 6.520 is based on a leading-order (LO) perturbative QCD calculation. The signal cross-sections are scaled by a K-factor of 1.25 to match the cross-section values predicted by an NLO perturbative QCD calculation using MCFM [11] with the CT10 PDF set [12] as quoted in section 3. For cross-checks and the study of systematic uncertainties, additional signal samples are generated using PYTHIA 8.153 [19] and PYTHIA 6.426 [20] with ATLAS Minimum Bias Tune 1 and 2B (AMBT1 and AMBT2B) [21]. PYTHIA 8.153 uses a LO CTEQ6L1 [22] PDF set and PYTHIA 6.426 uses a modified MRST LO** PDF set. The decay modes of the vector bosons included in the signal MC simulations are $W \to q\bar{q}'$ and $Z \to q\bar{q}$, where q, q' = u, c, d, s or b. The effect of virtual photon production is not included in the simulation of Z signal events.

The default QCD jet background events are generated with PYTHIA 8.153. Alternative background samples are also generated using HERWIG++ 2.6.3 [23], PYTHIA 6.426 with AMBT1, AMBT2B and PERUGIA 2011 [24] tunes and POWHEG 1.0 (patch 4) [25, 26]. HERWIG++ 2.6.3 uses a different hadronization model from HERWIG 6.520 and a modified MRST LO** PDF set. POWHEG 1.0 (patch 4) is based on an NLO calculation that is interfaced to the PYTHIA 6.426 showering routines; the CT10 NLO PDF set is used for the matrix element calculation and the CTEQ6L1 PDF set is used to generate the parton shower.

Top-quark pair events and single-top events in the Wt-channel are simulated with MC@NLO 4.03 [27] interfaced to HERWIG 6.520 and JIMMY 4.31 and using the CT10 PDF set. In addition, an alternative $t\bar{t}$ MC sample is generated using POWHEG 1.0 (patch 4). The top-quark pair production cross-section is scaled to match the calculated value from a next-to-next-to-leading-order calculation [28]. Single-top events in s- and t-channels are simulated with POWHEG 1.0 (patch 4). Simulation of diboson events (W^+W^- , $W^\pm Z$, ZZ, $W\gamma$ and $Z\gamma$) is performed with HERWIG 6.520 with the MRST LO** PDF.

All simulation samples are generated with pileup by overlaying simulated minimum bias events on each generated signal and background event. The number of overlaid events is simulated such that the distribution of the average number of interactions per *pp* bunch crossing in the simulation matches that observed in the data. This average varies with data-taking period and ranges typically between 4 and 16. The generated samples are processed through the GEANT4 [29] simulation of the ATLAS detector [30] and the standard ATLAS reconstruction software.

5. Jet reconstruction and selection

Jets are reconstructed using the anti- k_t algorithm [31] with a jet radius parameter R=0.6. Topological clusters [32] of energy deposits in the calorimeters are used as input to the clustering algorithm. The topological clusters are calibrated to the hadronic energy scale [33, 34]. Selected jets are required to have transverse momentum $p_T > 320 \,\text{GeV}$, pseudorapidity $|\eta| < 1.9$ and reconstructed jet mass $50 \,\text{GeV} < m_{\text{jet}} < 140 \,\text{GeV}$. Studies [7] show that for a hadronically decaying W/Z boson with $p_T > 320 \,\text{GeV}$, the angular separation of the decay products tends to less than R=0.6. The jet mass is calculated from the energies and momenta of the jet constituents as $m_{\text{jet}} = \sqrt{(\sum_i E_i)^2 - |\sum_i \vec{p_i}|^2}$ where E_i and $\vec{p_i}$ are the energy and three-momentum of the i^{th} constituent. At detector level, the jet constituents are the topological clusters that are considered massless.

In this measurement, hadronically decaying boosted W and Z bosons are identified using their reconstructed jet mass. The W(Z) jet mass distribution peaks around the W(Z) mass value, while the jet mass distribution from QCD jet events has a much broader spectrum. However, the QCD jet production cross-section is several orders of magnitude larger than the SM W+Z production cross-section. According to MC simulation, the data after the preselection consist almost entirely of QCD jets with a tiny fraction of signal events expected to be about 0.5%, and the jet mass alone does not provide sufficient discriminating power to distinguish W/Z jets from the large QCD jet background. A jet substructure method [1] based on cluster information evaluated in the jet centre-of-mass frame is used to suppress the QCD jet background while keeping most of the W/Z jets. The centre-of-mass frame (rest frame) of a jet is defined as the frame where the four-momentum of the jet is equal to $p_{\rm rest} \equiv (m_{\rm jet}, 0, 0, 0)$.

The topology of a W or Z jet in its centre-of-mass frame is expected to be different from that of a typical QCD jet. In the rest frame of a hadronically decaying W or Z boson, the constituent particles in most of the cases look like a back-to-back dijet event. On the other hand, a QCD jet acquires its mass through gluon (g) radiation and $g \to q\bar{q}$ splitting. In this case, the constituent particle distribution in the jet rest frame does not correspond to a physical state with a well-defined mass. Three jet-shape variables, all calculated using the energy clusters of a jet in its centre-of-mass frame, are studied: thrust minor [35, 36], sphericity [37] and aplanarity [37]. A value of thrust minor $T_{\min} = 0.5$ corresponds to an isotropic distribution of energies while $T_{\min} = 0$ indicates highly collimated energy deposits. The sphericity is defined such that it is bounded to be between 0 and 1 and the most isotropic events have values close to 1.0. The aplanarity takes values between 0 and 0.5 and isotropic events yield values near 0.5. The definitions of these shape variables are given in appendix A.

The distributions of the jet-shape variables are shown in figure 1 for the W/Z jet signal, QCD jet background and data. The distributions of the W/Z jet signal exhibit the characteristics




Figure 1. Unit area normalized distributions of the jet-shape variables and of the likelihood discriminant (L) for W/Z jet signal (blue solid, produced using HERWIG 6.520) and QCD jet background (dashed red, produced using PYTHIA 8.153) in the MC samples and data (black dots).

of a back-to-back two-body topology, while those of the QCD jet background indicate a more isotropic distribution. The comparison of aplanarity and sphericity in data with simulated QCD jet events shows excellent agreement while there are small discrepancies between the thrust minor distributions. The comparison of data with different event generators and sets of generator parameters has also been performed. Although none of the MC generators and tunes studied show full agreement with the data for all the shape variables, the data are always within the variations of the distributions between different MC samples.

To exploit the power of these variables to discriminate between W/Z jets and QCD jet background, a likelihood discriminant (L) is derived using the three jet-shape variables as inputs, where the correlations between the variables are ignored. The likelihood ratio L(i) for jet i is defined by

$$L(i) = -\ln \frac{\mathcal{L}_s(i)}{\mathcal{L}_s(i) + \mathcal{L}_b(i)},\tag{1}$$

with

$$\mathcal{L}_{s(b)}(i) = \prod_{k=1}^{3} p_{s(b),k}(x_k(i)),$$
(2)

where $p_{s(b),k}$ is the normalized signal (background) probability density function (pdf) based on the default MC samples for the k^{th} input variable x_k . The distributions of the likelihood discriminant are shown in figure 1 for W/Z jet signal, QCD jet background and data. For the final event selection, a cut on the likelihood discriminant is made: the optimal cut value is found by maximizing the statistical significance, $S/\sqrt{S+B}$, where S and B are respectively the numbers of W/Z jet signal candidates and QCD jet background candidates predicted by the simulation. Candidate jets are required to have L > 0.15, which corresponds to 56% signal efficiency and 89% background rejection rate. In 2.5% of the events in data, more than one jet candidate is found; all the jets candidates are considered in the measurement. After all the event selection criteria are applied, the final data sample consists of 590 617 selected jets.

6. W + Z cross-section measurement

6.1. Modelling of jet mass distributions

The W/Z jet signal yield is extracted using a binned maximum likelihood fit to the jet mass distribution of the selected jets in the data. The probability density functions for the W/Z signal and the background are modelled as follows.

The W jet and Z jet signal pdfs are each modelled as a Breit-Wigner function convolved with a Gaussian function in order to take into account detector resolution effects. Due to additional contributions from pileup, underlying event and hadronization, the peak positions of the reconstructed W and Z signal jets are higher than the masses of the W and Z bosons. The parameters of the signal pdfs: the peak positions, widths and relative fractions of the W and Z rates, are obtained from a fit to the selected W/Z jets in the simulated events. In the fit to the data, the only free parameter affecting the signal is the combined total rate of W and W bosons. In figure W in the jet mass distribution for W jets in simulation overlaid with the signal pdfs is shown.

The dominant background component in the jet mass distribution comes from the QCD jets. The QCD jet mass distributions in the default MC sample and the alternative samples using different MC generators and tunes described in section 4 are similar and can all be described by the same analytic function. The same function is used to describe the data. However, the values of the parameters of the function differ slightly between the various MC samples and can also be different for the data, and are therefore left free in the fit to the data. The jet mass distributions are parameterized by the sum of two exponential decay functions and a sigmoid function: $S(\bar{m}) = \bar{m}/\sqrt{1 + \bar{m}^2}$, where $\bar{m} = (m_{\rm jet} - m_0)/\sigma_m$; the parameters m_0 and σ_m represent the position of the inflection point of the sigmoid function and the slope at the inflection point respectively. In figure 2(b) the jet mass distribution for simulated QCD jet background and the fit result obtained using the background pdf are shown. The jet mass




Figure 2. Jet mass distribution in simulation for (a) hadronically decaying W and Z bosons, (b) QCD jet background and (c) hadronically decaying W bosons from top-quark pair events. The QCD jet background and W/Z signal distributions are fitted with the pdfs described in the text. The fit results are shown as solid lines. For the signal, the contributions from W (dotted line) and Z (dashed line) jets are shown. The distributions are normalized to the number of events expected in the dataset used and the uncertainties are statistical only.

distribution of the QCD jet background displays a shoulder structure that is described by the sigmoid function. This feature is related to the $p_{\rm T}$ and L requirements, the kinematics and internal structure of the selected jets, and to the distance parameter of the jet reconstruction algorithm. The variations of the shoulder structure observed in data with respect to different kinematic selection requirements and the distance parameter of the jet reconstruction algorithm are well reproduced in the MC simulation of QCD jet production.

To determine the direct W+Z production cross-section, background from top-quark decays to W bosons must be subtracted. The top-quark pair $(t\bar{t})$ component is modelled using a one-dimensional histogram based on the simulation, as shown in figure 2(c). After all the event




Figure 3. Jet mass distribution of the selected W/Z jets overlaid with the fit result (for illustration, the jets with $m_{\rm jet} > 140$ GeV are also shown). The fit range is limited to 50 GeV $< m_{\rm jet} < 140$ GeV. The background pdf component (dashed line), the signal pdf component (dotted line) and the total pdf (solid line) are shown. The data minus the fitted background component is shown in the inset.

selection criteria are applied, 2700 jets are predicted from the $t\bar{t}$ MC sample in the range of 50 GeV $< m_{\rm jet} < 140$ GeV. About half of these jets populate a peak near the signal region with some additional enhancement at higher jet mass, which is due to partial overlap of the W jet with a nearby b-jet. Since the peaking component of this background is small comparing to the expected signal yield, its yield and shape are fixed to the ones predicted by the simulation.

The contributions from other background sources such as single-top production and diboson (WW, WZ, ZZ, $W\gamma$ and $Z\gamma$) production are expected to be very small according to the simulation, but they also produce peaks similar to the signal. The simulation predicts 190 and 180 W/Z candidates from single-top production and diboson production respectively. These background components are not explicitly considered in the fit. Instead, their expected contributions are subtracted from the fitted signal yield.

6.2. Fit to the W/Z jet mass distribution

The observed jet mass distribution is fitted to the sum of W/Z signal and background pdfs. In addition to the combined W/Z signal yield, all the parameters of the QCD background pdf are allowed to float in the fit. They are: m_0 and σ_m of the sigmoid function $S(\bar{m})$; the slope parameters of the two exponential functions and the relative fractions of the sigmoid and the exponential components of the QCD background pdf.

The fit result is shown in figure 3. The χ^2 per degree of freedom of the fit is $\chi^2/\text{ndf} = 41.4/38$, which corresponds to a χ^2 -probability of 32%. The total number of W/Z jet

Table 1. Summary of the relative systematic uncertainties in the W+Z jet cross-section from different sources.

Sources	σ_{W+Z}
MC modelling	4.4%
Background pdf	8.8%
Signal pdf	5%
Jet energy scale	3.7%
Jet energy resolution	<1%
Jet mass scale	2.2%
Jet mass resolution	12.6%
$t\bar{t}$ contribution	2.8%
Single-top and diboson contribution	<1%
W and Z relative yield	2.9%
Luminosity	1.8%
Total	18%

signal events in the range 50 GeV $< m_{\rm jet} < 140$ GeV obtained from the fit, after subtracting the diboson and single-top contributions, is $N^{W+Z} = 14200 \pm 1300$, where the uncertainty is the statistical uncertainty in the fitted signal yield.

The cross-section is calculated using

$$\sigma_{W+Z} = N^{W+Z} / (\mathcal{L} \cdot \varepsilon), \tag{3}$$

where \mathcal{L} is the integrated luminosity. The efficiency ε is estimated from simulation using the HERWIG generator and is defined as $\varepsilon = N_{\rm reco}^{W+Z}/N_{\rm gen}^{W+Z}$ where $N_{\rm reco}^{W+Z}$ is the number of W and Z jets in simulation passing the selection cuts and $N_{\rm gen}^{W+Z}$ is the number of generated W and Z bosons with transverse momentum $p_{\rm T} > 320$ GeV and pseudorapidity $|\eta| < 1.9$ at the generator level. The efficiency is estimated to be 0.36 ± 0.02 , where the uncertainty is due to the jet energy scale, jet energy resolution, and the variation between the efficiencies provided by the different MC generators and settings of generator parameters; these uncertainties are discussed later. The sum of the W and Z hadronic cross-sections is measured to be

$$\sigma_{W+Z} = 8.5 \pm 0.8$$
 (stat.) pb,

for W and Z bosons with $p_T > 320 \text{ GeV}$ and $|\eta| < 1.9$, where the uncertainty here is statistical only.

6.3. Systematic uncertainties

The systematic uncertainty in the measured cross-section has contributions from the various sources listed in table 1.

The uncertainty in the selection efficiency due to the choice of generator and setting of generator parameters for the simulation is estimated by using the alternative MC samples described in section 4. The RMS spread in the efficiencies obtained from various generators and configurations with respect to the default ones is taken as the uncertainty.

In order to estimate the systematic uncertainty due to the choice of QCD background pdf, the fit to the data is repeated with different background models that include: adding an exponential term to the default background pdf; removing one of the two exponential terms from the default background pdf; replacing $S(\bar{m})$ in the default background pdf with a different sigmoid function, such as the complementary error function erfc (\bar{m}) , the hyperbolic tangent $\tanh(\bar{m})$, or the arctangent arctan (\bar{m}) . All the fits including alternative background models describe the data reasonably well and have a χ^2 -probability larger than 1%. The largest deviation of the fitted signal yield using different background pdfs with respect to the nominal fit is taken as the corresponding systematic uncertainty.

The uncertainty in the fitted signal yield due to the choice of the signal pdf is obtained by repeating the fit using one-dimensional histograms based on alternative MC simulations to model the signal pdf. The largest deviation of the signal yield with respect to the nominal fit is assigned as systematic uncertainty.

The robustness of the fit has been studied with ensembles of pseudo-datasets composed of background and signal events obtained from the MC simulation. The number of background events is set to the value predicted by the simulation. The number of signal events is varied in the ensembles between zero and the signal yield observed in data. Fits to each of the pseudo-datasets with the default signal and background model are performed. No bias in the fitted signal yields with respect to the number of signal events present in the pseudo-datasets is observed.

Uncertainties in the simulation of the detector response are taken into account using dedicated studies of the reconstructed jets. The uncertainties considered are associated with (a) the jet energy scale, (b) the jet energy resolution, (c) the jet mass scale and (d) the jet mass resolution. The systematic uncertainties on the difference between the jet energy scale (JES) [38] in data and simulation are derived using a variety of studies based on in situ measurements and simulation. The uncertainty in the measured cross-section due to (a) the JES uncertainty is evaluated by computing the signal efficiency using alternative signal MC simulation in which the jet energy is modified by one sigma. The jet energy resolution (JER) [39] is studied in dijet events in data and compared to simulation. The uncertainties in the measured cross-section due to (b) the JER is evaluated by computing the signal efficiency using a simulated signal sample which has been modified by applying a Gaussian smearing of the energy resolution function according to the maximum degradation allowed by the JER measurement from data. The uncertainty in the measured cross-section due to (c) the jet mass scale is obtained from data through the introduction of a common offset Δm to the W and Z signal pdf models (offset to the means of the Breit-Wigner functions) as a free parameter in the fit. The fitted value of the offset is $\Delta m = -0.45 \pm 0.86$ GeV, compatible with zero within the statistical uncertainty. The fit to the data is repeated with the value of Δm fixed to -1.31 GeV or 0.41 GeV. The larger deviation of the fitted signal yield with respect to the nominal fit is taken as the corresponding systematic uncertainty. This estimate of the systematic uncertainty has been cross-checked with a different technique using jets composed from tracks geometrically matched to calorimeter jets [6]. The uncertainty in the measured cross-section due to (d) the jet mass resolution uncertainty is obtained by studying the jet mass resolution in simulation. The generators and setting of generator parameters described in section 4 are used to study the effect of the parton shower and the hadronization model on the mass resolution. When a different parton shower or hadronization model is used, a change of 9% in the mass resolution is observed. Instrumental effects are considered using a simulation of the ATLAS detector with a different amount of passive material. The detector response is also studied in a simulation where a different modelling of interactions of high-energy hadrons is implemented [40–42]. The instrumental

effects studied produce a change in the mass resolution of the order of 1%. The total systematic uncertainty due to the jet mass resolution is obtained by adding in quadrature the uncertainties from the above-mentioned sources, and the fit to the data is repeated with an increased and decreased value of the peak resolution. The larger deviation of the fitted signal yield with respect to the nominal fit is taken as the corresponding systematic uncertainty.

Uncertainties in the fitted signal yield due to the $t\bar{t}$ contribution are assessed by changing the expected $t\bar{t}$ contribution within the theoretical uncertainty in the inclusive top-quark pair production cross-section [28] in the fit, and by repeating the fit using alternative $t\bar{t}$ MC samples generated with different initial/final state radiation settings or with a different algorithm (POWHEG 1.0 (patch 4)). The deviations in the fitted signal yield with respect to the nominal fit result are added in quadrature and taken as the corresponding systematic uncertainty. Similarly, the small expected single-top and diboson yields are varied by $\pm 50\%$. The shifts in the signal yield are assigned as systematic uncertainties.

Theoretical uncertainties in the fitted signal yield arise from fixing the ratio of the W to Z event yield in the fit. The fit is repeated varying the relative signal yield of W and Z bosons within its theoretical uncertainty of 2% [11] and the fitted yield variation with respect to the nominal fit result is assigned as a systematic uncertainty.

The uncertainty in the luminosity is 1.8% [14]. Other systematic sources considered in the measurement include the finite size of the MC sample, and pileup effects. All of them are found to have negligible effects on the measurement (<1%). The total systematic uncertainty in the cross-section measurement is calculated to be 18% by adding all the systematic uncertainties in quadrature. The total systematic uncertainty is dominated by the uncertainty in the jet mass resolution.

6.4. W + Z cross-section result

The sum of the cross-sections of W and Z bosons decaying hadronically is measured to be

$$\sigma_{W+Z} = 8.5 \pm 0.8 \text{ (stat.)} \pm 1.5 \text{ (syst.) pb},$$

for W and Z bosons with $p_T > 320 \text{ GeV}$ and $|\eta| < 1.9$.

The measured cross-section is found to be in agreement with the theoretical prediction, based on an NLO MCFM calculation for W/Z production in association with jets, of $\sigma_{W+Z} = 5.1 \pm 0.5$ pb within 2 standard deviations. The uncertainty in the theoretical cross-section represents missing higher-order contributions estimated by varying the factorization and renormalization scales and uncertainties in the PDF of the proton, as detailed in section 3.

7. Study of the effects of various jet grooming techniques

The event sample, selected as described in section 5, constitutes a sample of jets containing a relatively high fraction of boosted W and Z bosons decaying hadronically. It is interesting to use such a sample to study the performance of various proposed jet grooming techniques. The grooming techniques studied here are pruning [43] and trimming [44], designed to suppress soft QCD radiation in jets, and area subtraction [45] designed to correct for the effects of pileup. The grooming techniques and their implementation are described in detail in appendix B.




Figure 4. The jet mass distributions (a) in the MC samples (PYTHIA 8.153 for background plus HERWIG 6.520 for signal) and data and (b) for signal only, after cuts on the likelihood ratios calculated from the ungroomed, pruned, trimmed and area subtracted jet-shape variables are applied.

7.1. Methodology

The grooming algorithms are applied to jets that pass the selection for the cross-section measurement except for the likelihood ratio requirement. The pruning and trimming algorithms reduce the jet constituents used in the calculation of the likelihood ratio and jet mass. For these grooming algorithms, likelihood ratios ($L_{\rm pruned}$ and $L_{\rm trimmed}$) are calculated after grooming. The cut values after pruning or trimming ($L_{\rm pruned} > 0.16$ and $L_{\rm trimmed} > 0.16$) are chosen to obtain the same background rejection (89%) as the cut on L for the ungroomed jets. The cuts on $L_{\rm pruned}$ and $L_{\rm trimmed}$ are applied to the pruned and trimmed jets respectively, and the jet mass distributions are studied. For the area subtraction algorithm, the default jet selection including the L requirement is used, but the jet mass is recalculated after the estimated pileup contribution is subtracted from the jet. No attempt is made to optimize the analysis for the grooming techniques studied.

7.2. Jet mass distributions

The jet mass distributions obtained after cutting on the new likelihood ratios (for trimming and pruning) or pileup subtraction (for area subtraction) are shown in figure 4(a). Jet grooming causes an average shift to lower jet masses. A reduction in the number of selected jets with masses above 50 GeV by about 50% compared to the ungroomed case is observed after trimming and pruning and by 15% after area subtraction. The shoulder structure in the mass distribution of the QCD jet background is still present after jet grooming.

Figure 4(b) shows the mass distribution for simulated W/Z jet signal events after jet grooming. For area subtraction, the mean of the jet mass distribution is shifted lower by about 6 GeV and the number of selected jets is unchanged. After trimming and pruning, the mean is shifted lower by 8 GeV and 9 GeV respectively, and the number of selected jets is reduced by about 30%. The ratio of the width to the mean of the W/Z jet mass distribution does not change significantly with grooming.

The shapes of the mass distributions of the selected jets in data are compared with simulation in figure 4(a). For the simulated jets, the predicted mass distributions of the W/Z jets




Figure 5. The jet mass distributions for low-pileup ($N_{\rm vtx}$ < 5) and high-pileup ($N_{\rm vtx}$ > 10) conditions in MC (PYTHIA 8.153 for background plus HERWIG 6.520 for signal) and data, where $N_{\rm vtx}$ is defined as the number of reconstructed collision vertices in an event. The cases without grooming, after applying pruning, trimming and area subtraction are shown. The uncertainties are statistical only.

and the QCD jets are added. The normalization of the W/Z jets sample is kept fixed to the NLO prediction described in section 3, while the normalization of the QCD jets sample is adjusted such that the total number of selected jets in the simulation and the data agree. The normalized PYTHIA 8.153 QCD jet Monte Carlo and HERWIG 6.520 W/Z signal Monte Carlo provide reasonable descriptions of the groomed mass distributions while the ungroomed distribution is well described.

The statistical significance of the W+Z signal (assuming the theoretically predicted cross-section) remains about the same before and after grooming. For trimming and pruning, the reduction of background is offset by a loss in signal efficiency, while for area subtraction, the jet mass distributions remain similar, in the signal region, to the ungroomed sample. While systematic uncertainties have not been evaluated, the W+Z cross-section determined from the groomed jet samples, using the technique described in section 6, gives results compatible with that given in section 6.4 within statistical uncertainties.

7.3. Pileup dependence

Figure 5(a) shows the effect of pileup on the mass distributions of the ungroomed jets in data and simulation. Events with fewer than five reconstructed collision vertices are defined as low-pileup

 $(N_{\rm vtx} < 5)$, events with more than ten as high-pileup $(N_{\rm vtx} > 10)$. The low- and high-pileup distributions differ significantly. The effect of pileup in data is well described by the simulation.

Figures 5(b)–(d) show the same distributions for the pruned, trimmed and area subtracted jet samples. The mass distributions after grooming are significantly less sensitive to pileup. The low- and high-pileup distributions for groomed jets are nearly identical both in data and simulation.

8. Conclusion

This paper presents a measurement of the production cross-section of a hadronically decaying boosted W or Z boson with transverse momentum $p_T > 320$ GeV and pseudorapidity $|\eta| < 1.9$ in pp collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector at the LHC. The measurement is performed by reconstructing boosted W and Z bosons in single jets. The reconstructed jet mass is used to identify the W and Z bosons and a jet substructure method based on energy cluster information in the jet centre-of-mass frame is used to suppress the large multi-jet background. The measured cross-section is:

$$\sigma_{W+Z} = 8.5 \pm 0.8 \text{ (stat.)} \pm 1.5 \text{ (syst.) pb.}$$

The measured value is found to be in agreement with the theoretical prediction for the same kinematic range of $\sigma_{W+Z} = 5.1 \pm 0.5$ pb, obtained from the NLO QCD calculation, within 2 σ . The total uncertainty in the measured cross-section is of the same order of magnitude as the uncertainties in measurements performed with leptonic decay channels for a similar kinematic region [2–4].

The performance of jet grooming techniques has been studied in the context of this analysis. With comparable cuts on the likelihood ratio and no attempt to optimize the analysis for groomed jets, the signal significance is similar for groomed and ungroomed jets. Jet grooming significantly reduces the sensitivity to pileup, which will be important in later data taking at the LHC, where much higher pileup is expected. In general, the effects of grooming are reasonably well described with PYTHIA 8.153 QCD jet Monte Carlo simulation and HERWIG 6.520 W/Z signal Monte Carlo simulation.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently. We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR,

Slovakia; ARRS and MIZŠ Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America. The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

Appendix A. Definitions of jet-shape variables

In the following the definitions of the jet-shape variables used in the W+Z cross-section measurement are given.

• Thrust minor: the thrust axis [35, 36] of a jet in its centre-of-mass frame, \hat{T} , is defined as the direction which maximizes the sum of the longitudinal momenta of the energy clusters. The thrust minor [35, 36], T_{\min} , is related to this direction and is defined as

$$T_{\min} = \frac{\sum_{i} \left| \vec{p}_{i} \times \hat{T} \right|}{\sum_{i} \left| \vec{p}_{i} \right|},\tag{A.1}$$

where \vec{p}_i are the momenta of the energy clusters in the jet rest frame. $T_{\min} = 0$ corresponds to a highly directional distribution of the energy clusters, and $T_{\min} = 0.5$ corresponds to an isotropic distribution.

• Sphericity: the sphericity tensor [37] is defined as

$$S^{\alpha\beta} = \frac{\sum_{i} p_{i}^{\alpha} p_{i}^{\beta}}{\sum_{i} |\vec{p}_{i}|^{2}},\tag{A.2}$$

where α and β correspond to the x, y and z components of the momenta of the energy clusters in the jet rest frame. By standard diagonalization of $S^{\alpha\beta}$ one may find three eigenvalues $\lambda_1 \ge \lambda_2 \ge \lambda_3$, with $\lambda_1 + \lambda_2 + \lambda_3 = 1$. The sphericity is then defined as

$$S = \frac{3}{2} \left(\lambda_2 + \lambda_3 \right). \tag{A.3}$$

Sphericity is a measure of the summed squares of transverse momenta of all the energy clusters with respect to the jet axis. By construction $0 \le S \le 1$. A jet with two back-to-back subjets in its rest frame has S = 0, and S = 1 indicates an isotropic distribution of the energy clusters.

• Aplanarity: the aplanarity [37] is defined as

$$A = \frac{3\lambda_3}{2},\tag{A.4}$$

and is constrained to the range $0 \le A \le \frac{1}{2}$. A highly directional distribution of the energy clusters has A = 0, and A = 0.5 corresponds to an isotropic distribution.

Appendix B. Jet grooming algorithms

The three algorithms studied in this paper behave in different ways with respect to the treatment of the constituents of the W/Z jet candidates. The pruning [43] and trimming [44] algorithms start from the constituents of the anti- k_t jets and remove those with kinematic characteristics compatible with coming from soft radiation. These modified lists of jet constituents are used to recalculate the jet-shape variables. In the trimming algorithm the jet is clustered in subjets, and those with small transverse energies are removed. Its main parameters are R_{sub} , defined as the radius parameter of the subjets obtained after reclustering the jet constituents (using the k_t algorithm), and $f_{\rm cut}$, corresponding to the minimum fraction of the initial jet transverse momentum carried by the subjets that are retained. The pruning algorithm uses an iterative jet reclustering method with parameter $R_{\rm cut}$, defined as the maximum allowed separation between the subjet and the jet, in order to remove large-angle radiation. Denoting by p_i the transverse momentum of a subjet, and p that of the jet, only the subjets with fractional transverse momentum p_i/p larger than a parameter z_{cut} are retained. Several possible choices of parameters were tested in this study; among them the values $\{R_{\text{sub}} = 0.2, f_{\text{cut}} = 0.03\}$ for trimming, and $\{R_{\text{cut}} = 0.3 \text{ and } z_{\text{cut}} = 0.02\}$ for pruning were selected, since they give good discrimination between W/Z jet signal and background with minimal modification of the jet mass distribution for the background.

The contributions to jet energies from the underlying event and pileup have large fluctuations from event to event. The jet area subtraction technique [45] is based on the idea that these contributions can be determined on an event-by-event basis from all jets in the event. For each event, the distribution of transverse energy densities is calculated from all jets with $|\eta| < 2.1$. The transverse energy density of a jet is defined as the ratio of its transverse energy to its area. The median of this distribution is taken as an estimate of the energy density of the pileup and the underlying event. For each jet, the jet transverse energy is corrected by subtracting the product of the transverse energy density and the jet area from it. The technique results in a modification of the jet four-momentum, including the jet mass. The jet area is determined with the 'active' area calculation technique [45], where a large number of infinitely soft particles, so-called ghosts, distributed evenly in the (η, ϕ) plane are included in the jet clustering. The jet area is determined from the number of ghosts that are clustered in the jet.

References

- [1] Chen C 2012 New approach to identifying boosted hadronically-decaying particles using jet substructure in its center-of-mass frame *Phys. Rev.* D **85** 034007
- [2] ATLAS Collaboration 2012 Study of jets produced in association with a W boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector Phys. Rev. D 85 092002
- [3] ATLAS Collaboration 2013 Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector J. High Energy Phys. JHEP07(2013)032
- [4] CMS Collaboration 2012 Measurement of the rapidity and transverse momentum distributions of Z bosons in pp Collisions at $\sqrt{s} = 7$ TeV Phys. Rev. D 85 032002
- [5] ATLAS Collaboration 2012 Measurement of the cross section of high transverse momentum $Z \to b\bar{b}$ production in proton–proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector *Phys. Lett.* B **85** 032002

A second method known as the 'Voronoi' area technique was found to yield very similar results.

- [6] ATLAS Collaboration 2012 Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment J. High Energy Phys. JHEP05(2012)128
- [7] ATLAS Collaboration 2013 Performance of jet substructure techniques for large-R jets in proton-proton collisions at \sqrt{s} =7 TeV using the ATLAS detector J. High Energy Phys. JHEP09(2013)076
- [8] CMS Collaboration 2012 Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state J. High Energy Phys. JHEP09(2012)029
- [9] CDF Collaboration 2012 Study of Substructure of High Transverse Momentum Jets Produced in Proton-Antiproton Collisions at $\sqrt{s} = 1.96$ TeV *Phys. Rev.* D **85** 091101
- [10] ATLAS Collaboration 2008 The ATLAS Experiment at the CERN Large Hadron Collider JINST 3 S08003
- [11] Campbell J M and Ellis R K 1999 Update on vector boson pair production at hadron colliders *Phys* . *Rev*. D **60** 113006
- [12] Lai H-L et al 2010 New parton distributions for collider physics Phys. Rev. D 82 074024
- [13] Beringer J et al (Particle Data Group) 2012 Review of Particle Physics (RPP) Phys. Rev. D 86 010001
- [14] ATLAS Collaboration 2013 Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC *Eur. Phys. J.* C **73** 2518
- [15] Corcella G *et al* 2001 HERWIG 6: An Event generator for hadron emission reactions with interfering gluons (including supersymmetric processes) *J. High Energy Phys.* JHEP01(2001)010
- [16] Butterworth J M, Forshaw J R and Seymour M H 1996 Multiparton interactions in photoproduction at HERA Z. Phys. C 72 637
- [17] Sherstnev A and Thorne R S 2008 Parton Distributions for LO Generators Eur. Phys. J. C 55 553
- [18] Sherstnev A and Thorne R S 2008 Different PDF approximations useful for LO Monte Carlo generators (arXiv:0807.2132)
- [19] Sjostrand T, Mrenna S and Skands P Z 2008 A Brief Introduction to PYTHIA 8.1 *Comput. Phys. Commun.* 178 852
- [20] Sjostrand T, Mrenna S and Skands P Z 2006 PYTHIA 6.4 physics and manual *J. High Energy Phys.* JHEP05 (2006)026
- [21] ATLAS Collaboration 2011 Charged-particle multiplicities in *pp* interactions measured with the ATLAS detector at the LHC *New J. Phys.* **13** 053033
- [22] Pumplin J et al 2002 New generation of parton distributions with uncertainties from global QCD analysis J. High Energy Phys. JHEP07(2002)012
- [23] Bahr M et al 2008 Herwig++ physics and manual Eur. Phys. J. C 58 639
- [24] Skands P Z 2010 Tuning Monte Carlo generators: the Perugia tunes Phys. Rev. D 82 074018
- [25] Alioli S, Nason P, Oleari C and Re E 2010 A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX *J. High Energy Phys.* JHEP06(2010)043
- [26] Alioli S, Hamilton K, Nason P, Oleari C and Re E 2011 Jet pair production in POWHEG *J. High Energy Phys.* JHEP04(2011)081
- [27] Frixione S and Webber B R 2002 Matching NLO QCD computations and parton shower simulations *J. High Energy Phys.* JHEP06(2002)029
- [28] Czakon M, Fiedler P and Mitov A 2013 Total top-Quark pair-production cross section at Hadron colliders through $O(\alpha_S^4)$ *Phys. Rev. Lett.* **110** 252004
- [29] GEANT4 Collaboration 2003 GEANT4-a simulation toolkit Nucl. Instrum. Meth. A 506 250
- [30] ATLAS Collaboration 2010 The ATLAS Simulation Infrastructure Eur. Phys. J. C 70 823
- [31] Cacciari M, Salam G P and Soyez G 2008 The anti- k_t jet clustering algorithm *J. High Energy Phys.* JHEP04 (2008)063
- [32] ATLAS Collaboration 2011 Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector *Eur. Phys. J.* C **71** 1512
- [33] ATLAS Collaboration 2013 Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC *Eur. Phys. J.* C **73** 2305

- [34] ATLAS Collaboration 2013 Jet energy measurement and its systematic uncertainty in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector (arXiv:1406.0076)
- [35] Brandt S, Peyrou Ch, Sosnowski R and Wroblewski A 1964 The principal axis of jets–an attempt to analyze high-energy collisions as two-body processes *Phys. Lett.* **12** 57
- [36] Farhi E 1977 Quantum chromodynamics test for jets Phys. Rev. Lett. 39 1587
- [37] Bjorken J D and Brodsky S J 1970 Statistical model for electron-positron annihilation into Hadrons *Phys. Rev.* D **1** 1416
- [38] ATLAS Collaboration 2013 Jet energy measurement with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV *Eur. Phys. J.* C **73** 2304
- [39] ATLAS Collaboration 2013 Jet energy resolution in proton-proton collisions at $\sqrt{s} = 7$ TeV recorded in 2010 with the ATLAS detector *Eur. Phys. J.* C **73** 2306
- [40] Andersson B, Gustafson G and Pi H 1993 The FRITIOF model for very high-energy hadronic collisions Z. Phys. C 57 485
- [41] Heikkinen A, Stepanov N and Wellisch J P 2003 Bertini intranuclear cascade implementation in GEANT4 Computing in High Energy and Nuclear Physics (24–28 March, La Joila, CA) MOMT008
- [42] Amelin N S, Gudima K K and Toneev V D 1990 Quark–gluon string model and ultrarelativistic heavy ion interactions (In German) *Sov. J. Nucl. Phys* **51** 327
- [43] Ellis S D, Vermilion C K and Walsh J R 2010 Recombination algorithms and jet substructure: pruning as a tool for heavy particle searches *Phys. Rev.* D **81** 094023
- [44] Krohn D, Thaler J and Wang L-T 2010 Jet trimming J. High Energy Phys. JHEP02(2010)084
- [45] Cacciari M and Salam G P 2008 Pileup subtraction using jet areas Phys. Lett. B 659 119

The ATLAS Collaboration

G Aad⁸⁴, T Abajyan²¹, B Abbott¹¹², J Abdallah¹⁵², S Abdel Khalek¹¹⁶, O Abdinov¹¹, R Aben¹⁰⁶, B Abi¹¹³, M Abolins⁸⁹, O S AbouZeid¹⁵⁹, H Abramowicz¹⁵⁴, H Abreu¹³⁷, Y Abulaiti^{147a,147b}, B S Acharya^{165a,165b,180}, L Adamczyk^{38a}, D L Adams²⁵, T N Addy⁵⁶, J Adelman¹⁷⁷, S Adomeit⁹⁹, T Adye¹³⁰, T Agatonovic-Jovin^{13b}, J A Aguilar-Saavedra^{125a,125f}, M Agustoni¹⁷, S P Ahlen²², F Ahmadov^{64,181}, G Aielli^{134a,134b}, T P A Åkesson⁸⁰, G Akimoto¹⁵⁶, A V Akimov⁹⁵, J Albert¹⁷⁰, S Albrand⁵⁵, M J Alconada Verzini⁷⁰, M Aleksa³⁰, I N Aleksandrov⁶⁴, C Alexa^{26a}, G Alexander¹⁵⁴, G Alexandre⁴⁹, T Alexopoulos¹⁰, M Alhroob^{165a,165c}, G Alimonti^{90a}, L Alio⁸⁴, J Alison³¹, B M M Allbrooke¹⁸, L J Allison⁷¹, P P Allport⁷³, S E Allwood-Spiers⁵³, J Almond⁸³, A Aloisio^{103a,103b}, R Alon¹⁷³, A Alonso³⁶, F Alonso⁷⁰, C Alpigiani⁷⁵, A Altheimer³⁵, B Alvarez Gonzalez⁸⁹, M G Alviggi^{103a,103b}, K Amako⁶⁵, Y Amaral Coutinho^{24a}, C Amelung²³, V Ammosov^{129,220}, S P Amor Dos Santos^{125a,125c}, A Amorim^{125a,125b}, S Amoroso⁴⁸, N Amram¹⁵⁴, G Amundsen²³, C Anastopoulos¹⁴⁰, L S Ancu¹⁷, N Andari³⁰, T Andeen³⁵, C F Anders^{58b}, G Anders³⁰, K J Andreson³¹, A Andreazza^{90a,90b}, V Andrei^{58a}, X S Anduaga⁷⁰, S Angelidakis⁹, P Anger⁴⁴, A Angerami³⁵, F Anghinolfi³⁰, A V Anisenkov¹⁰⁸, N Anjos^{125a}, A Annovi⁴⁷, A Antonovi⁴⁷, A Antonovi⁴⁷, A Antonovi⁴⁷, A Artamonov⁹⁷, J Antos^{145b}, F Anulli^{133a}, M Aoki⁶⁵, L Aperio Bella¹⁸, R Apolle^{119,182}, G Arabidze⁸⁹, I Aracena¹⁴⁴, Y Arai⁶⁵, A T H Arce⁴⁵, J-F Arguin⁹⁴, S Argyropoulos⁴², E Arik^{19a,220}, M Arik^{19a}, A J Armbruster³⁰, O Arnaez⁸², V Arnal⁸¹, O Arslan²¹, A Artamonov⁹⁶, G Artoni²³, S Asai¹⁵⁶, N Asbah⁹⁴, S Ask²⁸, B Åsman^{147a,147b}, L Asquith⁶, K Assamagan²⁵, R Astalos^{145a}, A Astbury¹⁷⁰, M Atkinson¹⁶⁶, N B Allay¹⁴², B Auerbach⁶, E Auge¹¹⁶, K Augsten¹²⁷, M Aurousseau^{146b}, G Avolio³⁰, G Azuelos^{94,183}, Y Azuma¹⁵⁶

A Bangert¹⁵¹, V Bansal¹⁷⁰, H S Bansil¹⁸, L Barak¹⁷³, S P Baranov⁹⁵, T Barber⁴⁸, E L Barberio⁸⁷, D Barberis^{50a,50b}, M Barbero⁸⁴, T Barillari¹⁰⁰, M Barisonzi¹⁷⁶, T Barklow¹⁴⁴, N Barlow²⁸, B M Barnett¹³⁰, R M Barnett¹⁵, A Baroncelli^{135a}, G Barone⁴⁹, A J Barr¹¹⁹, F Barreiro⁸¹, J Barreiro Guimarães da Costa⁵⁷, R Bartoldus¹⁴⁴, A E Barton⁷¹, P Bartos^{145a}, V Bartsch¹⁵⁰, A Bassalat¹¹⁶, A Basye¹⁶⁶, R L Bates⁵³, L Batkova^{145a}, J R Batley²⁸, M Battistin³⁰, F Bauer¹³⁷, H S Bawa^{144,184}, T Beau⁷⁹, P H Beauchemin¹⁶², R Beccherle^{123a,123b}, P Bechtle²¹, H P Beck¹⁷, K Becker¹⁷⁶, S Becker⁹⁹, M Beckingham¹³⁹, A J Beddall^{19c}, A Beddall^{19c}, S Bedikian¹⁷⁷, V A Bednyakov⁶⁴, C P Bee¹⁴⁹, L J Beemster¹⁰⁶, T A Beermann¹⁷⁶, M Begel²⁵, K Behr¹¹⁹, C Belanger-Champagne⁸⁶, P J Bell⁴⁹, W H Bell⁴⁹, G Bella¹⁵⁴, L Bellagamba^{20a}, A Bellerive²⁹, M Bellomo⁸⁵, A Belloni⁵⁷, K Belotskiy⁹⁷, O Beltramello³⁰, O Benary¹⁵⁴, D Benchekroun^{136a}, K Bendtz^{147a,147b}, N Benekos¹⁶⁶, Y Benhammou¹⁵⁴, E Benhar Noccioli⁴⁹, J A Benitez Garcia^{160b}, D P Benjamin⁴⁵, J R Bensinger²³, K Benslama¹³¹, S Bentvelsen¹⁰⁶, D Berge¹⁰⁶, E Bergeas Kuutmann¹⁶, N Berger⁵, F Berghaus¹⁷⁰, E Berglund¹⁰⁶, J Beringer¹⁵, C Bernard²², P Bernat⁷⁷, C Bernius⁷⁸, F U Bernlochner¹⁷⁰, T Berry⁷⁶, P Berta¹²⁸, C Bertella⁸⁴, F Bertolucci^{123a,123b}, M I Besana^{90a}, G J Besjes¹⁰⁵, O Bessidskaia^{147a,147b}, N Besson¹³⁷, C Betancourt⁴⁸, S Bethke¹⁰⁰, W Bhimji⁴⁶, R M Bianchi¹²⁴, L Bianchini²³, M Bianco³⁰, O Biebel⁹⁹, S P Bieniek⁷⁷, K Bierwagen⁵⁴, J Biesiada¹⁵, M Biglietti^{135a}, J Bilbao De Mendizabal⁴⁹, H Bilokon⁴⁷, M Bindi^{20a,20b}, S Binet¹¹⁶, A Bingul^{19c}, C Bini^{133a,133b}, C W Black¹⁵¹, J E Black¹⁴⁴, K M Black²², D Blackburn¹³⁹, R E Blair⁶, J-B Blanchard¹³⁷, T Blazek^{145a}, I Bloch⁴², C Blocker²³, W Blum^{82,220}, U Blumenschein⁵⁴, G J Bobbink¹⁰⁶, V S Bobrovnikov¹⁰⁸, S S Bocchetta⁸⁰, A Bocci⁴⁵, C R Boddy¹¹⁹, M Boehler⁴⁸, J Boek¹⁷⁶, T T Boek¹⁷⁶, J A Bogaerts³⁰, A G Bogdanchikov¹⁰⁸, A Bogouch^{91,220}, C Bohm^{147a}, J Bohm¹²⁶, V Boisvert⁷⁶, T Bold^{38a}, V Boldea^{26a}, A S Boldyrev⁹⁸, N M Bolnet¹³⁷, M Bomben⁷⁹, M Bona⁷⁵, M Boonekamp¹³⁷, A Borisov¹²⁹, G Borissov⁷¹, M Borri⁸³, S Borroni⁴², J Bortfeldt⁹⁹, V Bortolotto^{135a,135b}, K Bos¹⁰⁶, D Boscherini^{20a}, M Bosman¹², H Boterenbrood¹⁰⁶, J Boudreau¹²⁴, J Bouffard², E V Bouhova-Thacker⁷¹, D Boumediene³⁴, C Bourdarios¹¹⁶, N Bousson⁸⁴, S Boutouil^{136d}, A Boveia³¹, J Boyd³⁰, I R Boyko⁶⁴, I Bozovic-Jelisavcic^{13b}, J Bracinik¹⁸, P Branchini^{135a}, A Brandt⁸, G Brandt¹⁵, O Brandt^{58a}, U Bratzler¹⁵⁷, B Brau⁸⁵, J E Brau¹¹⁵, H M Braun^{176,220}, S F Brazzale^{165a,165c}, B Brelier¹⁵⁹, K Brendlinger¹²¹, A J Brennan⁸⁷, R Brenner¹⁶⁷, R Brenner¹⁶⁷, R Brenner¹⁶⁷, R Brenner¹⁶⁸, R Brenner¹⁶⁸, R Brenner¹⁶⁹, R Brenner S Bressler¹⁷³, K Bristow^{146c}, T M Bristow⁴⁶, D Britton⁵³, F M Brochu²⁸, I Brock²¹, R Brock⁸⁹, C Bromberg⁸⁹, J Bronner¹⁰⁰, G Brooijmans³⁵, T Brooks⁷⁶, W K Brooks^{32b}, J Brosamer¹⁵, E Brost¹¹⁵, G Brown⁸³, J Brown⁵⁵, P A Bruckman de Renstrom³⁹, D Bruncko^{145b}, R Bruneliere⁴⁸, S Brunet⁶⁰, A Bruni^{20a}, G Bruni^{20a}, M Bruschi^{20a}, L Bryngemark⁸⁰, T Buanes¹⁴, Q Buat¹⁴³, F Bucci⁴⁹, P Buchholz¹⁴², R M Buckingham¹¹⁹, A G Buckley⁵³, S I Buda^{26a}, I A Budagov⁶⁴, F Buehrer⁴⁸, L Bugge¹¹⁸, M K Bugge¹¹⁸, O Bulekov⁹⁷, A C Bundock⁷³, H Burckhart³⁰, S Burdin⁷³, B Burghgrave¹⁰⁷, S Burke¹³⁰, I Burmeister⁴³, E Busato³⁴, V Büscher⁸², P Bussey⁵³, B Burghgrave 107, S Burke 108, I Burmeister 108, E Busato 109, V Buscher 109, P Bussey 109, C P Buszello 167, B Butler 57, J M Butler 229, A I Butt 3, C M Buttar 53, J M Butterworth 77, W Buttinger 28, A Buzatu 53, M Byszewski 10, S Cabrera Urbán 168, D Caforio 20a, 20b, O Cakir 4a, P Calafiura 15, G Calderini 79, P Calfayan 99, R Calkins 107, L P Caloba 24a, R Caloi 133a, 133b, D Calvet 34, S Calvet 34, R Camacho Toro 49, D Cameron 118, L M Caminada 15, R Caminal Armadans 12, S Campana 30, M Campanelli 77, A Campoverde 149, V Canale 103a, 103b, F Canelli 31, A Canepa 160a, J Cantero 81, R Cantrill 76, T Cao 40, M D M Capeans Garrido 30, I Caprini 26a, M Cap M Capua^{37a,37b}, R Caputo⁸², R Cardarelli^{134a}, T Carli³⁰, G Carlino^{103a}, L Carminati^{90a,90b}, S Caron¹⁰⁵, E Carquin^{32a}, G D Carrillo-Montoya^{146c}, J R Carter²⁸, J Carvalho^{125a,125c}, D Casadei⁷⁷, M P Casado¹², E Castaneda-Miranda^{146b}, A Castelli¹⁰⁶, V Castillo Gimenez¹⁶⁸, N F Castro^{125a}, P Catastini⁵⁷, A Catinaccio³⁰, J R Catmore⁷¹, A Cattai³⁰, G Cattani^{134a,134b}, S Caughron⁸⁹, V Cavaliere¹⁶⁶, D Cavalli^{90a}, M Cavalli-Sforza¹², V Cavasinni^{123a,123b}, F Ceradini^{135a,135b}, B Cerio⁴⁵, K Cerny¹²⁸, A S Cerqueira^{24b}, A Cerri¹⁵⁰, L Cerrito⁷⁵, F Cerutti¹⁵, M Cerv³⁰, A Cervelli¹⁷, S A Cetin^{19b}, A Chafaq^{136a}, D Chakraborty¹⁰⁷, I Chalupkova¹²⁸, K Chan³, P Chang¹⁶⁶, B Chapleau⁸⁶, J D Chapman²⁸, D Charfeddine¹¹⁶, D G Charlton¹⁸, C A Chavez Barajas³⁰, S Cheatham⁸⁶, S Chekanov⁶, S V Chekulaev^{160a}, G A Chelkov^{64,185}, M A Chelstowska⁸⁸, C Chen⁶³, H Chen²⁵, K Chen¹⁴⁹, L Chen^{33d,186}, S Chen^{33c}, X Chen^{146c}, Y Chen³⁵, H C Cheng⁸⁸, Y Cheng³¹, A Cheplakov⁶⁴, R Cherkaoui El Moursli^{136e}, V Chernyatin^{25,220}, E Cheu⁷, L Chevalier¹³⁷, V Chiarella⁴⁷, G Chiefari^{103a,103b}, J T Childers³⁰, A Chilingarov⁷¹, G Chiodini^{72a}, A S Chisholm¹⁸, R T Chislett⁷⁷, A Chitan^{26a}, M V Chizhov⁶⁴, S Chouridou⁹, B K B Chow⁹⁹, I A Christidi⁷⁷, P Chaptaga P D Chromek-Burckhart³⁰, M L Chu¹⁵², J Chudoba¹²⁶, G Ciapetti^{133a,133b}, A K Ciftci^{4a}, R Ciftci^{4a}, D Cinca⁶², V Cindro⁷⁴, A Ciocio¹⁵, P Cirkovic^{13b}, Z H Citron¹⁷³, M Citterio^{90a}, M Ciubancan^{26a}, A Clark⁴⁹, P J Clark⁴⁶, R N Clarke¹⁵, W Cleland¹²⁴, J C Clemens⁸⁴, B Clement⁵⁵, C Clement^{147a,147b}, Y Coadou⁸⁴, M Cobal^{165a,165c}, A Coccaro¹³⁹, J Cochran⁶³, L Coffey²³, J G Cogan¹⁴⁴, J Coggeshall¹⁶⁶, B Cole³⁵, S Cole¹⁰⁷, A P Colijin¹⁰⁶, C Collins-Tooth⁵³, J Collot⁵⁵, T Colombo^{58c}, G Colon⁸⁵, G Compostella¹⁰⁰, P Conde Muiño^{125a,125b}, E Coniavitis¹⁶⁷, M C Conidi¹², I A Connelly⁷⁶, S M Consonni^{90a,90b}, V Consorti⁴⁸, S Constantinescu^{26a}, C Conta^{120a,120b}, G Conti⁵⁷, F Conventi^{103a,187}, M Cooke¹⁵, B D Cooper⁷⁷, A M Cooper-Sarkar¹¹⁹, N J Cooper-Smith⁷⁶, Copic¹⁵, T Cornelissen¹⁷⁶, M Corradi^{20a}, F Corriveau^{86,188}, A Corso-Radu¹⁶⁴, Cortes-Gonzalez¹², G Cortiana¹⁰⁰, G Costa^{90a}, M J Costa¹⁶⁸, D Costanzo¹⁴⁰, D Côté⁸, G Cottin²⁸, G Cowan⁷⁶, B E Cox⁸³, K Cranmer¹⁰⁹, G Cree²⁹, S Crépé-Renaudin⁵⁵, F Crescioli⁷⁹, M Crispin Ortuzar¹¹⁹, M Cristinziani²¹, G Crosetti^{37a,37b}, C-M Cuciuc^{26a}, T Cuhadar Donszelmann¹⁴⁰, J Cummings¹⁷⁷, M Curatolo⁴⁷, C Cuthbert¹⁵¹, H Czirr¹⁴², P Czodrowski³, Z Czyczula¹⁷⁷, S D'Auria⁵³, M D'Onofrio⁷³, M J Da Cunha Sargedas De Sousa^{125a,125b}, C Da Via⁸³, W Dabrowski^{38a}, A Dafinca¹¹⁹, T Dai⁸⁸, O Dale¹⁴, F Dallaire⁹⁴, C Dallapiccola⁸⁵, M Dam³⁶, A C Daniells¹⁸, M Dano Hoffmann³⁶, V Dao¹⁰⁵, G Darbo^{50a}, G L Darlea^{26c}, S Darmora⁸, J A Dassoulas⁴², W Davey²¹, C David¹⁷⁰, T Davidek¹²⁸, E Davies^{119,182}, M Davies⁹⁴, O Davignon⁷⁹, A R Davison⁷⁷, P Davison⁷⁷, Y Davygora^{58a}, E Dawe¹⁴³, I Dawson¹⁴⁰, R K Daya-Ishmukhametova²³, K De⁸, R de Asmundis^{103a}, 116 U De Sanctis 165a, 165c, A De Santo 150, J B De Vivie De Regie 116, G De Zorzi 133a, 133b, W J Dearnaley⁷¹, R Debbe²⁵, C Debenedetti⁴⁶, B Dechenaux⁵⁵, D V Dedovich⁶⁴, J Degenhardt¹²¹, I Deigaard¹⁰⁶, J Del Peso⁸¹, T Del Prete^{123a,123b}, T Delemontex⁵⁵, F Deliot¹³⁷, M Deliyergiyev⁷⁴, A Dell'Acqua³⁰, L Dell'Asta²², M Della Pietra^{103a,187}, D della Volpe⁴⁹, M Delmastro⁵, P A Delsart⁵⁵, C Deluca¹⁰⁶, S Demers¹⁷⁷, M Demichev⁶⁴, A Demilly⁷⁹, B Demirkoz^{12,189}, S P Denisov¹²⁹, C Deluca³⁹, T Delagarate of the property of the p D Derendarz³⁹, J E Derkaoui^{136d}, F Derue⁷⁹, P Dervan⁷³, K Desch²¹, P O Deviveiros¹⁰⁶, A Dewhurst¹³⁰, S Dhaliwal¹⁰⁶, A Di Ciaccio^{134a,134b}, L Di Ciaccio⁵, A Di Domenico^{133a,133b}, C Di Donato 103a,103b, A Di Girolamo 30, B Di Girolamo 30, A Di Mattia 153, B Di Micco 135a,135b, R Di Nardo⁴⁷, A Di Simone⁴⁸, R Di Sipio^{20a,20b}, D Di Valentino²⁹, M A Diaz^{32a}, E B Diehl⁸⁸, R Di Nardo⁴⁷, A Di Simone⁴⁸, R Di Sipio^{20a,20b}, D Di Valentino²⁹, M A Diaz^{32a}, E B Diehl⁸⁸, J Dietrich⁴², T A Dietzsch^{58a}, S Diglio⁸⁷, A Dimitrievska^{13a}, J Dingfelder²¹, C Dionisi^{133a,133b}, P Dita^{26a}, S Dita^{26a}, F Dittus³⁰, F Djama⁸⁴, T Djobava^{51b}, M A B do Vale^{24c}, A Do Valle Wemans^{125a,125g}, T K O Doan⁵, D Dobos³⁰, E Dobson⁷⁷, C Doglioni⁴⁹, T Doherty⁵³, T Dohmae¹⁵⁶, J Dolejsi¹²⁸, Z Dolezal¹²⁸, B A Dolgoshein^{97,220}, M Donadelli^{24d}, S Donati^{123a,123b}, P Dondero^{120a,120b}, J Donini³⁴, J Dopke³⁰, A Doria^{103a}, A Dotti^{123a,123b}, M T Dova⁷⁰, A T Doyle⁵³, M Dris¹⁰, J Dubbert⁸⁸, S Dube¹⁵, E Dubreuil³⁴, E Duchovni¹⁷³, G Duckeck⁹⁹, O A Ducu^{26a}, D Duda¹⁷⁶, A Dudarev³⁰, F Dudziak⁶³, L Duflot¹¹⁶, L Duguid⁷⁶, M Dührssen³⁰, M Dunford^{58a}, H Duran Yildiz^{4a}, M Düren⁵², M Dwuznik^{38a}, J Ebke⁹⁹, W Edson², N C Edwards⁴⁶, W Ehrenfeld²¹, T Eifert¹⁴⁴, G Eigen¹⁴, K Einsweiler¹⁵, T Ekelof¹⁶⁷, M El Kacimi^{136c}, M Ellert¹⁶⁷, S Elles⁵,

F Ellinghaus⁸², N Ellis³⁰, J Elmsheuser⁹⁹, M Elsing³⁰, D Emeliyanov¹³⁰, Y Enari¹⁵⁶, O C Endner⁸², M Endo¹¹⁷, R Engelmann¹⁴⁹, J Erdmann¹⁷⁷, A Ereditato¹⁷, D Eriksson^{147a}, G Ernis¹⁷⁶, J Ernst², M Ernst²⁵, J Ernwein¹³⁷, D Errede¹⁶⁶, S Errede¹⁶⁶, E Ertel⁸², M Escalier¹¹⁶, H Esch⁴³, C Escobar¹²⁴, X Espinal Curull¹², B Esposito⁴⁷, F Etienne⁸⁴, A I Etienvre¹³⁷, E Etzion¹⁵⁴, H Evans⁶⁰, L Fabbri^{20a,20b}, G Facini³⁰, R M Fakhrutdinov¹²⁹, S Falciano^{133a}, J Faltova¹²⁸, Y Fang^{33a}, M Fanti^{90a,90b}, A Farbin⁸, A Farilla^{135a}, T Farooque¹², S Farrell¹⁶⁴, S M Farrington¹⁷¹, P Farthouat³⁰, F Fassi^{136e}, P Fassnacht³⁰, D Fassouliotis⁹, A Favareto^{50a,50b}, L Fayard¹¹⁶, P Federic^{145a}, O L Fedin^{122,190}, W Fedorko¹⁶⁹, M Fehling-Kaschek⁴⁸, S Feigl³⁰, L Feligioni⁸⁴, C Feng^{33d}, E J Feng⁶, H Feng⁸⁸, A B Fenyuk¹²⁹, S Fernandez Perez³⁰, W Fernando⁶, S Ferrag⁵³, J Ferrando⁵³, V Ferrara⁴², A Ferrari¹⁶⁷, P Ferrari¹⁰⁶, R Ferrari^{120a}, D E Ferreira de Lima⁵³, A Ferrer¹⁶⁸, D Ferrere⁴⁹, C Ferretti⁸⁸, A Ferretto Parodi^{50a,50b}, M Fiascaris³¹, F Fiedler⁸², A Filipčič⁷⁴, M Filipuzzi⁴², F Filthaut¹⁰⁵, M Fincke-Keeler¹⁷⁰, K D Finelli¹⁵¹, M C N Fiolhais^{125a,125c,191}, L Fiorini¹⁶⁸, A Firan⁴⁰, J Fischer¹⁷⁶, M J Fisher¹¹⁰, E A Fitzgerald²³, M Flechl⁴⁸, I Fleck¹⁴², P Fleischmann¹⁷⁵, S Fleischmann¹⁷⁶, G T Fletcher¹⁴⁰, G Fletcher⁷⁵, T Flick¹⁷⁶, A Floderus⁸⁰, L R Flores Castillo^{174,192}, A C Florez Bustos^{160b}, M J Flowerdew¹⁰⁰, A Formica¹³⁷, A Forti⁸³, D Fortin^{160a}, D Fournier¹¹⁶, H Fox⁷¹, P Francavilla¹², M Franchini^{20a,20b}, S Franchino³⁰, D Francis³⁰, M Franklin⁵⁷, S Franz⁶¹, M Fraternali^{120a,120b}, S Fratina¹²¹, S T French²⁸, C Friedrich⁴², F Friedrich⁴⁴, D Froidevaux³⁰, J A Frost²⁸, C Fukunaga¹⁵⁷, E Fullana Torregrosa¹²⁸, B G Fulsom¹⁴⁴, J Fuster¹⁶⁸, C Gabaldon⁵⁵, O Gabizon¹⁷³, A Gabrielli^{20a,20b}, A Gabrielli^{133a,133b}, S Gadatsch¹⁰⁶, S Gadomski⁴⁹, G Gagliardi^{50a,50b}, P Gagnon⁶⁰, C Galea¹⁰⁵, B Galhardo^{125a,125c}, E J Gallas¹¹⁹, V Gallo¹⁷, B J Gallop¹³⁰, P Gallus¹²⁷, G Galster³⁶, K K Gan¹¹⁰, R P Gandrajula⁶², J Gao^{33b,186}, Y S Gao^{144,184}, F M Garay Walls⁴⁶, F Garberson¹⁷⁷, C García¹⁶⁸, R P Gandrajula²⁵, J Gao³⁶⁵, Y S Gao¹⁷⁷, F M Garay Walls⁴⁵, F Garberson¹⁷⁷, C García¹⁶⁸, J E García Navarro¹⁶⁸, M Garcia-Sciveres¹⁵, R W Gardner³¹, N Garelli¹⁴⁴, V Garonne³⁰, C Gatti⁴⁷, G Gaudio^{120a}, B Gaur¹⁴², L Gauthier⁹⁴, P Gauzzi^{133a,133b}, I L Gavrilenko⁹⁵, C Gay¹⁶⁹, G Gaycken²¹, E N Gazis¹⁰, P Ge^{33d}, Z Gecse¹⁶⁹, C N P Gee¹³⁰, D A A Geerts¹⁰⁶, Ch Geich-Gimbel²¹, K Gellerstedt^{147a,147b}, C Gemme^{50a}, A Gemmell⁵³, M H Genest⁵⁵, S Gentile^{133a,133b}, M George⁵⁴, S George⁷⁶, D Gerbaudo¹⁶⁴, A Gershon¹⁵⁴, H Ghazlane^{136b}, N Ghodbane³⁴, B Giacobbe^{20a}, S Giagu^{133a,133b}, V Giangiobbe¹², P Giannetti^{123a,123b}, F Gianotti³⁰, B Gibbard²⁵, S M Gibson⁷⁶, M Gilchriese¹⁵, T P S Gillam²⁸, D Gillberg³⁰, A R Gillman¹³⁰, D M Gingrich^{3,183}, N Giokaris⁹, M P Giordani^{165a,165c}, R Giordano^{103a,103b}, F M Giorgi¹⁶, P E Giraud¹³⁷, D Giugni^{90a}, C Giulioni⁴⁸ M P Giordani 165a,165c, R Giordano 103a,103b, F M Giorgi 16, P F Giraud 137, D Giugni 90a, C Giuliani 48, M Giunta 94, B K Gjelsten 118, I Gkialas 155,193, L K Gladilin 98, C Glasman 81, J Glatzer 30, A Glazov 42, G L Glonti 64, M Goblirsch-Kolb 100, J R Goddard 75, J Godfrey 143, J Godlewski 30, C Goeringer 82, 125b, 125d, 125d S Goldfarb⁸⁸, T Golling¹⁷⁷, D Golubkov¹²⁹, A Gomes^{125a,125b,125d}, L S Gomez Fajardo⁴², R Gonçalo⁷⁶, J Goncalves Pinto Firmino Da Costa⁴², L Gonella²¹, S González de la Hoz¹⁶⁸, G Gonzalez Parra¹², M L Gonzalez Silva²⁷, S Gonzalez-Sevilla⁴⁹, L Goossens³⁰, P A Gorbounov⁹⁶, H A Gordon²⁵, I Gorelov¹⁰⁴, B Gorini³⁰, E Gorini^{72a,72b}, A Gorišek⁷⁴, E Gornicki³⁹, A T Goshaw⁶, C Gössling⁴³, M I Gostkin⁶⁴, M Gouighri^{136a}, D Gouidami^{136c}, M P Goulette⁴⁹, A G Goussiou¹³⁹, C Goy⁵, S Gozpinar²³, H M X Grabas¹³⁷, L Graber⁵⁴, I Grabowska-Bold^{38a}, P Grafström^{20a,20b}, K-J Grahn⁴², J Gramling⁴⁹, E Gramstad¹¹⁸, F Grancagnolo^{72a}, S Grancagnolo¹⁶, V Grassi¹⁴⁹, V Gratchev¹²², H M Gray³⁰, E Graziani^{135a}, O G Grebenyuk¹²², Z D Greenwood^{78,194}, K Gregersen³⁶, I M Gregor⁴², P Grenier¹⁴⁴, J Griffiths⁸, A A Grillo¹³⁸, K Grimm⁷¹, S Grinstein^{12,195}, Ph Gris³⁴, Y V Grishkevich⁹⁸, J-F Grivaz¹¹⁶, J P Grohs⁴⁴, A Grohsjean⁴², E Gross¹⁷³, J Grosse-Knetter⁵⁴, G C Grossi^{134a,134b}, J Groth-Jensen¹⁷³, Z J Grout¹⁵⁰, K Grybel¹⁴², L Guan^{33b}, F Guescini⁴⁹, D Guest¹⁷⁷, O Gueta¹⁵⁴, C Guicheney³⁴, E Guido^{50a,50b}, T Guillemin¹¹⁶, S Guindon², U Gul⁵³, C Gumpert⁴⁴, J Gunther¹²⁷, J Guo³⁵, S Gupta¹¹⁹, P Gutierrez¹¹², N G Gutierrez Ortiz⁵³, C Gutschow⁷⁷, N Guttman¹⁵⁴, C Guyot¹³⁷, C Gwenlan¹¹⁹, C B Gwilliam⁷³, A Haas¹⁰⁹, C Haber¹⁵, H K Hadavand⁸, N Haddad^{136e}, P Haefner²¹, S Hageböck²¹, Z Hajduk³⁹, H Hakobyan¹⁷⁸, M Haleem⁴², D Hall¹¹⁹, G Halladjian⁸⁹, K Hamacher¹⁷⁶, P Hamal¹¹⁴, K Hamano⁸⁷, M Hamer⁵⁴, A Hamilton^{146a}, S Hamilton¹⁶², L Han^{33b}, K Hanagaki¹¹⁷, K Hanawa¹⁵⁶, M Hance¹⁵, P Hanke^{58a}, J B Hansen³⁶, J D Hansen³⁶, P H Hansen³⁶, K Hara¹⁶¹, A S Hard¹⁷⁴, T Harenberg¹⁷⁶, S Harkusha⁹¹, D Harper⁸⁸, R D Harrington⁴⁶, O M Harris¹³⁹, P F Harrison¹⁷¹, F Hartjes¹⁰⁶, A Harvey⁵⁶, S Hasegawa¹⁰², Y Hasegawa¹⁴¹, S Hassani¹³⁷, S Haug¹⁷, M Hauschild³⁰, R Hauser⁸⁹, M Havranek¹²⁶, C M Hawkes¹⁸, R J Hawkings³⁰, A D Hawkins⁸⁰, T Hayashi¹⁶¹, D Hayden⁸⁹, C P Hays¹¹⁹, H S Hayward⁷³, S J Haywood 130, S J Head 18, T Heck 82, V Hedberg 80, L Heelan 8, S Heim 121, T Heim 176, B Heinemann 15, L Heinrich 109, S Heisterkamp 36, J Hejbal 126, L Helary 22, C Heller 99, M Heller 30, S Hellman 147a, 147b, D Hellmich 21, C Helsens 30, J Henderson 119, R C W Henderson 71, C Hengler 42, A Henrichs 177, A M Henriques Correia 30, S Henrot-Versille 116, C Hensel 54, G H Herbert 16, Y Hernández Jiménez 168, R Herrberg-Schubert 16, G Herten 48, R Hertenberger 99, L Hervas 30, G Hesketh 77, N P Hessey 106, R Hickling 75, E Higón-Rodriguez 168, J C Hill 28, K H Hiller 42, S Hill 21, C Hayward 149, B Hayward 18, B Hayward 18, B Hayward 19, B Hayward 19, B Hayward 117, B Hayward 19, B Hayward 117, B Hayward 117, B Hayward 118, B Hayward 118, B Hayward 119, B Hay S Hillert²¹, S J Hillier¹⁸, I Hinchliffe¹⁵, E Hines¹²¹, M Hirose¹¹⁷, D Hirschbuehl¹⁷⁶, J Hobbs¹⁴⁹, N Hod¹⁰⁶, M C Hodgkinson¹⁴⁰, P Hodgson¹⁴⁰, A Hoecker³⁰, M R Hoeferkamp¹⁰⁴, J Hoffman⁴⁰, Hoffmann⁸⁴, J I Hofmann^{58a}, M Hohlfeld⁸², T R Holmes¹⁵, T M Hong¹²¹, L Hooft van Huysduynen ¹⁰⁹, J-Y Hostachy⁵⁵, S Hou¹⁵², A Hoummada ^{136a}, J Howard ¹¹⁹, J Howarth ⁴², M Hrabovsky ¹¹⁴, I Hristova ¹⁶, J Hrivnac ¹¹⁶, T Hryn'ova ⁵, P J Hsu ⁸², S-C Hsu ¹³⁹, D Hu ³⁵, X Hu ²⁵, Y Huang ⁴², Z Hubacek ³⁰, F Hubaut ⁸⁴, F Huegging ²¹, T B Huffman ¹¹⁹, E W Hughes ³⁵, G Hughes ⁷¹, M Huhtinen ³⁰, T A Hülsing ⁸², M Hurwitz ¹⁵, N Huseynov ^{64,181}, L Huston ⁸⁹, L Hughes ⁷⁷, C Lacebuse ⁴⁹, C Lacebuse ¹¹⁰, L Hughes ⁷⁸, L Hughes ⁷⁸, C Lacebuse ⁴⁹, C Lacebuse ¹¹⁰, L Hughes ⁷⁸, L Hughes ⁷⁸, C Lacebuse ⁴⁹, C Lacebuse ¹¹⁰, L Hughes ⁷⁸, L Hughes ⁷⁸, C Lacebuse ⁴⁹, C Lacebuse ¹¹⁰, L Hughes ⁷⁸, L Hughes ⁷⁸, L Hughes ⁷⁸, C Lacebuse ⁴⁹, C Lacebuse ¹¹⁰, L Hughes ⁷⁸, L Hughes ⁷⁸, L Hughes ⁷⁸, C Lacebuse ⁴⁹, C Lacebuse ⁴⁹, C Lacebuse ⁴⁹, L Hughes ⁸⁹, L Hughes Huston Huston, G. Hughes, M. Huhtinen, T. A. Hülsing, M. Hurwitz, N. Huseynov, J. Huston, J. Huston, J. Huston, G. Iacobucci, G. Iakovidis, I. Ibragimov, L. Iconomidou-Fayard, E. Ideal, P. Iengo, O. Igonkina, T. Iizawa, Y. Ikegami, K. Ikematsu, M. Ikeno, D. Iliadis, N. Ilic, Y. Inamaru, T. Ince, P. Ioannou, M. Iodice, K. Iordanidou, V. Ippolito, A. Irles, Quiles, C. Isaksson, M. Ishino, M. Ishitsuka, R. Ishmukhametov, C. Issever, S. Istin, J. M. Iturbe, Ponce, A. V. Ivashin, M. Ishitsuka, M. Iwasaki, J. M. Ishitsuka, B. Jackson, M. Jackson, D K Jana⁷⁸, E Jansen⁷⁷, H Jansen³⁰, J Janssen²¹, M Janus¹⁷¹, G Jarlskog⁸⁰, L Jeanty¹⁵, G-Y Jeng¹⁵¹, I Jen-La Plante³¹, D Jennens⁸⁷, P Jenni^{48,196}, J Jentzsch⁴³, C Jeske¹⁷¹, S Jézéquel⁵, H Ji¹⁷⁴, W Ji⁸², J Jia¹⁴⁹, Y Jiang^{33b}, M Jimenez Belenguer⁴², S Jin^{33a}, A Jinaru^{26a}, O Jinnouchi¹⁵⁸, M D Joergensen³⁶, D Joffe⁴⁰, K E Johansson^{147a}, P Johansson¹⁴⁰, K A Johns⁷, K Jon-And^{147a,147b}, G Jones¹⁷¹, R W L Jones⁷¹, T J Jones⁷³, P M Jorge^{125a,125b}, K D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, K D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Ju¹⁷⁴, C A Jung⁴³, P M Jorge^{125a,125b}, S D Joshi⁸³, J Jovicevic¹⁴⁸, X Jung⁴³, D Joshi⁸⁴, D Jos R M Jungst³⁰, P Jussel⁶¹, A Juste Rozas^{12,195}, M Kaci¹⁶⁸, A Kaczmarska³⁹, M Kado¹¹⁶, H Kagan¹¹⁰, M Kagan¹⁴⁴, E Kajomovitz⁴⁵, S Kama⁴⁰, N Kanaya¹⁵⁶, M Kaneda³⁰, S Kaneti²⁸, T Kanno¹⁵⁸, M Kagan¹⁴⁴, E Kajomovitz⁴³, S Kama⁴⁰, N Kanaya¹³⁰, M Kaneda⁵⁰, S Kaneti⁵¹, T Kanno⁵¹, V A Kantserov⁹⁷, J Kanzaki⁶⁵, B Kaplan¹⁰⁹, A Kapliy³¹, D Kar⁵³, K Karakostas¹⁰, N Karastathis¹⁰, M Karnevskiy⁸², S N Karpov⁶⁴, K Karthik¹⁰⁹, V Kartvelishvili⁷¹, A N Karyukhin¹²⁹, L Kashif¹⁷⁴, G Kasieczka^{58b}, R D Kass¹¹⁰, A Kastanas¹⁴, Y Kataoka¹⁵⁶, A Katre⁴⁹, J Katzy⁴², V Kaushik⁷, K Kawagoe⁶⁹, T Kawamoto¹⁵⁶, G Kawamura⁵⁴, S Kazama¹⁵⁶, V F Kazanin¹⁰⁸, M Y Kazarinov⁶⁴, R Keeler¹⁷⁰, R Kehoe⁴⁰, M Keil⁵⁴, J S Keller¹³⁹, H Keoshkerian⁵, O Kepka¹²⁶, B P Kerševan⁷⁴, S Kersten¹⁷⁶, K Kessoku¹⁵⁶, J Keung¹⁵⁹, F Khalil-zada¹¹, H Khandanyan^{147a,147b}, A Khanov¹¹³, A Khodinov⁹⁷, A Khomich^{58a}, T J Khoo²⁸, G Khoriauli²¹, A Khoroshilov¹⁷⁶, V Khovanskiy⁹⁶, E Khramov⁶⁴, J Khubua^{51b}, H Kim^{147a,147b}, S H Kim¹⁶¹, N Kimura¹⁷², O Kind¹⁶, B T King⁷³, M King 168, R S B King 119, S B King 169, J Kirk 130, A E Kiryunin 100, T Kishimoto 66, D Kisielewska 38a, F Kiss 48, T Kitamura 66, T Kittelmann 124, K Kiuchi 161, E Kladiva 145b, M Klein 73, U Klein 73, K Kleinknecht⁸², P Klimek^{147a,147b}, A Klimentov²⁵, R Klingenberg⁴³, J A Klinger⁸³, E B Klinkby³⁶, T Klioutchnikova³⁰, P F Klok¹⁰⁵, E-E Kluge^{58a}, P Kluit¹⁰⁶, S Kluth¹⁰⁰, E Kneringer⁶¹, E B F G Knoops⁸⁴, A Knue⁵³, T Kobayashi¹⁵⁶, M Kobel⁴⁴, M Kocian¹⁴⁴, P Kodys¹²⁸,

P Koevesarki²¹, T Koffas²⁹, E Koffeman¹⁰⁶, L A Kogan¹¹⁹, S Kohlmann¹⁷⁶, Z Kohout¹²⁷, T Kohriki⁶⁵, T Koi¹⁴⁴, H Kolanoski¹⁶, I Koletsou⁵, J Koll⁸⁹, A A Komar^{95,220}, Y Komori¹⁵⁶, T Kondo⁶⁵ K Köneke⁴⁸, A C König¹⁰⁵, S König⁸², T Kono^{65,197}, R Konoplich^{109,198}, N Konstantinidis⁷⁷, R Kopeliansky¹⁵³, S Koperny^{38a}, L Köpke⁸², A K Kopp⁴⁸, K Korcyl³⁹, K Kordas¹⁵⁵, A Korn⁷⁷, A A Korol^{108,199}, I Korolkov¹², E V Korolkova¹⁴⁰, V A Korotkov¹²⁹, O Kortner¹⁰⁰, S Kortner¹⁰⁰ V V Kostyukhin²¹, V M Kotov⁶⁴, A Kotwal⁴⁵, C Kourkoumelis⁹, V Kouskoura¹⁵⁵, A Koutsman^{160a}, V V Kostyukhin²¹, V M Kotov³⁴, A Kotwal⁴³, C Kourkoumelis⁷, V Kouskoura¹³³, A Koutsman¹⁰⁰⁴, R Kowalewski¹⁷⁰, T Z Kowalski^{38a}, W Kozanecki¹³⁷, A S Kozhin¹²⁹, V Kral¹²⁷, V A Kramarenko⁹⁸, G Kramberger⁷⁴, D Krasnopevtsev⁹⁷, M W Krasny⁷⁹, A Krasznahorkay³⁰, J K Kraus²¹, A Kravchenko²⁵, S Kreiss¹⁰⁹, M Kretz^{58c}, J Kretzschmar⁷³, K Kreutzfeldt⁵², P Krieger¹⁵⁹, K Kroeninger⁵⁴, H Kroha¹⁰⁰, J Kroll¹²¹, J Kroseberg²¹, J Krstic^{13a}, U Kruchonak⁶⁴, H Krüger²¹, T Kruker¹⁷, N Krumnack⁶³, Z V Krumshteyn⁶⁴, A Kruse¹⁷⁴, M C Kruse⁴⁵, M Kruskal²², T Kubota⁸⁷, S Kuday^{4a}, S Kuehn⁴⁸, A Kugel^{58c}, A Kuhl¹³⁸, T Kuhl⁴², V Kukhtin⁶⁴, Y Kulchitsky⁹¹, S Kuleshov^{32b}, M Kuna^{133a,133b}, J Kunkle¹²¹, A Kupco¹²⁶, H Kurashige⁶⁶, Y A Kurochkin⁹¹, R Kurumida⁶⁶, V Kus¹²⁶, E S Kuwertz¹⁴⁸, M Kuze¹⁵⁸, J Kvita¹⁴³, A La Rosa⁴⁹, L La Rotonda^{37a,37b}, L Labarga⁸¹, C Lagarta¹⁶⁸, E Lagarta¹⁶⁸ C Lacasta 168, F Lacava 133a,133b, J Lacey 19, H Lacker 16, D Lacour 19, V R Lacuesta 168, E Ladygin 164, R Lafaye 15, B Laforge 17, T Lagouri 177, S Lai 18, H Laier 18, E Laisne 18, L Lambourne 18, C L Lampen 18, L Langori 18, L Langori 18, L Lambourne 18, L Lamper 19, E Lançori 187, U Landgraf 184, M P J Landori 187, V S Lange 184, A J Lankford 184, F Lanni 185, K Lantzsch 186, S Laplace 187, C Lapoire 187, T Lari 180, M Lassnig 187, L Landgraf 187, L Langori 187, T Lari 180, M Lassnig 187, L Langori 187, L L P Laurelli⁴⁷, V Lavorini^{37a,37b}, W Lavrijsen¹⁵, P Laycock⁷³, B T Le⁵⁵, O Le Dortz⁷⁹, E Le Guirriec⁸⁴, E Le Menedeu¹², T LeCompte⁶, F Ledroit-Guillon⁵⁵, C A Lee¹⁵², H Lee¹⁰⁶, J S H Lee¹¹⁷, S C Lee¹⁵², L Lee 177, G Lefebvre 179, M Lefebvre 170, F Legger 179, C Leggett 15, A Lehan 173, M Lehmacher 173, G Lehmann Miotto 174, A G Leister 177, M A L Leite 174, R Leitner 174, D Lellouch 173, B Lemmer 175, K J C Leney 175, T Lenz 176, G Lenzen 176, B Lenzi 176, R Leone 176, K Leonhardt 174, S Leontsinis 170, C Leroy 175, C G Lester 175, C M Lester 175, J Levêque 175, D Levin 185, L J Levinson 175, A Lewis 175, G H Lewis 175, A M Leyko 175, M Leyton 175, B Li 185, C Liang 175, H Liao 175, A Liang 175, A Liang 175, M Liang 17 J T Linnemann⁸⁹, E Lipeles¹²¹, A Lipniacka¹⁴, M Lisovyi⁴², T M Liss¹⁶⁶, D Lissauer²⁵, A Lister¹⁶⁹, A M Litke¹³⁸, B Liu¹⁵², D Liu¹⁵², J B Liu^{33b}, K Liu^{33b}, 203, L Liu⁸⁸, M Liu⁴⁵, M Liu^{33b}, Y Liu^{33b}, M Livan^{120a}, S S A Livermore¹¹⁹, A Lleres⁵⁵, J Llorente Merino⁸¹, S L Lloyd⁷⁵, F Lo Sterzo¹⁵², E Lobodzinska⁴², P Loch⁷, W S Lockman¹³⁸, T Loddenkoetter²¹ F K Loebinger⁸³, A E Loevschall-Jensen³⁶, A Loginov¹⁷⁷, C W Loh¹⁶⁹, T Lohse¹⁶, K Lohwasser⁴⁸, M Lokajicek 126, V P Lombardo 5, J D Long 88, R E Long 71, L Lopes 125a, D Lopez Mateos 57 B Lopez Paredes¹⁴⁰, J Lorenz⁹⁹, N Lorenzo Martinez¹¹⁶, M Losada¹⁶³, P Loscutoff¹⁵, M J Losty^{160a,220}, X Lou⁴¹, A Lounis¹¹⁶, J Love⁶, P A Love⁷¹, A J Lowe^{144,184}, F Lu^{33a}, H J Lubatti¹³⁹, C Luci^{133a,133b}, A Lucotte⁵⁵, D Ludwig⁴², F Luehring⁶⁰, W Lukas⁶¹, L Luminari^{133a}, O Lundberg^{147a,147b}, B Lund-Jensen¹⁴⁸, M Lungwitz⁸², D Lynn²⁵, R Lysak¹²⁶, E Lytken⁸⁰, H Ma²⁵, L L Ma^{33d}, G Maccarrone⁴⁷, A Macchiolo¹⁰⁰, B Maček⁷⁴, J Machado Miguens^{125a,125b}, D Macina³⁰, R Mackeprang³⁶, R Madar⁴⁸, H J Maddocks⁷¹, W F Mader⁴⁴, A Madsen¹⁶⁷, M Maeno⁸, T Maeno²⁵, E Magradze⁵⁴, K Mahboubi⁴⁸, J Mahlstedt¹⁰⁶, S Mahmoud⁷³, G Mahout¹⁸, C Maiani¹³⁷, C Maidantchik^{24a}, A Maio^{125a,125b,125d}, S Majewski¹¹⁵, Y Makida⁶⁵, N Makovec¹¹⁶, P Mal^{137,204}, P M B Malaescu⁷⁹, Pa Malecki³⁹, V P Maleev¹²², F Malek⁵⁵, U Mallik⁶², D Malon⁶, C Malone¹⁴⁴, S Maltezos¹⁰, V M Malyshev¹⁰⁸, S Malyukov³⁰, J Mamuzic^{13b}, B Mandelli³⁰, L Mandelli^{90a}, I Mandić⁷⁴, R Mandrysch⁶², J Maneira ^{125a,125b}, A Manfredini ¹⁰⁰, L Manhaes de Andrade Filho^{24b}, J A Manjarres Ramos ^{160b}, A Mann⁹⁹, P M Manning ¹³⁸, A Manousakis-Katsikakis ⁹, B Mansoulie ¹³⁷, R Mantifel⁸⁶, L Mapelli³⁰, L March¹⁶⁸, J F Marchand²⁹, F Marchese^{134a,134b}, G Marchiori⁷⁹,

M Marcisovsky¹²⁶, C P Marino¹⁷⁰, C N Marques^{125a}, F Marroquim^{24a}, S P Marsden⁸³, Z Marshall¹⁵, L F Marti¹⁷, S Marti-Garcia¹⁶⁸, B Martin³⁰, B Martin⁸⁹, T A Martin¹⁷¹, V J Martin⁴⁶ B Martin dit Latour⁴⁹, H Martinez¹³⁷, M Martinez^{12,195}, S Martin-Haugh¹³⁰, A C Martyniuk⁷⁷, M Marx¹³⁹, F Marzano^{133a}, A Marzin³⁰, L Masetti⁸², T Mashimo¹⁵⁶, R Mashinistov⁹⁵, J Masik⁸³, A L Maslennikov¹⁰⁸, I Massa^{20a,20b}, N Massol⁵, P Mastrandrea¹⁴⁹, A Mastroberardino^{37a,37b}, T Masubuchi¹⁵⁶, H Matsunaga¹⁵⁶, T Matsushita⁶⁶, P Mättig¹⁷⁶, S Mättig⁴², J Mattmann⁸², J Maurer⁸⁴, S J Maxfield⁷³, D A Maximov^{108,199}, R Mazini¹⁵², L Mazzaferro^{134a,134b}, G Mc Goldrick¹⁵⁹, S P Mc Kee⁸⁸, A McCarn⁸⁸, R L McCarthy¹⁴⁹, T G McCarthy²⁹, N A McCubbin¹³⁰, K W McFarlane^{56,220}, J A Mcfayden⁷⁷, G Mchedlidze⁵⁴, T Mclaughlan¹⁸, S J McMahon¹³⁰, R A McPherson^{170,188}, A Meade⁸⁵, J Mechnich¹⁰⁶, M Mechtel¹⁷⁶, M Medinnis⁴², S Meehan³¹, R Meera-Lebbai¹¹², S Mehlhase³⁶, A Mehta⁷³, K Meier^{58a}, C Meineck⁹⁹, B Meirose⁸⁰, C Melachrinos³¹, B R Mellado Garcia^{146c}, F Meloni^{90a,90b}, L Mendoza Navas¹⁶³, A Mengarelli^{20a,20b}, S Menke¹⁰⁰, E Meoni¹⁶², K M Mercurio⁵⁷, S Mergelmeyer²¹, N Meric¹³⁷, P Mermod⁴⁹, L Merola^{103a,103b}, C Meroni^{90a}, F S Merritt³¹, H Merritt¹¹⁰, A Messina^{30,205}, P Mermod⁷⁷, L Merola^{1034,1035}, C Meroni⁹⁰⁴, F S Merritt³¹, H Merritt¹¹⁰, A Messina^{30,205}, J Metcalfe²⁵, A S Mete¹⁶⁴, C Meyer⁸², C Meyer³¹, J-P Meyer¹³⁷, J Meyer³⁰, R P Middleton¹³⁰, S Migas⁷³, L Mijović¹³⁷, G Mikenberg¹⁷³, M Mikestikova¹²⁶, M Mikuž⁷⁴, D W Miller³¹, C Mills⁴⁶, A Milov¹⁷³, D A Milstead^{147a,147b}, D Milstein¹⁷³, A A Minaenko¹²⁹, M Miñano Moya¹⁶⁸, I A Minashvili⁶⁴, A I Mincer¹⁰⁹, B Mindur^{38a}, M Mineev⁶⁴, Y Ming¹⁷⁴, L M Mir¹², G Mirabelli^{133a}, T Mitani¹⁷², J Mitrevski⁹⁹, V A Mitsou¹⁶⁸, S Mitsui⁶⁵, A Miucci⁴⁹, P S Miyagawa¹⁴⁰, J U Mjörnmark⁸⁰, T Moa^{147a,147b}, V Moeller²⁸, S Mohapatra³⁵, W Mohr⁴⁸, S Molander^{147a,147b}, R Moles-Valls¹⁶⁸, K Mönig⁴², C Monini⁵⁵, J Monk³⁶, E Monnier⁸⁴, J Montejo Berlingen¹², F Monticelli⁷⁰, S Monzani^{133a,133b}, R W Moreno, Llácer⁵⁴, P Morattini^{50a} A Moraes⁵³, N Morange⁶², J Morel⁵⁴, D Moreno⁸², M Moreno Llácer⁵⁴, P Morettini^{50a}, M Morgenstern⁴⁴, M Morii⁵⁷, S Moritz⁸², A K Morley¹⁴⁸, G Mornacchi³⁰, J D Morris⁷⁵, L Morvaj¹⁰², H G Moser¹⁰⁰, M Mosidze^{51b}, J Moss¹¹⁰, R Mount¹⁴⁴, E Mountricha²⁵, S V Mouraviev^{95,220}, E J W Moyse⁸⁵, S Muanza⁸⁴, R D Mudd¹⁸, F Mueller^{58a}, J Mueller¹²⁴, K Mueller²¹, T Mueller²⁸, T Mueller⁸², D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller²⁸, T Mueller⁸², D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸², D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁴⁹, Y Munwes¹⁵⁴, J A Murillo Quijada¹⁸, T Mueller⁸⁵, D Muenstermann⁸⁵, Y Munwes⁸⁵, S Muenstermann⁸⁵, Y Munwes⁸⁵, S Muentermann⁸⁵, Y Muent W J Murray^{171,130}, E Musto¹⁵³, A G Myagkov^{129,206}, M Myska¹²⁶, O Nackenhorst⁵⁴, J Nadal⁵⁴, K Nagai⁶¹, R Nagai¹⁵⁸, Y Nagai⁸⁴, K Nagano⁶⁵, A Nagarkar¹¹⁰, Y Nagasaka⁵⁹, M Nagel¹⁰⁰ A M Nairz³⁰, Y Nakahama³⁰, K Nakamura⁶⁵, T Nakamura¹⁵⁶, I Nakano¹¹¹, H Namasivayam⁴¹ G Nanava²¹, R Narayan^{58b}, T Nattermann²¹, T Naumann⁴², G Navarro¹⁶³, R Nayyar⁷, H A Neal⁸⁸, P Yu Nechaeva⁹⁵, T J Neep⁸³, A Negri^{120a,120b}, G Negri³⁰, M Negrini^{20a}, S Nektarijevic⁴⁹, A Nelson¹⁶⁴, T K Nelson¹⁴⁴, S Nemecek¹²⁶, P Nemethy¹⁰⁹, A A Nepomuceno^{24a}, M Nessi^{30,207}, M S Neubauer¹⁶⁶, M Neumann¹⁷⁶, A Neusiedl⁸², R M Neves¹⁰⁹, P Nevski²⁵, P R Newman¹⁸, D H Nguyen⁶, R B Nickerson¹¹⁹, R Nicolaidou¹³⁷, B Nicquevert³⁰, J Nielsen¹³⁸, N Nikiforou³⁵, A Nucleon¹⁶, N Nikiforou³⁵, A Nucleon¹⁶, N Nikiforou³⁵, N Nikiforou³⁵, N Nikiforou³⁵, N Nikiforou³⁶, N Nikiforou³⁷, N Nikiforou³⁸, N Nikifo A Nikiforov 16, V Nikolaenko 129,206, I Nikolic-Audit 79, K Nikolics 49, K Nikolopoulos 18, P Nilsson 8, Y Ninomiya 156, A Nisati 133a, R Nisius 100, T Nobe 158, L Nodulman 6, M Nomachi 117, I Nomidis 155, S Norberg 112, M Nordberg 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nordin O in 21, G November 30, S Nowak 100, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nozaki 60, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nozaki 60, M Nozaki 65, L Nozka 114, K Ntekas 10, A F. Nozka 114, K Ntekas 10, A F. Nozaki 60, M Nozaki 60, A-E Nuncio-Quiroz²¹, G Nunes Hanninger⁸⁷, T Nunnemann⁹⁹, E Nurse⁷⁷, F Nuti⁸⁷, B J O'Brien⁴⁶, F O'grady⁷, D C O'Neil¹⁴³, V O'Shea⁵³, F G Oakham^{29,183}, H Oberlack¹⁰⁰, J Ocariz⁷⁹, A Ochi⁶⁶, M I Ochoa⁷⁷, S Oda⁶⁹, S Odaka⁶⁵, H Ogren⁶⁰, A Oh⁸³, S H Oh⁴⁵, C C Ohm³⁰, H Ohman¹⁶⁷, T Ohshima¹⁰², W Okamura¹¹⁷, H Okawa²⁵, Y Okumura³¹, T Okuyama¹⁵⁶, A Olariu^{26a}, A G Olchevski⁶⁴, S A Olivares Pino⁴⁶, D Oliveira Damazio²⁵, E Oliver Garcia¹⁶⁸, D Olivito¹²¹, A Olszewski³⁹, J Olszowska³⁹, A Onofre^{125a,125e}, P U E Onyisi^{31,208}, C J Oram^{160a}, M J Oreglia³¹, Y Oren¹⁵⁴, D Orestano^{135a,135b}, N Orlando^{72a,72b}, C Oropeza Barrera⁵³, R S Orr¹⁵⁹, B Osculati^{50a,50b}, R Ospanov¹²¹, G Otero y Garzon²⁷, H Otono⁶⁹, M Ouchrif^{136d}, E A Ouellette¹⁷⁰, F Ould-Saada¹¹⁸,

A Ouraou¹³⁷, K P Oussoren¹⁰⁶, Q Ouyang^{33a}, A Ovcharova¹⁵, M Owen⁸³, V E Ozcan^{19a}, N Ozturk⁸, K Pachal¹¹⁹, A Pacheco Pages¹², C Padilla Aranda¹², S Pagan Griso¹⁵, E Paganis¹⁴⁰, C Pahl¹⁰⁰, K Pachal¹¹³, A Pacheco Pages¹², C Padilla Aranda¹³, S Pagan Griso¹³, E Paganis¹⁴⁰, C Pahl¹⁰⁰, F Paige²⁵, P Pais⁸⁵, K Pajchel¹¹⁸, G Palacino^{160b}, S Palestini³⁰, D Pallin³⁴, A Palma^{125a,125b}, J D Palmer¹⁸, Y B Pan¹⁷⁴, E Panagiotopoulou¹⁰, J G Panduro Vazquez⁷⁶, P Pani¹⁰⁶, N Panikashvili⁸⁸, S Panitkin²⁵, D Pantea^{26a}, Th D Papadopoulou¹⁰, K Papageorgiou^{155,193}, A Paramonov⁶, D Paredes Hernandez³⁴, M A Parker²⁸, F Parodi^{50a,50b}, J A Parsons³⁵, U Parzefall⁴⁸, E Pasqualucci^{133a}, S Passaggio^{50a}, A Passeri^{135a}, F Pastore^{135a,135b,220}, Fr Pastore⁷⁶, G Pásztor^{49,209}, S Pataraia¹⁷⁶, N D Patel¹⁵¹, J R Pater⁸³, S Patricelli^{103a,103b}, T Pauly³⁰, L Pagarai¹⁷⁰, M Padaraga¹¹⁸, S Padaraga Lapar¹⁶⁸, P Padaraga^{125a,125b}, S V Palacaga kul¹⁰⁸ J Pearce¹⁷⁰, M Pedersen¹¹⁸, S Pedraza Lopez¹⁶⁸, R Pedro^{125a,125b}, S V Peleganchuk¹⁰⁸, D Pelikan¹⁶⁷, H Peng^{33b}, B Penning³¹, J Penwell⁶⁰, D V Perepelitsa³⁵, E Perez Codina^{160a}, M T Pérez García-Estañ ¹⁶⁸, V Perez Reale ³⁵, L Perini ^{90a,90b}, H Pernegger ³⁰, R Perino ^{72a}, R Peschke ⁴², V D Peshekhonov ⁶⁴, K Peters ³⁰, R F Y Peters ⁸³, B A Petersen ⁸⁷, J Petersen ³⁰, T C Petersen ³⁶, E Petit ⁴², A Petridis ^{147a,147b}, C Petridou ¹⁵⁵, E Petrolo ^{133a}, F Petrucci ^{135a,135b}, M Petteni ¹⁴³, R Pezoa ^{32b}, P W Phillips ¹³⁰, G Piacquadio ¹⁴⁴, E Pianori ¹⁷¹, A Picazio ⁴⁹, E Piccaro ⁷⁵, M Piccinini ^{20a,20b}, P W Phillips ¹³⁰, G Piacquadio ¹⁴⁴, E Pianori ¹⁷¹, A Picazio ⁴⁹, E Piccaro ⁷⁵, M Piccinini ^{20a,20b}, P W Phillips ¹³⁰, G Piacquadio ¹⁴⁴, E Pianori ¹⁷¹, A Picazio ⁴⁹, E Piccaro ⁷⁷, Table ^{125a}, ^{125a}, ^{125b}, ^{125d}, ^{125d} S M Piec⁴², R Piegaia²⁷, D T Pignotti¹¹⁰, J E Pilcher³¹, A D Pilkington⁷⁷, J Pina^{125a,125b,125d}, M Pinamonti^{165a,165c,210}, A Pinder¹¹⁹, J L Pinfold³, A Pingel³⁶, B Pinto^{125a}, C Pizio^{90a,90b}, M-A Pleier²⁵, V Pleskot¹²⁸, E Plotnikova⁶⁴, P Plucinski¹⁴⁷a, 147^b, S Poddar⁵⁸a, F Podlyski³⁴, R Poettgen⁸², L Poggioli¹¹⁶, D Pohl²¹, M Pohl⁴⁹, G Polesello¹²⁰a, A Policicchio³⁷a, R Polifka¹⁵⁹, A Polini²⁰a, C S Pollard⁴⁵, V Polychronakos²⁵, K Pommès³⁰, L Pontecorvo¹³³a, B G Pope⁸⁹, G A Popeneciu²⁶b, D S Popovic^{13a}, A Poppleton³⁰, X Portell Bueso¹², G E Pospelov¹⁰⁰, S Pospisil¹²⁷, K Potamianos¹⁵, I N Potrap⁶⁴, C J Potter¹⁵⁰, C T Potter¹¹⁵, G Poulard³⁰, J Poveda⁶⁰, V Pozdnyakov⁶⁴, R Prabhu⁷⁷, P Pralavorio⁸⁴, A Pranko¹⁵, S Prasad³⁰, R Pravahan⁸, S Prell⁶³, D Price⁸³, J Price⁷³, L E Price⁶, D Prieur¹²⁴, M Primavera^{72a}, M Proissl⁴⁶, K Prokofiev¹⁰⁹, F Prokoshin^{32b}, E Protection of the state of E Protopapadaki¹³⁷, S Protopopescu²⁵, J Proudfoot⁶, M Przybycien^{38a}, H Przysiezniak⁵, E Ptacek¹¹⁵, E Pueschel⁸⁵, D Puldon¹⁴⁹, M Purohit^{25,211}, P Puzo¹¹⁶, Y Pylypchenko⁶², J Qian⁸⁸, A Quadt⁵⁴, D R Quarrie¹⁵, W B Quayle^{165a,165b}, D Quilty⁵³, A Qureshi^{160b}, V Radeka²⁵, V Radescu⁴², S K Radhakrishnan¹⁴⁹, P Radloff¹¹⁵, F Ragusa^{90a,90b}, G Rahal¹⁷⁹, S Rajagopalan²⁵, M Rammensee³⁰, M Rammes¹⁴², A S Randle-Conde⁴⁰, C Rangel-Smith⁷⁹, K Rao¹⁶⁴, F Rauscher⁹⁹, T C Rave⁴⁸, T Ravenscroft⁵³, M Raymond³⁰, A L Read¹¹⁸, D M Rebuzzi^{120a,120b}, A Redelbach¹⁷⁵, G Redlinger²⁵, R Reece¹³⁸, K Reeves⁴¹, L Rehnisch¹⁶, A Reinsch¹¹⁵, H Reisin²⁷, M Relich¹⁶⁴, C Rembser³⁰, Z L Ren¹⁵², A Renaud¹¹⁶, M Rescigno^{133a}, S Resconi^{90a}, O L Rezanova^{108,199}, P Reznicek¹²⁸, Z L Ren¹⁵², A Renaud¹¹⁶, M Rescigno^{133a}, S Resconi^{90a}, O L Rezanova^{108,199}, P Reznicek¹²⁸, R Rezvani⁹⁴, R Richter¹⁰⁰, M Ridel⁷⁹, P Rieck¹⁶, M Rijssenbeek¹⁴⁹, A Rimoldi^{120a,120b}, L Rinaldi^{20a}, E Ritsch⁶¹, I Riu¹², F Rizatdinova¹¹³, E Rizvi⁷⁵, S H Robertson^{86,188}, A Robichaud-Veronneau¹¹⁹, D Robinson²⁸, J E M Robinson⁸³, A Robson⁵³, C Roda^{123a,123b}, D Roda Dos Santos¹²⁶, L Rodrigues³⁰, S Roe³⁰, O Røhne¹¹⁸, S Rolli¹⁶², A Romaniouk⁹⁷, M Romano^{20a,20b}, G Romeo²⁷, E Romero Adam¹⁶⁸, N Rompotis¹³⁹, L Roos⁷⁹, E Ros¹⁶⁸, S Rosati^{133a}, K Rosbach⁴⁹, A Rose¹⁵⁰, M Rose⁷⁶, P L Rosendahl¹⁴, O Rosenthal¹⁴², V Rossetti^{147a,147b}, E Rossi^{103a,103b}, L P Rossi^{50a}, R Rosten¹³⁹, M Rotaru^{26a}, I Roth¹⁷³, J Rothberg¹³⁹, D Rousseau¹¹⁶, C R Royon¹³⁷, A Rozanov⁸⁴, Y Rozen¹⁵³, X Ruan^{146c}, F Rubbo¹², I Rubinskiy⁴², V I Rud⁹⁸, C Rudolph⁴⁴, M S Rudolph¹⁵⁹, F Rühr⁷, A Ruiz-Martinez⁶³, Z Rurikova⁴⁸, N A Rusakovich⁶⁴, A Ruschke⁹⁹, J P Rutherfoord⁷, N Ruthmann⁴⁸, P Ruzicka¹²⁶, Y F Ryabov¹²², M Rybar¹²⁸, G Rybkin¹¹⁶, N C Ryder¹¹⁹, A F Saavedra¹⁵¹, S Sacerdoti²⁷, A Saddique³, I Sadeh¹⁵⁴, H F-W Sadrozinski¹³⁸, R Sadykov⁶⁴, F Safai Tehrani^{133a}, H Sakamoto¹⁵⁶, Y Sakurai¹⁷², G Salamanna⁷⁵, A Salamon^{134a}, M Saleem¹¹², D Salek¹⁰⁶, P H Sales De Bruin¹³⁹, D Salihagic¹⁰⁰, A Salnikov¹⁴⁴, J Salt¹⁶⁸, B M Salvachua Ferrando⁶, D Salek Salar Feliam , H Sakamoto , I Sakurar , O Salamanna , A Salamon , M Saleem , D Salek Salek De Bruin Salek De Bruin Salek Salek De Salvatore Salek De Salvatore Martinez Salvatore Salvatore

M P Sanders⁹⁹, M Sandhoff¹⁷⁶, T Sandoval²⁸, C Sandoval^{165a,165b}, R Sandstroem¹⁰⁰, D P C Sankey¹³⁰, A Sansoni⁴⁷, C Santoni³⁴, R Santonico^{134a,134b}, H Santos^{125a}, I Santoyo Castillo 150, K Sapp 124, A Sapronov 64, J G Saraiva 125a, 125d, B Sarrazin 21, G Sartisohn 176, O Sasaki⁶⁵, Y Sasaki¹⁵⁶, G Sauvage^{5,220}, E Sauvan⁵, J B Sauvan¹¹⁶, P Savard^{159,183}, D O Savu³⁰, C Sawyer¹¹⁹, L Sawyer^{78,194}, D H Saxon⁵³, J Saxon¹²¹, C Sbarra^{20a}, A Sbrizzi³, T Scanlon³⁰, D A Scannicchio 164, M Scarcella 151, J Schaarschmidt 173, P Schacht 100, D Schaefer 121, A Schaelicke 46, S Schaepe²¹, S Schaetzel^{58b}, U Schäfer⁸², A C Schaffer¹¹⁶, D Schaile⁹⁹, R D Schamberger¹⁴⁹, V Scharf^{58a}, V A Schegelsky¹²², D Scheirich¹²⁸, M Schernau¹⁶⁴, M I Scherzer³⁵, C Schiavi^{50a,50b}, J Schieck⁹⁹, C Schillo⁴⁸, M Schioppa^{37a,37b}, S Schlenker³⁰, E Schmidt⁴⁸, K Schmieden³⁰, C Schmitt⁸², C Schmitt⁹⁹, S Schmitt^{58b}, B Schneider¹⁷, Y J Schnellbach⁷³, U Schnoor⁴⁴, L Schoeffel¹³⁷, A Schoening^{58b}, B D Schoenrock⁸⁹, A L S Schorlemmer⁵⁴, M Schott⁸², D Schouten^{160a}, J Schovancova²⁵, S Schramm¹⁵⁹, M Schreyer¹⁷⁵, C Schroeder⁸², N Schuh⁸², M J Schultens²¹, J Schorlemmer⁵⁴, M J Schultens²¹, J Schorlemmer⁵⁸, M J Schultens²¹, J Schorlemmer⁵⁸, M J Schultens²¹, J Schorlemmer⁵⁸, M J Schultens²¹, J Schultens²¹, J Schorlemmer⁵⁸, M J Schultens²¹, J Schultens²¹, J Schorlemmer⁵⁸, M J Schultens²¹, J Schul H-C Schultz-Coulon^{58a}, H Schulz¹⁶, M Schumacher⁴⁸, B A Schumm¹³⁸, Ph Schune¹³⁷, A Schwartzman¹⁴⁴, Ph Schwegler¹⁰⁰, Ph Schwemling¹³⁷, R Schwienhorst⁸⁹, J Schwindling¹³⁷, T Schwindt²¹, M Schwerer⁵, F G Sciacca¹⁷, E Scifo¹¹⁶, G Sciolla²³, W G Scott¹³⁰, F Scuri^{123a,123b}, F Scutti²¹, J Searcy⁸⁸, G Sedov⁴², E Sedykh¹²², S C Seidel¹⁰⁴, A Seiden¹³⁸, F Seifert¹²⁷, J M Seixas^{24a}, G Sekhniaidze^{103a}, S J Sekula⁴⁰, K E Selbach⁴⁶, D M Seliverstov¹²², G Sellers⁷³, M Seman^{145b}, N Semprini-Cesari^{20a,20b}, C Serfon³⁰, L Serin¹¹⁶, L Serkin⁵⁴, T Serre⁸⁴, R Seuster^{160a}, H Severini¹¹², T Serre⁸⁴, R Seuster^{160a}, H Severini¹¹², T Serre⁸⁵, R Seuster^{160a}, H Severini¹¹², T Serre⁸⁶, R Seuster^{160a}, H Severini¹¹², T Serre⁸⁷, T Serre⁸⁸, R Seuster^{160a}, H Severini¹¹², T Serre⁸⁸, R Seuster⁸⁸, F Sforza¹⁰⁰, A Sfyrla³⁰, E Shabalina⁵⁴, M Shamim¹¹⁵, L Y Shan^{33a}, J T Shank²², Q T Shao⁸⁷, M Shapiro¹⁵, P B Shatalov⁹⁶, K Shaw^{165a,165b}, P Sherwood⁷⁷, S Shimizu⁶⁶, C O Shimmin¹⁶⁴, M Shimojima¹⁰¹, M Shiyakova⁶⁴, A Shmeleva⁹⁵, M J Shochet³¹, D Short¹¹⁹, S Shrestha⁶³, E Shulga⁹⁷, M A Shupe⁷, S Shushkevich⁴², P Sicho¹²⁶, D Sidorov¹¹³, A Sidoti^{133a}, F Siegert⁴⁴, Dj Sijacki^{13a}, O Silbert ¹⁷³, J Silva ^{125a,125d}, Y Silver ¹⁵⁴, D Silverstein ¹⁴⁴, S B Silverstein ^{147a}, V Simak ¹²⁷, O Simard ⁵, Lj Simic ^{13a}, S Simion ¹¹⁶, E Simioni ⁸², B Simmons ⁷⁷, R Simoniello ^{90a,90b}, M Simonyan ³⁶, K M Smith⁵³, M Smizanska⁷¹, K Smolek¹²⁷, A A Snesarev⁹⁵, G Snidero⁷⁵, S Snyder²⁵, R Sobie^{170,188}, F Socher⁴⁴, A Soffer¹⁵⁴, D A Soh^{152,201}, C A Solans³⁰, M Solar¹²⁷, J Solc¹²⁷, E Yu Soldatov⁹⁷, U Soldevila¹⁶⁸, E Solfaroli Camillocci^{133a,133b}, A A Solodkov¹²⁹, O V Solovyanov¹²⁹, V Solovyev¹²², P Sommer⁴⁸, N Soni¹, A Sood¹⁵, B Sopko¹²⁷, V Sopko¹²⁷, M Sosebee⁸, R Soualah^{165a,165c}, P Soueid⁹⁴, A M Soukharev¹⁰⁸, D South⁴², S Spagnolo^{72a,72b}, F Spano⁷⁶, W R Spearman⁵⁷, R Spighi^{20a}, G Spigo³⁰, M Spousta¹²⁸, T Spreitzer¹⁵⁹, R Spurlock⁸, R D St Domis⁵³, L Stelland 121 R Spighi^{20a}, G Spigo³⁰, M Spousta¹²⁸, T Spreitzer¹⁵⁹, B Spurlock⁸, R D St Denis⁵³, J Stahlman¹²¹, R Stamen^{58a}, E Stanecka³⁹, R W Stanek⁶, C Stanescu^{135a}, M Stanescu-Bellu⁴², M M Stanitzki⁴², S Stapnes¹¹⁸, E A Starchenko¹²⁹, J Stark⁵⁵, P Staroba¹²⁶, P Starovoitov⁴², R Staszewski³⁹, P Stavina^{145a,220}, G Steele⁵³, P Steinberg²⁵, B Stelzer¹⁴³, H J Stelzer³⁰, O Stelzer-Chilton^{160a}, H Stenzel⁵², S Stern¹⁰⁰, G A Stewart⁵³, J A Stillings²¹, M C Stockton⁸⁶, M Stoebe⁸⁶, K Stoerig⁴⁸, H Stenzel²⁵, S Stern³⁶, G A Stewart³⁶, J A Stillings²¹, M C Stockton³⁶, M Stoebe³⁶, K Stoerig⁴⁸, G Stoicea^{26a}, S Stonjek¹⁰⁰, A R Stradling⁸, A Straessner⁴⁴, J Strandberg¹⁴⁸, S Strandberg^{147a,147b}, A Strandlie¹¹⁸, E Strauss¹⁴⁴, M Strauss¹¹², P Strizenec^{145b}, R Ströhmer¹⁷⁵, D M Strom¹¹⁵, R Stroynowski⁴⁰, S A Stucci¹⁷, B Stugu¹⁴, I Stumer^{25,220}, N A Styles⁴², D Su¹⁴⁴, J Su¹²⁴, HS Subramania³, R Subramaniam⁷⁸, A Succurro¹², Y Sugaya¹¹⁷, C Suhr¹⁰⁷, M Suk¹²⁷, V V Sulin⁹⁵, S Sultansoy^{4c}, T Sumida⁶⁷, X Sun⁵⁵, J E Sundermann⁴⁸, K Suruliz¹⁴⁰, G Susinno^{37a,37b}, M R Sutton¹⁵⁰, Y Suzuki⁶⁵, M Svatos¹²⁶, S Swedish¹⁶⁹, M Swiatlowski¹⁴⁴, I Sykora^{145a}, T Sykora¹²⁸, D Ta⁸⁹, K Tackmann⁴², J Taenzer¹⁵⁹, A Taffard¹⁶⁴, R Tafirout^{160a}, N Taiblum¹⁵⁴, Y Takahashi¹⁰² H Takai²⁵ R Takashima⁶⁸ H Takada⁶⁶ T Takashita¹⁴¹ V Takubo⁶⁵ M Taibus⁸⁴ Y Takahashi¹⁰², H Takai²⁵, R Takashima⁶⁸, H Takeda⁶⁶, T Takeshita¹⁴¹, Y Takubo⁶⁵, M Talby⁸⁴,

A A Talyshev^{108,199}, J Y C Tam¹⁷⁵, M C Tamsett^{78,213}, K G Tan⁸⁷, J Tanaka¹⁵⁶, R Tanaka¹¹⁶, S Tanaka¹³², S Tanaka⁶⁵, A J Tanasijczuk¹⁴³, K Tani⁶⁶, N Tannoury⁸⁴, S Tapprogge⁸², S Tarem¹⁵³, F Tarrade²⁹, G F Tartarelli^{90a}, P Tas¹²⁸, M Tasevsky¹²⁶, T Tashiro⁶⁷, E Tassi^{37a,37b}, A Tavares Delgado^{125a,125b}, Y Tayalati^{136d}, C Taylor⁷⁷, F E Taylor⁹³, G N Taylor⁸⁷, W Taylor^{160b}, F Taylor⁸⁷, D Taylor⁸⁷, Taylor⁸⁸, W Taylor^{160b}, T Taylor⁸⁸, W Taylor^{160b}, T Taylor⁸⁹, G N Taylor⁸⁹, G N Taylor⁸⁹, W Taylor^{160b}, T Taylor⁸⁹, G N Taylor⁸⁹, W Taylor⁸⁹, T Taylor⁸⁹, T Taylor⁸⁹, W Taylor⁸⁹, W Taylor⁸⁹, T Taylor⁸⁹, T Taylor⁸⁹, W Taylor⁸⁹, W Taylor⁸⁹, T Taylor⁸⁹, W Taylor⁸⁹, W Taylor⁸⁹, T Taylor⁸⁹, W Taylor⁸⁹, W Taylor⁸⁹, W Taylor⁸⁹, T Taylor⁸⁹, W Tay F A Teischinger³⁰, M Teixeira Dias Castanheira⁷⁵, P Teixeira-Dias⁷⁶, K K Temming⁴⁸, H Ten Kate³⁰, P K Teng¹⁵², S Terada⁶⁵, K Terashi¹⁵⁶, J Terron⁸¹, S Terzo¹⁰⁰, M Testa⁴⁷, R J Teuscher^{159,188}, J Therhaag²¹, T Theveneaux-Pelzer³⁴, S Thoma⁴⁸, J P Thomas¹⁸, J Thomas-Wilsker⁷⁶, E N Thompson³⁵, P D Thompson¹⁸, P D Thompson¹⁵⁹, A S Thompson⁵³, L A Thomsen³⁶, P D Thompson¹⁵⁹, A S Thompson⁵³, L A Thomsen³⁶, P D Thompson⁵⁴, P D Thompson⁵⁵, D Thompson⁵⁵, L A Thompson⁵⁶, P D Thompson⁵⁶, P D Thompson⁵⁷, P D Thompson⁵⁸, P D Thompson⁵⁸, P D Thompson⁵⁸, P D Thompson⁵⁸, D Thompson⁵⁹, A S Thompson⁵⁹, D Tho E Thomson 121, M Thomson 28, W M Thong 87, R P Thun 88,220, F Tian 35, M J Tibbetts 15, V O Tikhomirov 95,214, Yu A Tikhonov 108,199, S Timoshenko 97, E Tiouchichine 84, P Tipton 177, S Tisserant 84, T Todorov 5, S Todorova-Nova 128, B Toggerson 164, J Tojo 69, S Tokár 145a, K Tokushuku 65, K Tollefson 89, L Tomlinson 83, M Tomoto 102, L Tompkins 31, K Toms 104, N D Topilin 64, E Torrence 115, H Torres 143, E Torró Pastor 168, J Toth 84,209, F Touchard 84, D R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 116, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Trefzger 175, L Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, H L Tran 160, T Tremblet 30, A Tricoli 30, I M Trigger 160a, R Tovey 140, I M Trigger 160a, R Tovey 140, I M Trigger 160a, R Tovey 140, I M Trigger 160a D R Tovey M, H L Tran M, I Trefzger M, L Tremblet M, A Tricola M, I M Trigger M, S Trincaz-Duvoid M, F Tripiana M, N Triplett M, Trottier-McDonald M, M Trovatelli M, P True M, M Trzebinski M, A Trzupek M, C Tsarouchas M, J C-L Tseng M, P V Tsiareshka M, D Tsionou M, G Tsipolitis M, N Tsirintanis M, S Tsiskaridze M, V Tsiskaridze M, E G Tskhadadze M, I I Tsukerman M, V Tsulaia M, S Tsupolitis M, A Tudorache M, A Tudorache M, A N Tuna M, A Tudorache M, A N Tuna M, S Turchikhin M, A Tudorache M, R Turra M, P M, Tsulaia M, A Tychad M, Tsulaia M, A Tychad M, Tsulaia M, A Tudorache M, R Turra M, P M, Tsulaia M, A Tychad M, Tsulaia M, M, Tsulaia S Turchikhin S, 212, D Turecek 127, I Turk Cakir 14d, R Turra 15d, P M Tuts 13d, A Tykhonov 14d, M Tylmad 147a, 147b, M Tyndel 13d, K Uchida 15d, R Ueno 15d, R Ueno 15d, M Ughetto 14d, M Ugland 14d, M Uhlenbrock 15d, F Ukegawa 16d, G Unal 15d, A Undrus 15d, G Unel 16d, F C Ungaro 14d, Y Unno 15d, D Urbaniec 15d, P Urquijo 15d, G Usai 16d, A Usanova 16d, L Vacavant 16d, V Vacek 12d, B Vachon 16d, N Valencic 16d, S Valentinetti 16d, A Valero 16d, L Valery 16d, S Valkar 12d, E Valladolid Gallego 16d, S Vallecorsa 16d, P C Van Der Deijl 16d, R van der Geer 16d, H van der Graaf 16d, R Van Der Leeuw 16d, D van der Ster 16d, N Van Deldik 16d, P van Gemmeren 16d, J Van Nieuwkoop 14d, I van Vulpen 16d, M C van Woerden 16d, M Vanadia 16d, M Vandelli 16d, A Vaniachine 16d, P Vankov 16d, P Vannucci 16d, R Vardanyan 17d, R Vari 16d, E W Varnes 17d, T Varol 16d, A Vaniachine 16d, P Vankov 16d, F Vannucci 16d, T Vazelle 16d, T Vazquez Schroeder 16d, J Veatch 17d, F Veloso 16d, S Vardanyan 17d, R Vari 16d, T Vazquez Schroeder 16d, J Veatch 17d, F Veloso 16d, S Vardanyan 17d, R Vartur 16d, J Vantur 16d, J Vartur 16d, J Vartur 16d, J Vartur 17d, J Va A Ventura^{72a,72b}, D Ventura⁸⁵, M Venturi⁴⁸, N Venturi¹⁵⁹, A Venturini²³, V Vercesi^{120a}, M Verducci¹³⁹, W Verkerke¹⁰⁶, J C Vermeulen¹⁰⁶, A Vest⁴⁴, M C Vetterli^{143,183}, O Viazlo⁸⁰, I Vichou¹⁶⁶, T Vickey^{146c,215}, O E Vickey Boeriu^{146c}, G H A Viehhauser¹¹⁹, S Viel¹⁶⁹, R Vigne³⁰, M Villaplana Perez¹⁶⁸, E Vilucchi⁴⁷, M G Vincter²⁹, V B Vinogradov⁶⁴, J Virzi¹⁵, O Viazlo⁸⁰, M Villaplana Perez¹⁶⁸, E Vilucchi⁴⁷, M G Vincter²⁹, V B Vinogradov⁶⁴, J Virzi¹⁵, O Viazlo⁸⁰, I Virzi¹⁵, O Viazlo⁸⁰, I Virzi¹⁵, O Viazlo⁸⁰, I Vinogradov⁶⁴, J Virzi¹⁵, O Viazlo⁸⁰, I Vinogradov⁸⁰, I Vinogradov O Vitells¹⁷³, I Vivarelli¹⁵⁰, F Vives Vaque³, S Vlachos¹⁰, D Vladoiu⁹⁹, M Vlasak¹²⁷, A Vogel²¹, P Vokac¹²⁷, G Volpi⁴⁷, M Volpi⁸⁷, H von der Schmitt¹⁰⁰, H von Radziewski⁴⁸, E von Toerne²¹, V Vorobel¹²⁸, M Vos¹⁶⁸, R Voss³⁰, J H Vossebeld⁷³, N Vranjes¹³⁷, M Vranjes Milosavljevic¹⁰⁶, V Vrba¹²⁶, M Vreeswijk¹⁰⁶, T Vu Anh⁴⁸, R Vuillermet³⁰, I Vukotic³¹, Z Vykydal¹²⁷, P Wagner²¹, W Wagner ¹⁷⁶, S Wahrmund ⁴⁴, J Wakabayashi ¹⁰², J Walder ⁷¹, R Walker ⁹⁹, W Walkowiak ¹⁴², R Wall ¹⁷⁷, P Waller ⁷³, B Walsh ¹⁷⁷, C Wang ^{152,216}, C Wang ⁴⁵, F Wang ¹⁷⁴, H Wang ¹⁵, H Wang ⁴⁰, J Wang ⁴², J Wang ^{33a}, K Wang ⁸⁶, R Wang ¹⁰⁴, S M Wang ¹⁵², T Wang ²¹, X Wang ¹⁷⁷, A Warburton ⁸⁶, C P Ward ²⁸, D R Wardrope ⁷⁷, M Warsinsky ⁴⁸, A Washbrook ⁴⁶, C Wasicki ⁴², I Watanabe ⁶⁶, P Ward ¹⁸, A T Ward ¹⁸, A T Ward ¹⁵¹, M F Ward ¹⁸, G Ward ¹³⁹, G Ward ⁸³, A T Ward ¹⁵¹, M F Ward ¹⁸, G Ward ¹³⁹, G Ward ⁸³, A T Ward ¹⁵¹, M F Ward ¹⁸, G Ward ¹³⁹, G Ward ⁸³, A T Ward ¹⁵¹, M F Ward ¹⁸, G Ward ¹³⁹, G Ward ⁸³, A T Ward ¹⁵¹, M F Wa P M Watkins¹⁸, A T Watson¹⁸, I J Watson¹⁵¹, M F Watson¹⁸, G Watts¹³⁹, S Watts⁸³, A T Waugh¹⁵¹, B M Waugh⁷⁷, S Webb⁸³, M S Weber¹⁷, S W Weber¹⁷⁵, J S Webster³¹, A R Weidberg¹¹⁹, P Weigell¹⁰⁰, J Weingarten⁵⁴, C Weiser⁴⁸, H Weits¹⁰⁶, P S Wells³⁰, T Wenaus²⁵, D Wendland¹⁶, Z Weng^{152,201}, T Wengler³⁰, S Wenig³⁰, N Wermes²¹, M Werner⁴⁸, P Werner³⁰, M Wessels^{58a}, J Wetter¹⁶², K Whalen²⁹, A White⁸, M J White¹, R White^{32b}, S White^{123a,123b}, D Whiteson¹⁶⁴,

```
D Wicke<sup>176</sup>, F J Wickens<sup>130</sup>, W Wiedenmann<sup>174</sup>, M Wielers<sup>80,182</sup>, P Wienemann<sup>21</sup>, C Wiglesworth<sup>36</sup>,
  L A M Wiik-Fuchs<sup>21</sup>, P A Wijeratne<sup>77</sup>, A Wildauer<sup>100</sup>, M A Wildt<sup>42,217</sup>, H G Wilkens<sup>30</sup>, J Z Will<sup>99</sup>,
H H Williams<sup>121</sup>, S Williams<sup>28</sup>, S Willocq<sup>85</sup>, A Wilson<sup>88</sup>, J A Wilson<sup>18</sup>, I Wingerter-Seez<sup>5</sup>, S Winkelmann<sup>48</sup>, F Winklmeier<sup>115</sup>, M Wittgen<sup>144</sup>, T Wittig<sup>43</sup>, J Wittkowski<sup>99</sup>, S J Wollstadt<sup>82</sup>, M W Wolter<sup>39</sup>, H Wolters<sup>125a,125c</sup>, B K Wosiek<sup>39</sup>, J Wotschack<sup>30</sup>, M J Woudstra<sup>83</sup>, K W Wozniak<sup>39</sup>, M Wright<sup>53</sup>, S L Wu<sup>174</sup>, X Wu<sup>49</sup>, Y Wu<sup>88</sup>, E Wulf<sup>35</sup>, T R Wyatt<sup>83</sup>, B M Wynne<sup>46</sup>, S Xella<sup>36</sup>, M Vicel<sup>137</sup>, D V <sup>33a</sup>, J V <sup>33b</sup>, <sup>218</sup>, D V <sup>3</sup>
 M Xiao<sup>137</sup>, D Xu<sup>33a</sup>, L Xu<sup>33b,218</sup>, B Yabsley<sup>151</sup>, S Yacoob<sup>146b,219</sup>, M Yamada<sup>65</sup>, H Yamaguchi<sup>156</sup>, Y Yamaguchi<sup>156</sup>, A Yamamoto<sup>65</sup>, K Yamamoto<sup>63</sup>, S Yamamoto<sup>156</sup>, T Yamamura<sup>156</sup>, T Yamanaka<sup>156</sup>, K Yamauchi<sup>102</sup>, Y Yamazaki<sup>66</sup>, Z Yan<sup>22</sup>, H Yang<sup>33e</sup>, H Yang<sup>174</sup>, U K Yang<sup>83</sup>, Y Yang<sup>110</sup>, S Yanush<sup>92</sup>, L Yao<sup>33a</sup>, Y Yasu<sup>65</sup>, E Yatsenko<sup>42</sup>, K H Yau Wong<sup>21</sup>, J Ye<sup>40</sup>, S Ye<sup>25</sup>, A L Yen<sup>57</sup>,
  E Yildirim<sup>42</sup>, M Yilmaz<sup>4b</sup>, R Yoosoofmiya<sup>124</sup>, K Yorita<sup>172</sup>, R Yoshida<sup>6</sup>, K Yoshihara<sup>156</sup>, C Young<sup>144</sup>, C J S Young<sup>30</sup>, S Youssef<sup>22</sup>, D R Yu<sup>15</sup>, J Yu<sup>8</sup>, J M Yu<sup>88</sup>, J Yu<sup>113</sup>, L Yuan<sup>66</sup>, A Yurkewicz<sup>107</sup>,
B Zabinski<sup>39</sup>, R Zaidan<sup>62</sup>, A M Zaitsev<sup>129,206</sup>, A Zaman<sup>149</sup>, S Zambito<sup>23</sup>, L Zanello<sup>133a,133b</sup>, D Zanzi<sup>100</sup>, A Zaytsev<sup>25</sup>, C Zeitnitz<sup>176</sup>, M Zeman<sup>127</sup>, A Zemla<sup>38a</sup>, K Zengel<sup>23</sup>, O Zenin<sup>129</sup>, T Ženiš<sup>145a</sup>, D Zerwas<sup>116</sup>, G Zevi della Porta<sup>57</sup>, D Zhang<sup>88</sup>, F Zhang<sup>174</sup>, H Zhang<sup>89</sup>, J Zhang<sup>6</sup>, L Zhang<sup>152</sup>, X Zhang<sup>33d</sup>, Z Zhang<sup>116</sup>, Z Zhao<sup>33b</sup>, A Zhemchugov<sup>64</sup>, J Zhong<sup>119</sup>, B Zhou<sup>88</sup>, L Zhou<sup>35</sup>, N Zhou<sup>164</sup>, C G Zhu<sup>33d</sup>, H Zhu<sup>33a</sup>, J Zhu<sup>8</sup>, Y Zhu<sup>33b</sup>, X Zhuang<sup>33a</sup>, A Zibell<sup>99</sup>, D Zieminska<sup>60</sup>, N I Zimine<sup>64</sup>, C Zimmermann<sup>82</sup>, R Zimmermann<sup>21</sup>, S Zimmermann<sup>21</sup>, S Zimmermann<sup>48</sup>, Z Zinonos<sup>54</sup>,
  M Ziolkowski<sup>142</sup>, R Zitoun<sup>5</sup>, G Zobernig<sup>174</sup>, A Zoccoli<sup>20a,20b</sup>, M zur Nedden<sup>16</sup>, G Zurzolo<sup>103a,103b</sup>,
  V Zutshi<sup>107</sup>, L Zwalinski<sup>30</sup>
    <sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia
   <sup>2</sup> Physics Department, SUNY Albany, Albany NY, USA
   <sup>3</sup> Department of Physics, University of Alberta, Edmonton AB, Canada
   <sup>4a</sup> Department of Physics, Ankara University, Ankara, Turkey
   <sup>4b</sup> Department of Physics, Gazi University, Ankara, Turkey
```

^{4c} Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

^{4d} Turkish Atomic Energy Authority, Ankara, Turkey

⁵ LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, USA

⁷ Department of Physics, University of Arizona, Tucson AZ, USA

⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, USA

⁹ Physics Department, University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹² Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain

^{13a} Institute of Physics, University of Belgrade, Belgrade, Serbia

^{13b} Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia

¹⁴ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁵ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, USA

¹⁶ Department of Physics, Humboldt University, Berlin, Germany

¹⁷ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

¹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, UK

^{19a} Department of Physics, Bogazici University, Istanbul, Turkey

^{19b} Department of Physics, Dogus University, Istanbul, Turkey

^{19c} Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey

^{20a} INFN Sezione di Bologna, Bologna, Italy

^{20b} Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy

²¹ Physikalisches Institut, University of Bonn, Bonn, Germany

²² Department of Physics, Boston University, Boston MA, USA

- ²³ Department of Physics, Brandeis University, Waltham MA, USA
- ^{24a} Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil
- ^{24b} Federal University of Juiz de Fora (UFJF), Juiz de Fora, Brazil
- ^{24c} Federal University of Sao Joao del Rei (UFSJ), Sao Joao del Rei, Brazil
- ^{24d} Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil
- ²⁵ Physics Department, Brookhaven National Laboratory, Upton NY, USA
- ^{26a} National Institute of Physics and Nuclear Engineering, Bucharest, Romania
- ^{26b} National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Clui Napoca, Romania
- ^{26c} University Politehnica Bucharest, Bucharest, Romania
- ^{26d} West University in Timisoara, Timisoara, Romania
- ²⁷ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina
- ²⁸ Cavendish Laboratory, University of Cambridge, Cambridge, UK
- ²⁹ Department of Physics, Carleton University, Ottawa ON, Canada
- ³⁰CERN, Geneva, Switzerland
- ³¹ Enrico Fermi Institute, University of Chicago, Chicago IL, USA
- ^{32a} Departamento de Física, Pontificia Universidad Católica de Chile, Santiago
- ^{32b} Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile
- ^{33a} Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, People's Republic of China
- Department of Modern Physics, University of Science and Technology of China, Anhui, People's Republic of China
- ^{33c} Department of Physics, Nanjing University, Jiangsu, People's Republic of China
- 33d School of Physics, Shandong University, Shandong, People's Republic of China
- ^{33e} Physics Department, Shanghai Jiao Tong University, Shanghai, People's Republic of China
- ³⁴ Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France
- ³⁵ Nevis Laboratory, Columbia University, Irvington NY, USA
- ³⁶ Niels Bohr Institute, University of Copenhagen, Kobenhavn, Denmark
- ^{37a} INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
- ^{37b} Dipartimento di Fisica, Università della Calabria, Rende, Italy
- ^{38a} AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow, Poland
- ^{38b} Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- ³⁹ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- ⁴⁰ Physics Department, Southern Methodist University, Dallas TX, USA
- ⁴¹ Physics Department, University of Texas at Dallas, Richardson TX, USA
- ⁴² DESY, Hamburg and Zeuthen, Germany
- ⁴³ Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- ⁴⁴ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- ⁴⁵ Department of Physics, Duke University, Durham NC, USA
- ⁴⁶ SUPA—School of Physics and Astronomy, University of Edinburgh, Edinburgh, UK
- ⁴⁷ INFN Laboratori Nazionali di Frascati, Frascati, Italy
- ⁴⁸ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- ⁴⁹ Section de Physique, Université de Genève, Geneva, Switzerland
- ^{50a} INFN Sezione di Genova, Italy
- ^{50b} Dipartimento di Fisica, Università di Genova, Genova, Italy
- ^{51a} E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia
- ^{51b} High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- ⁵² II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- ⁵³ SUPA—School of Physics and Astronomy, University of Glasgow, Glasgow, UK
- ⁵⁴ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- ⁵⁵ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France
- ⁵⁶ Department of Physics, Hampton University, Hampton VA, USA
- ⁵⁷ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, USA
- 58a Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Germany
- ^{58b} Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Germany
- ^{58c} ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany

- ⁵⁹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- ⁶⁰ Department of Physics, Indiana University, Bloomington IN, USA
- 61 Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- ⁶² University of Iowa, Iowa City IA, USA
- ⁶³ Department of Physics and Astronomy, Iowa State University, Ames IA, USA
- ⁶⁴ Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- ⁶⁵ KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- ⁶⁶ Graduate School of Science, Kobe University, Kobe, Japan
- ⁶⁷ Faculty of Science, Kyoto University, Kyoto, Japan
- ⁶⁸ Kyoto University of Education, Kyoto, Japan
- ⁶⁹ Department of Physics, Kyushu University, Fukuoka, Japan
- ⁷⁰ Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- ⁷¹ Physics Department, Lancaster University, Lancaster, UK
- ^{72a} INFN Sezione di Lecce, Lecce, Italy
- ^{72b} Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- ⁷³ Oliver Lodge Laboratory, University of Liverpool, Liverpool, UK
- ⁷⁴ Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- ⁷⁵ School of Physics and Astronomy, Queen Mary University of London, London, UK
- ⁷⁶ Department of Physics, Royal Holloway University of London, Surrey, UK
- 77 Department of Physics and Astronomy, University College London, London, UK
- ⁷⁸ Louisiana Tech University, Ruston LA, USA
- ⁷⁹ Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- ⁸⁰ Fysiska Institutionen, Lunds Universitet, Lund, Sweden
- ⁸¹ Departamento de Fisica Teorica C-15, Universidad Autonoma de Madrid, Madrid, Spain
- 82 Institut für Physik, Universität Mainz, Mainz, Germany
- ⁸³ School of Physics and Astronomy, University of Manchester, Manchester, UK
- ⁸⁴ CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ⁸⁵ Department of Physics, University of Massachusetts, Amherst MA, USA
- ⁸⁶ Department of Physics, McGill University, Montreal QC, Canada
- ⁸⁷ School of Physics, University of Melbourne, Victoria, Australia
- ⁸⁸ Department of Physics, The University of Michigan, Ann Arbor MI, USA
- ⁸⁹ Department of Physics and Astronomy, Michigan State University, East Lansing MI, USA
- 90a INFN Sezione di Milano, Milano, Italy
- 90b Dipartimento di Fisica, Università di Milano, Milano, Italy
- ⁹¹B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Republic of Belarus
- ⁹² National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Republic of Belarus
- 93 Department of Physics, Massachusetts Institute of Technology, Cambridge MA, USA
- ⁹⁴ Group of Particle Physics, University of Montreal, Montreal QC, Canada
- 95 P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- ⁹⁶ Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- 97 Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- 98 D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- 99 Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- 100 Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- ¹⁰¹ Nagasaki Institute of Applied Science, Nagasaki, Japan
- 102 Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- ^{103a} INFN Sezione di Napoli, Napoli, Italy
- 103b Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, USA
- ¹⁰⁵ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- 106 Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- ¹⁰⁷ Department of Physics, Northern Illinois University, DeKalb IL, USA
- 108 Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- 109 Department of Physics, New York University, New York NY, USA
- Ohio State University, Columbus OH, USA
- ¹¹¹ Faculty of Science, Okayama University, Okayama, Japan

- ¹¹² Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, USA
- ¹¹³ Department of Physics, Oklahoma State University, Stillwater OK, USA
- Palacký University, RCPTM, Olomouc, Czech Republic
- ¹¹⁵Center for High Energy Physics, University of Oregon, Eugene OR, USA
- ¹¹⁶LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France
- ¹¹⁷ Graduate School of Science, Osaka University, Osaka, Japan
- ¹¹⁸ Department of Physics, University of Oslo, Oslo, Norway
- Department of Physics, Oxford University, Oxford, UK
- ^{120a} INFN Sezione di Pavia, Pavia, Italy
- ^{120b} Dipartimento di Fisica, Università di Pavia, Pavia, Italy
- Department of Physics, University of Pennsylvania, Philadelphia PA, USA
- ¹²² Petersburg Nuclear Physics Institute, Gatchina, Russia
- ^{123a} INFN Sezione di Pisa, Pisa, Italy
- ^{123b} Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy
- ¹²⁴Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, USA
- 125a Laboratorio de Instrumentacao e Fisica Experimental de Particulas LIP, Lisboa, Portugal
- 125b Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal
- ^{125c} Department of Physics, University of Coimbra, Coimbra, Portugal
- ^{125d}Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal
- 125e Departamento de Fisica, Universidade do Minho, Braga, Portugal
- Departamento de Fisica Teorica y del Cosmos and CAFPE, Universidad de Granada, Granada, Spain
- ^{125g} Dep Fisica and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal
- ¹²⁶ Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic
- 127 Czech Technical University in Prague, Praha, Czech Republic
- ¹²⁸ Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic
- ¹²⁹ State Research Center Institute for High Energy Physics, Protvino, Russia
- ¹³⁰ Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom
- ¹³¹Physics Department, University of Regina, Regina SK, Canada
- ¹³² Ritsumeikan University, Kusatsu, Shiga, Japan
- ^{133a} INFN Sezione di Roma, Roma, Italy
- 133b Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ^{134a} INFN Sezione di Roma Tor Vergata, Roma, Italy
- ^{134b} Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy
- ^{135a} INFN Sezione di Roma Tre, Roma, Italy
- ^{135b} Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy
- ^{136a} Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca, Morocco
- ^{136b}Centre National de l'Energie des Sciences Techniques Nucleaires, Rabat, Morocco
- 136c Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco
- ^{136d} Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda, Morocco
- ^{136e} Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco
- ¹³⁷DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France
- 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, USA
- ¹³⁹ Department of Physics, University of Washington, Seattle WA, USA
- ¹⁴⁰Department of Physics and Astronomy, University of Sheffield, Sheffield, UK
- ¹⁴¹ Department of Physics, Shinshu University, Nagano, Japan
- ¹⁴² Fachbereich Physik, Universität Siegen, Siegen, Germany
- ¹⁴³ Department of Physics, Simon Fraser University, Burnaby BC, Canada
- ¹⁴⁴ SLAC National Accelerator Laboratory, Stanford CA, USA
- ^{145a} Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava, Slovak Republic
- ^{145b} Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic
- ^{146a} Department of Physics, University of Cape Town, Cape Town, South Africa
- ^{146b} Department of Physics, University of Johannesburg, Johannesburg, South Africa
- 146c School of Physics, University of the Witwatersrand, Johannesburg, South Africa
- ^{147a} Department of Physics, Stockholm University, Stockholm, Sweden

- ^{147b} The Oskar Klein Centre, Stockholm, Sweden
- ¹⁴⁸ Physics Department, Royal Institute of Technology, Stockholm, Sweden
- Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, USA
- ¹⁵⁰ Department of Physics and Astronomy, University of Sussex, Brighton, UK
- ¹⁵¹ School of Physics, University of Sydney, Sydney, Australia
- ¹⁵² Institute of Physics, Academia Sinica, Taipei, Taiwan
- ¹⁵³ Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel
- ¹⁵⁴Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel
- ¹⁵⁵ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece
- ¹⁵⁶ International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokvo, Japan
- ¹⁵⁷ Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan
- ¹⁵⁸ Department of Physics, Tokyo Institute of Technology, Tokyo, Japan
- ¹⁵⁹ Department of Physics, University of Toronto, Toronto ON, Canada
- ^{160a} TRIUMF, Vancouver BC, Canada
- ^{160b} Department of Physics and Astronomy, York University, Toronto ON, Canada
- ¹⁶¹ Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan
- ¹⁶² Department of Physics and Astronomy, Tufts University, Medford MA, USA
- ¹⁶³ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia
- Department of Physics and Astronomy, University of California Irvine, Irvine CA, USA
- 165a INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy
- ^{165b} ICTP, Trieste, Italy
- ^{165c} Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL, USA
- ¹⁶⁷ Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden
- ¹⁶⁸ Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of

Valencia and CSIC, Valencia, Spain

- Department of Physics, University of British Columbia, Vancouver BC, Canada
- ¹⁷⁰ Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada
- Department of Physics, University of Warwick, Coventry, UK
- ¹⁷² Waseda University, Tokyo, Japan
- ¹⁷³ Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel
- Department of Physics, University of Wisconsin, Madison WI, USA
- ¹⁷⁵ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany
- ¹⁷⁶ Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany
- ¹⁷⁷ Department of Physics, Yale University, New Haven CT, USA
- ¹⁷⁸ Yerevan Physics Institute, Yerevan, Armenia
- ¹⁷⁹ Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France
- ¹⁸⁰ Also at Department of Physics, King's College London, London, UK
- Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ¹⁸² Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, UK
- 183 Also at TRIUMF, Vancouver BC, Canada
 184 Also at Department of Physics, California State University, Fresno CA, USA
- ¹⁸⁵ Also at Tomsk State University, Tomsk, Russia
- ¹⁸⁶ Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- ¹⁸⁷ Also at Università di Napoli Parthenope, Napoli, Italy
- ¹⁸⁸ Also at Institute of Particle Physics (IPP), Canada
- Also at Department of Physics, Middle East Technical University, Ankara, Turkey
- ¹⁹⁰ Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia
- ¹⁹¹ Also at Department of Physics, University of Coimbra, Coimbra, Portugal
- Also at Chinese University of Hong Kong, People's Republic of China
- ¹⁹³ Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece
- ¹⁹⁴ Also at Louisiana Tech University, Ruston LA, USA
- ¹⁹⁵ Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ¹⁹⁶ Also at CERN, Geneva, Switzerland
- ¹⁹⁷ Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan

- ¹⁹⁸ Also at Manhattan College, New York NY, USA
- ¹⁹⁹ Also at Novosibirsk State University, Novosibirsk, Russia
- ²⁰⁰ Also at Institute of Physics, Academia Sinica, Taipei, Taiwan
- ²⁰¹ Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, People's Republic of China
- ²⁰² Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan
- ²⁰³ Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France ²⁰⁴ Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India
- ²⁰⁵ Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy
- ²⁰⁶ Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia
- Also at Section de Physique, Université de Genève, Geneva, Switzerland
- Also at Department of Physics, The University of Texas at Austin, Austin TX, USA
- ²⁰⁹ Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary
- ²¹⁰ Also at International School for Advanced Studies (SISSA), Trieste, Italy
- ²¹¹ Also at Department of Physics and Astronomy, University of South Carolina, Columbia SC, USA
- Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- ²¹³ Also at Physics Department, Brookhaven National Laboratory, Upton NY, USA
- ²¹⁴ Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- ²¹⁵ Also at Department of Physics, Oxford University, Oxford, UK
- ²¹⁶ Also at Department of Physics, Nanjing University, Jiangsu, People's Republic of China ²¹⁷ Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ²¹⁸ Also at Department of Physics, The University of Michigan, Ann Arbor MI, USA
- Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa
- ²²⁰ Deceased