



**18th ICPR paper: INDUSTRIAL PERFORMANCE
MEASUREMENT: AN APPROACH BASED ON THE
AGGREGATION OF UNIPOLAR OR BIPOLAR
EXPRESSIONS**

Lamia Berrah, Gilles Mauris, François Vernadat

► **To cite this version:**

Lamia Berrah, Gilles Mauris, François Vernadat. 18th ICPR paper: INDUSTRIAL PERFORMANCE MEASUREMENT: AN APPROACH BASED ON THE AGGREGATION OF UNIPOLAR OR BIPOLAR EXPRESSIONS. International Journal of Production Research, Taylor & Francis, 2006, 44 (18-19), pp.4145-4158. <10.1080/00207540600786699>. <hal-00512918>

HAL Id: hal-00512918

<https://hal.archives-ouvertes.fr/hal-00512918>

Submitted on 1 Sep 2010

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



18th ICPR paper: INDUSTRIAL PERFORMANCE MEASUREMENT: AN APPROACH BASED ON THE AGGREGATION OF UNIPOLAR OR BIPOLAR EXPRESSIONS

Journal:	<i>International Journal of Production Research</i>
Manuscript ID:	TPRS-2005-IJPR-0545.R1
Manuscript Type:	Original Manuscript
Date Submitted by the Author:	07-Apr-2006
Complete List of Authors:	Berrah, Lamia; ESIA - Université de Savoie, LISTIC Mauris, Gilles; ESIA - Université de Savoie, LISTIC Vernadat, Francois; European Commission, Unit B2, Interoperability, Architecture and Methodologies
Keywords:	PERFORMANCE MEASURES, PERFORMANCE ANALYSIS, MANUFACTURING SYSTEMS ENGINEERING, MANUFACTURING MANAGEMENT
Keywords (user):	PERFORMANCE MEASUREMENT SYSTEMS, INDUSTRIAL PERFORMANCE AGGREGATION



INDUSTRIAL PERFORMANCE MEASUREMENT: AN APPROACH BASED ON THE AGGREGATION OF UNIPOLAR OR BIPOLAR EXPRESSIONS

L. Berrah¹, G. Mauris¹, F. Vernadat²

¹ LISTIC, ESIA-Université de Savoie, BP 806, F-74016 Annecy cedex, France

² LGIPM, ENIM-Université de Metz, Ile du Saulcy, F-57045 Metz cedex 1, France

Abstract

Industrial performance concerns numerous criteria, often in interaction and of complex nature, not related to one elementary measure. Performance Measurement Systems (PMSs) have been developed to support decision-making for reaching the objectives and launching adequate action plans. PMSs provide thus performance expressions which identify objective satisfaction degrees. Two kinds of performance expressions are useful in industrial problems, according to the scale (unipolar, bipolar) that is used for their definition. Moreover, these expressions generally have to be synthesized for global control purposes, determining an overall performance raises the issue of performance aggregation. To address such an aggregation issue, adequate multi-criteria methods need to be implemented. Most of the approaches proposed in the literature either do not provide explicit mechanisms, or rely on too simple methods. This paper deals with the definition of a performance combination based on mathematical tools, especially the generalized Choquet integral to take into account on the one hand criteria interactions and on the other hand both unipolar and bipolar scales. An application to a PMS for the service rate of a SME producing kitchen elements is used to illustrate the approach.

Keywords

Performance Measurement Systems (PMSs), Industrial performance aggregation, unipolar and bipolar performance expressions, 2-additive Choquet integral.

1 INTRODUCTION

The field of design, implementation and use of Performance Measurement Systems (PMSs) emerged about ten years ago [1] as the instruments to support decision-making in a continuous improvement process [2] [3] [4]. PMSs take part in a wider company information and decision system, which in particular includes strategic objectives setting. From a global point of view, a PMS can be seen as a multi-criteria instrument, made of a set of performance expressions, physical measures as well as performance evaluations, to be consistently organized with respect to the objectives of the company. More particularly, these measures are generally aimed at controlling business processes by evaluating the satisfaction of the objectives associated to them [5] [6]. Then, in order to support decision-making, a set of performances has to be processed for comparing the different process states encountered. To get an overall performances, aggregating the elementary performances is an useful approach [7]. More precisely, the major problems in the design of PMSs concern, on the one hand, the break-down of the global objective considered into elementary ones along organizational levels (strategic, tactical or operational) and, on the other hand, the aggregation of the elementary performance expressions to consolidate the value of the global one [7] [8].

Generally speaking, as shown by the review of the performance measurement literature (see [7]), information aggregation is not considered as a central *a priori* problem for PMS design, but as an *a posteriori* one once performance expressions have been selected and defined. Indeed, nearly all the proposals are in fact frameworks for linking strategic objectives, structuring tactical and operational criteria affecting them. Most of the contributions focus thus on the way of selecting the dimensions, the levels and the criteria to be considered for company performance definition. The research result is given under the form of logical break-down links between the criteria involved, the decisions being taken from the associated

1
2 structured multiple performance expressions. In addition, in a few research works [9] [2] [10]
3
4 [11], the links are quantified by weights, and an aggregated performance expression is
5
6 proposed as a weighted mean of the elementary ones. But, weights are generally determined
7
8 regardless of the performance expressions that are generally heterogeneous physical
9
10 measures. This can lead to commensurability issues. Moreover, the proposed break-down
11
12 structures consider only independent contributions of criteria and not interactions between
13
14 them, except for two recent proposals [10] [11].
15
16
17
18
19
20

21 To have an explicit formalization of performance aggregation, the paper considers the
22
23 aggregation problem as related to the definition of a function combining elementary
24
25 performance expressions in order to determine the expression of the overall performance
26
27 [12]. This leads to two main problems: defining commensurate elementary performance
28
29 expressions and determining combination function parameters. The definition of elementary
30
31 performance expressions is defined not only on a unipolar scale but also on a bipolar one.
32
33 Indeed, positive and negative expressions are useful for industrial control to perform
34
35 adequate feedback control. For the combination function, the 2-additive Choquet integral is
36
37 considered because it takes into account horizontal interaction (*i.e.* mutual interaction of
38
39 performance terms). The associated parameters are extracted from the decomposition of the
40
41 overall information into elementary ones according to managers' expertise.
42
43
44
45
46
47
48

49 The paper is organized as follows. Section 2 presents the characteristics of performance
50
51 expressions and the requirements for performance aggregation. In this sense, some
52
53 methodological considerations are drawn in section 3. Section 4 illustrates the approach on a
54
55 practical case study from a manufacturing company producing kitchen and bathroom
56
57 elements. Some concluding remarks and emerging problems are finally outlined.
58
59
60

2 INDUSTRIAL PERFORMANCE MEASUREMENT FRAMEWORK

Broadly speaking, a performance expression is associated to a given objective, and is related to its satisfaction degree. Naturally, objectives are defined at different company levels, and therefore the performance expressions are of different nature. They are in particular overall when the objectives are at the highest decision level and elementary when they are at the lowest levels. The performance expression role is devoted to the PMSs, for which there are two basic ways to express performance.

- The direct way: it consists in evaluating measures that represent the actual states of the considered activities, with their objectives specifying the expected states. The measures can be simple physical observations acquired in the form of single values (*e.g.* number of bad parts, line flow time), or obtained from the processing of several measures (*e.g.* mean number of bad parts per week, mean line flow time per day). The comparison is usually a ratio, a relative difference, or a normalized distance.
- The indirect way: it consists in combining several elementary performance expressions to determine the global one without considering a single measure for the overall entity. This post-taylorian situation occurs when the measure related to the global objective cannot be obtained due to two main reasons. The different elementary measures do not have the same dimension (*e.g.* skillfulness defined on the basis of know-how, working-speed, quality of work and perturbation handling), some being subjective to some extent (*e.g.* know-how). The semantics of the overall performance must be handled by the combination of its elementary performance components (*e.g.* overall performance defined by a trade-off between cost, quality and delivery performances).

2.1. Direct performance expression based on the measure/objective comparison

Definition

Concerning the direct method, the performance expressions returned by the so-called performance indicators result from the straightforward comparison between the objectives and the measures describing the effective process or activity enactment. Hence, the performance expressions can be formalized by the following mapping [12]:

$$P : O \times M \rightarrow E$$
$$(o, m) \rightarrow P(o, m) = P$$

O, M and E are respectively the universes of discourse of the set of objectives o , of the set of measures m and of the performance expressions P . The key point in differentiating this kind of performance expression from conventional measurements is the comparison in some sense of the acquired measures with an objective defined according to the control strategy considered. Thus, the mapping P denotes a comparison operator such as a distance operator or a similarity operator [12].

Therefore, we will not consider the particular case where the mapping P is not made explicit and the performance expression is not defined on a performance universe having its own dimension, *i.e.* $E = M$. The focus remains on situations for which an explicit comparison between measures and objectives is carried out. From a general point of view, E can be any set, *e.g.* the set of real numbers or integers. The choice of a specific universe E of performance expressions is ruled by the cognitive efficiency of the control decision-making, *i.e.* the performance expressions must be useful, relevant, easily readable, understandable, and quickly interpretable by the decision-makers. Thus, the performance criteria being associated to different physical heterogeneous entities (price, size, delay...), a first point is to make them commensurate in some sense. This leads to consider a common shared semantic for the universe E . This is explained hereafter.

Commensurateness of performance expressions

One widely used universe of performance is $E=[0, 1]$, where 0 means objective not satisfied at all and 1 means objective fully satisfied. Another possibility is to consider a universe $E=[-1, 1]$ going from negative value (bad) to positive value (good), including a central neutral value (0). Such a scale is called a bipolar scale. Defining commensurate unipolar or bipolar performance expressions, *i.e.* having the same meaning for identical values of satisfaction degrees, is not straightforward. For example, 0.8 (respectively -0.4) for *quality* performance must mean the same thing in performance terms than 0.8 (respectively -0.4) for *delivery time* performance. As it is not the main concern of this paper, this point is not deeply discussed herein, but general considerations and examples are given associated with adequate references.

The mechanism ensuring the commensurateness is based on the definition by the decision-makers of two reference values for unipolar expressions, three for bipolar expressions, having a common satisfaction meaning for all the criteria. Generally, the reference values correspond to totally unsatisfactory (-1), neutral (0) and totally satisfactory (1), and they are associated to values of the universe of measures to anchor the comparison between different situations.

For example, let us consider the average delay criterion for a manufacturing company. The objective to attain is $o = 0\text{hours}$ and the value leading to an absolute non satisfaction is

$\bar{o} = 48\text{hours}$. Then, for a particular measure m , the unipolar performance expression can be

defined by a linear interpolation: $P = \frac{m - \bar{o}}{o - \bar{o}}$, e.g. for $m=12$, $P(12) = \frac{12 - 48}{-48} = 0.75$. This approach

guarantees the commensurateness for the extreme performance values but only in an approximate way for the others. To go further, all other values have to be considered. This being difficult, it is possible to consider a limited set corresponding to situations well known to the decision-maker. It is the spirit of a method called MACBETH (Multi Attractiveness Categorical Based Evaluation Technique) based on the decision-maker's preferences and detailed in [13][14].

Unipolar versus bipolar performance expressions

A natural behavior of decision-makers is to sometimes make a distinction between positive and negative quality of actions. For example, when following a continuous improvement process, the overall performance is expected to be improved (*i.e.* positive) but it can be steady (*i.e.* null) or even degraded (*i.e.* negative). Moreover, some elementary performances can be improved and a few degraded. This leads to consider a bipolar universe $E=[-1, 1]$ going from negative value (bad) to positive value (good), including a central neutral value (0). Moreover, a significant interest of bipolar expressions for industrial control is that a direct analogy with closed-loop control systems is highlighted. Indeed, in this view the performance indicator, which provides signed expressions, can be assimilated to the comparator of the control loop, the objective being the set-point. In fact, the bipolar scale has a richer structure but it leads to more complex processing in particular for the aggregation as exposed in section 3.

Indeed, once performance expressions (unipolar or bipolar) have been determined, a coherent control requires a reporting system from lower to higher decisional levels that synthesizes local performance expressions into overall ones. This refers to the indirect way of obtaining performance expressions as a combination of other expressions.

2.2. Indirect performance expression based on the combination of elementary expressions

Definition

Concerning the indirect method, the combination of the performance expressions can be expressed as an operation that synthesizes the elementary performance expressions into a overall one.

Hence, the performance aggregation can be formalized by the following mapping:

$$Ag : E_1 \times E_2 \times \dots \times E_n \mapsto E$$

$$(P_1, P_2, \dots, P_n) \rightarrow P_{Ag} = Ag(P_1, P_2, \dots, P_n)$$

E_i is the universe of discourse of the elementary performance expressions P_i and E is the universe of discourse of the global performance expression P_{Ag} .

Aggregation operator requirements

Generally the performance criteria are characterized by subordination as well as horizontal interactions. Furthermore, coalitions or conflicts whole constitute interaction phenomena that may influence the set of performance criteria. Horizontal interactions express coordination links that ensure the coherence of the satisfaction degrees at a given hierarchical level. As pointed out in previous works [8], the conventional weighted mean cannot deal with this latter aspect. It is only well-suited for a tree performance structure composed of independent performance criteria. Therefore, new aggregation functions must be added in order to benefit from this semantic distinction in the relations among criteria: modelling the relative importance of a criterion and its interactions with the other ones.

For instance, *operator skillfulness* in assembling kitchen elements and *element availability* at the operators' workstation have a mutual interaction with respect to the *average delivery time of kitchen shipment*. But the performance structure can be more complex. For example, concerning the *service rate*, when *the average delay of shipments* is bad, *time between order and product manufacturing* is more important than *accuracy of shipments*, and when *the average delay of shipments* is good, *time between order and product manufacturing* is less important than *accuracy of shipments*.

However, there is a need to make a trade-off between the different interacting performance criteria involved. This leads to consider compromise operators, and thus to disqualify those that model severe or tolerant behaviour (such t -norms and t -co-norms). In this sense, the operators of the Choquet integral family [15] are interesting as explained in the next section.

3. METHODOLOGICAL GUIDELINES FOR THE PERFORMANCE AGGREGATION

As the structures of the unipolar and bipolar scales are not identical (existence of a neutral level), the processing of their values, in particular their aggregation, has to be carried out in slightly different ways.

3.1. Unipolar performance evaluation aggregation

The operators of the Choquet integral family are interesting because they cover a lot of generalized mean operators (*i.e.* those comprised between the min and the max operators). Moreover, they can be written under the form of a conventional weighted mean modified by effects coming from interactions between elementary performance evaluations. Finally, they are coherent with the performance expressions on an unipolar interval scale on the universe $[0, 1]$. Therefore, we select this type of combination for performance evaluation aggregation, especially the 2-additive Choquet integral that considers only interactions by pair.

Background on 2-additive Choquet integral

The 2-additive Choquet integral is based on 2 types of parameters [16].

- The importance of each elementary performance criterion in relation to all the other contributions to the overall performance evaluation by the so-called *Shapley parameters* v_i 's, that satisfy $\sum_{i=1}^n v_i = 1$, which is a natural condition for decision-makers where v_i are the weights,
- The *interaction parameters* I_{ij} of any pair of performance criteria, that range in $[-1, 1]$; a value of 1 means positive synergy, a value of -1 means negative synergy and a value of 0 means no influence.

The associated aggregation function is given by:

$$\begin{aligned}
 Ag_{CI}(P_1, P_2, \dots, P_n) = & \sum_{i=1}^n P_i \left(v_i - \frac{1}{2} \sum_{j \neq i} |I_{ij}| \right) + \sum_{I_{ij} > 0} \min(P_i, P_j) I_{ij} \\
 & + \sum_{I_{ij} < 0} \max(P_i, P_j) |I_{ij}| \quad (1)
 \end{aligned}$$

with the property that $\left(v_i - \frac{1}{2} \sum_{j \neq i} |I_{ij}| \right) \geq 0$.

For example, let us consider two performance criteria c_1 and c_2 having as weights $v_1 = 0.4$ and $v_2 = 0.6$ and an interaction $I_{12} = 0.4$. Then, for elementary performances $P_1 = 0.8$ and $P_2 = 0.4$ the aggregated performance is $P_{Ag} = 0.2 \times 0.8 + 0.4 \times 0.4 + 0.4 \times 0.4 = 0.48$. Without the interaction, we would obtain $P_{Ag} = 0.4 \times 0.8 + 0.6 \times 0.4 = 0.56$, i.e. around 15% of difference.

In fact, the aggregation function is decomposed in a conventional linear part modified by a conjunctive and a disjunctive part. A null I_{ij} implies that no interaction exists; thus v_i acts as the weights in a common weighted mean, e.g. $P_1 = 0.8$ $P_2 = 0.4$ and $P_1 = 0.65$ $P_2 = 0.6$ lead with the preceding Shapley parameters values to the same aggregated performance $P_{Ag} = 0.56$. A positive I_{ij} implies that the decision-maker prefers simultaneous high values for P_i and P_j , e.g. for $I_{12} = 0.4$, $P_1 = 0.8$ $P_2 = 0.4$ leads to $P_{Ag} = 0.48$ when $P_1 = 0.65$ $P_2 = 0.6$ leads to $P_{Ag} = 0.61$. A negative I_{ij} implies that a high value for P_i or for P_j , is sufficient to have a significant effect on the aggregated performance evaluation, e.g. for $I_{12} = -0.4$, $P_1 = 0.8$ $P_2 = 0.4$ leads to $P_{Ag} = 0.568$ when $P_1 = 0.65$ $P_2 = 0.6$ leads to $P_{Ag} = 0.521$.

In summary, the v_i values are the weights of a combination by the weighted mean when no interaction exists, I_{ij} values performing second order corrections on this weighted mean according to the decision-maker's preferences.

Aggregation parameter determination

One important aspect is how to determine the value of the weights and the interactions in a coherent way with the elementary performance expression. In this view, the parameters have to be determined from the aggregation operator expression. One simple approach is to consider particular performance situations, i.e. situations corresponding to so called characteristics vectors composed only with 0 and 1 elementary performance expressions, e.g. (1, 1), (1, 0), (0, 1) for two criteria. Thus, knowing the associated aggregated performance (e.g. 1, 0.6, 0.8) leads to a system of three independent equations with the aggregation parameters as unknowns, i.e.:

$$v_1 + v_2 = 1$$

$$v_1 + 0.5 \cdot I_{12} = 0.6$$

$$v_2 + 0.5 \cdot I_{12} = 0.8$$

The aggregation parameters are then deduced by solving the system. For the considered example, we obtain: $v_1=0.4$; $v_2=0.6$; $I_{12}=0.4$.

Furthermore, having more situations than the minimum required to solve the equation system can allow to verify the coherence of the manufacturing manager's knowledge about the considered situations. On the other hand, if the direct expression of the global performance associated to the elementary performance vectors is too difficult for the manufacturing manager to state, asking him to provide magnitude order of the difference of performance values between the different situations can also permit to determine the parameters as proposed by the Macbeth method [14]. In fact, the approach consists in a quantified refinement of the logical objective decomposition often provided under the form of a tree structure (see Figure 1).

Note also that the obtained parameters represent the decision-maker's preferences and not directly the physical relationships between the variables. In fact, the former depend on the latter but they are not equivalent. Indeed, the decision-maker behavior can change according

1
2 to the company context, as opposed to the variable relationships that are constant (e.g. the
3
4 productivity decreases with the number of breakdowns).
5
6

7 **3.2. Bipolar performance evaluation aggregation**

8 *Introduction*

9
10 In this case, it is important to derive aggregation operators taking into account the dichotomy
11
12 between positive and negative values [17]. The Choquet integral, which is invariant to a shift
13
14 of the scale, is insensitive to the neutral level, and thus cannot serve directly for this purpose.
15
16 However, one can add some sensitivity by a simple symmetrization of the Choquet integral
17
18 around 0 (the symmetric Choquet integral is also known as the Sipos integral). Indeed, the [0,
19
20 1] unipolar scale can thus be seen as a bipolar scale, with for instance the neutral value 0.5.
21
22 In this view, by making a linear transformation of unipolar expression, a bipolar expression
23
24 can be obtained. This gives the advantage to highlight the neutral level for instance in a
25
26 continuous improvement process, but the aggregation of negative and positive values follow
27
28 the same behaviour.
29
30
31
32
33
34

35
36 Another approach consists in computing the positive expressions and the negative
37
38 expressions separately by two different Choquet integrals. This enables to model different
39
40 behaviors of the decision-maker when faced with positive and negative performance
41
42 expressions. But a thorough study of bipolar scales [17] leads to the fact that the two
43
44 preceding approaches failed to represent situations such as the one mentioned before: *e.g.*
45
46 when *the average delay of shipments* is bad, *time between order and product manufacturing*
47
48 is more important than *accuracy of shipments*, and when *the average delay of shipments* is
49
50 good, *time between order and product manufacturing* is less important than *accuracy of*
51
52 *shipments*.
53
54
55
56
57
58
59

60 Therefore, the notion of bi-capacity has been proposed to resolve this problem [18]. Roughly speaking, a bi-capacity encodes the performance expressions of all possible combinations of

positive and negative performances, so that it is able to represent complex interaction phenomena. Furthermore, the aggregation operator should enable the computation of an overall performance of any performance vector (compose of positive and negative values). In this view, Grabisch has introduced the so-called generalized Choquet integral [19].

The 2-additive generalized Choquet integral

The 2-additive generalized Choquet integral is always based on two types of parameters: the importance and interaction parameters. But this time, they are defined by pieces defined by the signs of the performance expressions:

- $v_{i,\emptyset}$ the importance of criterion i when the values of all criteria are positive,
- $v_{\emptyset,i}$ the importance of criterion i when the values of all criteria are negative,
- $I_{ij,\emptyset}$ the interaction of i and j when the values of all criteria are positive,
- $I_{\emptyset,ij}$ the interaction of i and j when the values of all criteria are negative,
- $I_{i,j}$ the interaction between i and j when the value of i is positive, the value of j negative, and the others neutral.

The associated aggregation operator is given by:

$$\begin{aligned}
 Ag_{CI}(P_1, \dots, P_n) = & \sum_{i \in N^+} P_i \left[v_{i,\emptyset} + \frac{1}{2} \left(\sum_{j \in N^+ \setminus i} I_{i,j} - \sum_{j \in N^-} I_{i,j} - \sum_{j \neq i} I_{ij,\emptyset} \right) \right] \\
 & + \sum_{i \in N^-} P_i \left[v_{\emptyset,i} + \frac{1}{2} \left(-\sum_{j \neq i} I_{i,j} + \sum_{j \in N^+} I_{\emptyset,ij} - \sum_{j \in N^- \setminus i} I_{\emptyset,ij} \right) \right] \\
 & + \sum_{ij \subset N^-} I_{\emptyset,ij} \min(P_i, P_j) + \sum_{ij \subset N^+} I_{ij,\emptyset} \min(P_i, P_j) \\
 & + \sum_{\substack{i \in N^+ \\ j \in N^-}} I_{i,j} \max(P_i + P_j, 0)
 \end{aligned} \tag{2}$$

where N^+ and N^- are the respectively the sets of criteria having positive performance values and negative performance values. This expression is in the same line as equation (1) except

for the last term that allows to take the interaction between positive and negative performance values into account.

For example, let us consider two performance criteria c_1 and c_2 having as parameters:

$v_{1,\emptyset} = 0.2$; $v_{2,\emptyset} = 0.4$; $v_{\emptyset,1} = 0.6$; $v_{\emptyset,2} = 0.8$; $I_{12,\emptyset} = 0$; $I_{\emptyset,12} = 0$ and $I_{1,2} = 0.4$. Then, for the

elementary performances $P_1 = 0.8$ and $P_2 = -0.4$, the aggregated performance is

$P_{Ag} = 0 \times 0.8 + 0.6 \times -0.4 + 0.4 \times (0.8 - 0.4) = -0.08$. For $P_1 = 0.2$ and $P_2 = 0.2$, we obtain $P_{Ag} = 0.2$.

This result illustrates the fact that in this case the decision-maker prefers not having one negative performance value.

Nevertheless, this aggregation function is more complex and requires much more effort to be determined. Nevertheless, in the same spirit as the unipolar case, the parameters can be determined by the decision-makers' overall evaluations of ternary performance vectors $(1_A, -1_B, 0_{-A \cup B})$ (A and B are disjoint subsets of the performance criteria), and by solving the corresponding equation systems.

4. APPLICATION

The case study concerns a SME producing kitchen, bathroom and storing space elements. The overall objective of the company is to continuously increase the profit margins. In this sense, knowing that the company wants to improve its performance in terms of delay, the focus is more particularly on the objective related to the *service rate*. The aim of this study is not to confine decision-makers to a narrow choice of performance indicators to assess and control their system, but to make a compromise among a limited set of relevant but conflicting performance evaluation criteria. The approach suggested is therefore: first to carry out a top-down objective break-down, to define elementary performance evaluations and to extract weights and interactions in a coherent way, and then to implement a bottom-up performance aggregation mechanism.

1
2
3
4 The bipolar performance expressions are illustrated with two examples: (1) when symmetric
5 Choquet integral can be applied, *i.e.* no interaction between the positive and negative
6 performances, and (2) when generalized Choquet integral has to be applied, *i.e.* interaction
7 between positive and negative values exists.
8
9

10 11 12 13 **4.1. Objective break-down**

14
15 The first stage consists in breaking down the top-management strategic objectives according
16 to the various levels of the hierarchical decisional structure of the company (*i.e.* the
17 organization chart). Figure 1 provides a partial break-down of the strategic objective related to
18 the service rate into tactical objectives and basic criteria to be used to assess operational
19 objectives. The service rate objective is declined into three tactical independent objectives
20 having the same importance and five operational ones, having different weights and
21 interactions as indicated in Tables 3 and 4.
22
23
24
25
26
27
28
29
30
31
32

33
34
35 For the sake of conciseness, the paper only details the break-down of tactical criterion time
36 between order and product manufacturing (TBOP) into operational indicators, but the same
37 procedure can be applied for the other tactical criteria.
38
39
40
41
42
43
44

45
46 *Figure 1. Performance structure of the strategic service rate objective*
47
48
49
50

51 **4.2. Operational performance measurements and evaluations**

52
53 The operational performance measurement involved in the tactical criterion time between
54 order and product manufacturing are summarized in Table 1.
55
56
57
58
59
60

Table 1: Operational performance measurements

In order to obtain performance evaluations from the performance measurements, the production manager has been asked about the objectives to attain at the operational level and about the performance evaluations of the current situation. This information is summarized in Table 2. For other performance measurement values, the performance evaluations are then computed by making a linear interpolation. Thus, commensurate performance evaluation is obtained in a [-1, 1] linear scale for all the operational criteria.

Table 2: Operational performance measurements and evaluations

4.3. Case of symmetric Choquet aggregation

Aggregation parameters

As mentioned in section 3, to determine the aggregation operator parameters, the overall performance has to be known for independent vectors of elementary performance evaluations. Using this approach (inspired from the Macbeth method [6]) leads to have consistency between the elementary performance evaluations and the aggregation coefficients (gathered in Tables 3 and 4).

Table 3: The weights of the different operational criteria

Table 4: The interactions between the operational criteria versus the tactical objective TBOP

Thus, in summary, the Choquet integral aggregation parameters are $v_1=0.20$, $v_2=0.35$, $v_3=0.35$, $v_4=0.10$, and $l_{12}=0.07$, $l_{13}=0.13$, $l_{14}=0.07$, $l_{23}=-0.08$, $l_{24}=-0.06$, $l_{34}=0$.

Example of performance aggregation

According to the equation and to the parameters determined previously, the 2-additive Choquet integral (Eq. 1) becomes for the considered case:

$$Ag_{CI}(P_1, P_2, P_3, P_4) = P_{Ag} = 0.065P_1 + 0.245P_2 + 0.245P_3 + 0.035P_4 + 0.07 \min(P_1, P_2) + 0.13 \min(P_1, P_3) + 0.07 \min(P_1, P_4) + 0.08 \max(P_2, P_3) + 0.06 \max(P_2, P_4)$$

Thus, for the current situation $P_1=-1$, $P_2=-0.1$, $P_3=0.50$ and $P_4=0.20$ where the skilfulness objective is totally unsatisfied, we obtain $P_{Ag}=-0.18$ (if the mutual interactions had been ignored, the result would be $P_{Ag}=+0.04$).

Then, an action is carried out on *skilfulness* and a new situation is observed with $P'_1=0.2$, $P'_2=-0.1$, $P'_3=0.50$ and $P'_4=0.20$, which leads to $P'_{Ag}=0.20$. Therefore, an action on *bottleneck productivity* is done: a machine is added, leading to $P''_1=0.2$, $P''_2=0.4$, $P''_3=0.50$, $P''_4=0.20$ and $P''_{Ag}=0.36$, that constitutes a significant improvement.

4.4. Case of generalized Choquet aggregation

In this section, the aggregation between the tactical level and the strategic level is considered. Indeed, the *service rate* performance is defined by the aggregation of the *average delay of shipments*, the *time between order and product manufacturing* and the *accuracy of shipments*. These three criteria have different relative importance and moreover the following rule holds: when *the average delay of shipments* is bad, *time between order and product manufacturing* is more important than *accuracy of shipments*, and when *the average delay of shipments* is good, *time between order and product manufacturing* is less important than *accuracy of shipments*.

These rules can be translated in the following generalized Choquet integral aggregation parameters:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

$v_{1,\emptyset} = 0.3$ $v_{\emptyset,1} = 0.3$ $v_{2,\emptyset} = 0.1$ $v_{\emptyset,2} = 0.4$ $v_{3,\emptyset} = 0.2$ $v_{\emptyset,3} = 0.7$, and $I_{2,3} = 0.8$, the other coefficients being equal to 0.

Thus, for the situation $P_1=0.5$, $P_2=0.25$, $P_3=-0.75$, the formula (2) becomes:

$$Ag_{CI}(P_1, P_2, P_3, P_4) = P_{Ag} = 0.5 \times 0.3 + 0.25 \times (0.1 - 0.3) - 0.75 \times 0.3 + 0.8 \times \max(-0.5, 0) = -0.15$$

After executing one action plan that improves the performances for *time between order and product manufacturing* and *accuracy of shipments* but that degrades the performance for *the average delay of shipments*, we obtain $P'_1=-0.25$, $P'_2=0.50$ and $P'_3=-0.25$. Applying formula (2) gives $P'_{Ag}=-0.10$. Therefore, the second situation is slightly better, which is consistent with the preceding rules.

5 CONCLUDING REMARKS

The analysis presented in this article deals with the evaluation of industrial performance, and especially with the question of performance aggregation to be raised by performance measurement systems.

A characterization of this problem has been given, highlighting the need to differentiate two main kinds of elementary performance evaluation: unipolar and bipolar ones. In addition, the problems of horizontal interactions between elementary expressions being not handled by the conventional weighted mean, the 2-additive Choquet integral and its generalized bipolar form have been proposed and used on two situations issued from an industrial case. The determination of the aggregation operator has been done from managers' expertise.

Nevertheless, the use of this advanced approach requires to explicitly define pieces of information aimed at aiding the decision-maker by a better understanding of the contribution of the elementary performances to the aggregated one, and at a better assessing of the different ways of improving the aggregated performances. In this perspective, further exploration of the meaning of the neutral performance value and of the practical conditions

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

leading to a common or a separate processing of positive and negative performance values
remains to be done.

For Peer Review Only

6 REFERENCES

- [1] Neely A., Gregory M., Platts K. Performance measurement system design: a literature review and research agenda. *Int. J. of Operations Production Management*, 1995, 15 (4), 80-116.
- [2] Bititci U.S., Modelling of performance measurement systems in manufacturing enterprises, *Int. J. of Production Economics*, 1995, 42, 137-147.
- [3] Neely A., The performance revolution: why now and what next? *Int. J. of Operations and Production Management*, 1999, 19 (2), 205-228.
- [4] Kueng P., Krahn A.J., Building a Process Performance Measurement System: Some Early Experiences, *J. of Scientific and Industrial Research*, 1999, 58, 149-159.
- [5] Ghalayini A.M., Noble J.S., Crowe T.J., An integrated dynamic performance measurement system for improving manufacturing competitiveness, *Int. J. of Operations and Production Management*, 1997, 15, pp. 80-116.
- [6] Krause O., Mertins K., 1999, Performance management. *Proc. of the International Conference on Advances in Production Management Systems*, Berlin, Germany, 243-251.
- [7] Berrah L., Mauris G., Vernadat F. Information aggregation in industrial performance measurement: rationales, issues and definitions. *Int. J. of Production Research*, 2004; 42 (20): 4271-4293.
- [8] Grabot B., Objective satisfaction assessment using neural nets for balancing multiple objectives, *Int. J. of Production Research*, 1998, 36 (6), 2377-2395.
- [9] Suwignjo P., Bititci U.S., Carrie A.S., Quantitative models for performance measurement system. *Int. J. of Production Economics*, 2000, 64 (1-3), 231-241.
- [10] Rangone A. An analytical hierarchy process framework for comparing the overall performance of manufacturing departments, *Int. J. of Operations and Production Management*, 1996, 16 (8), 104-119.

- 1
2 [11]Le Clainche J.F., Balanced scorecards et autres méthodes pour évaluer le score d'une
3 entreprise, in Indicateurs de Performance (C. Bonnefous and A. Courtois, Eds.), Paris -
4 Hermès, 2001, 257-281.
5
6
7
8
9 [12]Berrah, L., Mauris, G., Foulloy, L., Haurat, A., Global vision and performance indicators
10 for an industrial improvement approach, Computers in Industry, 2000, 43, 211-225.
11
12 [13]Bana e Costa C.A., Vansnick J.C. Applications of the MACBETH approach in the
13 framework of an additive aggregation model. Journal of Multi-Criteria Decision Analysis, 1997,
14 6 (2), 107-114.
15
16
17
18
19 [14]Clivillé V., Berrah L., Mauris G. Quantitative expression and aggregation of performance
20 measurements based on the MACBETH multi-criteria method. Int. J. of Production
21 Economics, 2006, In press.
22
23
24
25
26 [15]Grabisch M., Roubens, M., Application of the Choquet integral in multi-criteria decision
27 making, in Fuzzy Measures and Integrals: Theory and Applications (M. Grabisch, T.
28 Murofushi, M. Sugeno Eds), New-YorkPhysica-Verlag, 2000, 348-374.
29
30
31
32 [16]Clivillé V., Berrah L., Mauris G., Information fusion in industrial performance: a 2-additive
33 Choquet integral based approach, Proc. of IEEE Int. Conf. on Systems, Man and Cybernetics
34 SMC 04, La Haye, Pays-Bas, CD-ROM, 2004, 6 pages.
35
36
37
38
39 [17]Grabisch M., Labreuche C. Fuzzy measures and integrals. In MCDA. Multiple Criteria
40 Decision Analysis. Figueira J., Greco S. Ehrgott M. (eds). Kluwer Academic Publishers, 2004,
41 563-608.
42
43
44
45 [18]M. Grabisch and Ch. Labreuche, Bi-capacities --- Part I: definition, Möbius transform and
46 interaction. To appear in Fuzzy Sets and Systems, 151 (2005), 211-236.
47
48
49
50 [19]M. Grabisch and Ch. Labreuche, Bi-capacities --- Part II: the Choquet integral. Fuzzy Sets
51 and Systems, 151 (2005), 237-259.
52
53
54
55
56
57
58
59
60

1
2
3 **List of Figures**
4
5

6 Figure 1. Performance structure of the strategic service rate objective
7
8
9

10
11
12
13 **List of Tables**
14

15
16 Table 1: Operational performance measurements
17

18
19 Table 2: Operational performance measurements and evaluations
20

21
22 Table 3: The weights of the different operational criteria
23
24

25
26 Table 4: The interactions between the operational criteria versus the tactical objective TBOP
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 1. Performance structure of the strategic service rate objective

Operational indicators	Performance Measurements
Skillfulness	$pm_s = \frac{\text{number of operators able to work per equipment}}{\text{number of equipment}}$
Bottleneck productivity	pm_{BP} = number of parcels manufactured, per hour, by the assembly activity
Work In Progress	pm_{WIP} = duration of the work in progress
Equipment Availability	$pm_{EA} = \frac{\text{up time} + \text{waiting time}}{\text{open time}}$

Table 1: Operational performance measurements

Operational indicators	Performance Measurements expected and current	Performance Evaluations expected/current
Skillfulness	$pm^e=1.5 \text{ op/eq}$ $pm^c=1 \text{ op/eq}$	$pe^e=1$ $pe^c=-1$
Bottleneck productivity	$pm^e=60 \text{ p/h}$ $pm^c=50 \text{ p/h}$	$pe^e=1$ $pe^c=-0.1$
Work In Progress	$pm^e=0.5 \text{ week}$ $pm^c=1.5 \text{ week}$	$pe^e=1$ $pe^c=0.5$
Equipment Availability	$pm^e=95\%$ $pm^c=90\%$	$pe^e=1$ $pe^c=0.2$

Table 2: Operational performance measurements and evaluations

Operational/tactical criteria	Time between order and product manufacturing
Skillfulness (1)	0.20
Bottleneck productivity (2)	0.35
Work In Progress (3)	0.35
Equipment Availability (4)	0.10

Table 3: The weights of the different operational criteria

	Skillfulness	Bottleneck Productivity	Work in Progress	Equipment Availability
Skillfulness		0.07	0.13	0.07
Bottleneck productivity	0.07		-0.08	-0.06
Work In Progress	0.13	-0.08		0
Equipment Availability	0.07	-0.06	0	

Table 4: The interactions between the operational criteria versus the tactical objective TBOP