View metadata, citation and similar papers at core.ac.uk

brought to you by 🗓 CORE

CLSHTM Research On 669

FREE THEMES

Cloth masks in public places: an essential intervention to prevent COVID-19 in Brazil

Naiá Ortelan (https://orcid.org/0000-0001-6535-748X)¹ Andrêa Jacqueline Fortes Ferreira (https://orcid.org/0000-0002-6884-3624)² Luciana Leite (https://orcid.org/0000-0003-1745-4271)³ Julia Moreira Pescarini (https://orcid.org/0000-0001-8711-9589)¹ Ana Cristina Souto (https://orcid.org/0000-0002-8436-9264)² Mauricio Lima Barreto (https://orcid.org/0000-0002-0215-4930)¹ Estela M. L. Aquino (http://orcid.org/0000-0002-8204-1249)²

> Abstract There is increasing evidence that the use of masks is an indispensable protective measure against COVID-19, given the high transmissibility of the new coronavirus through the respiratory system, including by asymptomatic individuals. The use of cloth masks in public places has been established as a protective measure to be adopted alongside social distancing and hand hygiene. This narrative review aims to systematize the scientific evidence that informs the widespread use of cloth masks as a preventive measure against COVID-19 and to describe the evolution of positions contrary to or in favor of its use outside the home, in view of the advance of the new coronavirus pandemic globally. The scientific articles, technical notes, governmental decrees and other documents analyzed indicate that widespread use of masks has the potential to reduce the spread of the new coronavirus. We recommend that the Brazilian government adopt strategies to increase the supply of reusable cloth masks to the public, especially to vulnerable populations and to support studies on the impact of this measure to control the pandemic in the country. Finally, it is imperative to ensure that use of masks does not exacerbate stigmatization of racial groups that already face prejudice.

Key words *Cloth masks, Homemade masks, CO-VID-19, SARS-CoV-2, Novel coronavirus*

¹ Centro de Integração de Dados e Conhecimentos para Saúde, Fiocruz Bahia. R. Mundo s/n, Trobogy. 41745-715 Salvador BA Brasil. nana.ortelan@gmail.com ² Instituto de Saúde Coletiva, Universidade Federal da Bahia (UFBA). Salvador BA Brasil. ³ Instituto de Biologia,

UFBA. Salvador BA Brasil.

Introduction

Since the emergence of the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), there has been much debate on how best to control the pandemic in both the media and the scientific literature. The principal mechanism of human-to-human transmission of the novel coronavirus is known to be through inhalation of droplets generated from the nose or mouth of infected individuals by breathing, speaking, coughing or sneezing, irrespective of whether or not these individuals are ill or asymptomatic. In addition, the virus is able to remain viable and infectious in aerosols for up to three hours and on hard surfaces for up to 72 hours¹⁻³.

Because of the prolonged viability of the virus on some materials in the environment, and therefore the additional possibility of SARS-CoV-2 being transmitted through contact with contaminated surfaces^{2,4}, the initial recommendations to avoid dissemination of the disease involved extensive social distancing and regular, effective handwashing⁵⁻⁸. In the case of symptomatic patients or those who tested positive for SARS-CoV-2, the recommendation was self-isolation at home with quarantining of their respective contacts⁹.

As the pandemic advanced, the widespread use of facemasks in public spaces (commercial establishments, parks, the workplace, public transport, etc.) began to be discussed as a further means of protection, based on the accumulated experience of other countries in previous epidemics¹⁰. The debate in favor of this proposal gained ground due to the role of asymptomatic, oligosymptomatic and presymptomatic individuals in disseminating the disease¹¹⁻¹³, in view of the evidence that the incubation period associated with COVID-19 is long¹⁴⁻¹⁶ and the understanding that the viral load is high in the initial stage of the disease^{12,17-19}.

The adoption of a universal policy on the use of disposable facemasks during the pandemic would lead to a demand that would be difficult to meet, resulting in shortages of protective equipment for healthcare professionals and other habitual users^{20,21}. At the beginning of April, the World Health Organization (WHO) issued a recommendation that the use of disposable masks should be limited to healthcare professionals, immunosuppressed individuals, and suspected or confirmed cases of the novel coronavirus. The WHO also warned that there was a lack of evidence supporting the widespread use of masks made from other materials⁹. It was only on June 5, 2020 that the WHO issued guidelines on the use and fabrication of cloth masks to protect against COVID-19 and began to recommend their widespread use in places where transmission of the virus was high and in situations in which social distancing is impossible such as on public transport²².

The objective of the present paper was to perform a review of the literature about the efficacy of the use of cloth masks in public places for the prevention of COVID-19 and to describe the changes in opinion regarding their use outside the home as the novel coronavirus pandemic spread worldwide.

Methods

This narrative review initially involved a search for papers on the use of masks in the context of the new coronavirus published in the Medline database (PubMed), which includes peer-reviewed scientific publications²³, and the database Scielo, as well as preprints available in the MedRxiv databases, which are together the largest and most important repository of biomedical scientific literature.

To select relevant papers, we searched for the keywords "mask and covid" or "mask and coronavirus" or "mask and covid-19" or "mask and covid19" in the titles and abstracts of papers published up to June 12, 2020. Original articles, editorials, letters to the editor, comments and literature reviews in Portuguese, English or Spanish were included as long as the entire paper was available. Articles with data referring only to the use of surgical masks (TNT and similar), respiratory masks (N95, FFP2) and disposable masks; those dealing with masks designed to cover parts of the face other than the respiratory tract (e.g., eye masks and face shields) and those dealing with the use of masks exclusively by healthcare professionals were excluded from the review.

In addition to the scientific papers selected for inclusion, official state and federal documents implemented in Brazil, including decrees, statutes and state legislation available on LegisWeb²⁴, an online platform; technical notes from the Brazilian Ministry of Health and from the Brazilian National Health Surveillance Agency (ANVISA); and regulations adopted in other countries regarding the use of cloth masks in public spaces during the COVID-19 pandemic were also included. For adoption of cloth masks by other

671

countries, information was obtained through the website of *Masks4All*²⁵, a non-governmental organization that gathers information on mask usage across the globe. All sources were consulted before June 12th.

A quantitative synthesis of the most important findings from the selected articles was conducted, based on the following extracted data: authors, journal, title, publication date, type of publication, and authors' recommendation regarding whether or not to use cloth masks as a means of preventing and controlling COVID-19 (Chart 1). The authors' viewpoints were classified as: i) favorable; ii) no opinion or iii) opposed. The temporal evolution of these viewpoints was analyzed.

Additionally, we extracted information about the adoption and efficacy of cloth masks from the literature selected. A qualitative synthesis of these studies' main findings, the arguments that support authors' positions against or in favor of mask usage, as well as differences among countries was also conducted. In this way, all information obtained was synthesized and discussed based on existing published scientific evidence to date.

	•				
Author(s)	Journal	Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
Leung et al. ²⁶	The International Journal of Tuberculosis and Lung Desease	Let us not forget the mask in our attempts to stall the spread of COVID-19	4-jan-2020	Editorial	Favorable of wearing masks in public places
Zhong et al. ²⁷	International Journal of Biological Sciences	Knowledge, attitudes, and practices towards COVID-19 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick online cross-sectional survey	15-mar- 2020	Cross-sectional study	Favorable of wearing masks in public places
Adhikari et al. ²⁸	Infectious Diseases of Poverty	Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review.	17-mar- 2020	Scoping review	Favorable of wearing masks in public places
Leung et al. ²⁹	The Lancet	Mass masking in the COVID-19 epidemic: people need guidance	21-mar- 2020	Commentary	Favorable of wearing masks in public places
Zhai ³⁰	Building and Environment	Facial mask: A necessity to beat COVID-19	23-mar- 2020	Commentary	Favorable of wearing masks in public places
Liu and Zhang ³¹	Influenza and Other Respiratory Viruses	Face masks and human-to-human transmission	29-mar- 2020	Letter to editor	Favorable of wearing masks in public places
Ma et al. ³²	Journal of Medical Virology	Potential utilities of mask-wearing and instant hand hygiene for fighting SARS-CoV-2	31-mar- 2020	Cross-sectional study	Favorable of wearing masks in public places
Worby and Chang ³³	medRxiv preprint	Face mask use in the general population and optimal resource allocation during the COVID-19 pandemic	7-abr-2020	Cross-sectional study	Favorable of wearing masks in public places

Chart 1. Selected articles on its position regarding the widespread use of cloth masks.

Chart 1. Selected articles on its position regarding the widespread use of cloth masks.

Author(s)	Journal	Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
Zhou et al. ³⁴	Journal of Medical Virology	Mask is the possible key for self- isolation in COVID-19 pandemic	8-abr-2020	Letter to editor	Favorable of wearing masks in public places
Javid et al. ³⁵	The BMJ	Covid-19: should the public wear face masks?	9-abr-2020	Editorial	Favorable of wearing masks in public places
Greenhalgh et al. ³⁶	The BMJ	Face masks for the public during the covid-19 crisis	10-abr- 2020	Commentary	Favorable of wearing masks in public places
Wang et al. ³⁷	Infection Control & Hospital Epidemiology	The COVID-19 outbreak: The issue of face masks	13-abr- 2020	Letter to editor	Favorable of wearing masks in public places
Han and Zhou ³⁸	Journal of Medical Virology	Possibly critical role of wearing masks in general population in controlling COVID-19	15-abr- 2020	Commentary	Favorable of wearing masks in public places
Gandhi and Havlir ³⁹	Open Forum Infectious Diseases	The time for universal masking of the public for coronavirus disease 2020 is now	15-abr- 2020	Literature review	Favorable of wearing masks in public places
Cheng et al. ⁴⁰	The Lancet	Wearing face masks in the community during the COVID-19 pandemic: altruism and solidarity	16-abr- 2020	Commentary	Favorable of wearing masks in public places
Pleil et al. ⁴¹	Journal of Breath Research	The scientific rationale for the use of simple masks or improvised face coverings to trap exhaled aerosols and possibly reduce the breathborne spread of COVID-19	17-abr- 2020	Editorial	Favorable of wearing masks in public places
Cowling et al. ⁴²	The Lancet Public Health	Impact assessment of non- pharmaceutical interventions against coronavirus disease 2019 and influenza in Hong Kong: an observational study	17-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Desai and Aronoff ⁴³	JAMA	Masks and coronavirus disease 2019	17-abr- 2020	Commentary	Favorable of wearing masks in public places
MacIntyre and Hasanain ⁴⁴	Journal of Travel Medicine	Community universal face mask use during the COVID 19 pandemic – from households to travelers and public spaces	18-abr- 2020	Opinion article	Favorable of wearing masks in public places
Abd-Elsayed and Karri ⁴⁵	Anesthesia and Analgesia	Utility of substandard face mask options for health care workers during the COVID-19 pandemic	20-abr- 2020	Literature review	Favorable of wearing masks in public places
Eikenberry et al. ⁴⁶	Infectious Disease Modelling	To mask or not to mask: Modeling the potential for face mask use by the general public to curtail the COVID-19 pandemic	21-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Thomson ⁴⁷	The International Journal of Clinical Practice	COVID 19: Leaving lockdown—Of Schrodinger, cats, testing and masks	21-abr- 2020	Brief communication	Favorable of wearing masks in public places
Garcia ⁴⁸	Epidemiologia e Serviços de Saúde	Use of facemasks to limit COVID-19 transmission	22-abr- 2020	Opinion article	Favorable of wearing masks in public places

Author(s)	Journal	Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
Chen et al. ⁴⁹	International Journal of Environmental Research and Public Health	Hand hygiene, mask-wearing behaviors and its associated factors during the COVID-20 epidemic: A cross-sectional study among primary school students in Wuhan, China	22-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Lee and You ⁵⁰	International Journal of Environmental Research and Public Health	Psychological and behavioral responses in South Korea during the early stages of coronavirus disease 2019 (COVID-19)	22-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Chiang et al. ⁵¹	Emergent Infectious Diseases	The practice of wearing surgical masks during the COVID-19 pandemic	23-abr- 2020	Letter to editor	Favorable of wearing masks in public places
Setti et al. ⁵²	International Journal of Environmental Research and Public Health	Airborne transmission route of COVID-19: Why 2 meters/7 feet of inter-personal distance could not be enough	23-abr- 2020	Editorial	Favorable of wearing masks in public places
Cheng et al. ⁵³	Journal of Infection	The role of community-wide wearing of face mask for control of coronavirus disease 2019 (COVID-19) epidemic due to SARS-CoV-2	23-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Konda et al. ⁵⁴	ACS nano	Aerosol filtration efficiency of common fabrics used in respiratory cloth masks.	24-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Victor et al. ⁵⁵	EClinicalMedicine	A reality check on the use of face masks during the COVID-19 outbreak in Hong Kong	24-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Wu and Qi⁵	Genes and Diseases	Masks and thermometers: Paramount measures to stop the rapid spread of SARS-CoV-3 in the United States	25-abr- 2020	Commentary	Favorable of wearing masks in public places
Wilson et al. ⁵⁷	Journal of Hosp Infect	COVID-19 and non-traditional mask use: How do various materials compare in reducing the infection risk for mask wearers?	26-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
Sunjaya and Jenkins ⁵⁸	Respirology	Rationale for unversal face mask in public against COVI-20	30-abr- 2020	Commentary	Favorable of wearing masks in public places
Ngonghala et al. ⁵⁹	Respirology	Mathematical assessment of the impact of non-pharmaceutical interventions on curtailing the 2020 novel Coronavirus	30-abr- 2020	Cross-sectional study	Favorable of wearing masks in public places
MacIntyrea and Chughtai ⁶⁰	International Journal of Nursing Study	A rapid systematic review of the efficacy of face masks and respirators against coronaviruses and other respiratory transmissible viruses for the community, healthcare workers and sick patients	30-abr- 2020	Systematic review	Favorable of wearing masks in public places
Hoertel et al. ⁶¹	medRxiv preprint	Lockdown exit strategies and risk of a second epidemic peak: a stochastic agent-based model of SARS-CoV-2 epidemic in France	5-mai-2020	Cross-sectional study	Favorable of wearing masks in public places

Chart 1. Selected articles on its position regarding the widespread use of cloth masks.

Chart 1. Selected	l articles on its positi	on regarding the widespread use of cloth	n masks.
Author(s)	Journal	Title	Publication date (dd/ mm/yy)
Szczesniak et al. ⁶²	Brain, Behavior, and Immunity	Psychopathological responses and face mask restrictions during the COVID-19 outbreak: Results from a nationwide survey	7-mai-2020
Kang ⁶³	Disaster Medicine and Public Health Preparedness	Lessons learned from cases of COVID-19 infection in South Korea	7-mai-2020
Clements ⁶⁴	JMIR Public Health and Surveillance	Knowledge and behaviors toward COVID-19 among US residents during the early days of the pandemic: Cross-sectional online questionnaire	8-mai-2020
Esposito and	European Journal	To mask or not to mask children to	9-mai-2020

Type of date (dd/ publication mm/yy) -mai-2020 Letter to editor -mai-2020 Cross-sectional study

	Preparedness				places
Clements ⁶⁴	JMIR Public Health and Surveillance	Knowledge and behaviors toward COVID-19 among US residents during the early days of the pandemic: Cross-sectional online questionnaire	8-mai-2020	Cross-sectional study	Favorable of wearing masks in public places
Esposito and Principi ⁶⁵	European Journal of Pediatrics	To mask or not to mask children to overcome COVID-19	9-mai-2020	Literature review	Favorable of wearing masks in public places
Parry ⁶⁶	The BMJ	Covid-19: Hong Kong government supplies reusable face masks to all residents	11-mai- 2020	Brief communication	Favorable of wearing masks in public places
Soto et al. ⁶⁷	Infection Control & Hospital Epidemiology	The feasibility of generalized face mask usage during the COVID-19 pandemic: a perspective from Latin America	11-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Huang et al. ⁶⁸	Journal of Medical Internet Research	Measures undertaken in China to avoid COVID-19 infection: Internet- based, cross-sectional survey study	12-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Harnoor et al. ⁶⁹	The Indian Journal of Pediatrics	Use of face masks in COVID-19	12-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Kashyap et al. ⁷⁰	Journal of Clinical Orthopaedics and Trauma	Fast and economic cardboard cutout use to increase compliance of face mask wear during COVID-19 pandemic	13-mai- 2020	Brief communication	Favorable of wearing masks in public places
Matusiak et al. ⁷¹	Dermatologic Therapy	Inconveniences due to the use of face masks during the COVID 19 pandemic: A survey study of 876 young people	14-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Ogoina ⁷²	The American Society of Tropical Medicine and Hygiene	COVID-19: The Need for Rational Use of Face Masks in Nigeria	15-mai- 2020	Brief communication	Favorable of wearing masks in public places
Feng et al. ⁷³	Journal of Aerosol Science	Influence of wind and relative humidity on the social distancing effectiveness to prevent COVID-19 airborne transmission: A numerical study	18-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Noh et al. ⁷⁴	Journal of Korean Medical Science	Social distancing against COVID-19: Implication for the control of influenza	18-mai- 2020	Brief communication	Favorable of wearing masks in public places
Gao et al. ⁷⁵	medRxiv preprint	The epidemiological characteristics of 2019 novel coronavirus diseases (COVID-19) in Jingmen, Hubei, China	21-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places

it continues

Position related to

the adoption of the

use of face mask

Favorable of wearing masks in public

Favorable of wearing masks in public

places

Chart 1. Sciected	articles on its positi	on regarding the widespread use of clou	1 11145K5.		
Author(s)	Journal	Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
Class at al 76	Appals of Internal	Cloth marks may provent	22 mai	Litoratura	Equarable of wearing
	Medicine	transmission of COVID-19: An evidence-based, risk-based approach	2020	review	masks in public places
Chiang et al. ⁷⁷	International Journal of Surgery	Can universal masking help with our recovery from the COVID-19 pandemic?	23-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Goscé et al. ⁷⁸	Journal of Infection	Modelling SARS-COV2 spread in London: Approaches to lift the lockdown	24-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Middleton and Lopes ⁷⁹	The BMJ	Face masks in the covid-19 crisis: caveats, limits, and priorities	26-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Laestadius et al. ⁸⁰	JMIR Public Health and Surveillance	Online national health agency mask guidance for the public in light of COVID-19: Content analysis	26-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Liang et al. ¹⁰	Travel Medicine and Infectious Disease	Efficacy of face mask in preventing respiratory virus transmission: A systematic review and meta-analysis	28-mai- 2020	Systematic review and meta-analysis	Favorable of wearing masks in public places
Majeed et al. ⁸¹	The BMJ	Can the UK emulate the South Korean approach to covid-19?	28-mai- 2020	Editorial	Favorable of wearing masks in public places
Chan et al. ⁸²	International Journal of Environmental Res. Public Health	Sociodemographic predictors of health risk perception, attitude and behavior practices associated with health-emergency disaster risk management for biological hazards: The case of COVID-19 pandemic in Hong Kong, SAR China	29-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Han et al. ⁸³	Dermatologic Therapy	Increased flare of acne caused by long time mask wearing during COVID 19 pandemic among general population	29-mai- 2020	Letter to editor	Favorable of wearing masks in public places
Liu et al. ⁸⁴	Infectious Diseases of Poverty	Psychological status and behavior changes of the public during the COVID-19 epidemic in China	29-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Lee et al. ⁸⁵	Clinical Infectious Diseases	Impact of public health interventions on seasonal influenza activity during the SARS-CoV-2 outbreak in Korea	30-mai- 2020	Cross-sectional study	Favorable of wearing masks in public places
Chu et al. ⁸⁶	The Lancet	Physical distancing, face masks, and eye protection to prevent person-to- person transmission of SARS-CoV-2 and COVID-19: A systematic review and meta-analysis	1-jun-2020	Systematic review and meta-analysis	Favorable of wearing masks in public places
Liu ⁸⁷	Cyberpsychology, behavior, and social networking	COVID-19 information seeking on digital media and preventive behaviors: The mediation role of worry	4-jun-2020	Cross-sectional study	Favorable of wearing masks in public places
Jung et al. ⁸⁸	Clinical hemorheology and microcirculation	How we should respond to the Coronavirus SARS-CoV-2 outbreak: A German perspective	5-jun-2020	Cross-sectional study	Favorable of wearing masks in public places

Chart 1. Selected articles on its position regarding the widespread use of cloth masks.

Chart 1. Selected articles on its position regarding the widespread use of cloth masks.

Author(s)	Journal	Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
Li et al. ⁸⁹	Oral Diseases	Facial protection in the era of COVID-19: A narrative review	7-jun-2020	Literature review	Favorable of wearing masks in public places
Goh et al. ⁹⁰	Brain, Behavior, and Immunity	The face mask: How a real protection becomes a psychological symbol during Covid-19?	8-jun-2020	Literature review	Favorable of wearing masks in public places
Greenhalgh ⁹¹	The BMJ	Laying straw men to rest: author's reply to "Urgency and uncertainty: covid-19, face masks, and evidence informed policy	8-jun-2020	Letter to editor	Favorable of wearing masks in public places
Wong et al.92	Transboundary Emerging Disease	Uncovering psychobehavioral implications of SARS-CoV-2 infection in Iran	8-jun-2020	Cross-sectional study	Favorable of wearing masks in public places
Zhang et al. ⁹³	Proceedings of the National Academy of Science of the United States of America - PNAS	Identifying airborne transmission as the dominant route for the spread of COVID-19	11-jun- 2020	Cross-sectional study	Favorable of wearing masks in public places
Ho et al. ⁹⁴	Science of The Total Environment	Medical mask versus cotton mask for preventing respiratory droplet transmission in micro environments	11-jun- 2020	Brief communication	Favorable of wearing masks in public places
Esposito et al.95	European Respiratory Journal	Universal use of face masks for success against COVID-19: Evidence and implications for prevention policies	18-jun- 2020	Literature review	Favorable of wearing masks in public places
Dkhar et al.96	Indian Journal of Public Health	Knowledge, attitude, and practices related to COVID-19 pandemic among social media users in J&K, India	19-jun- 2020	Cross-sectional study	Favorable of wearing masks in public places
Wang et al. ²⁰	European Review for Medical and Pharmacological Sciences	Mask crisis during the COVID-19 outbreak	3-jan-2020	Opinion article	No clear opinion on the use of masks in public places
Feng et al. ²¹	The Lancet Respiratory Medicine	Rational use of face masks in the COVID-19 pandemic	5-jan-2020	Commentary	No clear opinion on the use of masks in public places
Wu et al. ¹⁰¹	EClinicalMedicine	Facemask shortage and the novel coronavirus disease (COVID-19) outbreak: Reflections on public health measures	4-mar- 2020	Literature review	No clear opinion on the use of masks in public places
Stone ¹⁰²	Nursing Health and Science	Editorial: Facemasks and the Covid-19 pandemic: What advice should health professionals be giving the general public about the wearing of facemasks?	12-abr- 2020	Editorial	No clear opinion on the use of masks in public places
Chowdhury et al. ¹⁰³	Virusdisease	One month of the novel coronavirus 2019 outbreak: Is it still a threat?	20-abr- 2020	Literature review	No clear opinion on the use of masks in public places
Amendola et al. ¹⁰⁴	"Microchemical Journal"	A rapid screening method for testing the efficiency of masks in breaking down aerosols	3-mai-2020	Cross-sectional study	No clear opinion on the use of masks in public places

Title	Publication date (dd/ mm/yy)	Type of publication	Position related to the adoption of the use of face mask
What type of face mask is appropriate for everyone-mask-wearing policy amidst COVID-19 pandemic?	8-mai-2020	Literature review	No clear opinion on the use of masks in public places
Uncertainty surrounding the use of face masks in the community amid the COVID-19 pandemic	20-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Covid-19: face masks could foster distrust and blame	20-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Covid-19: are face masks a good long term strategy?	20-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Covid-19: Important potential side effects of wearing face masks that we should bear in mind	21-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Social distancing for COVID-19: is 2 metres far enough?	21-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Public knowledge, attitudes and practices towards COVID-19: A cross- sectional study in Malaysia	21-mai- 2020	Cross-sectional study	No clear opinion on the use of masks in public places
Face mask-induced itch: A self- questionnaire study of 2,315 responders during the COVID-19 pandemic	25-mai- 2020	Cross-sectional study	No clear opinion on the use of masks in public places
Facemasks for prevention of viral respiratory infections in community settings: A systematic review and meta-analysis	2-jun-2020	Systematic review and meta-analysis	No clear opinion on the use of masks in public places
Household materials selection for homemade cloth face coverings and	2-jun-2020	Letter to editor	No clear opinion on the use of masks in

Chart 1. Selected articles on its position regarding the widespread

Journal

Journal of Korean

Medical Science

International Journal of

Nursing Studies

Author(s)

Kim¹⁰⁵

Lam et al.106

King ¹⁰⁷	The BMJ	Covid-19: face masks could foster distrust and blame	20-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Cheng ¹⁰⁸	The BMJ	Covid-19: are face masks a good long term strategy?	20-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Lazzarino et al. ¹⁰⁹	The BMJ	Covid-19: Important potential side effects of wearing face masks that we should bear in mind	21-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Schroter ¹¹⁰	The BMJ	Social distancing for COVID-19: is 2 metres far enough?	21-mai- 2020	Letter to editor	No clear opinion on the use of masks in public places
Azlan et al. ¹¹¹	Plos One	Public knowledge, attitudes and practices towards COVID-19: A cross- sectional study in Malaysia	21-mai- 2020	Cross-sectional study	No clear opinion on the use of masks in public places
Szepietowski et al. ¹¹²	Acta Derm Venereologica	Face mask-induced itch: A self- questionnaire study of 2,315 responders during the COVID-19 pandemic	25-mai- 2020	Cross-sectional study	No clear opinion on the use of masks in public places
Aggarwal et al. ¹¹³	Indian Journal of Public Health	Facemasks for prevention of viral respiratory infections in community settings: A systematic review and meta-analysis	2-jun-2020	Systematic review and meta-analysis	No clear opinion on the use of masks in public places
Zhao et al. ¹¹⁴	Nano letters	Household materials selection for homemade cloth face coverings and their filtration efficiency enhancement with triboelectric charging	2-jun-2020	Letter to editor	No clear opinion on the use of masks in public places
Garcia Filho et al. ¹¹⁵	Epidemiol. Serv. Saude	Internet searches for measures to address COVID-19 in Brazil: a description of searches in the first 100 days of 2020	8-jun-2020	Cross-sectional study	No clear opinion on the use of masks in public places
Mahase ⁹⁷	The BMJ	Covid-19: What is the evidence for cloth masks?	7-abr-2020	Opinion article	Opposed wearing masks in public places
Szarpak et al. ⁹⁸	Cardiology Journal	Cloth masks versus medical masks for COVID-19 protection	10-abr- 2020	Letter to editor	Opposed wearing masks in public places
Lazcano-Ponce and Alpunche- Aranda ⁹⁹	Salud Publica de Mexico	[Public health literacy in the face of the Covid-19 pandemic emergency]	18-abr- 2020	Editorial	Opposed wearing masks in public places
Martin et al. ¹⁰⁰	The BMJ	"Face masks for the public during COVID-19 urgency and uncertainty: COVID-19, face masks, and evidence informed policy"	26-mai- 2020	Letter to editor	Opposed wearing masks in public places

Results

Below, we present the results obtained through this narrative review, which is not intended to provide an extensive and detailed description of the existing literature, but rather to critically explore a theme where our understanding is still under development.

The search for papers revealed 450 articles, out of which 93^{10,20,21,26-115} met selection criteria and were included in this review (Figure 1).

The manuscripts selected were classified according to the month and type of scientific publication (Figure 2). Within the period studied, April $(n=33)^{33-37,39-47,49-60,97-99,102,103,115}$ and May $(n=35)^{10,42,61-82,84,100,104-112,116}$ had the highest number of publications. Opinion pieces, editorials and commentaries were predominant up to April (n=25), after which cross-sectional and modeling studies began to prevail (Figure 2). Of the manuscripts analyzed, 49,5% were opinion pieces, commentary, letters and editorials; 34,4% were transversal studies; and 16,1% were literature reviews metanalysis^{10,28,39,45,60,65,76,86,89,90,95,101,103,105,113} (Figure 2).

The papers were also classified with respect to their position on the widespread use of cloth masks (Figure 3). Of the scientific papers included (n=93), 77.4% (n=72) were favorable to the widespread use of cloth masks in face of the COVID-19 pandemic^{10,26-96} and 4.3% (n=4)⁹⁷⁻¹⁰⁰ were against its usage. It is important to highlight that all the papers that were against the use of masks were opinion pieces, commentaries, letters or editorials. Among those that were in favor of the widespread use of cloth masks were transversal studies (n=28)18,27,33,42,46,49,50,53-55,57,59,61,63,64,68,73,75,78,80,82,84,85,87,88,92,93,96 and the literature reviews (n=10)^{10,28,39,45,60,65,76,86,89,90,95}, among 35 and 15 existing studies for these categories respectively (Chart 1). The first publications about the theme were divided among those discussing the potential implications of widespread use of masks on mask supply and on the recommendation for use of masks as an additional protective measure to prevent pandemic spread. From April onwards, recommendations of widespread use of masks grew from 9.72% (n=7)18,26-31 to 90.28% $(n=65)^{10,33-96}$. This difference can also be observed among countries (Figure 4), which began to recommend the use of cloth masks when outside the house from April onwards (the different dates in which countries adopted the measure can be assessed on Table 1).

The evolution of recommendations regarding the use of cloth masks to prevent the spread of COVID-19 throughout the course of the pandemic

As the COVID-19 pandemic advanced, discussions began to be held on the use of masks in public spaces as a public health intervention, with some favorable opinions^{10,18,20,26-31,34,35,37,39-82,84-96,102,103,116-120} and some opposing views⁹⁷⁻¹⁰⁰. Opinions against the wide-



Figure 1. Flowchart illustrating the selection process for the articles included in this narrative review.



Figure 2. Types of scientific publications on the use of cloth masks to fight the pandemic by the month of publication.



Figure 3. Positions of scientific publications on the widespread use of cloth masks to fight the pandemic by the month of publication.

spread use of masks⁹⁷⁻¹⁰⁰ in public spaces were found mainly up to the first week of March and were based on suppositions that: i) this recommendation could result in the population relaxing social distancing measures^{9,121}; ii) inappropriate handling and use of masks could increase the risk of transmission of the novel coronavirus¹²²; iii) the increased demand for masks could aggra-



Figure 4. Countries that have regulated the use of masks in public spaces since the beginning of the pandemic.

Source: Adapted from Mask4All (https://masks4all.co/pt/).

Table 1. Chronological order of countries that
officially decreed the use of face masks in public
places*.

Country	Request date (DMY)
	March
Mongolia	14/03/2020
Vietnam	16/03/2020
Czech Republic	18/03/2020
Venezuela	18/03/2020
North Korea	19/03/2020
Uzbekistan	22/03/2020
Slovakia	25/03/2020
Thailand	25/03/2020
Bosnia and Herzegovina	29/03/2020
Slovenia	29/03/2020
Austria	30/03/2020
Bulgaria	30/03/2020

Table 1. Chronological order of countries that
officially decreed the use of face masks in public
places*.

Country	Request date (DMY)	
·	April	
Israel	01/04/2020	
Taiwan	01/04/2020	
Cuba	02/04/2020	
Philippines	02/04/2020	
Turkey	03/04/2020	
Colombia	04/04/2020	
Indonesia	05/04/2020	
Kenya	05/04/2020	
Antigua and Barbuda	06/04/2020	
Trinidad and Tobago	06/04/2020	
Peru	07/04/2020	
Ukraine	07/04/2020	

it continues

it con

vate the shortage of surgical masks for healthcare professionals^{18,21,69,121,123,124}; and iv) this recommendation could result in unscrupulous price increases. We highlight, once more, that the published materials that were contrary to the use of cloth masks by the general public were exclusively opinion pieces, commentaries and editorials, which did not present scientific evidence that

Table 1. Chronological order of countries that

 officially decreed the use of face masks in public

 places*.

Table 1. Chronological order of countries that officially decreed the use of face masks in public places*.

Country	Request date (DMY)	Country	Request date (DMY)
Morocco	07/04/2020	Montenegro	30/04/2020
Panama	07/04/2020	Congo (Congo-Brazzaville)	30/04/2020
Tunisia	07/04/2020	Saint Kitts and Nevis	30/04/2020
Benin	08/04/2020	Tajikistan	30/04/2020
Chile	08/04/2020		May
El Salvador	08/04/2020	South Africa	01/05/2020
Ecuador	08/04/2020	Azerbaijan	01/05/2020
Mozambique	08/04/2020	Belize	01/05/2020
Bahrain	09/04/2020	Botswana	01/05/2020
Gabon	10/04/2020	Malta	01/05/2020
Lithuania	10/04/2020	Zimbabwe	01/05/2020
Sri Lanka	11/04/2020	Spain	02/05/2020
Ethiopia	11/04/2020	Equatorial Guinea	02/05/2020
Guatemala	12/04/2020	Namibia	02/05/2020
Honduras	13/04/2020	Honduras	03/05/2020
Cameroon	14/04/2020	Oman	03/05/2020
Singapore	14/04/2020	Italy	04/05/2020
Poland	16/04/2020	Portugal	04/05/2020
Andorra	18/04/2020	Cape Green	05/05/2020
Guinea	18/04/2020	Lesotho	05/05/2020
Dominican Republic	18/04/2020	Belgium	06/05/2020
Zambia	18/04/2020	Mauritania	06/05/2020
Bahamas	19/04/2020	Uganda	06/05/2020
Liberia	19/04/2020	Chad	07/05/2020
Rwanda	19/04/2020	Moldova	07/05/2020
Argentina	20/04/2020	Monaco	07/05/2020
Georgia	20/04/2020	Latvia	08/05/2020
Iraq	20/04/2020	Southern Sudan	08/05/2020
Luxembourg	20/04/2020	Angola	09/05/2020
Paraguay	20/04/2020	Djibouti	10/05/2020
Senegal	20/04/2020	France	11/05/2020
Jamaica	22/04/2020	Dominica	11/05/2020
North Macedonia	22/04/2020	Haiti	11/05/2020
Qatar	22/04/2020	Kyrgyzstan	11/05/2020
Sao Tome and Principe	22/04/2020	Russia	11/05/2020
Sierra Leone	22/04/2020	Barbados	12/05/2020
Ghana	23/04/2020	Kuwait	12/05/2020
Uruguay	23/04/2020	Myanmar (formerly	13/05/2020
Mauricio Islands	24/04/2020	Burma)	
Egypt	26/04/2020	Saint Lucia	13/05/2020
East Timor	26/04/2020	Guinea Bissau	15/05/2020
Germany	27/04/2020	Romania	15/05/2020
Burkina Faso	27/04/2020	Algeria	18/05/2020
Grenada	27/04/2020	Armenia	18/05/2020
Greece	27/04/2020	Mali	20/05/2020
Lebanon	27/04/2020	Mexico	20/05/2020
United Arab Emirates	28/04/2020	South Korea	26/05/2020
Nigeria	28/04/2020	Spain	26/05/2020
Serbia	29/04/2020	Saudi Arabia	30/05/2020
Dominican Republic Zambia Bahamas Liberia Rwanda Argentina Georgia Iraq Luxembourg Paraguay Senegal Jamaica North Macedonia Qatar Sao Tome and Principe Sierra Leone Ghana Uruguay Mauricio Islands Egypt East Timor Germany Burkina Faso Grenada Greece Lebanon United Arab Emirates Nigeria	18/04/2020 18/04/2020 19/04/2020 19/04/2020 20/04/2020 20/04/2020 20/04/2020 20/04/2020 20/04/2020 20/04/2020 22/04/2020 22/04/2020 22/04/2020 22/04/2020 23/04/2020 23/04/2020 23/04/2020 26/04/2020 26/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 27/04/2020 28/04/2020 28/04/2020	Belgium Mauritania Uganda Chad Moldova Monaco Latvia Southern Sudan Angola Djibouti France Dominica Haiti Kyrgyzstan Russia Barbados Kuwait Myanmar (formerly Burma) Saint Lucia Guinea Bissau Romania Algeria Armenia Mali Mexico South Korea Spain Saudi Arabia	06/05/2020 06/05/2020 06/05/2020 07/05/2020 07/05/2020 07/05/2020 08/05/2020 08/05/2020 09/05/2020 10/05/2020 11/05/2020 11/05/2020 11/05/2020 12/05/2020 12/05/2020 13/05/2020 13/05/2020 15/05/2020 18/05/2020 18/05/2020 20/05/2020 20/05/2020 20/05/2020 26/05/2020 26/05/2020 26/05/2020 26/05/2020

it continues

681

Table 1. Chronological order of countries that officially decreed the use of face masks in public places*.

Country	Request date (DMY)
Pakistan	31/05/2020
	June
Kazakhstan	01/06/2020
Netherlands	01/06/2020
Maldives	12/06/2020
Central African Republic	12/06/2020
Bangladesh	15/06/2020
United Kingdom	15/06/2020
Costa Rica	27/06/2020
	July
Ivory Coast	01/07/2020
Brazil	03/07/2020
Iran	05/07/2020

*Depending on the country, the request to use masks may vary from 'any' public place, to only specific public places, such as public transport, shopping malls, schools, among others.

Source: Mask4All (https://masks4all.co/what-countries-require -masks-in-public).

cloth mask use was ineffective in preventing the dissemination of the disease⁹⁷⁻¹⁰⁰.

Evidence regarding the use of masks in public spaces to prevent the spread of respiratory infectious diseases

Studies conducted prior to the current pandemic had already confirmed the effectiveness of the widespread use of facemasks, including cloth masks, outside the home as a strategy for controlling the spread of infectious respiratory diseases^{10,18,44,56,125,126}, including SARS¹²⁷. According to a study conducted in the United Kingdom¹²⁸, the effectiveness of the use of masks in combatting respiratory diseases depends on three main factors: i) the capacity of the mask to block the virus (its effectiveness); ii) the proportion of individuals wearing masks in public spaces (compliance with use); and iii) the rate of transmission of the disease.

Studies also suggest that, although their effectiveness is less than that found with surgical masks, cloth masks, if used properly, act as a mechanical barrier against transmission of the virus, preventing or reducing contact between individuals and contaminated droplets^{18,57,104,105,125,126,129,130}. This reduction occurs because, if a contaminated droplet falls on the woven fabric of a mask instead of on an individual's mouth or nose, it tends to be retained in the fabric weave, hence reducing the number of contaminated droplets that reach the respiratory tract. By avoiding contamination of the user, cloth masks help defer the spread of the epidemic³⁸ and contribute towards establishing a longer and flatter epidemic curve⁹⁷. Nevertheless, if the masks are positioned on users' faces inadequately, with open lateral spaces, for example, they can have their protective effect reduced by up to 60%⁵⁴.

Researchers at Duke University in the United States analyzed 14 types of mask to evaluate their effectiveness in protecting against respiratory droplets from speech. The results showed that, indeed, the N95 professional masks are the most effective (droplet transmission was reduced to less than 0.1%), followed by 3-layer surgical masks or cotton-polypropylene masks (droplet transmission reduced by 90% or more compared to no facial covering). Handmade cotton facemasks are the next most effective, offering good protection and eliminating 70-90% of droplets from speech, with a performance that is equivalent to that of N95 masks fitted with respiratory valves¹³¹.

Also, with respect to the filtration efficiency of cloth masks, a study conducted in Taipei found no statistically significant differences in the concentration of aerosol particles in the 20-1,000 nm range in enclosed spaces (car and bedroom) following the presence of persons with influenza using 3-layer cloth masks versus those same individuals using surgical masks⁹⁴, suggesting that the filtration efficiency of both models was similar. In the United States, in view of the shortage of professional masks during the COVID-19 pandemic, the Centers for Disease Control and Prevention (CDC) even issued a recommendation for healthcare professionals not working directly with infected patients to use cloth masks⁴⁵.

Evidence regarding the use of cloth masks in public spaces to prevent COVID-19

In relation to the proportion of individuals who wear masks, there are considerable differences in the regulations adopted in different countries and regions and also in the compliance rates of the population with these measures, even when the use of masks is recommended. The compliance of individuals with the prevention measure depends, among other factors, on the consistency of the information provided by the public authorities, the trust of the population in the public and health authorities and on the population's knowledge regarding the disease¹³². Nevertheless, at the end of March, around three months after the beginning of the pandemic, Laestadius et al.⁸⁰ evaluated the guidelines and information on the use of masks on the official sites of health agencies and ministries of 25 countries and reported a lack of standardization and alignment of the information provided to the public.

The first country to make the use of masks in public spaces obligatory was Mongolia on March 14, followed by Vietnam, Venezuela and the Czech Republic¹³³ (Table 1). Up to July 13, 2020, six months after the beginning of the pandemic, 129 countries had begun to recommend the widespread use of masks in public spaces, either in general or in a more restricted manner. In another 17 countries, the need to wear a mask was obligatory in only parts of the country (municipalities/states)133. Hence, of the 193 sovereign states, up to July 13, 146 had adopted the use of masks as a means of preventing the dissemination of COVID-19, highlighting the relevance of this measure from a public health viewpoint (Figure 4). According to Li et al.⁸⁹, the efficacy of mandatory use of cloth masks is one of the greatest lessons from this pandemic. Today, masks are considered to be able to reduce the severity of COVID-19, and to create the possibility that new infections are asymptomatic134.

Some countries recommended the use of masks at the beginning of the pandemic even in the absence of consolidated scientific evidence on the effectiveness of the measure in reducing the rate of spread of the virus⁸¹, possibly based on the precautionary principle, which is defined as a strategy for approaching issues of potential harm when extensive scientific knowledge on the matter is lacking. According to Greenhalgh et al.³⁶, this principle must be applied to relevant questions involved in protecting public health, particularly when cost-benefit analyses suggest few potential adverse effects and the possibility of achieving significant benefits¹³⁵.

The beneficial effects of the early adoption of cloth masks in some countries were evident in studies that compared the spread of COVID-19 in different regions and in those that screened for cases of SARS-CoV-2 infection. One transnational study, for example, compared the spread of the pandemic in Austria and the Czech Republic, with results suggesting the effectiveness of the use of masks in combatting COVID-19¹²⁸. Both countries established social distancing requirements on the same date; however, only the Czech Republic simultaneously incorporated the obligatory use of masks. From then on, the number of coronavirus infections in Austria was seen to rise, while in the Czech Republic the epidemic curve remained long and flat. It was only when Austria also made the use of masks obligatory by governmental decree that the curves returned to similar trajectories¹²⁸.

Likewise, Cheng et al.40 compared the course of the incidence of COVID-19 in Hong Kong with the course of the disease in another eight countries, and attributed the low contamination rate in Hong Kong to the universal and voluntary adoption of the use of masks by the majority of the population at the beginning of the pandemic (96.6% during the study). That same study traced some routes of transmission among the first 961 reported cases of the infection in Hong Kong, with findings showing eleven clusters of 113 patients in leisure spaces where masks were not used, including restaurants, karaoke lounges and fitness clubs, and revealing that only three clusters occurred in the workplace environment where masks were required⁵³. Other epidemiological studies that followed transmission routes also concluded that transmission rates were lower in situations where masks were used^{31,75}.

Based on data from the spread of the pandemic in Italy and New York, both severely affected by COVID-19, Zhang et al.93 showed that being obliged to cover the nose and mouth avoided more than 76,000 new cases of novel coronavirus infection in Italy and more than 66,000 in New York93. The measures that made the use of cloth masks obligatory in public spaces in the states of New York and Washington were adopted after predictive modeling indicated that the widespread adoption of masks, even the less effective ones, could reduce transmission of the novel coronavirus, helping flatten the epidemic curve and the mortality peaks^{46,59}. According to other studies, the recommendation to maintain a physical distance of two meters from others in public places is only effective if the measure is associated with the use of masks^{52,73} and the COVID-19 pandemic can only be contained if the majority of the population or, preferably, the entire population wears cloth masks in public spaces^{21,118,128,136}.

Brooks et al.¹³⁵ compared the use of masks with herd immunity obtained through vaccina-

tion, since the more people complying with this preventive measure in public areas where social distancing is impossible, the greater the community protection¹³⁵. The same authors stated that the collective protection achieved with the use of cloth masks might reduce the number of new infections and avoid the interventions that are more disruptive to society such as closing commercial establishments and imposing lockdown - the public policy that requires citizens to stay at home.

Although several studies have indicated the effectiveness of masks in controlling the pandemic and despite the fact that a growing number of countries now require cloth masks to be used in public spaces, the rate of compliance by populations varies dramatically. Certainly, health authorities' recommendation to use masks influences the behavior of the population, as shown in a study, still in preprint stage, conducted in the United States. According to that report, there was a 12% increase in the use of masks among Americans in only five days following the announcement by the CDC137. Nevertheless, of all the studies included in this review, the highest rates of compliance with the use of masks were in the Asian countries that had a previous history of using this resource to control other infectious respiratory diseases and protect against air pollution^{42,49,50,96,111}.

The populations of South Korea and Singapore, for example, were already wearing masks in public spaces, particularly after the SARS outbreak in 2003, which made it simpler to carry over the measure to the backdrop of the SARS-CoV-2 pandemic. In South Korea, right at the beginning of the pandemic, over 60% of the population were already wearing masks⁵⁰. In Hong Kong, the use of masks in public spaces increased from 74.5% to 98.8% among individuals interviewed between January and March 202042. Various studies conducted in Hong Kong reported similar compliance rates of 97% to 99%82, with the widespread use of cloth masks being considered one of the most effective strategies in combatting the pandemic in the region⁴². In China, compliance with the use of masks is over 80%^{68,84,138}. In comparison, in India and Malaysia studies on the behavior of the population in relation to the pandemic showed lower compliance with masks, which were adopted by 70% and 51% of those interviewed, respectively^{96,111}.

The effectiveness of the use of cloth masks in controlling COVID-19 is well supported in the literature when implemented in conjunction with other measures aimed at combatting the pandemic such as effective hand washing and social distancing⁸⁶. The use of cloth masks without the adoption of these other measures cannot, however, be interpreted by the public as a solution to the health crisis, since their efficacy remains controversial when other recommendations are not adhered to^{60,113}.

Evidence of the use of cloth masks to prevent COVID-19 in Brazil

In Brazil, an evaluation of online search patterns showed a peak in interest regarding coronavirus in the country on March 21 and considerable interest by the Brazilian population regarding the use of masks shortly after publication of the Ministry of Health guidelines¹¹⁵.

The first two states of Brazil to officially require the use of masks in public spaces as an additional measure against the virus were Pará and Santa Catarina on April 16, followed by Minas Gerais, Amapá and Goiás⁸ (Table 2). Already devastated by the pandemic, the state capital cities of Manaus and Rio de Janeiro did likewise by issuing municipal decrees on April 14 and April 18, respectively. Figure 5 shows the Brazilian states according to the month in which the obligatory use of masks in public spaces was officially decreed.

At federal level, the proposed bill number 1,562/2020, which made the use of masks obligatory in public spaces and in private spaces accessible to the public throughout the country for the duration of the state of calamity instituted due to the pandemic, was approved by congress on June 9 and referred for sanctioning by the president¹³⁹. However, the president only sanctioned Law number 14,019 on July 2, 2020¹⁴⁰ by which time all the states in Brazil except for the state of Rio de Janeiro already required the use of masks in public spaces. Furthermore, the president vetoed important parts of the proposed bill such as the use of masks in public offices and buildings and in commercial and industrial establishments, religious temples, teaching institutes and other indoor spaces in which people gather. The presidency also excluded from the proposed bill the clause that increased fines for repeat offenders and those not wearing a mask in enclosed spaces¹³⁹. In accordance with the text that was sanctioned, establishments will also not be obliged to supply masks free of charge to their employees and neither will the authorities be obliged to provide masks to populations in a sit-

Table 2. Date on which the Brazilian states sanctioned
the mandatory use of masks in public places.

State*	Date (D/M/Y)
	April
PA^1	16/04/2020
SC^2	16/04/2020
MG ³	17/04/2020
AP^4	18/04/2020
GO ⁵	19/04/2020
AC ⁶	20/04/2020
MA ⁷	20/04/2020
RS ⁸	20/04/2020
PI ⁹	22/04/2020
DF^{10}	23/04/2020
PE ¹¹	23/04/2020
RO ¹²	26/04/2020
MT ¹³	27/04/2020
SE14	27/04/2020
PR^{15}	28/04/2020
BA^{16}	29/04/2020
	May
AL^{17}	04/05/2020
RN ¹⁸	04/05/2020
SP19	04/05/2020
TO ²⁰	05/05/2020
ES ²¹	08/05/2020
AM ²²	13/05/2020
PB ²³	16/05/2020
MS ²⁴	18/06/2020
RR ²⁵	27/05/2020
CE^{26}	30/05/2020
	June
RJ ²⁷	03/06/2020

*LegisWeb, available in: https://www.legisweb.com.br/. Sources: 1 Decreto Nº 609, 16/04/2020; 2 Portaria SES Nº 251, 16/04/2020; 3 Decreto Nº 47918, 17/04/2020; 4 Decreto Nº 1539, 18/04/2020; ⁵ Decreto Nº 9653, 19/04/2020; ⁶ Decreto Nº 5496, 20/03/2020; 7 Decreto Nº 35746, 20/04/2020; 8 Decreto Nº 17099, 20/04/2020; 9 Decreto Nº 18947, 22/04/2020; 10 Decreto Nº 40648, 23/04/2020; 11 Decreto Nº 48969, 23/04/2020; 12 Decreto Nº 24979, 26/04/2020; ¹³ Decreto Nº 465, 27/04/2020; ¹⁴ Decreto Nº 40588, 27/04/2020; ¹⁵ Lei estadual Nº 20189, 28/04/2020; ¹⁶ Lei estadual Nº 14261, 29/04/2020; ¹⁷ Decreto Nº 69722, 04/05/2020; 18 Decreto Nº 29668, 04/05/2020; 19 Decreto Nº 64959, 04/05/2020; ²⁰ Decreto Nº 6092, 05/05/2020; ²¹ Decreto Nº 4648-R, 08/05/2020; 22 Decreto Nº 42278, 13/05/2020; 23 Decreto Nº 40242, 16/05/2020; 24 Decreto Nº 15456, 18/06/2020; ²⁵ Decreto Nº 28835-E, 27/05/2020; ²⁶ Decreto Nº 33608, 30/05/2020; 27 Lei estadual Nº 8.859, 03/06/2020.

uation of socioeconomic vulnerability, contrary to what was stipulated in the original bill. It is important to emphasize that supplying masks to vulnerable populations or even to the entire population of cities or regions is a measure that has already been adopted by the governments of other nations⁶⁶ and in some Brazilian states such as Bahia, for example. For these and other reasons, the Brazilian government has been held up as an example of how not to proceed during a health crisis.

In the Brazilian context, the use of cloth masks as an additional protective measure against the COVID-19 pandemic is particularly relevant for socially vulnerable populations in view of the impossibility of adopting social distancing measures in various settings, e.g. in peripheral areas and slums and on public transport^{34,39,40,42,46,59}. In general, when resources are scarce, provision of masks should be strategic, and prioritize at-risk groups, as well as suspected and confirmed cases of infection, to optimize the protective effect at population level³³. On the other hand, we highlight the need to take into consideration the potential effects of adoption of this protective measure for certain segments of the population such as when singling out certain age groups, ethnicities or races. Specifically, we would like to draw attention to the possibility that the widespread use of masks by the black population exposes this social group to greater harassment from the police and to situations of prejudice and racial discrimination¹⁴¹; and that the widespread use of masks hampers non-verbal communication with groups with an already diminished ability to communicate such as the deaf and/or dumb¹⁴².

Discussion

This narrative synthesis shows the rapid progress made in the acquisition of knowledge and the changes that have occurred in perceptions regarding this additional means of containing SARS-CoV-2 transmission, highlighting not only the prolific scientific contribution during the pandemic but also how COVID-19 has challenged the limits of knowledge. The large number of articles published daily and the low quality of many of these studies on this theme alongside the absence of observational studies about the correct use of masks, reveal the difficulties to produce scientific reviews in this moment when publications are increasing exponentially.

In face of the course of the pandemic and the evidence accumulated over recent months, the recommendation regarding the widespread use of cloth masks in public has been highlighted as



Figure 5. Brazilian states that have signed laws establishing mandatory use of cloth masks in public spaces by the month of the officially published decree.

Source: Site LegisWeb (https://www.legisweb.com.br/).

an important strategy to: i) reduce the spread of the novel coronavirus^{26,29,35,39,40,42,46,48,51,54-56,58,59,135}; ii) reduce the possibility that disposable masks could be discarded inappropriately, resulting in a secondary source of infection of the disease^{20,72,122}; and iii) help contain the transmission of other infectious/contagious diseases such as influenza^{42,74,85,143}; reducing the burden of disease in the population, avoiding overwhelming the healthcare system and guaranteeing better healthcare for those who need it.

Therefore, widespread adoption of the use of cloth masks can also be considered an example of civic duty. It is a minor effort and a highly effective, low technology solution that can change the epidemiological trajectory of countries, improving national and global efforts to combat COVID-19¹³⁵.

This literature review allowed us to evaluate at national and international levels the importance of adopting cloth masks as an additional measure to prevent the transmission of SARS-CoV-2. Despite its broad scope, this review has a few limitations. First, the narrative review can be criticized by its less rigid structure, when compare to systematic and integrative reviews. Nevertheless, it is an adequate alternative to identify gaps in the literature and to critically explore understudied themes144, and has the advantage that it could be completed in a short time, which matches the urgency of the theme. Second, the inclusion of pre-print manuscripts (such as the MedRxiv bibliographic database) that have not yet been peer reviewed can also be questioned, yet their inclusion was important in this manuscript as they too contributed to informing recommendations during the pandemic.

Evidence accumulated over the few months of this epidemic supports the hypothesis that the widespread use of cloth masks in public spaces represents a promising public health intervention that, in association with the preventive

687

measures of social distancing and hand-washing, contributes towards decelerating the spread of COVID-19, reducing the number of cases and the number of deaths. This evidence has been rapidly reflected in public policies as an increasing number of countries began to adopt the obligatory use of masks in public spaces. A study conducted in Germany showed that the use of masks was perceived by society as a social contract and that the mandatory use of masks was seen as more just than relying on voluntary use145. Many understood that the existing evidence already provides enough elements for an action based on the precautionary principle. In this specific case, this is an intervention that has the potential to be highly effective with a low risk of adverse effects146.

In Brazil, where there is a shortage of disposable masks, where the capacity to test and screen suspected cases is limited and there is major urban overcrowding, with many homes lacking water supply and also being overcrowded, the use of cloth masks could be even more relevant in combatting the spread of the disease. Their use becomes essential, particularly in view of the slackening of social distancing measures and the implementation of strategies to promote a gradual return to activities40,47,147, which have already begun to be discussed and implemented by public authorities despite the fact that the pandemic continues to ravage the country. The current previsions for post-pandemic scenarios suggest that the use of cloth masks in public spaces will constitute an important measure in slowing down a possible second wave of infection^{61,78}. Furthermore, educational actions aimed at promoting the correct use of cloth masks as a new social norm are also required^{35,90}.

Therefore, coordinated actions are required from the public authorities to: i) support or develop strategies to increase production of masks and ensure their distribution to the public, including via donation to more vulnerable groups and those with fewer resources, as well as permitting the sale of masks in commercial establishments that are allowed to stay open during the pandemic; ii) encourage and increase the domestic production of cloth masks and production by self-employed seamstresses, guaranteeing fair working conditions, pay and health protection; and iii) guarantee that racial groups and socioeconomically deprived segments of the population are not stigmatized with the adoption of compulsory requirements to wear masks in public spaces.

Conclusion

Widespread use of cloth masks in public spaces is an effective health intervention when combined with social distancing and hand washing, and it has been adopted at greater or smaller scales across all continents with the advance of the pandemic throughout the world as it can contribute to reduce the transmission rates of SARS-CoV-2.

Cloth masks represent a cheaper, logistically viable option and one that is accessible to the general population, as well as being environmentally sustainable and an option that helps avoid depleting stocks of professional masks.

Collaborations

N Ortelan, AJF Ferreira and L Leite planned, carried out the search, sorting and synthesis of the articles, prepared the figures and tables and wrote the manuscript, also contributing as the first authors. JM Pescarini, AC Souto and ML Barreto helped to review the content. EML Aquino supervised the preparation of the document and carried out the critical review and final correction of the manuscript. All authors approved the final version of this manuscript.

Acknowledgments

All authors are collaborators of the Co-Vida Network and thank the Evidence Synthesis Group for the discussions. We thank Jessyca Teixeira for her help in preparing the maps. Luciana Leite thanks the postdoctoral scholarship financed by the Coordenação de Aperfeiçoamento de Pessoal de Nível Superior - Brazil (CAPES) - Financing Code 001.

References

- Centers for Disease Control and Prevention (CDC). *Coronavirus Disease 2019 (COVID-19) – Prevention & Treatment* [Internet]. Washington: CDC; 2020 [acessado 2020 Maio 4]. Disponível em: https://www.cdc. gov/coronavirus/2019-ncov/prevent-getting-sick/ prevention.html
- Ong SWX, Tan YK, Chia PY, Lee TH, Ng OT, Wong MSY, Marimuthu K. Air, Surface Environmental, and Personal Protective Equipment Contamination by Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) From a Symptomatic Patient. JAMA 2020; 323(16):1610-1612.
- van Doremalen N, Bushmaker T, Morris DH, Holbrook MG, Gamble A, Williamson BN, Tamin A, Harcourt JL, Thornburg NJ, Gerber SI, Lloyd-Smith JO, Wit E, Munster VJ. Aerosol and Surface Stability of SARS-CoV-2 as Compared with SARS-CoV-1. N Engl J Med 2020; 382(16):1564-1567.
- 4. Kampf G, Todt D, Pfaender S, Steinmann E. Persistence of coronaviruses on inanimate surfaces and their inactivation with biocidal agents. *J Hosp Infect* 2020; 104(3):246-251.
- Ghinai I, McPherson TD, Hunter JC, Kirking HL, Christiansen D, Joshi K, Rubin R, Morales-Estrada S, Black SR, Pacilli M, Fricchione MJ, Chugh RK, Walblay KA, Ahmed NS, Stoecker WC, Hasan NF, Burdsall DP, Reese HE, Wallace M, Wang C, Moeller D, Korpics J, Novosad SA, Benowitz I, Jacobs MW, Dasari VS, Patel MT, Kauerauf J, Charles EM, Ezike NO, Chu V, Midgley CM, Rolfes MA, Gerber SI, Lu X, Lindstrom S, Verani JR, Layden JE, Illinois COVID-19 Investigation Team. First known person-to-person transmission of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) in the USA. *Lancet* 2020; 395(10230):1137-1144.
- 6. World Health Organization (WHO). *Shortage of personal protective equipment endangering health workers worldwide*. Geneva: WHO; 2020.
- Agência Nacional de Vigilância Sanitária (ANVISA). Orientações Gerais - Máscaras faciais de uso não profissional. Brasília: ANVISA; 2020.
- Brasil. Ministério da Saúde (MS). Nota Técnica: Uso de máscaras caseiras. Brasília: MS; 2020.
- World Health Organization (WHO). Responding to community spread of COVID-19: interim guidance [Internet]. Genebra: WHO; 2020 [acessado 2020 Maio 6]. Disponível em: https://apps.who.int/iris/ handle/10665/331421
- Liang M, Gao L, Cheng C, Zhou Q, Uy JP, Heiner K, Sun C. Efficacy of face mask in preventing respiratory virus transmission: A systematic review and meta-analysis. *Travel Med Infect Dis* 2020; 36:101751.
- Tong Z-D, Tang A, Li K-F, Li P, Wang H-L, Yi J-P, Zhang Y-L, Yan J-B. Potential Presymptomatic Transmission of SARS-CoV-2, Zhejiang Province, China, 2020. *Emerg Infect Dis* 2020; 26(5):1052-1054.
- Bai Y, Yao L, Wei T, Tian F, Jin D-Y, Chen L, Wang M. Presumed Asymptomatic Carrier Transmission of COVID-19. *JAMA* 2020; 323(14):1406-1407.

- 13. Kimball A, Hatfield KM, Arons M, James A, Taylor J, Spicer K, Bardossy AC, Oakley LP, Tanwar S, Chisty Z, Bell JM, Methner M, Harney J, Jacobs JR, Carlson CM, McLaughlin HP, Stone N, Clark S, Brostrom-Smith C, Page LC, Kay M, Lewis J, Russell D, Hiatt B, Gant J, Duchin JS, Clark TA, Honein MA, Reddy SC, Jernigan JA, Public Health - Seattle & King County, CDC COVID-19 Investigation Team. Asymptomatic and presymptomatic SARS-CoV-2 infections in residents of a long-term care skilled nursing facility—King County, Washington, March 2020. MMWR Morb Mortal Wkly Rep 2020; 69(13):377-381.
- Wang Y, Wang Y, Chen Y, Qin Q. Unique epidemiological and clinical features of the emerging 2019 novel coronavirus pneumonia (COVID 19) implicate special control measures. *J Med Virol* 2020; 92(6):568-576.
- Huang R, Xia J, Chen Y, Shan C, Wu C. A family cluster of SARS-CoV-2 infection involving 11 patients in Nanjing, China. *Lancet Infect Dis* 2020; 20(5):534-535.
- 16. Kraemer MUG, Yang C-H, Gutierrez B, Wu C-H, Klein B, Pigott DM, Open COVID-19 Data Working Group, du Plessis L, Faria NR, Li R, Hanage WP, Brownstein JS, Layan M, Vespignani A, Tian H, Dye C, Pybus OG, Scarpino SV. The effect of human mobility and control measures on the COVID-19 epidemic in China. *Science* 2020; 368(6490):493-497.
- Zou L, Ruan F, Huang M, Liang L, Huang H, Hong Z, Yu J, Kang M, Song Y, Xia J, Guo Q, Song T, He J, Yen H-L, Peiris M, Wu J. SARS-CoV-2 Viral Load in Upper Respiratory Specimens of Infected Patients. *N Engl J Med* 2020; 382(12):1177-1179.
- Ma QX, Shan H, Zhang HL, Li GM. Potential utilities of mask-wearing and instant hand hygiene for fighting SARS-CoV-2. J Med Virol 2020; 92(9):1567-1571.
- Ling Z, Xu X, Gan Q, Zhang L, Luo L, Tang X, Liu J. Asymptomatic SARS-CoV-2 infected patients with persistent negative CT findings. *Eur J Radiol* 2020; 126:108956.
- Wang M-W, Zhou M-Y, Ji G-H, Ye L, Cheng Y-R, Feng Z-H, Chen J. Mask crisis during the COVID-19 outbreak. *Eur Rev Med Pharmacol Sci* 2020; 24(6):3397-3399.
- 21. Feng S, Shen C, Xia N, Song W, Fan M, Cowling BJ. Rational use of face masks in the COVID-19 pandemic. *Lancet Respir Med* 2020; 8(5):434-436.
- 22. World Health Organization (WHO). Advice on the use of masks in the community, during home care and in healthcare settings in the context of the novel coronavirus (COVID-19) outbreak [Internet]. 2020 [acessado 2020 Maio 6]. Disponível em: https://www.who.int/ publications/i/item/advice-on-the-use-of-masks-inthe-community-during-home-care-and-in-healthcare-settings-in-the-context-of-the-novel-coronavirus-(2019-ncov)-outbreak.
- Chen Q, Allot A, Lu Z. Keep up with the latest coronavirus research. *Nature* 2020; 579(7798):193.
- LegisWeb. LegisWeb [Internet]. [acessado 2020 Set 29]. Disponível em: https://www.legisweb.com.br/
- Masks4All. What Countries Require or Recommend Masks In Public? [Internet]. [acessado 2020 Set 29]. Disponível em: https://masks4all.co/what-countriesrequire-masks-in-public

- Leung CC, Lam TH, Cheng KK. Let us not forget the mask in our attempts to stall the spread of COVID-19. *Int J Tuberc Lung Dis* 2020; 24(4):364-366.
- 27. Zhong B-L, Luo W, Li H-M, Zhang Q-Q, Liu X-G, Li W-T, Li Y. Knowledge, attitudes, and practices towards COVID-19 among Chinese residents during the rapid rise period of the COVID-19 outbreak: a quick online cross-sectional survey. *Int J Biol Sci* 2020; 16(10):1745-1752.
- Adhikari SP, Meng S, Wu Y-J, Mao Y-P, Ye R-X, Wang Q-Z, Sun C, Sylvia S, Rozelle S, Raat H, Zhou H. Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review. *Infect Dis Poverty* 2020; 9(1):29.
- 29. Leung CC, Lam TH, Cheng KK. Mass masking in the COVID-19 epidemic: people need guidance. *Lancet* 2020; 395(10228):945.
- Zhai Z. Facial mask: A necessity to beat COVID-19. Build Environ 2020; 175:106827.
- Liu X, Zhang S. COVID-19: Face masks and human-to-human transmission. *Influenza Other Respi* Viruses 2020; 14(4):472-473.
- Ma Q-X, Shan H, Zhang H-L, Li G-M, Yang R-M, Chen J-M. Potential utilities of mask-wearing and instant hand hygiene for fighting SARS-CoV-2. J Med Virol 2020; 92(9):1567-1571.
- Worby CJ, Chang H-H. Face mask use in the general population and optimal resource allocation during the COVID-19 pandemic. *Nat Commun* 2020; 11(1):4049.
- Zhou Z-G, Yue D-S, Mu C-L, Zhang L. Mask is the possible key for self-isolation in COVID-19 pandemic. J Med Virol 2020; 10.1002/jmv.25846.
- 35. Javid B, Weekes MP, Matheson NJ. Covid-19: should the public wear face masks? *BMJ* 2020; 369:m1442.
- 36. Greenhalgh T, Schmid MB, Czypionka T, Bassler D, Gruer L. Face masks for the public during the covid-19 crisis. *BMJ* 2020; 369:m1435.
- Wang M-W, Cheng Y-R, Ye L, Zhou M-Y, Chen J, Feng Z-H. The COVID-19 outbreak: The issue of face masks. *Infect Control Hosp Epidemiol* 2020; 41(8):974-975.
- Han G, Zhou Y-H. Possibly critical role of wearing masks in general population in controlling COVID-19. J Med Virol 2020; 10.1002/jmv.25886.
- Gandhi M, Havlir D. The Time for Universal Masking of the Public for Coronavirus Disease 2019 Is Now. *Open Forum Infect Dis* 2020; 7(4):ofaa131.
- Cheng KK, Lam TH, Leung CC. Wearing face masks in the community during the COVID-19 pandemic: altruism and solidarity. *Lancet* 2020; S0140-6736(20)30918-1.
- Pleil JD, Beauchamp JD, Risby TH, Dweik RA. The scientific rationale for the use of simple masks or improvised facial coverings to trap exhaled aerosols and possibly reduce the breathborne spread of COVID-19. *J Breath Res* 2020; 14(3):030201.
- 42. Cowling BJ, Ali ST, Ng TWY, Tsang TK, Li JCM, Fong MW, Liao Q, Kwan MY, Lee SL, Chiu SS, Wu JT, Wu P, Leung GM. Impact assessment of non-pharmaceutical interventions against coronavirus disease 2019 and influenza in Hong Kong: an observational study. *Lancet Public Health* 2020; ;5(5):e279-e288.

- Desai AN, Aronoff DM. Masks and Coronavirus Disease 2019 (COVID-19). JAMA 2020; 323(20):2103.
- MacIntyre CR, Hasanain SJ. Community Universal Face Mask Use during the COVID 19 pandemic-from households to travelers and public spaces. *J Travel Med* 2020; 27(3):taaa056.
- Abd-Elsayed A, Karri J. Utility of Substandard Face Mask Options for Health Care Workers During the COVID-19 Pandemic. *Anesth Analg*; 131(1):4-6.
- 46. Eikenberry SE, Mancuso M, Iboi E, Phan T, Eikenberry K, Kuang Y, Kostelich E, Gumel AB. To mask or not to mask: Modeling the potential for face mask use by the general public to curtail the COVID-19 pandemic. *Infect Dis Model* 2020; 5:293-308.
- Thomson GA. COVID-19: Leaving lockdown-Of Schrodinger, cats, testing and masks. *Int J Clin Pract* 2020; 74(8):e13519.
- Garcia LP. Use of facemasks to limit COVID-19 transmission. *Epidemiol Serv Saude* 2020; 29(2):e2020023.
- 49. Chen X, Ran L, Liu Q, Hu Q, Du X, Tan X. Hand Hygiene, Mask-Wearing Behaviors and Its Associated Factors during the COVID-19 Epidemic: A Cross-Sectional Study among Primary School Students in Wuhan, China. *Int J Environ Res Public Health* 2020; 17(8):2893.
- Lee M, You M. Psychological and Behavioral Responses in South Korea During the Early Stages of Coronavirus Disease 2019 (COVID-19). Int J Environ Res Public Health 2020; 17(9):2977.
- Cho-Han Chiang, Cho-Hung Chiang, Cho-Hsien Chiang, Yee-Chun Chen. The Practice of Wearing Surgical Masks during the COVID-19 Pandemic. *Emerg Infect Dis* 2020; 26(8):1962.
- 52. Setti L, Passarini F, De Gennaro G, Barbieri P, Perrone MG, Borelli M, Palmisani J, Di Gilio A, Piscitelli P, Miani A. Airborne Transmission Route of COVID-19: Why 2 Meters/6 Feet of Inter-Personal Distance Could Not Be Enough. *Int J Environ Res Public Health* 2020; 17(8):2932.
- 53. Cheng VCC, Wong S-C, Chuang VWM, So SY-C, Chen JH-K, Sridhar S, To KK-W, Chan JF-W, Hung IF-N, Ho P-L, Yuen K-Y. The role of community-wide wearing of face mask for control of coronavirus disease 2019 (COVID-19) epidemic due to SARS-CoV-2. *J Infect* 2020; 81(1):107-114.
- Konda A, Prakash A, Moss GA, Schmoldt M, Grant GD, Guha S. Aerosol Filtration Efficiency of Common Fabrics Used in Respiratory Cloth Masks. ACS Nano 2020; 14(5):6339-6347.
- Victor CWT, Shing YT, Wai KP, Helen KWL, Shara WYL. A reality check on the use of face masks during the COVID-19 outbreak in Hong Kong. *EClinicalMedicine* 2020; 22:100356.
- Wu E, Qi D. Masks and thermometers: Paramount measures to stop the rapid spread of SARS-CoV-2 in the United States. *Genes Dis* 2020; 10.1016/j.gendis.2020.04.011.
- 57. Wilson AM, Abney SE, King M-F, Weir MH, López-García M, Sexton JD, Dancer SJ, Proctor J, Noakes CJ, Reynolds KA. COVID-19 and non-traditional mask use: How do various materials compare in reducing the infection risk for mask wearers? J Hosp Infect 2020; 105(4):640-642.

- Sunjaya AP, Jenkins C. Rationale for universal face masks in public against COVID-19. *Respirology* 2020; 5(7):678-679.
- Ngonghala CN, Iboi E, Eikenberry S, Scotch M, Mac-Intyre CR, Bonds MH, Gumel AB. Mathematical assessment of the impact of non-pharmaceutical interventions on curtailing the 2019 novel Coronavirus. *Math Biosci* 2020; 325:108364.
- 60. MacIntyre CR, Chughtai AA. A rapid systematic review of the efficacy of face masks and respirators against coronaviruses and other respiratory transmissible viruses for the community, healthcare workers and sick patients. *Int J Nurs Stud* 2020; 108:103629.
- Hoertel N, Blachier M, Blanco C, Olfson M, Massetti M, Rico MS, Limosin F, Leleu H. Lockdown exit strategies and risk of a second epidemic peak: a stochastic agent-based model of SARS-CoV-2 epidemic in France. *medRxiv* 2020; 10.1101/2020.04.30.20086264.
- Szczesniak D, Ciulkowicz M, Maciaszek J, Misiak B, Luc D, Wieczorek T, Witecka K-F, Rymaszewska J. Psychopathological responses and face mask restrictions during the COVID-19 outbreak: Results from a nationwide survey. *Brain Behav Immun* 2020; 87:161-162.
- Kang Y-J. Lessons Learned From Cases of COVID-19 Infection in South Korea. *Disaster Med Public Health Prep* 2020; 1-8.
- Clements JM. Knowledge and Behaviors Toward COVID-19 Among US Residents During the Early Days of the Pandemic: Cross-Sectional Online Questionnaire. *JMIR Public Health Surveill* 2020; 6(2):e19161.
- Esposito S, Principi N. To mask or not to mask children to overcome COVID-19. Eur J Pediatr 2020; 179(8):1267-1270.
- Parry J. Covid-19: Hong Kong government supplies reusable face masks to all residents. *BMJ* 2020; 369:m1880.
- 67. Soto DM, Cardona Maya WD, Agudelo EL, Bueno-Sánchez JC. The feasibility of generalized face mask usage during the COVID-19 pandemic: a perspective from Latin America. *Infect Control Hosp Epidemiol* 2020; 1-2.
- Huang Y, Wu Q, Wang P, Xu Y, Wang L, Zhao Y, Yao D, Xu Y, Lv Q, Xu S. Measures Undertaken in China to Avoid COVID-19 Infection: Internet-Based, Cross-Sectional Survey Study. J Med Internet Res 2020; 22(5):e18718.
- 69. Sra HK, Sandhu A, Singh M. Use of Face Masks in COVID-19. *Indian J Pediatr* 2020; 87:553.
- Kashyap A, Singh K, Sabat D, Maini L. Fast and economic cardboard cutout use to increase compliance of face mask wear during COVID-19 pandemic. *J Clin Orthop Trauma* 2020; 11(Supl. 3):S298-S300.
- Matusiak Ł, Szepietowska M, Krajewski P, Białynicki-Birula R, Szepietowski JC. Inconveniences due to the use of face masks during the COVID-19 pandemic: A survey study of 876 young people. *Dermatol Ther* 2020; 33(4):e13567.
- Ogoina D. COVID-19: The Need for Rational Use of Face Masks in Nigeria. Am J Trop Med Hyg 2020; 103(1):33-34.
- Feng Y, Marchal T, Sperry T, Yi H. Influence of wind and relative humidity on the social distancing effectiveness to prevent COVID-19 airborne transmission: A numerical study. *J Aerosol Sci* 2020; 105585.

- Noh JY, Seong H, Yoon JG, Song JY, Cheong HJ, Kim WJ. Social Distancing against COVID-19: Implication for the Control of Influenza. *J Korean Med Sci* 2020; 35(19):e182.
- Gao Q, Hu Y, Dai Z, Xiao F, Wang J, Wu J. The epidemiological characteristics of 2019 novel coronavirus diseases (COVID-19) in Jingmen, Hubei, China. *Medicine* 2020; 99(23):e20605.
- Clase CM, Fu EL, Joseph M, Beale RCL, Dolovich MB, Jardine M, Mann JFE, Pecoits-Filho R, Winkelmayer WC, Carrero JJ. Cloth Masks May Prevent Transmission of COVID-19: An Evidence-Based, Risk-Based Approach. Ann Intern Med 2020; 173(6):489-491.
- Chiang C-H, Chiang C-H, Chiang C-H. Letter to editor - Can universal masking help with our recovery from the COVID-19 pandemic? *Int J Surg* 2020; 79:125-126.
- Goscé L, Phillips PA, Spinola P, Gupta DRK, Abubakar PI. Modelling SARS-COV2 Spread in London: Approaches to Lift the Lockdown. J Infect 2020; 81(2):260-265.
- Middleton JD, Lopes H. Face masks in the covid-19 crisis: caveats, limits, and priorities. *BMJ* 2020; 369:m2030.
- Laestadius L, Wang Y, Ben Taleb Z, Kalan ME, Cho Y, Manganello J. Online National Health Agency Mask Guidance for the Public in Light of COVID-19: Content Analysis. *JMIR Public Health Surveill* 2020; 6(2):e19501
- Majeed A, Seo Y, Heo K, Lee D. Can the UK emulate the South Korean approach to covid-19? *BMJ* 2020; 369:m2084.
- 82. Chan EYY, Huang Z, Lo ESK, Hung KKC, Wong ELY, Wong SYS. Sociodemographic Predictors of Health Risk Perception, Attitude and Behavior Practices Associated with Health-Emergency Disaster Risk Management for Biological Hazards: The Case of COVID-19 Pandemic in Hong Kong, SAR China. Int J Environ Res Public Health 2020; 17(11):3869.
- Han C, Shi J, Chen Y, Zhang Z. Increased flare of acne caused by long-time mask wearing during COVID-19 pandemic among general population. *Dermatol Ther* 2020; 33(4):e13704.
- Liu X, Luo W-T, Li Y, Li C-N, Hong Z-S, Chen H-L, Xiao F, Xia J-Y. Psychological status and behavior changes of the public during the COVID-19 epidemic in China. *Infect Dis Poverty* 2020; 9(1):58.
- 85. Lee H, Lee H, Song K-H, Kim ES, Park JS, Jung J, Ahn S, Jeong EK, Park H, Kim HB. Impact of Public Health Interventions on Seasonal Influenza Activity During the SARS-CoV-2 Outbreak in Korea. *Clin Infect Dis* 2020; ciaa672.
- 86. Chu DK, Akl EA, Duda S, Solo K, Yaacoub S, Schünemann HJ, COVID-19 Systematic Urgent Review Group Effort (SURGE) study authors. Physical distancing, face masks, and eye protection to prevent person-to-person transmission of SARS-CoV-2 and COVID-19: a systematic review and meta-analysis. *Lancet* 2020; 395(10242):1973-1987
- Liu PL. COVID-19 Information Seeking on Digital Media and Preventive Behaviors: The Mediation Role of Worry. *Cyberpsychol Behav Soc Netw* 2020; 23(10):677-682.

Ortelan N et al. 069

- Jung F, Krieger V, Hufert FT, Küpper J-H. How we should respond to the Coronavirus SARS-CoV-2 outbreak: A German perspective. *Clin Hemorheol Microcirc* 2020; 74(4):363-372.
- Li DTS, Samaranayake LP, Leung YY, Neelakantan P. Facial protection in the era of COVID-19: A narrative review. *Oral Dis* 2020; 10.1111/odi.13460.
- Goh Y, Tan BYQ, Bhartendu C, Ong JJY, Sharma VK. The face mask: How a real protection becomes a psychological symbol during Covid-19? *Brain Behav Immun* 2020; 88:1-5.
- Greenhalgh T. Laying straw men to rest: author's reply to 'Urgency and uncertainty: covid-19, face masks, and evidence informed policy'. *BMJ* 2020; 369:m2240
- Wong LP, Alias H, Danaee M, Ziaee M, Abedi F, Ziaee A, Mohajer S, HajiAliBeigloo R, Nia MN, Jamei F, Mazlom SR. Uncovering psychobehavioral implications of SARS-CoV-2 infection in Iran. *Transbound Emerg Dis* 2020; 10.1111/tbed.13662.
- Zhang R, Li Y, Zhang AL, Wang Y, Molina MJ. Identifying airborne transmission as the dominant route for the spread of COVID-19. *Proc Natl Acad Sci USA* 2020; 117(26):14857-14863.
- Ho K-F, Lin L-Y, Weng S-P, Chuang K-J. Medical mask versus cotton mask for preventing respiratory droplet transmission in micro environments. *Sci Total Envi*ron 2020; 735:139510.
- Esposito S, Principi N, Leung CC, Migliori GB. Universal use of face masks for success against COVID-19: evidence and implications for prevention policies. *Eur Respir J* 2020; 55(6):2001260.
- Dkhar SA, Quansar R, Saleem SM, Khan SMS. Knowledge, attitude, and practices related to COVID-19 pandemic among social media users in J&K, India. *Indian J Public Health* 2020; 64(Supl.):S205-S210.
- 97. Mahase E. Covid-19: What is the evidence for cloth masks? *BMJ* 2020; 369:m1422.
- Szarpak L, Smereka J, Filipiak KJ, Ladny JR, Jaguszewski M. Cloth masks versus medical masks for COVID-19 protection. *Cardiol J* 2020; 27(2):218-219.
- Lazcano-Ponce E, Alpuche-Aranda C. Public health literacy in the face of the Covid-19 pandemic emergency. *Salud Publica Mex* 2020; 62(3):331-340.
- Martin GP, Hanna E, Dingwall R. Urgency and uncertainty: covid-19, face masks, and evidence informed policy. *BMJ* 2020; 369:m2017.
- Wu H-L, Huang J, Zhang CJP, He Z, Ming W-K. Facemask shortage and the novel coronavirus disease (COVID-19) outbreak: Reflections on public health measures. *EClinicalMedicine* 2020; 21:100329.
- 102. Stone TE, Kunaviktikul W, Omura M, Petrini M. Editorial: Facemasks and the Covid 19 pandemic: What advice should health professionals be giving the general public about the wearing of facemasks? *Nurs Health Sci* 2020; 22(2):339-342.
- Chowdhury A, Jahan N, Wang S. One month of the novel coronavirus 2019 outbreak: Is it still a threat? *Virusdisease* 2020; 31(2):1-5.
- 104. Amendola L, Saurini MT, Di Girolamo F, Arduini F. A rapid screening method for testing the efficiency of masks in breaking down aerosols. *Microchem J* 2020; 157:104928.
- 105. Kim MN. What Type of Face Mask Is Appropriate for Everyone-Mask-Wearing Policy amidst COVID-19 Pandemic? J Korean Med Sci 2020; 35(20):e186.

- Lam SKK, Hung MSY, Chien WT. Uncertainty surrounding the use of face masks in the community amid the COVID-19 pandemic. *Int J Nurs Stud* 2020; 108:103651.
- King FM. Covid-19: face masks could foster distrust and blame. *BMJ* 2020; 369:m2009.
- Cheng S-T. Covid-19: are face masks a good long term strategy? *BMJ* 2020; 369:m2005.
- Lazzarino AI, Steptoe A, Hamer M, Michie S. Covid-19: Important potential side effects of wearing face masks that we should bear in mind. *BMJ* 2020; 369:m2003.
- 110. Schroter RC. Social distancing for covid-19: is 2 metres far enough? *BMJ* 2020; 369:m2010.
- 111. Azlan AA, Hamzah MR, Sern TJ, Ayub SH, Mohamad E. Public knowledge, attitudes and practices towards COVID-19: A cross-sectional study in Malaysia. *PLoS One* 2020; 15(5):e0233668.
- 112. Szepietowski JC, Matusiak Ł, Szepietowska M, Krajewski PK, Białynicki-Birula R. Face Mask-induced Itch: A Self-questionnaire Study of 2,315 Responders During the COVID-19 Pandemic. Acta Derm Venereol 2020; 100:adv00152.
- 113. Aggarwal N, Dwarakanathan V, Gautam N, Ray A. Facemasks for prevention of viral respiratory infections in community settings: A systematic review and meta-analysis. *Indian J Public Health* 2020; 64(Supl.):S192-S200.
- 114. Zhao M, Liao L, Xiao W, Yu X, Wang H, Wang Q, Lin YL, Kilinc-Balci FS, Price A, Chu L, Chu MC, Chu S, Cui Y. Household Materials Selection for Homemade Cloth Face Coverings and Their Filtration Efficiency Enhancement with Triboelectric Charging. *Nano Lett* 2020; 20(7):5544-5552.
- 115. Filho C, Vieira LJES, Silva RM. Buscas na internet sobre medidas de enfrentamento à COVID-19 no Brasil: descrição de pesquisas realizadas nos primeiros 100 dias de 2020. *Epidemiol Serv Saúde* 2020; 29(3):e2020191.
- Han C, Shi J, Chen Y, Zhang Z. Increased flare of acne caused by long-time mask wearing during COVID 19 pandemic among general population. *Dermatol Ther* 2020; 33(4):e13704.
- 117. Luan R-S, Wang X, Sun X, Chen X-S, Zhou T, Liu Q-H, Lü X, Wu X-P, Gu D-Q, Tang M-S, Cui H-J, Shan X-F, Ouyang J, Zhang B, Zhang W, Emergency Research Group Sichuan University Covid. Epidemiology, Treatment, and Epidemic Prevention and Control of the Coronavirus Disease 2019: a Review. *Sichuan Da Xue Xue Bao Yi Xue Ban* 2020; 51(2):131-138.
- Greenhalgh T, Schmid MB, Czypionka T, Bassler D, Gruer L. Face masks for the public during the covid-19 crisis. *BMJ* 2020; 369:m1435.
- 119. Sugrue M, O'Keeffe D, Sugrue R, MacLean L, Varzgalis M. A cloth mask for under-resourced healthcare settings in the COVID19 pandemic. *Ir J Med Sci* 2020; 189(4):1155-1157.
- 120. Lewis D. Is the coronavirus airborne? Experts can't agree. *Nature* 2020; 580(7802):175.
- 121. World Health Organization (WHO). Rational use of personal protective equipment for coronavirus disease (COVID-19): interim guidance, 27 February 2020. Genebra: WHO; 2020.
- Bamber JH, Christmas T. Covid-19: Each discarded face mask is a potential biohazard. *BMJ* 2020; 369:m2012.

692

- 123. Todd B. Where Are the Masks? Am J Nurs 2020; 120(6):18-19
- 124. Lepelletier D, Grandbastien B, Romano-Bertrand S, Aho S, Chidiac C, Géhanno J-F, Chauvin F, French Society for Hospital Hygiene and the High Council for Public Health. What face mask for what use in the context of COVID-19 pandemic? The French guidelines. J Hosp Infect 2020; 105(3):414-418.
- 125. Brienen NCJ, Timen A, Wallinga J, van Steenbergen JE, Teunis PFM. The effect of mask use on the spread of influenza during a pandemic. Risk Anal 2010; 30(8):1210-1218.
- 126. Davies A, Thompson K-A, Giri K, Kafatos G, Walker J, Bennett A. Testing the efficacy of homemade masks: would they protect in an influenza pandemic? Disaster Med Public Health Prep 2013; 7(4):413-418.
- 127. Leung GM, Ho L-M, Chan SKK, Ho S-Y, Bacon-Shone J, Choy RYL, Hedley AJ, Lam T-H, Fielding R. Longitudinal assessment of community psychobehavioral responses during and after the 2003 outbreak of severe acute respiratory syndrome in Hong Kong. Clin Infect Dis 2005; 40(12):1713-1720.
- 128. Howard J, Huang A, Li Z, Tufekci Z, Zdimal V, van der Westhuizen H, von Delft A, Price A, Fridman L, Tang L, Tan V, Watson GL, Bax CE, Shaikh R, Questier F, Hernandez D, Chu LF, Ramirez CM, Rimoin AW. Face masks against COVID-19: an evidence review. Preprints 2020; 10.20944/preprints202004.0203.v1.
- 129. Milton DK, Fabian MP, Cowling BJ, Grantham ML, McDevitt JJ. Influenza virus aerosols in human exhaled breath: particle size, culturability, and effect of surgical masks. PLoS Pathog 2013; 9(3):e1003205.
- 130. Lustig SR, Biswakarma JJH, Rana D, Tilford SH, Hu W, Su M, Rosenblatt MS. Effectiveness of Common Fabrics to Block Aqueous Aerosols of Virus-like Nanoparticles. ACS Nano 2020; 14(6):7651-7658.
- 131. Fischer EP, Fischer MC, Grass D, Henrion I, Warren WS, Westman E. Low-cost measurement of face mask efficacy for filtering expelled droplets during speech. Sci Adv 2020; 6(36):eabd3083.
- 132. Goodman JL, Borio L. Finding Effective Treatments for COVID-19: Scientific Integrity and Public Confidence in a Time of Crisis. JAMA 2020; 323(19):1899-1900
- 133. Masks4All. Quais países exigem máscaras em público ou recomendam máscaras? [Internet]. [acessado 2020 Jul 11]. Disponível em: https://masks4all.co/pt/whatcountries-require-masks-in-public/
- 134. Gandhi M, Rutherford GW. Facial Masking for Covid-19 - Potential for 'Variolation' as We Await a Vaccine. N Engl J Med 2020; 383(18):e101.
- 135. Brooks JT, Butler JC, Redfield RR. Universal Masking to Prevent SARS-CoV-2 Transmission-The Time Is Now. JAMA 2020; 10.1001/jama.2020.13107.
- 136. van der Sande M, Teunis P, Sabel R. Professional and home-made face masks reduce exposure to respiratory infections among the general population. PLoS One 2008; 3(7):e2618.
- 137. Goldberg MH, Gustafson A, Maibach EW, Ballew MT, Bergquist P, Kotcher JE, Marlon JR, Rosenthal SA, Leiserowitz A. Mask-wearing increases after a government recommendation: A natural experiment in the U.S. during the COVID-19 pandemic. Front Commun 2020; 5(44):1-6.

- 138. Chen Y, Jin YL, Zhu LJ, Fang ZM, Wu N, Du MX, Jiang MM, Wang J, Yao YS. The network investigation on knowledge, attitude and practice about COVID-19 of the residents in Anhui Province. Zhonghua Yu Fang Yi Xue Za Zhi 2020; 54(4):367-373.
- 139. Senado Federal. Bolsonaro veta uso obrigatório de máscara no comércio, em escolas e em igrejas [Internet]. Senado Notícias; 2020 [acessado 2020 Jul 11]. Disponível em: https://www12.senado.leg.br/noticias/ materias/2020/07/03/bolsonaro-veta-uso-obrigatorio-de-mascara-no-comercio-em-escolas-e-em-igrejas
- 140. Brasil. Lei nº 14.019, de 2 de julho de 2020. Altera a Lei nº 13.979, de 6 de fevereiro de 2020, para dispor sobre a obrigatoriedade do uso de máscaras de proteção individual para circulação em espaços públicos e privados acessíveis ao público, em vias públicas e em transportes públicos, sobre a adoção de medidas de assepsia de locais de acesso público, inclusive transportes públicos, e sobre a disponibilização de produtos saneantes aos usuários durante a vigência das medidas para enfrentamento da emergência de saúde pública de importância internacional decorrente da pandemia da Covid-19. Diário Oficial da União 2020; 8 set.
- 141. CNN. Why some people of color say they won't wear homemade masks [Internet]. 2020 [acessado 2020 Maio 4]. Disponível em: https://www.cnn. com/2020/04/07/us/face-masks-ethnicity-coronavirus-cdc-trnd/index.html
- 142. Martin V. Uso de máscaras prejudica comunicação dos surdos [Internet]. pleno.news 2020 [acessado 2020 Maio 4]. Disponível em: https://pleno.news/comportamento/pandemia-uso-de-mascaras-afeta-comunicacao-de-pessoas-surdas.html
- 143. Chow A, Hein AA, Kyaw WM. Unintended Consequence: Influenza plunges with public health response to COVID-19 in Singapore. J Infect 2020; 81(2):e68-e69.
- 144. Jesson J, Matheson L, Lacey FM. Doing Your Literature Review: Traditional and Systematic Techniques. Thousand Oaks: Sage Publications; 2011.
- 145. Betsch C, Korn L, Sprengholz P, Felgendreff L, Eitze S, Schmid P, Böhm R. Social and behavioral consequences of mask policies during the COVID-19 pandemic. Proc Natl Acad Sci USA 2020; 117(36):21851-21853.
- 146. Greenhalgh T. Face coverings for the public: Laying straw men to rest. J Eval Clin Pract 2020; 26(4):1070-1077.
- 147. Instituto Brasileiro de Geografia e Estatística (IBGE). Síntese de indicadores sociais: uma análise das condições de vida da população brasileira: 2019 [Internet]. 2019 [acessado 2020 Maio 2]. Disponível em: https://biblioteca.ibge.gov.br/index.php/biblioteca-catalogo? view=detalhes&id=2101678

Article submitted 21/07/2020 Approved 02/11/2020 Final version submitted 04/11/2020

Chief editors: Romeu Gomes, Antônio Augusto Moura da Silva