

Journal Pre-proof

Kitchen layouts and consumers' food hygiene practices: Ergonomics versus safety

Octavian Augustin Mihalache, Trond Møretrø, Daniela Borda, Loredana Dumitrascu, Corina Neagu, Christophe Nguyen-The, Isabelle Maitre, Pierrine Didier, Paula Teixeira, Luis Orlando Lopes Junqueira, Monica Truninger, Tekla Izsó, Gyula Kasza, Silje Elisabeth Skuland, Solveig Langsrud, Anca Ioana Nicolau



PII: S0956-7135(21)00571-5

DOI: <https://doi.org/10.1016/j.foodcont.2021.108433>

Reference: JFCO 108433

To appear in: *Food Control*

Received Date: 7 May 2021

Revised Date: 30 June 2021

Accepted Date: 17 July 2021

Please cite this article as: Mihalache O.A., Møretrø T., Borda D., Dumitrascu L., Neagu C., Nguyen-The C., Maitre I., Didier P., Teixeira P., Lopes Junqueira L.O., Truninger M., Izsó T., Kasza G., Skuland S.E., Langsrud S. & Nicolau A.I., Kitchen layouts and consumers' food hygiene practices: Ergonomics versus safety, *Food Control* (2021), doi: <https://doi.org/10.1016/j.foodcont.2021.108433>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2021 Published by Elsevier Ltd.

CRedit author statement

Octavian Augustin Mihalache: Conceptualization, Methodology, Software, Validation, Formal analysis, Investigation, Writing - original draft, Writing – review & editing, Visualization

Trond Moretro: Formal analysis, Investigation, Writing – review & editing

Daniela Borda: Formal analysis, Investigation, Writing – review & editing

Loredana Dumitrascu: Formal analysis, Investigation, Writing – review & editing

Corina Neagu: Formal analysis, Investigation

Christophe Nguyen-The: Formal analysis, Investigation, Writing – review & editing

Isabelle Maitre: Formal analysis, Investigation

Pierrine Didier: Formal analysis, Investigation

Paula Teixeira: Formal analysis, Investigation, Writing – review & editing

Luis Orlando Lopes Junqueira: Formal analysis, Investigation, Writing – review & editing

Monica Truninger: Formal analysis, Investigation

Solveig Langsrud: Formal analysis, Investigation, Writing – review & editing


Silje Elisabeth Skuland: Formal analysis, Investigation

Tekla Izso: Formal analysis, Investigation

Gyula Kasza: Formal analysis, Investigation

Anca Ioana Nicolau: Conceptualization, Methodology, Resources, Formal analysis, Investigation, Writing - original draft, Writing – review & editing, Project administration, Supervision

Journal Pre-proof



1 **Kitchen layouts and consumers' food hygiene practices: Ergonomics versus**
2 **safety**

3 Octavian Augustin Mihalache^a, Trond Møretrø^b, Daniela Borda^a, Loredana Dumitrascu^a,
4 Corina Neagu^a, Christophe Nguyen-The^c, Isabelle Maitre^d, Pierrine Didier^{c,d}, Paula Teixeira^e,
5 Luis Orlando Lopes Junqueira^f, Monica Truninger^f, Tekla Izsó^g, Gyula Kasza^g, Silje
6 Elisabeth Skuland^h, Solveig Langsrud^b, Anca Ioana Nicolau^{a*}

7 ^aDunarea de Jos University of Galati, Faculty of Food Science and Engineering, Domnească
8 Street 111, 800201, Galati, Romania

9 ^bNofima, Norwegian Institute of Food, Fisheries and Aquaculture Research, Osloveien 1, N-
10 1430, Ås, Norway

11 ^cINRAE, Avignon Université, UMR SQPOV, 84000 Avignon, France

12 ^dUSC1422 GRAPPE, Ecole Supérieure d'Agricultures (ESA), INRAE, SFR 4207 QUASAV,
13 55 rue Rabelais, BP 30748, 49007, Angers Cedex, France

14 ^eUniversidade Católica Portuguesa, CBQF - Centro de Biotecnologia e Química Fina –
15 Laboratório Associado, Escola Superior de Biotecnologia, Rua Diogo Botelho 1327, 4169-
16 005, Porto, Portugal

17 ^fInstituto de Ciências Sociais, Universidade de Lisboa, Av. Professor Aníbal de Bettencourt
18 9, 1600-189, Lisboa, Portugal

19 ^gNational Food Chain Safety Office, Keleti Károly u. 24. H-1024, Budapest, Hungary

20 ^hConsumption Research Norway (SIFO) and Oslo Metropolitan University, Oslo, Norway

21 *Corresponding author: anca.nicolau@ugal.ro

22 Declaration of interest: none

23 **Abstract**

24 Our paper emphasizes the importance of the kitchen layout in facilitating consumers' food
25 hygiene practices. A significant correlation was found between the sink placement (inside or
26 outside the kitchen) and hygienic practices during food handling based on a survey performed
27 on consumers from ten European countries, indicating that those who had the sink in the
28 kitchen were more likely to perform proper hygiene practices than those who have not. The
29 self-reported practices were supported by observed practices in 64 households from five
30 European countries. The observational study combined with the examination of kitchen
31 layouts revealed that the kitchen work triangle with its apexes represented by the kitchen
32 sink, cooking stove and refrigerator, which is recommended for ergonomic reasons by
33 architects and designers, did not necessarily support food hygiene practices in kitchens.
34 Cross-contamination events were associated with the sink – countertop distances longer than
35 1 m. Based on this, a new kitchen triangle with its apexes represented by the kitchen sink,
36 working place (usually countertop) and cooking stove, with the distance between the sink and
37 the working place less than 1 m is proposed to be used as norm in kitchen designs for
38 combining ergonomics with safety. This triangle is proposedly named the *food safety triangle*
39 and is aimed to mitigate the risks of foodborne illnesses by creating an arrangement that
40 facilitates hygiene practices. This study is the first to highlight the importance of
41 implementing the concept of food safety in the kitchen design based on significant
42 correlations between kitchen equipment placement and consumers' food safety practices.

43 **Keywords:** food safety triangle, kitchen work triangle, cross-contamination, sink, design,
44 hand washing

45

46 **1. Introduction**

47 The modern kitchen is the result of two main trends: industrialisation, which started in the
48 nineteenth century, and standardisation, which began in the twentieth century (Beamish,
49 Parrott, Emmel, & Peterson, 2013). Industrialisation joined by democracy and the rising of
50 the middle-class led to servantless homes, which meant that women had new roles and
51 activities to conduct in their homes, cooking being included, while standardisation came,
52 among others, with kitchen layouts that improved work efficiency (Beamish et al., 2013).

53 In the 1930s, the engineer and motion expert Lillian Moller Gilbreth studied the number of
54 steps required to prepare meals with different kitchen designs and developed the L-shaped
55 kitchen layout (Lange, 2012). This design addressed efficiency between the main three work
56 zones, cooking (stove), washing/pre-preparation (sink), and storage (refrigerator), which later
57 became known as the kitchen work triangle (Beamish et al., 2013). In the 1940s, the
58 University of Illinois School of Architecture highlighted the cost reductions by standardized
59 kitchen constructions and was credited with the creation of the **kitchen work triangle** (an
60 imaginary straight line drawn from the center of the sink, to the center of the cooking stove,
61 to the center of the refrigerator and finally back to the sink) (Eiler, 2019).

62 Nowadays, the concept of work triangle is used as a guideline of kitchen designs and aims to
63 plan out efficient kitchen workspaces with minimal traffic through the work zones (Adams,
64 2018; Wallender, 2020), similarly with restaurant and industrial kitchen layouts (Pehkonen,
65 2009; Hadan et al., 2017). According to the National Kitchen and Bath Association (NKBA),
66 each side of the triangle should be between 1.2 – 2.7 m and add up to a total of 4 – 7.9 m
67 (Beamish et al., 2013). If these work sites are placed too far away from each other, many
68 steps are necessary to move from one work zone to another, which means a lot of time wasted
69 during meal preparation. Meanwhile, if they are too close, the workspace becomes too

70 narrow, making difficult to properly prepare and cook meals (Adams, 2018). With the
71 exception of one-wall kitchens (linear), the work triangle can be applied to all the kitchen
72 layouts such as galleys, L- and U-shaped, L-shaped or linear with island, L-shaped or U-
73 shaped with peninsula. Despite being recommended, the work triangle was laid out for
74 ergonomic reasons and not for safety purposes during food handling and preparation.
75 Additionally, designers' advice and consumers' priorities are mostly aimed at the kitchen
76 arrangement trends, appliances design and functionality rather than food safety
77 considerations (Petrova, 2018). Since the domestic environment is one of the most common
78 sources of foodborne outbreaks (Al-Sakkaf, 2015; EFSA & ECDC, 2021; Langiano et al.,
79 2012; Wu et al., 2018), a design that would increase the frequency of the cleaning actions for
80 hands, cutting boards, knives etc. could reduce the number of cross-contamination (CC)
81 events during meal preparation and minimise the risk of foodborne illness.

82 Hence, the objectives of the study were:

- 83 • To assess through a survey conducted in ten European countries the correlation
84 between consumers' food safety and hygiene self-reported practices and the sink
85 placement in the household (wash site for kitchen related activities);
- 86 • To determine whether there are correlations between the hand hygiene practices and
87 kitchen designs based on home visits conducted in five European countries during the
88 preparation of a chicken and salad meal;
- 89 • To suggest a kitchen layout that facilitates hygienic practices. Thus, we intend to
90 draw attention to a kitchen organisation focusing on food safety, which has as focal
91 point the placement of the sink against the preparation area. Our proposal is to
92 consider a triangle with apexes represented by the countertop or table (preparation
93 area where food and utensils are handled), the sink (washing area) and the stove

94 (cooking area). Hence, we have raised the hypothesis that a short distance between
95 the preparation area and the washing area could favour higher hand washing
96 frequencies, which in turn will reduce the risk of cross-contamination and food
97 poisoning.

98 **2. Materials and methods**

99 This study is a multidisciplinary approach and combines a quantitative consumer survey with
100 qualitative consumer household visits. Through a food safety-based survey we assessed
101 potential correlation between consumers' self-reported hygienic practices during food
102 handling and sink placement in the kitchen layout, while by household visits including live
103 video-recordings we were able to evaluate a potential connection between the kitchen design
104 and the number of observed practices that could lead to cross-contamination during meal
105 preparation. Both the survey and the visits were performed in the framework of the
106 SafeConsume project (Horizon 2020, grant agreement No 727580, <http://safeconsume.eu/>),
107 which aims to improve consumers' food safety behaviour through effective tools and
108 products, communication strategies, and education.

109 **2.1. Quantitative method**

110 **2.1.1. Data collection**

111 Data were collected via a web-based survey. The questions addressed in the present study
112 were part of a larger consumer survey that was sent to consumers from 10 European countries
113 (Denmark, France, Germany, Greece, Hungary, Norway, Portugal, Romania, Spain, and the
114 UK). The survey was discussed and approved by microbiologists, sociologists, and specialists
115 involved in food safety and consumers' behaviour. The questionnaire was conducted between
116 December 2018 and April 2019. The sample was stratified based on the regions of the
117 participating countries that represent the NUTS II-level divisions both for the European

118 Union and non-European Union member states and the education level of the respondents
119 (Langsrud et al., 2020).

120 **2.1.2. Survey design and reliability**

121 To evaluate consumers' hygienic practices the following questions were asked: "How likely
122 is it that you would clean your hands immediately after touching raw chicken?", "After
123 cutting chicken, how likely is it that you will re-use the same cutting board (without washing
124 it) for vegetables, salads or fruits?", and "After cutting chicken, how likely is it that you will
125 re-use the same knife (without washing it) for vegetables, salads or fruits?" (ordinal scale, 1 -
126 no chance or almost no chance; 6 – fairly good possibility; 11 – certain or practically certain).
127 A question regarding the placement of the sink (nominal scale, yes/no; in kitchen or outside
128 the kitchen) was included to assert if there are correlations between food handling practices
129 and the washing site. A total of 9,966 surveys were returned for sink placements and 7,866
130 for food hygiene practices. The questionnaire had a reliable internal consistency (Cronbach's
131 $\alpha = 0.74$).

132 **2.2. Qualitative method**

133 **2.2.1. Household visits and video-recording**

134 A part of the SafeConsume's transdisciplinary fieldwork aimed to trace and describe food
135 safety and hygiene practices and pinpoint cultural differences between households from
136 Norway, France, Romania, Portugal, and Hungary. In the present study, 64 households were
137 included, covering three categories of consumers: young single men (YSM), which are seen
138 as high-risk takers, young families (YF) with either pregnant women or children <5 years old,
139 and elderly consumers (>65 years old) (EP) both being part of vulnerable groups. The
140 households were selected both from urban (U) and rural (R) areas. All consumers signed an
141 informed consent form. Ethical approvals for the study were granted by the Norwegian

142 Centre for Research Data (Norway, 55256/3/AMS), Commission Nationale de l'Informatique
143 et des Libertés (France, 152182 REC 0717 T001), the Ethical commission of the Dunarea de
144 Jos University of Galati (Romania, RCF1548/31.08.2017), the National Data Protection
145 Commission (Portugal, 13914/ 2017), and the National Food Chain Safety Office (Hungary).
146 The kitchen visiting teams consisted of food safety microbiologists, and sociologists with the
147 exception of Hungary, where teams were built with students in veterinary medicine. The
148 teams' members observed consumers throughout the food shopping – cooking chain and
149 documented each step of consumers' journey. As a result, video-recording analysis and
150 kitchen drawings were made for households from Norway (13), France (15), Romania (15),
151 Portugal (13), and Hungary (8).

152 The approach and recording methods used the “go-along” technique, where the participants
153 take control and lead the activity, while the interviewers (i.e., researchers) accompany the
154 participant in their own familiar environments, which in this case was the kitchen (Carpiano,
155 2009; Kusenbach, 2003) with minimal interference in their daily routine.

156 Video-recording during meal preparation allowed access to consumer hygiene practices,
157 while also observing the layout of kitchens and work areas. The videos were analysed with
158 the Noldus Observer XT software (Noldus Information Technology, Wageningen,
159 Netherlands). In Observer XT, data analysis is based on viewing the event log that contains
160 the actions performed by the consumers from one or more videos streams. By analysing the
161 records, we determined the frequency of hand cleaning actions during food handling and
162 preparation, as well as practices that could potentially lead to cross-contamination.

163 **2.2.2. Kitchen layouts**

164 The members of the research groups of each country provided the necessary information
165 regarding the placement of equipment and dimensions of the rooms based on the preliminary

166 drawings of kitchen layouts made during the household visits. The standard dimensions for
167 the main kitchen equipment and work sites were taken into consideration from a database of
168 dimensioned drawings, which also has dimensions guides for kitchen appliances
169 (<https://www.dimensions.guide/>). Final layouts of the visited kitchens were drawn using
170 AutoCAD 15 software (Autodesk Inc., San Rafael, CA) and presented in *Data in Brief*
171 (Mihalache et al., submitted). The software enables the user to draw with fractional
172 dimensions and to define precisions to any number of decimal places, which is not achievable
173 in hand-drafted drawings, thus leading to accurate drawings in regard to all dimensions. This
174 allowed us to calculate the length of sides and perimeter of two type of triangles: the working
175 triangle (**sink – stove – refrigerator**), and the food safety triangle (**sink – countertop -
176 stove**).

177 After this step, we analysed possible connections between the pattern of arrangement of the
178 kitchen equipment and actions performed by consumers after touching raw food, which led to
179 cross-contamination events (e.g., not washing hands or wiping hands with a dish cloth instead
180 of washing hands followed by answering phone, opening food containers, cupboard drawers
181 and doors, touching fridge handle and drawers, and touching animate surfaces like their face
182 and mouth or children's hands and face).

183 **2.3. Statistical analysis and kitchen layouts measurements**

184 The normality of the data was assessed using the Shapiro-Wilk test. The test indicated that
185 the data from the survey is not normally distributed ($p < 0.05$).

186 Spearman's rank correlation coefficient (ρ) and regression analyses were calculated with SPSS
187 Statistics 26 (IBM Software Group, Chicago, IL).

188 Spearman correlations were performed with the data obtained from the questionnaire to
189 evaluate the connection between consumers' food hygiene practices and sink placement in
190 the kitchen layout (significant at $p < 0.05$). Ordinal regressions were applied to determine if
191 the sinks placement had significant effects on consumers' self-reported food hygiene
192 practices (i.e., if consumers who have a sink-equipped kitchen are more likely to engage in
193 safe food handling than consumers who do not own a sink-equipped kitchen). The predictors
194 from the regression models were assessed using the Omnibus test. The goodness fit of the
195 models was assessed with the Pearson and Deviance tests. Non-significant coefficients imply
196 the model fits the data well (Field, 2018). The assumption of proportional odds or the parallel
197 lines test indicates that the same set of coefficients is present across different response levels
198 (assumption accepted if $p > 0.05$). If this assumption is satisfied it indicates that the use of
199 regression analysis is adequate ($p > 0.05$) (Osborne, 2017).

200 Bootstrapping with 1000 iterations was used both for the correlation and regression analyses
201 to obtain bias-corrected and accelerated (BCa) bootstrap intervals (95% confidence interval).
202 This method corrects for bias and provides unbiased p-values (Field, 2013).

203 The results from the household visits were analysed using ordinal regressions and the number
204 of cross-contamination events was depicted as a Sankey diagram using Tableau Software
205 2020.1 (Salesforce, Seattle, WA).

206 **3. Results and discussions**

207 **3.1. The demographic profile of the groups participating in the study**

208 **3.1.1. Survey respondents**

209 The demographic profile of the consumers from 10 European countries is shown in
210 Supplementary file S1.

211 The survey respondents were females in a proportion of 50.5%. Regarding respondents' age,
212 18.6% were 35-44 years old and 18.6% were 65-75 years old. Half of them had a high level
213 of education (54.4%), and almost half lived in a city (44%).

214 **3.1.2. Visited consumers**

215 Demographic details about the visited consumers are presented in the accompanying *Data in*
216 *Brief* manuscript (Mihalache et al., submitted). From the visited consumers, 57.8% were from
217 the urban area and 42.2% from the rural area. Regarding the category of consumers, 34.3%
218 were young families (YF), 39% elderly people (EP), and 26.7% young single men (YSM).
219 The data describing the consumers' kitchens (kitchen areas, perimeters' length and sides'
220 lengths of triangles taken into discussion in this study) are also provided in the
221 accompanying *Data in Brief* manuscript (Mihalache et al., submitted). Each household was
222 assigned a unique identifier which has the following format: country abbreviation ALPHA-2
223 (ISO-3166-1)_consumer pseudonym_category of consumer (EP, YF, YSM). The process of
224 attributing pseudonyms to the visited consumers is described by Skuland et al., (2020).

225 **3.2. Consumers' self-reported hygienic practices and the placement of the sink**

226 Based on the self-reported data in the survey, we calculated the correlations between
227 consumers' food hygiene practices and sink placement. From the total number of
228 respondents, 1,285 (15%) had their sinks placed outside the kitchen.

229 Spearman correlations (ρ) were performed to assess a preliminary connection between sink
230 placement and consumer's self-reported food hygiene practices. A significant negative
231 correlation was found between sink placement (outside of kitchen) and probability of
232 washing hands after touching raw chicken, which indicates that consumers who do not own a
233 sink-equipped kitchen are less likely to wash their hands than consumers owning a sink-

234 equipped kitchen ($\rho = -0.12$; $p < 0.001$; BCa 95% CI: -0.07; -0.16). Additionally, the
235 significant positive correlations between sink placement outside the cooking area and the
236 practice of re-using the same cutting board ($\rho = 0.11$, $p < 0.001$; BCa 95% CI: 0.06; 0.13) or
237 knife ($\rho = 0.14$, $p < 0.001$; BCa 95% CI: 0.08; 0.2) without cleaning them, suggested once
238 again that the kitchen layout influences consumers' food safety practices during food
239 handling.

240 A couple of studies indicated that the frequency of pathogen ingestion increases because of
241 the contamination of RTE foods (from raw meals via unwashed cutting boards, knives and
242 the cook's hands), and due to the increased frequency of contact between hand – unwashed
243 utensils during food handling (Kennedy et al., 2011; Zhu et al., 2017). The kitchen counter
244 and cutting board were found to be among the most contaminated surfaces in the kitchen with
245 *E. coli* ($>10^3$ CFU/swab) (Azevedo, Albano, Silva, & Teixeira, 2014).

246 Table 1 displays the results from the regression models. Ordinal regression was applied to
247 determine how much of the variability in hygienic practices during cooking could be
248 explained by the layout of the kitchen and more precisely by the location of the sink inside or
249 outside the kitchen. The goodness-of-fit tests for Table 1 are presented in Supplementary file
250 S2.

251 **Insert Table 1 here**

252 Sink placement was a negative predictor as consumers who had the sink placed outside the
253 kitchen were less inclined to wash their hands after touching raw chicken than consumers
254 who had their sinks in the kitchen (Table 1).

255 The placement of the sink also indicated that consumers who have sinks outside the kitchen
256 are 1.5 – 1.8 times more likely to re-use the same cutting board and/or knife without washing

257 them after cutting raw chicken for the preparation of vegetables, fruits or salad than
258 consumers who have sink-equipped kitchens (Table 1).

259 Overall, the regression analysis of the survey showed that the placement of the sink outside
260 the kitchen was strongly associated with lower frequency of practices that can reduce cross-
261 contamination.

262 **3.3. Observed food hygiene practices and main cross-contamination events that took** 263 **place in the kitchens during the SafeConsume visits**

264 By using the “go-along” technique during visits, we obtained raw live footage of consumers
265 hygienic practices, unlike CCTV recordings, where participants turn on still cameras when
266 they prepare food leading to “participant-produced” footage (Kendall et al., 2016; Muir &
267 Mason, 2012). The main assumption of this technique is that the interviewers can better
268 understand how people appreciate and get involved in their physical and social environments
269 (Kusenbach, 2003). Having the participants taking the lead reduces the feeling of intrusion
270 (Kendall et al., 2016) and gives them more freedom in follow-up discussions and interviews
271 (Martens, 2012; Sweetman, 2009).

272 In Figure 1, the main potential cross-contamination events and the occasion they occurred are
273 presented. The events were counted as actions which involved participants handling food and
274 then manipulating other kitchen items or foods without washing hands in between the actions.
275 The most frequent actions after touching raw foods (raw chicken, raw vegetables, lettuce)
276 included opening drawers or the fridge, manipulating food containers, checking/answering
277 the phone and inefficient hand cleaning such as wiping with a dish cloth instead of applying
278 the recommended washing procedure with water and soap. The other potential cross-
279 contamination events consisted of consecutive handling of different types of food without
280 applying a hand cleaning procedure such as: handling washed vegetables that will be eaten

281 raw after touching unwashed lettuce and/or raw chicken, handling washed lettuce after
282 touching raw unwashed vegetables and/or raw chicken, proving that consumers were not
283 aware on the key moments when it is important to apply hygienic practices. There were also
284 cases when the consumers touched their face or interacted with their children right after
285 handling raw foods and without washing their hands.

286 Previous studies reported that *E. coli* was found on the surface of cell phones, thus presenting
287 a health concern due to the high frequency of hand-phone contact during meal preparation
288 and while eating (Her, Seo, Choi, Pool, & Ilic, 2017; Her, Seo, Choi, Pool, & Ilic, 2019). The
289 fact that the visited consumers manipulated risky foods without properly washing their hands
290 increased the risks of foodborne illnesses. Several outbreaks underlined the importance of
291 RTE vegetables and salads as foodborne vehicles for pathogens such as *E. coli*, *Salmonella*,
292 and *L. monocytogenes* (Castro-Rosas et al., 2012; Lokerse, Maslowska-Corker, van de Wardt,
293 & Wijtzes, 2016; Bae, Seo, Zhang, & Wang, 2013).

294 **Insert Figure 1 here**

295 Table 2 displays the number of cross-contamination events that occurred in each country
296 (alphabetically ordered) and the occasion they occurred. The highest average number (21) of
297 potential cross-contamination events was recorded during handling of vegetables (tomatoes,
298 cucumbers, onions etc), and the lowest during the preparation of lettuce salad (15) and raw
299 chicken (15) (Table 2). A comparison between countries revealed that Romania and Hungary
300 registered the highest average number of potential cross-contamination events.

301 **Insert Table 2 here**

302 **3.4. Correlations between food hygiene practices during food preparation and**
303 **kitchen designs**

304 We observed a similar average number of cross-contamination actions in kitchens where the
305 work triangle complied with the recommended perimeter of 4-7.9 m and in kitchens where
306 the perimeter was higher than 7.9 m (Table 3). Out of the 51 households where the
307 arrangement of the equipment followed the kitchen work triangle recommendations, 8 had
308 the key equipment placed in line (particular case of the work triangle, in which the tips of the
309 triangle are arranged in line). Examples of kitchens where the work triangle had the
310 recommended value for its perimeter are presented in the Figures 2a and 2b and examples of
311 kitchens where the recommended value for the work triangle is exceeded as result of placing
312 one of the equipment outside the kitchen are presented in the Figures 2c and 2d.

313 Insert **Table 3** here

314 Insert **Figure 2** here

315 The practices of the consumers where the perimeter of the work triangle was exceeded can be
316 explained by the fact that those who had equipment placed in other rooms resorted to
317 solutions that favored the practice of correct actions (e.g., bringing a washing basin with
318 water on the countertop, bringing the ingredients from the refrigerator before starting cooking
319 and placing them on the countertop) although in some cases these solutions generated other
320 incorrect actions (e. g. washing hands in the water where chicken meat has been washed or
321 rinsing hands in the same water for several times). It is interesting to notice that some
322 consumers living in flats, due to lack of space, extend their kitchens in their balcony where
323 they place either the stove alone or the stove and the sink (RO_Bogdan_YSM,
324 RO_Florinel_YSM). See their kitchen layouts in *Data in Brief* (Mihalache et al., submitted).

325 To further analyse if the work triangle influences consumers' food hygiene and safety
326 practices, we investigated if there are any significant correlations between the recommended
327 dimensions of each side of the triangle (1.2 – 2.7 m) and the number of potential cross-

328 contamination events. Supplementary file S3 shows the correlations between the dimensions
329 of the work triangle's sides and the number of cross-contamination events. We found no
330 significant correlations between the dimension of each side of the work triangle (even when
331 the recommendations are respected) and the average number of cross-contamination events.
332 Hence, we can conclude that from the 64 visited households the kitchen work triangle was
333 not associated with consumers' food hygiene practices.

334 The kitchen work triangle is considered by some kitchen designers outdated and hard to set
335 up because of the space required, especially in Galley-shaped kitchens, and because the
336 design is inflexible and confining (Williams, 2020; Camp, 2017). Even the world-renowned
337 chef from the 1960s, Julia Child, stated that she does not pay too much attention to the
338 kitchen work triangle arrangement (Heyne, 2016). The split opinions among kitchen
339 architects and designers revolve around the fact that when they design a kitchen, they use the
340 work triangle both as a starting point and as a checkpoint because they consider it a standard
341 in the design industry that facilitates meal preparation (Williams, 2020). However, other
342 designers stated that the human motions in the kitchen are far too individual and diverse to
343 benefit from the purpose (efficiency) of the kitchen work triangle (Camp, 2017).

344 **3.5. Placement of the washing area (sink) and correlation with consumers observed** 345 **hygiene practices**

346 The regression analysis between the placement of the sink and consumers' self-reported
347 hygienic practices revealed a relationship that is also supported by the results from the
348 observational studies. Table 4 shows consumers' hand cleaning actions and potential
349 contamination events from the households visited by the SafeConsume teams in relation with
350 the sink placement. The goodness-of-fit tests for Table 4 are presented in Supplementary file
351 S2.

352

Insert **Table 4** here

353 Sink placement was a strong significant predictor of consumers' hand cleaning actions and as
354 well of the potential cross-contamination events. Consumers who had a sink inside their
355 kitchen were 2.25 times more likely to wash their hands with soap and water than those who
356 did not have a sink-equipped kitchen. Regarding hand rinsing events, the difference between
357 consumers who had the sink inside or outside the kitchen is significant. Those who had a sink
358 inside their kitchen were 5 times more inclined to rinse their hands during food handling than
359 those who had the sink outside their kitchen. The sink placement also indicated that cross-
360 contamination events are less likely to occur when the sink is placed inside the kitchen.

361 Kitchens with no sink were present in Romanian rural old houses (5 households) and in one
362 Norwegian household. An example of sink placed outdoors in a Romanian rural household is
363 presented in Supplementary file S4.

364 Although sinks were placed in kitchens in all the other households, there were four situations,
365 two in Norway, one in Romania and one in France, in which consumers did not use kitchen
366 sinks for washing hands but preferred to use the bath sink for different reasons. Our
367 calculations took this situation into consideration. In Romania, although the situation seemed
368 to be at the first glance circumstantial for the kitchen RO_Sorina_YF (a sink full of unwashed
369 dishes), it proved to be permanent (a sink designed for bathrooms was mounted in the
370 kitchen and a table nearby was used to keep a dish rack; the lady of the house told the
371 researchers that she decided to have just hot water in the kitchen following an incident related
372 to a damaged pipe whose replacement would have necessitated floor destruction; the water
373 was really hot - about 65°C; cold water was carried from the bathroom in a plastic basin to
374 be used for washing lettuce, vegetables and chicken meat, while washing hands was
375 performed in the bathroom). See this sink in Supplementary file S4.

376 In households where the sink was placed outside the kitchen, the consumers performed 1-2
377 hand washing actions and 1-5 rinsing actions during cooking, while one of the consumers
378 only wiped his hands with a dish cloth (4 times) instead of washing hands. Higher
379 frequencies in hand washing and rinsing were observed for those who had sinks in their
380 kitchens (up to 5 hand washing and 11 rinsing actions per consumer), proving the
381 significance of the sink placement in the kitchen.

382 As discussed in a separate publication, besides sink placement, the other factors that
383 influenced consumers' hand washing frequencies included their level of knowledge, routines,
384 and risk perception (Didier et al., 2021).

385 **3.6. An approach to a food safety kitchen design**

386 As shown in section 3.4 the kitchen work triangle was not associated with proper food safety
387 practices. Therefore, we propose a new concept, the **food safety triangle**, represented by the
388 kitchen sink, working place (usually countertop) and cooking stove. In the food safety
389 triangle, one apex was considered either the countertop or the table depending on the place
390 where the consumers prepared the meal. Most of the consumers used the surface of a cabinet
391 (countertop) while in other cases the kitchen table alone was the place where consumers
392 prepared food. In comparison with the work triangle, for the food safety triangle we have
393 considered the preparation area (countertop or table) instead of the cold storage area
394 (refrigerator), as this is the place where most of the meal preparation is done and requires
395 more hand cleaning actions to avoid cross-contamination events. The cold storage zone was
396 excluded from the triangle because consumers can take out of the fridge all the ingredients
397 they need for cooking and place them near the preparation area right before they start
398 preparing a meal. Then, when meals are ready, food needs to cool before being introduced
399 into the fridge. So, we considered from a safety standpoint that there is a minimal interaction

400 with the fridge during cooking *per se*, if consumers are well organized for the meal
401 preparation, leading to a low incidence of contamination events between fridge and the other
402 surfaces.

403 Table 5 presents the average number of potential contamination events and when they
404 occurred in kitchens where the arrangement of the key equipment had a perimeter ≤ 4 m and
405 kitchens where the arrangement of the equipment had a perimeter >4 m.

406 The average perimeter of the food safety triangle from the visited households was 4 m, and
407 we chose to compare the number of cross-contamination actions between kitchens where the
408 perimeter was ≤ 4 m (37 households) and >4 m (27 households). Two more cross-
409 contamination actions per household were noticed in kitchens with the perimeter >4 m than
410 in kitchens with the perimeter ≤ 4 m (Table 5). In our calculations, we considered the distance
411 sink-working place-stove even for kitchens where the key equipment was placed in line (26
412 kitchens). Other comparisons that were tested involved perimeters from ≤ 2 to >8 m but no
413 significant differences were found regarding the number of potential cross-contamination
414 events ($p > 0.05$).

415 **Insert Table 5 here**

416 To better understand if there is a relationship between consumers' observed contamination
417 actions and the areas of the food safety triangle, we analysed how the number of cross-
418 contamination events is predicted by: a) the sink – countertop distance, b) the perimeter of the
419 food safety triangle, and c) the interaction sink – countertop distance + the perimeter of the
420 food safety triangle (Table 6). The goodness-of-fit tests for Table 6 are presented in
421 supplementary file S2.

422 **Insert Table 6 here**

423 Examples of kitchens from the visited consumers where the food safety triangle had a
424 perimeter ≤ 4 m and the sink – countertop distance was ≤ 1 m are shown in Figure 3a and 3b,
425 while in 3c and 3d there are examples of a food safety triangle arrangement with the
426 perimeter > 4 m and sink – countertop distance > 1 m.

427 **Insert Figure 3 here**

428 As shown in Table 6, the number of contamination events was influenced by the sink –
429 countertop distance. Thus, in kitchens where the distance sink – countertop was > 1 m the
430 probability of cross-contamination events occurring was nine times higher than when the sink
431 – countertop distance was ≤ 1 m, indicating that the number of cross-contamination actions
432 carried out by the consumers visited by the SafeConsume teams increased especially when
433 the sink – countertop distance was > 1 m. This area placed near the sink, either represented by
434 a countertop or a table and named preparation area across the manuscript, should be
435 dedicated to raw food handling. Ready-to-eat foods should have their places in the kitchen,
436 different than the preparation area, to avoid cross-contamination as the sink itself and the
437 washing procedures may spread microorganisms to nearby surfaces.

438 Another aspect related to the number of practices leading to cross-contamination while
439 preparing a chicken and salad menu is underlined by the size of the perimeter of the food
440 safety triangle. The perimeter was a significant predictor of potential cross-contamination
441 events. When the perimeter was > 4 m consumers were three times more likely to perform
442 actions that could lead to cross-contamination.

443 When the sink – countertop distance is > 1 m and the perimeter of the food safety triangle is
444 > 4 m, cross-contamination events are two times more likely to occur. Even when the
445 perimeter is ≤ 4 m, if the sink – countertop distance is > 1 m there is still a positive relation
446 with the cross-contamination events. However, when the sink – countertop distance is ≤ 1 m

447 and the perimeter is >4 m cross-contamination events are less likely to take place, implying a
448 potential connection between consumers' observed hygiene practices and sink – countertop
449 distance. Thus, the higher the perimeter of the food safety triangle and the sink – countertop
450 distance, the higher the number of cross-contamination events that took place in the
451 consumers' households.

452 However, it should be underlined that the ordinal regression model 1 applies to 40% (R^2) of
453 the experimental data due to the high heterogeneity of the household visited ranging from the
454 ones without minimal means for ensuring food safety (i.e., kitchens without running water,
455 kitchens with no warm water tap) to the very modern ones benefiting from sophisticated
456 household appliances. It should also be noted that observational studies, in comparison with
457 designed experiments, are more difficult to be calibrated and could present higher
458 experimental errors as their results might reflect a number of potentially confounding factors
459 (Table 6).

460 In Table 7 is displayed the average number of potential cross-contamination events, the
461 occasion they occurred, and the sink – countertop distance. In 34 kitchens, the sink –
462 countertop distance was ≤ 1 m and the average number of potential contamination actions was
463 8, while in the other 30 kitchens the sink – countertop distance was >1 m and the average
464 number of potential contamination actions was 12.

465 During the household visits we observed 14 cases where consumers had a countertop near
466 their sink (≤ 1 m) but chose to prepare the meal either on the kitchen table or on another
467 countertop instead (placed at >1 m away from the sink). For these consumers the average
468 number of potential cross-contamination events was 10, higher than the average when the
469 sink – countertop distance was ≤ 1 m (e.g., FR_Mathilde_YF, NO_Nils_EP,
470 RO_Balanel_YSM, HU_Margo_EP). More details about their kitchen layouts are shown in

471 *Data in Brief* (Mihalache et al., submitted). To such consumers it is necessary to explain the
472 importance of the placement of the countertop near the sink.

473 **Insert Table 7 here**

474 For food safety reasons, the distance between sink and preparation area (countertop or table)
475 is more important in the kitchen design than the work triangle.

476 By highlighting the importance of kitchen layouts on consumers' food safety practices related
477 to cross-contamination events we hope that new recommendations will be made prioritising
478 consumer's safety and not only efficiency in kitchens.

479 This is a new suggested concept and although in this study we presented data that supports
480 our concept, we acknowledge there are limitations such as: a) the sample size (64
481 households), b) other factors that could cause cross-contamination events (consumers' level
482 of knowledge, routines, and foodborne risk perception), c) outliers (consumers lacking basic
483 means), and d) consumers' behaviour that can change under observation (Evans & Redmond,
484 2018). Our results can be used as a starting point for future research regarding kitchen
485 arrangements supporting minimisation of cross-contamination events.

486 **4. Conclusions**

487 Our study, which to our knowledge is the first showing real kitchen layouts from five
488 European countries, emphasizes the importance of these layouts in relation to consumers'
489 hygiene practices.

490 The findings from the visits support the fact that a significant correlation exists between the
491 sink placement (inside or outside the kitchen) and hygienic practices during food handling,
492 which was the finding from the survey, and, more than this, showed that the kitchen work

493 triangle was not associated with food safety, since the number of food hygiene practices was
494 not correlated with the recommendations for the work triangle.

495 This study outlines the importance of implementing the concept of food safety in kitchens
496 highlighting significant correlations between the sink placement and consumers' food
497 hygiene practices. The regression models for consumers' observed food hygiene practices
498 indicated that cross-contamination events are more likely to occur when the sink – countertop
499 distance is >1 m and the perimeter of the safety triangle is >4 m. Hence, we consider that the
500 food safety triangle, which is the triangle formed by the apexes of sink – countertop – stove
501 that we suggest in this paper as replacement of the kitchen work triangle, with the perimeter
502 ≤ 4 m and its side represented by the sink – countertop distance ≤ 1 m may be an acceptable
503 compromise between safety and efficiency in kitchens.

504 As our study was observational, examined kitchens that highly differed in the way they were
505 designed and equipped and took into consideration just the number of potential cross-
506 contamination events and not the severity of the associated risks, it opens the floor for studies
507 to confirm our theory.

508 Meanwhile, education of consumers should not be neglected. As kitchen designs favouring
509 hygienic practices is a necessary but not sufficient condition to reduce risk, making
510 consumers aware on the key moments when they have to clean their hands, utensils and
511 surfaces remains a challenge for assuring food safety in homes. Consumers able to apply
512 good hygiene practices in their kitchens and a kitchen organisation facilitating these good
513 practices may be a synergistic approach to reduce foodborne illnesses.

514 **Acknowledgements**

515 This research was supported by the Horizon 2020 project Safe Consume (Grant Agreement
516 No. 727580). Joachim Scholderer and his team are acknowledged for designing and
517 organizing the consumer survey. Silje Elisabeth Skuland and her team are acknowledged for
518 organizing the field trip observation in European households.

519 **References**

- 520 1. Adams, C. (2018). What Is the Kitchen Triangle? ThoughtCo. Retrieved from:
521 <https://www.thoughtco.com/kitchen-work-triangle-1206604>. Accessed February 12,
522 2021.
- 523 2. Al-Sakkaf, A. (2015). Domestic food preparation practices: A review of the reasons
524 for poor home hygiene practices. *Health Promotion International*, 30(3), 427–437.
525 <https://doi.org/10.1093/heapro/dat051>.
- 526 3. Azevedo, I., Albano, H., Silva, J., & Teixeira, P. (2014). Food safety in the domestic
527 environment. *Food Control*, 37, 272–
528 276. <https://doi.org/10.1016/j.foodcont.2013.09.058>.
- 529 4. Bae, D., Seo, K. S., Zhang, T., & Wang, C. (2013). Characterization of a Potential
530 *Listeria monocytogenes* Virulence Factor Associated with Attachment to Fresh
531 Produce. *Applied and Environmental Microbiology*, 79(22), 6855–6861. doi:
532 [10.1128/AEM.01006-13](https://doi.org/10.1128/AEM.01006-13)
- 533 5. Beamish, J., Parrott, R. K., Emmel, J., Peterson, M. J. (2013). *Kitchen planning:
534 guidelines, codes, standards* (2nd ed.). Hoboken, New Jersey: Wiley
- 535 6. Camp, W. (2017). The work triangle: Does it still work? Kitchen & Bath Design
536 News. Retrieved from: [https://www.kitchenbathdesign.com/the-work-triangle-does-it-
537 still-work/](https://www.kitchenbathdesign.com/the-work-triangle-does-it-still-work/). Accessed January 19, 2021.
- 538 7. Carpiano, R. M. (2009). Come take a walk with me: The ‘go-along’ interview as a

- 539 method for studying the implications of place for health and wellbeing. *Health and*
540 *Place*, 15(1), 263–272. <https://doi.org/10.1016/j.healthplace.2008.05.003>.
- 541 8. Castro-Rosas, J., Cerna-Cortes, J. F., Mendez-Reyes, E., Lopez-Hernandez, D.,
542 Gomez-Aldapa, C. A., & Estrada-Garcia, T. (2012). Presence of faecal coliforms,
543 *Escherichia coli* and diarrheagenic *E. coli* pathotypes in ready-to-eat salads, from an
544 area where crops are irrigated with untreated sewage water. *International Journal of*
545 *Food Microbiology*, 156(2), 176-180.
546 <https://doi.org/10.1016/j.ijfoodmicro.2012.03.025>.
- 547 9. Didier, P., Nguyen-The, C., Martens, L., Foden, M., Dumitrascu, L., Mihalache, A.
548 O., A. I., Nicolau, S. E., Skuland, M., Truninger, L., Junqueira, & Maitre, I. (2021).
549 Washing hands and risk of cross-contamination During Chicken preparation among
550 Domestic practitioners in five European countries. *Food Control*.
551 <https://doi.org/10.1016/j.foodcont.2021.108062>.
- 552 10. EFSA and ECDC (European Food Safety Authority and European Centre for Disease
553 Prevention and Control). 2021. The European Union One Health 2019 Zoonoses
554 Report. *EFSA Journal* 2021, 19(2):6406, 286 pp.
555 <https://doi.org/10.2903/j.efsa.2021.6406>.
- 556 11. Eiler, L. (2019). Kitchen Layout 101: The Work Triangle & Zones. CRD Design
557 Build. Retrieved from: [https://www.crdesignbuild.com/blog/kitchen-layout-101-the-](https://www.crdesignbuild.com/blog/kitchen-layout-101-the-work-triangle-and-zones)
558 [work-triangle-and-zones](https://www.crdesignbuild.com/blog/kitchen-layout-101-the-work-triangle-and-zones). Accessed February 18, 2021.
- 559 12. Evans, E. W., & Redmond, E. C. (2018). Behavioral Observation and Microbiological
560 Analysis of Older Adult Consumers' Cross-Contamination Practices in a Model
561 Domestic Kitchen. *Journal of Food Protection*, 81(4), 569–
562 581. <https://doi.org/10.4315/0362-028X.JFP-17-378>.
- 563 13. Field, A. (2013). *Discovering statistics using IBM SPSS statistics: And sex and drugs*

- 564 *and rick'n'roll* (4th ed.). London: Sage.
- 565 14. Field, A. (2018). *Discovering statistics using IBM SPSS statistics* (5th ed). Los
566 Angeles: Sage.
- 567 15. Hagan, J. A., Kwofie, A. S., & Baissie, F. (2017). Assessing the Effect of Kitchen
568 Layout on Employee's Productivity. *IJRDO - Journal of Applied Management
569 Science* (ISSN: 2455-9229), 3(1), 36-45. Retrieved from
570 <https://www.ijrdo.org/index.php/ams/article/view/1053>.
- 571 16. Her, E. S., Seo, S., Choi, J., Pool, V., & Ilic, S. (2017). Observed food safety
572 behaviors among consumers and employees in university food courts. *British Food
573 Journal*, 119(7), 1619–1632. <https://doi.org/10.1108/BFJ-10-2016-0472>.
- 574 17. Her, E., Seo, S., Choi, J., Pool, V., & Ilic, S. (2019). Assessment of Food Safety at
575 University Food Courts Using Surveys, Observations, and Microbial Testing. *Food
576 Control*. <https://doi.org/10.1016/j.foodcont.2019.04.002>.
- 577 18. Heyne, P. (2016). How to Arrange Your Kitchen: According to Julia Child. The
578 Greatest American French Chef Offers Some Layout Tips. Literary Hub. Retrieved
579 from: <https://lithub.com/how-to-arrange-your-kitchen-according-to-julia-child/>.
580 Accessed March 14, 2021.
- 581 19. <https://www.dimensions.guide/>. Accessed January 20, 2021.
- 582 20. Kendall, H., Brennan, M., Seal, C., Ladha, C., & Kuznesof, S. (2016). Behind the
583 kitchen door: A novel mixed method approach for exploring the food provisioning
584 practices of the older consumer. *Food Quality and Preference*, 53, 105–116.
585 <https://doi.org/10.1016/j.foodqual.2016.06.005>.
- 586 21. Kennedy, J., Gibney, S., Nolan, A., O'Brien, S., McMahon, M. A. S., McDowell, D.
587 Fanning, S., & Wall, P. G. (2011). Identification of critical points during domestic

- 588 food preparation: an observational study. *British Food Journal*, 113(6), 766–
589 783. <https://doi.org/10.1108/00070701111140106>.
- 590 22. Kusenbach, M. (2003). Street phenomenology: The go-along as ethnographic research
591 tool. *Ethnography*, 4(3), 455–485. <https://doi.org/10.1177/146613810343007>.
- 592 23. Lange, A. (2012). The Woman Who Invented the Kitchen. Slate Magazine. Retrieved
593 from: [https://slate.com/human-interest/2012/10/lillian-gilbreths-kitchen-practical-](https://slate.com/human-interest/2012/10/lillian-gilbreths-kitchen-practical-how-it-reinvented-the-modern-kitchen.html)
594 [how-it-reinvented-the-modern-kitchen.html](https://slate.com/human-interest/2012/10/lillian-gilbreths-kitchen-practical-how-it-reinvented-the-modern-kitchen.html). Accessed February 10, 2021.
- 595 24. Langiano, E., Ferrara, M., Lanni, L., Viscardi, V., Abbatecola, A. M., & De Vito, E.
596 (2012). Food safety at home: Knowledge and practices of consumers. *Journal of*
597 *Public Health (Germany)*, 20(1), 47–57. <https://doi.org/10.1007/s10389-011-0437-z>.
- 598 25. Langsrud, S., Sørheim, O., Skuland, S. E., Almlı, V. L., Jensen, M. R., Grøvlen, M.
599 S., Ueland, Ø., & Møretrø, T. (2020). Cooking chicken at home: Common or
600 recommended approaches to judge doneness may not assure sufficient inactivation of
601 pathogens. *PLoS ONE*, 15(4), 1–27. <https://doi.org/10.1371/journal.pone.0230928>.
- 602 26. Lokerse, R. F. A., Maslowska-Corker, K. A., van de Wardt, L. C., & Wijtzes, T.
603 (2016). Growth capacity of *Listeria monocytogenes* in ingredients of ready-to-eat
604 salads. *Food Control*, 60, 338–345. <https://doi.org/10.1016/j.foodcont.2015.07.041>.
- 605 27. Martens, L. (2012). The politics of practice: CCTV video and domestic kitchen
606 practices. In S. Pink (Ed.), *Advances in visual methodology* (pp. 39–56). London:
607 Sage.
- 608 28. Muir, S., & Mason, J. (2012). Capturing Christmas: The sensory potential of data
609 from participant produced video. *Sociological Research Online*, 17(1).
610 <https://doi.org/10.5153/sro.2580>.
- 611 29. Osborne, J.W. (2017). *Regression and linear modeling: Best practices and modern*
612 *methods*. Thousand Oaks, CA: Sage.

- 613 30. Pehkonen, I., Takala, E.-P., Ketola, R., Viikari-Juntura, E., Leino-Arjas, P., Hopsu,
614 L., Virtanen, T., Haukka, E., Holtari-Leino, M., Nykyri, E., & Riihimäki, H (2009).
615 Evaluation of a participatory ergonomic intervention process in kitchen work. *Applied*
616 *ergonomics*, 40(1), 115-123. <https://doi.org/10.1016/j.apergo.2008.01.006>.
- 617 31. Petrova, X. (2018). The future of kitchen design. FreshMag. Retrieved from:
618 <https://blog.liebherr.com/appliances/my/the-future-of-kitchen-design/>. Accessed
619 January 29, 2021.
- 620 32. Skuland, S. E. (Ed), Borda, D., Didier, P., Dumitraşcu, L., Ferreira, V., Foden, M.,
621 Langsrud, S., Maître, I., Martens, L. Møretrø, T., Nguyen-The, C., Nicolau, A.
622 I. Nunes, C., Rosenberg, T. G., Teigen, H. M., Teixeira, P., & Truninger, M. (2020).
623 European food safety: Mapping critical food practices and cultural differences in
624 France, Norway, Portugal, Romania and the UK. SIFO REPORT 6-2020. ISBN: 82-
625 7063-506-5. Oslo: Consumption research Norway, Oslo Metropolitan University.
- 626 33. Sweetman, P. (2009). Revealing habitus, illuminating practices: Bourdieu,
627 photography and visual methods. *The Sociological Review*, 57(3), 491–511.
628 <https://doi.org/10.1111/j.1467-954X.2009.01851.x>.
- 629 34. Wallender, L. (2020). Use the Kitchen Triangle for Space Planning. The Spruce.
630 Retrieved from: <https://www.thespruce.com/classic-kitchen-triangle-1822213>.
631 Accessed March 12, 2021.
- 632 35. Williams, T. (2020). Is the Kitchen Work Triangle an Outdated Design Rule?
633 Freshome. Retrieved from: [https://www.mymove.com/home-](https://www.mymove.com/home-inspiration/kitchen/kitchen-work-triangle/)
634 [inspiration/kitchen/kitchen-work-triangle/](https://www.mymove.com/home-inspiration/kitchen/kitchen-work-triangle/). Accessed February 17, 2021.
- 635 36. Zhu, J., Bai, Y., Wang, Y., Song, X., Cui, S., Xu, H., Jiao, X., & Li, F. (2017). A risk
636 assessment of salmonellosis linked to chicken meals prepared in households of China.
637 *Food Control*, 79, 279–287. <https://doi.org/10.1016/j.foodcont.2017.04.003>.

638 37. Wu, Y.ning, Liu, X. mei, Chen, Q., Liu, H., Dai, Y., Zhou, Y. jing, Wen, J., Tang, Z.
639 zhu, Chen, Y. (2018). Surveillance for foodborne disease outbreaks in China, 2003 to
640 2008. *Food Control*. <https://doi.org/10.1016/j.foodcont.2017.08.010>.

641 Figure captions

642 Figure 1 – Sankey diagram illustrating the main potential cross-contamination events and the
643 occasion they occurred

644 Figure 2 – a) and b) Kitchen layouts (RO_Amalia_YF and PT_Augusto_EP), where the work
645 triangle has the recommended perimeter (4 – 7.9 m); c) and d) Kitchen layouts
646 (NO_Fredrik_YSM and FR_Vincent_YSM) where one of the equipment was outside the
647 kitchen, hence the recommended perimeter was exceeded

648 Figure 3 – a) and b) Kitchen equipment arrangement where the food safety triangle has a
649 perimeter ≤ 4 m and a sink – countertop distance ≤ 1 m (RO_Ionel_YSM and NO_Inger_EP);
650 c) and d) Kitchen equipment arrangement where the food safety triangle has a perimeter > 4 m
651 and a sink – countertop distance > 1 m (HU_BA_YF and FR_Elodie_YF)

652

653

654

655

656

657

658

659

660

661


662

663

664

665 Figure 1

666



667

668

669

670

671

672


673

674

675

676

677 Figure 2



678

679

680

681

682

683

684

685

686

687

688

689

708

709

710

Journal Pre-proof

711 **Table 1.** Regression analysis of the self-reported hygienic practices during food handling dependent on the sink placement either inside or
 712 outside the kitchen

	Model	Sink placement	β (SE)	BCa (95% CI)	OR (95% CI)	p
<i>How likely is it that you would clean your hands immediately after touching raw chicken?*</i>	1	Inside	0 ^a		1	
		Outside	-0.64 (0.03)	-0.32; -0.89	0.52 (0.44; 0.61)	0.00**
<i>After cutting chicken, how likely is it that you will re-use the same cutting board for vegetables, salads or fruit?*</i>	2	Inside	0 ^a		1	
		Outside	0.37 (0.08)	0.19; 0.54	1.5 (1.23; 1.71)	0.00**
<i>After cutting chicken, how likely is it that you will re-use the same knife (without washing it) for vegetables, salads or fruit?*</i>	3	Inside	0 ^a		1	
		Outside	0.56 (0.08)	0.25; 0.86	1.8 (1.48; 2.07)	0.00**

713 β = regression coefficient; SE = standard error; BCa (95% CI) = Bias-corrected accelerated (95% confidence interval) using the bootstrapping technique (1000 iterations); OR

714 (95% C.I.) = odds ratio (95% confidence interval); a = reference value; *N = 7866 valid answers; **p < 0.01.

715 **Table 2.** Average number of potential cross-contamination events per country and per
 716 kitchen and the occasion they occurred

Average number of CC events that occurred during handling of...				
Country	raw chicken	raw vegetables	lettuce	Total
France	3	3	3	9
Hungary	6	3	3	12
Norway	1	6	2	9
Portugal	2	3	4	9
Romania	3	6	3	12

Legend	Average number of CC events		
	≤ 5	5-10	> 10

717

718

719

720

721

722

723

724


725

726

727

728 **Table 3.** Average number of potential cross-contamination events and the occasion they
 729 occurred in kitchens where the arrangement of the key equipment had the recommended
 730 perimeter of the work triangle (4-7.9 m) and kitchens where the arrangement of the
 731 equipment had a perimeter >7.9 m

Average number of CC events that occurred during handling of...					
Kitchen work triangle perimeter, m	n	raw		lettuce	Total
		raw chicken	vegetables		
4-7.9	51	3	4	3	10
>7.9	13	4	5	2	11



732

733

734

735

736

737

738

739

740

741

742

743 **Table 4.** Regression analysis of the observed hand cleaning actions and cross-contamination events in relation with the placement of sink either
 744 inside or outside the kitchen

	Model	Sink placement	β (SE)	BCa (95% CI)	OR (95% CI)	p
<i>Hand washing events*</i>	1	Inside	0.81 (0.07)	0.44; 1.17	2.25 (1.93; 2.63)	0.00**
		Outside	0 ^a		1	
<i>Hand rinsing events*</i>	2	Inside	1.71 (0.47)	0.92; 2.39	5.54 (0.11; 31.05)	0.00**
		Outside	0 ^a		1	
<i>Cross-contamination events*</i>	3	Inside	-0.35 (0.08)	0.45; 0.63	0.7 (0.58; 0.82)	0.00**
		Outside	0 ^a		1	

745 β = regression coefficient; SE = standard error; BCa (95% CI) = Bias-corrected accelerated (95% confidence interval) using the bootstrapping technique (1000 iterations); OR
 746 (95% CI) = odds ratio (95% confidence interval); a = reference value; *N = 64 participants; **p < 0.01;


747

748

749

750 **Table 5.** Average number of potential contamination actions and the occasion they occurred
 751 in kitchens where the arrangement of the key equipment had a perimeter ≤ 4 and kitchens
 752 where the arrangement of the equipment had a perimeter >4 m.

Average number of CC events that occurred during handling of...					
Food safety triangle perimeter, m	n	raw chicken	raw		Total
			vegetables	lettuce	
≤ 4	37	2	4	3	9
>4	27	4	4	3	11



753

754

755

756

757

758

759

760

761

762

763

764

765 **Table 6.** Regression analysis of the observed cross-contamination events in relation to the
 766 sink - countertop distance, the perimeter of the food safety triangle, and the interaction sink –
 767 countertop distance + the perimeter of the food safety triangle


Model 1		<i>Cross-contamination events</i>		
	β (SE)	BCa (95% CI)	OR (95% CI)	p
Sink – countertop distance, m*				
≤ 1	0 ^a		1	
> 1	2.25 (0.5)	0.39; 1.88	9.51 (3.14; 28.78)	0.00**
Food safety triangle perimeter, m*				
≤ 4	0 ^a		1	
> 4	1.11 (0.05)	0.03; 2.32	3.03 (1.13; 8.09)	0.03***
Interaction of sink – countertop distance with food safety triangle perimeter, m*				
Sink-countertop ≤ 1 and safety triangle ≤ 4	0 ^a		1	
Sink-countertop > 1 and safety triangle > 4	0.77 (0.03)	0.19; 1.55	2.15 (1.25; 3.7)	0.00**
Sink-countertop > 1 and safety triangle ≤ 4	0.64 (0.04)	0.37; 1.01	2.08 (0.91; 4.72)	0.00**
Sink-countertop ≤ 1 and safety triangle > 4	-0.37 (0.03)	-0.52; -0.24	0.69 (0.33; 1.44)	0.02***

768 β = regression coefficient; SE = standard error; BCa (95% CI) = Bias-corrected accelerated (95% confidence
 769 interval) using the bootstrapping technique (1000 iterations); OR (95% CI) = odds ratio (95% confidence
 770 interval); a = reference value; *N = 64 participants; ** $p < 0.01$; *** $p < 0.05$.

771

772 **Table 7.** Average number of potential contamination actions related to the sink – countertop
 773 distance and the occasion they occurred

Average number of CC events that occurred during handling of...					
Sink - countertop distance, m	n	raw			Total
		raw chicken	vegetables	lettuce	
≤1 m	34	2	4	2	8
>1 m	30	4	5	3	12



Highlights

- Sink placement in kitchens correlates with self-reported food handling practices
- Sink placement is also correlated with observed cross-contamination events
- Kitchen layouts based on the work triangle do not support food hygiene practices
- A new triangle named *food safety triangle* is suggested for kitchens' organisation
- Sink – countertop distances ≤ 1 m favour consumers' food hygiene practices

Declaration of interests

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

Journal Pre-proof