

Towards a conservation plan for the Cape Griffon Gyps coprotheres: identifying priorities for research and conservation

André Boshoff & Mark D. Anderson

Despite over 30 years of research and conservation attention, resulting in the production of over 1500 scientific, semi-scientific, popular and educational papers, articles and reports, the global range and population of the Cape Griffon (= Cape Vulture) *Gyps coprotheres*, a threatened southern African endemic, continues to decrease, seemingly in an inexorable manner. The species is listed as 'Vulnerable' in the South African Red Data Book for birds (Anderson 2000). The main reason for the lack of success by conservationists in halting and reversing the species' decline is considered to be the absence of an overall sub-continental conservation plan for the species, resulting in attempts to conserve it being fragmented, uncoordinated and not priority driven. As a first step towards the compilation and implementation of a strategic conservation plan, an expert workshop was organised, with the overall aim of identifying research and conservation priorities, and kick-starting a process to compile and implement a workable conservation plan. The full report from the workshop is available at www.nmmu.ac.za/ace; a brief account is presented below.

A group of 21 persons, including an

independent facilitator, was invited to attend the workshop, which took place on 12 March 2006 in Harrismith, Free State Province, South Africa. The 20 participants represented a good range of southern African vulture conservation and research interests, expertise and experience. Good geographical coverage of participants was achieved, with workers active in South Africa, Lesotho, Botswana, Zimbabwe and Namibia – incorporating the global range of the species - being present. Background information was provided to participants beforehand, to enable them to prepare for the workshop, using their knowledge of the formal and grey literature, and their field experience.

Consensus was reached on the conservation goal for the species – “to stabilise the Cape Griffon population”. Sixteen known or suspected mortality factors were listed, and for each of these the current scenario (e.g. what is known, what is not known), research requirements and proposed conservation actions were discussed and a summary thereof was captured in a matrix. Following this exercise, each participant was granted 16 votes (= the total number of listed mortality factors) and asked to allocate

them, as they saw fit, to one or more of the 16 factors, according to the perceived relative importance of each factor. The outcome of this simple ranking procedure is presented in Table 1.

Table 1. Ranking of the 16 factors that are considered to contribute to the decline of the Cape Griffon, as determined by 16 (the number of participants present when the ranking exercise was conducted) workshop participants. Priority ranking values are qualified by numbers of votes per factor (1 = highest priority, 16 = lowest priority).

Factor	Number (and percentage) of total votes	Priority ranking
Decrease in the amount of carrion	54 (21.1)	1
Inadvertent poisoning	34 (13.3)	2
Electrocution on electricity transmission structures	33 (12.9)	3
Exposure to agro-chemicals	24 (9.4)	4
Loss of foraging habitat (to e.g. agriculture, urban development)	20 (7.8)	5
Unsustainable harvesting for traditional uses	20 (7.8)	6*
Lack of an awareness/conservation ethic	18 (7.0)	7
Collision with electricity cables and tower guy wires	14 (5.5)	8
Disturbance at roosting and breeding sites	13 (5.1)	9
Direct persecution by landowners	12 (4.7)	10
Drowning in high-walled farm reservoirs	6 (2.3)	11
Shortage of bone material in the diet	3 (1.2)	12
Lack of roosting and breeding sites	3 (1.2)	13
Variation in carcass composition	1 (0.4)	14
Inappropriate food items (pica)	1 (0.4)	15
Lack of surface water	0 (0.0)	16
TOTAL	256 (100.0)	

*One year after the workshop was held, i.e. April 2007, a report commissioned by KZN Wildlife (Mander et al. 2007) revealed alarmingly high levels of harvesting of Cape Griffons in parts of South Africa for traditional medicine purposes; these levels are considered to be unsustainable and it is predicted that this factor will significantly hasten the extinction of this species. Had this information been available at the time of the workshop, it is highly likely that the "harvesting for traditional uses" mortality factor would have received a higher ranking than it did (see in Table 1).

At the workshop it was agreed that an appropriate monitoring and evaluation (M&E) programme, to track demographic changes in relation to conservation actions, and to detect the emergence of new threats, needs to be designed and implemented. However, the operation of such an M&E programme will be largely meaningless unless 'on-the-ground' conservation actions are implemented, as a priority.

Since some 18 'core' colonies

hold about 80% of the Cape Griffon population, conservation action must be focused on them. A Cape Griffon Task Force (CGTF), comprising a co-ordinator and a group of core colony 'champions' and associated volunteers, will be established. Its overall role is to oversee the compilation and implementation of conservation plans, at the local and regional level, for each of the 18 'core' colonies, and to exercise accountability for the effectiveness of the implementation of these plans. Action plans for individual core colonies are to be closely guided by the outcomes of this workshop, especially as expressed in Table 1 above and in the matrix (see Boshoff & Anderson 2006), but unique local circumstances must be catered for. The Birds of Prey Working Group of South Africa's Endangered Wildlife Trust will render assistance to the CGTF by providing a co-ordinating role, providing interim administrative support, and investigating the funding and appointment of a full-time or part-time CVTF co-ordinator.

References

- Anderson, M.D. 2000. Cape Vulture. In: The Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland. Barnes, K.N. (ed.). pp 73-75. BirdLife South Africa, Johannesburg.
- Boshoff, A.F. & Anderson, M.D. (eds). 2006. Towards a conservation plan for the Cape Griffon Gyps coprotheres: identifying priorities for research and conservation action. Centre for African Conservation Ecology, Nelson Mandela Metropolitan

University (Port Elizabeth). Report No. 55. 3+17 pp. [downloadable from www.nmmu.ac.za/ace]

Mander, M., Diederichs, N., Ntuli, L., Mavundla, K., Williams, V. and McKean, S. 2007. Survey of the trade in vultures for the traditional health industry in South Africa. Futureworks, Everton. 54 pp.

Keywords: Conservation, threats, conservation plan, southern Africa. Cape Vulture Gyps coprotheres.

Authors' addresses: André Boshoff, Centre for African Conservation Ecology, Nelson Mandela Metropolitan University, Port Elizabeth, South Africa. e-mail: andre.boshoff@nmmu.ac.za; Mark D. Anderson, Department of Tourism, Environment and Conservation, Private Bag X6102, Kimberley 8300, Northern Cape, South Africa; e-mail: manderson@half.ncape.gov.za.

