

Journal of Ayurveda and Integrated Medical Sciences

www.jaims.in



An International Journal for Researches in Ayurveda and Allied Sciences



In state of

Journal of

Ayurveda and Integrated Medical Sciences

CASE REPORT

May-June 2020

Efficacy of Ayurvedic multidimentional therapy in Darunaka - A Case Study

Vd. Jasminbegam B. Momin¹, Vd. P. V. Kulkarni², Vd. V. E. Gogate³

¹Post Graduate Scholar, ²Assistant Professor, ³Associate Professor, Dept. of Kayachikitsa, Govt. Ayurved College, Nanded, Maharashtra, INDIA.

ABSTRACT

Ancient Acharyas have stated that 'Shira' is one among the 'Dashapranayatana' and it is very much important to protect the 'Shira' from any external and internal trauma as all sensory organs or Indriyas are located here. Darunaka is a condition affecting the Shirotwaka and hair and it is commonly encountered in a clinical practice. It affects almost everyone mostly in the adult life. Dryness, itching, scaling of the scalp along with hair-fall are the cardinal symptoms of this disease involving mainly vitiated Vata and Kapha Doshas. In modern dermatological practice, there is no any satisfactory remedy for this irritating disorder. Hence, many patients are looking with a hope towards Ayurveda. In the present case study, a 22 years old female patient having symptoms of Darunaka was treated with Ayurvedic Chikitsa. The combine effect of Shodhana Chikitsa and Shamana Aushadhis along with Sthanika Chikitsa in the form of Lepa and Dhavana were advocated and at the same time, Nidana Parivariana was strictly followed. The assessment of symptoms of the disease was done with the help of gradation index of symptoms of Darunaka. There was significant relief in all the complaints of patient within a period of two months.

Key words: Darunaka, Shodhana Chikitsa, Shamana Aushadhis, Sthanika Chikitsa, Lepa, Dhavana.

INTRODUCTION

Ayurveda is the first and foremost a spiritual science which offers a scientific approach to live in harmony with nature.[1] Ancient Acharyas have explained 'Shira' as 'Uttamanga'.[2] Acharya Charaka have included Shira as one among the Dashapranayatana. [3] It is also considered as one among three Marmas.[4] Acharya Vagbhata have described 19 Shiroroga out of which, 9 are Shirokapalaroga and 'Darunaka' is one among

Address for correspondence:

Vd. Jasminbegam B. Momin

Post Graduate Scholar, Dept. of Kayachikitsa, Govt. Ayurved College, Nanded, Maharashtra, INDIA.

E-mail: jasminmomin791992@gmail.com

Submission Date: 13/05/2020 Accepted Date: 11/06/2020

Access this article online **Ouick Response Code**

Website: www.jaims.in

Published by Maharshi Charaka Ayurveda Organization, Vijayapur, Karnataka (Regd) under the license CCby-NC-SA

them.^[5] Acharva Sushruta have included this under Kshudrarogas. [6] It is a Roga affecting mainly the Kapala that is scalp and it also hampers the normal healthy status of hair. The word 'Drunaka' is derived from the word 'Daruna' which means 'Kathina' or 'difficult to bear' or 'tolerate'. [7] Shirapradeshi Kandu (itching), Rukshata (dryness), Shirotwaka Sphutanam or Keshabhumi Prapatana (cracking of the scalp skin with fine flakes) and Keshachyuti (hair-fall) are the cardinal symptoms of *Darunaka* which involves mainly vitiated Vata and Kapha Doshas.[8] It affects almost everyone mostly in the adult life and people of either sex get affected by this.[9] Now-a days people are more concerned about their personality including the status of hair as healthy hair are necessary for boosting the self-confidence. [10] Problems like hair-fall and dandruff make people more conscious. Unhygienic conditions and excessive as well as improper use of cosmetic products, pollution and many more factors may cause hair problems.[10] There are many market preparations which are advised by modern dermatologist but it has some limitations as

the effect is not long lasting or cost of treatment is very high. [9] The disease is very irritating and disturbs the routine life of patient and may hamper the mental health also. As satisfactory results are not available, patients are continuously looking with hope towards Ayurveda. Ayurveda plays an important role in the management of Darunaka as its unique treatment modality provides long lasting results through three basic principles of treatment that is Nidana Parivarjana, Shodhana Chikitsa and Shamana Aushadhis. Sthanika Chikitsa in terms of Lepa and Dhavana is also important in order to relieve the symptoms and to nourish the hair. A case of 22 years old female patient suffering from Darunaka is being discussed here who was treated by multidimensional approach of Ayurveda. The results were excellent and shows the satisfactory combine effect of Shodhana Chikitsa and Shamana Aushadhis along with Sthanika Chikitsa in the management of Darunaka.

AIM

To study the combine effect of *Shodhana Chikitsa* and *Shamana Aushadhis* along with *Sthanika Chikitsa* in the management of *Darunaka*.

OBJECTIVE

- 1. To study the efficacy of *Shodhana Chikitsa* in *Utklishtadoshavastha* of *Darunaka*.
- 2. To study the efficacy of *Shamana Aushadhis* in the management of *Darunaka*.
- 3. To study the relief in signs and symptoms of *Darunaka* by external application of Ayurvedic preparations.

MATERIALS AND METHODS

Shodhana Chikitsa and Shamana Aushadhis along with Sthanika Chikitsa was advised to the patient having signs and symptoms of Darunaka.

CASE REPORT

Primary Data

- Patient's name XYZ
- Age 22 years

- Sex Female
- Occupation Student
- OPD No. 98767
- Date 14/11/2019

Present Complaints with Duration

SN	Present Complaints	Duration
1.	Itching over the scalp	Since 6 months
2.	Scaling of the scalp	Since 6 months
3.	Dryness of scalp	Since 6 months
4.	Dryness of Hair	Since 2 months
5.	Hair-fall	Since 2 months

History of Past Illness

- 1. No H/O DM/HTN/Bronchial Asthma
- 2. No H/O any drug allergic reaction
- 3. No H/O blood transfusion
- 4. No H/O any addiction
- 5. No H/O any bleeding disorder
- Menstrual History Regular but irregular pattern of bleeding
- 7. No H/O any major medical or surgical illness

History of Present Illness

A 21 years old female patient was apparently healthy before 6 months. Gradually she felt mild itching over the scalp along with increased dryness and scaling from scalp. The complaints were increasing day by day and in due course of time, she was suffering from dryness of hair and hair-fall also. Meanwhile she consulted a dermatologist for the above stated complaints where she was treated with allopathic medicine but didn't get satisfactory results. Instead, the symptoms became more severe which hampered the patient's mental health also. So, she came to the OPD of our institute for the Ayurvedic treatment where she was diagnosed with *Darunaka*.

ISSN: 2456-3110

Investigations

All hematological investigations - WNL

Urine Examination - WNL

Blood Sugar - 102mg/dl

Urine Sugar - Absent

Samanya Parikshana

1.	Nadi	80/min, <i>Sarpa Gati</i> , Regular, Full volume	
2.	Mala	Picchila Malapravritti, Incomplete bowel evacuation - 2-3 times/week	
3.	Mutra	Samyaka Mutrapravritti,	
4.	Jihva	Saama	
5.	Shabda	Spashta	
6.	Sparsha	Samashitoshna	
7.	Drika	Ishat Panduvarni	
8.	Aakruti	Krisha	

Srotasa Parikshana

- Rasavaha Srotasa Mandajwaraprachiti, Angamarda, Daurbalya
- Raktavaha Srotasa Shirapradeshikandu and Rukshata along with Shirotwaka Sphutana
- Asthivaha Srotasa Keshapatana, Kesharukshata
- Swedavaha Srotas Kesha Rukshata and Keshapatana

Diagnostic Criteria

Diagnosis of the patient as *Darunaka* was done on the basis of following symptoms;

SN	Lakshanas	Findings
1.	Shirapradeshikandu	Present
2.	Shirapradeshirukshata	Present
3.	Shirotwakasphutanamorkeshabhumipr apatana	Present

CASE REPORT

May-June 2020

4.	Keshachyuti	Present
5.	Involvement of vata and kaphadoshas	Present

NIDANA PANCHAKA

Hetu - Aniyamitabhojana Samaya, Ati Amla Rasa Sevana, Adhyashana, Ratraujagarana, Excessive consumption of outside food items (weekly 2-3 times), Bakery products, Shitodaka Snana, Atyambupana.

Purvarupa - Mild itching over scalp

Rupa

- 1. Itching over the scalp
- 2. Dryness over the scalp
- 3. Scaling from the scalp
- 4. Dryness of hair
- 5. Hair-fall

Upashaya - Upashayanugami

Samprapti

Hetusevana → Doshaprakopa mainly Vata and Kapha
→ Vitiation of Rasa, Rakta, Mansa and Asthi Dhatu →
Srotorodha → Dosha - Dushya takes Sthanasanshraya
of Kapala → Vyakta Avastha of Lakshanas →
Darunaka.

Samprapti Ghataka

- Dosha Vata and Kapha
- Dushya Rasa, Rakta, Mansa, Asthi Dhatu
- Upadhatu Twaka
- Mala Kesha
- Srotasa Rasavaha, Raktavaha, Asthivaha,
 Swedavaha
- Srotodushtiprakara Sanga
- Adhishthana Twaka
- Vyaktasthana Kapala
- Rogamarga Bahya

ISSN: 2456-3110

CASE REPORT

May-June 2020

Treatment Protocol

The treatment protocol comprises following four plans;

- 1. Shodhana Chikitsa
- 2. Internally Shamana Aushadhis
- 3. Sthanika Chikitsa
- 4. Pathya-Apathya for Nidana Parivarjana

1. Shodhana Chikitsa

The Abhivyakti of all the Lakshanas was mainly over the scalp region that is Shiro Twak Pradesha. Acharya Charaka have stated that 'Nasa Hi Shirasodvaram' and hence to reduce the Srotorodha of Shiropradesha, Pradhamana Nasya along with Tikshna Dhumapana was selected to be done for 7 days. For this, following drugs were used;

- Pradhamana Nasya Sariva, Manjishtha,
 Saindhava
- Tikshna Dhumapana Vacha and Sunthi Churna

As there was *Dushti* of *Raktavaha Srotasa* also, *Mridu Virechana* was advised to the patient and for this, *Aaragvadhakapila Vati* was administered in a dose of two tablets with lukewarm water in a bedtime for 3 weeks.

2. Shamana Aushadhis

The patient was advised with *Raktaprasadaka Dravyas* like *Manjishtha*, *Sariva* and *Daruharidra*. All the three *Dravyas* were taken in a *Churna* form, mixed together and administered in a dose of 5 gm thrice a day with lukewarm water.

3. Sthanika Chikitsa

By the side of *Shodhana Chikitsa* and *Shamana Aushadhis*, the *Sthanika Chikitsa* of scalp in terms of local application for the relief in all complaints and nourishment of scalp and hair was selected. This was done in two ways as follows;

Lepa prepared from Bhringraja, Aamalaki and Trifala Kalka followed by Shirodhavana by Nimbapatra Siddha Jala. This was advocated in the morning time. In the bedtime, the patient was guided for the local application of Jatyadi Taila.

Pathya - Apathya

Pathya

- a) Aahara Adequate amount of water and diet
- b) Vihara Adequate rest and sleep at night

Apathya - All the Hetus.

Criteria of Assessment

Assessment of symptoms of *Darunaka* was done on the basis of following gradation index^[12]

1. Shirapradeshi Kandu (Itching over the scalp)

Absent	0
Occasionally present - Disturbs daily routine	1
Frequently present - Disturbs daily routine	2
Constantly present - Disturbs daily routine	3

2. Keshabhumi Rukshata (Dryness over the scalp)

Absent	0
Negligible	1
Without discomfort over the scalp	2
With discomfort over the scalp	3

3. Shirotwaka Sphutanam or Keshabhumi Prapatana (Cracking of the scalp skin with fine flakes)

Absent	0
Visible inside the hair	1
Visible over the hair	2
Visible even over the shoulder	3

4. Keshachyuti (Hairfall)

Absent	0	
--------	---	--

Hair-fall once in the morning while washing or combing	1
Hair-fall on every time of combing	2
Hair-fall even without combing and raised hairline in frontal region (mild baldness)	3

RESULT

There was marked relief in the complaints of dryness and itching of the scalp within a period of 1 week. The all other symptoms were still present for which the patient was advised with Shamana Aushadhis and Sthanika Chikitsa for two months. All the Hetus were strictly avoided during this treatment schedule. By this time, there was considerable relief in all the complaints including scaling of the scalp, dryness of hair and hair-fall. At the time of follow-up, it was observed that all the symptoms were remarkably fed up. Then the patient was instructed for Nidana Parivarjana and Sthanika Chikitsa was done each time thrice a week. At the same time, the patient was advised with Yashtimadhu Taila Nasva which was conducted in a schedule of 2 drops in each nostril in the morning for a duration of 1 month.

Overall assessment of effect of therapy

SN	Lakshanas	Gradation	
		Before Treatment	After Treatment
1.	Shirapradeshi Kandu	2	0
2.	Keshabhumi Rukshata	3	0
3.	Shirotwak Sphutanam or Keshabhumi Prapatana	2	0
4.	Keshachyuti	2	1

DISCUSSION

Ancient *Acharyas* have stated that 'Shira' is one among the 'Dashapranayatana'.^[3] So, protection of head is very important because all the *Indriyas* or sense organs are located in the 'Shira' and their

proper functioning is under the control of 'Shira'.^[2] Hence the diseases of head should be treated as early as possible. Kapala or scalp is the external covering of head and Darunaka is a disease of the scalp which disturbs the routine life. When the patient came to OPD of our institute, she was having severe dryness over the scalp which causes frequent itching of the scalp leading to discomfort over the scalp and she was also suffering from dryness of hair and hair-fall. We diagnosed the disease as 'Darunaka' and treatment was advocated in terms of Shamana of vitiated Vata and Kapha Doshas. We planned a treatment protocol in terms of Shodhana Chikitsa, Shamana Aushadhis, Sthanika Chikitsa and Nidana Parivarjana.

As Darunaka is a disease of Shirotwaka that is Kapala and Acharya Charaka have stated that 'Nasa Hi Shirasodvaram', Shodhana Chikitsa was done in the form of Pradhamana Nasya to decrease the Srotorodha. Along with this, Tikshna Dhumapana was also done to reduce the vitiated Vata and Kapha Doshas. As there is Dushti of Raktavaha Srotasa, patient was advised with Mridu Virechana in a bedtime.

At the same time, *Shamana Aushadhis* were administered internally in order to achieve *Raktaprasadana*, *Vranashodhana*, *Vranaropana* and to reduce the dryness.

Along with *Shodhana Chikitsa* and *Shamana Aushadhis*, external application was done in order to reduce the dryness and itching of scalp and for the nourishment of scalp and hair.

Nidana Parivarjana was strictly followed during the course of treatment. There was much relief in the complaints of dryness and itching of scalp within a period of 1 week. In due course of two months, there was considerable relief in the complaints including scaling of the scalp, dryness of hair and hair-fall. By this time, skin of scalp was getting its normal texture and healed as well and health status of hair was also improved.

Patient was also satisfied and happy by this Ayurvedic treatment and she was advised with *Pathya* along with *Sthanika Chikitsa* which was done three times

per week. At the same time, *Shamana Nasya* with *Yashtimadhu Taila* was also carried out for the duration of one month.

Following table shows the probable mode of action of selected *Dravyas*.

SN	Tratment protocol	Constituents	Probable mode of action
1.	Pradhamana Nasya	Sariva, Manjishtha, Saindhava	Srotorodhahara, removal of vitiated Vata and Kapha Doshas
2.	Tikshana Dhumapana	Vacha and Sunthi Churna	Removal of vitiated <i>Vata</i> and <i>Kapha</i> <i>Doshas</i>
3.	Mridu Virechana	Aaragvadhakapila Vati	Stransana, Kanduvinashana, Dushtavrana Vishodhana, Kushthaghna, Krimighna
4.	Shamana Aushadhis	Sariva, Manjishtha, Daruharidra	Raktaprasadana, Varnya, Vranashodhana, Vranaropana
5.	Sthanika Chikitsa Lepa in the	Bhringaraja, Aamalaki, Trifala Kalka	Keshya, Twachya, Kapha- Vatanashana, Deepana,
	morning		Aamanashana, Rasayana
	Dhavana followed by Lepa in the morning	Nimapatra Siddha Jala	Vrananashana, Kushthaghna, Krimighna, Kandughna, Rktashodhana, Kledashoshana
	Local application in	Jatyadi Taila	Raktaprasadana, Vranashodhana,

	the bedtime		Varnya
6.	Shamana Nasya	Yashtimadhu Taila	Soothing, balancing of Vata and Kapha Doshas, Keshya, Varnya.

CONCLUSION

Ancient Acharyas have stated multidimensional approach towards the management of Darunaka. In the present case study, the treatment was given as per the symptoms as well as the Avastha of the Doshas. The multidimensional approach of Ayurveda towards management of Darunaka in the form of Shodhana Chikitsa, Shamana Aushadhis and Sthanika Chikitsa along with Nidana Parivarjana gives satisfactory results to the patient. In order to avoid the relapse of the disease, patient was instructed to follow the Nidana Parivarjana and Sthanika Chikitsa for three times per week for 2 months. Along with this, Yashtimadhu Taila Nasya was done as Shamana therapy for the duration of one month. Thus, the combine effect of Shodhana Chikitsa and Shamana Aushadhis along with Sthanika Chikitsa gave excellent results in reliving the complaints of Darunaka.

REFERENCES

- Kumar Santosh, Comparative study of efficacy of kantakariphala rasa siddha tailashiro abhyanga and priyalabeejadishirolepa in the management of Darunaka. 2011-2012, page 1, searched on 20/04/2020
- Yadavji T., editor. Charaka Samhita of Agnivesha, Sutra Sthana. Ch-17, Ver. 12, 3rd edition, Varanasi: Chaukhambha Surbharati Prakashana; 2017. p.99
- Yadavji T., editor. Charaka Samhita of Agnivesha, Sutra Sthana. Ch-29, Ver. 3, 3rd edition, Varanasi: Chaukhambha Surbharati Prakashana; 2017. p.181
- Yadavji T., editor. Charaka Samhita of Agnivesha, Siddhi Sthana. Ch-9, Ver. 9, 3rd edition, Varanasi: Chaukhambha Surbharati Prakashana; 2017. p.718
- Garde G., Sartha Vagbhata, Uttaratantra. Ch-23, Ver.20, Varanasi: Chaukhambha Surbharati Prakashana; 2011. p.424

- Shastri A., Sushruta Samhita, Hindi Commentary, Vol 1, Nidana Sthana. Ch-13, Ver 34, Varanasi: Chaukhambha Surbharati Prakashana; 2015. p.368
- Kumar Santosh, Comparative study of efficacy of kantakariphala rasa siddha tailashiro abhyanga and priyalabeejadishirolepa in the management of Darunaka. 2011-2012, page 5, searched on 20/04/2020
- Garde G., Sartha Vagbhata, Uttaratantra. Ch-23, Ver.
 Varanasi: Chaukhambha Surbharati Prakashana;
 2011. p.424
- Sonawane D., Sonawane R., Kharade S., Study the efficacy of shiro-abhyanga, nadisweda and shirolepa in Darunaka. August 2019, 9(8), searched on 24/04/2020
- Dongre P., Baghel P., Salve N., Effect of madayantika siddha taila in Darunaka w.s.r. to seborrhea capitis.
 2017, Doi;10.18535/ijahm/v7i4.08, 2693-2699, searched on 23/04/2020

- Yadavji T., editor. Charaka Samhita of Agnivesha, Siddhi Sthana. Ch-9, Ver. 88, 3rd edition, Varanasi: Chaukhambha Surbharati Prakashana; 2017. p.722
- Hiremath V., Subramanya M., Patil V., A clinical study on gunjataila and tilataila shiroabhyanga in the management of Darunaka. AYUSHDHARA, 2016 July-August; 3(4):792-796, searched on 21/04/2020

How to cite this article: Vd. Jasminbegam B. Momin, Vd. P. V. Kulkarni, Vd. V. E. Gogate. Efficacy of Ayurvedic multidimentional therapy in Darunaka - A Case Study. J Ayurveda Integr Med Sci 2020;3:180-186.

Source of Support: Nil, **Conflict of Interest:** None declared.

Copyright © 2020 The Author(s); Published by Maharshi Charaka Ayurveda Organization, Vijayapur (Regd). This is an open-access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.
