

ISSN 2456-3110 Vol 5 · Issue 4 July-Aug 2020



Journal of Ayurveda and Integrated Medical Sciences

www.jaims.in

Indexed

An International Journal for Researches in Ayurveda and Allied Sciences





Journal of **Ayurveda and Integrated Medical Sciences**

> CASE REPORT July-Aug 2020

Ayurvedic management of Dusta Vrana w.s.r. Decubitus **Ulcer : A Case Study**

Dr. Naveen Kumar SJ¹, Dr. Sridhar Rao SM²

¹Post Graduate Scholar, ²Professor & HOD, Dept. of Shalya Tantra, Govt. Ayurvedic Medical College, Bengaluru, Karnataka, INDIA.

ABSTRACT

The wound heals by natural process but if the wound gets infected it delays the healing, converts it into Dusta Vrana (chronic ulcer). Bed sore or pressure sore are commonly seen in Non ambulatory patients like Paraplegia (Pakshagatha), Quadriplegia. Most common sites are Sacrococcygeal, Shoulder, Occipital regions due to continuous Pressure, immobilization and Malnutrition. Wound healing will be delayed and turns in to Dustavrana (chronic wound); If decubitus ulcer is not treated it may lead to Sepsis and even Osteomylitis which may end in fatal complication. In such condition Vrana Shodana (Purification) and Vranaropana (Healing) Chikitsa is better choice of treatment. In present study a case of non healing decubitus ulcer with sinus at Right hip joint was treated with mixture of Kapardika Bhasma, Yashada Bhasma along with Jathyadi Gritha plugging into the sinus showed effective in treating pressure sores as it possess the properties of Vrana Shodhana and Ropana. Hence this treatment is effective in the management of decubitus ulcer.

Key words: Dustavrana, Vranashodana, Vranaropana, Kapardika Bhasma, Yashada Bhasma, Jatyadi Gritham.

INTRODUCTION

A bed sore/pressure ulcer is tissue necrosis and ulceration due to prolonged pressure. Blood flow to the skin stops once external pressure becomes more than 30mmHg (more than capillary occlusive pressure) and this causes tissue hypoxia, necrosis and ulceration. It is more prominent between bony prominence and an external surface. It is due to impaired nutrition, defective blood supply, neurological deficit. Usually neurological causes like paraplegia, spinal injury, peripheral nerve injury

Address for correspondence:						
Dr. Naveen Kumar Post Graduate Scholar, Dept. of Shalya Tantra, Govt. Ayurvedic Medical College, Bengaluru, Karnataka, INDIA. E-mail: drnaveenkumarsj2004@gmail.com						
Submission Date: 12/08/2020 Accepted Date: 24/08/2020						
Access this article online						
Quick Response Code	Website: www.jaims.in					
	Published by Maharshi Charaka Ayurveda Organization, Vijayapur, Karnataka (Regd) under the license CC- by-NC-SA					

peripheral neuritis, Leprosy, etc. Initially it begins as callosity due to repeated pressure, under which suppuration occurs and gives way through a central hole which extends down into the deeper plane up to the underlying bone as perforating ulcer (penetrating ulcer).^[4] Pressure ulcer increase mortality rates more than two folds and are the cause of death in 8% of paraplegics.^[5]

Pressure ulcers are described by stages.^[5]

National Pressure Ulcer Advisory Panel Classification

Grade	Classification of ulcer	
1	Non-bleachable erythema of intact skin; wounds generally reversible at this stage with intervention	
2	Partial-thickness skin loss involving epidermis or dermis ; may present as an abrasion, blister or shallow crater	
3	Full-thickness skin loss involving damage or necrosis of subcutaneous tissue but not extending through underlying structure or fascia	

ISSN: 2456-3110

4 Full-thickness skin loss with damage to underlying support structure (i.e., fascia, tendon or joint capsule)

An ulcer is a break in the continuity of the covering epithelium, either skin or mucous membrane due to molecular death.^[4]

Wound healing is divided into 4 Phases;

- 1. Haemostatis
- 2. Inflammation
- 3. Tissue growth (Proliferation)
- 4. Tissue remodeling (Maturation).^[1]

Acharya Susrutha has used the term Vrana (wound) twice in the definition of Shalya Tantra thus highlighting its importance.^[2] Sushrutha has mentioned two types of Vrana according to its origin i.e. Nija (ulcer) and Agantuja Vrana (traumatic wound). Depending on symptomatic, Suddavrana and Dusta Vrana has been said, and its management has been mentioned in Shalya Tantra. He has explained Shasti Upakramas (60 therapeutic measures)^[3] for wound management, amoung 60 Upakramas local application of medicated Gritha, Bhasma in the form of Lepa, Pichu are also explained.

CASE REPORT

A 14yr old female child presented with H/O Non healing ulcer over the Right hip joint with pain, discharge, slough and sinus about 2cms depth vertically downwards. since 2yrs and was admitted in SJIIM and Hospital Bangalore.

EXAMINATION

Inspection

Local Examination

- Location : Right lateral aricular area of hip joint
- Size : 5cms x 2.5cms x 4cms
- Shape : Oval
- Edge : sloping
- Discharge : Serous

- Odour : No odour
- Induration : 1.5cms widtharound the wound

CASE REPORT

July-Aug 2020

Palpation

- Tenderness : Absent
- Depth : 3cms depth, 2cms sinus
- Bleeding : Absent

Investigations

- 1. CBC : Hb-11.7g/dL, PLT-397x10.3/uL
- 2. ESR : 15mm/hr
- 3. CT,BT : NAD
- 4. RBS : 76mg/dl
- 5. HIV : Non-reactive
- 6. HBSAg : Negative
- X-ray of Right pelvic joint : ?? old fracture of greater trochanter - Right

Irregular hyperdensities seen along the lateral aspect of right greater trochanter in soft tissue planes -?Callus/Periosteal reaction.

MATERIALS AND METHODS

Jathyadi Gritham, Kapardika Bhasma, Yashada Bhasma, Normal saline, sterile gauze, Bandage cloth, Micropore, artery forceps, scissor, gloves.

Jathyadi Gritham - 150gms + Kapardika Bhasma -10gms + Yashada Bhasma - 10gms are mixed together and kept in air tight container, this was used for *Pichu*, before aplication the ulcer, area is cleaned by Normal saline and sterile dressing was done daily for 3 months.


RESULT

There is significant result noted in clinical features of Ulcer on 15 days, 30 days and on 45 days of treatment, gradually there was reduction in the size of Ulcer, and at the end of the treatment i.e. after 3 months of the treatment the Ulcer has been completely healed.

ISSN: 2456-3110

CASE REPORT

July-Aug 2020



Day 1



Day 15



Day 30



DISCUSSION

In this case Jathyadhi Gritham shows its Shodana, Ropana and Raktha Prasadana (blood purifier) property,^[6] and Kapardika Bhasma shows its effect on reducing Srava^[10] and it contains calcium, phosphate, magnesium, potassium, manganese, sulphur, zinc minerals,^[8] which helps in granulation tissue formation at the wound site and Yashada Bhasma has Vishesha Guna i.e. Vranasamsravarodana.^[10]

Yashada Bhasma contain Zinc, plays a major role in regulating every phase of wound healing process; ranging from membrane repair, oxidative stress, coagulation, inflamation and immune defence, tissue re-epithelization, angiogenisis, to fibrosis/scar formation.

Contents of Jatyadi Gritha

Property	Content
Shodana	Nimba, Patola, Daruharidra, Abhya, Nakthamala(Karanja)
Ropana	Nimba, Sikta, Manjista, Puranagritham, Haridra

Ingredients

Jathi, Nimba, Patola, Nakthamala, Sikta, Maduka, Kusta, Haridra, Daruharidra, Purana Gritha, Manjista,Tutha (CuSo4.7H2o), Puranataila, Katuki, Sariva, Abhaya.^[11]

Haridra, Karanja and Jaati are having Kustaghna and Krimighna property.^[7] Hence it helps to check wound infection. Vrana Lekhana (scraping) is done by Tutha. Gritha acts as a good vehicle in bringing out pharmagological action of other ingredients.

Properties	Jatyadi Gritham	Kapardika Bhasma	Yasada Bhasma
Rasa	Katu, Tiktha, Kashaya	Katu	Kshaya, Katu
Guna	Singda	Ruksha, Tikshna	Singda, Ushna

Dr. Naveen Kumar SJ et al. Ayurvedic management of Dusta Vrana w.s.r. Decubitus Ulcer : A Case Study

ISSN: 2456-3110

Veerya	Ushna	Ushna	Sheetha
Vipaka		Katu	Madura
Karma	Kapha, Vata,	Pitta, Kapha, Raktharoga	Kapha, Pitta Roga, Shamaka
Uses	Shodana, Ropana, Shothahara	Sravayukthav rana	Vranasamsra varodana
Reference	A.H.U.25/67	Rasatarangini 19/ 100	Rasatarangini 19/ 122

CONCLUSION

Healing of such chronic ulcers, longer duration of contact period of medicaments and the ulcer bed is required. Hence dressing with gauze dipped with the medicated ghee with 2 Bashmas when applied on the wound, provides and maintain an environment in which healing can take place at maximum rate and in minimum duration, the Bhasmas helps in fast action in the formation of healthy granulation, in regulating every phase of wound healing process, ranging from membrane repair, oxidative stress, coagulation inflamation^[9] and immune defence, tissue reepithelization, angiogenesis, to fibrosis/scar formation. This is probably the reason why wounds tend to respond better and heals faster in the above said method of drug delivery.

REFERENCES

- 1. Hutchinson J (1992). The Wound programme. Centre for Medical Education:Dundee.
- Sharma PV. Susrutha Samitha with english translation and Dalana's commentary Vedoutpati Adhaya.vol 1. Sutra Sthana. 2013 reprinted. Varanasi: Chaukhambha Sanskrit Sansthan;2013.p.8.
- 3. Dr.Keval Krishna Takral, Susrutha Samitha with Nibandha Sangraha, Dalana's Commentry and Gayadas

CASE REPORT July-Aug 2020

Acharya Nyayachandrika Hindi translation. Vol 2 Chikithsasthana reprinted in 2017, Chaukhambha Orientalia, Varanasi; p.169,

- Sriram Bhat M SRB's Manual of Surgery. 5th edition Jaypee Brothers Medical Publishers(p)Ltd, New Delhi, Reprinted March 2017.p.22.
- Klingen Smith Mary E.Chen li Ern.The Washington manual of Surgery 5thedition.LippinCott Williams and Wilkins 2008. P.115.
- Yogarathnakara with vidyotini hindi commentary. 1stedtion Varanasi; Chaukhamba Sanskrit Sansthan; 2010.p. 182-184.
- Sharma PV. Dravya Guna Vijnana, vol-2.,17thed., Varanasi, Chaukhamba Bharathi Academy; 1996.p 162,144,178.
- International Journal of Current Pharmageutical Research vol-2,issue 4,2010 ISSN-0975-1491 Research article on Chemical Standardisation Studies On Varatika Bhasma by Devanathan.R, Rajalakshmi.P and Brinda.P. dated;26 july2010.
- Article Nutrients.2018 Jan;10(1):16. Published online
 2017 Dec 24. Doi:10.3390/nu10010016
 PMCID:PMC5793244 PMID:29295546
- Pranacharya Shri Sadananda Sharma Virachitha, Ayurvedacharya Shri Haridattashastri, Kashinatha Shastri, Rasatharangini, Mothilal Banarasdas, Varanasi; 11th edition, 2000.P 474, 479.Total pages 772
- Astanga Hridaya of Vagbatta, with commentary of Sarvanga Sundara of Arunadatta and Ayurveda Rasayana of Hemadri Published by Chaukhamba Prakashna, Varanasi, edition;2010, P. 869

How to cite this article: Dr. Naveen Kumar SJ, Dr. Sridhar Rao SM. Ayurvedic management of Dusta Vrana w.s.r. Decubitus Ulcer : A Case Study. J Ayurveda Integr Med Sci 2020;4:434-437.

Source of Support: Nil, Conflict of Interest: None declared.
